


016.53
p 578
1962
Index
Author

ence Abstracts

Section A

Physics Abstracts



Published by
The Institution of
Electrical Engineers

Vol. 65

Author Index Number 1962

AUTHOR INDEX

For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words, regardless of nationality (e.g. Van Vleck is listed as if written VanVleck). Cross-references are included in appropriate places. Compound names are generally listed under the last component, unless hyphenated; exceptions to this rule are appropriately cross-referenced.

All names are reproduced in the abstracts and the index with the same spelling as in the original articles; in the case of articles printed in Cyrillic characters, a letter-by-letter transliteration is given, in accordance with the scheme given at the beginning of this volume of "Science Abstracts". Russian authors' names may appear in Latin-alphabet publications in various forms, due to the use of different transliteration schemes; these names are reproduced as printed in the articles abstracted.

In anticipation of reprinting the entries in future cumulative indexes, the Abstract Number given with each entry below incorporates the final digit of the year of publication in "Science Abstracts". The headline at the top of each page supplies the remaining digits to complete the year (1962), and indicates the section (Physics Abstracts). Thus "2=1234" in this index means "Abstract 1234 in the 1962 volume of Physics Abstracts".

- Aagard, R.L. Measurements of the output from a ruby laser with a central hole in one of the end mirrors, 2=22014
- Aalberts, J.H. The influence of plastic deformation on the resistivity of ordered Au_3Cu , 2=8273
- Aamodt, L.C. See Blinder, S.M., 2=3778
- Aamodt, R., Case, K.M., Rosenbaum, M. and Zweifel, P.F. Quasi-classical treatment of neutron scattering, 2=11947
- Aamodt, R.E. and Case, K.M. Density in a simple model of the exosphere, 2=21672
- Aamodt, R.L., Brown, L.J. and Nichols, B.D. Thermionic emission from molybdenum in vapors of cesium and cesium fluoride, 2=13584
- Aaron, R. See Vaughn, M.T., 2=252
- Aarons, J., Whitney, H.E., Rogers, R.S., Thomson, J., Bournazel, J., Vassy, E., Hess, H.A., Rawer, K., Carrara, N., Checcacci, P., Landmark, B., Tröim, J., Hultqvist, B. and Liszka, L. Atmospheric phenomena noted in simultaneous observations of 1958 ϕ 2 (Sputnik III), 2=4618
- Aarons, J. See Kidd, W., 2=13184
- Aarons, J. See Klobuchar, J., 2=6937
- Aasa, E. See Suter, T., 2=3531
- Ab, E.A., Andrianova, G.M., Plotnikov, R.I. and Khutsishvili, L.A. A portable accelerating tube with an ion source for a neutron generator, 2=7875
- Abarbanel, S. The effect of molecule recapture on oscillatory free molecule flow, 2=5038
- Abarenkov, I.V., Kristofel', N.N. and Petrashen', M.I. Calculation of the optical properties of small-radius electron centres in ionic crystals, 2=608
- Abate, E., Bellini, G., Fiorini, E. and Ratti, S. Monte Carlo calculations on interactions of 300 MeV protons with carbon, 2=5920
- Abate, J.E. The nature of astro Doppler velocity measurement, 2=15418
- Abbattista, N., Biasco, M., Mongelli, S., Romano, A., Waloschek, P. and Perez-Ferreira, E. Interactions of π^- -mesons of kinetic energy 915 MeV with carbon nuclei, 2=5951
- Abbattista, N. See Alitti, J., 2=16229
- Abbattista, N. See Alitti, J., 2=18156
- Abbattista, N. See Bidan, U., 2=11988
- Abdelaziz, M.E. A high current radio frequency proton source with radial extraction, 2=11943
- Abdi, W.H. On certain q-difference equations and q-Laplace transform, 2=15450
- Abdullaev, G.B. See Guseinov, G.D., 2=18712
- Abdullaev, G.B. See Guseinov, G.D., 2=23410
- Abdurazakov, A.A., Abdurazakova, F.M., Gromov, K.Ya. and Umarov, G.Ya. A new isotope Er^{159} , 2=5857
- Abdurazakov, A.A., Gromov, K.Ya., Dzhelepov, B.S., Norseev, Yu.V., Umarov, G.Ya. and Chumin, V.G. Regarding the 75 min ytterbium activity, 2=14025
- Abdurazakov, A.A., Gromov, K.Ya., Dzhelepov, B.S. and Umarov, G.Ya. Conversion electron spectrum of the dysprosium fraction from the spallation products of tantalum, 2=18302
- Abdurazakova, F.M. See Abdurazakov, A.A., 2=5857
- Abe, K. See Shoda, K., 2=426
- Abe, K. See Shoda, K., 2=12180
- Abe, K. See Shoda, K., 2=16381
- Abe, N. See Ogawa, I., 2=20039
- Abe, R. See Fujita, S., 2=9206
- Abel, T. and Dhashi, T. Origin of round smooth pit on CP-4 etched germanium surfaces, 2=4369
- Abe, Y. and Kojima, S. Nuclear quadrupole resonance of nitrogen in ethylenediamine, 2=18487
- Abe, Y. See Kikuchi, M., 2=10471
- Abe, Y. See Kikuchi, M., 2=18722
- Abe, Y. See Kikuchi, M., 2=23296
- Abecasis, S., Boero, M., Bosch, H. and Mocoroa, A. Study on the isomeric state of Nb^{92} , 2=18262
- Abecasis, S.M. See Mocoroa, A.B., 2=18355
- Abel, W.G., Chisholm, J.H., Fleck, P.L. and James, J.C. Radar reflections from the Sun at very high frequencies, 2=9113
- Abel, W.R., Anderson, A.C. and Wheatley, J.C. Propagation of sound in He^3 , 2=7492
- Abeledo, D., Choy, L., Ammar, R.G., Crayton, N., Levi Setti, R., Raymund, M. and Skjeggstad, O. Mesic decays of hypernuclei from K^- capture. III. Characteristics of the parent stars, 2=5791
- Abeledo, D. See Crayton, N., 2=3472
- Abeledo, D. See Crayton, N., 2=22718
- Abeles, B., Beers, D.S., Cody, G.D. and Dismukes, J.P. Thermal conductivity of Ge-Si alloys at high temperatures, 2=3855
- Abeles, F. The optical properties of certain thin metallic films in the near infrared, 2=6536
- Abeles, F. and Bazin, C. Use of total reflection for the study of weakly absorbing thin films, 2=11487
- Abelishvili, T.L. Theory of neutron transfer in nuclear collisions, 2=20682
- Abelishvili, T.L. and Sitenko, O.H. Electric polarization of deuterons arising in the scattering of deuterons by a Coulomb field, 2=5953
- Abell, G.O. Evidence regarding second-order clustering of galaxies and interactions between clusters of galaxies, 2=7022
- Abella, I.D. Optical harmonic frequency ratio measurements, 2=22017
- Abella, I.D. and Townes, C.H. Mode characteristics and coherence in optical ruby masers, 2=5468
- Abel's, V.R. Groupings of magnetic domains in thin-sheet silicon iron, 2=8631
- Abel's, V.R. The grouping of magnetic regions in silicon iron sheet, 2=23660
- Abel's, V.R. and Nikolaeva, E.L. Effect of the sample shape on the coercive force anisotropy of cold-rolled silicon iron, 2=8623
- Abel's, V.R. and Nikolayeva, E.L. Influence of the shape of a specimen on the anisotropy of coercive force in cold-rolled silicon iron, 2=23656
- Abhirama Reddy, C. and Ramachandra Rao, B. Polarization characteristics of E_g -echoes at Waltair, 2=11804
- Abkowitz, M. and Honig, A. Electron paramagnetic resonance apparatus operating at liquid He^3 temperatures, 2=16083
- Ablekov, V.K. Some experimental studies of stimulated emission from a gas mixture, 2=15653
- Ablekov, V.K., Zaitsev, V.P. and Pesin, M.S. High-intensity mercury-zinc and mercury-cadmium lamps, 2=17633
- Ablova, M.S. The anisotropy of microhardness in germanium, 2=2338
- Ablova, M.S. Microstructure of the indentations obtained during microhardness measurements on germanium, 2=8737

- Ablova, M.S. and Regel', A.R. Microhardness of germanium of various conductivities, 2=16971
- Ablova, M.S. and Regl', A.R. Microhardness of germanium of various conductivities, 2=19023
- Abou-Hadid, L. and Higgins, K. The equivalent two-body method for the hypertriton, 2=3418
- Abov, Yu.G., Belkin, B.F. and Krupchitskii, P.A. Heavy water reactor critical assembly experiments with rod-type fuel elements, 2=18371
- Abov, Y.G., Yermakov, O.N., Gulko, A.D., Krupchitsky, P.A. and Trostin, S.S. Beta decay asymmetry of Li^6 , Ag^{108} and Ag^{110} nuclei produced in the capture of polarized thermal neutrons, 2=14031
- Abov, Yu.G. and Averkin, B.A. Demountable end window proportional neutron counter, 2=7874
- Abowitz, G. and Gordon, R.B. Internal friction in liquid metals: mercury and mercury-thallium alloys, 2=15585
- Abowitz, G. and Gordon, R.B. Compressibility of liquid sodium-potassium alloys, 2=17446
- Abraham, A. Nuclear ferromagnetism in a rotating frame of reference, 2=11815
- Abraham, A. The nuclear spin temperature and the Overhauser effect in metals, 2=18956
- Abraham, A. and Winter, J.M. A new method for the production of a beam of polarized particles, 2=22521
- Abrahám, A. See Tauc, J., 2=2215
- Abraham, M., Dupuy, J., Guion, J. and Brenet, J. Relations between the entropy of fusion and the volume change on melting of some alkali halides, 2=19776
- Abraham, P.B. and Weiss, G. On the calculation of analytic functions of cyclic matrices, 2=11245
- Abrahams, E. See Miller, A., 2=23281
- Abrahams, K., Steinsvoll, O., Bongaarts, P.J.M. and de Lange, P.W. Reversal of the spin of polarized thermal neutrons without depolarization, 2=11961
- Abrahams, S.C. Crystal and magnetic structure of cupric fluoride dihydrate at 4.2°K, 2=2390
- Abrahams, S.C. Scale factors, form factors and bond lengths in orthorhombic sulfur, 2=8823
- Abrahams, S.C. Programmed electronic X-ray automatic diffractometer, 2=23835
- Abrahams, S.C., Guttman, L. and Kasper, J.S. Neutron diffraction determination of antiferromagnetism in face-centered cubic (γ) iron, 2=21350
- Abrahams, S.C. and Prince, E. Crystal structure of cupric fluoride dihydrate at 298°K, 2=2389
- Abrahams, S.C. and Stockbridge, C.D. Whisker growth from quartz, 2=10804
- Abrahams, S.C. See Cooper, A.S., 2=15013
- Abrahamson, D.E. and Heinen, C. A nuclear induction head suitable for use with a spin generator, 2=22351
- Abramov, A.I. A miniature ionization chamber with a He^3 pressure of 4 atmospheres, 2=1622
- Abramov, A.I. Measurement of inelastic neutron cross-sections for chromium iron, nickel, niobium and molybdenum nuclei at energies up to 2.6 MeV, 2=12201
- Abramov, A.I. Use of Ne^{21} in fast neutron spectrometry, 2=20370
- Abramov, A.I. and Yutkin, M.G. The $\text{Ne}^{21}(\text{n}, \alpha)\text{O}^{18}$ reaction on slow neutrons, 2=472
- Abramov, A.I. and Yutkin, M.G. The $\text{Ne}^{21}(\text{n}, \alpha)\text{O}^{18}$ reaction on slow neutrons, 2=22826
- Abramova, V.M. and Kirillov, P.L. Critical parameters of alkali metals, 2=17691
- Abrams, I.J. See Sonett, C.P., 2=17213
- Abrikosov, A.A. Some properties of highly compressed matter. II, 2=23096
- Abrikosov, A.A. and Gor'kov, L.P. Spin-orbit interaction and the Knight shift in superconductors, 2=13503
- Abrikosov, A.A. and Khalatnikov, I.M. Scattering of γ -rays in liquid He^3 , 2=22471
- Abt, H.A. and Golson, J.C. Colors and variability of magnetic stars, 2=19327
- Abubakar, I. Scattering of plane elastic waves at rough surfaces. I, 2=2814
- Abubakar, I. Disturbance due to a line source in a semi-infinite transversely isotropic elastic medium, 2=15675
- Accinni, F., Terrani, S. and Zorzoli, G.B. A new method for fast fission effect measurement, 2=16456
- Acharya, R. Some Borchers-type theorems in quantum field theory, 2=9761
- Acharya, R. Some considerations on "elementary" particles and bound states in strong interactions, 2=16147
- Acharya, R. and Bhattacharjee, A. Exactly solvable cases of Regge poles from Mandelstam representation, 2=22445
- Achenbach, J.D. and Chao, C.C. A three-parameter viscoelastic model particularly suited for dynamic problems, 2=19484
- Acioli, J.L. and MacDowell, S.W. The K_{L3}^+ and K_{L3}^0 decay through a current of definite isotopic rank, 2=13872
- Acker, J. Van. See Van Acker, J.
- Ackerman, E., Anthony, A. and Oda, F. Corona-type loudspeaker for animal studies, 2=2845
- Ackerman, M., Drowart, J., Stafford, F.E. and Verhaegen, G. Mass spectrometric study of the gaseous molecules above AgSn, AuSn, and CuSn alloys, 2=8127
- Ackerman, M., Stafford, F.E. and Verhaegen, G. Studies of the vapors of the system Au-Cr and Au-Pd by mass spectrometry, 2=128
- Ackermann, H. and Faissner, H. Fading in nuclear emulsions induced by acid agents, 2=3231
- Ackermann, R.J. and Rauh, E.G. Vapour pressures of scandium, yttrium and lanthanum, 2=2937
- Ackermann, W. See Urbach, W., 2=20761
- Acket, G.A. and Volger, J. Note on the conduction mechanism of vanadium sesquioxide, 2=10496
- Acrivos, A. and Taylor, T.D. Heat and mass transfer from single spheres in Stokes flow, 2=9423
- Acrivos, J.V. Application of the sideband technique to wide-line n.m.r. spectra, 2=11816
- Acton, L.W. Some relationships between short-wave fadeouts, magnetic crochets, and solar flares, 2=11128
- Adachi, I. Frequency response of the optical system having periodic structure in the pupil, 2=15723
- Adachi, I. The recent history of grating interferometer and its applications, 2=22049
- Adachi, I., Masuda, T., Nakata, T. and Nishiyama, S. The testing of optical materials by the Twyman type interferometer, 2=22050
- Adachi, I., Masuda, T. and Nishiyama, S. A testing of optical materials by the Twyman type interferometer. I. The quality of fused silica, 2=7330
- Adachi, I. See Masuda, T., 2=14649
- Adachi, K. Magnetic anisotropy energy in nickel arsenide type crystals, 2=2278
- Adachi, T., Ogawa, K., Wakabayashi, N., Tanaka, M., Murayama, T. and Miyoshi, K. The pulsed neutron generator, 2=16212
- Adair, A.M. and Hook, R.E. The appearance and return of a hydrogen yield point in iron, 2=21420
- Adam, H. Ultrahigh vacuum technique, 2=9322
- Ádám, J. The quenching of luminescence by infrared radiation, 2=8555
- Adam, J. and Rogers, M.D. X-ray diffraction studies of fission fragment damage in uranium carbide and nitride, 2=6326
- Adam, J. See Dunn, P.D., 2=19886
- Adam, J. See Rogers, M.D., 2=20691
- Adam, J. See Rezanka, I., 2=9824
- Adam, J.P. Calculation of higher-order spectral functions for an electron, 2=13768
- Adam, J.P. Radiative decay of pions, 2=18149
- Adamov, V., Graudýn', L., Petrzhak, K. and Sorokina, A. Gamma-rays from inelastic scattering of 2.95 MeV neutrons in La^{139} , 2=1011
- Adamov, V.M., Kovalenko, S.S. and Petrzhak, K.A. Kinetic energy of the fragments emitted in the fission of U^{238} bombarded by 14.5 MeV neutrons, 2=16446
- Adamov, V.S. and Kantardzhyan, L.T. Luminescence of ionic forms of Uranin in liquid and solid solutions, 2=9284
- Adamovich, M.I., Gorzhevskaya, É.G., Larionova, V.G., Panova, N.M., Popova, V.M., Kharlamov, S.P. and Yagudina, F.R. Investigation of the energy dependence of the cross-section for photoproduction of π^+ mesons on hydrogen near the threshold, 2=5713
- Adamovich, M.I., Gorzhevskaya, É.G., Popova, V.M. and Yagudina, F.R. A method for the measurement of photoproduction of π^+ mesons on hydrogen close to threshold, 2=304
- Adams, B., Batchelor, R. and Green, T.S. The energy dependence of the fission cross-sections of ^{238}U , ^{235}U and ^{239}Pu for neutrons in the energy range 12.6 to 20 MeV, 2=3636
- Adams, B.M., Eccleshall, D. and Yates, M.J.L. Heavy ion Coulomb excitation of Pd^{106} and Pd^{110} , 2=1818
- Adams, B.M. See Yates, M.J.L., 2=1819
- Adams, C.J. Ultrasonic attenuation characteristics of various steel alloys, 2=8161
- Adams, E. Recent developments in soft magnetic alloys, 2=12700
- Adams, E.N. and Keyes, R.W. Galvanomagnetic phenomena in very strong magnetic fields, 2=16682
- Adams, E.W. and Huffaker, R.M. Application of ablation analysis to stony meteorites and the tektite problem, 2=15324
- Adams, H.D., Beyen, W.J. and Petritz, R.L. Photoconductivity research on Cu-Ge, 2=8407

- Adams, H.S., Fox, J.D., Heydenburg, N.P. and Temmer, G.M. Angular distributions of 4.43 MeV gamma radiation from $C^{12}(p,p'\gamma)C^{12}$, 2=1878
- Adams, I., AuCoin, T.R. and Mellichamp, J.W. Electrofluorescence of ruby powder, 2=4191
- Adams, I. and Mellichamp, J.W. Electrofluorescence of rare-earth-activated Al_2O_3 , 2=14756
- Adams, J.B. μ capture with six nucleon form factors, 2=11971
- Adams, L.H. and Davis, B.L. Rapidly running transitions at high pressure, 2=23806
- Adams, L.H. See Waxler, R.M., 2=6547
- Adams, M.A. and Murray, G.T. Direct observations of grain-boundary sliding in Bi-crystals of sodium chloride and magnesite, 2=14452
- Adams, R.N. See Galus, Z., 2=23000
- Adams, R.N. See Ludwig, P., 2=19136
- Adams, R.O., Band, W., Ingram, G.R. and Perry, C.L. Cluster theory of saturated vapor of helium-isotope mixtures, 2=11418
- Adams, W.H. Stability of Hartree-Fock states, 2=22879
- Adamski, L. See Mikke, K., 2=296
- Adamski, J. See Raoult, G., 2=11750
- Adda, Y., Azam, N., Donze, G., Mallen, J., Maurice, F. and Weisz, M. Contribution to the study of the segregation of impurities in commercial purity beryllium, 2=8210
- Adda, Y. and Kirianenko, A. Study of the self-diffusion of uranium in the α -phase, 2=18612
- Adda, Y. and Kirianenko, A. Lowering of the self-diffusion coefficients of uranium in the γ -phase by the addition of molybdenum-zirconium or niobium, 2=18613
- Adda, Y., Kirianenko, A. and Mairy, G. Study of the self-diffusion of α -U, 2=606
- Adda, Y. See Brebec, G., 2=11230
- Adda, Y. See Donze, G., 2=12455
- Adda, Y. See Donze, G., 2=19088
- Addey, F. On observations of the transit of mercury 1960 November 7, 2=17255
- Adel, A. The atmospheric windows at 6.3 μ and 16 to 24 μ , 2=11025
- Adelson, E. See Austin, A.E., 2=12741
- Adem, J. On the theory of the general circulation of the atmosphere, 2=8961
- Ademollo, M. and Chiuderi, C. Production of pion pairs in pion nucleus collisions and π - π resonances, 2=20387
- Adirovich, E.I. Laws of electron polarization and depolarization of crystals, 2=10550
- Adirovich, E.I. and Fridkin, V.M. The reciprocity principle and quasistationary electron processes in photoelectrets, 2=2212
- Adirovich, E.I., Gubkin, A.N. and Kopýlovskii, B.D. Measurement of short carrier lifetimes using the phase characteristic of the voltage transfer coefficient in a circuit with a p-n junction [diode], 2=23424
- Adirovich, E.I. and Kuznetsova, E.M. Concerning the possibility of an inverse distribution of electrons in degenerate semiconductors, 2=6435
- Adirovich, E.I. and Kuznetsova, E.M. Concerning the possibility of an inverse distribution of electrons in degenerate semiconductors, 2=10455
- Adkins, C.J. On the energy gap in superconducting tin, 2=15855
- Adler, A., Palmi, M. and Perez-Mendez, V. 100 Mc/s tunnel-diode discriminator and pulse-shaper, 2=5276
- Adler, F.T. Reactor kinetics: integral equation formulation, 2=3662
- Adler, F.T. and Naliboff, Y.D. A direct method for the evaluation of the resonance line shape functions, 2=3589
- Adler, I. and Massoni, C.J. Simple X-Y translation stage and indexing mechanism, 2=9232
- Adler, I., Dwornik, E.J. and Rose, H.J., Jr. The detection of sulphur in contamination spots in electron probe X-ray micro-analysis, 2=10996
- Adler, J. and Woods, S.B. The effect of the martensitic transformation in sodium on the thermoelectric power, 2=12551
- Adler, L. and Hiedemann, E.A. Determination of the nonlinearity parameter B/A for water and m-xylene, 2=9275
- Adler, L.B. See Luker, J.A., 2=4538
- Adler, S.B. and Johnson, R.S. New backscattering computation and tables for dielectric and metal spheres, 2=22337
- Adler, S.L. Theory of the valence band splittings at $k = 0$ in zinc-blende and wurtzite structures, 2=10350
- Adler, S.L. Quantum theory of the dielectric constant in real solids, 2=10549
- Admiraal, P.S. See Volger, J., 2=22126
- Ado, Yu.M. Particle storage in synchrotrons, 2=13620
- Ado, Yu.M., Belovintsev, K.A. and Stolyarov, S.N. Bremsstrahlung spectrum of 260 MeV electrons, 2=13767
- Adrian, F.J. Analysis of the E.S.R. spectrum of NO_2 in solid argon, 2=10695
- Adrian, F.J. Effect of matrix interactions and buffer gases on the atomic nitrogen hyperfine splitting, 2=18420
- Adrian, F.J., Cochran, E.L. and Bowers, V.A. E.S.R. spectrum and structure of the formyl radical, 2=8124
- Adrian, F.J. See Cochran, E.L., 2=3180
- Adrian, F.J. See Cochran, E.L., 2=12351
- Adzerikho, K.S. See Samson, A.M., 2=14708
- Aebischer, N. See Viénat, J.C., 2=10587
- Aerts, E., Delavignette, P., Siems, R. and Amelinckx, S. Stacking fault energy in silicon, 2=23199
- Afanas'ev, A.M. See Kagan, Yu., 2=2767
- Afanas'ev, N.G. Double-focusing magnetic spectrometer, 2=13710
- Afanas'ev, N.G., Gordienko, A.G., Kolesnichenko, L.K., Vil'yams [Williams], A.P. and Sidorenko, L.I. Measurement and stabilization of the magnetic field of a powerful electromagnet by the method of nuclear magnetic resonance, 2=5432
- Afanas'ev, V.F. See Maslova, L.V., 2=2348
- Afanas'ev, V.F. See Maslova, L.V., 2=6457
- Afanas'ev, V.N. Stabilization of the efficiency of a scintillation counter, 2=7790
- Afanas'eva, L.I. See Kunin, N.F., 2=21426
- Afanas'eva, N.V. Nonfree paramagnetic rare earth ions with even number of electrons in an external magnetic field, 2=20905
- Afanas'yev, M.H. See Hordiyenko, A.H., 2=9675
- Afanas'yev, N.H., Vil'yams [Williams], A.P., Hordiyenko, A.H. and Sidorenko, L.I. A remote proton magnetometer, 2=5434
- Afinoghenov, L.P. and Bacal, M. The stabilization of a microscopic electrically charged particle in a Millikan condenser in vacuum, 2=5595
- Afrosimov, V.V., Il'in, R.N., Oparin, V.A., Solov'ev, E.S. and Fedorenko, N.V. Ionization of argon by atoms and singly and double charged neon and argon ions, 2=153
- Aftergut, S. See Brown, G.P., 2=10446
- Agacy, R.L. and McCrea, W.H. A transformation of the de Sitter metric and the law of creation of matter, 2=9051
- Agar, D., Plyler, E.K. and Tidwell, E.D. High resolution investigation of some infrared bands of carbon disulfide, 2=16525
- Agarwal, B.K. See Chand, P., 2=13836
- Agarwal, B.K. See Vishnoi, A.N., 2=15976
- Agarwal, D.B. Magnetoresistance in nondegenerate semiconductors considering electron-electron scattering, 2=627
- Agarwal, J.P. On generalized incompressible Couette flow in hydromagnetics, 2=11760
- Agarwal, J.P. and Jain, M.K. On the motion of viscoelastic electrically conducting liquid in the presence of magnetic field, 2=13671
- Agarwal, S.P. See Pomerantz, M.A., 2=22683
- Agarwal, R.P. See Hirano, K., 2=21057
- Agarwal, R.P. See Hirano, K., 2=23202
- Agasha, V.V. Gamma irradiation of cuprous oxide rectifiers, 2=14572
- Agdur, B. and Enander, B. Resonances of a microwave cavity partially filled with a plasma, 2=7736
- Agekyan, T.A. General features of the evolution of rotating systems of gravitating bodies, 2=998
- Agekyan, T.A. Accounting for the multiplicity of star approach in the irregular force theory, 2=13139
- Agekyan, T.A. Accounting for the multiplicity of star approach in the irregular-force theory, 2=17285
- Agekyan, V.T. See Gross, E.F., 2=20972
- Agekyan, V.T. See Gross, E.F., 2=21245
- Agono, M. Low jitter pulse discriminator and shaper, 2=5271
- Agono, M. and Felici, C. A new type of fast amplifier, 2=22140
- Aggarwala, B.D. and Saibel, E. Tempering stresses in an infinite glass plate, 2=793
- Aggson, T. and Fretter, W.B. On the ionization by relativistic particles in neon-helium mixtures, 2=11613
- Agirbiceanu, I. Structure of dielectric thin films and their optical properties, 2=10580
- Agirbiceanu, I., Cucurezeanu, I., Vasiliu, V. and Popescu, I. Influence of nitrogen on excited mercury atoms, 2=6090
- Agirbiceanu, I. and Ichimescu, A. Observations on the ultraviolet absorption spectrum of Hg_2 , 2=8102
- Aglintsev, K.K. and Kasatkin, B.P. The shape of β -spectra at different depths of irradiated medium, 2=12158
- Agnetta, G., Garofano, T., Palma-Vittorelli, M.B. and Palma, M.U. Low-temperature optical absorption of ferrous fluosilicate crystals, 2=8522
- Agnew, L. See Stone, P.M., 2=18417
- Agodi, A., Pappalardo, G., Ricamo, R. and Vinciguerra, D. Fluctuations in nuclear reaction cross-sections, 2=12178
- Agodi, A. See Schiffrer, G., 2=20656

- Agostinelli, C. The stability of stationary magneto-fluid dynamic motions. I, 2=1571
- Agostinelli, C. The stability of stationary magneto-fluid dynamic motions. II, 2=9700
- Agostino, E. De. See De Agostino, E.
- Agranovich, V.M. and Ginzburg, V.L. X-ray scattering in crystals with exciton formation, 2=586
- Agranovich, V.M. and Konobeev, Yu.V. The influence of the reabsorption of light on the spectral dependence of photoconductivity in molecular crystals, 2=6491
- Agranovich, V.M. and Semenov, L.P. On the theory of the effect of irradiation on some properties of graphite, 2=20902
- Agranovich, V.M. and Kaganov, M.I. The problem of the structure of exciton bands in anisotropic crystals, 2=20974
- Agranovich, V.M. and Konobeev, Yu.B. Reabsorption in crystals of a finite thickness. II, 2=6558
- Agranovich, V.M. and Mikhlin, E.Ya. On a theory of swelling in porous materials, 2=21086
- Agranovskaya, A.I. Physical-chemical investigation of the formation of complex ferroelectrics with the perovskite structure, 2=16777
- Agranovskaya, A.I. See Isupov, V.A., 2=18769
- Agranovskaya, A.I. See Smolenskii, G.A., 2=2206
- Agrawal, B.K. and Verma, G.S. Lattice thermal conductivity of ZnF_2 , CaF_2 , PbS and InSb at low temperatures, 2=16616
- Agrawal, B.K. and Verma, G.S. Dislocation contribution to the elastic constants of body-centred cubic crystals, 2=16943
- Agrawal, H.C. A variational method for combined free and forced convection in channels, 2=15789
- Agrawal, J.P. See Saxena, S.C., 2=1206
- Agrawal, J.P. See Saxena, S.C., 2=19623
- Agrawal, Krishna Bal. See Bal Krishna Agrawal.
- Agrawal, R.M., Asundi, R.K., Naik, R.C., Ramakrishnan, D. and Singh, S. Ultra-violet absorption spectra and higher excited states of Nd^{3+} in LaCl_3 at 77°K , 2=21247
- Agresta, J. See Tralli, N., 2=6016
- Agst, T.W.J. van. See van Agst, T.W.J.
- Aguilar, J. and Garcia, A. Polarization of a beam of 29 MeV He^3 particles on carbon targets, 2=3611
- Aguilar, J. See Catalá, J., 2=3343
- Aguilar, J. See Catalá, J., 2=3612
- Aguilar, J. See Catalá, J., 2=5965
- Aguilar, J. See Catalá, J., 2=8008
- Agy, V. The types of blackout, their time variations, and the mechanisms producing them, 2=11808
- Agy, V., Davies, K. and Salaman, R. An atlas of oblique-incidence ionograms (a digest), 2=4642
- Ag'yrbichanu, I., Kukurezyanu, I., Vasiliu, V. and Popescu, P. Effect of nitrogen on excited mercury atoms, 2=14220
- Aharoni, A. Possibility of domain wall nucleation by thermal agitation, 2=12726
- Aharoni, A. Theoretical search for domain nucleation, 2=21315
- Aharoni, A., Frei, E.H. and Schieber, M. Curie point and origin of weak ferromagnetism in hematite, 2=16900
- Aharoni, A. and Schieber, M. Magnetic moments of yttrium-iron garnets containing light rare earth ions, 2=2288
- Aharonov, Y. and Bohm, D. Remarks on the possibility of quantum electrodynamics without potentials, 2=9766
- Ahearn, A.J. and Thurmond, C.D. Mass spectrographic detection of molecular species in group III-V compounds, 2=15128
- Ahlborn, B. and Wienecke, R. Measurement of viscosity of carbon arc plasma in the temperature range from 5000° to 10000°K , 2=19985
- Ahlburg, H. and Caines, R. Cubic cadmium sulfide, 2=10864
- Ahlf, J. See Schultze, G., 2=5814
- Ahlstrom, E. and Gärtner, W.W. Silicon surface-barrier photocells, 2=18754
- Ahluwalia, H.S. Semidiurnal variation of cosmic rays on geomagnetically disturbed days, 2=18218
- Ahluwalia, H.S. and Dessler, A.J. Diurnal variation of cosmic radiation intensity produced by a solar wind, 2=16278
- Ahmad, S. Thermodynamic foundations of information entropy theory, 2=21795
- Ahmadzadeh, A. Emulsion and bubble-chamber statistics for the determination of track density, 2=11839
- Ahmavaara, Y. Relativistic quantum theory as a group problem. I. General formalism, 2=4931
- Ahmavaara, Y. Relativistic quantum theory as a group problem. II. World geometry and the elementary particles, 2=11861
- Ahmed, I. See Tallone, L., 2=22492
- Ahmed, M. and Tewary, V.K. Internal structure of planets, 2=15313
- Ahmed, S.J. and Halim, A. Total atmospheric ozone and geomagnetic activity, 2=2497
- Ahn, Y.-K. See Fan, L.-T., 2=15163
- Ahrens, L.H. Regularities involving ^3He and ^4He and their possible implications for nuclear structure, 2=1752
- Ahrens, T. Aether concept vs. special relativity, 2=2609
- Ahsanullah, A.K.M. and Qurashi, M.M. Investigation of fine structure in the steps observed in the intermolecular activation energy of viscous flow of ethylene glycol, 2=15567
- Ahuja, S.D.M. See Sundaresan, M.K., 2=16421
- Aigrain, P. See Pankove, J.I., 2=12587
- Ailam (Volinez), G. and Gallily, I. Stability of an electrically charged droplet, 2=11345
- Ailam (Volinez), G. See Gallily, I., 2=11538
- Ainbinder, N.E. See Grechishkin, V.S., 2=2309
- Ainbinder, N.E. See Grechishkin, V.S., 2=10717
- Ainslie, D.S. Simplified bridge and resonant circuits for the measurement of resistance in absolute units, 2=1344
- Ainslie, D.S. Simple circuits for the measurement of magnetic field strength, inductance, and capacitance, 2=13519
- Ainslie, N.G., Blum, S.E. and Woods, J.F. On the preparation of high purity gallium arsenide, 2=19048
- Ainsworth, J.E., Fox, D.F. and LaGow, H.E. Upper-atmosphere structure measurement made with the pitot-static tube, 2=2496
- Ainutdinov, M.S., Zombkovskii, S.M., Nikitin, S.Ya., Selektor, Ya.M. and Grishin, A.F. $\pi\pi$ interaction in $\pi\pi$ scattering at the energy of 7.2 BeV, 2=18167
- Ainutdinov, M.S., Zombkovskii, S.M., Nikitin, S.Ya. and Selektor, Ya.M. Elastic scattering of 7.2 BeV π^- -mesons on protons, 2=16234
- Ainutdinov, M.S. See Beketov, V.A., 2=22370
- Airapetyants, S.V. The direction of maximum thermoelectric efficiency in uniaxial crystals, 2=8448
- Aitchison, I., Honeycombe, R.W.K. and Johnson, R.H. The thermal cycling of zirconium, 2=23883
- Aitken, A.H. See Manning, I., 2=14135
- Aitken, J.H. An electronic pulse multiplier for applications in nuclear physics, 2=9509
- Aitken, J.H. and Dixon, W.R. Studies of the (n, α) and (n, p) reactions in Si^{28} at 14 MeV by a coincidence method, 2=20651
- Aivazjan, Ju.M. Equations of motion of charged bodies in the general theory of relativity, 2=21807
- Aivazyanyan, S.A. See Mustel', E.R., 2=962
- Aizu, H., Mito, I., Fujimoto, Y., Hasegawa, S., Koshiba, M., Nishimura, J. and Yokoi, K. Heavy primary cosmic radiations observed on 11 Sept., 1957, at Prince Albert, Canada, 2=22664
- Aizu, H., Tamai, E., Koshiba, M. and Lohrmann, E. The heavy nuclei in the primary cosmic radiation at Sioux Falls, S.D., 2=20452
- Aizu, K. Polarization, pyroelectricity, and ferroelectricity of ionic crystals, 2=23497
- Ajdačić, V., Kurepa, M. and Lalovic, B. Semiconductor measures fluxes in operating cone, 2=12263
- Ajdačić, V. See Slavić, I., 2=3222
- Ajzenberg-Selove, F., Cranberg, L. and Dietrich, F.S. Energy levels of Na^{21} and Mg^{22} , 2=381
- Akasaka, K., Itoh, N. and Suita, T. Thermoluminescence of gamma-irradiated KCl, 2=12638
- Akasaki, I. See Arizumi, T., 2=19112
- Akasaki, I. See Arizumi, T., 2=23813
- Akashi, M., Shimizu, K., Watanabe, Z., Ogata, T., Ogita, N., Misaki, A., Mito, I., Oyama, S., Tokunaga, S., Tamura, M., Fujimoto, Y., Hasegawa, S., Nishimura, J., Niu, K. and Yokoi, K. Observations on high energy jets and gamma-rays with large emulsion chambers, 2=12083
- Akashi, M. See Shoda, K., 2=12181
- Akasofu, S. and Chapman, S. The ring current and a neutral line discharge theory of the aurora polaris, 2=13044
- Akasofu, S.I. Large-scale auroral motions and polar magnetic disturbances. II. The changing distribution of the aurora during large magnetic storms, 2=21666
- Akasofu, S.I., Cain, J.C. and Chapman, S. The magnetic field of a model radiation belt, numerically computed, 2=13059
- Akasofu, S.I. and Chapman, S. Some features of the magnetic storms of July 1959 and tentative interpretations, 2=921
- Akasofu, S.I. and Chapman, S. Large-scale auroral motions and polar magnetic disturbances. III. The aurora and magnetic storm of 11 February 1958, 2=21667
- Akerlind, L. Rotational analysis of the band systems of lanthanum oxide, 2=8090
- Akerlind, L. Rotational analysis of the blue-green and orange systems of scandium oxide, 2=10246
- Akerlind, L. Rotational analysis of the red and green-yellow systems of lanthanum oxide, 2=10247
- Akhachinskii, V.V. and Mashirev, V.P. An automatic method for maintaining equality of temperature between two media, 2=1302
- Akhiezer, A. See Akhiezer, A.I., II, 2=21851
- Akhiezer, A.I., Akhiezer, I.A. and Sitenko, A.G. Contribution to the theory of plasma fluctuations, 2=22236

- Akhiezer, A.I., Aleksin, V.F., Bar'yakhtar, V.G. and Peletminskii, S.V. Effect of radiative effects on electron relaxation and electric conductivity of a plasma in a strong magnetic field, 2=9585
- Akhiezer, A.I., Kitsenko, A.B. and Stepanov, C.N. Interaction of charged-particle beams with low-frequency plasma oscillations, 2=201
- Akhiezer, A.I., Akheizer, A. and Pomeranchuk, I.Ya. On the theory of scattering of slow neutrons in a Fermi liquid, 2=21851
- Akhiezer, I.A. The development of fluctuations in a plasma with an unstable distribution function, 2=9609
- Akhiezer, I.A. See Akheizer, A.I., 2=22236
- Akhiyezer, O.I. Theory of the electromagnetic properties of a system of many charged particles, 2=9581
- Akhmanov, S.A., D'yakov, Yu.E., Romanyuk, A.K. and Strukov, M.M. A stable band generator with a nonlinear reactance, 2=22147
- Akhmanov, S.A. and Khokhlov, R.V. Concerning the possibilities for amplification of light, 2=21987
- Akhundov, G.A. See Guseinov, G.D., 2=18712
- Akhundov, G.A. See Guseinov, G.D., 2=23410
- Akiba, T. Two-nucleon potentials from dispersion relations, 2=11898
- Akiba, T. and Capps, R.H. S-wave K-N scattering amplitudes, 2=20422
- Akimov, I. See Terenin, A., 2=6488
- Akimov, I.A. Investigation of the internal photoeffect spectra in photochemically sensitive semiconductors, 2=21198
- Akimov, I.A. and Putseiko, E.K. Photoelectric sensitivity spectra of semiconductors, determined by various methods, 2=23445
- Akimov, I.A. See Kholmogorov, V.E., 2=21374
- Akimov, Yu.K., Butslov, M.M., Savchenko, O.V. and Soroko, L.M. Controlled luminescence camera with 2500 c.c. working volume of the scintillator, 2=20194
- Akimov, Yu.K., Komarov, V.I., Marish, K.S., Savchenko, O.V. and Soroko, L.M. Search for anomalies in the spectrum of the H^3 nuclei emitted in the reaction $p + d \rightarrow H^3 + \pi^+ + \pi^0$ at a proton energy of 670 MeV, 2=287
- Akimov, Yu.K., Komarov, V.I., Marish, K.S., Savchenko, O.V. and Soroko, L.M. $\pi-\pi$ anomalies in a spectrum of H^3 nuclei in the reaction $p + d \rightarrow H^3 + \pi^+ + \pi^0$ with 670 MeV protons, 2=7889
- Akimov, Yu.K. and Kuznetsov, A.S. A twenty-channel amplitude analyser, 2=7542
- Akimov, Yu.K., Savchenko, O.V. and Soroko, L.M. Search for anomalies in the energy dependence of the cross-section of the reaction $p + p \rightarrow d + \pi^+$ near threshold of pion-pair production, 2=286
- Akimov, Yu.K., Savchenko, O.V. and Soroko, L.M. Experimental verification of the charge invariance principle in the $d + d \rightarrow He^4 + \pi^0$ reaction for 400 MeV deuterons, 2=22655
- Akinian, S.T. See Mogilevsky, E.I., 2=15399
- Akishin, A.I. Electron multiplier for recording of flying-by charged particles, 2=22363
- Akishin, P.A. and Vilkov, L.V. On the possibility of nonplanar structures of some molecules with conjugated bonds, 2=22952
- Akishin, P.A., Vilkov, L.V., Zazorin, E.Z., Rambidi, N.G. and Spiridonov, V.P. Electron diffraction investigation of the molecular structure of some gaseous oxides, 2=22951
- Akiyama, K. and Yamaguchi, J. Temperature distribution in silicon ingots during crystal growth, 2=14955
- Akiyoshi, T. See Katase, A., 2=20341
- Akiyoshi, T. See Sonoda, M., 2=5433
- Akopyan, M.E., Vilesov, F.I. and Terenin, A.N. Mass-spectroscopic investigation of the dependence on the energy of excitation of the efficiency of photoionization of benzene derivatives, 2=156
- Akopyan, M.E., Vilesov, F.I. and Terenin, A.N. Mass-spectroscopic investigation of the dependence on the energy of excitation of the efficiency of photoionization of benzene derivatives, 2=9528
- Akriche, J. See Herman, L., 2=20878
- Aksenov, E.P., Grebenikov, E.A. and Demin, V.G. General solution of the problem of motion of an artificial earth satellite in the normal gravitational field of the earth, 2=11180
- Aksenov, E.P., Grebenikov, E.A. and Demin, V.G. General solution of the problem of motion of an artificial earth satellite in the normal gravitational field of the earth, 2=21746
- Aksenov, M.Ya. Improvement of the plate holder for the e.m. electron microscope, 2=21578
- Aksenov, S.I. Structure of the nuclear magnetic resonance lines of the isotopes Cu^{63} and Cu^{65} in β -brass, 2=16938
- Akulov, N.S. and Galenko, P.P. The theory of the nonelasticity of crystals in vibration, 2=4320
- Akutsu, J. A mechanism of the propagation of Geiger discharge in halogen-quenched G.M. counters, 2=5506
- Akymovych, O.M. See Mykhailov, H.S., 2=17518
- Akymovych, O.M. See Mykhalov, H.S., 2=11542
- Alaeva, T.I. and Karasev, V.M. Determination of the quality of cavity resonators, 2=20173
- Albada, G.B. van. See van Albada, G.B.
- Alber, R.A. See Smith, R.V., 2=17995
- Alberigi-Quaranta, A., Righini, B., Prodi, V. and Rimondi, O. On a 2π gas-flow counter for low-level counting, 2=5822
- Albers, K. The luminescence of cadmium sulphide single crystals above room temperature, 2=4169
- Albers, K. Some properties of mixed phosphors of the ZnCdS type, 2=6615
- Albers, W. Thermal conversion of germanium, 2=4019
- Albers, W., Haas, C., Ober, H., Schodder, G.R. and Wasscher, J.D. Preparation and properties of mixed crystals, $SnS_{(1-x)}Se_x$, 2=14940
- Albers, W.A., Jr. Effective mobilities of surface carriers in germanium, 2=23342
- Albers, W.A., Jr. and Rickel, A.M. Investigation of some uncommon surface treatments on germanium, 2=21138
- Albert, L. See Jaenicke, W., 2=17670
- Albert, R.D. See Hansen, L.F., 2=22813
- Alberts, L. and Lee, E.W. Magnetostriction in antiferromagnetic nickel oxide, 2=759
- Alberts, L. See Lee, E.W., 2=10665
- Albertz, J. and Schultz, G. New methods of stereo-image production, 2=7318
- Albini, F.A. Scattering of a plane wave by an inhomogeneous sphere under the Born approximation, 2=22338
- Albini, F.A. and Nagelberg, E.R. Scattering of a plane wave by an infinite inhomogeneous, dielectric cylinder — an application of the Born approximation, 2=11794
- Albiser, G. See Grange, J., 2=11372
- Alblas, J.B. On some linear extensions of Hooke's law, 2=4972
- Alblas, J.B. On the general theory of thermo-elastic friction, 2=5098
- Albon, N. Temperature fluctuations during growth and impurity segregation in InSb crystals, 2=21473
- Albon, N. and Dunning, W.J. Growth of sucrose crystals: determination of edge energy from the effect of added impurity on rate of step advance, 2=10788
- Albouy, G., Gusakov, M. and Poffe, N. Excitation functions for (p,xn) reactions on gold from 40 to 155 MeV, 2=1882
- Albouy, G. See Gusakov, M., 2=456
- Albouy, G. See Gusakov, M., 2=1881
- Albouy, G. See Poffé, N., 2=457
- Albrecht, B. Effect of relaxation-time-dependent activation energy and temperature change on relaxation spectra, 2=8714
- Albrecht, G. Crystal and molecular symmetry of tri-dipyridyl compounds of Ti and V, 2=23859
- Albrecht, G. See Weizel, W., 2=5312
- Albrecht, P. See Gobrecht, H., 2=6810
- Albrecht, R.W. Statistics of zero power nuclear reactors, 2=22870
- Albright, C.H. and McGlinn, W.D. Coupling constants and S-matrix zeros, 2=18075
- Alcock, C.B. and Grieverson, P. A thermodynamic study of the compounds of uranium with silicon, germanium, tin and lead, 2=10908
- Alden, T.H. The strain hardening of zinc single crystals in alternating tension and compression, 2=14896
- Alder, B.J. and Christian, R.H. Behavior of strongly shocked carbon, 2=4360
- Alder, B.J. and Wainwright, T.E. Phase transition in elastic disks, 2=17699
- Alder, B.J. See Kobatake, Y., 2=15568
- Alder, J.C. See Grin, G.A., 2=7536
- Alder, J.C. See Vaucher, B., 2=20375
- Alder, K. and Winther, A. On the angular distribution of γ -quanta in inelastic α -scattering, 2=20675
- Aldo, M. See Linnell, R.H., 2=10961
- Aldrich, E.W. See Bridgeman, O.C., 2=22091
- Alduseva, V.Ya. See Martynov, D.Ya., 2=4788
- Alekin, R.O., Klaas, Yu.A. and Chistovich, L.A. Human reaction time in the copying of aurally perceived vowels, 2=24198
- Alekna, V.P. See Senftle, F.E., 2=18878
- Aleksandrov, A.Ia. Solution of axisymmetric problems of the theory of elasticity with the aid of relations between axisymmetric and plane states of stress, 2=17386
- Aleksandrov, B.N. The zone refining of zinc and cadmium, 2=23825
- Aleksandrov, B.N. and Kaganov, M.I. The resistance of thin single crystal wires, 2=2114
- Aleksandrov, B.N. and Kaganov, M.I. The resistance of thin single crystal wires, 2=23240
- Aleksandrov, B.P. and Andreev, G.A. The formation of $(OH)^-$ impurity during the growth of LiF crystals from the melt, 2=2079
- Aleksandrov, B.P. and Andreev, G.A. Influence of impurities on the density of single crystals of LiF, 2=3906
- Aleksandrov, E.B. and Oksman, Ya.A. Investigation of the photodielectric effect at high frequencies, 2=17738
- Aleksandrov, E.B. See Oksman, Ya.A., 2=681

- Aleksandrov, G.N. and Aleksandrova, N.P. Initial and critical field intensities at the surface of corona-forming conductors, 2=167
- Aleksandrov, I.A. Physical nature of the "rotation noise" of ship propellers in the presence of cavitation, 2=21984
- Aleksandrov, I.V. and Zhidomirov, G.M. Theory of spin-lattice relaxation in radicals in liquids, 2=60
- Aleksandrov, I.V. and Zhidomirov, G.M. Calculation of the spin-lattice relaxation time for radicals in molecular crystals, 2=777
- Aleksandrov, I.V. and Zhidomirov, G.M. Calculation of the spin-lattice relaxation time for radicals in molecular crystals, 2=23713
- Aleksandrov, K.S. and Ryabinkin, L.N. Elastic properties of ammonium dihydrogen phosphate and the Laval-Raman theory of elasticity, 2=16949
- Aleksandrov, K.S. and Ryabinkin, L.N. Elastic properties of ammonium dihydrogen phosphate and the Laval-Raman theory of elasticity, 2=18987
- Aleksandrov, K.S. and Ryzhova, T.V. The elastic properties of crystals, 2=4304
- Aleksandrov, L.N. Thermodynamics of isothermal transformations in ternary [steel alloy] systems, 2=8846
- Aleksandrov, L.N. The thermodynamics of isothermal transformations in three-component systems, 2=23874
- Aleksandrov, Yu.A., Nemilov, Yu.A., Nikitin, M.K. and Piskorz, Sh. Decay scheme for Eu^{147} , 2=13988
- Aleksandrov, Yu.A., Anikin, G.V. and Soldatov, A.S. The small angle scattering of neutrons with energies 0.8 and 2.8 MeV, 2=460
- Aleksandrova, L.M. See Verbitskaya, T.N., 2=14615
- Aleksandrova, N.P. See Aleksandrov, G.N., 2=167
- Aleksandrovich, E. and Bartenbakh, M. Measurement of fast neutron flux distribution in the core of the VVR-C reactor using electrical conductivity changes in germanium, 2=8044
- Aleksandrovich, E. See Byshchev, V., 2=3675
- Aleksandrovich, E.G.B. and Sokovishin, V.A. Low-voltage neutron generators, 2=22541
- Alekseev, A.I. The application of the methods of quantum field theory in statistical physics, 2=4958
- Alekseev, E.S. and Arkhipov, R.G. Electron transitions in a caesium and rubidium under [hydrostatic] pressure, 2=18549
- Alekseev, E.S. and Arkhipov, R.G. Electron transitions in caesium and rubidium under [hydrostatic] pressure, 2=23108
- Alekseev, P.G. See Fogel', V.O., 2=17676
- Alekseev, V.A. and Borisov, V.L. Angular distribution of secondary electrons from an effective MgO emitter on a CuAlMg alloy base, 2=11702
- Alekseev, V.A. and Borisov, V.L. Angular distribution of secondary electrons from an effective MgO emitter on a CuAlMg alloy base, 2=13593
- Alekseev, V.M. An estimate of the perturbations of hyperbolic motion in the three-body problem, 2=13092
- Alekseev, V.M. An estimate of the perturbations of hyperbolic motion in the three-body problem, 2=17227
- Alekseev, Yu.I. See Kokurin, Yu.L., 2=4637
- Alekseeva, E.P. Luminescence of LiF crystals activated by uranyl nitrate, 2=18861
- Alekseeva, E.S. See Berestnev, V.A., 2=4481
- Alekseeva, K.I., Gabunia, L.L., Zhdanov, G.B., Zamchalova, E.A., Tretjakova, M.I. and Shecherbakova, M.N. The study of the composition of primary cosmic radiation at the altitude of 320 km, 2=20451
- Alekseeva, M.I. The design of light filters made of correcting glass "NS" to provide a neutral spectra-transmission characteristic, 2=5159
- Alekseeva, V.G. See Karpova, I.V., 2=18675
- Alekseeva, V.G. See Karpova, I.V., 2=21131
- Alekseevskii, N.E. and Gaidukov, Yu.P. The Fermi surface for tin, 2=3873
- Alekseevskii, N.E. and Gaidukov, Yu.P. Fermi surface in silver, 2=8190
- Alekseevskii, N.E. and Gaidukov, Yu.P. Fermi surface of lead, 2=23117
- Alekseevskii, N.E. and Gaidukov, Yu.P. The Fermi surface for tin, 2=23119
- Alekseevskii, N.E., Gaidukov, Yu.P., Lifshits, I.M. and Peschanskii, V.G. The Fermi surface of tin, 2=584
- Alekseevskii, N.E. and Mikhailov, N.N. Superconducting solenoids containing Nb_3Sn for strong magnetic fields, 2=5240
- Alekseyevskii, N.E. and Kostina, T.I. Change of the concentration of current carriers in bismuth due to selenium admixtures, 2=3988
- Aleksin, V.F. Calculation of the magnetic field of the stellarator, 2=17849
- Aleksin, V.F. See Akhiezer, A.I., 2=9585
- Aleksin, V.F. See Pakhomov, V.I., 2=22210
- Alentsev, M.N. A universal relationship between absorption luminescence spectra, and luminescence yield, 2=23584
- Alentsev, M.N. and Pakhom'ycheva, L.A. Concerning the relation between the absorption and luminescence spectra of complex molecules, 2=17475
- Alentsev, M.N. and Pakhom'ycheva, L.A. Relation between absorption and luminescence spectra and the anti-Stokes luminescence yield, 2=22941
- Aléonard, R., Bertaut, E.F., Montmory, M.C. and Pauthenet, R. Rare-earth ruthenates, 2=12695
- Aléonard, R. and Brissonneau, P. Direct measurement of the energy of a 180° Bloch wall, 2=16906
- Aléonard, R. See Bertaut, E.F., 2=6814
- Alers, G.A. and Waldorf, D.L. Variation of the elastic moduli at the superconducting transition, 2=7508
- Alers, P.B. High-field optical magnetometer, 2=3129
- Alers, P.B. and Dolecek, R.L. Shift of the 3050 Å emission band of KCl:Ti with pressure, 2=21267
- Aleskovskii, V.B. See Kalinkin, I.P., 2=4380
- Aleskovskii, V.B. See Kalinkin, I.P., 2=6768
- Alexander, E.J., McAlexander, J.C., Young, L.H. and Salhany, R.J. A permanent magnet twistor memory element of improved characteristics, 2=13640
- Alexander, G., Almeida, S.P. and Crawford, F.S., Jr. Experimental tests of the $\Delta I = 1/2$ rule, and the $\Delta S = +\Delta Q$ rule in three-body decays of neutral K mesons, 2=20413
- Alexander, G., Anderson, J.A., Crawford, F.S., Jr., Laskar, W. and Lloyd, L.J. Interaction of lambdas with protons, 2=3411
- Alexander, G., Kalbfleisch, G.R., Miller, D.H. and Smith, G.A. Production of strange-particle resonant states by 2.1 BeV/c π^- -mesons, 2=2042
- Alexander, G. See Eisenberg, Y., 2=319
- Alexander, H. and Haasen, P. Dynamical recovery of germanium, 2=2330
- Alexander, H. and Mader, S. Electron microscope observations of dislocations in germanium, 2=21040
- Alexander, H. See Peissker, E., 2=23189
- Alexander, K.F. and Brinckmann, H.F. Activation cross-sections of $\text{Hf}^{178\text{m}}$ (4.3 sec) and $\text{Hf}^{179\text{m}}$ (18.6 sec) for thermal neutrons, 2=14114
- Alexander, O.R. See Johns, D.H., 2=745
- Alexander, P. System for automatic recording of nuclear data, 2=9507
- Alexander, P. See Itzhaki, R.F., 2=4478
- Alexander, R. See Ziemba, F.P., 2=18016
- Alexander, S. Exchange of interacting nuclear spins in nuclear magnetic resonance. I. Intramolecular exchange, 2=20865
- Alexander, S. Exchange of interacting nuclear spins in nuclear magnetic resonance. II. Chemical exchange, 2=20866
- Alexander, S. See Treves, D., 2=12666
- Alexander, T.K. and Goulding, F.S. An amplitude-insensitive system that distinguishes pulses of different shapes, 2=5278
- Alexander, T.K. and Heywood, D.R. A twenty-Mc/s transistor decade scaler, 2=5274
- Alexander, T.K. and Robinson, L.B. Three dimensional coincidence analyser uses 900 addresses, 2=17751
- Alexander, T.K., Robinson, L.B. and McNaught, R.A. Transistor magnetic store multidimensional kicksorter, 2=9495
- Alexander, W.M., McCracken, C.W. and LaGow, H.E. Interplanetary dust particles of micron-size probably associated with the Leonid meteor stream, 2=6986
- Alexander, W.M. See McCracken, C.W., 2=24085
- Alexeeva, V.G., Kalashnikov, S.G., Karpova, I.V. and Landsberg, E.G. Recombination properties of manganese and gold in germanium, 2=8398
- Alexeff, I. and Neidigh, R.V. Experimental observation of plasma electron pressure, 2=17819
- Alfano, L. Apparent electrical resistivity in the presence of a curved boundary surface, 2=17775
- Alfant, S. See Hare, A.W., 2=6065
- Alfimenkov, V.P., Ostanevich, Yu.M., Ruskov, T., Strelkov, A.V., Shapiro, F.L. and Yai' U-Guan [Yen Wu-kuang]. Mössbauer effect in $\text{Sm}_2^{149}\text{O}_3$, 2=14357
- Alfimenkov, V.P., Ostanevich, Yu.M., Ruskov, T., Strelkov, A.V., Shapiro, F.L. and Yai' U-Guan [Yen Wu-kuang]. Energy spectrum of resonance absorption in zinc oxide of the 92 keV γ -radiation from Zn^{67} , 2=14358
- Alford, W.P. See Griffin, E.E., 2=18320
- Alford, W.P. See Taketani, H., 2=1891
- Alford, W.P. See Taketani, H., 2=14084
- Alfred, L.C.R. Shells and electron groups in the Thomas-Fermi atom, 2=3684
- Alfredsson, B. and Johansson, T. The dependence of the bubble density for an ionizing particle on the temperature and pressure in a bubble chamber. I. Experimental procedure and results, 2=248

- Alfvén, H. Filamentary structure produced by an electric current in a plasma, 2=1415
- Alfvén, H. Confined electron streams in a plasma, 2=3043
- Alfvén, H. On the theory of the outer Van Allen belt, 2=24053
- Ali, A.W. See Berg, H.F., 2=3700
- Ali, M.I. and Haque. Dispersion relations applied to π^- -p scattering, 2=18166
- Ali, M.I., Rahman, R., Masud, M. and Hossain, A. Decay modes of K^+ -mesons, 2=18177
- Ali, M.I. and Sarker, A.Q. The elastic scattering of nucleons by He^4 , 2=20329
- Alieva, A.G. and Pinsker, Z.G. An electron-diffraction study of Cu_3SbS_4 , 2=2393
- Alieva, T.D. See Khalilov, A.Kh., 2=23601
- Alikhanov, A.I., Babaev, A.I., Balats, M.Ya., Kaftanov, V.S., Landsberg, L.G., Lyubimov, V.A. and Obukhov, Yu.V. Further search for the $\gamma \rightarrow e + \gamma$ decay, 2=11969
- Alikhanov, A.I. See Lyubimov, V.A., 2=13972
- Alikhanyan, A.I., Arutyunyan, F.R., Ispiryan, K.A. and Ter-Mikaelyan, M.I. On a certain possibility of detecting high energy charged particles, 2=3295
- Alikhanyan, A.I., Asatiani, T.L., Matevosyan, E.M. and Sharkhatunyan, R.O. Investigation of the polarization of cosmic ray μ^+ -mesons, 2=7918
- Aliotta, C.F. See Brock, G.E., 2=23192
- Alitti, J., Alles-Borelli, V., Baton, J.P., Berthelot, A., Bidan, U., Daudin, A., Deler, B., Goussu, O., Jabiol, M.A., Levy, F., Lewin, C., Neveu-René, M., Rogozinski, A., Shively, F., Laberrigue-Frolow, J., Ouannès, O., Sené, M., Vigneron, L., Abbattista, N., Mongelli, S., Romano, A., Benedetti, E., Litvak, J., Puppi, G., Waloschek, P. and Whitehead, M. Diffraction scattering of 1.6 GeV/c π^- on p for small momentum transfer, 2=16229
- Alitti, J., Baton, J.P., Berthelot, A., Daudin, A., Deler, B., Goussu, O., Jabiol, M.A., Lewin, C., Neveu-René, M., Rogozinski, A., Shively, F., Laberrigue-Frolow, J., Ouannès, O., Sené, M., Vigneron, L., Abbattista, N., Mongelli, S., Romano, A., Waloschek, P., Alles-Borelli, V., Benedetti, E., Litvak, J., Puppi, G. and Whitehead, M. Investigation of resonant $\pi-\pi$ interaction in the $J=1$, $T=1$, state, 2=18156
- Aiksne, A.Y. See Spreiter, J.R., 2=19269
- Allaby, J.V., Chisholm, A., Eades, J. and Townes, B.M. Bound muon deca-rate anomaly, 2=10126
- Allan, D.W. On the behaviour of systems of coupled dynamos, 2=22306
- Allan, D.W. See Barnes, J.A., 2=20141
- Allan, H.R., Beamish, R.F.W., Glencross, W.M., Thomson, D.M. and Wills, R.D. The distribution of energy in extensive air showers and the shower size spectrum, 2=13927
- Allan, J.W.S., Edels, H. and Whittaker, D. Post-arc temperature decay, 2=174
- Allan, R.S. and Mason, S.G. Particle behaviour in shear and electric fields. I. Deformation and burst of fluid drops, 2=9253
- Allan, R.S. and Mason, S.G. Particle behaviour in shear and electric fields. II. Rigid rods and spherical doublets, 2=9254
- Allan, R.S. and Mason, S.G. Particle motions in sheared suspensions. XIV. Coalescence of liquid drops in electric and shear fields, 2=12984
- Allard, J.G. See Hughes, F., 2=4253
- Allas, R.G., Bercaw, R.W. and Shull, F.B. Polarization of protons in $Be^{(d,p)}Be^{10}$, 2=18352
- Allas, R.G. and Shull, F.B. Polarization of protons in $C^{12}(d,p)C^{13}$, 2=3607
- Allcock, G.McK. and Rodgers, M.F. Geomagnetic activity and the reception of whistlers in polar regions, 2=6917
- Allday, W.J. and Raynor, J.B. A magnetic balance for measuring receding contact angles at liquid metal-solid interfaces, 2=21885
- Aldredge, L.R. and Van Voorhis, G. Source of the great arctic magnetic anomaly, 2=17221
- Allegra, G. Calculation of the intensity of X-rays diffracted by monodimensionally disordered structures. I. Mathematical principles, 2=818
- Allegra, G. Calculation of the intensity of X-rays diffracted by structures showing monodimensional disorder. II. Application of the theory to some structural models with monodimensional disorder, 2=4502
- Allegra, G. Calculation of the intensity of X-ray diffractions by the structures exhibiting monodimensional disorder. III. Structural study of two different crystalline modifications of $TiCl_3$ which present monodimensional disorder, 2=12904
- Allegra, G. See Corradini, P., 2=10837
- Allen, C.H. and Potter, A.C. Design and application of a semi-anechoic sound test chamber, 2=15711
- Allen, C.M. See Minamoto, M.T., 2=21172
- Allen, C.W. Solar ultraviolet and X-ray line emission, 2=15340
- Allen, D.A. An analysis of the radiation tracking transducer, 2=22011
- Allen, D.E. See Sakiotis, N.G., 2=13679
- Allen, F.G. and Gobeli, G.W. Work function, photoelectric threshold and surface states of atomically clean silicon, 2=17872
- Allen, F.G. See Gobeli, G.W., 2=17871
- Allen, H.C., Jr and Olson, W.B. Sum rules for vibrational-rotational energy levels including centrifugal distortion, 2=18435
- Allen, J.A. Van. See Van Allen, J.A.
- Allen, J.E. and Magistrelli, F. Production of continuous high-current discharges in gases, 2=19924
- Allen, J.E. and Segre, S.E. The electric field in single-turn and multi-sector coils, 2=235
- Allen, J.W. Long-range photo-effects in semi-insulators, 2=23452
- Allen, J.W. and Cherry, R.J. Some properties of copper-doped gallium phosphide, 2=14554
- Allen, J.W. and Gibbons, P.E. Gallium phosphide diodes for the production of fast light pulses, 2=13453
- Allen, J.W. See Cherry, R.J., 2=12528
- Allen, J.W. See Starkiewicz, J., 2=23621
- Allen, K.W. Recent research in nuclear reactions using the Aldermaston tandem generator, 2=5906
- Allen, K.W., Bomyer, P. and Perkin, J.L. The interaction of 14 MeV neutrons with uranium, 2=3637
- Allen, L. The Zeeman effect of the arc and spark spectra of ytterbium and thulium, 2=20747
- Allen, L. and Heavens, O.S. Excitation transfer in the cesium-nitrogen system, 2=22901
- Allen, L.C. Gaussian orbitals for many-electron molecular wave functions, 2=18438
- Allen, N.L. Magnetic configurations and the energy loss problem in the toroidal pinched discharge, 2=1441
- Allen, P.E.M., Benson, S.W. and Copeland, C.S. Conductance of $NaI-C_2H_5OH$ systems in the vicinity of the critical temperature, 2=17481
- Allen, R.A., Camm, J.C. and Keck, J.C. Radiation from hot nitrogen, 2=9319
- Allen, R.A., Keck, J.C. and Camm, J.C. Nonequilibrium radiation and the recombination rate of shock-heated nitrogen, 2=7566
- Allen, R.D. Techniques for melting-point determination on an electrically heated refractory metal, 2=19779
- Allen, W.B. and Latimer, P. Anomalous dispersion of β -carotene solutions, 2=2720
- Allenden, D. Diode leak-detector control unit, 2=1369
- Aller, L.H. The transparency of space: Introductory report, 2=15299
- Aller, L.H. Anticipated spectra of planetary nebulae in the "satellite" ultraviolet, 2=17300
- Alles, W. See Iztykson, C., 2=13868
- Alles-Borelli, V. See Alitti, J., 2=16229
- Alles-Borelli, V. See Alitti, J., 2=18156
- Allin, E.J. See Bhatnagar, S.S., 2=2721
- Allis, W.P. See BenDaniel, D.J., 2=7621
- Allis, W.P. See BenDaniel, D.J., 2=11679
- Allis, W.P. See Papa, R.J., 2=3057
- Allison, D.C.S., McIntyre, H.A.J. and Moiseiwitsch, B.L. The elastic scattering of positrons by atomic hydrogen and helium, 2=1966
- Allison, J., Cullen, A.L. and Závody, A. A microwave plasma discharge, 2=7568
- Allison, J.W. Gamma-radiation absorption coefficients of various materials allowing for bremsstrahlung and other secondary radiations, 2=5599
- Allison, R.W., Jr, Cork, B., Richter, R.M., Smith, J.F., White, G.E. and Zajec, E. Development of a 100 mA proton source and lens system study for the bevatron Mark-II injector, 2=1533
- Allison, S.K., Cuevas, J. and Garcia-Munoz, M. Stopping power of gaseous hydrogen for charge-invariant atomic projectiles, 2=1968
- Allison, S.K., Cuevas, J. and Garcia-Munoz, M. Partial atomic stopping power of gaseous hydrogen for hydrogen beams. I, 2=18427
- Allnatt, A.R. and Jacobs, P.W.M. A.C. polarization effects in the ionic conductivity of potassium chloride crystals, 2=2112
- Allnatt, A.R. and Jacobs, P.W.M. Conductance of potassium chloride in the solid state, 2=8300
- Allnatt, A.R. and Jacobs, P.W.M. The thermoelectric power of ionic crystals. II. Results for potassium chloride, 2=8455
- Allport, J.J. See Monson, P.R., 2=2769
- Allsalu, M.L. Yu. Effect of replacement of the base materials of phosphors on their luminescence properties, 2=14729
- Alluraiah, A. See Ramanadham, R., 2=17174
- Almazov, A.B. An expansion of quasi-particle dispersion laws in crystals in terms of theta-functions, 2=18508
- Almazov, A.B. An expansion of quasi-particle dispersion laws in crystals in terms of theta-functions, 2=23025
- Almazova, S.P. See Perelygin, V.P., 2=16443
- Almeida, S.P. See Alexander, G., 2=20413
- Almén, O. and Bruce, G. Collection and sputtering experiments with noble gas ions, 2=3095

- Almén, O. and Bruce, G. Sputtering experiments in the high energy region, 2=3096
- Almén, O. See López, G., 2=5907
- Al'meneva, D.V. See Telesnin, R.V., 2=18898
- Almennigen, A., Bastiansen, O., Hanson, H.P. and Traetteberg, M. Theoretical and experimental backgrounds in gas electron diffraction intensities, 2=22953
- Almer, H.E., Macurdy, L.B., Peiser, H.S. and Weck, E.A. Weight calibration schemes for two knife-edge direct-reading balances, 2=9228
- Almodovar, I. See Macfarlane, R.D., 2=20652
- Almqvist, E., Broude, C., Clark, M.A., Kuehner, J.A. and Litherland, A.E. Atomic charge states in carbon of 10- to 40-MeV ions; application to tandem accelerators, 2=17906
- Almqvist, E. and Kuehner, J.A. Magnetic spectrometer measurements of levels of Ne^{20} , 2=1809
- Almqvist, E. See Kuehner, J.A., 2=1813
- Almqvist, E. See Litherland, A.E., 2=1812
- Alperin, H.A., Brown, P.J., Nathans, R. and Pickart, S.J. Polarized neutron study of antiferromagnetic domains in MnF_2 , 2=10684
- Alpern, M. and Barr, L. Durations of the after-images of brief light flashes and the theory of the Broca and Sulzer phenomenon, 2=7078
- Alpern, M. See Campbell, F.W., 2=21769
- Alperovich, L.A. See Troitskaya, V.A., 2=17219
- Al'perovich, L.V. See Troitskaya, V.A., 2=19235
- Alpert, N.L. Infrared filter grating spectrophotometers — design and properties, 2=17610
- Alpert, S.S., Lipworth, E., White, M.B. and Smith, K.F. Hyperfine structure and nuclear moments of $\text{RaE}(\text{Bi}^{210})$, 2=3465
- Al'pert, Ya.L. Study of the ionosphere and interplanetary gas employing artificial earth satellites and space rockets, 2=8992
- Al'pert, Ya.L. Study of the ionosphere and interplanetary gas employing artificial earth satellites and space rockets, 2=19213
- Alphen, W.M. van. See van Alphen, W.M.
- Alpher, R.A. Heat transfer in magnetohydrodynamic flow between parallel plates, 2=7437
- Alpiar, R.A. Sandpiper I. (A comprehensive analysis programme for liquid moderated UO_2 lattices), 2=20710
- Alsford, R.W. See Hayes, R.E., 2=15661
- Alsop, M. See Butcher, E.G., 2=19501
- Altaiskii, Yu.M., Ezhov, N.M. and Sidiakin, V.G. A metal stopcock for vacuum systems, 2=2800
- Alte da Veiga, L.M.d'. See d'Alte da Veiga, L.M.
- Altenburg, K. The critical parameter and the potential of the inter-molecular forces, 2=8136
- Altenburg, K. The influence of molecular shape on the critical parameter, 2=8137
- Altenburg, K. Velocity of sound and molecular structure. IV. Velocity of sound and molecular data, 2=11371
- Altenburg, K., Bethge, K. and Horn, G. Automatic timing with the suspended level viscometer, 2=7181
- Altenburg, K. See Holzmüller, W., 2=23023
- Altman, A. and Macdonald, W.M. Charge dependent nuclear forces and the Fermi matrix element, 2=16284
- Altman, A., Macdonald, W.M. and Marion, J.B. Nucleon reduced widths and charge independence, 2=14082
- Altman, C. and Cory, H. Absorption of audio-frequency electromagnetic waves traversing the ionosphere in the magneto-ionic mode, 2=17972
- Altman, H.W. See Rubin, T., 2=10339
- Altman, H.W. See Rubin, T., 2=16610
- Altman, L.J. See Hanna, M.W., 2=10701
- Altman, S.P. Orbital transfer for satellites, 2=11186
- Altmann, S.L. and Bradley, C.J. The band structure of hexagonal close-packed metals: zirconium, 2=20964
- Al'tshuler, L.V., Bakanova, A.A. and Trunin, R.F. Shock adiabates and zero isotherms of seven metals at high pressures, 2=6728
- Al'tshuler, L.V., Kormer, S.B., Bakanova, A.A., Petrunin, A.P., Funtikov, A.I. and Gubkin, A.A. Irregular conditions of oblique collision of shock waves in solid bodies, 2=2759
- Al'tshuler, L.V. and Petrunin, A.P. An X-ray investigation of the compressibility of light materials under the action of shock-wave impacts, 2=12847
- Al'tshuler, S. See Lynch, P.J., 2=20154
- Al'tshuler, S.A., Bashkurov, Sh.Sh. and Leushin, A.M. Theory of the acoustic paramagnetic resonance in crystals containing ions of the iron group, 2=767
- Alvåger, T. and Hansen, N.J. Doping of crystals by ion bombardment to produce solid state detectors, 2=16096
- Alvåger, T., Ryde, H. and Thieberger, P. Upper limit for double quantum emission from nuclear levels in K^{41} and Rb^{85} , 2=12175
- Alvåger, T. See Forsling, W., 2=395
- Alvåger, T. See Uhler, J., 2=5873
- Alvarez, L.W. See Stevenson, M.L., 2=22606
- Alvarez, R. See Michaelis, R.E., 2=4585
- Alvial, G. Determination of primary cosmic ray nuclei with Z greater than 26 in nuclear emulsions, 2=18202
- Aly, H.H. The hydrogen component in the primary cosmic radiation, 2=20476
- Alyamovskii, V.N. Distribution functions of an electric microfield in an ionized gas, 2=17827
- Alzetta, G., Minnaja, N. and Santucci, S. Piezoluminescence in zinc sulphide phosphors, 2=10635
- Alzmann, G. The mean number of β -disintegrations per fission of a U^{238} nucleus as a function of time, 2=10161
- Alzofon, F.E. Retardation and diffraction aspects of the conduction of heat in solids, 2=8181
- Amado, A. Morales y. See Morales y Amado, A.
- Amado, R.D. New methods in direct interaction theory, 2=16429
- Amado, R.D. See Vaughn, M.T., 2=252
- Amadev, A.D. See Pravdyuk, N.F., 2=23765
- Amako, Y. and Giguère, P.A. A calculation of the H_2O_2 molecule by the LCAO—MO—SCF method, 2=10274
- Amaldi, E., Baroni, G., Bradner, H., De Carvalho, J., Hoffman, L., Manfredini, A. and Vanderhaeghe, G. Search for Dirac magnetic poles, 2=22461
- Amaldi, U., Cocconi, V.T., Fazzini, T., Fidecaro, G., Ghesquiere, G., Legros, M. and Steiner, H. Antiproton—proton total cross-sections between 0.58 and 5.3 GeV/c, 2=22516
- Amano, A. See Benson, S.W., 2=17080
- Amano, A. See Benson, S.W., 2=19139
- Amano, H. See Nakai, K., 2=20643
- Amano, T. Confinement of plasma particles in a corrugated magnetic field, 2=5345
- Amano, Y. See Shinoda, G., 2=10913
- Amar, H. Energy of formation of a vacancy in copper, 2=6315
- Amar, V., Lucchini, M. and Marioni, C. S-wave amplitude for the $\text{K}-\pi$ system, 2=7900
- Amat, G. and Nielsen, H.H. Higher-order rotation—vibration energies of polyatomic molecules. V, 2=20778
- Amat, G., Arsac, A., Brochard, J., Brosset, J., Connes, P., Couture, L., Jacquinet, P. and Maréchal, A. Optics in France, 2=13427
- Amat, G. See Grenier-Besson, M.L., 2=6141
- Amat, G. See Grenier-Besson, M.L., 2=20779
- Amat, G. See Pauthier, M., 2=10585
- Amati, D., Cottingham, W.N. and Vinh Mau, R. On the nucleon—nucleon potential, 2=22497
- Amati, D., Fubini, S., Stanghellini, A. Asymptotic properties of scattering and multiple production, 2=13748
- Amati, D., Leader, E. and Vitale, B. Low energy nucleon—nucleon interaction, 2=1681
- Ambartsumian, V.A. Instability phenomena in systems of galaxies, 2=9096
- Ambartsumyan, V.A. and Saakyan, G.S. The internal structure of hyperon configurations of stellar masses, 2=13144
- Ambartsumyan, V.A. and Saakyan, G.S. The internal structure of hyperon configurations of stellar masses, 2=17289
- Ambartsumyan, V.A. and Saakyan, G.S. Equilibrium configurations of superdense degenerate gas masses, 2=24141
- Ambegaokar, V. and Kadanoff, L.P. Electromagnetic properties of superconductors, 2=2953
- Amberg, S.L. See Benedict, M., 2=6067
- Ambiye, S.Y. and Sharma, R.P. Decay of Rh^{106} , 2=5872
- Ambler, E., Eisenstein, J.C. and Schooley, J.F. Traces of products of angular momentum matrices, 2=4913
- Ambler, E., Eisenstein, J.C. and Schooley, J.F. Traces of products of angular momentum matrices. II. Spherical basis, 2=19367
- Ambler, J.F.R. and Slattery, G.F. New metallographic techniques for the examination of uranium, uranium alloys and uranium dioxide, 2=4441
- Ambrosino, G., Blanc, D., Cambou, F., Devillers, D., Reme, H. and Vedrenne, G. The reaction $\text{Si}^{28}(\text{n}, \alpha)\text{Mg}^{25}$ at 14.6 MeV, 2=7996
- Ambrosino, G., Cambou, F. and Crettez, J.P. [Pulse] shape discrimination: application to the study of 14.5 MeV elastic neutron—proton scattering, 2=5516
- Ambrosino, G. See Blanc, D., 2=12202
- Ambrosio, A. See Baer, D., 2=2910
- Ambroziak, A. A semiconductor pulse counter, 2=7796
- Ambroży, B., Faudrowicz, A., Jasiński, A., Kownacki, J., Lancman, H. and Ludziejewski, J. Measurement of the mean life of the first excited state of Na^{23} , 2=1821
- Amdur, I. An experimental approach to the determination of gaseous transport properties at very high temperatures, 2=2771
- Amdur, I. and Bertrand, R.R. Redetermination of the He—He interaction between 0.55 and 1.0 Å, 2=10220

- Amelinckx, S. and Delavignette, P. Multiple ribbons of partial dislocations in chromium chloride, 2=10391
- Amelinckx, S. See Aerts, E., 2=23199
- Amelinckx, S. See DeCoster, M., 2=23167
- Amelinckx, S. See Delavignette, P., 2=4398
- Amelinckx, S. See Delavignette, P., 2=6346
- Amelinckx, S. See Gevers, R., 2=6336
- Amelinckx, S. See Ruedl, E., 2=612
- Amelinckx, S. See Ruedl, E., 2=16661
- Amelinckx, S. See Siems, R., 2=3927
- Amelinckx, S. See Siems, R., 2=12439
- Amelinckx, S. See Siems, R., 2=14427
- Amelinckx, S. See Van Lierde, W., 2=12890
- Amemiya, A. Theory of a non-random degradation of linear chain molecules, 2=20896
- Amer, S. Influence of wafer thickness and carrier recombination of the cutoff frequency of alloy-junction transistors, 2=10517
- Ames, D. P. See Irani, R. R., 2=1099
- Amick, J. A., Cullen, G. W. and Gerlich, D. The stabilization of germanium surfaces by ethylation. II. Chemical analysis, 2=8336
- Amick, J. A. See Cullen, G. W., 2=8335
- Amick, J. A. See Gerlich, D., 2=8337
- Amick, J. A. See Roth, E. A., 2=23914
- Aminov, L. K. Theory of spin-lattice relaxation in paramagnetic ionic crystals, 2=14837
- Aminov, L. K. and Kochelaev, B. I. Spin-spin interaction via a phonon field in paramagnetic crystals, 2=14840
- Aminov, L. K. and Kochelaev, B. I. Effect of the spin-phonon interaction on the paramagnetic resonance spectrum, 2=21358
- Aminov, L. K. and Morocha, A. K. The theory of spin-spin interactions in crystals containing rare-earth ions, 2=4272
- Amirkhanov, Kh. I., Bashirov, R. I. and Gadzhaliyev, M. M. Quantum thermomagnetic Nernst-Ettinghausen effects in n-type InSb and InAs, 2=14557
- Amirkhanov, Kh. I., Bashirov, R. I. and Gadzhaliyev, M. M. Quantum thermomagnetic Nernst-Ettinghausen effects in n-type InSb and InAs, 2=8364
- Amirkhanov, Kh. I., Bashirov, R. I. and Zakiev, Yu. E. Quantum galvanomagnetic effects in N-InAs, 2=4038
- Amirkhanov, Kh. I. and Kerimov, A. M. Specific heats C_{vd} water and water vapour during phase changes with supercritical parameters, 2=13485
- Amman, F. The KS-3 MeV Van de Graaff injector of the Frascati electron synchrotron, 2=5414
- Ammar, R. G. See Abeledo, D., 2=5791
- Ammar, R. G. See Crayton, N., 2=3472
- Ammar, R. G. See Crayton, N., 2=22718
- Amoignon, J. Performances of diffusion pumps in the ultra-vacuum field, 2=13384
- Amonenko, V. M., Kruhl'ykh, A. A. and Tykhins'k'yi, H. F. The vacuum distillation of chromium, 2=12936
- Amonenko, V. M. See Ivanov, V. E., 2=8844
- Amonenko, V. M. See Ivanov, V. E., 2=21544
- Amorós, J. L. See Canut, M. L., 2=8160
- Amorós, J. L. See Riaño, E., 2=8794
- Anram, Y., Guillon, H. and Thenard, J. Multidimensional analysis of nuclear data, 2=10115
- Amsel, G. Oxide stabilized surface barrier detectors, 2=3217
- Amsel, G. and Bishop, G. R. The 9.07 MeV level with $T = 3/2$ in F^{19} , 2=370
- Amster, H. J. Recursion method for calculating the spatial distribution of resonance absorptions, 2=13815
- Amster, H. J. and Gast, R. C. Analysis of a foil activation experiment for a D-D neutron source in water, 2=5650
- Amster, H. J. and Gast, R. C. The analysis of foil activation experiments in infinite homogeneous media, 2=5681
- Amus'ya, M. Ya. Single-particle Green's function for a Fermi system with attractive and repulsive interactions, 2=21853
- Amus'ya, M. Ya. Fermi systems with attractive and repulsive interactions, 2=22417
- Anand, J. See Mani, H. S., 2=16469
- Anand, S. P. S. and Kushwaha, R. S. On the gravitational instability of an inhomogeneous medium, 2=4923
- Anand, S. P. S. and Kushwaha, R. S. The gravitational instability of a non-uniformly rotating, homogeneous and heat-conducting medium, 2=13249
- Anand, S. P. S. and Kushwaha, R. S. The magnetogravitational instability of homogeneous medium, 2=15292
- Anand, S. P. S. and Talwar, H. S. On the magnetogravitational instability of an inhomogeneous and rotating medium, 2=4924
- Anan'eva, A. A., Strizhakov, B. V. and Ugryumova, M. A. Dielectric and piezoelectric properties of chemically pure barium titanate ceramic, 2=16790
- Anan'eva, A. A., Ugryumova, M. A. and Strizhkov, B. V. Some anomalous properties of chemically pure barium titanate ceramic, 2=14636
- Anantharaman, A. V. See Bhattacharyya, S. N., 2=17455
- Anantharaman, T. R. See Rama Rao, P., 2=15107
- Anantharaman, T. R. See Rama Rao, P., 2=17014
- Anantharaman, T. R. See Ramakrishna Rao, M., 2=10958
- Anantharaman, T. R. See Ramesam, J., 2=12933
- Anantharaman, T. R. See Srinivasa Rao, S., 2=8847
- Ananthanarayanan, V. Raman spectra of crystalline double sulphates. II. Ammonium double sulphates, 2=6585
- Ananthanarayanan, V. Polarisation studies on the Raman spectra of cubic crystals. II. Calcium fluoride and potassium aluminium sulphate, 2=6586
- Ananthanarayanan, V. Thermodynamic properties of stannic chloride, bromide and iodide, 2=11420
- Anashkina, E. S. Range-energy relation of protons in Nikfi-Ya2 emulsion, 2=20340
- Anastasiades, M., Ilias, D. and Iouleas, P. G. Results of ionospheric measurements made with a riometer, 2=11052
- Anat'ychuk, L. I. See Pilat, I. M., 2=20949
- Ancker-Johnson, B., Cohen, R. W. and Glicksman, M. Properties of injected plasmas in indium antimonide, 2=2166
- Ancona, E., Boato, G. and Casanova, G. Vapour pressure of isotopic liquids. IV. CO, N₂, O₂ above boiling-point, 2=13490
- Anderholm, N. C. See Peck, E. R., 2=10207
- Anders, E. Extinct radioactivity and the prehistory of the solar system, 2=6998
- Anders, E. Comments on the origin of natural diamonds, 2=8761
- Anders, E. Meteorite ages, 2=24108
- Anders, E. See Goles, G. G., 2=4754
- Anders, E. See Lipschutz, M. E., 2=6775
- Andersen, F. See Loomer, E. I., 2=9039
- Andersen, K. See Bak, T. A., 2=6228
- Andersen, K. See Shuler, K. E., 2=15493
- Andersen, S. L. Gamma-transitions in ^{32}S , 2=1883
- Andersen, S. L., Haug, A., Holtebekk, J., Lønsmø, O. and Nordhagen, R. Alpha particles from the proton bombardment of aluminium, 2=20612
- Anderson, A. C., Reese, W. and Wheatley, J. C. Magnetic properties of He³ at low temperatures, 2=17712
- Anderson, A. C., Reese, W. and Wheatley, J. C. Magnetic properties of He³ at pressures near the minimum in the melting curve, 2=19800
- Anderson, A. C., Salinger, G. L., Steyert, W. A. and Wheatley, J. C. Specific heat of He³ under pressure, 2=1322
- Anderson, A. C. See Abel, W. R., 2=7492
- Anderson, A. D. A simple model for atmospheric density variations from 200 to 800 km, 2=15260
- Anderson, A. D. See Kolb, A. C., 2=17840
- Anderson, A. G. Nuclear spin absorption spectra in solids, 2=6699
- Anderson, A. R. A calorimetric determination of the oxidation yield of the Fricke dosimeter at high dose rates of electrons, 2=9750
- Anderson, A. R. and Hart, E. J. Radiation chemistry of water with pulsed high intensity electron beams, 2=6894
- Anderson, B., Palmer, H. P. and Rowson, B. Brightness distribution of the radio source 14N5A, 2=21739
- Anderson, C. D. Early work on the positron and muon, 2=276
- Anderson, C. E., Bromley, D. A. and Sachs, M. Simultaneous nuclide identification and energy measurement of nuclear reaction products, 2=5975
- Anderson, C. E. See Bromley, D. A., 2=1934
- Anderson, C. E. See Bromley, D. A., 2=9747
- Anderson, C. E. See Ladenbauer-Bellis, I. M., 2=3627
- Anderson, D. L. Love wave dispersion in heterogeneous anisotropic media, 2=19646
- Anderson, D. L. See Harkrider, D. G., 2=11444
- Anderson, D. W. and McKenzie, J. A propane bubble chamber with mechanical expansion, 2=5545
- Anderson, E. C. See Kerr, V. N., 2=3208
- Anderson, E. C. See Van Dilla, M. A., 2=19279
- Anderson, E. E., Wessman, G. L. and Zumwalt, L. R. Fission product trapping-sorption of cesium by activated charcoal, 2=6857
- Anderson, G. R. and Person, W. B. Infrared studies of crystal benzene. V. Reflection spectrum and absolute intensities, 2=4149
- Anderson, G. S. Atom ejection in low energy sputtering of single crystals of f.c.c. metals and of Ge and Si, 2=13608
- Anderson, H. L. Alpha particle thickness gauge using a solid state detector, 2=3421
- Anderson, H. L., Hincks, E. P., Johnson, C. S., Rey, C. and Segar, A. M. The capture rate for muons in helium, 2=22830
- Anderson, H. L. See Johnson, C. S., 2=10230
- Anderson, H. R. See Neher, H. V., 2=16275
- Anderson, J. A. See Alexander, G., 2=3411

- Anderson, J.C., Chasson, R.L. and Maeda, K. Characteristics of solar-flare cosmic rays during IGY, 2=12022
- Anderson, J.D. and Wong, C. The Livermore 90-inch-cyclotron neutron-time-of-flight facility, 2=13615
- Anderson, J.D. and Wong, C. Excited isobaric states in medium-A nuclei, 2=18249
- Anderson, J.D., Wong, C. and McClure, J.W. Isobaric states in nonmirror nuclei, 2=13940
- Anderson, J.D., Wong, C. and McClure, J. Energy levels in Si^{27} , Co^{56} and Zn^{63} , 2=18272
- Anderson, J.D. See Gardner, C.C., 2=3419
- Anderson, J.D. See Stuart, T.P., 2=3580
- Anderson, J.D. See Wong, C., 2=18328
- Anderson, J.H. See Horst, R.R., 2=16931
- Anderson, J.M. and Baldeschwieler, J.D. Use of spin inversion operators to describe properties of nuclear magnetic double-resonance spectra, 2=16554
- Anderson, J.M. and Barry, J.N. Magnetic resonance in the nitrogen afterglow, 2=1211
- Anderson, J.M. and Burrows, J.R. Life-time of the metastable ^2P state of the nitrogen atom, 2=14203
- Anderson, J.R. Diode measurements with thick chloride layers on nickel, 2=23913
- Anderson, J.R. and Baker, B.G. The adsorption of xenon and hydrogen on evaporated films of tungsten and nickel, 2=10946
- Anderson, J.R. See Chaikin, S.W., 2=1347
- Anderson, J.R. and Gani, M.S.J. Adsorption of halogens on metal films. II. Adsorption measurements and surface potentials for Cl_2 and TiCl_4 on titanium and some other metals, 2=19120
- Anderson, K.A. Relation of balloon X-rays to visible auroras in the auroral zone, 2=13049
- Anderson, K.A. Solar particles and cosmic rays, 2=13922
- Anderson, K.H. and Benson, S.W. Termination products and processes in the pyrolysis of dimethyl ether, 2=15126
- Anderson, L.W. The Stark shift of the hyperfine structure of an atom with a $^2\text{S}_{1/2}$ ground state, 2=3694
- Anderson, L.W. and Ramsey, A.T. Effect of spin-exchange collisions on the optical orientation of atomic sodium, 2=1964
- Anderson, N. The orbit of a charged particle in a constant magnetic field and a sinusoidal electric field, 2=1562
- Anderson, N. Plasma oscillations in a magnetic field as an initial value problem, 2=5361
- Anderson, N.C. Comparative performance of cooled infrared photoconductors, 2=7457
- Anderson, P.B. See Kofstad, P., 2=8205
- Anderson, P.W. See Klauder, J.R., 2=3181
- Anderson, P.W. See Morel, P., 2=5235
- Anderson, P.W. and Thouless, D.J. Diffuseness of the nuclear surface, 2=18239
- Anderson, P.W. See Wolff, P.A., 2=12683
- Anderson, Q.S. See Simmons, F.A., 2=2927
- Anderson, R. and Prausnitz, J.M. High precision, semimicro, hydrostatic calorimeter for heats of mixing of liquids, 2=1304
- Anderson, R., Schricker, D. and Patterson, J. R.F. excitation of a Hg-Tl mixture, 2=22907
- Anderson, R.L. Junctions between germanium and gallium arsenide, 2=23421
- Anderson, R.L. Experiments on Ge-GaAs heterojunctions, 2=23437
- Anderson, R.L., Gabathuler, E., Jones, D., McDaniel, B.D. and Sadoff, A.J. Photoproduction of K^+ mesons in hydrogen, 2=22625
- Anderson, R.L., Gupta, S.N. and Hushilt, J. Effect of pion-pion interaction on nuclear forces, 2=20273
- Anderson, R.L. and O'Rourke, M.J. Apparatus for determining the position of semiconductor junctions, 2=6474
- Anderson, R.S. See Jaseja, T.S., 2=2106
- Anderson, R.S. See Jaseja, T.S., 2=8126
- Anderson, R.S. See Jaseja, T.S., 2=14482
- Anderson, T.P. See Latvala, E.K., 2=4872
- Anderson, W.A. and Freeman, R. Influence of a second radiofrequency field on high-resolution nuclear magnetic resonance spectra, 2=16555
- Anderson, W.L. Fields of electric dipoles in seawater — the earth — atmosphere-ionosphere problem, 2=16061
- Anderson, W.R. and Berlman, I.B. Effect of irradiation on liquid scintillators, 2=19570
- Andersson, G. and Hagebø, E. $\beta^-/\text{I.T.}$ branching of $^{120\text{m}}\text{Te}$, 2=14024
- Andersson, G. See Fink, R.W., 2=1851
- Andersson, G. See Jung, B., 2=18305
- Andersson, I.O., Braun, J. and Söderlund, B. Hand monitor for simultaneous measurement of α and β contamination, 2=5531
- Ando, R. Dielectric properties of KLiSO_4 , 2=16770
- Ando, R. See Asao, Y., 2=12498
- Ando, S. Linearized theory of conducting two-dimensional gas flow in transverse magnetic field, 2=17935
- Ando, S. See Yashima, H., 2=4673
- Andră, W. Measurement of the saturation magnetization of a thin nickel film charged with hydrogen, 2=6670
- Andră, W. Measurement of the saturation magnetization of a thin nickel film loaded with hydrogen, 2=14785
- Andră, W. Magnetic behaviour of thin films, 2=14786
- Andră, W. Effect of electrolytically deposited hydrogen on the magnetic properties of thin nickel films, 2=14787
- Andră, W. Ferromagnetic thin layers. III. (5), Quasistatic remagnetization, 2=23668
- Andră, W. and Danan, H. Modification introduced into the law of approach to saturation of a polycrystalline ferromagnetic by the presences of a superposed uniaxial anisotropy, 2=12763
- Andră, W., Frait, Z., Kambersky, V., Málek, Z., Rösler, U., Schüppel, W., Šuda, P., Valenta, L. and Vogler, G. Ferromagnetic thin films. I. Introduction, 2=10657
- Andrade, E.N.da C. and Jones, W.J.D. The influence of grain size and surface conditions on the creep of polycrystalline metal under tension, 2=19000
- Andrade e Silva, J. and Lochak, G. Thermodynamics of an isolated particle and a description of quantum transitions, 2=17369
- Andrade e Silva, J., Fer, F., Leruste, P. and Lochak, G. Stability problems for systems with a large number of degrees of freedom, 2=11243
- André, J.P. and Lacombe, P. Activation energies for creep of polycrystalline uranium, 2=12856
- Andrae, J.H. and Edmonds, P.D. Two megacycle ultrasonic interferometer, 2=1240
- Andrae, J.H. and Joyce, P.L. 30 to 230 megacycle pulse technique for ultrasonic absorption measurements in liquids, 2=21907
- Andreassi, G., Budini, P. and Furlan, G. Radiative corrections to pair annihilation total cross section, 2=22393
- Andreatch, P. See McSkimin, H.J., 2=13416
- Andreatch, P. See Sikorski, M.E., 2=6484
- Andreen, C.J., Parker, W. and Slätis, H. High efficiency small volume G-M detector, 2=16087
- Andreen, C.J. See Parker, W., 2=13595
- Andreescu, N. See Lăbuscă, E., 2=10674
- Andreescu, N. See Lăbuscă, E., 2=23935
- Andreeshchev, E.A., Baronic, E.E., Kursanova, N.S. and Rozman, I.M. Pressed plastic scintillators with heteroorganic additives, 2=23610
- Andreesku, N. and Motsok, K. Effect of exposure in the nuclear reactor of the Institute of Applied Physics, Bucharest, on the magnetic properties of various ferrites, used in automatic installations, 2=21340
- Andreev, A.F. Theory of sound absorption in dilute solutions of He^3 in He^4 , 2=136
- Andreev, A.F. The anomalous reflection of sound from the surface of a metal at low temperatures, 2=23062
- Andreev, A.P. The supercompression ratio in a fast Wilson cloud chamber, 2=1634
- Andreev, A.P. Addition of acetone to a diffusion chamber containing alcohol, 2=1639
- Andreev, A.P. and Bunyaev, V.I. Mirror diffusion chamber for operation in a magnetic field, 2=1638
- Andreev, B.A. E.N. Lustig's comments on my article entitled "Fayes' gravity anomalies and isostasy", 2=23992
- Andreev, D.S., Erokhina, K.I. and Lemberg, I.Kh. Coulomb excitation of Ne^{21} , 2=13993
- Andreev, D.S., Erokhina, K.I. and Lemberg, I.Kh. Cascade excitation of the second rotational levels in separated tungsten isotopes, 2=16334
- Andreev, D.S., Grinberg, A.P., Gusinskii, G.M., Erokhina, K.I. and Lemberg, I.Kh. Coulomb excitation of the first levels of even isotopes of chromium, selenium and neodymium, 2=13982
- Andreev, D.S., Grinberg, A.P., Erokhina, K.I. and Lemberg, I.Kh. Coulomb excitation of nuclear levels in P^{31} , S^{33} , Mn^{55} and Pr^{141} by Ne^{20} ions, 2=18267
- Andreev, E.M., Girshl, P., Zarubin, I.A., Kad'ykov, G.M., Korenchenko, S.M., Lachinov, V.M., Morozov, A.G., Nekrasov, K.G., Poze, R., Popov, M.I., Smirnov, V.V. and Tolstol, I.S. Automatic processing of bubble-chamber pictures, 2=18041
- Andreev, G.A. and Zverev, V.A. A method for investigating the statistical properties of media containing random inhomogeneities using frequency-modulated sound, 2=23996
- Andreev, G.A. See Aleksandrov, B.P., 2=2079
- Andreev, G.A. See Aleksandrov, B.P., 2=3906
- Andreev, I.S., Arzumanyan, G.B. and Zyrina, L.V. Regarding the possibilities of stimulating the electroluminescence properties of crystals, 2=16873

- Andreev, L.A. and Paligé, Ya. The influence of deformation on the work function of monocrystalline molybdenum filaments, 2=1475
- Andreev, L.A. and Paligé, Ya. The influence of deformation on the work function of monocrystalline molybdenum filaments, 2=7636
- Andreev, L.A. See Zhukhovitskii, A.A., 2=15941
- Andreev, L.G. See Zherebin, E.A., 2=1697
- Andreev, S.I. Shunts for recording millimicrosecond current pulses, 2=19836
- Andreev, S.I. and Vanyukov, M.P. Applications of a spark discharge to obtain intense light flashes of length 10^{-7} - 10^{-8} sec. I. Investigation of electrical processes in a spark discharge of nanosecond duration, 2=9544
- Andreev, S.I. and Vanyukov, M.P. Apparatus for obtaining light flashes of 10^{-7} - 10^{-8} second duration, 2=19698
- Andreev, S.I., Vanyukov, M.P. and Komolov, A.B. Growth of the spark discharge canal for a discharge circuit with a rapidly increasing current, 2=22184
- Andreev, V.N. The (n, α) reaction in Pu^{239} induced by thermal neutrons, 2=14115
- Andreev, V.N. Fine structure of nuclear mass occurring in α -decay, 2=16342
- Andreev, V.N., Kazachkovskii, O.D. and Krasnoyarsov, N.V. The behaviour of a reactor with temperature self-regulation, 2=8036
- Andreev, V.N. See Vladimirovskii, V.V., 2=5977
- Andreev, V.N. See Vladimirovskii, V.V., 2=22856
- Andreev, V.S. The magnitude and visible manifestation of the propagating stress of surface-active media in submicro-cracks, 2=21444
- Andreev, Yu. Ya., Berlin, G.S. and Kotlyar, A.A. Electronic thermobalance, 2=19497
- Andreeva, G.A. Absorption and photoconductivity of activated amorphous selenium films, 2=16823
- Andreeva, N.A., Grushevskaya, O.A. and Zhukovskii, V.I. Concerning ways and means of obtaining materials with a smoothed out temperature dependence of the dielectric constant, 2=14614
- Andreevsky, A. and Trocheris, M. Stability of a low pressure tubular plasma, 2=11673
- Andreichin, R. and Kolomiets, B.T. Photo-e.m.f. in arsenic chalcogenides, 2=18731
- Andrejev, E.M., Hirsšl, P., Kadikov, G.M., Korenchenko, S.M., Lachinov, V.M., Morozov, A.G., Nekrasov, K.G., Pose, R., Popov, M.I., Smirnov, V.V., Tolstoj, N.S. and Zarubin, I.A. Apparatus for automatic treatment of photographs obtained from bubble chambers, 2=3229
- Andres, K. The measurement of thermal expansion of metals at low temperatures, 2=7439
- Andres, K., Olsen, J.L. and Rohrer, H. Mechanical effects at the superconducting transition, 2=7507
- Andres, K. and Rohrer, H. Thermal expansion at low temperatures, 2=3848
- André-Talamon, T. See de Beaumont, H., 2=11545
- André-Talamon, T. See de Beaumont, H., 2=17701
- Andrew, E.R. [Conf. rep.]. The tenth Colloque Ampere at Leipzig, September 1961, 2=1608
- Andrew, E.R. [Conf. rep.]. The tenth Colloque Ampere at Leipzig, September 1961, 2=1608
- Andrew, E.R. Nuclear magnetic resonance in solids containing small molecules, 2=8678
- Andrew, E.R. and Clough, S. [Conf. rep.]. Conference on Radiospectroscopy of Solids, Bangor, September, 1961, 2=4238
- Andrew, E.R., Eades, R.G., Hennel, J.W. and Hughes, D.G. The magnetic resonances of ^{23}Na nuclei in monocrystalline sodium nitrate, 2=10724
- Andrew, E.R. and Jenks, G.J. The narrowing of nuclear magnetic resonance spectra by molecular rotation in solids. II. Further calculations for a system of reorienting nuclear pairs, 2=21385
- Andrew, K.L. See Kaufman, V., 2=22031
- Andrews, A.D. and Rudkjöbing, M. Contours and equivalent widths of the CaII K line for OSAWA'S model atmospheres for A stars, 2=9085
- Andrews, D.J. See Zickendraht, W., 2=324
- Aniansson, G. Apparatus for measuring α -particle ranges in liquids, 2=3422
- Aniansson, G. The integral stopping power of liquid hydrocarbons for 5.3 MeV α -particles, 2=3423
- Anikiev, Yu.G. and Popov, B.N. Secondary emission of barium oxide, 2=1497
- Anikin, G.V. See Aleksandrov, Yu.A., 2=460
- Anikina, M.Kh., Nyagu, D.V., Okonov, E.O., Petrov, N.I., Rozanova, A.M. and Rusakov, V.A. An experimental investigation of some consequences of CP-invariance in K^0 -meson decays, 2=7898
- Anikina, M.P. See Gorshkov, V.K., 2=3635
- Anisovich, V.A., Ansel'm, A.A. and Gribov, V.N. Contribution to the theory of the $\pi + N \rightarrow N + \pi + \pi$ and $\gamma + N \rightarrow N + \pi + \pi$ reactions near the threshold, 2=7888
- Anisovich, V.V. Dispersion representation of the deuteron form factor, 2=3415
- Annaka, S. Temperature diffuse scattering in Laue-Bragg spots, 2=17009
- Anno, J.N. Secondary electron production from fission fragments emerging from thin layers of uranium dioxide, 2=11703
- Anokhin, B.G. See Medvedev, S.A., 2=19047
- Anquetil, C. Study of the AuCu_3 alloy, 2=10912
- Ansari, R. On the phase-space integral, 2=7814
- Ansel'm, A.A., Gribov, V.N., Danilov, G.S., Dyatlov, I.T. and Shekhter, V.M. The maximum value of the coupling constant in field theory, 2=22456
- Ansel'm, A.A. See Anisovich, V.V., 2=7888
- Ansel'm, A.I. and Askerov, B.M. Thermomagnetic effects in semiconductors in a strong magnetic field in the case of electron scattering on short-range potential, 2=6445
- Ansel'm, A.I. and Askerov, B.M. Longitudinal thermomagnetic effects in semiconductors in strong longitudinal magnetic fields, 2=21124
- Anthony, A. See Ackerman, E., 2=2845
- Antipova, E.I. See Lozinskii, M.G., 2=23777
- Antolković, B. Protons from ^{32}S bombarded by 14.4 MeV neutrons, 2=3600
- Antolković, B., Pačič, M., Turk, M. and Winterhalter, D. Influence of collimation on the energy spectrum of 2.7 MeV neutrons, 2=7876
- Antonić, E. On the theory of surface states, 2=8203
- Antonić, E. On the theory of surface states of semiconductors with diamond structure, 2=23306
- Antoniadis, C. See König, H.L., 2=11034
- Antonio, G.F. Dell'. See Dell' Antonio, G.F.
- Antonov, A.V., Granatkin, B.V., Merkul'ev, Yu.A. and Smolik, Ch.K. An investigation of the diffusion and thermalization of neutrons in water and ice by means of the pulse method within a large temperature range, 2=18126
- Antonov, A. See Kashukeev, N., 2=10563
- Antonov, A. See Kashukeev, N., 2=10564
- Antonov, A. See Nadzhakov, G., 2=10562
- Antonov, S.M., Bogomolov, K.S., Kirilov, N.I., Ovechkis, N.S. and Uspenskii, V.I. Photographic methods used in obtaining the first photographs of the reverse side of the moon, 2=17245
- Antonov, V.A. Remarks on the problem of stability in stellar dynamics, 2=983
- Antonov-Romanovskii, V.V. Phosphor glow curves when duration of electron stay in various kinds of traps is comparable, 2=709
- Antonov-Romanovskii, V.V. The application of diffusion theory to bimolecular reactions, 2=6358
- Antonov-Romanovskii, V.V. and Dublin, V.G. Investigation of rare earth activated SrS phosphors by the method of electron paramagnetic resonance, 2=14730
- Antonov-Romanovskij, V.V. On the initial stages of luminescent build-up and decay in phosphors with traps of several types, 2=8565
- Andrews, D.J. See Zickendraht, W., 2=1730
- Andrews, F.C. Exact evolution of reduced distribution functions in a homogeneous dense classical fluid, 2=7177
- Andrews, F.C. Approach to equilibrium in a dense classical fluid, 2=7178
- Andrews, F.C. Evolution of reduced distribution functions for inhomogeneous dense classical fluids, 2=7179
- Andrews, P.T. Thin silicon surface barrier counters, 2=9743
- Andreyeva, I.N. See Bryukhanova, L.S., 2=6751
- Andreyev, V.V. See Kosevych, A.M., 2=6828
- Andriankin, E.I. Influence of radiative heat conduction on gas flow in strong explosions, 2=9295
- Andriankin, E.I. and Sayasov, Yu.S. The effect of an external magnetic field on a boundary layer in a plasma, 2=7611
- Andrianov, A.S. and Kats, M.L. Electro-X-ray luminescence of KBr crystals, 2=8575
- Andrianova, G.M. See Ab, É.A., 2=7875
- Andrieux, C. Crystallographic study of stalactite formation, 2=17028
- Andrieux, P. Production of an ionization gauge and power supply for ultra high vacuum, 2=13388
- Andrievskii, A.I., Dimarova, E.N. and Pidorya, M.M. Thermal conductivity of cuprous oxide monocrystals and polycrystals, 2=12392
- Andrievskii, A.I., Dimarova, E.N. and Pidorya, M.M. Thermal conductivity of cuprous oxide monocrystals and polycrystals, 2=14393
- Andrillat, Y. and Malaise, D. Spectrum of the comet Candy (1960 n), 2=11112
- Androes, G.M. See Eastman, J.W., 2=8669
- Andronik, I.K., Kot, M.V. and Emel'yanenko, O.V. Electrical properties of cadmium antimonide monocrystals at low temperatures, 2=641
- Andronik, I.K., Kot, M.V. and Emel'yanenko, O.V. Electrical properties of cadmium antimonide monocrystals at low temperatures, 2=8355

- Andronikashvili, E.L. Investigation of the thermal structure of helium II by scattering of cold neutrons, 2=15829
- Andronikashvili, E.L., Mamaladze, Yu.G., Matinyan, S.G. and Tsakadze, D.S. Properties of the quantized vortices generated by the rotation of helium II, 2=5230
- Androsenko, A.L., Broder, D.L. and Lashuit, A.I. Gamma-rays accompanying the inelastic scattering of 3 MeV neutrons, 2=1898
- Andrushko, A.F. Stacking faults in crystals of cadmium sulphide powders, 2=18592
- Andruszkiewicz, J. See Chomka, W., 2=605
- Andryukhina, E.D., Safronov, A.Ya. and Shpigel', I.S. Characteristics of a fast vacuum valve, 2=7268
- Angel, D.W. See Wilkinson, P.G., 2=22057
- Angelosku, D.A. and Fogel', A. The influence of drying the nuclear plates using alcohol on the visible range of α -particles, 2=22375
- Angell, C.A. and Tomlinson, J.W. Self-diffusion and electrical conductance measurements on solutions of cadmium in molten cadmium chloride, 2=15574
- Angelo, N.D'. See D'Angelo, N.
- Angelopoulos, M. Calculation of the linear extrapolation length on the surface of an assembly from an infinite plate with a "can" on both sides, 2=1944
- Angelopoulos, M. Flux distribution in a plane regularly stratified subcritical pile of finite height, 2=10165
- Anghelescu, D., Ausländer, J.S., Georgescu, I.I. and Vogel, A. A search for instrumental effects in the measurement of angular distributions in nuclear emulsions, 2=5557
- Angino, E. See Greener, E.H., 2=8596
- Angles, R.M. See Smart, R.F., 2=2401
- Angrist, S.W. Galvanomagnetic and thermomagnetic effects, 2=14486
- Anisichenko, R.I. New method of solving the Thomas-Fermi-Dirac equation, 2=20733
- Anisimov, A.I. and Vinogradov, N.I. Experimental determination of electron collision frequency in a dense plasma, 2=22228
- Anisimov, S.I. Attainment of oscillatory equilibrium behind a shock wave, 2=19599
- Anisimova, I.D. See Favorin, V.N., 2=16870
- Anokhin, B.G. See Medvedev, S.A., 2=14937
- Anokhina, L.M. See Belov, S.V., 2=20533
- Ångström, A. Absorption of solar radiation by atmospheric water vapor, 2=2481
- Ångström, A. Radiation to actinometric receivers in its dependence on aperture conditions, 2=2485
- Ångström, A. Techniques of determining the turbidity of the atmosphere, 2=2488
- Ångström, A.K. and Drummond, A.J. Fundamental principles and methods for the calibration of radiometers for photometric use, 2=19672
- Angus, H.C. Surface films on precious-metal contacts, 2=4489
- Aniansson, G. Thin CsI(Tl) scintillating layers produced by vacuum deposition, 2=3209
- Antonov-Romanovsky, V.V. Application of the diffusion theory to the bimolecular reactions, 2=2655
- Antonova, I.M. See Veselov, M.G., 2=513
- Antonowicz, K. Formation of spin centres in carbons by oxidation, 2=12816
- Antropov, G.P., Zysin, Yu.A., Kovrizhnykh, A.A. and Tsarev, V.P. A fast-neutron spectrometer, 2=20367
- Antsyferov, M.S. Electro-seismic effect, 2=23994
- Antuf'ev, V.V., Vasil'ev, Ya.V., Votinov, M.P., Kharitonova, O.K. and Kharitonov, E.V. Electron spin resonance in the titanium-system, 2=21375
- Antuf'ev, Yu.P., Val'ter, A.K., Gonchar, V.Yu., Kopanets, E.G., Lvov, A.N. and Tsyt'ko, S.P. Investigation of the levels of Cl^{35} , 2=16320
- Antuf'ev, Yu.P., Val'ter, A.K., Lvov, A.N., Kopanets, E.G. and Tsyt'ko, S.P. Investigation of resonances at $E_p = 1375$ and 1500 keV in the $Si^{29}(p, \gamma)P^{30}$ reaction, 2=10104
- Antuf'ev, Yu.P. See Val'ter, A.K., 2=3576
- Antuf'ev, Yu.P. See Val'ter, A.K., 2=13997
- Anufriev, G.S., Zagulin, V.A. and Mamyrin, B.A. Cathode current stabilizer, 2=22149
- Anufrieva, E.V. and Zaitseva, A.D. Vittrification of polymers and phosphorescence, 2=15079
- Anwar, M. The time marker for Philips cyclotron, 2=22287
- Aoki, I. Tetragonal distortion of the oxide spinels containing cobalt and manganese, 2=6760
- Aoki, M. See Kobayashi, S., 2=18684
- Aoki, S. Temperature and heat flow distribution in cylindrical fuel elements for reversed and parallel flow, 2=8046
- Aono, O. Fluctuations in a plasma. I. Ion-electron temperature relaxation, 2=1468
- Aono, O. Fluctuations in a plasma. II. The numerical factor in the Coulomb logarithm, 2=15935
- Aono, O. See Kihara, T., 2=191
- Aono, Y. See Miyazaki, S., 2=17154
- Aoyagi, K. and Sugihara, M. Magnetic and structural studies on Mn-In system, 2=23685
- Aoyagi, K. See Kuwabara, G., 2=8427
- Apalin, V.F., Dobrynin, Yu.P., Zakharova, V.P., Kutikov, I.E. and Mikaelyan, L.A. The mean number of neutrons emitted in ternary fission of U^{235} , 2=1941
- Apalin, V.F., Gritsyuk, Yu.N., Kutikov, I.E., Lebedev, V.I. and Mikaelyan, L.A. On the number of neutrons emitted by U^{235} in the region of symmetrical fission, 2=20693
- Apalin, V.F. See Spivak, P.E., 2=429
- Apalin, V.F. See Spivak, P.E., 2=22799
- Apalin, V.V., Kutikov, I.Ye., Lukashevich, I.I., Mikaelyan, L.A., Smirnov, G.V. and Spivak, P.Ye. Asymmetry in double mott electron scattering for energies from 45 to 245 keV, 2=11932
- Apanasevich, P.A. Probability method of calculating absorption and emission properties, 2=14241
- Apanasevich, P.A. and Kruglik, G.S. Angular distribution of resonance radiation from vapours, 2=15655
- Apfel, J.H. Acoustic thermometry, 2=11525
- Appar, E., Lewin, G. and Mullaney, D. Selective pumping of light and heavy gases with a molecular pump, 2=19629
- Apostol, I. and Oncescu, M. Dependence of the intensity of neutron dose on the intensity of the γ -ray dose for industrial Po-Be sources, 2=22539
- Apostol, I. See Onescu, M., 2=9873
- Apostolov, D. See Mitrani, L., 2=5767
- Appa Rao, M.V.K. The $He^3/(He^3 + He^4)$ ratio in primary cosmic radiation, 2=16257
- Appa Rao, M.V.K. and Kaplon, M.F. He^3 -nuclei in the primary cosmic radiation, 2=20453
- Appel, H., Blatter, R. and Schopper, H. The circular polarization of gamma-rays following the beta-decay of Nb^{95} , 2=10076
- Appel, J. Interband electron-electron scattering and transport phenomena in semiconductors, 2=8316
- Appel, J. and Bray, R. Effect of hole-hole scattering on the mobility of p-type germanium, 2=18681
- Appeldoorn, J.K. See Gerrard, J.E., 2=19523
- Appelt, G. Secondary electron emission of Cs-Ge layers of various compositions, 2=7651
- Apple, E.F. See Halsted, R.E., 2=23593
- Appleton, E. Radio and the ionosphere, 2=24030
- Aptekar, I.L. and Kamenetskaya, D.S. Thermodynamics of phase transitions in binary alloys, 2=12924
- Aquilar, J. See Catalá, J., 2=1925
- Aragaki, T. See Kawata, S., 2=5508
- Arai, B. Lichtenberg figures observed on color negative films in low atmospheric pressure, 2=19930
- Arai, T. Optical absorption of heat treated silicon, 2=8539
- Arai, T. Exchange interaction and Heisenberg's spin Hamiltonian, 2=10645
- Arai, T. See Reich, A.D., 2=149
- Arajs, S. and Colvin, R.V. Magnetic susceptibility of gadolinium and dysprosium sesquioxides at elevated temperatures, 2=16894
- Arajs, S., Colvin, R.V., Chessin, H. and Peck, J.M. Paramagnetic behavior of iron-rich iron-vanadium alloys, 2=12739
- Arakawa, E.T. See Frank, A.L., 2=14752
- Arakawa, T. Axial field splitting parameter for Mn^{++} in $MnSiF_6 \cdot 6H_2O$, $MnTiF_6 \cdot 6H_2O$ and $MnSnCl_6 \cdot 6H_2O$, 2=21366
- Arakawa, T. On axial field splitting parameter for Mn^{++} in fluosilicate type crystal, 2=21368
- Arakawa, T. Paramagnetic resonance of Mn^{++} in $MgTiF_6 \cdot 6H_2O$, 2=21369
- Arakelyan, M.A. Application of the probability method to the determination of absorption-line profiles, 2=957
- Araki, H. Wightman functions, retarded functions and their analytic continuations, 2=1059
- Araki, H., Hepp, K. and Ruelle, D. On the asymptotic behaviour of Wightman functions in space-like directions, 2=16108
- Araki, Y. See Ohta, K., 2=18919
- Aranow, R.H. and Witten, L. A theory of Schaefer's expansion patterns, 2=1128
- Arapova, E.Ya. Investigation of activatorless ZnS sublimite phosphors, 2=21270
- Arata, H. See Kobayashi, A., 2=3894
- Arata, H. See Oda, Z., 2=23333
- Arata, Y., Shimizu, H. and Fujiwara, S. Magnetic resonance of strongly coupled nuclear spin systems. I. Refined analysis of complicated n.m.r. spectra, 2=14326
- Arata, Y. See Ariyasu, T., 2=3051
- Arata, Y. See Nishiguchi, K., 2=9572
- Arata, Y. See Nishiguchi, K., 2=22213

- Arbel, A.F. The current routing amplifier: a novel circuit element, 2=9498
- Arbman, E. and Jung, B. Improved automatic operation of a double focusing iron-yoke β -spectrometer, 2=2991
- Arbusov, B.A., Logunov, A.A., Tavkelidze, A.N. and Faustov, R.N. The asymptotic behaviour of the scattering amplitudes and the renormalisation group method, 2=22450
- Arbuzov, B.A., Kladnitskaya, E.N., Penev, V.N. and Faustov, R.N. Elastic scattering of Λ -hyperons and K_1^0 -mesons on hydrogen, 2=13888
- Arbuzova, I.A., Kurdyumov, G.V. and Khandros, L.G. Growth of elastic crystals of the martensitic γ' phase under the influence of external stresses, 2=23824
- Archbold, E. Frequency dividing circuit and phase comparator, 2=7539
- Archer, G. See Hildebrand, J.H., 2=7193
- Archer, R.J. Determination of the properties of films on silicon by the method of ellipsometry, 2=19110
- Ardenne, M. von. See von Ardenne, M.
- Arditi, M. and Carver, T.R. Pressure, light, and temperature shifts in optical detection of 0-0 hyperfine resonance of alkali metals, 2=524
- Aref'ev, G.G. Determination of the corrections in beta measurements, 2=1827
- Arell, A. Transition energy of KNO_3 at the transition $I \rightarrow II$, 2=12878
- Arell, A. Transition energy and temperature of AgNO_3 at the transition $I \rightarrow II$, 2=16975
- Arell, A. and Varteva, M. Transition energies and temperatures of RbNO_3 at the transitions $II \rightarrow III$ and $III \rightarrow IV$, 2=8762
- Arellano, M.E. Ramirez de. See Ramirez de Arellano, M.E.
- Arend, H., Čierný, V. and Coufova', P. The influence of oxygen non-stoichiometry on the hysteresis loops of BaTiO_3 , 2=671
- Arend, H. See Coufova', P., 2=8830
- Arend, H. See Coufova', P., 2=16787
- Arend, I. See Chomse, H., 2=8562
- Arends, C.B. Elastic modulus measurements at high audio frequencies using a vibrating reed, 2=2311
- Argano, E. See della Porta, P., 2=846
- Argence, E. Geometrical optics of the ionosphere (application to certain geophysical problems), 2=15226
- Argent, B.B. See Chadwick, G.A., 2=6837
- Argon, A.S. Cross-slip in ionic $[\text{KCl}]$ crystals, 2=14894
- Argon, A.S. and Orowan, E. Lattice rotation at slip band intersections, 2=2089
- Argue, G.R., Mercer, E.E. and Cobble, J.W. An ultrasensitive thermistor microcalorimeter and heats of solution of neptunium, uranium and uranium tetrachloride, 2=1305
- Argyle, B.E. See Pugh, E.W., 2=12684
- Argyres, P.N. Theory of tunneling and its dependence on a longitudinal magnetic field, 2=12413
- Arifov, U.A., Gruich, D.D., Mirrakhimova, Kh. and Muzhavirov, S.Z. Investigation of secondary processes arising from fast neutral atoms in alkali metals, 2=15949
- Arifov, U.A., Flyants, N.N. and Ayukhanov, Kh. On certain properties of secondary ion-neutral-particle emission, 2=13603
- Arifov, U.A., Flyants, N.N. and Ayukhanov, Kh. On certain properties of secondary ion-neutral-particle emission, 2=17892
- Arifov, U.A., Gruich, D.D., Mirrakhimova, Kh. and Muzhavirov, S.Z. Investigation of secondary processes arising from fast neutral atoms in alkali metals, 2=17875
- Arifov, U.A., Rakhimov, R.R. and Dzhurakulov, Kh. Secondary emission for bombardment of molybdenum by neutral atoms and ions of argon, 2=13591
- Arifov, U.A., Rakhimov, R.R. and Dzhurakulov, Kh. Secondary emission for bombardment of molybdenum by neutral atoms and ions of argon, 2=17876
- Arif-Uz-Zaman. Covariant polarization analysis of spin 1 particles, 2=18085
- Arikawa, T., Higaki, H., Kaneko, S., Iwata, G. and Miyamoto, G. A study of perfect focusing mass spectrometer, 2=20056
- Arima, A. See Hamamoto, I., 2=22707
- Aripov, R.A., Grishin, V.G., Sil'vestrov, L.V. and Strel'tsov, V.N. Scattering of 7-8 GeV π^- -mesons by nucleons with high momentum transfer, 2=1718
- Aristov, A.V. and Sveshnikov, B.Ya. The determination of the frequency of transition between different states of activator molecules in organic phosphors, 2=6625
- Aristov, A.V. and Sveshnikov, B.Ya. The determination of the frequency of transition between different states of activator molecules in organic phosphors, 2=8581
- Ariya, S.M. and Soboleva, M.S. The lattice energies of oxides, 2=8147
- Ariyasu, T., Arata, Y. and Okada, M. Dynamic behaviors of plasma in a linear pulse discharge, 2=3051
- Arizumi, T. and Akasaki, I. On the structural properties of vapor-deposited germanium layers, 2=19112
- Arizumi, T. and Akasaki, I. Etch patterns in germanium, 2=23813
- Arkad'eva, E.N., Kasymova, R.S. and Ryvkin, S.M. The kinetics of induced impurity photoconductivity in cadmium telluride, 2=4063
- Arkad'eva, E.N., Paritskii, L.G. and Ryvkin, S.M. A method of long-wavelength photoelectric "Sounding" of local levels in semiconductors, 2=21125
- Arkadyeva, E.N., Grinberg, A.A., Parickij, L.G. and Tyvkin, S.M. The influence of trapping processes on the photoconductivity of semiconductors, 2=23453
- Arkhangel'skii, K.V. The dispersion of the dielectric constant in the critical region of binary liquid systems, 2=15611
- Arkhangel'skii, M.E. Variation in the diffusion coefficient of a heterogeneous system under the action of ultrasound, 2=23975
- Arkharov, V.I., Borisov, B.S. and Vangengeim, S.D. The effect of inter-crystallite internal adsorption on X-ray diffractograms, 2=8802
- Arkharov, V.I., Borisov, B.S. and Vangengeim, S.D. Manifestation of intercrystalline internal adsorption in an X-ray scatter pattern, 2=23934
- Arkharov, V.I. and Korendyaseva, Z.V. Regions of coherent rearrangement of a crystal lattice during the martensitic transformation in carbon steel, 2=23875
- Arkhipov, R.G. See Alekseev, E.S., 2=18549
- Arkhipov, R.G. See Alekseev, E.S., 2=23108
- Arkhipov, V.M. Trial construction of an interference spectrometer with selective amplitude modulation, 2=19712
- Arkhipova, I.A. See Rzhzanov, A.V., 2=10465
- Arkhipova, I.A. See Rzhzanov, A.V., 2=18676
- Arkhipova, I.A. See Rzhzanov, A.V., 2=23337
- Arkosi, K., Holló, M. and Katona, J. Electron-microscopic investigation of Al_2O_3 and MnO_2 films on aluminium surfaces, 2=4493
- Armand, Y. See Arnaud, P., 2=1985
- Armani, R.J. See Doerner, R.C., 2=5985
- Armbruster, P. Ionization of the inner electron shells in the stopping of fission fragments, 2=5307
- Armbruster, P. Mass separator for the mass separation of fission products, 2=12238
- Armbruster, R. See Gorodetzky, S., 2=376
- Armbruster, R. See Gorodetzky, S., 2=5283
- Armbruster, R. See Gorodetzky, S., 2=9502
- Armitage, B.H. and Meads, R.E. Energy levels of B^{10} . I. The reactions $\text{B}^{10}(p,p')\text{B}^{10}$, $\text{B}^{10}(d,d')\text{B}^{10}$ and $\text{C}^{12}(d,\alpha)\text{B}^{10}$, 2=16312
- Armitage, B.H. and Meads, R.E. The 5.18 MeV state in B^{10} , 2=18251
- Armstrong, A.H. See Heckman, H.H., 2=17202
- Armstrong, B.H. A maximum opacity theorem, 2=21728
- Armstrong, B.H., Sokoloff, J., Nicholls, R.W., Holland, D.H. and Meyerott, R.E. Radiative properties of high temperature air, 2=9318
- Armstrong, C. See Hill, R.S., 2=2816
- Armstrong, D.A. Hydrogen formation in γ -irradiated hydrogen chloride, 2=19165
- Armstrong, G. See Brook, M., 2=6914
- Armstrong, J.A., Bloembergen, N., Ducuing, J. and Pershan, P.S. Interactions between light waves in a nonlinear dielectric, 2=19665
- Armstrong, P.J. See Preston, M.A., 2=22698
- Armstrong, R., Codd, I., Douthwaite, R.M. and Petch, N.J. The plastic deformation of polycrystalline aggregates, 2=6733
- Armstrong, R.L. Molecular rotation in rare-gas crystals, 2=14360
- Arnaud, F.J. Ohmic heating transformers, 2=19831
- Arnaud, J. and Doehler, A.O. Study of the noise in crossed-field guns, 2=3080
- Arnaud, P. and Armand, Y. Free $\nu(\text{OH})$ vibrations in ethylenic primary alcohol derivatives, 2=1985
- Arndt, U.W. and Phillips, D.C. The linear diffractometer, 2=10814
- Arneodo, C.A. Investigations on the operation of a natural circulation water loop under supercritical pressure and temperature conditions for nuclear reactors, 2=12257
- Arnell, S.E. Radiative proton capture by Cr^{50} , Cr^{52} , Cr^{53} and Cr^{54} , 2=7981
- Arnkar, H.J. An anisotropy effect in diffusion under electric field, 2=17448
- Arnkar, H.J., Rami Reddy, G. and Chakravarty, S.N. Photosensitivity and Joshi effect in counters, 2=3190
- Arnold, G. and Nereson, N. Neutron coherent scattering amplitudes for Cd and Eu, 2=2385
- Arnold, G. and Nereson, N. Erratum: neutron coherent scattering amplitudes for Cd and Eu, 2=15011
- Arnold, G. See Schuler, H., 2=3015
- Arnold, G. See Schtler, H., 2=20880
- Arnold, G.P. See Nereson, N.G., 2=21334
- Arnold, G.P. See Olsen, C.E., 2=12667

- Arnold, G.P. See Roof, R.B., Jr, 2=10832
 Arnold, G.W., Jr. See Compton, W.D., 2=12478
 Arnold, J.R., Honda, M. and Lal, D. Record of cosmic-ray intensity in the meteorites, 2=2527
 Arnold, J.R. See Honda, M., 2=2528
 Arnold, K. A further development of the theory of the level surfaces of the earth's gravitational field, 2=15174
 Arnold, K.W. See von Engel, A., 2=3019
 Arnold, K.W. See von Engel, A., 2=13555
 Arnoldov, M.N. See Subbotin, V.I., 2=15769
 Arnoldy, R.L. See Hoffman, R.A., 2=6958
 Arnott, R.J. See Wold, A., 2=12697
 Arnowitt, R. and Deser, S. The spin-statistics theorem, 2=20232
 Arnowitt, R. and Mazo, J. Global symmetry resonance in pion-hyperon scattering, 2=3395
 Arnowitt, R.L. and Fickler, S.I. Quantization of the Yang-Mills field, 2=20275
 Arns, R.G. See Yin, L.I., 2=16351
 Arntz, F.O. and van Vliet, K.M. Secondary emission of thin self-supported films of MgO, 2=9624
 Aron, P.R. and Hitchcock, H.C. Critical currents of superconducting Nb-25 at.% Zr in high magnetic fields, 2=15851
 Aronzon, N.Z. Investigation of the arc extinction process in a chamber in which air blowing is present, 2=19926
 Arp, V. See Kropschot, R.H., 2=11554
 Arpigny, C. and Woszczyk, A. Emission mechanism of the NH_2 radical in comets, 2=13116
 Arpigny, C. See Greenstein, J.L., 2=15322
 Arpigny, C. See Swings, P., 2=17263
 Arpigny, C. See Woszczyk, A., 2=13115
 Arrhenius, S. An ellipsoid fluorimeter, 2=2457
 Arrott, A.S. See Cooper, H.W., 2=2291
 Arroyo, M.López. See López Arroyo, M.
 Arsac, A. See Amat, G., 2=13427
 Arsen'eva-Geil', A.N. and Van Bao-kun'. [Wang Pao-k'un]. Photo-emission from gallium arsenide, 2=11696
 Arsen'eva-Geil', A.N. and Van Bao-kun'. [Wang Pao-k'un]. Photo-emission from gallium arsenide, 2=13587
 Arsen'eva-Geil', A.N. See Van Bao-kun', 2=11697
 Arsen'eva-Geil', A.N. See Van Bao-kun', 2=13588
 Artacho Savirón, E. and Montes Ponce de León, J. Determination of the fast flux in the JEN-1 nuclear reactor, 2=3665
 Artemenkov, L.I. and Bab'kin, M.V. Study of the time resolution of spark counters, 2=1624
 Artemenkov, L.I. See Golovin, I.N., 2=7632
 Artem'ev, A.V. See Radzievskii, V.V., 2=24189
 Artem'ev, V.V. Cells for scintillation counters, 2=22361
 Arterburn, D.R. See Wallick, G.C., 2=7176
 Arthur, J.R., Jr and Hansen, R.S. Study of the adsorption of hydrogen, ethane, ethylene, and acetylene on iridium by field emission microscopy, 2=15099
 Arthur, J.S., Henry, J.C., Pettengill, G.H. and Sebring, P.B. The millstone radar in satellite and missile tracking, 2=13202
 Arthur, P., Jr. See Chesnut, D.B., 2=14827
 Artua, A. and Johns, M.W. The decay of Er^{171} , 2=1838
 Artobolevskii, I.I. Linearly skirting curves of connecting rods in mechanisms with a translational couple, 2=2659
 Artobolevskii, I.I. Linearly skirting curves of connecting rods in an ellipsograph with four links, 2=2660
 Artsishevskii, M.A. and Selisskii, Ya.P. The effect of neutron irradiation on the electric and magnetic properties of some ordering alloys, 2=8269
 Artsishevskii, M.A. and Selisskii, Ya.P. The effect of neutron irradiation on the electrical and magnetic properties of certain ordering alloys, 2=23233
 Aruja, E. A humidity and temperature controlled specimen holder for a focusing X-ray diffraction camera, 2=21497
 Arunachalam, V.S. See Asundi, M.K., 2=19097
 Arustamova, M.E. See Tumanyan, V.A., 2=354
 Arutyunyan, F.R. See Alikhanyan, A.I., 2=3295
 Arutyunyan, V.M. Photoproduction of π^0 -mesons at high energies, 2=13848
 Arvia, A.J. and de Cusminsky, J.B. Galvanostatic studies on fluorine evolution on carbon electrodes, 2=8920
 Arzumanov, A.A., Meshcherov, R.A., Mironov, E.S., Nemenov, L.M., Ribin, S.N. and Kholmovskii, Yu.A. Extraction of a beam and energy regulation in the cyclotron with azimuthally varying magnetic field, 2=7686
 Arzumanov, A.A., Meshcherov, R.A., Mironov, E.S., Nemenov, L.M., Rybin, S.N. and Kholmovskii, Yu.A. Tests on particle acceleration and ion yield of a variable energy cyclotron with an azimuthally varying magnetic field, 2=13619
 Arzumanov, A.A., Meshcherov, R.A., Mironov, E.S., Nemenov, L.M., Ribin, S.N. and Kholmovskii, Yu.A. Beam extraction and energy regulation in a cyclotron with an azimuthally varying magnetic field, 2=20076
 Arzumanov, A.A., Venikov, N.I., Mironov, E.S. and Nemenov, L.M. An iron current canal for charged particle extraction and injection, 2=7673
 Arzumanyan, G.B. See Andreev, I.S., 2=16873
 Asada, E. See Suzuki, Y., 2=2267
 Asai, J. See Tao, K., 2=11805
 Asai, K. See Okuda, A., 2=14472
 Asakura, S. See Oosawa, F., 2=7049
 Asakura, T. See Kubota, H., 2=13429
 Asanabe, S. Semiconducting properties of SnSe_2 and GeSe_2 , 2=2174
 Asano, S. and Koyama, K. Photoconductive behaviour of Ag-activated cadmium sulphide-selenide, 2=18739
 Asanuma, M. The magnetic properties of B8 type structure compounds in transition elements-tin systems, 2=19638
 Asao, Y., Yoshida, I., Ando, R. and Sawada, S. The electrical resistivities of NaNO_2 and KNO_3 crystals, 2=12498
 Asao, Y. See Sawada, S., 2=2207
 Asao, Y. See Sawada, S., 2=4092
 Asaro, F., Michel, M.C., Thompson, S.G. and Perlman, I. The alpha decay scheme of 152 years $\text{Am}^{242\text{m}}$, 2=1831
 Asaro, F. See Perlman, I., 2=18268
 Asatiani, T.L. See Alikhanyan, A.I., 2=7918
 Asawa, C.K. and Satten, R.A. Direct optical detection of the ground-state population changes of neodymium in ethylsulfate crystals, 2=21238
 Asawa, C.K. See Devor, D.P., 2=20144
 Asayama, K. and Itoh, J. Nuclear spin-lattice relaxation in Nb metal, 2=18957
 Ascarelli, G. and Brown, F.C. Cyclotron resonance in AgBr, 2=23140
 Ascarelli, G. and Brown, S.C. Majority carrier recombination in n-type germanium, 2=23323
 Ascarelli, G. and Rodriguez, S. Recombination of electrons and donors in semiconductors, 2=8310
 Ascarelli, G. and Rodriguez, S. Recombination of electrons and donors in n-type germanium. B, 2=16701
 Asche, M. and Eckart, F. Influence of hydrogen atmosphere on the photoconductivity of CdS single crystals, 2=648
 Asche, M. and Eckart, F. The influence of hydrogen on the photoconductivity of single crystals of cadmium sulphide, 2=649
 Aschenbrand, L.M. See Marmo, F.F., 2=4688
 Aschenbrenner, B.C. Surveying and mapping of the moon from an orbiter, 2=4732
 Ascoli, A. and Damask, A.C. Migration energy of a vacancy adjacent to an impurity, 2=3935
 Ascoli, R. On the application of Glaser's results to study analyticity properties of physical amplitudes, 2=20256
 Asdente, M. Fermi surface for the 3d band of chromium, 2=20966
 Asdente, M. and Friedel, J. Erratum: 3d band structure of Cr, 2=14407
 Aseev, G.G. See Safronov, B.G., 2=9304
 Aseev, G.G. See Safronov, B.G., 2=17927
 Aseev, G.G. See Sinel'nikov, K.D., 2=9586
 Asfeld, R. See Meyer, A.J.P., 2=18893
 Ashinuma, K. See Takahashi, N., 2=848
 Ashirov, A., Rumanova, I.M. and Belov, N.V. Crystal structure of $\text{Mg}[\text{B}_3\text{O}_3(\text{OH})_5] \cdot 5\text{H}_2\text{O}$, 2=12917
 Ashirov, A., Rumanova, I.M. and Belov, N.V. Crystal structure of $\text{Mg}[\text{B}_3\text{O}_3(\text{OH})_5] \cdot 5\text{H}_2\text{O}$, 2=19082
 Ashkenas, H. See Wegener, P.P., 2=2748
 Ashkenazi, E.K. Anisotropy in the strength of construction material (Reply to a letter of E.I. Brainin), 2=4340
 Ashley, E.J. See Bennett, H.E., 2=23537
 Ashmore, A., Range, W.H., Taylor, R.T., Townes, B.H., Castillejo, L. and Peierls, R.F. A determination of the π -pion-nucleon coupling constant from n-p scattering at 350 MeV, 2=18118
 Ashworth, D.R. See Hedley, J.A., 2=3925
 Asik, J.R. See Yelon, A., 2=8624
 Asinovskii, E.I. See Shpil'rain, E.É., 2=2708
 Asinovskii, E.I. See Shpil'rain, E.É., 2=17693
 Askar'yan, G.A. Effect of external fields on the motion and growth of bubbles in boiling liquids, 2=48
 Askar'yan, G.A. Acceleration of ionized gas clouds with proper magnetic field scattering the electron flux, 2=3148
 Askar'yan, G.A. Diamagnetic perturbations in media caused by intense ionizing radiation, 2=4722
 Askar'yan, G.A. Radiation from the ionized region of a spark discharge, 2=5311
 Askaryan, G.A. Excess negative charge of electron-photon shower and the coherent radiation originating from it. Radiorecording of showers under the ground and on the moon, 2=12072

- Askar'yan, G.A. Stabilization of plasmoids, 2=13573
 Askar'yan, G.A. Cherenkov and transition radiation from electromagnetic waves, 2=16182
 Askar'yan, G.A. Interaction of laser radiation with vibrating surfaces, 2=16816
 Askar'yan, G.A. Effect of the gradient of a strong electromagnetic ray on electrons and atoms, 2=17965
 Askar'yan, G.A. Excess negative charge of an electron-photon shower and the coherent radio emission from it, 2=22679
 Askar'yan, G.A. Diamagnetic perturbations in media caused by [intense] ionizing radiation, 2=24087
 Askerov, B.M. Thermomagnetic effects in degenerate semiconductors and in metals in magnetic fields of arbitrary strength, 2=6443
 Askerov, B.M. The Nernst-Ettingshausen effect in a strong magnetic field allowing for mixed [impurity and phonon] scattering [of carriers in semiconductors], 2=6444
 Askerov, B.M. See Ansel'm, A.I., 2=6445
 Askerov, B.M. See Ansel'm, A.I., 2=21124
 Aslanov, I.G. A spectrograph for measuring solar rotation, 2=4711
 Aspden, R.G. See Facaros, G., 2=12701
 Azpiroz Yoldi, M. A formula of geometric optics, 2=15721
 Asprey, L.B. See McDowell, R.S., 2=16523
 Asribekov, V.E. The shell model and the shift of single-particle levels in nuclei of the "core + nucleon" type due to the addition of a pair of nucleons, 2=360
 Asribekov, V.E. The choice of invariant variables for the "many-tail" amplitudes, 2=9786
 Asribekov, V.E. On the kinematics of many-tails, 2=16143
 Asribekov, V.E. The shell model and the shift of single-particle levels in nuclei of the "core+nucleon" type due to the addition of a pair of nucleons, 2=22724
 Asselmeyer, F., Hühn, K. and Zott, H. A simple recording instrument for total pressures of 1-45 torr, 2=7171
 Asselmeyer, F. and Walter, H. Measurement of the light scattered from the worked (110) face of rock salt, 2=8491
 Assonova, E.A. See Lozinskii, M.G., 2=23777
 Astapchik, S.A. See Bodyako, M.N., 2=19095
 Astarita, G. Diffusion phenomena in a liquid flowing along a solid surface, 2=9267
 Astbury, A., Bartley, J.H., Blair, I.M., Kemp, M.A.R., Muirhead, H. and Woodhead, T. The angular distribution of the neutrons arising from the nuclear capture of polarized muons, 2=10129
 Astbury, A., Blair, I.M., Hussain, M., Kemp, M.A.R. and Muirhead, H. Capture rates for negative muons in light elements, 2=1702
 Astbury, A., Hattersley, P.M., Hussain, M., Kemp, M.A.R., Muirhead, H. and Woodhead, T. The depolarization of negative muons in light elements, 2=1701
 Astbury, A., Kemp, M.A.R., Muirhead, H., Voss, R.G.P. and Woodhead, T. A measurement of the total cross-section for the production of neutral pions in proton-proton collisions at 383 MeV, 2=1708
 Astheimer, R.W., DeWaard, R. and Jackson, E.A. Infrared radiometric instruments on Tiros II, 2=1028
 Astier, A., Blaskovic, L., DeCourreges, M.M., Equer, B., Lloret, A., Rivet, P. and Slaud, J. K_2^0 disintegrations in a Wilson cloud-chamber, 2=22614
 Aston, J.G. Rotational transitions in mixed crystals and surface films, 2=8765
 Aston, J.G. See Chon, H., 2=8889
 Astrahan, M.M. See Serrell, R., 2=15455
 Åström, E. On the electromagnetism behaviour of a plasma, 2=1428
 Åström, E. Plasma oscillations, 2=5359
 Åström, H.U. Isothermal measurements on the release of stored energy in irradiated graphite, 2=3973
 Astrov, D.N., Kytin, G.A. and Orlova, M.P. Shift of the Curie points of the carbonates of manganese and cobalt, when strongly compressed, 2=18926
 Astrue, R.W. See Sato, H., 2=12657
 Astrue, R.W. See Sato, H., 2=23662
 Asundi, M.K., Arunachalam, V.S. and Tangri, K. Lattice strains in β -quenched uranium, 2=19097
 Asundi, R.K. [Ed.]. Symposium on spectroscopy, 2=13449
 Asundi, R.K. [Ed.]. Symposium on spectroscopy, 2=17606
 Asundi, R.K., Ramakoteswara Rao, P. and Brody, J.K. Rotational analysis of $^{63}\text{Cu}^{35}\text{Cl}$ bands, 2=1983
 Asundi, R.K. See Agrawal, R.M., 2=21247
 Asundi, R.K. See Ramakoteswara Rao, P., 2=10252
 Asundi, R.K. See Ramakoteswara Rao, P., 2=10253
 Asundi, R.K. See Ramakoteswara Rao, P., 2=22964
 Asunmaa, S. and Baak, T. Irradiation of glass films with a 100 kV electron beam, 2=10927
 Aswegen, J.S.T. van. See van Aswegen, J.T.
 Ataka, Y. Remarks on the correspondence between field theories with Yukawa and Fermi interactions, 2=11897
 Atalla, M.M. See Spitzer, W.G., 2=18747
 Atanasov, A.A. The theory of the scattering of slow neutrons by a parallel-sided crystal specimen, 2=816
 Atanasov, A.A. The theory of the scattering of slow neutrons by a parallel-sided crystal specimen, 2=8813
 Aten, A.H.W., Jr. The influence of magic numbers on the shape of the fission yield curve, 2=12229
 Aten, A.H.W., Jr. and Heijzenbrok, M.G.J. Sources of quasi-monoenergetic gamma radiation, 2=5611
 Aten, A.H.W., Jr. See Heertje, I., 2=16209
 Athay, R.G. The Doppler cores of strong Fraunhofer lines, 2=4763
 Athay, R.G. Line broadening in chromospheric spicules, 2=4786
 Athay, R.G. and House, L.L. Departures from thermodynamic equilibrium in chromospheric Mg I, Ca I and O I, 2=15353
 Athay, R.G. and Zirker, J.B. Ionization and excitation equilibrium of CA II in the solar atmosphere, 2=19311
 Atherton, N.J. See Richards, E.W.T., 2=3460
 Atkins, K.R. See Pollack, S.R., 2=6283
 Atkins, W.W. See Hall, D.A., 2=2670
 Atkinson, J.R. and Rigg, S. Design of irradiation experiments, 2=10425
 Atkinson, J.R. and Rigg, S. Design of irradiation experiments, 2=12483
 Atlas, D. and Ludlam, F.H. Multi-wavelength radar reflectivity of hailstorms, 2=2479
 Atlaskin, N.N., Dobrolyubov, G.N., Zaitsev, A.A., Levintov, I.I., Savinov, E.G., Sokolov, V.P., Stasevich, B.M. and Trostin, I.S. Beam-extraction system of the cyclotron at the Institute of Theoretical and Experimental Physics, 2=20075
 Ato, Y. See Huzimura, R., 2=10463
 Atoda, T., Higashi, I., Takahashi, Y., Sasa, Y. and Kobayashi, M. Studies on uranium carbides. (II) X-ray analysis of uranium carbides, 2=10867
 Atoji, M. Neutron diffraction studies of CaC_2 , YC_2 , LaC_2 , CeC_2 , TbC_2 , YbC_2 , LuC_2 , and UC_2 , 2=4419
 Atoji, M. and Williams, D.E. Neutron-diffraction studies of La_2C_3 , Ce_2C_3 , Pr_2C_3 , and Tb_2C_3 , 2=4420
 Atrashkevich, V.I. See Vernov, S.N., 2=20462
 Atta, L.C. van. See van Atta, L.C.
 Attermo, R. See Östberg, G., 2=4460
 Attia, E.A. See Kamel, R., 2=4335
 Attix, F.H. See Ritz, V.H., 2=17987
 Attree, R.W., Cabell, M.J., Cushing, R.L. and Pieroni, J.J. A calorimetric determination of the half-life of thorium-230 and a consequent revision to its neutron capture cross-section, 2=5834
 Attwood, S.S. Radio-wave propagation between world wars I and II, 2=16046
 Atwater, H.A. Apparent distortion of relativistically moving objects, 2=2857
 Auberger, M. See Rinehart, J.S., 20925
 Aubert, B., Brisson, B., Hennessy, J., Mittner, P., Six, J., Baglin, C., Bloch, M., Bressy, A., Hennessy, J., Lagarrigue, A., Mittner, P., Orkin-Lecourtois, A., Rançon, P., Rousset, A. and Sauteron, X. Leptonic decay of Λ^0 and Σ -hyperons, 2=18187
 Aubert, B., Brisson, B., Hennessy, J., Mittner, P., Six, J., Baglin, C., Bloch, M., Bressy, A., Hennessy, J., Lagarrigue, A., Mittner, P., Orkin-Lecourtois, A., Rançon, P., Rousset, A. and Sauteron, X. Leptonic decay of Λ^0 Σ -hyperons, 2=22647
 Aubert, B. See Loria, A., 2=1714
 Aubert, M. and Cornou, M. Contribution to the study of non-quasistatic compressions, 2=19585
 Aubert, M. and de Beaumont, H. Contribution to Nernst's principle for fluids, 2=4977
 Aubrey, J.E. Cyclotron resonance in bismuth. II, 2=2071
 Aubrun, J.N. and Hervé, J. An experimental study of the influence of an external magnetic field on the nuclear resonance of powdered metallic cobalt, 2=18959
 Aubrun, J.N. See Hervé, J., 2=12831
 AuCoin, T.R. See Adams, I., 2=4191
 Aucouturier, M. See Guiraldenq, P., 2=6368
 Audran, M. Rapid method of measurement of low frequency impedances, 2=22128
 Audran, R., Engelen, M. and Jouy, A.D. Granulometric analysis of photographic emulsions, 2=7414
 Auer, P.L. The role of ion currents in the formation of space charge sheaths in a low pressure arc, 2=1410
 Auer, P.L. Adiabatic electron fluid in the presence of strong space-charge forces, 2=19942
 Auer, P.L., Hurwitz, H., Jr. and Kilb, R.W. Large-amplitude magnetic compression of a collision-free plasma. II. Development of a thermalized plasma, 2=9578
 Auer, P.L. and Nation, J.A. Magneto-compressional disturbance in a tepid plasma, 2=1431
 Auer, P.L. and Nation, J.A. Magneto-compressional disturbance in a tepid plasma, 2=11652
 Auerbach, K. See Bodenstedt, E., 2=12136

- Auerbach, K. See Bodendstedt, E., 2=16300
- Auerbach, L.B., Elioff, T., Johnson, W.B., Lach, J., Wiegand, C.E. and Ypsilantis, T. Study of pion-pion interactions from pion production by pions, 2=20393
- Auerbach, L.B. See Wiegand, C.E., 2=11962
- Auerbach, T. The Milne problem with a polynomial source, 2=7111
- Auffray, J.P. Magnetic susceptibility of the hydrogen molecule, 2=10233
- Auffray, J.P. and Percus, J. The eigen-state of atomic helium, 2=18412
- Auffray, J.P., Percus, J.K. and Ross, G.G. Calculation of electrostatic interactions in atoms, 2=16465
- Augenstine, L.G. See Weinberg, C.J., 2=14758
- Aukerman, L.W. and Graft, R.D. Annealing of electron-irradiated GaAs, 2=21005
- Aukermann, L.W. Radiation effects and annealing of n-type GaAs, 2=23387
- Aukrust, E. and Muan, A. Thermodynamic properties of Pd-Fe alloys in the temperature range 1200-1460°C, 2=15140
- Auld, B.A. Saturation effects in ferrite frequency doublers operating in the uniform precession mode, 2=3155
- Auld, B.A. See Roberts, R.W., 2=13680
- Auleytner, J. and Pawlowska, M. Dynamical effects of X-ray interference in natural NaCl crystal from Wieliczka, 2=6860
- Auluck, F.C. See Kothari, D.S., 2=21725
- Aurela, A. See Hovi, V., 2=9971
- Aurivillius, B. and Fang, P.H. Ferroelectricity in the compound $\text{Ba}_2\text{Bi}_4\text{Ti}_3\text{O}_{18}$, 2=12570
- Aurivillius, B. and Jonsson, I. The crystal structure of the monoclinic modification of BiOHCrO_4 , 2=23855
- Aurivillius, B. See Fang, P.H., 2=12569
- Ausburn, K.J. Charged particle trajectories in static electric and magnetic fields, 2=225
- Auskern, A.B. and Belle, J. Oxygen ion self-diffusion in uranium dioxide, 2=3944
- Auskern, A.B. and Belle, J. Uranium ion self-diffusion in UO_2 , 2=3949
- Ausländer, J. See Auslender, I., 2=9884
- Ausländer, J.S. See Anghelescu, D., 2=5557
- Auslender, I. See Khulubei, Kh., 2=9884
- Ausloos, P. and Gorden, R., Jr. Hydrogen formation in the γ radiolysis of ethylene, 2=2453
- Ausloos, P. and Lias, S. Gas-phase radiolysis of propane, 2=17097
- Ausloos, P. See Lias, S.G., 2=19166
- Ausloos, P. See Rebbert, R.E., 2=23968
- Ausloos, P. See Stief, L.J., 2=15160
- Aussenegg, F. A simple method for the determination of h [Planck's constant], 2=4906
- Austern, N. See Wackman, P.H., 2=9986
- Austerweil, V.G. Selectivity and ionophoresis in ion exchangers, 2=17090
- Austin, A.E., Adelson, E. and Cloud, W.H. Magnetic structures of Mn_2As and $\text{Mn}_2\text{Sb}_{0.7}\text{As}_{0.3}$, 2=12741
- Austin, B.J., Heine, V. and Sham, L.J. General theory of pseudo-potentials, 2=16464
- Austin, I.G., Gebbie, H.A. and Morin, I. Absorption of coesite [SiO_2] in the wavelength region 5-22 microns, 2=4130
- Austin, S.M., Barschall, H.H. and Shamu, R.E. Scattering of neutrons by α particles, 2=13808
- Austin, S.M., Salmon, G.L., Clegg, A.B., Foley, K.J. and Newton, D. Reactions induced in ^{12}C by nucleons of energy 120-150 MeV, 2=18318
- Austin, S.M., Salmon, G.L., Rowe, D.J., Clegg, A.B., Newton, D. and Foley, K.J. The $^{12}\text{C}(n, np)^{11}\text{B}$, $^{12}\text{C}(p, pn)^{11}\text{C}$ and $^{12}\text{C}(p, 2p)^{11}\text{B}$ reactions induced by nucleons of 120-150 MeV, 2=1870
- Auten, B.H. See Hickernell, F.S., 2=13683
- Auth, J. The influence of temperature and environmental conditions on the photoelectromagnetic effect in CdS, 2=650
- Auth, J. Investigation of the P.E.M. effect and the property of holes in CdS, 2=8442
- Auth, J. Speculation on the role of hot electrons in the anomalous P.E.M. effect, 2=8443
- Authier, A. The separation of waves in the neighbourhood of total reflection of X-rays, 2=814
- Authier, A. and Lallemand, P. Observation by X-ray topography of damage caused by irradiation by protons, 2=23147
- A-U-Zaman. See Liu, Y.S., 2=18164
- Auzins, P. See Wertz, J.E., 2=3907
- Auzins, P. See Wertz, J.E., 2=12479
- Avakian, P. and Wolf, H.C. The temperature dependence of the energy transfer in anthracene-tetracene mixed crystals, 2=4182
- Avakian, V.V. See Khrimian, A.V., 2=12081
- Avakyan, R.O., Bayatyan, G.L., Vishnevskii, M.E. and Pushkin, E.V. Measurement of the longitudinal polarization of electrons emitted in the β -decay of Au^{198} , 2=22764
- Avakyan, V.V. See Khrimyan, A.V., 2=13924
- Avan, L., Avan, M., Fain, J. and Bertin, P.Y. Conditions for the use of "included targets" in nuclear emulsions in the measurement of simple scattering and multiple Coulomb scattering, 2=22372
- Avan, M. See Avan, L., 2=22372
- Avdeev, V.I. Effect of an acceptor impurity on the rate of relaxation of the donor electrons in semiconductors, 2=8315
- Avdeev, V.I. Effect of an acceptor impurity on the rate of relaxation of the donor electrons in semiconductors, 2=10456
- Avdonin, V.I. and Novikov, I.I. The propagation of sound in saturated vapours of liquids, 2=11427
- Averbach, B.L. See Hirano, K., 2=23202
- Averbach, B.L. See Rosenfield, A.R., 2=8706
- Averbach, B.L. See Wagner, W.J., Jr., 2=10761
- Averbakh, E.M. See Ugai, Ya.A., 2=16719
- Averbakh, E.M. See Ugai, Ya.A., 2=18699
- Averbuch, P. Mathematical representation of properties related to distortion in a cold-worked body, 2=4336
- Averchenkov, V.Ya. See Veretennikov, A.I., 2=12210
- Averchenkov, V.Ya. See Veretennikov, A.I., 2=18094
- Averell, J.A. See Chretien, M., 2=22610
- Averin, V.G., Mazing, M.A. and Pisanko, A.I. A spectroscopic investigation of a toroidal discharge, 2=170
- Averin, V.G., Mazing, M.A. and Pisanko, A.I. A spectroscopic investigation of a toroidal discharge, 2=22189
- Averkin, A.A., Moizhes, B.Ya. and Smirnov, I.A. Change of electrical properties of PbSe with pressure, 2=2167
- Averkin, A.A. See Smirnov, I.A., 2=23401
- Averkin, B.A. See Abov, Yu.G., 2=7874
- Avery, A.F. The prediction of neutron attenuation in iron-water shields, 2=20712
- Avez, A. Monochromatic waves and Doppler effect in general relativity, 2=9164
- Avez, A. On a stationary world-model without global space-like sections, 2=17351
- Avezard, L. See Kobrynski, M., 2=2842
- Avient, B.W.E. and Wilman, H. New features of the abrasion process shown by soft metals; the nature of mechanical polishing, 2=23795
- Avignon, P., Deschamps, Y. and Rosier, L. Polarization of neutrons from the reaction $\text{D}(d, n)\text{He}^3$ for a deuteron energy of 5.5 MeV, 2=482
- Avignon, Y. and Le Squeren-Malinge, A.M. Dimensions of the quiet sun on 169 Mc/s, 2=9080
- Avinor, M., Carmi, A. and Weinberger, Z. Nickel-activated calcium and strontium sulfide phosphors, 2=4170
- Avotina, M.P. See Grigor'ev, E.P., 2=13953
- Avramenko, V.P. and Synyakov, O.V. Investigation of the electrical properties of certain mixed ferrites, 2=8294
- Avramesco, A. See Mandel, J., 2=1093
- Avrett, E.H. Particle motion in the equatorial plane of a dipole magnetic field, 2=7717
- Avvakumov, V.I., Garif'yanov, N.S., Salikhov, S.G. and Semenova, E.I. Paramagnetic resonance in the salts $\text{TiCl}_3 \cdot 6\text{H}_2\text{O}$ and $\text{Ti}_2(\text{SO}_4)_3 \cdot 4\text{H}_2\text{O}$, 2=10706
- Awamura, K. See Doke, T., 2=7787
- Awano, M. Precisionization of gas thermometry, 2=5208
- Axel, P. Electric dipole ground-state transition width strength function and 7H MeV photon interactions 2=10082
- Axel, P. See Euthymiou, P., 2=22734
- Axel, P. See O'Connell, J.S., 2=10081
- Axelrod, N.N. Simple method for the determination of overlapping orders, 2=1275
- Axensten, S., Liljegen, G. and Lindgren, I. Nuclear spin measurements on neutron-deficient tellurium isotopes, 2=3461
- Axensten, S. and Olsmats, C.M. Nuclear spins of neutron-deficient polonium isotopes, 2=347
- Axensten, S. See Olsmats, C.M., 2=523
- Axford, W.I. Axisymmetric stagnation point flow in magneto-hydrodynamics, 2=5449
- Axford, W.I. Note on a problem of magnetohydrodynamic stability, 2=13665
- Axford, W.I., Fejer, J.A. and Hines, C.O. A comprehensive model of auroral and geomagnetic disturbances, 2=15270
- Axford, W.I. and Hines, C.O. A unifying theory of high-latitude geophysical phenomena and geomagnetism storms, 2=889
- Axford, W.I. and Hines, C.O. On the thinness and orientation of auroral arcs, 2=19239
- Axford, W.I. and Reid, G.C. Polar-cap absorption and the magnetic storm of February 11, 1958, 2=21644
- Axton, E.J. and Cross, P. The establishment of an absolutely calibrated neutron source, 2=3355
- Ayant, Y., Béliorizky, E. and Rosset, J. Some properties of the crystalline levels Γ_8 in cubic symmetry, 2=16622
- Aylmore, L.A.G. See La Mer, V.K., 2=13491

- lyres, R., Hornyak, W. F., Chan, L. and Fann, H. A new semi-empirical mass formula, 2=5787
- Ayukhanov, A. Kh. See Arifov, U. A., 2=13603
- Ayukhanov, A. Kh. See Arifov, U. A., 2=17892
- Azam, N. See Adda, Y., 2=8210
- Azbel', M. Ya. Combined resonance in metals, 2=23698
- Azbel', M. Ya. and Begiashvili, G. A. The width of the cyclotron resonance line in semimetals and the determination of the correlation function for bismuth, 2=12408
- Azbel', M. Ya. and Gurzhi, R. N. The electric conductivity of thin samples and the possibility of determining the mean free path of electrons in metals, 2=16680
- Azer, N. Z. and Chao, B. T. Turbulent heat transfer in liquid metals—fully developed pipe flow with constant wall temperature, 2=5202
- Azhazha, V. M. See Gindin, I. A., 2=21432
- Azhozha, V. M. See Gindin, I. A., 2=16959
- Azimov, S. A., Chernova, L. P., Chernov, G. M., Chudakov, V. M. and Nikishin, B. K. Investigation of azimuthal effects at multiple particle production, 2=281
- Azimov, S. A., Do In Seb, Kirillova, L. F., Khabibullina, E. M., Tsyganov, E. N., Shafranov, M. G., Shakhbazyan, B. A. and Yuldashev, A. A. Elastic scattering of 2.8 BeV protons on protons, 2=9845
- Azimov, Ya. I. Creation of π -mesons in weak interactions, 2=3383
- Azimov, Ya. I. and Shekhter, V. M. On some processes involving high energy neutrinos, 2=22482
- Azou, P. See Plusquellec, J., 2=23204
- Azou, P. See Pointu, P., 2=2346
- Azovskii, Yu. S. See Safronov, B. G., 2=9304
- Azovskii, Yu. S. See Safronov, B. G., 2=17927
- Azovskii, Yu. S. See Sinel'nikov, K. D., 2=9586
- Azuma, R. E. See Currie, W. M., 2=5277
- Azuma, R. E. See Lewis, G. M., 2=3378
- Azuma, S. Energy spectrum and determinant method in quantized field theory, 2=5562
- Badsgaard, H., Campbell, F. A., Follinsbee, R. E. and Cumming, G. L. The Bruderheim meteorite, 2=4755
- Baak, T. See Asunmaa, S., 2=10927
- Baart, E. E., Green, L. L. and Willmott, J. C. An investigation of the $^{30}\text{Si}(p,\gamma)^{30}\text{P}$ reaction, 2=5915
- Babad-Zakhryapin, A. A. See Izvekov, V. I., 2=6369
- Babaev, A. I., Balats, M. Ya., Kaftanov, V. S., Landsberg, L. G., Lyubimov, V. A. and Obukhov, Yu. V. Search for the $\mu^+ \rightarrow e^+ + e^- + e^-$ -decay, 2=18147
- Babaev, A. I. See Alikhanov, A. I., 2=11969
- Babala, D. and Vorísek, M. The interaction of foils activated by thermal neutrons, 2=20347
- Babayan, C. P. See Grigorov, N. L., 2=16254
- Babb, S. E., Jr. Melting curves of tin and selenium to 10 000 bar, 2=19778
- Babb, S. E., Jr. See McDaniel, M. L., 2=19777
- Babbitt, R. W. See Malinofsky, W. W., 2=12696
- Babenco, A. Use of the side-band method in high-resolution nuclear magnetic resonance spectroscopy, 2=22350
- Babcock, H. W. The magnetism of the sun, 2=15349
- Babcock, H. W. Control of a ruling engine by a modulated interferometer, 2=19724
- Babcock, K. R. See Cloud, W. H., 2=12689
- Babcock, R. V. An explanation of the superior radiation resistance of P-type base Si solar cells, 2=4077
- Babel, D. See Rüdorff, W., 2=23853
- Babeliowsky, T. P. J. H. See Tasman, H. A., 2=19627
- Babenko, N. S. See Koronkevich, V. P., 2=5184
- Baberkin, A. S. See Yurin, V. A., 2=14622
- Babetski, Ya. S., Buza, Z. A., Grigorov, N. L., Loskevich, E. S., Massal'ski, E. I., Oles', A. A., Shestoperov, V. Ya. and Fisher, S. Nuclear-active particles in air showers, 2=331
- Babetski, Ya. S., Buza, Z. A., Grigorov, N. L., Loskevich, E. S., Massal'ski, E. I., Oles', A. A., Shestoperov, V. Ya. and Fisher, S. Nuclear-active particles in air showers, 2=22675
- Babich, V. M. Fundamental solutions of the dynamical equations of elasticity for nonhomogeneous media, 2=15519
- Babichev, A. P., Karchevskii, A. I., Muromkin, Yu. A. and Sokol'skii, V. V. Formation of a current channel in a gas discharge in a weak magnetic field, 2=3026
- Babichev, A. P., Venikov, N. I., Knyeyatov, A. S., Meshcherov, R. A., Mironov, E. S., Nemenov, L. M., Fedorov, N. D. and Kholmovskii, Yu. A. Control of the shape of the magnetic field intensity of a cyclotron, 2=22286
- Babikov, V. V. The compound nucleus formation time and the γ -radiation from interacting nuclei, 2=16378
- Babikov, V. V. γ -radiation from a compound nucleus with a large angular momentum, 2=16379
- Babilon, C. F. See Lyst, J. O., 2=21448
- Babrov, H. J. Error in integrated transmittance due to the spectrometer slit function, 2=17620
- Babrov, H. J. See Tourin, R. H., 2=19618
- Babu, P. and Pal, Y. Hyperon effect in the high energy μ -meson spectrum at sea level, 2=12078
- Babushkin, F. A. Correction to finite nuclear size in the isotopic shift, 2=16322
- Babych, I. L. See Kondylenko, I. I., 2=8098
- Bab'ykin, M. V. See Artemenkov, L. I., 2=1624
- Bacal, M. Optical system for the localization of microscopic particles in the Millikan vacuum condenser, 2=9375
- Bacal, M. and Dobretov, L. N. The physical principles of Millikan's condenser method [of e/m measurement] in a vacuum, 2=5594
- Bacal, M. See Afinoghenov, L. P., 2=5595
- Bach, D. R., Bunch, S. I., Cerbone, R. J. and Slovacek, R. E. Prompt neutron decay constants in multiplying hydrogenous media, 2=6040
- Bach, I. See Gobrecht, H., 2=4122
- Bachelet, F. Colloquium on the effects of the solar activity on the cosmic ray intensity at the earth, 2=338
- Bachkovsky, J. Selection of crystals for X-ray spectroscopy, 2=14977
- Bachman, A. H. See Samios, N. P., 2=20392
- Bachmann, L. Evaporation by electron bombardment for high resolution shadowing of electron microscope specimens, 2=10957
- Bachmann, L. and Hayek, K. The thickness of electron microscope evaporated films for improving the contrast, 2=12954
- Bachmann, L. and Hayek, K. Shadowing of electron microscopic preparations with metals of very high melting point, 2=15119
- Bachmann, L. and Hayek, K. A decoration method of high resolution for electron-microscopic examination of crystal surfaces, 2=15120
- Bächtold, H. See Feichtinger, H., 2=21603
- Bachynski, M. P. Plasma physics — an elementary review, 2=5327
- Bachynski, M. P. See Graf, K. A., 2=17834
- Bachynski, M. P. See Shkarofsky, I. P., 2=3007
- Baciu, G. See Clorăscu, F., 2=20084
- Baciu, G. See Stoicovici, E., 2=22288
- Back, R. A., Woodward, T. W. and McLaughlan, K. A. Absolute yields in the γ -radiolysis of gases, 2=19164
- Backenstoss, G., Hyams, B. D., Knop, G., Marin, P. C. and Stierlin, U. The scattering of 8 GeV/c μ -mesons on electrons, 2=22549
- Backenstoss, G. See Brix, P., 2=14230
- Bäcklin, A. See Bäckström, G., 2=20313
- Bäcklund, N. G. An experimental investigation of the electrical and thermal conductivity of iron and some dilute iron alloys at temperatures above 100° K, 2=2111
- Bäckström, G., Bäcklin, A., Holmberg, N. E. and Bergkvist, K. E. A magnetic spectrometer for neutron capture experiments, 2=20313
- Bäckström, G. See Suter, T., 2=3531
- Bacon, B. M. See Barfield, W. D., 2=3608
- Bacon, G. E. A neutron-diffraction study of very pure chromium, 2=10678
- Bacon, G. E. The magnetic structure of AuMn, 2=10683
- Bacon, G. E. The study of line-profiles in X-ray diffraction patterns of graphite, 2=23831
- Bacon, G. E. and Curry, N. A. The water molecules in $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$, 2=4430
- Bacon, M. D. and Dean, P. Vibrational spectrum of a two-dimensional disordered lattice, 2=14370
- Bacon, M. D., Dean, P. and Martin, J. L. Defect modes in two-component chains, 2=16596
- Bacon, N. E. See Webb, E. K., 2=21788
- Bacry, H. and Mandelbrojt, J. An approach to nucleon-antinucleon phenomena using the Bogoliubov transformation. I, 2=9837
- Bacsó, J. See Szalay, A., 2=5618
- Badalyan, A. M. Nuclear recoil in the equivalent photon method, 2=430
- Badalyan, A. M. and Smorodinskii, Ya. A. The Weisszäcker-Williams relation for matrix elements, 2=4937
- Bădănoiu, M. See Stoicovici, E., 2=22288
- Bădărlău, E., Grumăzescu, M. and Matei, L. Correlation between the coefficients of acoustic absorption measured in impedance tubes and in scattered fields, 2=5113
- Badareu, E., Popescu, I. and Iova, I. Processes in the cathode region of anomalous glow discharges in helium, 2=1407
- Badareu, E. and Popovici, C. On luminescent discharges in a butane-bromine mixture, 2=6883
- Badareu, E., Stănescu, D. and Popovici, C. Effect of the high frequency discharge on butane, 2=21588
- Bade, W. L. Stagnation-point heat transfer in a high-temperature inert gas, 2=5065
- Bader, R. F. W. Vibrationally induced perturbations in molecular electron distributions, 2=14292
- Bader, R. F. W. and Westland, A. D. The electronic spectra of MoCl_5 and NbCl_5 , 2=2002
- Badilian, B. See Degrois, M., 2=5013

- Badilian, B. See Degrois, M., 2=11370
 Badilian, B. See Degrois, M., 2=11455
 Badilian, B. See Degrois, M., 2=15587
 Badkas, D.J. See Hubli, S.S., 2=15865
 Bady, I. and Schlömann, E. Spin wave excitation in planar ferrites, 2=12748
 Baenziger, N.C. and Moriarty, J.L., Jr. Gadolinium and dysprosium intermetallic phases. I. The crystal structures of DyGa and GdPt and their related compounds, 2=15042
 Baenziger, N.C. and Moriarty, J.L., Jr. Gadolinium and dysprosium intermetallic phases. II. Laves phases and other structure types, 2=15043
 Baenziger, N.C. See Eyring, L., 2=4418
 Baer, A. Rotary pumps in special materials for corrosive products, 2=13385
 Baer, D. and Ambrosio, A. Heat conduction in a semi-infinite slab with sublimation at the surface, 2=2910
 Baer, S. On the application of Bethe's method to the grand canonical ensemble for a fluid, 2=13305
 Baganoff, D. See Roshko, A., 2=1186
 Bagaryatskii, B.A. Radar reflections from aurorae, 2=9021
 Bagge, E. and Binder, O. A lunar cosmic ray intensity variation. II, 2=12049
 Bagguley, D.M.S., Flaxen, D.W. and Stradling, R.A. Anisotropic phonon scattering of electrons in germanium, 2=14422
 Bagguley, D.M.S. and Stradling, R.A. Cyclotron resonance at 4 mm wavelength, 2=2151
 Baginski, H.P. and Lochte-Holtgreven, W. Magnetic fields on rotating plasmas under quasi-stationary conditions, 2=15915
 Baglin, A. Wave propagation in a partially ionized medium, 2=7612
 Baglin, C. See Aubert, B., 2=18187
 Baglin, C. See Aubert, B., 2=22647
 Baglin, C. See Bellini, G., 2=22573
 Baglin, C. See Di Corato, M., 2=22627
 Bagotskaya, I.A. A study of the influence of structure of the double electrical layer on the electrochemical desorption reaction, 2=17091
 Bagrowski, J. See Lauriente, M., 2=12655
 Bagrowski, J. See Lauriente, M., 2=19764
 Bahadur, K. and Sastry, P.V. Electron diffraction study of thin films of silver-cadmium alloy, 2=10910
 Bahcall, J. See Layzer, D., 2=8056
 Bahcall, J.N. Beta decay in stellar interiors, 2=13146
 Bahr, G.F. See Zeitler, E., 2=7164
 Bahrov, M.M. Measurements of the diffusion coefficient of nitrogen in liquid oxygen, 2=9266
 Bahrov, M.M. See Dolhopolov, D.H., 2=9265
 Bai Chong Z'iyong. See Z'iyong Chong Bai.
 Baier, V.N. and Sokolov, V.V. The participation of π^0 -mesons in electromagnetic processes, 2=5629
 Baier, V.N. and Synakh, V.S. The formation of bimuonium in electron-positron collisions, 2=3372
 Baierlein, R.F., Sharp, D.H. and Wheeler, J.A. Three-dimensional geometry as carrier of information about time, 2=13259
 Baikov, V.I. and Rozov, S.P. A high-temperature vacuum vessel, 2=17627
 Baikov, V.I. See Vasilevskii, K.P., 2=6158
 Bailey, D.K. Time variations of the energy spectrum of solar cosmic rays in relation to the radiation hazard in space, 2=9960
 Bailey, D.K. The detection and study of solar cosmic rays by radio techniques, 2=12019
 Bailey, D.K. and Harrington, J.M. A survey of polar cap absorption events (solar proton events) in the period 1952 through 1960, 2=12031
 Bailey, D.M. See Kirkpatrick, M.E., 2=10879
 Bailey, G.C. and Williams, C.M. Apparatus for in-pile Hall coefficient and conductivity measurements, 2=5250
 Bailey, H.R. and Gogarty, W.B. Numerical and experimental results on the dispersion of a solute in a fluid in laminar flow through a tube, 2=19547
 Bailey, J.E. and Hirsch, P.B. The recrystallization process in some polycrystalline metals, 2=8856
 Bailey, J. See Zioc, K., 2=18169
 Bailey, P.T. Preparation of rectangular prismatic specimens of bismuth telluride and attachment of fine potential leads, 2=5252
 Bailey, V.A. See Taylor, N.W., 2=15295
 Bailie, A.E. See Musen, P., 2=11182
 Bailyn, M. Maximum variational principle for conduction problems in a magnetic field, and the theory of magnon drag, 2=16677
 Bailyn, M. See Franzak, E., 2=16676
 Baimukhanov, B.B. See Kim, E.I., 2=11518
 Bain, W.F. Possible effects of magnetic field alignment on meteoric ionization, 2=11165
 Bainbridge, A.E., Suess, H.E. and Friedman, I. Isotopic composition of atmospheric hydrogen and methane, 2=2466
 Bainbridge, J. Gas imperfections and physical conditions in gaseous spheres of lunar mass, 2=19326
 Bainbridge, J.G., Warren, E. and Wiggins, K.E. Inexpensive blood pressure transducer, 2=4886
 Baines, D.C. Direct recording of rapidly varying physical parameters, 2=17407
 Bair, J.K. and Willard, H.B. Level structure in Ne^{22} and Si^{30} from the reactions $\text{O}^{18}(\alpha, n)\text{Ne}^{21}$ and $\text{Mg}^{26}(\alpha, n)\text{Si}^{30}$, 2=22735
 Baird, J.C. and Thomas, J.R. Electron paramagnetic resonance spectra of some disubstituted nitric oxides, 2=2733
 Baird, J.C. See Hijikata, K., 2=8110
 Baird, K.M. Optics in Canada, 2=13423
 Baird, K.M. and Smith, D.S. Primary standard of length, 2=11240
 Baird, Q.L., Nall, J.C., Haynes, S.K. and Hamilton, J.H. A Moussa-Bellcard type iron-free double-focusing beta-ray spectrometer, 2=20314
 Bajaj, K.K. See Kawatra, M.P., 2=5355
 Bajeu, G. and Comsa, G. Ions of H_3^+ and H_2D^+ in an omegatron, 2=2217
 Băjeu, G., Comsa, G. and Gelberg, A. Mass spectrometer of the omegatron type, 2=7679
 Bajon, J. See Dupin, P., 2=1606
 Bak, M.A., Bugorkov, S.S., Il'inskaya, T.A., Petrov, Iu.G., Petrzhak, K.A., Soltsev, V.M., Sorokina, A.V. and Ushatskii, V.N. The yields of ^{103}Ru and ^{106}Ru in the fast-neutron fission of ^{235}U and ^{239}Pu , 2=1939
 Bak, M.A., Petrzhak, K.A. and Chen T'ya-Mei [Ch'ên T'a Mei]. The (n,2n) and (γ,n) reactions on Au^{197} , 2=16417
 Bak, T.A. and Andersen, K. Dissociation of diatomic molecules considered as diffusion in phase space, 2=6228
 Bakaleev, V.P. The possibility of solving nonlinear problems of heat conduction, 2=9427
 Bakanov, S.P. and Deryagin, B.V. The state of a gas moving in the vicinity of a solid surface, 2=1172
 Bakanov, S.P., Rukhadze, A.A. and Sandomirskii, V.B. The theory of expansion of a gas bubble in a viscous liquid, 2=9251
 Bakanova, A.A. See Al'tshuler, L.V., 2=2759
 Bakanova, A.A. See Al'tshuler, L.V., 2=6728
 Bakardjiev, S. See Nadjakov, E., 2=22200
 Baker, A. See Selove, W., 2=22578
 Baker, A.J. See Brandon, D.G., 2=23170
 Baker, B.G. See Anderson, J.R., 2=10946
 Baker, C., Chou, Y.T. and Kelly, A. The stacking-fault energy of graphite, 2=3926
 Baker, C. and Kelly, A. Energy to form and to move vacant lattice sites in graphite, 2=10371
 Baker, D. An all metal high vacuum valve, 2=15663
 Baker, D.A. and Hammel, J.E. Rotating plasma experiment. II. Energy measurements and the velocity limiting effect, 2=1456
 Baker, D.A., Hammel, J.E. and Ribe, F.L. Rotating plasma experiments. I. Hydromagnetic properties, 2=1455
 Baker, D.A. and Hammel, J.E. Demonstration of classical plasma behaviour in a transverse magnetic field, 2=17823
 Baker, D.J., Jr., Bedo, D.E. and Tomboulou, D.H. Continuous photoelectric absorption cross section of helium, 2=529
 Baker, E.B. Two synthesizer nuclear spin decoupling; INDOR spectra of $\text{C}^{13}\text{F}_3\text{COOH}$ and $\text{CF}_3\text{C}^{13}\text{OOH}$, $\text{N}^{14}\text{H}_4^+$, and $(\text{CH}_3)_4\text{Si}^{29}$, 2=23004
 Baker, E.W. and Katcoff, S. Fission of Ag and Br in nuclear emulsion by 1.0-3.0 BeV protons, 2=10158
 Baker, F.S. and Brink, G.O. Adsorption of potassium beams on surfaces, 2=21570
 Baker, G.A., Jr. Certain general order-disorder models in the limit of long-range interactions, 2=15061
 Baker, G.A., Jr., Gammel, J.L., Hill, B.J. and Wills, J.G. Exact numerical solution of a three-body ground-state problem, 2=7832
 Baker, G.S. Dislocation mobility and damping in LiF , 2=12434
 Baker, G.S. Internal friction of LiF and NaCl , 2=21408
 Baker, G.S. See Huber, R.J., 2=678
 Baker, G.S. See Huber, R.J., 2=2315
 Baker, G.S. See Seely, J.L., 2=18985
 Baker, J.C. See Beard, D.B., 2=19943
 Baker, J.M. and Rubins, R.S. Electron spin resonance in two groups of lanthanon salts, 2=4257
 Baker, J.M. and Williams, F.I.B. Electron spin resonance in two salts containing gadolinium, 2=4256
 Baker, J.M. and Williams, F.I.B. Electron nuclear double resonance of the divalent europium ion, 2=10715
 Baker, M. and Glashow, S.L. The $\text{K}^+ \rightarrow \pi^+ + e^+ + e^-$ decay, 2=20409
 Baker, N. and Kippenhahn, R. The pulsations of models of δ Cephei stars, 2=7013
 Baker, P.S. and Collins, T.L. Natural abundances of Er^{172} and Yb^{167} , 2=8070
 Baker, S.C. A transistor coincidence-discriminator circuit for 10^{-8} -second pulses, 2=2985

- Baker, S.C., Kerns, Q.A., Kirsten, F.A., Mack, D.A. and Nunamaker, T.A. Test routines and monitoring for a large counter experiment, 2=2986
- Baker, S.C., Kirsten, F.A., Mack, D.A. and Wiegand, C. An electronic data-acquisition system for use with a complex nuclear physics experiment, 2=2987
- Baker, S.D. See McIntyre, J.A., 2=3621
- Baker, S.D. See Wang, K.H., 2=16438
- Baker, S.I. See Kaiser, W.C., 2=18000
- Baker, T.W. Interatomic distances in the intermetallic compounds MgBe_{13} and CaBe_{13} , 2=10877
- Baker, T.W. and Baldock, P.J. High temperature phase transformation in beryllia, 2=14924
- Baker, T.W. See Bellamy, B., 2=17019
- Baker, W.E. Axisymmetric modes of vibration of thin spherical shell, 2=2805
- Baker, W.F., Cool, R.L., Jenkins, E.W., Kycia, T.F., Lindenbaum, S.J., Love, W.A., Lüers, D., Niederer, J.A., Ozaki, S., Read, A.L., Russell, J.J. and Yuan, L.C.L. Particle production by 10-30 BeV protons incident on Al and Be, 2=20627
- Bakhmat, A., Belogurov, V. and Pelekis, L. Gamma-rays of Ag^{108} , 2=20565
- Bakhshiev, N.G. Dielectric effects and the electronic spectra of polyatomic organic molecules in solutions, 2=14294
- Bakhshiev, N.G. Universal molecular interactions and their effect on the position of electronic spectra of molecules in two-component solutions. II. Phthalimide derivatives (in liquid solutions), 2=18472
- Bakhshiev, N.G. Universal molecular interactions and their effect on the position of electronic spectra of molecules in two-component solutions. IV. Dependence on the magnitude of the Stokes shift in the solvent luminescence spectrum (liquid solutions), 2=21913
- Bakhshiev, N.G., Klochkov, V.P., Neporent, B.S. and Cherkasov, A.S. Absorption and fluorescence spectra of vapours of anthracene and its derivatives, 2=21947
- Bakhtiozin, R.A. See Gorbis, Z.R., 2=19587
- Bakis, R. See Sholtz, P.N., 2=4892
- Baklanov, O.G. See Kirenski, L.V., 2=14817
- Baklanovskaya, V.F. Numerical solution of the one-dimensional problem for equations of the non-stationary filtration type, 2=21886
- Bakos, J., Erdőkürti, Z. and Kántor, K. Universal mechanical assembly for laboratory purposes, particularly for optical and semi-automatic measurements, 2=11233
- Bakos, J. and Kántor, K. Light diffraction on slits in case of light sources of finite extension, 2=1277
- Bakos, J. and Kántor, K. The spatial distribution of fringe visibility in the Michelson interferometer, 2=7388
- Bakos, J. and Kántor, K. Spatial distribution of interference pattern visibility in Michelson interferometers, 2=11489
- Bakos, J., Kántor, K. and Varga, P. On the interference in Michelson interferometers in the case of extended light sources, 2=11490
- Bakov, A.T., Belov, S.P., Kazanskii, Yu.A. and Popov, V.I. Emission of γ -rays from radiative capture in iron, 2=20638
- Baktavatsalou, M. Cayley transformation generalizing the Foldy-Wouthuysen and Cini-Touschek transformations, 2=19369
- Bakulin, E.A. and Stepin, E.V. Source for isotopic analysis of chlorine, 2=1527
- Bal Krishna Agrawal and Verma, G.S. Lattice thermal conductivity at low temperatures, 2=10341
- Balabanov, E.M. and Vasil'ev, G.A. Travelling wave cascade generator — a new high-voltage source for accelerators, 2=9658
- Balabanov, S. See Nadzhakov, G., 2=6401
- Balabanova, L.A., Bredov, M.M. and Kotov, B.A. Spectra of plasmons in indium and in indium antimonide, 2=12407
- Balabanova, L.A., Bredov, M.M. and Kotov, B.A. Spectra of plasmons in indium and in indium antimonide, 2=14418
- Balabanova, V.N. and Zhigalovskaya, T.N. Dispersed state of a silver iodide aerosol, 2=23976
- Balachandran, A.P. The K-meson-pion scattering, 2=7901
- Balachandran, A.P. On the value of the axial vector renormalization in β -decay, 2=7942
- Balachandran, A.P. and Pietschmann, H. On a possible $\Xi\pi$ resonance, 2=22651
- Balachandran, A.P. See Ramakrishnan, A., 2=12002
- Balachandran, A.P. See Ramakrishnan, A., 2=13886
- Balachandran, A.P. See Ramakrishnan, A., 2=13887
- Balachandran, A.P. See Ramakrishnan, A., 2=20431
- Balachandran, A.P. See Ramakrishnan, A., 2=22563
- Balakrishna, S. and Johnson, P.V. Nuclear explosions and the gravity-time curve, 2=12988
- Balandin, Yu.F. Investigation of the long-time effect of thermal cycling stresses at high temperatures, 2=21447
- Balandin, Yu.F. and Bratukhina, V.A. Investigation of the initial stage of thermal fatigue by the microhardness measurement method, 2=23794
- Balarin, M. The theory of Tl^+ activated crystal phosphors, 2=856
- Balarin, M. Focusing conditions for elastic atomic collisions in graphite, 2=12487
- Balarin, M. and Hilbert, F. Effect of energetic ions on metal surfaces, 2=1523
- Balashov, I.F., Vanyukov, M.P., Muratov, V.R. and Nilov, E.V. Registration of time-resolved contours of spectral lines by means of an electron-optical converter, 2=1272
- Balashov, V.V. Relation between the collective and shell descriptions of dipole excitations of atomic nuclei, 2=7964
- Balashov, V.V., Belyaev, V.B. and Zakhar'ev, B.N. Dipole excitations of nuclei according to the superfluid model, 2=16308
- Balashov, V.V. and Boyarkina, A.N. Quasi-elastic scattering of fast protons and the hole excitation spectrum in the N^{14} nucleus, 2=20611
- Balashov, V.V. and Chernov, V.M. Effect of phonon excitations of nuclei on the characteristics of the giant photoabsorption resonance, 2=20595
- Balashov, V.V., Shevchenko, V.G. and Yudin, N.P. Giant resonance in Pb^{208} photodisintegration, 2=3550
- Balashova, N.A. and Zhmakin, G.G. The effect of thermal and mechanical treatments of a surface on the magnitude of adsorption of ion on platinum, 2=12950
- Balasubrahmanyam, V.K., Ganguli, S.M., Gokhale, G.S., Kameswara Rao, N., Kunte, P.K., Menon, M.G.K. and Swami, M.S. The flux of primary protons and helium nuclei near the geomagnetic equator, 2=20448
- Balasubramanian, A.P. See Pandya, N.S., 2=21024
- Balasubramanian, C. See Venkateswarlu, K., 2=6134
- Balasubramanian, C. See Venkateswarlu, K., 2=10236
- Balats, M.Ya., Krivitskii, V.V., Leksin, G.A. and Trebukhovskii, Yu.V. Making of scintillators by pressing, 2=16863
- Balats, M.Ya. See Alihanov, A.I., 2=11969
- Balats, M.Ya. See Babaev, A.I., 2=18147
- Balazs, L.A.P. Dispersion-theoretical fitting of nucleon-nucleon scattering, 2=9836
- Balazs, N.L. Differential rotation in slowly dissipating systems, 2=1105
- Balcarczyk, L., Kim, K.H. and Lanzel, E. Measurement of the F^{18} activity in the core of a water-cooled reactor, 2=20718
- Balchan, A.S. and Drickamer, H.G. The effect of pressure and temperature on the absorption edges of three silver halides, 2=2229
- Balchan, A.S. See Stager, R.A., 2=23877
- Balcomb, J.D., Demuth, H.B. and Gyftopoulos, E.P. A cross-correlation method for measuring the impulse response of reactor systems, 2=6027
- Baldassarre, F., Caforio, A., Ferraro, D., Ferilli, A., Merlin, M., Semeraro, S., Fisher, C.M., Gibson, W.M., Mason, A., Venus, W., Evans, D., Hossain, A., Lock, W.O., Votruba, M.F., Wataghin, A., Kasim, M.M., Shaikat, M.A., Bonetti, A., Fedrighini, A., Herz, A.J., Pelosi, V., Sichirollo, A.E., Tallone, L. and Vegni, G. Observations on the production of two charged pions by negative pions at 14, 16 and 17 GeV, 2=22562
- Baldassarre, F. See Evans, D., 2=22492
- Baldeschwieler, J.D. Double resonance spectra of N^{14} and N^{15} ammonium ion, 2=2022
- Baldeschwieler, J.D. See Rigden, J.S., 2=2020
- Baldeschwieler, J.D. See Anderson, J.M., 2=16554
- Baldeschwieler, J.D. See Noggle, J.H., 2=16559
- Baldin, A.M. and Lebedev, A.I. A peculiarity of the photo-production of π^0 mesons at threshold, 2=5712
- Baldin, A.M. and Nguen-Van-Kh'eu. One possibility of determining the magnetic moments of unstable vector particles, 2=20282
- Baldinger, E. Critical remarks on tunnel diode amplifiers, 2=23425
- Baldinger, E. and Czaja, W. On the energy expended per electron-hole-pair produced in p-n junction-detectors, 2=6478
- Baldinger, E., Czaja, W. and Gutmann, J. Temperature effects in silicon p-n junction detectors, 2=9744
- Baldinger, E. and Spycher, U. Observations on the determination of the resistance of tuned diodes, 2=16739
- Baldinger, E. and Spycher, U. A simple circuit for the determination of tunnel diode parameters, 2=22135
- Baldinger, E., Spycher, U. and Bossart, R. Tunnel diode scaler, 2=22136
- Baldo-Ceolin, M. See Ely, R.P., 2=18173
- Baldo-Ceolin, M. See Ely, P.P., 2=22613

- Baldock, P., McLaren, J.R., Hedger, H.J. and Briggs, G. A ternary compound in the U-Fe-C system, 2=12923
- Baldock, P.J. See Baker, T.W., 2=14924
- Baldrey, J.A. See Joyce, B.D., 2=21494
- Baldwin, D.H. See De Hoff, R.T., 2=17058
- Baldwin, J.A., Jr. Reversible flux as a source of irreversible noise in multipath cores, 2=11754
- Baldwin, J.E. The galactic radio spectrum and the energy spectrum of cosmic-ray electrons, 2=24175
- Baldwin, K.M., Bassett, O.E., Hawthorne, E.I. and Langberg, E. Telecommunications during re-entry, 2=4885
- Baldwin, L.V. Heat loss from hot wires in rarefied gases, 2=5200
- Baldwin, M.G. and Morrow, J.C. Dielectric behavior of water adsorbed on alumina, 2=8892
- Balea, E., Friedländer, E.M., Potoceanu, C. and Sahini, M. On the mechanism of fast deuteron production in proton-nucleus collisions, 2=18325
- Balea, E., Friedländer, E.M., Potoceanu, C. and Sahini, M. Angular distribution of jets produced by heavy primary cosmic-ray nuclei, 2=20479
- Balea, O. See Bozoki, G., 2=336
- Balea, O. See Bozoki, G., 2=22684
- Balescu, R. and De Gottal, P. Correlation effects on the transport coefficients of a plasma, 2=1417
- Bali, L.M. and Vachaspati. Transformation laws of velocity and acceleration of a particle according to relativistic conformal transformations and physical interpretation of the latter, 2=15469
- Balian, R. and Mehta, M.L. The singularities of the t-matrix after a canonical transformation, 2=11889
- Balian, R., Nossanow, L.H. and Werthamer, N.R. Difficulty in the method of Green's functions for a many-body system, 2=17376
- Balkanski, M. and Hopfield, J.J. The Faraday rotation due to free electrons in CdS, 2=16806
- Balkanski, M. and Nazarewicz, W. Single phonon absorption bands in fast neutron irradiated silicon, 2=16598
- Balkanski, M. See Nazarewicz, W., 2=17583
- Balklav, A. Reduction of observations with a two-aerial interferometer, 2=24165
- Ball, G.L. See Zweifel, P.F., 2=13809
- Ball, H. Intensity of ZnS phosphors during short-period excitation, 2=16860
- Ball, J.B. and Goodman, C.D. Evidence for nuclear distortion in the iron region, 2=1756
- Ball, J.B. See Goodman, C.D., 2=1885
- Ball, J.B. See Goodman, C.D., 2=1886
- Ball, J.B. See Goodman, C.D., 2=9729
- Ball, J.B. See Goodman, C.D., 2=18322
- Ball, J.S. Application of the Mandelstam representation to photo-production of pions from nucleons, 2=1706
- Ball, J.S. and Wong, D.Y. Solutions of the pion-pion partial wave dispersion relations, 2=3285
- Ball, N.A. See Dean, L.W., III, 2=7305
- Ballantine, D. See Shinohara, Y., 2=14337
- Ballantyne, J.M. Demonstration of magnetic domain-wall storage and logic, 2=13636
- Ballard, S.S. and Wolfe, W.L. Recent developments in infrared technology, 2=22001
- Ballato, A.D. Comments on the properties of triglycine sulfate, 2=679
- Ballato, A.D. See Bechmann, R., 2=21393
- Ballentyne, D.W.G. On the behaviour of electroluminescent phosphors on irradiation with ultra-violet, 2=4190
- Ballentyne, D.W.G. Electroluminescence, 2=18880
- Ballhausen, C.J. See Gray, H.B., 2=6570
- Balli, D., Georgiu, Z. and Stadnikova, T. Total neutron effective cross-sections for As, Se, Sb and Te in the energy region 0.0027-0.0100 eV, 2=20630
- Balli, D., Iliescu, N. and Iorgulescu, Sh. Effect of proton irradiation on the K-absorption edge of nickel, 2=14698
- Balli, E. The ratio of areas of (solar) filaments to those of prominences, 2=4790
- Ballik, E.A. See Javan, A., 2=5155
- Ballini, R., Cassagnou, Y. and Jeronymo, J.M.F. Two dimensional analysis of the time of flight of neutrons of several tens of KeV energy and the energy of γ -rays emitted in coincidence, 2=9874
- Ballini, R. and Pomelas, E. Measurement of pulses by semiconductors and saturated photomultipliers, 2=2983
- Ballman, A.A. See King, J.C., 2=21481
- Ballman, A.A. See Van Uitert, L.G., 2=6609
- Balluffi, R.W. See Simmons, R.O., 2=3903
- Balluffi, R.W. and Thomson, R.M. Kinetic theory of dislocation climb. II. Steady state edge dislocation climb, 2=8219
- Balluffi, R.W. See Thomson, R.M., 2=8218
- Bally, D., Benes, L., Iliescu, N. and St. Iorgulescu. K absorption spectra of the elements, Zn, As, Se, Zr, Sl, Mo having been irradiated by neutrons, 2=23583
- Bally, D., Benes, L., Iliescu, N., Iorgulescu, S. and Olteanu, I. Characteristics of a universal X-ray tube, 2=7698
- Bally, D. and Müller, L. Influence of chemical and intermetallic bonding on the X-ray K absorption spectrum of selenium, 2=23582
- Bally, D., Todireanu, S. and Ripeanu, S. The total cross section of aluminium for neutrons of energies from 0.003 eV to 0.009 eV, 2=7995
- Bally, D., Todireanu, S., Ripeanu, S. and Belloni, M.G. Total reflection of neutrons from metallic mirrors, 2=20352
- Balser, M. and Wagner, C.A. Diurnal power variations of the earth-ionosphere cavity modes and their relationship to worldwide thunderstorm activity, 2=9715
- Balta, P. See Oprea, F., 2=6465
- Baltay, C. See Brown, H.N., 2=12013
- Baltensperger, W. See Chevalier, J., 2=4214
- Baltensperger, W. See Daunt, S.G., 2=17725
- Baltensperger, W. See Quattropani, A., 2=6293
- Baltz, A. Rotation of image and selected area diffraction-pattern in the RCA-EMU 3 electron microscope, 2=8902
- Baltz, A. Electron microscope study of the roughness of Permalloy films using surface replication, 2=12658
- Baltz, A. See Schoening, F.R.L., 2=10783
- Balyasny, N.D. and Nazarov, I.M. Statistics of operations of differential counting devices, 2=22142
- Banasevich, S.N. See Murin, A.N., 2=604
- Banasevich, S.N. See Murin, A.N., 2=3938
- Bancie-Grillot, M. New investigations on the two fluorescent emission bands in zinc sulphide activated with copper, 2=12624
- Bancie-Grillot, M. and Grillot, E. Constitution of the two types of copper luminescence centres in zinc sulphide, 2=10622
- Bancie-Grillot, M., Levialdi, A. and Grillot, E. Mechanism of the penetration of foreign atoms into a crystalline solid. Example of the activation of zinc sulphide and cadmium sulphide phosphors, 2=6621
- Bancie-Grillot, M. See Bansi-Griio, M.,
- Bancie-Grillot, M. See Grillot, E., 2=8559
- Bancroft, J.L., Hollas, J.M. and Ramsay, D.A. The absorption spectra of HNO and DNO, 2=10257
- Band, I.M., Kharitonov, Yu.I. and Sliv, L.A. Four and more nucleons outside closed shells. Po²¹² spectrum, 2=13998
- Band, I.M., Sliv, L.A. and Kharitonov, Yu.I. Correlation of motion of four nucleons in the Po²¹² nucleus, 2=377
- Band, W. Forced vibrations of a harmonic lattice in quantum mechanics, 2=19422
- Band, W. See Adams, R.O., 2=11418
- Bandeon, W.R., Hanel, R.A., Licht, J., Stampfl, R.A. and Stroud, W.G. Infrared and reflected solar radiation measurements from the Tiros II meteorological satellite, 2=2574
- Bandö, H. See Marumori, T., 2=20488
- Bandö, Y. The formation of superstructure of Fe₃Ni in fine particles, 2=4465
- Bandyopadhyay, P. and Chatterjee, S.K. Vertical transport of electrons during pre-sunrise F-layer 'splitting', 2=19224
- Bandzaitis, A.A. See Yutsis, A.P., 2=16466
- Banerjee, B. and Biswas, S.N. Boson-pair terms of the charged current in the schizon theory of weak interactions, 2=16140
- Banerjee, B. and Gupta, K.K. Energy levels of iodine nuclei, 2=1804
- Banerjee, B. and Gupta, K.K. The energy levels of iodine isotopes in the unified model, 2=7931
- Banerjee, B. See Stenko, M.J., 2=2266
- Banerjee, B.C. and Walker, P.L., Jr. Interaction of evaporated carbon films with nickel, 2=4490
- Banerjee, B.C. and Walker, P.L., Jr. Electron microscopic investigation on the structure and topography of electrodesposited nickel, 2=17063
- Banerjee, B.R., Lenhart, R.E. and Robinson, W.H. Small angle X-ray scattering from MnS in silicon steels, 2=12703
- Banerjee, H. On a composite model of pion, 2=5704
- Banerjee, H. The role of γ_5 -gauge invariance in a nonlinear model of elementary particles, 2=9808
- Banerjee, H. Remark on the conservation of the axial vector current, 2=13730
- Banerjee, H. Leptonic decay of hyperons, 2=16244
- Banfi, C. Expression for electrical energy in dispersive media, 2=15991
- Banister, J.R. and Davis, H.L. Descent of particles and molecules through the upper atmosphere, 2=4622
- Banks, E. See Kunhmann, W., 2=12744
- Banks, E. See Tauber, A., 2=2369

- Bannerman, D.E. See Lanter, R.J., 2=18136
- Bannik, B.P., Gal'per, A.M., Grishin, V.G., Kotenko, L.P., Kuzin, L.A., Kuznetsov, E.P., Merzon, G.I., Podgoretskii, M.I. and Sil'vestrov, L.V. Elastic scattering of 2.8 and 6.8 BeV/c π^- -mesons on carbon, 2=3602
- Bannister, F.J. See Watt, D.E., 2=10152
- Bannock, R.R. Molecular sieve pumping, 2=15658
- Bansal, R.C. See Manning, D.L., 2=17093
- Bansal, R.K. and Sudarshan, E.C.G. Reduction of cartesian tensors and its application to stochastic dynamics, 2=21785
- Bansigir, K.G. and lyengar, K.S. Piezo-optic birefringence in NaCl structure crystals. II. Applications, 2=12580
- Bansigir, K.G. and Schneider, E.E. Studies on the substructure of real crystals by optical and magnetic resonance methods, 2=3929
- Bansigir, K.G. and Schneider, E.E. Absorption of M and R centres in the F band region of coloured alkali halides, 2=23220
- Bansi-Griio [Bancie-Grillot], M. See Griio [Grillot], É., 2=10527
- Bansi-Griio, M. See Gross, E.F., 2=6571
- Banus, M.D., Reed, T.B., Gatos, H.C., Lavine, M.C. and Kafalas, J.A. Nb₃IN: a β -tungsten structure superconducting compound, 2=17729
- Banyard, K.E. Radial distribution of electrons in the ammonia and hydrogen sulfide molecules, 2=12307
- Bao Shchi-mao. See Litovchenko, V.G., 2=21132
- Baptista, A. and Baptista, N.R. The determination of Bragg's angle from X-ray precession photographs and the applications of the expressions derived, 2=23842
- Baptista, N.R. See Baptista, A., 2=23842
- Baqi Bég, M.A. Correspondence between τ and η decays, 2=20412
- Baqi Bég, M.A. and DeCelles, P.C. P-wave interactions in τ decay, 2=5732
- Baqi Bég, M.A. and DeCelles, P.C. Current conservation and $\Delta T = \frac{1}{2}$ rule in θ decay, 2=22617
- Barabashchi, S. and Pulacci, A. The control system of the Ispra-1 reactor, 2=8042
- Barabashov, N.P. The structure of the lunar surface and a study of the first photographs of the reverse side of the moon, 2=17250
- Barabashov, N.P. and Garazha, V.I. The microstructure of the lunar surface, 2=24089
- Barach, J.P. Interaction between a magnetic field and an electrically produced shock wave, 2=1190
- Barakat, R. Solution of the Luneberg apodization problems, 2=5149
- Barakat, R. Application of apodization to increase two-point resolution by the Sparrow criterion. I. Coherent illumination, 2=5150
- Barakat, R. Computation of the transfer function of an optical system from the design data for rotationally symmetric aberrations. I. Theory, 2=19683
- Barakat, R. and Morello, M.V. Computation of the transfer function of an optical system from the design data for rotationally symmetric aberrations. II. Programming and numerical results, 2=19684
- Barakat, R.G. Propagation of acoustic pulses from a circular cylinder, 2=2825
- Baram, A.A. The extraction of impurities from polyethylene in an ultrasonic field, 2=6841
- Baran, J. and Kolos, W. Vibrational constants for the ground state of the hydrogen molecule, 2=12314
- Baran, W. Calculation of attraction and adhesion forces for magnetized bodies of square shape, 2=17929
- Bărănescu, G. Evaluation of some thermodynamic magnitudes in relation to conventionally chosen origins, 2=22104
- Baranger, M. See Griem, H.R., 2=3698
- Baranne, A. See Dufay, J., 2=19287
- Baranov, I.A., Protopopov, A.N. and Éismont, V.P. Anisotropy of U^{238} fission induced by 3 MeV neutrons, 2=509
- Baranov, I.A., Protopopov, A.N. and Éismont, V.P. Comparison of the kinetic energy of the fission fragments of U^{238} bombarded by neutrons with energies 5 and 15 MeV, 2=14154
- Baranov, I.A., Protopopov, A.N. and Éismont, V.P. Anisotropy of U^{238} fission induced by 3 MeV neutrons, 2=22859
- Baranov, P.S., Slovokhotov, L.I., Sokol, G.A. and Shtarkov, L.N. Elastic scattering of 247 MeV γ -quanta on hydrogen, 2=3301
- Baranov, P.S., Slovokhotov, L.I., Sokol, G.A. and Shtarkov, L.N. A differential method for the determination of the efficiency of a gamma-counter, 2=20297
- Baranov, S.A., Kulakov, V.M., Samoilov, P.S., Zelenkov, A.G. and Rodionov, Yu.F. Investigation of radioactive decay of Np^{237} , 2=3500
- Baranov, S.A., Kulakov, V.M., Samoilov, P.S., Zelenkov, A.G., Rodionov, Yu.F. and Pirozhkov, S.V. Fine structure of the Pa^{231} α -radiation and the energy level scheme of the Ac^{227} nucleus, 2=3501
- Baranov, S.A., Polevoi, R.M., Rodionov, Yu.F., Shishkin, G.V. and Shubko, V.M. Radioactive decay of Th^{231} , 2=16344
- Baranov, S.A., Samoilov, P.S., Rodionov, Yu.F., Belen'kii, S.N. and Pirozhkov, S.V. Energy levels of the U^{232} nucleus, 2=3490
- Baranov, S.A. and Zelenkov, A.G. Alpha-ray spectroscopy (survey), 2=5755
- Baranov, S.A., Zelenkov, A.G. and Kulakov, V.M. Investigation of the fine structure of alpha-radiation from U^{234} and U^{235} , 2=14018
- Baranov, V.B. and Liubimov, G.A. Form of the generalized Ohm's law in a completely ionized gas, 2=22311
- Baranov, V.I., Gromov, K.Ya., Dzelepov, B.S., Z'Yong Chong Bai, Malysheva, T.V., Morozov, V.A., Khotin, B.A. and Chumin, V.G. New iridium and platinum isotopes: Ir^{184} and Pt^{187} , 2=14053
- Baranovskii, V.I. and Gorodinskii, G.M. Determination of the number of disintegration events in electron-capture materials by means of a 4π scintillation counter, 2=14010
- Baranowski, B. and Smiałowski, M. Some remarks on "A note on nickel hydride", 2=15028
- Baranskii, P.I. Carrier density dependence of the thermal e.m.f. in n- and p-germanium, 2=2197
- Baranskii, P.I. The volume-gradient effects in semi-conductors, 2=23262
- Baranskii, P.I. and Vinetskii, R.M. Dependence of the Hall coefficient of p-germanium on the strength of the magnetic field, 2=14533
- Baranskii, P.I. and Vinetskii, R.M. Dependence of the Hall coefficient of p-germanium on the strength of the magnetic field, 2=18674
- Barantsev, R.G. Plane wave scattering by a double periodic surface of arbitrary shape, 2=5089
- Barantsev, R.G. The asymptotic law of smoothing out of the discontinuity in a monatomic gas, 2=13359
- Bárány, N. Deflection disk as a vision-influencing phenomenon, 2=7073
- Barashenkov, V.S., Belyakov, V.A., Wang Shu-Fên, Glagolev, V.V., Dolkhazhav, N., Kirillova, L.F., Lebedev, R.M., Mal'tsev, V.M., Markov, P.K., Tolstov, K.D., Tsyganov, E.N., Shafranov, M.G. and Yao Ch'ing-Hsieh. The interaction between fast nucleons and nuclei in the NIKFI-R photographic emulsion, 2=1889
- Barashenkov, V.S., Blokhintsev, D.I., Van Zhun [Wang Jung], Mikhul, E.K., Khuan tszu-chzhan' [Huang Tsu-chan] and Khu Shi-ke [Hu Shih-ko']. Inelastic high energy pion-nucleon interactions, 2=7884
- Barashenkov, V.S., Kaiser, H.J. and Van-Pei. Theory of peripheral interactions of fast particles, 2=9778
- Barashenkov, V.S. and Maltsev, V.M. Production of deuterons in the interaction of fast nucleons with nuclei, 2=16391
- Barat, M. Determination of static pressures in turbulent flow, 2=9240
- Baravian, G. See Godard, J., 2=13548
- Barbaro, D. See Tesoriere, G., 2=10755
- Barbaro-Galtieri, A., Barkas, W.H., Heckman, H.H., Patrick, J.W. and Smith, F.M. Apparent violation of the $\Delta s = \Delta Q$ rule by leptonic Σ^+ decay, 2=20434
- Barbaro-Galtieri, A. See Baudinet-Robinet, Y., 2=13798
- Barbashov, B.M. Dynamic resonances in solutions of the Low equation for some field theory models, 2=20224
- Barbashov, B.M. and Efimov, G.V. Properties of a solution of the Low equation for a local field theory model, 2=9804
- Barber, C.R. The establishment of a practical scale of temperature for the range 10-90° K, 2=11519
- Barber, C.R. and Hall, J.A. Progress in platinum resistance thermometry, 2=9437
- Barber, D., Sutcliffe, H.K. and Watkins, C.D. Some radar observations of meteors and aurorae at 300 and 500 Mc/s using a large radio telescope. I. Observations of meteors, 2=24172
- Barber, D., Sutcliffe, H.K. and Watkins, C.D. Some radar observations of meteors and aurorae at 300 and 500 Mc/s using a large radio telescope. II. Observations of the aurora borealis, 2=24173
- Barber, D.J. and Gillett, B.A. The preparation of single crystals of super-purity aluminium by sand-casting, 2=14957
- Barber, D.J. Growth of aluminium whiskers by vapour condensation, 2=14962
- Barber, P.B., Gaskell, C.S., Looms, J.S.T., Swift, D.A. and Tozer, B.A. Electrical breakdown in a shocked gas, 2=9555
- Barber, R.C., Cambe, L.A., Ormrod, J.H., Bishop, R.L. and Duckworth, H.E. Some precision mass differences between tin isotopes, 2=20760
- Barber, W.A. and Sloan, C.L. Solubility of calcium carbide in fused salt systems, 2=1143
- Barber, W.C. See Dodge, W.R., 2=20592
- Barber, W.C. See Peterson, G.A., 2=22658
- Barbiellini, G., Bologna, G., Diambri, G. and Murtas, G.P. Production of a quasi-monochromatic γ -ray beam from multi-GeV electron accelerators, 2=13755
- Barbiellini, G., Bologna, G., Diambri, G. and Murtas, G.P. Experimental evidence for a quasi-monochromatic bremsstrahlung intensity from the Frascati 1-GeV, electron synchrotron, 2=20302
- Barbier, D. The intensity variations of the 6300 Å line of the nightglow, 2=909

- Barbier, D. Airglow and earth storm, 2=13040
- Barbier, D. and Glaume, J. Nocturnal F layer in the intertropical region and its relations with the 6300 Å airglow emission, 2=15244
- Barbier, D., Roach, F.E. and Steiger, W.R. The summer intensity variations of [OI] 6300 Å in the tropics, 2=15247
- Barbier, D., Weill, G. and Glaume, J. Emission of the red line of night-glow in Africa, 2=2510
- Barbier, D. See Roach, F.E., 2=17181
- Barbier, J.C. and Ferlin-Guion, B. Magnetic anisotropy of the demagnetized state, 2=12705
- Barbour, J.M. Comment on "aid to music composition employing a random probability system", 2=2840
- Barbulescu, A. See Rosenberg, M., 2=10519
- Barchenko, P.Ya. See Suprunenko, V.A., 2=15924
- Barchewitz, P. See Nguyen-Van-Thanh, 2=18463
- Barchuk, I.F., Belykh, G.V., Golyshkin, V.I. and Ogorodnik, A.F. Spectrum of γ -rays from the horizontal channel of the reactor VVR-M, 2=14170
- Barchuk, I.F., Byelykh, H.V., Holyshkin, V.I. and Ogorodnyk, A.F. Magnetic spectrometer with an inhomogeneous field, 2=18104
- Barchuk, I.F. See Pasichnyk, M.V., 2=18387
- Barcus, J.R. See Green, J.R., 2=9955
- Bardakci, K. Complex angular momentum in field theory, 2=20258
- Bardakci, K. See Sudarshan, E.C.G., 2=251
- Bardasis, A. and Schrieffer, J.R. Erratum: Lifetime effects in condensed fermion systems, 2=5225
- Bardeau, H. and Picca, R. Cathode with an oxide core heated by high frequency induction, 2=11690
- Bardeen, J. Review of the present status of the theory of superconductivity, 2=7496
- Bardeen, J.M. See Chandrasekhar, B.S., 2=6657
- Bardell, P.R. International Conference on Components and Materials used in Electronic Engineering — London, June 1961, 2=143
- Bardin, R.K., Barnes, C.A., Fowler, W.A. and Seeger, P.A. β value of O^{14} and the universality of the Fermi interaction, 2=18290
- Bardon, M., Franzini, P. and Lee, J. Mott scattering of polarized muons, 2=13833
- Bardsley, C.J. See Taylor, T.C., 2=9462
- Bardsley, W., Hurlé, D.T.J. and Mullin, J.B. Problems associated with distribution coefficient and solid solubility determinations using crystal growth techniques, 2=10382
- Bar-Eli, K. and Klein, F.S. A kinetic method for measuring solubilities of gases in liquids, 2=2713
- Barella, D. See Deacon, R.F., 2=22006
- Barenblatt, G.I. and Cherepanov, G.P. Brittle cracks under longitudinal shear, 2=19014
- Barenblatt, G.I. See Ishlinskii, A.Yu., 2=21858
- Barenblatt, G.I. See Zel'dovich, Ya.B., 2=15123
- Barfield, M. and Grant, D.M. The dependence of geminal proton spin-spin coupling constants on electron delocalization in molecules, 2=3784
- Barfield, M. and Grant, D.M. Valence-bond calculation of geminal spin-spin coupling constants in substituted methanes, 2=14301
- Barfield, W.D., Bacon, B.M. and Biedenharn, L.C. Deuteron stripping by heavy nuclei, 2=3608
- Barford, N.C., Palmer, R.B. and Tallini, B. The radiative capture of protons by neutrons at 50 MeV, 2=284
- Barger, R.L. and Broida, H.P. Absorption spectrum of carbon vapor in solid argon at 4° and 20°K, 2=22976
- Barinskii, R.L. and Nadzhakov, E.G. Calculation of the charge of atoms in molecules from the K absorption spectra, 2=14209
- Barinskii, R.L. See Nadzhakov, E.G., 2=14693
- Barinskii, R.L. See Narbutt, K.I., 2=17108
- Barjon, R., Flamant, Y., Perchereau, J. and Rode, A. Time of flight spectrometer for 15 MeV neutrons scattered by carbon, 2=9866
- Barjon, R., Flamant, Y., Perchereau, J. and Rode, A. Scattering of 15 MeV neutrons by carbon: study of the neutrons of the (α , n) decay of C^{13} , 2=18329
- Barjon, R. and Lachkar, J. Low-voltage supply with transistorized servomechanism, 2=11573
- Barkas, W. Information content of particle tracks, 2=246
- Barkas, W.H., Dyer, J.N., Mason, G.J., Nickols, N.A. and Smith, F.M. Decay measurements on emulsion on particles of negative strangeness, 2=314
- Barkas, W.H. See Barbaro-Galtieri, A., 2=20434
- Barkas, W.H. See Patrick, J.W., 2=11843
- Barkas, W.H. See Hla Shwe, 2=3374
- Barkdoll, R.O. See Bradfield, W.S., 2=15817
- Barkemeyer, H.R. See McAleer, W.J., 2=10793
- Barker, A.S., Jr and Tinkham, M. Far-infrared ferroelectric vibration mode in $SrTiO_3$, 2=6524
- Barker, F.C. Ground-state correlations in O^{16} , 2=12116
- Barker, F.C. Electric-dipole giant-resonance energy, 2=12107
- Barker, J.A. Statistical mechanics of almost one-dimensional systems, 2=17372
- Barker, J.A. Structure of simple fluids: tunnel model, 2=21892
- Barker, J.A. and Everett, D.H. High temperature adsorption and the determination of the surface area of solids, 2=21572
- Barker, J.A. and Monaghan, J.J. Virial coefficients for square-well potentials, 2=15638
- Barker, J.A. and Monaghan, J.J. Fourth virial coefficients for the 12-6 potential, 2=15639
- Barker, W.A. Dynamic nuclear polarization, 2=22711
- Barker, W.A. and Keating, J.D. Optical and cross relaxation maser level populations by partial distribution, 2=16016
- Barker, W.W. See Rae, A.I.M., 2=10829
- Barkhatov, A.N., Cherkashin, Yu.N. and Yashkov, B.Ya. Acoustic intensity measurements in a laminar medium bounded by a periodic surface, 2=5119
- Barkhatova, K.A. The motion of galactic clusters, 2=4826
- Barloutaud, R., Choquet-Loudedec, C., Derem, A., Heughebaert, J., Lévêque, A. and Meyer, J. π^+ -P elastic scattering at 820, 900 and 1050 MeV, 2=16231
- Barloutaud, R., Choquet, C., Gensollen, C., Heughebaert, J., Lévêque, A., Meyer, J. and Viale, G. Pion production by positive pions at 820 and 900 MeV, 2=22560
- Barloutaud, R., Heughebaert, J., Lévêque, A., Meyer, J. and Omnes, R. Evidence for a $T = 1$ pion-pion resonance at 575 MeV, 2=5711
- Barloutaud, R., Heughebaert, J., Lévêque, A., Meyer, J. and Omnes, R. Two pion resonance at 575 MeV, 2=9893
- Barloutaud, R. See Goldring, G., 2=20514
- Barloutaud, R. See Grard, F., 2=1715
- Barloutaud, R. See Grard, F., 2=22513
- Barlow, C.A., Jr. See Einspruch, N.G., 2=2837
- Barlow, C.A., Jr. See MacDonald, J.R., 2=15154
- Barlow, D. and Beattie, I.R. Self-diffusion of sodium ions in analcite and anhydrous analcite, 2=8248
- Barlow, R.B., Jr. See Jeppesen, M.A., 2=4571
- Barmin, V.V. See Pershin, I.I., 2=3227
- Barna, A., Marshall, J.H. and Sands, M. A multifold coincidence-veto circuit using transistors, 2=5268
- Barnaby, C.F. and Barton, J.C. Ageing of plastic scintillators, 2=11830
- Barnaby, C.F. See Barton, J.C., 2=16092
- Barnard, A.C.L. and Kim, C.C. Elastic scattering and reactions of protons on argon-40, 2=3562
- Barnard, A.C.L., Mani, G.S. and Forsyth, P.D. Gross properties of levels in A^{36} with excitation near neutron separation energies, 2=1795
- Barnard, A.C.L. See Kim, C.C., 2=3563
- Barnard, A.C.L. See Mani, G.S., 2=1794
- Barnard, A.C.L. See Rout, V.M., 2=5535
- Barnard, A.J. See Cormack, G.D., 2=17760
- Barnard, A.J., Cormack, G.D. and Simpkinson, W.V. Spectroscopic studies of helium and argon plasmas produced by electro-magnetically driven shock waves, 2=11640
- Barnard, R.D. Some physical properties of the γ and δ phases in the U-Zr system, 2=620
- Barnes, C.A. See Bardin, R.K., 2=18290
- Barnes, C.A. See Nordberg, M.E., Jr, 2=3508
- Barnes, C.W., Jr. See Geppert, D.V., 2=12532
- Barnes, D.C. and Warner, E. A kinematic specimen goniometer stage for the Siemens electron microscope, 2=14973
- Barnes, F.S. On the modulation of optical masers, 2=19703
- Barnes, G., Gaines, J. and Kees, J. Relative sensitivity and pumping rate of the Redhead magnetron gauge, 2=21954
- Barnes, G.T., Katz, U. and Slinger, R. Ice forming activity and the surface properties of nucleating materials, 2=14947
- Barnes, G.T. and Slinger, R. An investigation into the mechanism of ice crystal nucleation by proton spin resonance spectroscopy, 2=6784
- Barnes, J.A., Allan, D.W. and Wainwright, A.E. The ammonia beam maser as a standard of frequency, 2=20141
- Barnes, J.F. An experimental investigation of heat transfer from the inside surface of a hot smooth tube to air, helium and carbon dioxide, 2=9419
- Barnes, J.F. and Tredgold, R.H. On the change of activation energy with impurity concentration in semiconductors, 2=629
- Barnes, K.J. Choice of electromagnetic form factors, 2=18106
- Barnes, R.G. and Graham, T.P. Nuclear magnetic resonance in chromium metal, 2=12832
- Barnes, R.G., Segel, S.L. and Jones, W.H., Jr. Nuclear quadrupole resonance and bonding in solid layer type metal halides, 2=4294
- Barnes, R.G. See Hultsch, R.A., 2=10415
- Barnes, R.G. See Jones, W.H., Jr, 2=4287

- Barnes, R.G. See Torgeson, D.R., 2=23720
 Barnes, R.G. See Yamaka, E., 2=8668
 Barnes, R.S. The behaviour of point defect clusters in irradiated metals, 2=6317
 Barnes, R.S. Clusters of point defects in irradiated metals, 2=12416
 Barnes, R.S. See Rich, J.B., 2=4338
 Barnes, R.S. See Westmacott, K.H., 2=23179
 Barnes, V.E., Bugg, D.V., Dodd, W.P., Kinson, J.B. and Riddiford, L. Peripheral collisions and the (3/2, 3/2) resonance in the reaction $p + p \rightarrow n + p + \pi^+$ at 970 MeV, 2=285
 Barnes, W.S. See McDaniel, E.W., 2=3101
 Barnett, C.F., Dunlap, J.L., Edwards, R.S., Haste, G.R., Ray, J.A., Reinhardt, R.G., Schill, W.J., Warner, R.M. and Wells, E.R. Energy distributions of protons in d.c.x., 2=15929
 Barnett, C.F. See Haste, G.R., 2=9595
 Barnett, G.D. and Miller, A. Oriented tungsten deposition, 2=10806
 Barnett, H.M. Evidence for a new phase boundary in the ferroelectric lead zirconate-lead titanate system, 2=17039
 Barnett, J.D. and Harris, F.S., Jr. Test of the effect of edge parameters on small-angle fresnel diffraction of light at a straight edge, 2=13458
 Barnfield, R.W., Farmery, B.W., Hobbis, L.C.W., Nelson, R.S. and Thompson, M.W. A 100 keV heavy ion accelerator for the study of irradiation damage, 2=11734
 Bärnighausen, H., von Volkmann, T. and Jander, J. Correction to the crystal data of nitrogen selenide (NSe)x, 2=17018
 Barnstedt, G. Evaluation of the contrast transmission function of photographic objectives, 2=5196
 Baro, R. See Luzzati, V., 2=5425
 Baron, S. See Wachspress, E.L., 2=10170
 Baroni, E.E., Rozman, I.M. and Shoniya, V.M. Light collection in plastic scintillators, 2=19689
 Baroni, E.E., Kilin, S.F., Kovyrzina, K.A., Rozman, I.M. and Shoniya, V.M. On the decay time of plastic scintillators, 2=21278
 Baroni, E.E. See Andreeshchev, E.A., 2=23610
 Baroni, G. See Amaldi, E., 2=22461
 Baroni, G. See Baudinet-Robinet, Y., 2=13798
 Baroody, E.M. Classical scattering by some important repulsive potentials, 2=19385
 Barr, E.S. Men and milestones in optics. I. George Gabriel Stokes, 2=5132
 Barr, E.S. Anniversaries in 1962 of interest to physicists, 2=11236
 Barr, J. and Dickinson, H.O. Electrokinetic measurements on silver, silver bromide and silver sulphide, 2=1381
 Barr, L. See Alpern, M., 2=7078
 Barr, L.W., Koffyberg, F.P. and Morrison, J.A. A note on the reaction of NaCl crystals with atmospheric gases, 2=4400
 Barr, W.L. Method for computing the radial distribution of emitters in a cylindrical source, 2=17595
 Barr, W.L. and Gardner, A.L. A scanning Fabry-Perot interferometer, 2=114
 Barr, W.L. See Gardner, A.L., 2=17821
 Barras, H., Philip, R. and Rivoira, R. Adsorption and condensation of residual gas on thin films cooled in vacuum, 2=23917
 Barrat, J.P. and Butaux, J. Measurement of the lifetime of the 5^2P_1 state of cadmium by the magnetic resonance method, 2=3706
 Barreau, P. See Bellicard, J., 2=372
 Barreau, P. See Bellicard, J., 2=20515
 Barrett, A.H. Observations of radio sources at 1.8-cm wavelength, 2=4849
 Barrett, A.H. Millimeter-wave radio source in Taurus, 2=13182
 Barrett, C.S. See Cucka, P., 2=21515
 Barrett, E.B. See Whitmer, R.F., 2=7615
 Barrett, P. See Nagle, D.E., 2=4216
 Barrett, R.C. Pairing energies of heavy nuclei, 2=20495
 Barribe, A. See Blanc, D., 2=1346
 Barrie, R. and Burgess, R.R. Drift velocity of hot electrons in n-type germanium, 2=21130
 Barrington, R.E. and Thompson, W.E. Whistlers and magnetic activity, 2=17144
 Barrington, R.E. and Thrane, E. The determination of D-region electron densities from observations of cross modulations, 2=4645
 Barriol, J. and Daum, A. The calculation of atomic polarization in the case of polar molecules, 2=8074
 Barriol, R. and Gosse, J. Rapid experimental determination of the thermal properties of a solid electrical conductor, 2=23068
 Barron, T.H.K. and Klein, M.L. Thermal and elastic properties of crystals at low temperatures, 2=20915
 Barrow, C.H. Recent radio observations of Jupiter at decimeter wavelengths, 2=13177
 Barrow, R.F., Deutsch, J.L., Lagerqvist, A. and Westerlund, B. Rotational analysis of the E-X system of silicon mono-sulphide, 2=6145
 Barrow, R.F., Kopp, I. and Merrer, A.J. Rotational analysis of the $A^2\Sigma^+-X^2\Pi$, $B^2\Sigma^+-X^2\Pi$ systems of SnF, 2=10244
 Barrow, R.F. See Deutsch, J.L., 2=20799
 Barrow, R.F. See Meakin, J.E., 2=10264
 Barrows, A.W. and Howard, R.J. Method to measure supersaturation in vapors, 2=5538
 Barry, A.L. and Edwards, W.D. Circuit to facilitate the measurement by the fourprobe method of the resistivity of silicon in the range 0.002 to 10 000 ohm cm, 2=7530
 Barry, J. See Meijer, P.H.E., 2=19454
 Barry, J.F., Bunce, J.L. and Perkin, J.L. The radiative capture cross-section of ^{236}U for neutrons in the energy range 0.3 to 4.0 MeV, 2=473
 Barry, J.H. See Tanaka, T., 2=23805
 Barry, J.N. See Anderson, J.M., 2=1211
 Barry, T.I. and Klier, K. γ -irradiation of zinc oxide and its effect on adsorbed layers, 2=12949
 Barschall, H.H. See Austin, S.M., 2=13808
 Barsella, B. and Fabri, E. Angular momenta in relativistic three-body systems, 2=13742
 Barshay, S. The linear $K\pi$ interaction and the relative $\Sigma-\Lambda$ parity, 2=306
 Barshay, S. Theory of p-wave $\pi-\Lambda$ resonance, 2=11985
 Barshay, S. Theory of the pionic decay of sigma hyperons in the bound state model, 2=12007
 Barshay, S. and Iso, C. Interference effects in the decay of neutral K mesons: $K^0 \rightarrow \tau + \tau + \gamma$, 2=9914
 Barshay, S. and Pendleton, H.N. The Y_0^{**} , the π'^0 , and the bound state model, 2=1710
 Barson, C.W. and Gough, V.E. Measurement of strain of materials of large extensibility, 2=7152
 Barsukov, K.A. Certain features of the Doppler effect in anisotropic media, 2=20161
 Barta, G. The connection between the eccentricity of the geomagnetic field and the triaxiality of the earth, 2=4691
 Bartell, L.S. Secondary isotope effects in molecular structure, 2=20762
 Bartell, L.S. and Churchill, D. Polarimetric determination of absorption spectra of thin films on metal. I. Interpretation of optical data, 2=5165
 Bartell, L.S. and Kuchitsu, K. Derivation of physically significant nonbonded interaction constants in hydrides by a modified Urey-Bradley analysis, 2=20770
 Bartell, L.S. and Kuchitsu, K. Significance of bond lengths determined by electron diffraction, 2=22960
 Bartell, L.S. See Kuchitsu, K., 2=1981
 Bartell, L.S. See Kuchitsu, K., 2=14243
 Bartell, L.S. See Kuchitsu, K., 2=14244
 Bartell, L.S. See Kuchitsu, K., 2=22959
 Bartels, H. and Zwicker, H. Determination of line form from the line contour of self-reversing lines. I. Theory of the method, 2=7364
 Bartels, J. The previous history of space research, 2=24186
 Bartenbakh, M. See Aleksandrovich, E., 2=8044
 Bartenev, G.M. and Lavrent'ev, V.V. A friction law for elastic surface contacts, 2=2666
 Bartenev, G.M. and Lavrent'ev, V.V. A friction law for elastic surface contacts, 2=9222
 Barth, C.A. See Hildebrandt, A.F., 2=3792
 Barth, C.A. See Kaplan, J., 2=15252
 Barthel, J.R. and Lykoudis, P.S. Magneto-fluid-dynamic problem of a shock wave attached to a cone, 2=3142
 Bartholomew, C.Y., Cassidy, G. and LaPadula, A.R. Cleanup rates of trace amounts of radioactive krypton in various noble gas discharges, 2=5323
 Bartholomeyczuk, W. Calibration of step filters with a recording measuring apparatus, 2=7360
 Bartholomeyczuk, W. Photographic measurement of the spectral transmission of a step-wedge, 2=9394
 Bartke, J., Budde, R., Cooper, W.A., Filthuth, H., Goldschmidt-Clermont, Y., MacLeod, G.R., De Marco, A., Minguzzi-Ranzi, A., Montanet, L., Morrison, D.R.O., Nilsson, S., Peyrou, C., Sosnowski, R., Bigi, A., Carrara, R., Franzinetti, C., Mannelli, I., Brautti, G., Ceschia, M. and Chersovani, L. Hyperon and kaon production by 16 GeV/c negative pions on protons, 2=13883
 Bartkowska, J. Derivatives of the power of an optical system with respect to its components, curvatures, thicknesses, separations and refractive indices, 2=2867
 Bartkowska, J. Derivatives of the intersection length of a given optical system with respect to its constructional data: radii or curvatures, lens thicknesses, air spaces and refractive indices, 2=9372
 Bartkowski, Z. The diacaustic, 2=9363
 Bartlett, A.A. See Wilson, R.R., 2=7929

- Bartlett, D., Devons, S. and Sachs, A.M. Search for the decay mode: $\mu \rightarrow e + \gamma$, 2=13830
- Bartlett, J.W. See Yerazunis, S., 2=19388
- Bartlett, N.R. See White, C.T., 2=7075
- Bartley, J.H. See Astbury, A., 2=10129
- Bartley, S.H. See Mackavey, W.R., 2=2584
- Barton, G. and Kacser, C. Some analytic properties of a decay amplitude with final state interactions. II. The single-loop four-point diagrams in $K \rightarrow 3\pi$ decay, 2=313
- Barton, G. and Kacser, C. Intrinsic structure and low-energy $\pi-\pi$ scattering in $K^+ \rightarrow 3\pi$ decay, 2=13835
- Barton, G. and Rosen, S.P. Dalitz plot for the decay $\eta \rightarrow \pi^+ \pi^- \pi^0$, 2=13867
- Barton, J.C. Multitrack recording on magnetic tape, 2=9751
- Barton, J.C., Barnaby, C.F., Jasani, B.M. and Thompson, C.W. Large area liquid scintillation and Čerenkov counters, 2=16092
- Barton, J.C. and Crispin, A. Simple logarithmic pulse height analysers, 2=22139
- Barton, J.C. See Barnaby, C.F., 2=11831
- Barton, R. See Graham, R.L., 2=15872
- Barton, R. See Weaver, R.S., 2=14004
- Bartošek, V. The burn-up of natural uranium in a homogeneous reactor, 2=6068
- Bartov, A.V., Zavoiskii, E.K. and Frank-Kamenetskii, D.A. Magneto-acoustic resonance in strong magnetic fields, 2=22222
- Bartram, R. and Spruch, L. Bounds on elements of the S matrix for elastic scattering: one-dimensional scattering, 2=9793
- Baru, V.G. and Khmel'nitskaya, E.M. Recombination processes in synthetic PbS monocrystals, 2=23402
- Barua, A.K. and Chakraborti, P.K. Measurement of the thermal conductivity of singly and doubly dissociating nitrogen peroxide, 2=13374
- Baruch, P. The use of the electron accelerator in solid state physics, 2=6391
- Baruch, P., Constantin, C., Pfister, J.C. and Saintesprit, R. Vacancy enhanced diffusion in silicon. Effects of irradiation and of chemical impurities, 2=12458
- Barut, A.O. Virtual particles, 2=13744
- Barut, A.O. Formulation of the scattering functions in terms of the unitary representations of the inhomogeneous Lorentz group, 2=16171
- Barut, A.O. and Ruei, K.H. Nature of the resonance in the static pion-nucleon scattering in one-meson approximation, 2=7886
- Barut, A.O. and Zwanziger, D.E. Complex angular momentum in relativistic S-matrix theory, 2=18081
- Bar'yakhtar, V.G. and Maleev, S.V. The scattering of slow neutrons in ferrites and antiferromagnetics, 2=752
- Bar'yakhtar, V.G. See Akhiezer, A.I., 2=9585
- Bar'yakhtar, V.H. and Popov, V.O. The thermodynamics of [uniaxial] antiferromagnetics in a magnetic field, 2=12800
- Bar'yshch, A.I. See Kheifets, S.A., 2=1543
- Bar'yshch, N.S. and Uritskii, Z.I. Theory of interband recombination collisions in semiconductors, 2=8314
- Bar'yshova, N.M. and Ushakov, V.N. Measurement of the velocity of a stream issuing from the jet of a high-vacuum pump, 2=1214
- Bas, J.Le. See Le Bas, J.
- Baschant, E. See Neumann, A.W., 2=23962
- Baschek, B. and Traving, G. Computation programme for the quantitative analysis of stellar spectra, 2=7015
- Basco, N., Callear, A.B. and Norrish, R.G.W. Vibrational relaxation of nitric oxide and carbon monoxide, studied by kinetic spectroscopy, 2=20817
- Bashandy, E. Methods for the measurement of sub-nanosecond lifetimes of low-energy nuclear levels, 2=5817
- Bashandy, E. Experimental determination of the absorption coefficients of gamma rays through different barriers, 2=13759
- Bashandy, E. Shielding properties of different types of concrete, 2=14177
- Bashandy, E. and El-Nesr, M.S. Further studies on the decay of Yb^{175} , 2=5852
- Bashandy, E. and El-Nesr, M.S. Conversion coefficient measurement of the 426 keV pure E2 transition in Hg^{196} , 2=10059
- Bashandy, E. and El-Nesr, M.S. A measurement of the lifetime of the first excited state in Er^{166} , 2=13986
- Bashandy, E. and El-Nesr, M.S. Retarded electric dipole transitions, 2=14043
- Bashandy, E. and El-Nesr, M.S. Lifetime measurements of the first excited states in Os^{186} and Os^{188} , 2=16325
- Bashandy, E., El-Nesr, M.S. and Sundström, T. Coincidence studies on the decay of Hf^{175} , 2=5863
- Bashandy, E. See El-Nesr, M.S., 2=3522
- Bashandy, E. See El-Nesr, M.S., 2=5845
- Bashandy, E. See El-Nesr, M.S., 2=7947
- Bashandy, E. See El-Nesr, M.S., 2=10041
- Bashandy, E. See El-Nesr, M.S., 2=14005
- Bashandy, E. See El-Nesr, M.S., 2=14040
- Bashandy, E. See Gerholm, T.R., 2=10060
- Bashforth, G.R., Swarup, D., Sehgal, S.D., Chandrasekhar, V. and Mullick, P.C. A note on the effect of rare earth additions to aluminium under vacuum, 2=17032
- Bashilov, A.A., Larionov, O.V., Nikitin, M.K. and Smirnov, V.B. Formation of Eu^{145} in spallation of tantalum, 2=16413
- Bashirov, R.I. See Amirkhanov, Kh.I., 2=4038
- Bashirov, R.I. See Amirkhanov, Kh.I., 2=8364
- Bashirov, R.I. See Amirkhanov, Kh.I., 2=14557
- Bashkin, S. and Ophel, T.R. A liquid air trap for nuclear spectroscopy, 2=16100
- Bashkin, S. and Peaslee, D.C. Production of the rare light elements, 2=4718
- Bashkurov, Sh.Sh. See Al'tshuler, S.A., 2=767
- Bashmakov, V.I. See Kosevich, V.M., 2=4334
- Bashmakov, V.I. See Kosevich, V.M., 2=8770
- Basila, M.R. See Saier, E.L., 2=10248
- Basile, L.J. Effect of styrene monomer on the fluorescence properties of polystyrene, 2=12633
- Basile, R. and Lagrange, J.M. Study of a source of multicharged ions for a cyclotron, 2=20037
- Basilevskii, L.N. See Shishokin, V.P., 2=23792
- Basin, Yu.G. See Yakovlev, K.A., 2=19871
- Basina, A.S., Dzhelepov, B.S. and Chikhladze, V.A. Conversion electron spectrum of $\text{Lu}^{167} + \text{Yb}^{167}$, 2=16365
- Basina, A.S., Gromov, K.Ya. and Dzhelepov, B.S. Conversion electron spectrum of the dysprosium fraction from spallation of tantalum, 2=14050
- Basina, A.S. and Morozov, V.A. On the 106 keV transition in Tm^{167} , 2=14042
- Basinski, Z.S., Dove, D.B. and Mooser, E. Relationship between structures and dislocations in GaS and GaSe, 2=8231
- Bashmakov, V.I. See Kosevich, V.M., 2=21465
- Baskova, K.A., Vasil'ev, S.S., No Sen Chan [No Seng Ch'ang] and Shavtvalov, L.Ya. Decay scheme for Br^{78} , 2=3518
- Baskova, K.A., Vasil'ev, S.S., No Sen-chan [No Seng-Ch'ang] and Shavtvalov, L.Ya. Investigation of some radioactive nuclei in the region of the filled $1f_{7/2}$ shell, 2=10042
- Basler, R.P. and DeWitt, R.N. The heights of ionospheric irregularities in the auroral zone, 2=9024
- Basov, N.G. and Karlov, N.V. Wide-band radiometer, 2=7459
- Basov, N.G. and Krokhin, O.N. Population inversion in a discharge in a mixture of two gases, 2=16468
- Basov, N.G., Krokhin, O.N., Lisitsyn, L.M., Markin, E.P. and Osipov, B.D. Negative conductivity with induced transitions, 2=652
- Basov, N.G., Krokhin, O.N., Lisitsyn, L.M., Markin, E.P. and Osipov, B.D. Negative conductivity with induced transitions, 2=23474
- Basov, N.G., Krokhin, O.N. and Popov, Yu.M. Obtaining a negative temperature state in p-n junctions of degenerate semiconductors, 2=645
- Basov, N.G. and Oraevskii, A.N. Emission of molecules in a mixed energy state, 2=16572
- Basov, N.G., Osipov, B.D. and Khvoshchev, A.N. Recombination radiation from indium antimonide in an avalanche test, 2=643
- Basov, N.G. and Zuev, V.S. A molecular generator with an ND_3 molecular beam, 2=9708
- Bass, A.M. and Garvin, D. Analysis of the hydroxyl radical vibration rotation spectrum between 3900 Å and 11 500 Å, 2=20821
- Bass, A.M. and Mann, D.E. Absorption spectrum of CF_3 trapped in an argon matrix, 2=18492
- Bass, A.M. See Kostkowski, H.J., 2=8091
- Bass, F.G., Braude, S.Ya., Kaner, E.A. and Men', A.V. Fluctuations of electromagnetic waves in the troposphere in the presence of separation boundaries, 2=6921
- Bass, F.H. Effect of regions of inapplicability of geometrical optics on wave scattering occurring at fluctuations of the dielectric constant, 2=20167
- Bass, J.C. and Wilson, M.G.F. Cyclotron wave interaction in spatially periodic electrostatic quadrupole fields, 2=9631
- Bass, L. The motion of test charges in rapidly oscillating electromagnetic fields, 2=22309
- Bass, M., Franken, P.A., Hill, A.E., Peters, C.W. and Weinreich, G. Optical mixing, 2=9388
- Bass, R., Hänni, H.P., Bonner, T.W. and Gabbard, F. Disintegration of K^{79} by fast neutrons, 2=3599
- Bass, R.F. See Cleland, J.W., 2=20992
- Bassani, F., Robinson, J., Goodman, B. and Schrieffer, J.R. Projected wave-field approach to the many-electron problem in solids, 2=20957

- Bassani, F. See Brust, D., 2-21117
 Bassani, F. See Robinson, J.E., 2-23110
 Bassani, G., Colli, L., Gadioli, E. and Ibrici, I. The (n,d) reaction on Fe^{54} , 2-20646
 Bassani, G. See Colli, L., 2-22922
 Bassel, R.H. See McDaniels, D.K., 2-22850
 Bassett, D.C. and Keller, A. On the habits of polyethylene crystals, 2-23811
 Bassett, O.E. See Baldwin, K.M., 2-4885
 Bassi, A., Camona, G., Dassu, G. and Piazzesi, G. A metallographic technique for revealing and observing dislocation etch pits in 18-8 type stainless steel, 2-17057
 Bassi, G. A new approximation for the atomic scattering factor, 2-19073
 Bassi, P., Ferretti, B., Venturini, G., Bertolini, G.C., Cappellani, F., Mandl, V., Restelli, G.B. and Rota, A. The reaction $\text{Be}^7(n,\alpha)\text{He}^4$ and parity conservation in strong interactions, 2-14111
 Basso, M. See Kronenberg, S., 2-1495
 Basso, P. and Ghilardotti, G. Long term reactivity changes in natural uranium graphite lattices, 2-10190
 Bassompierre, A. and Pescia, J. The theory of paramagnetic resonance with an amplitude modulated radio-frequency field, 2-20168
 Bassompierre, A. The action of the conduction electrons of the magnetization of ferromagnetic metals of the iron group, 2-10647
 Bassompierre, A. See Grivet, P., 2-14859
 Bassompierre, G. See Gorodetzky, S., 2-484
 Bassompierre, G. See Gorodetzky, S., 2-485
 Bastard, C., Grea, J., Lafoucrière, J. and Philbert, G. Calculation of the proportion of forbidden collisions in interactions between a π -meson and bound proton at an energy of 5.0 GeV, 2-5715
 Bastide, R.P. See Rose, P.H., 2-5387
 Bastide, R.P. See Wittkower, A.B., 2-11723
 Bastien, P. and Pointu, P. Determination of glide elements of hexagonal metals by the asterism of Laue spots, and the application to the study of the deformation at high temperatures, 2-4317
 Bastien, P. and Pointu, P. Modes of deformation of beryllium at high temperature and recrystallization after twinning, 2-6836
 Bastien, P. and Portevin, P.A. A method of measuring the rate of recrystallization of metals during thermal deformation, 2-12930
 Bastien, P. See Plusquellec, J., 2-23204
 Bastien, P. See Pointu, P., 2-2346
 Bastien, P.L., Berge, J.P., Dahl, O.I., Ferro-Luzzi, M., Miller, D.H., Murray, J.J., Rosenfeld, A.H. and Watson, M.B. Decay modes and width of the meson, 2-22608
 Bastiansen, O. See Almenningen, A., 2-22953
 Bastin-Schoffier, G. Precise measurements of some alpha ray energies in the thorium X (radium 224) decay scheme, 2-18278
 Bastin-Schoffier, G. See Walen, R., 2-379
 Bastin-Schoffier, G. See Walen, R.J., 2-14020
 Baston, A.H., Lisle, J.C. and Tuckey, G.S.G. Thermal neutron cross-section measurements on ^{176}Lu and ^{176}Lu , 2-3596
 Basu, B. and Patro, A.P. Disintegration of rhodium 97, 2-16357
 Basu, B. and Patro, A.P. Gamma spectrum and coincidence studies of Ru^{100} , 2-5871
 Basu, B. See Dutt, P.K., 2-20036
 Basu, B. See Patro, A.P., 2-16358
 Basu, B. See Patro, A.P., 2-18293
 Basu, B. See Patro, A.P., 2-20554
 Basu, J. See Nicoll, G.R., 2-3017
 Basu Nitima. See Nitima Basu.
 Baszynski, J. Electric conductivity of NiFe_2O_4 ferrite, 2-14506
 Batagui, M. See Bozoki, G., 2-336
 Batagui, M. See Bozoki, G., 2-22684
 Batailler, G. The effect of the percentage harmonic of the stimulating wave on the average luminescence from an electroluminescent cell, 2-23618
 Batailler, G. and Pragout, J. Electroluminescent cell in a self-oscillating circuit, 2-5265
 Batalina, E.P. See Dyad'kin, I.G., 2-9855
 Batana, A. and Cohan, N.V. On the application of two simple approaches of "atoms in molecules", 2-6180
 Batanov, G.M. Emission of charged particles by alkali-halide crystals on bombardment with potassium ions, 2-20051
 Batarukhova, N.R., Kartashev, A.I. and Kirichenko, A.P. An optical method for filtering the green line of Hg^{198} , 2-19708
 Batchelor, R., Gilboy, W.B., Parker, J.B. and Towle, J.H. The response of organic scintillators to fast neutrons, 2-5524
 Batchelor, R. See Adams, B., 2-3636
 Bate, G. The Preisach diagram and interaction fields for assemblies of $\gamma\text{-Fe}_2\text{O}_3$ particles, 2-12720
 Bate, G. Statistical stability of the Preisach diagram for particles of $\gamma\text{-Fe}_2\text{O}_3$, 2-14772
 Bate, G.L. Student experiment on the measurement of nuclear excitation functions, 2-14129
 Bate, R.T. Evidence for a selenium donor level above the principal conduction band edge in GaSb, 2-2162
 Bate, R.T. and Beer, A.C. Galvanomagnetic effects in semiconductors containing impurity gradients, 2-23278
 Bate, R.T. See Duga, J.J., 2-8394
 Bateman, P.J. Thermoelectric power generation, 2-22159
 Bateman, S.K. The formation of luminescent films by evaporation, 2-719
 Bates, C.A. The spin-orbit coupling of a 4p electron in Cu III, 2-4276
 Bates, C.A., Moore, W.S., Standley, K.J. and Stevens, K.W.H. Paramagnetic resonance of a Cu^{2+} ion in a tetrahedral crystal field, 2-4254
 Bates, C.A. and Stevens, K.W.H. The band structure of body-centred cubic transition metals, 2-6300
 Bates, D.R. Distortion approximation to cross-sections for excitation of 1s-2p transition of hydrogenic ions by bare nuclei, 2-1961
 Bates, D.R. Dielectric recombination to normal nitrogen and oxygen ions, 2-15889
 Bates, D.R. and Boyd, A.H. Effect of Coulomb repulsion between charged atomic systems on excitation and ionization cross sections, 2-9532
 Bates, D.R., Kingston, A.E. and McWhirter, R.W.P. Recombination between electrons and atomic ions. I. Optically thin plasmas, 2-11620
 Bates, D.R. and McCarroll, R. Charge transfer, 2-12276
 Bates, D.R. and Patterson, T.N.L. An estimate of the temperature in the exosphere, 2-4680
 Bates, D.R. and Patterson, T.N.L. Hydrogen atoms and ions in the thermosphere and exosphere, 2-4682
 Bates, J.L., Christensen, J.A. and Roake, W.E. Fission products and plutonium migrate in uranium dioxide fuel, 2-12235
 Bates, L.F. and Carey, R. Domain observations on a nickel-iron thin film, 2-14780
 Bates, L.F., Craik, D.J. and Isaac, E.D. Domain structures and coercivity of Alcomax III, 2-10656
 Bates, L.F. and Pacey, A.J. Magnetothermal measurements on gadolinium, 2-739
 Bates, L.F., Craik, D.J. and Rushton, S. Slow magnetization reversals in cobalt films, 2-21327
 Bathier, M. See Dubois, E., 2-17868
 Batist, R. De. See De Batist, R.
 Baton, J.P. See Alitti, J., 2-16229
 Baton, J.P. See Alitti, J., 2-18156
 Batrakov, G.F., Mis'kevich, O.R. and Troinar, E. Measurements of the surface tension between superconducting and normal phases, 2-15856
 Batt, L. and Benson, S.W. Pyrolysis of di-tertiary butyl peroxide: temperature gradients and chain contribution to the rate, 2-6872
 Battan, L.J. and Herman, B.M. Backscattering of 3.21 -centimeter radiation by water bubbles, 2-160
 Battan, L.J. See Herman, B.M., 2-2478
 Battelli, O. See Molina, F., 2-11048
 Battelli, O. See Molina, F., 2-19214
 Batterman, B.W. Effect of thermal vibrations on diffraction from perfect crystals. I. The case of anomalous transmission, 2-12903
 Batterman, B.W. Effect of thermal vibrations on diffractions from perfect crystals. II. The Bragg case of reflection, 2-18521
 Batterman, B.W. and Chipman, D.R. Vibrational amplitudes in germanium and silicon, 2-18522
 Battin, R.H. and Laning, J.H., Jr. A navigation theory for round-trip reconnaissance missions to Venus and Mars, 2-11183
 Battocletti, J.H. and Hershberger, W.D. Resonance in the positive column of a low-pressure arc discharge, 2-17803
 Battrick, J.R. See Hill, R.M., 2-2871
 Batty, C.J., Stafford, G.H. and Gilmore, R. Measurement of the polarization in 50 MeV proton-proton scattering at 45° (c.m.), 2-22517
 Batusov, Yu.A., Bunyatov, S.A., Sidorov, V.M. and Yarba, V.A. Ratio of $\pi N \rightarrow \pi \pi N$ reaction cross-sections at 290 MeV and $\pi \pi$ interactions, 2-310
 Batyrev, V.A. See Borovskii, I.B., 2-16842
 Baudeau, M. See Gasc, C., 2-19032
 Baudet, J. Weak temperature-independent paramagnetism, 2-6655
 Baudinet-Robinet, Y., Morand, M., Tsai-Chü, Castagnoli, C., Dascola, G., Mora, S., Barbaro-Galtieri, A., Baroni, G. and Manfredini, A. Experimental results on proton-nucleon collisions at 27 GeV, 2-13798
 Baudoin, R. See Renaud, P., 2-856
 Bauer, A. The field arc theory for cold evaporated cathodes. I, 2-172
 Bauer, A. Field arc theory for cold evaporated cathodes. II, 2-17808
 Bauer, B.B. A century of microphones, 2-15698

- Bauer, C.L. and Gordon, R.B. Mechanism for dislocation pinning in the alkali halides, 2=6331
- Bauer, C.L. and Gordon, R.B. Structure sensitivity of F-center generation by X-rays at low temperatures, 2=10421
- Bauer, C.L. See Koss, D.A., 2=21035
- Bauer, E. and Cummings, F.W. De-excitation of molecular vibration by collision, 2=6237
- Bauer, G. Reflection measurements on open cavities, 2=5138
- Bauer, H.J. and Schmidbauer, E. Influence of electrolytic charging of hydrogen on the magnetization of nickel, 2=738
- Bauer, J. Theory of the differential equation of the parabolic cylinder, 2=19366
- Bauer, R.W. and Deutsch, M. Nuclear g values of the first excited states of Sm^{152} , Gd^{154} and Gd^{156} , 2=1822
- Bauer, R.W. See Grodzins, L., 2=1775
- Bauer, R.W. See Grodzins, L., 2=1776
- Bauer, S.H. See Cowperthwaite, M., 2=12347
- Bauer, S.H. See Duff, R.E., 2=12348
- Bauer, S.H. See Tsang, W., 2=12349
- Bauer, S.J. On the structure of the topside ionosphere, 2=17175
- Bauer, S.J. and Bourdeau, R.E. Upper atmosphere temperatures derived from charged particle observations, 2=15209
- Bauer, S.J. and Jackson, J.E. Rocket measurement of the electron-density distribution in the topside ionosphere, 2=19216
- Bauer, S.J. See Bourdeau, R.E., 2=8993
- Bauer, S.J. See Jackson, J.E., 2=11063
- Bauer, S.J. See Jackson, J.E., 2=19217
- Bäuerlein, R. Investigations of the healing process for Frenkel defects in indium arsenide, 2=6319
- Bäuerlein, R. The measurement of short carrier lifetimes in semiconductors, 2=21127
- Baughan, E.C. Ionization potentials, electron affinities and screening constants: a simple theory, 2=6086
- Baulch, D.L. and Duncan, J.F. Beta recoil from solid surfaces, 2=15106
- Baum, E. Derivation of the Sprung equation from thermodynamic principles, 2=8958
- Baum, F.J. and Darnell, F.J. Birefringence studies in electroluminescent zinc sulfide, 2=10632
- Baum, J.H. See Boley, F.I., 2=330
- Baum, J.H. See Boley, F.I., 2=9954
- Baum, L. See Flournoy, J.M., 2=14479
- Baumann, G., Braun, H. and Clier, P. Hyperfragments produced by 25 GeV protons in emulsion nuclei, 2=10000
- Baumann, G., Braun, H. and Clier, P. Emission of Li^0 and Li^+ nuclei in the interactions of 25 GeV protons with heavy nuclei in G_5 emulsions, 2=10108
- Baumann, G., Braun, H. and Clier, P. The emission of Be^+ nuclei in interactions of 25 GeV protons with the heavy nuclei of a nuclear emulsion, 2=12189
- Baumann, G., Braun, H. and Clier, P. Hyperfragments produced by 17 GeV/c π^- -mesons in G_5 emulsion nuclei, 2=18347
- Baumann, G., Braun, H. and Clier, P. Emission of Li^0 and Li^+ nuclei produced by a beam of 17 GeV/c π^- -mesons in heavy emulsion nuclei, 2=20661
- Baumann, G. See Braun, H., 2=22816
- Baumann, K., Eder, G., Sexl, R. and Thirring, W. On field theories with degenerate ground states, 2=1047
- Baumann, W., Urtiew, P.A. and Oppenheim, A.K. On the influence of type diameter on the development of gaseous detonation, 2=6884
- Baumann, W. and Wagner, H.G. Influence of the fresh gas stream upon the acceleration of flames and the onset of detonations, 2=12965
- Baumeister, P. The transmission and degree of polarization of quarter-wave stacks at non-normal incidence, 2=121
- Baumeister, P.W. Methods of altering the characteristics of a multilayer stack, 2=22046
- Baumgartner, E., Durisch, J., Gleyvod, R. and Huber, P. Measurement of the polarization strength of copper and zirconium for d,d-neutrons of 3.4 MeV, 2=20632
- Baumgartner, E. See Huber, P., 2=20631
- Baumgartner, E. See Schaller, L., 2=5304
- Baumgartner, E. See Striebel, H.R., 2=22528
- Baumgartner, F. and Reichold, P. Chemistry in nuclear processes. IV. Application of uranium fission to the synthesis of molybdenum-99 hexacarbonyl, 2=1942
- Baumgartner, F. See Kienle, P., 2=21593
- Baumgartner, F. See Kienle, P., 2=21594
- Bauminger, R., Cohen, S.G., Marinov, A. and Ofer, S. Nuclear moments of states of Dy^{161} , 2=1777
- Baun, W.L. and Fischer, D.W. Association of carbon atoms from graphite in a radio-frequency spark, 2=166
- Baur, H. Interaction with its surroundings of a system specified by three classes of states, 2=15461
- Baur, M.E. and Nasanow, L.H. Phase transitions in one-dimensional order-disorder systems: application to helix-random-coil transition in polymers, 2=16576
- Baur, R. and Gerold, V. The existence of a metastable miscibility gap in aluminium-silver alloys, 2=15067
- Baur, W.H. Distorted co-ordination polyhedra in heteropolar crystal structures and the electrostatic valence rule of Pauling, 2=12919
- Baur, W.H. Crystal chemistry of hydrated salts. Crystal structure of $\text{MgSO}_4 \cdot 4\text{H}_2\text{O}$ (Leonhardtite) and $\text{FeSO}_4 \cdot 4\text{H}_2\text{O}$ (Rozenite), 2=21524
- Bausier, H. and Lüty, F. Formation by X-rays of anion vacancies in KBr crystals doped with impurity ions, 2=2077
- Baveja, K.D. Dynamic method of measuring torsional modulus of elasticity, 2=8698
- Baverstock, D. See Butcher, B.R., 2=4452
- Bawtree, E. How the fluepipe speaks. I, 2=17569
- Bawtree, E. How the fluepipe speaks. II, 2=17570
- Bawtree, E. How the fluepipe speaks. III, 2=17571
- Bawtree, E. How the fluepipe speaks. IV, 2=17572
- Baxter, W.J. and Wilks, J. Instabilities in the internal friction of some specimens of copper, 2=8712
- Baxter, W.J. and Wilks, J. An internal friction peak in copper, 2=10736
- Bay, Z., McLernon, F.D. and Newman, P.A. Fast counting of alpha particles in air ionization chambers, 2=5754
- Bayatyan, G.L. See Avakyan, R.O., 2=22764
- Bayer, M.E. Shadow microscopy using a spherical reflecting surface, 2=13443
- Bayer, R., Červená, J. and Schäferlingová, W. Diffusion parameters of thermal neutrons in diphenyl, 2=9857
- Bayes, K.D., Becker, K.H. and Welge, K.H. Radiative intensity of high power flash discharged in the spectral region 1250-1340 Å, 2=11629
- Bayes, K.D., Kivelson, D. and Wong, S.C. Measurement by cyclotron resonance of molecular cross-sections for elastic collisions with 295° K electrons, 2=22947
- Bayh, W. Measurement of the continuous phase shift of electron waves in field free space using the magnetic vector potential of a tungsten coil, 2=22271
- Bayh, W. See Müllenstedt, G., 2=11711
- Bayh, W. See Müllenstedt, G., 2=22260
- Bayles, B.J. See Colligan, G.A., 2=23816
- Bayley, F.J., Milne, P.A. and Stoddart, D.E. Heat transfer by free convection in a liquid metal, 2=1295
- Bayley, R.T. and Holzapfel, L. Investigation of the X-ray induced luminescence of quartz, 2=6602
- Baym, G. Self-consistent approximations in many-body systems, 2=19455
- Baym, G. Spurious states in calculations of collective excitations in nuclei, 2=20507
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Ya.Ya. Elastic scattering of 2.8 BeV/c π^- mesons on neutrons, 2=311
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Ya.Ya. Investigation of the $\pi^- + n \rightarrow \pi^- + n + m\pi^0$ reaction with a 2.8 BeV/c π^- -meson beam, 2=5722
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Ya.Ya. The scattering of high-energy π^- -mesons at large angles, 2=5726
- Bayukov, Yu.D., Leksin, G.A. and Shalamov, Ya.Ya. Elastic scattering of 2.8 BeV/c π^- -mesons on neutrons, 2=22591
- Bayukov, Yu.D., Leksin, G.A. and Suchkov, D.A. A study of the characteristics of triggered spark counters, 2=20188
- Bayukov, Yu.D., Leksin, G.A., Suchkov, D.A., Shalamov, Ya.Ya. and Shebanov, V.A. Backward elastic scattering of 2.8 BeV/c π^- -meson on neutrons, 2=22600
- Baz', A.I., Puzikov, L.D. and Smorodinskii, Ya.A. Reconstruction of the scattering matrix near the threshold, 2=16174
- Baz', A.I., Vaks, V.G. and Larkin, A.I. K-meson-hyperon resonances, 2=22589
- Bazanov, V.G. See Nikitin, E.N., 2=8453
- Bazanov, V.G. See Nikitin, E.N., 2=14593
- Bazaron, U.B. See Pil'shchikov, A.I., 2=16929
- Bazaron, U.B. See Pil'shchikov, A.I., 2=18935
- Bazaron, I.P. On the theory of the crystal, 2=12360
- Bazer, J. and Karp, S.N. Propagation of plane electromagnetic waves past a shoreline, 2=16067
- Bazhanova, N.P., Belevskii, V.P. and Bazhanov, H.P. Secondary electron emission of the oxides of barium and yttrium for low energies of primary electrons, 2=1498
- Bazhanova, N.P., Belevskii, V.P. and Fridrikhov, S.A. Secondary electron emission of the oxides of barium and yttrium for low energies of primary electrons (1-100 eV), 2=7653
- Bazhanova, N.P. and Fridrikhov, S.A. A method of investigation secondary electron emission of dielectrics for low-energy primary electrons, 2=1489

- Bazhanova, N.P. and Fridrikhov, S.A. A method of investigation secondary electron emission of dielectrics for low energy primary electrons, 2=7654
- Bazilevskaya, G.A. See Gorchakov, E.V., 2=11129
- Bazilevskaya, G.A. See Gorchakov, E.V., 2=20474
- Bazilevskii, L.N. See Shishokin, V.P., 2=8756
- Bazin, C. See Abeles, F., 2=11487
- Bazin, J. See Setton, R., 2=12546
- Bazley, N.W. and Fox, D.W. A procedure for estimating eigenvalues, 2=13236
- Bazzard, G.H. and Minnis, C.M. The geographical distribution of the harmonics of the annual variation in the critical frequency of the F2-layer at noon, 2=901
- Beahn, T.J. See Condell, W.J., 2=7170
- Beal, M.T. Study of the electrical resistivity due to atomic disorder near the point of an order transition, 2=15059
- Beall, E., Cork, B., Keefe, D., Murphy, P. and Wenzel, W. Asymmetry parameters for the hyperon decays $\Lambda \rightarrow p + \pi^-$ and $\Sigma^+ \rightarrow p + \pi^0$, 2=16245
- Beall, E.F., Cork, B., Murphy, P.G., Wenzel, W.A., Johnson, C.M.P. and Koester, L.J., Jr. Polarization in π^-p scattering between 500 and 940 MeV, 2=11992
- Beamish, R.F.W. See Allan, H.R., 2=13927
- Beams, J.W. Ultrahigh-speed rotation, 2=15523
- Beams, J.W. and Clarke, A.M. Magnetic suspension balance method for determining densities and partial specific volumes, 2=17403
- Beams, J.W., Spitzer, D.M., Jr and Wade, J.P., Jr. Spinning rotor pressure gauge, 2=7285
- Beams, J.W. See Hexner, P.E., 2=4521
- Bean, B.R. and Dutton, E.J. Concerning radiosondes, lag constants, and radio refractive index profiles, 2=5480
- Bean, C.P. Magnetization of hard superconductors, 2=13507
- Bean, C.P., Doyle, M.V. and Pincus, A.G. Synthetic high-field, high-current superconductor, 2=22119
- Bean, C.P. and Rodbell, D.S. Magnetic disorder as a first-order phase transformation, 2=8618
- Bean, C.P. See Rodbell, D.S., 2=12641
- Beard, C.I., Kays, T.H. and Twersky, V. Mid-field forward scattering, 2=20152
- Beard, D.B. The interaction of the terrestrial magnetic field with the solar corpuscular radiation. II. Second-order approximation, 2=9042
- Beard, D.B. Charge drag on project West Ford needles, 2=24049
- Beard, D.B. and Baker, J.C. Synchrotron radiation losses from energetic plasmas, 2=19943
- Beard, D.B. and Jenkins, E.B. The magnetic effects of magnetosphere surface currents, 2=24056
- Beard, D.B. and Johnson, F.S. Ionospheric limitations on attainable satellite potential, 2=4871
- Beard, G.B. and Kelly, W.H. "Self-scintillation" study of the beta decay of Rb^{87} , 2=3510
- Beard, G.B., Kelly, W.H. and Mallory, M.L. Temperature dependent luminescence of CaWO_4 and CdWO_4 , 2=2256
- Beardwood, J.E. Monte Carlo evidence on the resonance integral and Doppler coefficient of Calder Hall reactors, 2=20707
- Bearman, R.J. On the molecular basis of some current theories of diffusion, 2=2712
- Bearman, R.J. Ratio of self-diffusion coefficients in liquid argon-krypton mixtures, 2=11358
- Bearman, R.J. Nonequilibrium thermodynamics of the simple moving boundary experiment, 2=15146
- Bearpark, K., Hall, I., Segel, R.E., Shafroth, S.M. and Tanner, N.W. Polarization effects in the $\text{Li}^7(p, \alpha)\text{He}^4$ reaction, 2=18321
- Beattie, A.R. Quantum efficiency in InSb , 2=21195
- Beattie, A.R. and Cunningham, R.W. Large-signal photomagneto-electric effect, 2=4074
- Beattie, A.R. and Landsberg, P.T. One-dimensional overlap functions and their application to Auger recombination in semiconductors, 2=23283
- Beattie, I.R. See Barlow, D., 2=8248
- Beaudet, R.A. and Wilson, E.B., Jr. Microwave spectrum and barrier to internal rotation of cis-1-fluoropropylene, 2=20846
- Beaudier, J., Donze, G. and Cabane, G. Retention of nuclei of the α -phase in the β -phase of weakly alloyed uranium, 2=4456
- Beaumont, H.de. See de Beaumont, H.
- Beaumont, R.H., Chihara, H. and Morrison, J.A. Thermodynamic properties of krypton. Vibrational and other properties of solid argon and solid krypton, 2=6270
- Beauregard, O. Costa de. See Costa de Beauregard, O.
- Beaven, G.H. See Wilkinson, G.R. [Conf. rep.], 2=6117
- Bebbington, W.P. An $\text{H}_2\text{O}-\text{D}_2\text{O}$ moderated reactor, 2=3669
- Bebegel, P. See Bebeshel, P.
- Bebeshel [Bebegel], P. and Purika [Purika], I. Separation of the effects of fast neutrons and γ -rays in the radiolysis of water, 2=8930
- Bécart, M. The change in A10 bondlength for the transition $a \rightarrow X^2\Sigma^+$ calculated using approximate overlap integrals, 2=8122
- Bécart, M. and Buissart, M. Operating characteristics of a water-cooled hollow cathode discharge in hydrogen at low pressures, 2=19906
- Becherer, G., Brümmer, O. and Herms, G. Proof of the change of coordination in the boric acid anomaly, 2=8870
- Becherer, R. Wide line nuclear resonance spectrograph and its application to the study of carbon free radicals, 2=11813
- Becherer, R., Gautherin, G. and Septier, A. Effect of magnetic field topography on the properties of a source of duoplasmatron type, 2=20038
- Bechmann, R., Ballato, A.D. and Lukaszek, T.J. High-order temperature coefficients of the elastic stiffnesses and compliances of alpha-quartz, 2=21393
- Beck, A. and Mooser, E. Apparatus for the drawing of single crystals from combination with readily volatile components, 2=6778
- Beck, A.H.W. Current European developments in microwave tubes, 2=16052
- Beck, F. See Gorodetzky, S., 2=12174
- Beck, J. and Shaw, W.A. Magnitude estimations of pitch, 2=4894
- Beck, J.W. Boiling water oxidation rates on silicon, 2=21583
- Beck, P.A. See Cheng, C.H., 2=16609
- Beck, P.A. See Sinha, P.P., 2=8235
- Beck, P.A. See Starke, E.A., Jr, 2=14382
- Becka, L.N. The variation of apparent bond lengths with temperature in molecular crystals, 2=10826
- Becka, L.N. Frequency distribution of hexamethylenetetramine crystals, 2=18519
- Becker, E. See Schiebold, E., 2=21773
- Becker, E.W., Bier, K. and Bier, W. Increase of the separation of isotopes in a separation jet by addition of light gases, 2=8072
- Becker, E.W., Burghoff, H. and Gspann, J. Split nozzle mixing in turning gas jets, 2=7239
- Becker, E.W., Klingelhöfer, R. and Lohse, P. Beams of condensed helium in high vacuum, 2=10291
- Becker, G.W. Dynamic-elastic behaviour of filled vulcanized blends of caoutchouc, 2=5126
- Becker, J. and Eras, J. Mirror optics or lens optics? 2=21992
- Becker, J.H. and Frederikse, H.P.R. Electrical properties of nonstoichiometric semiconductors, 2=4011
- Becker, J.H. See Frederikse, H.P.R., 2=23413
- Becker, J.V. Re-entry from space, 2=15411
- Becker, K. Simplification of dosimeter film processing by use of a fixing developer, 2=19736
- Becker, K.H. See Bayes, K.D., 2=11629
- Becker, R.L. Nonsingular formulation of the Brueckner approximation for an infinite Fermi system, 2=19469
- Becker, R.L. See Biggerstaff, J.A., 2=3210
- Becker, R.S. See Scott, D.R., 2=6183
- Becker, W. "REVA" friction vacuum gauge, 2=5082
- Becker, W. Remark on the correlation due to interstellar coloration in galactic clusters, 2=7027
- Becker, W. Three-colour photometry and its application to a star field in the Scutum cloud, 2=11100
- Beckers, J.M. Dispersion of birefringence of calcite, 2=12579
- Beckjord, E. See Davis, H.L., 2=20717
- Beckman, T.A. and Pitzer, K.S. The infrared spectra of marginally metallic systems: sodium-ammonia solutions, 2=1151
- Beckmann, P. The scattering of waves by a periodic surface, 2=5474
- Beckmann, P. The scattering of waves by a periodic surface, 2=7760
- Beckmann, P. Statistical distribution of the amplitude and phase of a multiply scattered field, 2=15492
- Beckner, E.H. and Kotoski, R.H. Ignitron-switched 0.6- to 90-kV impulse generator, 2=19872
- Beckner, E.H. See Jones, C.M., 2=20673
- Beckurts, K.H. Reactor physics research with pulsed neutron sources, 2=5405
- Beda, D. Method of study of a plastic wave, 2=14877
- Bederson, B. See Salop, A., 2=534
- Bedesku, A. See Sorokin, A.A., 2=14066
- Bédesku-Singuryanu, A.I. The decay scheme of the Te^{131} isotope ($T_{1/2} = 30$ hours), 2=20548
- Bédiké, T., Gel'berg, A., Grabari, V., Kémeni, P. and Tripa, A. Apparatus for the measurement of the β - γ -correlation with circular polarization, 2=22748
- Bedike, T. See Berlovich, E.E., 2=13990
- Bednarz, R. Exact solution of the slowing-down equation, 2=5676
- Bednyakov, A.A., Boyarkina, A.N., Savenko, I.A. and Tulinov, A.F. Investigation of multiple scattering of 100-200 keV protons on carbon, 2=14086
- Bedo, D.E. See Baker, D.J., Jr, 2=529

- Bedreag, C.G. Three "f" complexes in the system of the elements, 2=18392
- Beeler, J.R., Jr. Validity of the homogenization approximation for end-leakage calculations, 2=3650
- Beenakker, J.J.M., Scoles, G., Knaap, H.F.P. and Jonkman, R.M. The influence of the magnetic field on the transport properties of diatomic molecules in the gaseous state, 2=19611
- Beenakker, J.J.M. See Knaap, H.F.P., 2=1195
- Beenakker, J.J.M. See Knaap, H.F.P., 2=9268
- Beer, A.C. See Bate, R.T., 2=23278
- Beer, A.De. See De Beer, A.
- Beer, J.F.De. See De Beer, J.F.
- Beer, R. and Ring, J. A high-pressure scanning Fabry-Perot interferometer for the infrared, 2=7383
- Beers, D.S. See Abeles, B., 2=3855
- Beers, Y. See Treacy, E.B., 2=10254
- Beerwald, H. Investigation using microwaves of the growth of an electrodeless ring discharge, 2=9538
- Beerwald, H., Bogen, P., El-Khalafawy, T., Fay, H., Hintz, E. and Kever, H. Production of a highly ionized plasma with low impurity level with and without magnetic bias fields for magnetic compression experiments, 2=15909
- Beery, W.M. See Koch, J.W., 2=16065
- Beese, N.C. Light sources for optical communication, 2=7347
- Beets, C., Campan, J.L., Deckers, H. and Zaleski, C.P. Spectral analysis of fast neutrons in a block of natural uranium, 2=14120
- Beets, C. and Deckers, H. The fission neutron spectrum of U^{235} , 2=8017
- Beevers, C.J. and Honeycombe, R.W.K. The deformation and fracture of aluminium-5.5% copper crystals, 2=6750
- Beevers, C.J. and Honeycombe, R.W.K. The initiation of ductile fracture in pure metals, 2=23785
- Beevers, C.J. and Nelson, R.S. Evidence for a damage rate dependence in the formation of defect clusters in aluminium, 2=18565
- Bég, M.A. Baqi. See Baqi Bég, M.A.
- Begemann, F. See König, H., 2=6999
- Begiasvili, G.A. Theory of cyclotron resonance [in metals], 2=8197
- Begiasvili, G.A. The theory of diamagnetic resonance, 2=20981
- Begiasvili, G.A. Influence of abnormally narrow bands on the high-frequency properties of metals in a constant magnetic field, 2=20985
- Begiasvili, G.A. The theory of cyclotron resonance, 2=23134
- Begiasvili, G.A. See Azbel', M.Ya., 2=12408
- Beguín, G.H. A type of solution for thin shells in the form of an hyperbolic paraboloid, 2=1092
- Begun, G.M. and Landau, L. Metastable transitions in N_2O^+ , 2=9526
- Begun, G.M. See Palko, A.A., 2=19137
- Behlke, H. and Pupke, H. Experimental determination of the relaxation distance for a plasma, 2=1449
- Behr, B.C., Lingar, W.E. and White, W.H., Jr. High-current regulated supply, combining transistors and magnetic amplifiers, for the oak ridge isochronous cyclotron, 2=7537
- Behr, C. Generalization of the Friedmann world model with positive space curvature, 2=11269
- Behr, J.v. See v.Behr, J.
- Behrend, H.J. and Budnick, D. Determination of the nuclear quadrupole moment of 247 keV level of cadmium III by measuring the circular polarization of the γ -radiation, 2=12124
- Behrends, R.E., Dreitlein, J., Fronsdal, C. and Lee, W. Simple groups and strong interaction symmetries, 2=11876
- Behrends, R.E. and Sirlin, A. Implications of the existence of $\Delta Q = -\Delta S$ decays, 2=18175
- Behrendt, J.C., Wold, R.J. and Laudon, T.S. Gravity base stations in Antarctica, 2=15172
- Behringer, R.E. and Smith, R.S. The influence of demagnetization and anisotropy energy on Bloch wall thickness and coercive force in thin films, 2=4225
- Behrndt, K.H. Investigation of the coercive forces of Ni, Fe, and Ni-Fe films during evaporation, 2=2286
- Behrndt, K.H. and Jones, R.A. A comparison between the evaporation characteristics of a crucible and a ring source, 2=1307
- Behrndt, K.H. and Love, R.W. Automatic control of film-deposition rate with the crystal oscillator for preparation of alloy films, 2=12946
- Bei Yan' Guan. See Guan Bei' Yan.
- Beil, R.G. Frequency analysis of vowels produced in a helium-rich atmosphere, 2=9137
- Beiter, E.W. See Taylor, A., 2=2394
- Bekebrede, W.R. and Guentert, O.J. Lattice parameters in the system antimony telluride-bismuth telluride, 2=19081
- Bekebrede, W.R. See Mozzi, R.L., 2=4428
- Bekefi, G., Coccoli, J.D., Hooper, E.B., Jr and Buchsbaum, S.J. Microwave emission and absorption at cyclotron harmonics of a warm plasma, 2=22237
- Bekefi, G. See Hirshfield, J.L., 2=7597
- Békés, M. and Makra, Z. Personnel film dosimetry, 2=13707
- Békésy, G. von. See von Békésy, G.
- Beketov, V.A., Selektor, Ya.M., Zombkovskii, S.M. and Ainutdinov, M.S. Sealing of glass illuminators in liquid hydrogen bubble chambers, 2=22370
- Bekkerman, I.M., Dmitriev, V.A., Molchanov, L.P., Khristiansen, G.B. and Iarygin, P.I. Ionization chambers and apparatus for studying extensive atmospheric cosmic-ray showers, 2=1739
- Bel, A., Delmas, R. and François, B. The sintering of uranium oxides, 2=834
- Bel, L. Radiation states and the problem of energy in general relativity, 2=19404
- Belar, H. See Olson, H.F., 2=7059
- Belashchenko, D.K. See Bokshtein, B.S., 2=21068
- Belashov, Yu.G. and Belashova, L.V. Study of electrical conductivity and optical transmission of thin layers of some intermetallic compounds of antimony, 2=6460
- Belashova, L.V. See Belashov, Yu.G., 2=6460
- Belavtseva, E.M. and Fridkin, V.M. On the xerographic method in electron microscopy, 2=12953
- Belavtseva, E.M. and Fridkin, V.M. On the xerographic method in electron microscopy, 2=15116
- Belbeoch, B., Piekarski, C. and Pério, P. Structure of U_4O_9 , 2=10885
- Belcher, E.H. Radioisotopes in clinical medicine and research, 2=11212
- Belcher, S.J. See Clarke, F.J.J., 2=13227
- Bel'dy, M.P. Correction for the absorption and self-absorption of β -rays, 2=13772
- Belen'kii, I.M. New analogy in mechanics, 2=1086
- Belen'kii, I.M. New analogy in mechanics, 2=7150
- Belen'kii, S.N. See Baranov, S.A., 2=3490
- Beletskii, M.S. and Gal'perin, Ye.L. The crystal structure of some of the phases in alloys of magnesium with cerium and neodymium, 2=21529
- Beletskii, V.V. The classification of artificial earth satellite paths about the mass centre, 2=9128
- Beletskii, V.V. The motion of an artificial earth satellite about the centre of mass, 2=11172
- Beletskii, V.V. and Zonov, Yu.V. Rotation and orientation of Sputnik III, 2=9129
- Belevskii, V.P. See Bazhanova, H.P., 2=1498
- Belevskii, V.P. See Bazhanova, H.P., 2=7653
- Belford, G.G. See Gutowsky, H.S., 2=16562
- Belford, G.G. See Kuppermann, A., 2=8932
- Belford, G.G. See Kuppermann, A., 2=8933
- Belford, R.L. See Blankenship, F.A., 2=6162
- Belford, R.L. See Blankenship, F.A., 2=20842
- Belitz, H.J. Spark counter filled with coal gas, 2=17988
- Bel'kovich, O.I. A determination of the mean-square deviation of the time-rate of meteors, 2=953
- Belinfante, F.J. and Garrison, J.C. On the uniqueness of Fock's harmonic coordinate systems in the presence of static, spherically symmetric sources, 2=2624
- Belkin, B.F. See Abov, Yu.G., 2=18371
- Belkind, A.I. and Kyaembre, Kh.F. Photo- and thermostimulated electron emission from alkali halide phosphors excited by ultraviolet radiation, 2=22250
- Bell, B. Major flares and geomagnetic activity, 2=4701
- Bell, C.G., Fujisaki, H., Heinz, J.M., Stevens, K.N. and House, A.S. Reduction of speech spectra by analysis-by-synthesis techniques, 2=4890
- Bell, E.E. See Eisner, L., 2=4590
- Bell, F. and Krisement, O. The recovery and recrystallization of nickel after cold deformation, 2=10765
- Bell, F.D. See Bray, H.J., 2=2403
- Bell, G.I. Effect of interference between resonance and potential scattering on resonance absorption, 2=5947
- Bell, G.I. See Mills, C.B., 2=12250
- Bell, G.M. and Fairbairn, W.M. Regular models for solid hydrogen. I, 2=3809
- Bell, G.M., Levine, S. and Pethica, B.A. The surface pressure of ionized monolayers, 2=17429
- Bell, J.C., Bridge, H., Cottrell, A.H., Greenough, G.B., Reynolds, W.N. and Simmons, J.H.W. Stored energy in the graphite of power-producing reactors, 2=1947
- Bell, J.F. and Werner, W.M. Applicability of the Taylor theory of the polycrystalline aggregate to finite amplitude wave propagation in annealed copper, 2=18988
- Bell, J.S. The many-body problem, 2=1770
- Bell, J.S. Electromagnetic properties of unstable particles, 2=11856
- Bell, J.S. Rest energy, rest mass, and noncovariant electrodynamics, 2=16118

- Bell, J.S. and Berman, S.M. Pion and strange particle production by 1 GeV neutrinos, 2=18099
- Bell, R.E. Higher order events in coincidence counting, 2=19850
- Bell, R.E., Björnholm, S. and Severiens, J.C. Half lives of first excited states of even nuclei of Em, Ra, Th, U and Pu, 2=18256
- Bell, R.E. See Graham, R.L., 2=15872
- Bell, R.E. See Pederson, E.C.B., 2=5835
- Bell, R.J. Excitation of helium to the $(1s, 2p)^1P$ and $(1s, 3p)^1P$ states by proton and alpha particle impact, 2=527
- Bell, R.J. and Skinner, B.G. Excitation of the $1s-2p$ transition in hydrogen and the $3s-3p$ transition in sodium by nuclei, 2=18408
- Bell, R.L. and Thompson, N.B.W. Grain-boundary sliding, 2=14895
- Bell, R.O. See Rupprecht, G., 2=8468
- Bellamy, B., Baker, T.W. and Livey, D.T. The lattice parameter and density of beryllium oxide determined by precise X-ray methods, 2=17019
- Bellamy, E.H. and Hogg, W.R. The photoproduction of charged pions from calcium, 2=13845
- Bellanca, T.J., Elliott, R.S. and Erlinger, J.J. Triple resonance phenomenon in plasmas, 2=1469
- Belland, A. See Zingery, W.L., 2=7713
- Belle, J. See Auskern, A.B., 2=3944
- Belle, J. See Auskern, A.B., 2=3949
- Bellemans, A. Statistical mechanics of surface phenomena. I. A cluster expansion for the surface tension, 2=12940
- Bellemans, A. Statistical mechanics of surface phenomena. II. A cluster expansion of the local properties of the surface layer, 2=17064
- Beller, L.S. Beta-gamma delayed coincidence method for resonance escape measurements, 2=7935
- Belletti, S., Manduchi, C., Nardelli, G. and Russo-Manduchi, M.T. Internal Bremsstrahlung from ^{88}Sr , 2=18284
- Bellicard, J. and Barreau, P. Study of vibration levels of iron isotopes by inelastic scattering of 150 MeV electrons, 2=372
- Bellicard, J. and Barreau, P. Study of the vibration levels of iron isotopes by inelastic scattering of 150 MeV electrons, 2=20515
- Belliere, J. See Di Corato, M., 2=22627
- Bellin, J.L.S. and Beyer, R.T. Experimental investigation of an end-fire array, 2=17566
- Bellini, G., Fiorini, E., Herz, A.J., Negri, P., Ratti, S., Cresti, M., Limentani, S., Santangelo, R., Fretter, W.B., Hoang, T.F., Boreani, G., Ferrero, M.L., Garelli, C.M., Baglin, C., Bingham, H., Bloch, M., Drijard, D., Lagarrigue, A., Mittner, P., Orkin-Lecourtois, A., Rancon, P., Rousset, A., De Raad, B., Salmeron, R. and Voss, R. The momentum spectrum of slow protons emitted in hydrogen-like interactions of negative pions of 6 and 18 GeV/c, 2=22573
- Bellini, G. See Abate, E., 2=5920
- Bellman, R. and Kalaba, R. Wave branching processes and invariant imbedding. I, 2=9
- Bellomonte, L., Palma-Vittorelli, M.B. and Palma, M.U. Trapping and release of photoproduced holes in Cu^+ -doped and AgCl crystals, 2=20968
- Belloni, M.G. See Bally, D., 2=20352
- Belogurov, V. See Bakhmat, A., 2=20565
- Belon, A.E. See Rees, M.S., 2=4675
- Bélorizky, E. See Ayant, Y., 2=16622
- Belorossova, T.S., Merman, N.V. and Sosnina, M.A. A new mirror-lens objective, 2=19682
- Belous, V.M. The redistribution of electrons among the localized levels of silver halide phosphors and the stimulating action of the exciting light, 2=10620
- Belous, V.M. and D'yachenko, N.G. The effect of infrared light on the luminescence of silver chloride, 2=713
- Belous, V.M. and D'yachenko, N.G. Influence of infrared light on the luminescence of silver chloride, 2=14731
- Belous, V.M. and Golub, S.I. The effect of infrared light on the luminescence of pure and mixed silver-halide phosphors, 2=16850
- Belous, V.M. See Bugrienko, V.I., 2=21224
- Belousov, A.S., Rusakov, S.V., Tamm, E.I. and Tatarinskaya, L.S. Photoproduction of π^0 -mesons on deuterium at energies from 170 to 210 MeV, 2=3382
- Belousova, I.M. and Gurevich, D.B. The distribution of atoms among the excited levels in a low pressure arc, 2=1411
- Belousova, I.M. and Gurevich, D.B. Calculation of the temperature of a mercury arc and its experimental verification, 2=17811
- Belov, I.P., Kalugin, K.S., Keirim-Markus, I.B., Nikiforov, V.I. and Poroshina, M.S. Equipment ILK-3 for luminescence personnel health monitoring, 2=3218
- Belov, K.P. The nature of low temperature magnetic transformations in ferrites possessing compensation points, 2=23680
- Belov, K.P., Goryaga, A.N. and Lin' Chzhan-da [Lin Chang-ta]. Galvano-magnetic properties of lithium chromite ferrite, 2=623
- Belov, K.P., Levitin, R.Z., Nikitin, S.A. and Ped'ko, A.V. Magnetic and magnetoelastic properties of dysprosium and gadolinium, 2=744
- Belov, K.P. and Nikitin, S.A. Effect of helical magnetic structure on the magnetostriction of dysprosium, 2=10666
- Belov, K.P. and Nikitin, S.A. Galvanomagnetic properties of terbium, dysprosium and holmium, 2=21106
- Belov, K.P. and Ped'ko, A.V. On the "helical" antiferromagnetism of gadolinium, 2=6680
- Belov, K.P. and Svirina, F.P. The Hall effect in monocrystalline manganese ferrites, 2=3994
- Belov, N.V. See Ashirov, A., 2=12917
- Belov, N.V. See Ashirov, A., 2=19082
- Belov, N.V. See Neronova, N.N., 2=4401
- Belov, S.P., Dulin, V.A., Kazanskii, Iu.A., Kukhtevich, V.I. and Tsipin, S.G. The spatial and energy distributions of neutrons in boron carbide, 2=1692
- Belov, S.P. See Bakov, A.T., 2=20638
- Belov, S.V., Erokhin, V.M., Anokhina, L.M. and Solov'ev, Yu.V. Consideration of self-absorption and self-scattering in measuring the absolute activity of thick-layer specimens, 2=20533
- Belova, A.P., Gorskaya, L.G. and Zakegeim, L.N. Electrical properties of thin oxide films on aluminum, tantalum, and zirconium, 2=2126
- Belovintsev, K.A. See Ado, Yu.M., 2=13767
- Belovitskii, G.E. Excitation of nuclear rotational levels in μ -mesic atom transitions, 2=385
- Belovitskii, G.E. Excitation of nuclear rotational levels in μ -mesic atom transitions, 2=22720
- Belozerskii, G.N., Gridnev, K.A. and Pisarevskii, A.N. On the form of scintillation pulses from CsI:Ti crystals, 2=8586
- Belozerskii, G.N. and Nemilov, Yu.A. Resonance scattering of gamma-rays in crystals, 2=10302
- Belozorov, D.P., Kulik, I.O. and Zil'berman, G.E. Impurity distribution in crystals grown from the melt, 2=3911
- Belrose, J.S. and Ross, D.B. Observations of unusual low frequency propagation made during polar cap disturbance (PCD) events, 2=11801
- Bel'skii, N.K. Anomalous dispersion of double refraction in crystals of europium chloride hexahydrate, 2=16803
- Bel'skii, N.K. Anomalous dispersion of double refraction in crystals of europium chloride hexahydrate, 2=21228
- Belson, H.S. See Matcovich, T.J., 2=12801
- Bel'ti, M.U. and Rudko, B.F. Influence of temperature on the luminescence of halide solutions of heavy metals, 2=15599
- Belton, P. Simple switching device with phase synchronization, 2=17574
- Beltrametti, E.G. A note on the reaction $\pi^+ + d \rightarrow p + p$, 2=11979
- Beltrametti, E.G. Elementary remarks on the angular momentum definition for unstable particles, 2=22400
- Beltrami, M. Growth and photomicrographical observation of argon crystals, 2=6772
- Bely, O. Calculation of some collision cross-sections in Fe XIV, 2=14223
- Bely, O. Calculation of electron-collision excitation cross-sections of OVI, 2=14224
- Belyaev, B.N., Kalyamin, A.V. and Murin, A.N. Experimental and calculated cross-sections of the reactions $\text{Bi}^{208}(p, xn)\text{Po}$ for bombarding proton energy of 135 MeV, 2=7985
- Belyaev, L.M., Dobrzhanskii, G.F. and Feofilov, P.P. Luminescence of uranium activated sodium and lithium fluoride single crystals, 2=14732
- Belyaev, L.M., Gil'varg, A.B. and Panova, V.P. CsI(Tl) scintillators for recording α -particles, 2=9937
- Belyaev, L.M., Vitovskii, B.V., Dobrzhanskii, G.F. and Karpenko, A.G. Modified crystallizer, 2=4390
- Belyaev, L.M. See Karpenko, A.G., 2=4389
- Belyaev, S.T. and Zelevinskii, V.G. "Anharmonic" effects of quadrupole oscillations of spherical nuclei, 2=16309
- Belyaev, V.B. See Balashov, V.V., 2=16308
- Belyaeva, A.P. See Sorkin, F.V., 2=16875
- Belyak, V.I. and Zaikin, D.A. Collective excitations of even axial nuclei, 2=7926
- Belya'ov, V.A. See Barashenkov, V.S., 2=1869
- Belyi, M.U., Okharimenko, B.A. and Rud'ko, B.F. Recombination luminescence of Sn^{4+} in aqueous solutions of LiCl and HCl at low temperatures, 2=21912
- Belykh, G.V. See Barchuk, I.F., 2=14170
- Belzons, M. See Rassigni, G., 2=11488
- Bement, A.L., Jr. Tensile properties of irradiated thorium, 2=16965
- Benade, A.H. The physics of wood winds, 2=15693
- Bénard, J. See Moreau, J., 2=7572
- Benaroya, R. and Ramler, W.J. Deflection coil for an external accelerator beam, 2=3110

- Bénarroche, M. Low temperature electronic spectra of crystallized durene, 2=12594
- Bénarroche, M. Absorption and fluorescence spectra of pure crystallized fluorene at 4°K, 2=18826
- Bénarroche, M. Fluorescence of pure 2,6-dimethylnaphthalene in liquid helium, 2=18870
- Benbow, J.J. Stable crack propagation in plastics, 2=797
- Ben Caid Mohamed. See Mohamed Ben Caid.
- Bencze, G. and Hódi, E. Light distribution in microscopical images of gratings under different illumination and observation conditions, with a study of contour sharpness, 2=22004
- Benda, F., Gabanets, I., Dobiash, I., Zhuravlev, A.A., Karmasin, M., Kotov, V.I., Marek, M., Myaé, E.A., Obukhov, Yu.L., Petukhov, V.A., Svetov, L.V., Sokhor, V., Fukatko, T. and Tsirak, Yu. An annular synchrocyclotron with radial sectors, 2=15971
- Bendall, D.E. See Piercey, D.C., 2=22535
- Ben Daniel, D.J. Approximate asymptotic speed distribution of ions in a "long" magnetic mirror system, 2=1438
- BenDaniel, D.J. and Allis, W.P. Scattering loss from magnetic mirror systems. I, 2=7621
- BenDaniel, D.J. and Allis, W.P. Scattering loss from magnetic mirror systems. II, 2=11679
- BenDaniel, D.J. and Tamor, S. Theory nonthermal ionization in cesium discharges, 2=11615
- Bendazzoli, M. See Brebec, G., 2=11230
- Bender, H.M. The observation of stacking faults in silicon by transmission electron microscopy, 2=3923
- Ben-Dor, L. See Glasner, A., 2=14477
- Bendt, P.J. Superfluid helium critical velocities in a rotating annulus, 2=19799
- Bendt, P.J. See Flynn, E.R., 2=7802
- Benedek, G.B. See Pound, R.V., 2=5868
- Benedetti, E. See Alitti, J., 2=16229
- Benedetti, E. See Alitti, J., 2=18156
- Benedetti, M. The resolution of centred rectangular apertures, 2=94
- Benedict, M., Shanstrom, R.T., Amberg, S.L., McLeod, N.B. and Steranka, P.T. FUELCYC, a new computer code for fuel cycle analysis. II. Examples of applications, 2=6067
- Benedict, M. See Shanstrom, R.T., 2=6066
- Benedict, W.S., Herman, R., Moore, G.E. and Silverman, S. The strengths, widths, and shapes of lines in the vibration-rotation bands of CO, 2=3727
- Benedict, W.S. See Blaine, L.R., 2=17617
- Benedict, W.S. See Plyler, E.K., 2=20827
- Benedikt, E.T. Exact determination of the lunar mass by means of selenoid satellites, 2=2525
- Benedikt, E.T. See Colombo, G., 2=15306
- Benediktov, E.A., Getmantsev, G.G. and Ginsburg, V.L. Radio-astronomical investigations employing artificial satellites and space rockets, 2=9109
- Benediktov, E.A., Getmantsev, G.G. and Ginsburg, V.L. Radio-astronomical investigations employing artificial satellites and space rockets, 2=15397
- Benenson, W., May, T.H. and Walter, R.L. Polarization of $\text{Li}^+(p,n)\text{Be}^+$ neutrons for 4 to 10 MeV protons, 2=14090
- Benenson, W. See Walter, R.L., 2=7908
- Benenson, W., Walter, R.L. and May, T.H. Polarization in neutron-proton scattering at 16 and 24 MeV, 2=18120
- Benenson, W. See Gorodetzky, S., 2=20522
- Beneš, J. See Řezanka, I., 2=20566
- Benes, L. See Bally, D., 2=7698
- Benes, L. See Bally, D., 2=23583
- Benesovsky, F. See Rudy, Er., 2=17034
- Benesovsky, F. See Schob, O., 2=17045
- Beneventano, M., Finocchiaro, G., Finzi, R., Mezzetti, L., Paoluzi, L., Schaerf, C. and Tazzari, S. Photoproduction of single positive pions in hydrogen at and near 0°, for $E_\gamma = 600, 700, 800$ MeV, 2=22558
- Bengus, V.Z., Komnik, S.N. and Startsev, V.I. Movement of twinning dislocations in calcite, 2=4364
- Bengus, V.Z., Komnik, S.N. and Startsev, V.I. Movement of twinning dislocations in calcite, 2=8769
- Ben Hur, D. See Mosher, H.S., 2=19160
- Benieva, T.Ya. and Polotskii, I.G. Influence of certain factors on the elastic properties of Ni and nichrome base alloys, 2=23735
- Benioff, P.A. The effect of the Pauli exclusion principle in high energy nucleon-nucleus scattering, 2=10092
- Beniston, M.J. See Jones, B.D., 2=16241
- Beniston, M.J. See Jones, B.D., 2=22834
- Beniston, M.J. See Sacton, J., 2=10128
- Benjamin, H. See Schwed, P., 2=3424
- Benjamin, L. and Benson, G.C. Thermal conduction in a Tian-Calvet microcalorimeter, 2=11527
- Benjamin, L. See Benson, G.C., 2=9424
- Benkova, N.P. and Yudovich, L.A. Daily variations of blackout appearances, 2=15229
- Bennemann, K.H. Theoretical investigation of the location of interstitials in copper, 2=2078
- Bennett, A.I., Fekete, J.M., Hamilton, D.R. and O'Hara, S. Device for jerking dendrite interfaces rapidly from the melt, 2=21486
- Bennett, D.M. Apparatus for the demonstration of simple harmonic motion, 2=13290
- Bennett, F.D. Shock-producing mechanism for exploding wires, 2=1958
- Bennett, F.D., Burden, H.S. and Shear, D.D. Correlated electrical and optical measurements of exploding wires, 2=1189
- Bennett, G.S. Remarks on the paper by Montague and Strickland, 2=913
- Bennett, H.E., Bennett, J.M. and Ashley, E.J. Infrared reflectance of evaporated aluminum films, 2=23537
- Bennett, J.A. International Conference of the Electrical and Magnetic Properties of Thin Metallic Layers Louvain, September 1961, 2=14499
- Bennett, J.M. See Bennett, H.E., 2=23537
- Bennett, J.R.J. See Nassibian, G., 2=1532
- Bennett, J.V. and Fydeler, P.J. A literature survey on radiation induced polymerisation in the solid state, 2=23970
- Bennett, L.H. and Streever, R.I., Jr. Internal magnetic fields in nickel-rich nickel-cobalt alloys, 2=12649
- Bennett, L.H. and Streever, R.I., Jr. Nuclear moment of Ni^{61} , 2=13970
- Bennett, R.G. An improved magnification meter for dielectric measurements on liquids, 2=17766
- Bennett, R.G. and Dalby, F.W. Experimental oscillator strength of the violet system of CN, 2=3761
- Bennett, R.G. See Marquardt, D.W., 2=3774
- Bennett, S., Delvaille, J., Greisen, K. and Kendziorowski, F. Properties of EAS, 2=12070
- Bennett, S. and Greisen, K. Energy spectrum and positive excess of muons in cosmic-ray air showers, 2=1747
- Bennett, W.R., Jr. Hole burning effects in a He-Ne optical maser, 2=11784
- Bennett, W.R., Jr. Optical spectra excited in high pressure noble gases by alpha impact, 2=20745
- Bennett, W.R., Jr., Faust, W.L., McFarlane, R.A. and Patel, C.K.N. Dissociative excitation transfer and optical maser oscillation in Ne-O₂ and Ar-O₂ r.f. discharges, 2=22908
- Bennett, W.R., Jr. and Kindlmann, P.J. Magnetostrictively tuned optical maser, 2=17603
- Benney, D.J. and Greenspan, H.P. Remarks on transition and the stability of time-dependent shear layers, 2=19522
- Benois, J. See Thureau, P., 2=646
- Benois, J. See Thureau, P., 2=7436
- Benoist, P. See Radvanyi, P., 2=1892
- Benoist-Gueutal, P. Notes on nuclear reactions by direct interaction at energies of 100 MeV, 2=454
- Benoit, H. See Gubler, M., 2=7407
- Benoit, H. See Ruby, R.H., 2=14839
- Benoit, H. See Ullman, R., 2=7212
- Benoit, R. and Houri, A. Propagation of very low frequencies in the earth-ionosphere system, 2=7766
- Benoit a la Guillaume, C. and (Mme) Tric. Possible use of semi-conductors in lasers, 2=10589
- Ben-Reuven, A. See Jaffe, J.H., 2=12320
- Benson, F.A. and Burdett, G.P. Argon, krypton and xenon admixtures in neon glow-discharge reference tubes, 2=11632
- Benson, G.C. Recalculation of the surface energies of alkali halide crystals, 2=4486
- Benson, G.C. and Benjamin, L. Numerical values of some integrals occurring in the theory of heat conduction within cylindrically symmetric regions, 2=9424
- Benson, G.C. and Dempsey, E. The cohesive and surface energies of some crystals possessing the fluorite structure, 2=6245
- Benson, G.C. See Benjamin, L., 2=11527
- Benson, R.E. See Eaton, D.R., 2=18466
- Benson, R.F. Cross modulation of cosmic noise, 2=22348
- Benson, S.W. and Amano, A. Thermodynamics of iodine addition to ethylene, propylene and cyclopropane, 2=17080
- Benson, S.W. and Fueno, T. Mechanism of atom recombination by consecutive vibrational deactivations, 2=8130
- Benson, S.W. See Allen, P.E., 2=17481
- Benson, S.W. and Amano, A. Thermodynamic properties of tertiary iodides, 2=19139
- Benson, S.W. See Anderson, K.H., 2=15126
- Benson, S.W. See Batt, L., 2=6872
- Benson, S.W. See Bose, A.N., 2=21582
- Benson, S.W. See Myers, H., 2=3031
- Benson, S.W. See O'Neal, E., 2=12980
- Benson, S.W. See O'Neal, H.E., 2=19142

- Benson, S.W. See Newton, P., 2=19575
- Bent, H.A. Bond lengthening by lone pairs, 2=8120
- Bent, R.D., Blatchley, D.E. and Eidson, W.W. 4.48-MeV level of Ca^{40} , 2=20510
- Bent, R.D. See Eidson, W.W., 2=18260
- Benton, E.E., Ferguson, E.E., Matsen, F.A. and Robertson, W.W. Cross-sections for the de-excitation of helium metastable atoms by collisions with atoms, 2=22894
- Benveniste, J., Booth, R. and Mitchell, A.C. Observations on the response of two p-n junction diodes to protons, 2=3341
- Benzi, V. and Chiarini, A. Fission product poisoning in thermal reactors, 2=16455
- Benzie, R.J. Ferrites: their use in R and D [research and development] applications, 2=18917
- Beran, M. and Parrent, G., Jr. On the equations governing the coherence of the radiation emitted by random charge and current distributions, 2=2856
- Beranek, L.L. Electroacoustic measuring equipment and techniques, 2=15704
- Beranek, L.L. and Klepper, D.L. Acoustic of the Binyanei Ha'Oomah Jerusalem Congress Hall, 2=2854
- Bercaw, R.W. See Allas, R.G., 2=18352
- Bercea, C. Neutron production by unstable particles, 2=5646
- Bercea, C. On local production of slow neutrons by unstable particles, 2=5766
- Berchenko, M.A. Influence of fluxes on the properties of electroluminophors, 2=23604
- Berdyshev, A.A. and Korzh, E.D. Exchange interaction between the inner and outer electrons of transition metals. II. Antiferromagnetism, 2=21343
- Berendsen, H.J.C. Nuclear magnetic resonance study of collagen hydration, 2=16573
- Berendt, G. Retarded functions and potential scattering, 2=22440
- Berenyi, D. and Mathe, G. Experiences in the use of scintillation detector in a β -spectrometer of toroid-sector type, 2=5624
- Berenyi, D., Mathe, G. and Scharbert, T. Further γ -spectroscopic investigations on the decay scheme of I^{131} , 2=10075
- Berenyi, D. See Mathe, G., 2=10056
- Beresnev, B.I. and Ivko, V.P. High-pressure hydraulic compressor for laboratory applications, 2=21775
- Berestnev, V.A., Razikov, K.Kh., Alekseeva, E.S. and Kargin, V.A. The structure of orientated polymeric materials, 2=4481
- Berezhkova, G.V. and Regel', V.R. Temperature relations of the kinking limit for caesium iodide crystals, 2=6723
- Berezhnoi, Yu.A. Scattering of deuterons by nonaxial nuclei, 2=5954
- Berezhnoi, Yu.A. Scattering of deuterons by orientated non-spherical nuclei, 2=8005
- Berezhnoi, Yu.A. See Inopin, Ye.V., 2=20578
- Berezin, A.K., Stupak, V.G., Bolotin, L.I., Berezina, G.P., Lyapkalo, Yu.M. and Sevryukov, Yu.N. Passage of intense pulsed electron beams through dielectric tubes, 2=15952
- Berezin, F.A. The Lee Model, 2=13726
- Berezin, F.A. The Lee Model, 2=20231
- Berezina, G.P. See Berezin, A.K., 2=15952
- Berezinskii, V.S. Polarization of high energy cosmic ray μ -mesons, 2=9976
- Berezinskii, V. and Dolgoshein, B. Calculation of the polarization of low-energy cosmic ray muons, 2=13934
- Berg, D. See Dakin, T.W., 2=19927
- Berg, D. See Hirayama, C., 2=674
- Berg, H.C. and Kleppner, D. Storage technique for atomic hydrogen, 2=10225
- Berg, H.F., Ali, A.W., Lincke, R. and Griem, H.R. Measurement of Stark profiles of neutral and ionized helium and hydrogen lines from shock-heated plasmas in electromagnetic T tubes, 2=3700
- Berg, L.G. and Burmistrova, N.P. The so-called solid state phases, 2=9464
- Berg, M.A. and Shefov, N.N. Emission of the hydroxyl bands and of the $(0.1) \lambda 8645 \text{ \AA}$ atmospheric band of oxygen in the nightglow, 2=15251
- Berg, R.A. See Brewer, L., 2=14283
- Berg, R.A. See Strickler, S.J., 2=20782
- Berg, W.T. See Scott, D.W., 2=3732
- Berg, W.T. See Scott, D.W., 2=15822
- Bergdolt, G. See Gorodetzky, S., 2=440
- Berge, G.L. See Morris, D., 2=19349
- Berge, J.P. See Bastien, P.L., 2=22608
- Berge, P., Blanc, G. and Dubois, M. Effect of internal irradiation produced by tritium in lithium fluoride, 2=615
- Berge, P. See Dubois, M., 2=12481
- Berger, H. Comparison of several methods for the photographic detection of thermal neutron images, 2=1695
- Berger, H. Annealing of lattice defects in freshly precipitated CdS films, 2=2160
- Berger, H. Photographic detectors for neutron diffraction, 2=20373
- Berger, H., Böer, K.W. and Weber, E.H. A contribution to the clarification of the spectral distribution of photoconductivity of CdS single crystals, 2=647
- Berger, H. and Kraska, I.R. Photographic film detection methods for ultrasonic field visualization, 2=9416
- Berger, J. Research on the properties of widely separated double or multiple stars with respect to evolutionary problems. I. Spectrophotometric study of 77 systems of widely separated double or multiple stars, 2=9089
- Berger, J. A meeting on detonation waves, 2=15132
- Berger, J. Research on the properties of widely separated double or multiple stars in relation to evolutionary problems. IV. Distribution of absolute magnitudes in the three-dimensional classification system, 2=17282
- Berger, P. Remarks on the isobaric model for multiple particle production, 2=18152
- Berger, R.T. The X- or gamma-ray energy absorption or transfer coefficient: tabulations and discussion, 2=5423
- Berger, S.A. and Holt, M. Implosive phase of a spherical explosion in sea water, 2=9306
- Berger, Z. and Vavrinec, E. X-ray luminescence of AgCl crystals, 2=6604
- Bergere, R., Delezenne, E. and Veyssiere, A. Study of current monitors for a linear electron accelerator, 2=22285
- Bergerhoff, G. The crystal structure of tin (II) fluoride, 2=10884
- Bergevin, F.de. See de Bergevin, F.
- Berggren, T., Brown, G.E. and Jacob, G. A remark on quasi-free scattering, 2=14089
- Bergh, S. Van den. See Van den Bergh, S.
- Berghammer, J. Landau damping of space-charge waves, 2=9629
- Berghezan, A. See Fourdeux, A., 2=598
- Berghout, C.W. Phase equilibria in superconducting niobium-zirconium alloys, 2=21535
- Bergkvist, K.E. See Bäckström, G., 2=20313
- Berglund, S. and Svennerstedt, S. Some characteristics of a toroidal pinch with a reversed field, 2=5348
- Bergman, D. Analysis of elliptically polarized light, 2=22064
- Bergmann, F. See Bogenschütz, A.F., 2=21864
- Bergmann, P.G. Observables in general relativity, 2=9173
- Bergmann, P.G., Robinson, I. and Schücking, E. Asymptotic properties of a system with nonzero total mass, 2=13248
- Bergner, D. See Hässner, A., 2=18593
- Bergsma, J. and Loopstra, B.O. The crystal structure of calcium hydride, 2=10870
- Bergson, G. A semi-empirical study of the interaction between lone-pair electrons with special reference to the problem of hybridization and the theory of restricted rotation about single bonds. Applications to the structure and reactivity of sulphur chains, 2=6207
- Bergstein, A. and Cervinka, L. To the structure and oxygen content of copper and copper-manganese ferrite, 2=826
- Bergstein, L., Kahn, W. and Shulman, C. A total-reflection solid-state optical-maser resonator, 2=22019
- Bergstein, L. and Motz, L. Two-component optically compensated varifocal system, 2=7336
- Bergstein, L. and Motz, L. Three-component optically compensated varifocal system, 2=7337
- Bergstein, L. and Motz, L. Four-component optically compensated varifocal system, 2=7338
- Bergström, I., Bonacalza, E.C.O. and Thieberger, P. Evidence for octupole and quadrupole vibrational states in Pb^{206} , 2=10021
- Bergström, I., Herrlander, C.J., Thieberger, P. and Uhler, J. On nuclear $f_{5/2}$, $p_{3/2}$, $p_{1/2}$ level spacings and transition probabilities in the lead region, 2=3482
- Bergström, I. and Thieberger, P. Determination of the magnetic moment of the first excited state in Sc^{44} , 2=12121
- Bergström, I. See Bonacalza, E.C.O., 2=10061
- Bergström, I. See Thieberger, P., 2=2972
- Beridze, D.K. and Shakhparonov, M.I. The Krishnan effect, 2=9409
- Berinde, A. See Hulubei, H., 2=5903
- Berinde, A. See Hulubei, H., 2=14092
- Berinde, A. See Khulubei, Kh., 2=16403
- Berkelman, K., Cortellesa, G. and Reale, A. Search for ω^0 in photoproduction, 2=9913
- Berkes, I., Demeter, I., Dezsö, I., Fodor, I. and Keszthelyi, L. On the reduction of background for scintillation counters, 2=11826
- Berkelman, K. Phenomenological analysis of photo-proton elastic scattering, 2=13756
- Berkes, I. See Keszthelyi, L., 2=5518

- Berkes, I. See Keszthelyi, L., 2=5910
- Berkl, E. See Hoppe, W., 2=23836
- Berklings, K., Helbing, R., Kramer, K., Pauly, H., Schlier, C. and Toschek, P. Effective collision cross-sections in scattering experiments, 2=6238
- Berklings, K., Schlier, C. and Toschek, P. Measurement of the anisotropy of the van der Waals force, 2=12301
- Berkofsky, L. and Shapiro, R. A dynamical model for investigation of the downward transfer of energy introduced by upper atmospheric heating, 2=11046
- Berkovich, I.B., Zhdanov, A.P., Lepekhin, F.G. and Khokhlova, Z.S. The cross-section for the production of hypernuclei in [NIKFI-P] photographic emulsions by 9 BeV protons, 2=353
- Berkovich, I.B., Zhdanov, A.P., Lepekhin, F.G. and Khokhlova, Z.S. The cross-section for the production of hypernuclei in [NIKFI-P] photographic emulsions by 9 BeV protons, 2=22719
- Berkovskii, A.G. and Pol'skii, V.G. Variation of the gain of photo-multipliers with the pulse height and time intervals between pulses, 2=15946
- Berkovskii, F.M., Ryvkin, S.M. and Stokan, N.B. Concerning the influence of trapping levels on the relaxation current in devices with p-n junctions, 2=8381
- Berkovskii, F.M., Ryvkin, S.M. and Stokan, N.B. Concerning the influence of trapping levels on the relaxation current in devices with p-n junctions, 2=10503
- Berkovskii, F.M. and Ryvkin, S.M. Sensitivity of Ge and Si photocells in the region of impurity excitation, 2=18742
- Berkovskii, F.M. and Ryvkin, S.M. Transient photo-e.m.f. at a p-n junction due to majority carriers, 2=18743
- Berkowitz, E.H. Gamma rays resulting from lithium bombardments of lithium, 2=14144
- Berkowitz, J. Heat of formation of the CN radical, 2=15130
- Berkowitz, J., Tasman, H.A. and Chupka, W.A. Double-oven experiments with lithium halide vapors, 2=13534
- Berlage, H.P. On accretional instability, the state, leading to the transformation of a gaseous disc, rotating in quasi-steady motion round a massive centre, into a set of concentric rings of particulate matter. I and II, 2=19274
- Berlec, I. On the nature of dislocation etch pits in tungsten, 2=2350
- Berley, D., Boldt, E., Crussard, J., Duboc, J., Eberhard, P., George, R., Henri, V., Levy, F. and Poyen, J. Measurement of the inelastic charge-exchange cross-sections of K^+ mesons in hydrogen at 1.12 and 1.45 GeV/c, 2=22633
- Berlin, G.S. Electromechanical transducer for small displacements and forces, 2=19496
- Berlin, G.S. See Andreev, Yu. Ya., 2=19497
- Berlin, S. and Friberg, R. Measurement of reverberation time in "Göteborgs konserthus", 2=1241
- Berlin, T.H. See Gersch, H.A., 2=19460
- Berlincourt, T.G., Hake, R.R. and Thorsen, A.C. Pulsed magnetic field studies of the negative magnetoresistivities of dilute Ti-Mn and Cu-Mn alloys at low temperatures, 2=18641
- Berlincourt, T.G. See Hake, R.R., 2=2115
- Berlincourt, T.G. See Hake, R.R., 2=7519
- Berlincourt, T.G. See Hake, R.R., 2=15854
- Berlincourt, T.G. See Thorsen, A.C., 2=4202
- Berlman, I.B. See Anderson, W.R., 2=19570
- Berlovich, E.E. On some applications of the coincidence technique in nuclear spectroscopy, 2=13709
- Berlovich, E.E., Gusev, Yu. K., Il'in, V.V., Nikitin, V.V. and Nikitin, M.K. Contribution of collective motion to the removal of forbiddenness, 2=13989
- Berlovich, E.E., Gusev, Yu. K., Il'in, V.V., Nikitin, V.V. and Nikitin, M.K. -forbidden M1 transitions near deformation region, 2=22765
- Berlovich, E.E., Il'in, V.V., Kislyakov, A.I., Nikitin, M.K. and Bedlike, T. Investigation of the probabilities for radiative transitions between the rotational levels of Er^{166} and Tm^{169} , 2=13990
- Berlovich, E.E., Larionov, O.V., Tunimanova, E.N. and Khai, D.M. Investigation of the decay schemes of Gd^{146} , Gd^{147} and Gd^{149} by means of a β - γ coincidence spectrometer, 2=18258
- Berman, A. See Berman, H.G., 2=13404
- Berman, A. See Sherry, H.B., 2=2826
- Berman, A. Effect of rough surfaces on the resolution of acoustic rays in the ocean, 2=7299
- Berman, H.G. and Berman, A. Effect of correlated phase fluctuation on array performance, 2=13404
- Berman, H.L. The infrared radiometric method and its application to remote temperature measurement, 2=127
- Berman, L.S. Inverted converters which are based on the p-n junction nonlinear capacitance, 2=23433
- Berman, S.M., Ghani, A. and Salmeron, R.A. The effect of intermediate vector bosons on the rate for the decay $K \rightarrow e + \nu + \gamma$, 2=18178
- Berman, S.M. See Bell, J.S., 2=18099
- Berman, S.M. See Zichichi, A., 2=9849
- Bernabei, A., Borst, L.B. and Sailor, V.L. Neutron resonance in samarium, 2=5926
- Bernal, I., Rieffer, P.H. and Fraenkel, G.K. Electron spin resonance of azulene anion radicals, 2=23007
- Bernal, J.D. The structure of liquids, 2=15563
- Bernal, J.D. See Scott, G.D., 2=19537
- Bernard, M. See Dutreix, J., 2=5603
- Bernard, M. and Duraffourg, G. Possibilities of lasers using semiconductors, 2=10590
- Bernard, M. and Hocart, R. Diffractometer study of potassium sulphate between 20° and 600°C, 2=10892
- Bernard, M.G.A. and Duraffourg, G. Laser conditions in semiconductors, 2=2137
- Bernard, M.P. Low-temperature infrared absorption spectra of guanidine sulphate and of aluminium sulphate hexahydrate and fundamental frequencies of water molecules, 2=14681
- Bernard, R., Goutte, R., Guillaud, C. and Javelas, R. Possibility of studying the adsorption properties of a metal by the secondary ion emission, 2=842
- Bernard, W. See Neuringer, L.J., 2=8338
- Bernardes, N. α - β phase transition of solid He^3 , 2=15841
- Bernardes, N. and Brewer, D.F. Liquid and solid He^3 , 2=19801
- Bernardini, C., Bizzarri, U., Corazza, C.F., Ghigo, G., Querzoli, R. and Rouschek, B. Progress report on AdA (Frascati Storage ring), 2=7690
- Bernstein, B.T. Elastic properties of polycrystalline tungsten at elevated temperatures, 2=16942
- Bernstein, E.M. Anomalous E2 internal conversion coefficients for rotational transitions, 2=14056
- Bernstein, H.J. See Raynes, W.T., 2=16556
- Bernstein, I.B. See Robinson, B.B., 2=13556
- Berndt, A.F. The unit cell of U_2Ru , 2=4444
- Berne, A., Boato, G. and De Paz, M. Self-diffusion coefficient in solid argon, 2=18595
- Berner, F. and Camac, M. Air scooping vehicle, 2=4874
- Bernett, M.K. and Zisman, W.A. Wetting properties of tetrafluoroethylene and hexafluoropropylene copolymers, 2=1127
- Bernheim, R.A. Spin relaxation in optical pumping, 2=1963
- Berning, P.H. Use of equivalent films in the design of infrared multilayer antireflection coatings, 2=7372
- Berns, D.S., Lepoutre, G., Bockelman, E.A. and Patterson, A., Jr. Salt effect in metal-ammonia solutions: sodium chloride in sodium-ammonia solution at -33°C, 2=1142
- Bernstein, B.T. A calculation of the elastic shear constants of beryllium, 2=2312
- Bernstein, H.J. See Schrötter, H.W., 2=7258
- Bernstein, I.B. and Kulsrud, R.M. Effect of charge exchange on the critical current for the onset of ion-wave instabilities, 2=5362
- Bernstein, J. and Feinberg, G. Production and decay of intermediate vector mesons, 2=7815
- Bernstein, J. and Feinberg, G. Electromagnetic mixing effects in elementary particle physics, 2=22409
- Bernstein, L. Alloying to III-V compound surfaces, 2=10497
- Bernstein, M.J. Electron drift and diffusion measurements in H_2 and D_2 with crossed electric and strong magnetic fields, 2=17779
- Bernstein, M.J. Townsend ionization coefficient for hydrogen in a transverse strong magnetic field, 2=17780
- Bernstein, R.B. Semiclassical equivalence relationship applied to the calculation of molecular-beam scattering phase shifts, 2=10290
- Bernstein, R.B. See Morse, F.A., 2=18497
- Bernstein, S. and Canon, M. Nonlinearity correction for X-ray detectors, 2=3125
- Beronius, P. A radioactive exposure method for the study of the diffusion layer in electrode processes, 2=6889
- Berovic, N., Boreli, F. and Dragin, R. Absolute measurement of the fast neutron flux in the reactor R.A., 2=5999
- Berreth, J.R. See Reich, C.W., 2=16369
- Berreth, J.R. See Schuman, R.P., 2=12204
- Berry, B.S. Review of internal friction due to point defects, 2=21394
- Berry, B.S. See Nowick, A.S., 2=12399
- Berry, C.R. Turbidity of monodisperse suspensions of AgBr, 2=17106
- Berry, C.R. and Skillman, D.C. Twinning of small cubes of AgBr, 2=16981
- Berry, H.W. Energy distribution of electrons from ionizing collisions of atoms and ions, 2=20750
- Berry, J.P. Velocity behaviour of a moving crack. Some comments on the paper by Dulaney and Brace, 2=8749
- Berry, J.P. Fracture processes in polymeric materials. III. Topography of fracture surfaces of poly (methyl methacrylate), 2=128

- Berry, P.F. and Cameron, J.F. Leak detection using Kr^{86} , 2=7267
- Berry, R.J. A precision oxygen point calibration bath, 2=15792
- Berry, R.S. Ultraviolet spectrum of dibenzene chromium vapor, 2=2003
- Berry, R.S. Zero-point vibrations in benzene, 2=3731
- Berry, R.S., Reimann, C.W. and Spokes, G.N. Absorption spectrum of gaseous Cl^- and the electron affinity of chlorine, 2=3697
- Bers, A. and Penfield, P. Conservation principles for plasmas and relativistic electron beams, 2=11642
- Bersohn, R. Solid-state perturbations of nuclear quadrupole coupling constants, 2=4293
- Bersohn, R. Intermolecular bonding in the solid halogens, 2=16581
- Berstein, P.Ya. Solution of the Lamb's problem for a medium with weak anisotropy, 2=21859
- Bersuder, L. de. See de Bersuder, L.
- Bertanza, L., Brisson, V., Connolly, P.L., Hart, E.L., Mittra, I.S., Moneti, G.C., Rau, R.R., Samios, N.P., Skillicorn, I.O., Yamamoto, S.S., Goldberg, M., Gray, L., Leitner, J., Lichtman, S. and Westgard, J. Possible resonances in η and KK systems, 2=22652
- Bertanza, L., Connolly, P.L., Culwick, B.B., Eisler, F.R., Morris, T., Palmer, R., Prodell, A. and Samios, N.P. Λ^0 - K^0 production by pions on protons, 2=13854
- Bertanza, L., Mannelli, I., Santucci, S., Silvestrini, G.V. and Peterson, V.Z. Measurement of the polarization of the recoil proton in $+p \rightarrow p^+ + 0$ using a propane-ethane bubble chamber, 2=13799
- Bertaud, C. Supernovae and types of galaxies, 2=7020
- Bertaut, E.F. Spin configurations and group theory, 2=550
- Bertaut, E.F. Magnetic configurations. Fourier method, 2=6649
- Bertaut, E.F. Magnetic configurations. Direct method, 2=6650
- Bertaut, E.F. Crystal symmetry and feeble ferromagnetism, 2=8615
- Bertaut, E.F. Lattice theory of spin configuration, 2=12670
- Bertaut, E.F., Corliss, L., Forrat, F., Aleonard, R. and Pauthenet, R. A study of the niobates and tantalates of bivalent transition metals, 2=6814
- Bertaut, E.F., Delapalme, A., Forrat, F., Roult, G., de Bergevin, F. and Pauthenet, R. Magnetic structure work at the nuclear center of Grenoble, 2=12662
- Bertaut, E.F. and Dulac, J. On the isomorphism of ternary oxides of trivalent chromium and rhodium, 2=4425
- Bertaut, E.F. See Aleonard, R., 2=12695
- Bertaut, F. and Le Dang Khoi. Nuclear magnetic resonance of the nuclei of Fe^{57} in $\alpha\text{-Fe}_2\text{O}_3$, 2=10723
- Bertelsen, B.I. Silicon monoxide undercoating for improvement of magnetic film memory characteristics, 2=14784
- Bertero, M. Errors and self-learning in PAPA, 2=21790
- Berthelot, A. See Alitti, J., 2=16229
- Berthelot, A. See Alitti, J., 2=18156
- Berthold, G., Hilsch, R., and Sander, W. Infrared transmission and structure of quench-condensed films of PbS , PbSe and PbTe , 2=10584
- Berthold, I. See Lange, W., 2=3947
- Bertin, P.Y. See Avan, L., 2=22372
- Bertocchi, L. Bound-state peripheral wave function, 2=18229
- Bertocchi, L., Fubini, S. and Tonin, M. Integral equation for high-energy pion-pion scattering, 2=18158
- Bertocchi, L., Fubini, S., Stroffolini, R. and Tonin, M. Some remarks on the relativistic two-body equation, 2=9788
- Bertola, F. Application of colour emulsions to astronomical research, 2=13089
- Bertolini, G. Correction of the spherical aberration of a spherical mirror of any aperture by means of a glass plate with plane parallel faces, 2=7319
- Bertolini, G., Cappellani, F., Restelli, G. and Rota, A. Excited states of Tl-208 and Po-212 , 2=10026
- Bertolini, G.C. See Bassi, P., 2=14111
- Bertomeu, E.J. Pumping rate of mechanical vacuum pumps, 2=19630
- Bertotti, B. Theory of an electrostatic probe in a strong magnetic field, II, 2=19983
- Bertozzi, G., Coceva, C. and Pizzini, S. Study on some scintillating glasses, 2=13704
- Bertrand, P. and Brifford, G. Influence of collisions on the oscillations in a weakly ionized gas, 2=11681
- Bertrand, P. and Brifford, G. Influence of collisions on the oscillations in a weakly ionized gas, 2=11681
- Bertrand, R. Amount of Pu^{239} in a specimen of irradiated natural uranium by means of alpha spectrometry, 2=6069
- Bertrand, R.R. See Amdur, I., 2=10220
- Berwaldt, O.E. See Dowell, L.G., 2=9670
- Beryland, O.S. A method of solution of the heat conduction (diffusion) equation, 2=15784
- Berz, F. and Emmony, D.C. Measurement of surface barrier heights by the surface injection voltage, 2=23345
- Berzin, A.J. and Meshcheryakov, R.P. (γ, n) -reaction thresholds for silicon isotopes, 2=22794
- Berzin, A.K. and Meshcheryakov, R.P. (γ, n) -reaction thresholds for silicon isotopes, 2=427
- Beshers, D.N. See Petarra, D.P., 2=21409
- Beshidz, V.L. Tensor theory of ferromagnetic resonance, 2=23692
- Beske, H.E. A double-focusing mass spectrograph of the Mattauch-Herzog type for trace analysis of solids, 2=9654
- Besliu, C. See Hulubei, H., 2=5903
- Besnainou, S. A theoretical study on small variations in carbonyl frequencies, 2=8109
- Besnainou, S., Prat, R. and Bratoz, S. Influence of molecular structure on the integrated intensity of the infrared carbonyl band. Electronic study, 2=6156
- Besnus, M.J. See Meyer, A.J.P., 2=4201
- Besprozvannaya, A.S. Abnormal polar-cap absorption associated with strong chromospheric flares on the sun for the period 1938 to 1959, 2=15228
- Besprozvannaya, A.S. and Driatskii, V.M. On the connection between type III absorption and eruptive active regions on the sun, 2=4789
- Besser, P.J. See Muchkenhahn, O.W., 2=16914
- Bessis, N., Lefebvre-Brion, H. and Moser, C.M. Calculation of the magnetic hyperfine constant of the nitrogen atom, 2=522
- Bessis, N., Lefebvre-Brion, H. and Moser, C.M. Calculation of the hyperfine constants for B^{11} and O^{17} , 2=22898
- Besson, H., Chauvy, D. and Rossel, J. Note on the ionic conductivity and luminescence of CsI purified by zone melting, 2=14508
- Best, G.T. and Patterson, T.N.L. Temperature determination from a cloud of alkali vapour in the upper atmosphere, 2=24006
- Best, P.E. The characteristic electron energy loss spectra of some alkali halides, 2=3889
- Best, P.E. See Robins, J.L., 2=3888
- Besten, I.E. Den, See Den Besten, I.E.
- Betchov, R. Thermal agitation and turbulence, 2=2678
- Betekhtin, V.I. and Slutsker, A.I. Study of disorientated mosaics of blocks by the method of measuring the small angle scattering of X-rays, 2=15110
- Betekhtin, V.I. and Slutsker, A.I. Study of disorientated mosaics of blocks by the method of measuring the small angle scattering of X-rays, 2=19125
- Betev, B. See Bozoki, G., 2=336
- Betev, B. See Bozoki, G., 2=22684
- Betev, B. See Mitrani, L., 2=5767
- Bethe, H.A. See Leon, M., 2=18168
- Bethge, H. Surface structures and crystal defects in the electron microscope image, investigated on NaCl . I, 2=8225
- Bethge, H. Surface structure and lattice defect studies of NaCl by electron microscopy. II, 2=21579
- Bethge, H., Brauer, K.H. and Zwanig, W. On the measurement of intensities of electron diffraction patterns with fluorescent screen and photomultiplier, 2=5385
- Bethge, H. and Kästner, G. Electron microscope studies of elementary slip steps on NaCl crystals. II, 2=12859
- Bethge, H., Keller, K.W. and Stenzel, H. A method of rendering visible differential binding energies and absorption properties of the lamellar stages on NaCl -crystals for electron microscopy, 2=15118
- Bethge, H. and Schmidt, V. Influence of inhomogeneities on the cleavage structure of NaCl crystals, 2=19042
- Bethge, K. and Fabricius, H. Charge transfer measurements of Li ions in freely conducting [freitragenden] foils, 2=13544
- Bethge, K. See Altenburg, K., 2=7181
- Béthoux, O., Thomas, P. and Weil, L. Thermal conductivity of UO_2 at low temperature, 2=3859
- Betterton, J.O. See Kneip, G.D.Jr., 2=11563
- Bettinali, C., Ferrareso, G. and Stampacchia, G. Thermoluminescence of natural and artificial carbonates and sulphates of calcium, Spectral composition of the peaks, 2=8597
- Bettinali, C., Ferrareso, G. and Stampacchia, G. Thermoluminescence of the hydrated and anhydrous phases of calcium sulphate, 2=16876
- Bettoni, M.M. On the decay of Rh^{104m} , 2=20525
- Betzleche, P. Testing of thin-walled tubes for fuel casings under external and internal pressure, 2=23779
- Betzl, M., Hase, W., Kleinstück, K. and Tobisch, J. Measurement of the coherent scattering amplitudes of dysprosium and thulium for thermal neutrons, 2=19075
- Beumer, M.G. The paradox of the absolute observe, 2=17339
- Beun, J.A., Nitsche, R. and Bülsterli, H.U. Aftertreatment of CdS single crystals grown by vapour transport with iodine, 2=6495
- Beurtey, R., Darriulat, P., Maillard, R., Papineau, A. and Thirion, J. Observation of the polarization of the deuteron beam obtained from the Saclay cyclotron, 2=20073
- Beurtey, R. See Thirion, J., 2=5750

- Bevacqua, S.F. See Holonyak, N.Jr., 2=18726
 Bever, M.B. See Howlett, B.W., 2=15796
 Beverage, H.H. See Carter, P.S., 2=18043
 Beyen, W.J. See Adams, H.D., 2=8407
 Beyer, N.S. Lapinski, N.P. and Perry, R.B. An informative radiograph from the scattered beam, 2=5427
 Beyer, R.T. See Bellin, J.L.S., 2=17566
 Beyer, R.T. See Ryan, R.P., 2=2848
 Beyer, R.T. See Yun, S.S., 2=13337
 Beynam, E. Determination of the influence on the gamma-ray flux of spherical cavities in shielding media, 2=5601
 Beynam, E. A simple and intuitive determination of the buildup factor in shielding slabs, 2=10186
 Beynon, J.H. Lester, G.R. Saunders, R.A. and Williams, A.E. Formation of ions in mass spectrometers by ion-molecule reaction, 2=5302
 Beynon, W.J.G. Disturbances in ionospheric regions, 2=15220
 Beyster, J.R. Wood, J.L. Lopez, W.M. and Walton, R.B. Measurements of neutron spectra in water, polyethylene, and zirconium hydride, 2=5648
 Beyster, J.R. See Lopez, W.M. 2=7860
 Beyster, J.R. See Parks, D.E. 2=20355
 Bezic, N. See Miklavzic, U. 2=11921
 Bezruchko, I.V. See Yankevych, V.F. 2=19179
 Bezruchko, V.M. and Shatalov, A.A. Detection of lattice defects in alkali halide crystals by means of electrolytic colouring, 2=20994
 Bezrukikh, V.V. See Gringauz, K.I. 2=8988
 Bezrukikh, V.V. See Gringauz, K.I. 2=9070
 Bezrukikh, V.V. See Gringauz, K.I. 2=15301
 Bezuglyi, P.A. Galkin, A.A. Pushkin, A.I. and Khomchenko, A.I. Magnetoacoustic resonance in aluminium, 2=8162
 Bezuglyi, V.D. See Nagornaya, L.L. 2=1160
 Bhadra, T.C. On the measurement of ultrasonic power radiated from a quartz crystal transducer into liquid medium, I. 2=15706
 Bhadra, T.C. On the measurement of acoustic energy density and streaming velocity to determine the absorption coefficient by the streaming method, II. 2=15707
 Bhaduri, R.K. See Preston, M.A. 2=22698
 Bhagat, S.M. and Mendelssohn, K. Isothermal flow helium-II in wide capillaries, 2=5226
 Bhagat, S.M. and Critchlow, P.R. Thermomechanical pressure measurements in liquid helium-II, 2=5227
 Bhalla, C.P. Thermal flux disadvantage factors for slab geometry, 2=12247
 Bhalla, M.S. and Craggs, J.D. Measurement of ionization and attachment coefficients in sulphur hexafluoride in uniform fields, 2=17784
 Bhamathi, G. Indumathi, S. Radha, T.K. and Thunga, R. A note on baryon-baryon interaction, 2=1654
 Bhamathi, G. Indumathi, S. Radha, T.K. and Thunga, R. A note on baryon-baryon interaction, 2=5745
 Bhamathi, G. Indumathi, S. Radha, T.K. and Thunga, R. Pion production in hyperon-nucleon collisions, 2=13884
 Bhamathi, G. See Ramakrishnan, A. 2=3244
 Bhamathi, G. See Ramakrishnan, A. 2=5744
 Bharadwaj, P.D. See Jain, P.L. 2=283
 Bhargava, B.N. and Subrahmanyam, R.V. A study of the pre-sunrise F-layer stratification at Kodaikanal, 2=4655
 Bhargava, B.N. and Subrahmanyam, R.V. F-region charges associated with the solar flare of 23 February 1956, 2=13039
 Bhargava, B.N. and Subrahmanyam, R.V. The influence of disturbed conditions and increased solar activity on geomagnetic distortion of the equatorial ionospheric F2 region, 2=21655
 Bhaskara Rao, A. and Gill, P.S. Directional properties of extensive air shower arrays, 2=5760
 Bhat, M.R. and Pool, M.L. Radioactive decay of b^{157} and Tb^{158} , 2=20551
 Bhatia, P.K. and Kushwaha, R.S. Adiabatic radial pulsations of generalized Roche model, 2=24138
 Bhatnagar, H.L. See Heller, W. 2=7404
 Bhatnagar, M.S. and Kushwaha, R.S. Mechanical decay of a spherical shock wave in a stellar atmosphere, 2=9093
 Bhatnagar, P.L. On the BGK collision model for a two-component assembly, 2=13370
 Bhatnagar, S.S. Allin, E.J. and Welsh, H.L. The Raman spectra of liquid and solid H_2D_2 and HD at high resolution, 2=2721
 Bhatnagar, V.M. See Nakajima, H. 2=23003
 Bhatt, V.P. See Pandya, N.S. 2=4346
 Bhattacharjee, A. and Sudarshan, C.G. A class of solvable potentials, 2=21831
 Bhattacharjee, A. See Acharya, R. 2=22445
 Bhattacharyya, A.K. See Kar, K.C. 2=3498
 Bhattacharya, B. Spatial correlation of electrons in the ground state of the hydrogen molecule, 2=16511
 Bhattacharya, P.C. Gemesy, T. Sandor, T. Somogyi, A. and Uray, L. The attenuation length of extensive air showers in air, 2=12096
 Bhattacharyya, R. Decay of ^{106}Ag , 2=14046
 Bhattacharya, R.N. Wave resistance of a symmetrical ship moving in a circular path in deep water, 2=7186
 Bhattacharyya, S.N. Anantaraman, A.V. and Palit, S.R. Weak dipolar interaction in solutions. System: benzene + chlorobenzene and toluene + chlorobenzene, 2=17455
 Bhattacharyya, T. Scattering of electron by excited helium atom, 2=61
 Bhattacharjee, S.K. and Mitra, S.K. Beta-gamma directional correlation in Eu^{154} , 2=12165
 Bhavanacharyulu, I. See Raghavacharyulu, I.V.V. 2=23833
 Bhavsar, P.D. Solar cosmic ray event of September 3, 1960, 2=12030
 Bhavsar, P.D. Auroral X-ray observations at Minneapolis, Minnesota, 2=13050
 Bhavsar, P.D. Gamma-rays from the solar-cosmic-ray-produced nuclear reactions in the earth's atmosphere and lower limit on the energy of solar protons observed at Minneapolis, 2=22692
 Bhide, K.N. and Saxena, S.C. Certain operational characteristics for C.E.C. 21-103C mass spectrometer using boron trifluoride, 2=22281
 Bhide, V.G. Deshmukh, K.G. and Hegde, M.S. Ferroelectric properties of $PbTiO_3$, 2=21220
 Bhonsle, R.V. See Dandekar, B.S. 2=4662
 Bhonsle, R.V. See Degaonkar, S.S. 2=15238
 Bhowmik, B. The production and decay of a C^{14} hyperfragment, 2=2277
 Bhowmik, B. Goyal, D.P. and Yamdagni, N.K. Leptonic decay of the Λ^0 -hyperon, 2=1726
 Bhowmik, B. Goyal, D.P. and Yamdagni, N.K. Concerning fore-aft asymmetry in Λ^0 -decay, 2=5742
 Bhowmik, B. Goyal, D.P. and Yamdagni, N.K. The mass of the Λ^0 hyperon, 2=18188
 Bhowmik, B. Jain, P.C. and Mathur, P.C. Elastic scattering of Σ^+ -hyperons on proton, 2=18190
 Bhowmik, G. X-ray study of a dehydrated phase of copper ammonium sulphate hexahydrate, 2=4429
 Bhowmick, S.K. Note on the effect of a rigid inclusion in the form of an ovaloid in an infinite plate under all round tension or shear, 2=9215
 Bhusan Bibhuti Deo See Deo Bibhuti Bhusan
 Bialas, A. On the electromagnetic potentials of an electromagnetic dipole in motion, 2=3153
 Bialas, E. Gravitoelectromagnetic field equations in Rayski's unitary field theory, 2=2621
 Bialas, H. See Kranz, J. 2=2283
 Bialynicki-Birula, I. On the gauge conditions in quantum electrodynamics, 2=16120
 Bialynicki-Birula, I. and Frank, W.M. Convergence of the perturbation expansion in some models of the field theory, 2=3260
 Bialynicki-Birula, I. and Frank, W.M. Convergence of perturbation expansions in meson theories without vacuum polarization, 2=9796
 Bianchi, G. Gorge, C. Huynh, V.D. Julien, J. Morgenstern, J. and Netter, H. Improvements in resonance analysis methods and data handling on an IBM 7090 computer as applied to neutron transmission methods, 2=9865
 Bianchi, G. See Gorge, C. 2=18334
 Bianco, W.E. Del. See Del Bianco, W.E.
 Biarez, J. and Wiendieck, K. The elasticity and anisotropy of pulverized materials, 2=12840
 Biarge, J. Fernandez. See Fernandez Biarge, J.
 Biasco, M. See Abbattista, N. 2=5951
 Biavati, M.H. Nassiff, S.J. and Wu, C.S. Internal bremsstrahlung spectrum accompanying 1S electron capture in decay of Fe^{55} , Cs^{134} and Ti^{204} , 2=5860
 Bibergal, A.A. New graphical method of calculating the dose field of extended sources, 2=6050
 Biberman, L.M. More complete description for α/ϵ , 2=9445
 Biberman, L.M. Norman, G.E. and Ulyanov, K.N. The photoionization of excited complex atoms and ions, 2=20751
 Bibhuti Bhusan Deo. On masses and mass-shifts of elementary particles, 2=270
 Bibik, V.F. Photoelectronic emission of cadmium sulphide, 2=22252
 Bibik, V.F. and Borzyak, P.G. A new form of sign-varying photoconductivity of cadmium sulphide crystals, 2=14581
 Bibik, V.P. See Venediktov, M.V. 2=9429
 Bibik, V.F. and Borzyak, P.G. A new form of sign-varying photoconductivity of cadmium sulphide crystals, 2=12541
 Richard, J.W. and Giles, J.C. Optical absorption spectra of arsenic and phosphorus in silicon, 2=23557
 Richard, J.W. See Colbow, K. 2=23556
 Richard, J.W. See Prask, H.J. 2=3491
 Bickerton, R.J. Status of world fusion, 2=12240

- Bickerton, R.J. and Spalding, I.J. The hydromagnetic stability of the hardcore pinch with small electrical conductivity, 2=17939
- Bidan, U. Levy, F. Abbattista, N. Minafra, A. Mongelli, S. Romano, A. and Waloschek, P. Elastic scattering $\pi^+ + p$ at 1.0 GeV, 2=11988
- Bidan, U. See Alitti, J. 2=16229
- Biddlestone, A.J. See Nutt, C.W. 2=20889
- Biddlestone, A.J. See Nutt, C.W. 2=20890
- Biddlestone, A.J. See Nutt, C.W. 2=20891
- Bidelman, W.P. High-excitations Si II lines in stellar spectra, 2=17290
- Bidelman, W.P. and Corliss, C.H. Identification of Ga II lines in stellar spectra, 2=17291
- Bidinosti, D.R. See Porter, R.F. 2=15127
- Biedenbarn, L.C. Some remarks on the Feynman-Gell-Mann formulation of the Fermi interaction, 2=9779
- Biedenbarn, L.C. Remarks on the relativistic Kepler problem, 2=11866
- Biedenbarn, L.C. See Griffy, T.A. 2=12130
- Biedenbarn, L.C. See Griffy, T.A. 2=20580
- Biedenbarn, L.C. and Brussaard, P.J. A note on proper angular momentum variables and the implication for angular correlation theory, 2=1067
- Biedenbarn, L.C. See Barfield, W.D. 2=3608
- Bieger, W. Dorn, D. Noll, P. and Tuzek, H. Measurements of ion energy distribution on a plasma gun, 2=11677
- Biener, G. Propagation of slow electromagnetic waves in a plasma cable, 2=7765
- Bieniek, M.P. Henry, L.A. and Freudenthal, A.M. One-dimensional response of linear viscoelastic media, 2=15518
- Bier, K. and Schmidt, B. The form of shock waves in freely expanding gas jets, 2=11404
- Bier, K. See Becker, E.W. 2=8072
- Bierly, J.N. Jr. See Testardi, L.R. 2=23372
- Bierman, A. Simplified evaluation of film dosimetry results, 2=22367
- Bierman, E. Scattering of 6-24 MeV negative pions by hydrogen, 2=18165
- Bier, W. See Becker, E.W. 2=8072
- Biering, J. Dependence of the phosphor adherence on the type and concentration of binder, on the coagulator concentration, and on the period of contact, 2=6617
- Bierlein, J.A. Gouy diffractometry in thermal diffusion, 2=13343
- Bierlein, T.K. Some density changes observed on heating irradiated uranium, 2=20724
- Bierlein, T.K. and Mastel, B. Defect structures observed in neutron-bombarded aluminium 2=21045
- Biermann, L. Lüst, R. Lüst, R. and Schmidt, H.U. Investigation of interplanetary matter by use of an artificially introduced ionized cloud, 2=4728
- Biermann, L. See Lüst, R. 2=13131
- Biersack, J. and Zimen, K.E. Emission probability of recoil nuclei in (x,y) reactions, 2=3546
- Bierstedt, P.E. Darnell, F.J. Cloud, W.H. Flippen, R.B. and Jarrett, H.S. Spiral spin configurations accompanying exchange inversion, 2=6677
- Bierstedt, P.E. See Bither, T.A. 2=12735
- Bies, D.A. See Winter, E.F. 2=9337
- Biesbroeck, G. Van See Van Biesbroeck, G.
- Bigeleisen, J. Erratum: Statistical mechanics of isotope effects on the thermodynamic properties of condensed systems, 2=4949
- Bigelow, J.E. and Haq, K.E. Significance of fatigue in lead oxide vidicon target, 2=23466
- Bigg, E.K. Miles, G.T. and Heffernan, K.J. Stratospheric ice nuclei, 2=11020
- Bigg, P.H. The imperial standard pound and its parliamentary copies in terms of the international kilogramme, 2=15443
- Bigg, P.H. Burch, F.H. and Oxley, D.L. Re-determination of the values of the imperial standard pound and of its parliamentary copies in terms of the international kilogramme during the years 1960 and 1961, 2=19263
- Bigg, P.H. See Rands, J.B. 2=7165
- Biggerstaff, J.A. Becker, R.L. and McEllistrem, M.T. Charged particle discrimination in a CsI(Tl) detector, 2=3210
- Biggerstaff, J.A. Hood, R.F. Scott, H. and McEllistrem, M.T. Differential cross-sections for (d, α) and (d,t) reactions in Be⁹, 2=20667
- Biggs, F. See Ham, L.B. 2=21759
- Bigi, A. See Bartke, J. 2=13883
- Bignell, K.J. Heat-balance measurements from an earth satellite - an analysis of some possibilities, 2=2458
- Bigot, J. and Talbot-Besnard, S. The growth of filaments and of platelets of the sesquioxides of iron, 2=12881
- Bihan, M.T. Le See Le Bihan, M.T.
- Biłł, D. See Firth, I.M. 2=3163
- Bijvoet, J.M. On the effect of more than one anomalous scattering atom in the unit cell, 2=14995
- Bilaniuk, O.M. Marsh, B.B. Hamann, A.K. and Heurtley, J.C. An array of solid state counters with delay line pulse sorting, 2=5286
- Bilaniuk, O.M. See Hafner, E.M. 2=19373
- Bilby, B.A. and Hewitt, J. Hydrogen in steel — the stability of microcracks, 2=14908
- Bilenskii, V. Observation of ferromagnetic domains with the help of dry magnetic powder, 2=21313
- Bilenskii, V. and Kashcheev, V. Effect of domain walls on slow neutron scattering by a single-anis ferromagnetic crystals, 2=21333
- Bilevich, A.V. Vereshchagin, L.F. and Kalashnikov, Ya.A. A piezometer for determining the density of gases at high pressures and temperatures, 2=17490
- Bilger, H. Investigation of recombination processes in neutron-irradiated Ge p-n-p transistors, 2=4053
- Billbin, L.P. and Zysyn, Yu.A. A detector for recording a pulse consisting of a small number of neutrons, 2=20366
- Billard, J. Remarks on the application of the principle of symmetry to the phenomena of change of state, 2=19770
- Biller, E. and Schwink, C. On the ferromagnetic resonance properties of sheet nickel, 2=12811
- Billick, I.H. The variation of the sedimentation coefficient with pressure and concentration, 2=15165
- Billings, D.E. See Cooper, R.H. 2=13132
- Billings, D.E. and Lehman, R.C. Lide-width temperatures of distinct coronal features, 2=19313
- Billington, E.W. and Ehrenberg, W. The electron voltaic effects in silicon and selenium elements, 2=638
- Billington, E.W. and Ehrenberg, W. New studies of the electron-voltaic effect, 2=23359
- Bills, D.G. Holt, R.B. and McClure, B.T. Pulsed probe measurements, 2=1448
- Bills, D.G. See Winters, H.F. 2=13387
- Billups, R.R. and Gardner, W.L. Radiation damage experiments on PbS infrared detectors, 2=9447
- Bilot, L. and Kowski, A. Theory of influence of solvents on the electron spectra of molecules, 2=22940
- Bilous, V.M. Electron localization levels in silver halide phosphors and the de-excitation action of the exciting light, 2=18864
- Bilous, V.M. and Golub, S.I. The effect of infrared light on the luminescence of pure and mixed silver halide phosphors, 2=18865
- Bilpuch, E.G. Weston, L.W. and Newson, H.W. Errata: Neutron capture cross sections in the KeV region. I. Methods of measurement and analysis, 2=1901
- Bilpuch, E.G. See Bowman, C.D. 2=10116
- Bilwes, R. Bourotte, B. and Magnac-Valette, D. Excited states of Be⁸, 2=366
- Bilwes, R. See Bourotte, B. 2=496
- Bilwes, R. See Gerardin, C. 2=5752
- Bilwes, R. See Linck, J. 2=496
- Bilyi, M.U. and Okhrimenko, B.A. Absorption and luminescence of halide solutions of thallium and lead ions of various valencies, 2=17468
- Bilyi, M.U. and Rud'ko, B.F. Effect of temperature on the luminescence spectra and the absorption of heavy metal salt solutions, I. 2=7220
- Bilz, H. and Genzel, L. Infrared dispersion of the alkali halides. II. Theory of the absorption at low temperatures, 2=18812
- Bin, M. and Pauthenet, R. Magnetic properties of a crystal of pyrrhotite at low temperatures, 2=14809
- Bina, M.J. See Segal, R.E. 2=367
- Binard, L. and Vanhorenbeeck, J. "Stripper" measuring instrument for recording variations of threshold and channel width, 2=9511
- Bindal, V.N. See Parthasarathy, S. 2=17460
- Binder, O. See Bagge, E. 2=12049
- Bingel, W.A. Preuss, H. Hofacker, L. and Schmidtke, H.H. Interpretation of the infinite energy values which occur in the MO-LAO method with partial overlapping, 2=6217
- Bingel, W.A. Angular dependence of the first-order transition density and spin density for many-electron atoms, 2=14187
- Bingel, W.A. Preuss, H. and Schmidtke, H.H. Effect of overlapping in the theory of - electron systems, 2=14309
- Bingham, H. See Bellini, G. 2=22573
- Bingham, H.H. See Di Corato, M. 2=22627
- Bin'kovskii, Yu.A. Nemets, O.F. and Stepanenko, V.A. Production of unattached films according to the vacuum evaporation method, 2=21564
- Binkowski, B.B. See Lorenz, M.R. 2=8589
- Binnendijk, L. The light variation and orbital elements of ER Orionis, 2=7012
- Binnie, D.M. Photons from positron beams in the GeV range, 2=3321
- Biondi, L. Method for measuring the burn-up of fuel elements in power reactors, 2=12260
- Biondi, M.A. Measurements of electron attachment recombination, elastic and inelastic collisions in atmospheric gases, 2=2782
- Biondi, M.A. See Courville, G.E. 2=19899

- Biondi, M.A. See Kasner, W.H. 2=3008
- Biot, A. Lateral chromatic aberration of a Ramsden eyepiece, 2=13437
- Biot, A. Huyghens type compensating eyepiece for measurement purposes with an apochromatic microscope objective, 2=13438
- Biot, A. Huyghenian eyepiece with an achromatized field lens, 2=13439
- Biot, A. Doublet objective with a given amount of transverse chromatic aberration. Application to the microscope. 2=19680
- Biot, A. Transverse chromatic aberration of cemented doublets used as objectives, 2=19681
- Biot, A. Transverse chromatic aberration of the thick lens, 2=21993
- Biot, A. The circle of confusion, 2=24211
- Biot, M.A. Mechanics of deformation and acoustic propagation in porous media, 2=10748
- Biot, M.A. Generalized theory of acoustic propagation in porous dissipative media, 2=21971
- Biot, M.A. and Ode, H. On the folding of a viscoelastic medium with adhering layer under compressive initial stress, 2=14886
- Bir, G.L. Normantas, E. and Pikus, G.E. Galvanomagnetic effects in semiconductors with degenerate bands, 2=18661
- Bir, G.L. Normantas, E. and Pikus, G.E. Galvanomagnetic effects in semiconductors with degenerate bands, 2=23245
- Bir, G.L. and Pikus, G.E. Effect of deformation on the energy spectrum and electrical properties of semiconductors of the InSb type, 2=21152
- Bir, G.L. See Picus, G.E. 2=23271
- Birau, O. See Salceanu, C. Electrical breakdown potential of falling liquid drops, formed by detachment from a level surface, 2=1376
- Birbrair, B.L. The interaction between protons and neutrons in the pair correlation model, 2=9846
- Birbrair, B.L. Effect of superfluidity of atomic nuclei on stripping and pick-up reactions, 2=22780
- Birch, D. See Craik, R.L. 2=17033
- Bird, C.M. See Flanagan, J.L. 2=4897
- Bird, C.A. The free-molecule flow field of a moving body in the upper atmosphere, 2=4621
- Bird, J.R. Gibbons, J.H. and Wood, W.M. Gamma-ray spectra from capture of 30 keV neutrons, 2=18340
- Bird, L.L. See Ziegler, C.A. 2=19507
- Bird, R.B. See Williams, M.C. 2=21875
- Birdsall, C.K. Electron-steam kinetic power second-order terms as obtained from MacColl's mean values, 2=3081
- Birdsall, C.K. and Bridges, W.B. Space-charge instabilities in electron diodes and plasma converters, 2=1500
- Birge, R.W. See Camerini, U. 2=22624
- Birge, R.W. See Good, R.H. 2=317
- Birge, R.W. See Good, R.H. 2=22628
- Birger, N.G. and Smorodin, Yu.A. Kinematic analysis of high energy interactions, 2=7818
- Birger, N.G. Van Gan-ghan[Wang Kang-ch'ang], Van Tsu-tszien[Wang Ts'u-tsiang], Din Da-tsag[Ting Ta-ts'ao], Katyshev, Yu, V. Kladnitskaya, E.N. Kopylova, D.K. Lyubimov, V.B. Nguen Din Ty, Nikitin, A.V. Podgoretski, M.I. Smorodin, Yu.A. Solov'ev, M.I. and Trka, Z. Inelastic interaction between 6.8 BeV/c π^- -mesons and nucleons, 2=3391
- Birk, G. Method of survey observation with the Leitz Dialux-Pol microscope using the Bertrand lens, 2=7350
- Birks, J.B. and Hart, J. [Eds.], Progress in dielectrics Volume 4, 2=17764
- Birks, J.B. and Hart, J. [Eds.], Progress in dielectrics, Volume 4. 2=22153
- Birks, J.B. King, T.A. and Munro, I.H. The photoluminescence decay of organic crystals, 2=18869
- Birk, M. Blaugrund, A.E. Goldring, G. Skurnik, E.Z. and Sokolowski, J.S. Lifetimes of some rotational levels, 2=10011
- Birkenbeil, H.J. and Cahn, R.W. Induced magnetic anisotropy created by magnetic and stress annealing of iron-aluminum alloys, 2=8620
- Birkhoff, R.D. See Frank, A.L., 2=14752
- Birkholz, U. and Haacke, G. The influence of halogen doping on the thermoelectric properties of the system $\text{Bi}_2\text{Te}_{3-x}\text{Se}_x$, 2=12550
- Birks, J.B. [Ed.]. Proceedings of the symposium on nuclear instruments Harwell, September 1961, 2=7779
- Birks, J.B. The fluorescence and scintillation decay times of crystalline anthracene, 2=8582
- Birks, J.B. and Christophorou, L.G. Excimer fluorescence of aromatic hydrocarbons in solution, 2=11376
- Birks, L.S. Electron probe intensity calculations for 20-50 keV electrons, 2=5379
- Birks, L.S. and Seebold, R.E. Diffusion of Nb with Cr, Fe, Ni, Mo and stainless steel, 2=3943
- Birks, L.S. See Seebold, R.E., 2=3954
- Birkwald, V. See Sommermeyer, K., 2=7222
- Birman, J. See Lempicki, A., 2=23591
- Birman, J.L. Configurational instability in solids: diamond and zinc blende, 2=10346
- Birman, J.L. Space group selection rules: Diamond and zinc blende, 2=19065
- Birman, M.Sh. and Krein, M.G. Theory of wave operators and scattering operators, 2=21835
- Birnbaum, G. and Maryott, A.A. Collision-induced microwave absorption in compressed gases. II. Molecular electric quadrupole moments, 2=13380
- Birnbaum, G. See Maryott, A.A., 2=13379
- Birnbaum, H.K. Deformation produced point defects. II, 2=18568
- Birnbaum, M., Popescu, V. and Taitel, T. A gamma-radiation detector operating a relay, 2=20300
- Biront, A. and Blanc, D. Calculation of the effective anode length and the sensitive volume of Geiger-Muller counters with glass walls and external conducting layers, 2=11821
- Birss, R.R. Property tensors in magnetic crystal classes, 2=10636
- Birss, R.R. Electromagnetic induction, 2=22300
- Birukov, I. Effect of gamma-irradiation on a nuclear quadrupole resonance signal intensity, 2=8694
- Biryukov, E.I., Grigor'ev, O.I., Kuznetsov, B.S. and Shimanskaya, N.S. Decay of Dy^{156} , 2=16371
- Biryukov, E.I., Grigor'ev, O.I., Kuznetsov, B.S. and Shimanskaya, N.S. Disintegration of Nd^{140} and Pr^{140} , 2=18299
- Biryukov, E.I., Kuznetsov, B.S. and Shimanskaya, N.S. Mean energy of the $\text{Y}^{90}\beta$ -spectrum, 2=405
- Biryukov, E.I., Kuznetsov, B.S. and Shimanskaya, N.S. Mean energy of the $\text{Y}^{90}\beta$ -spectrum, 2=22762
- Biryukov, I. Some special features of the selection of a nuclear quadrupole resonance signal, 2=23726
- Bischof, W. Variations in concentration of carbon dioxide in the free atmosphere, 2=8956
- Bisgard, K.M., Olesen, K. and Ostergard, P. A study of radiations from W^{187} , 2=14021
- Bishop, G.R., Grossetete, B. and Risset, J.C. Study of electrodisintegration and photodisintegration of oxygen 16, 2=10087
- Bishop, G.R. and Isabelle, D.B. A new electric quadrupole transition in O^{16} , 2=20521
- Bishop, G.R. and Proca, G.A. Contribution to the study of the S^{32} nucleus, 2=380
- Bishop, G.R. See Amsel, G., 2=370
- Bishop, G.R. See Bounin, P., 2=434
- Bishop, G.R. See Isabelle, D.B., 2=432
- Bishop, G.R. See Lacoste, F., 2=435
- Bishop, J.E.L. The shape of specimen for the measurement of the skin effect in ferromagnetic strips, 2=13650
- Bishop, K.F., Taylor, B.T. and Eggleton, A.E.J. Isotopic composition of atmospheric hydrogen and methane, 2=2467
- Bishop, R.L. See Barber, R.C., 2=20760
- Bisi, A., Cattoni, A., Fasana, A. and Zappa, L. Dependence of the circular polarization of external bremsstrahlung on electric and magnetic fields, 2=18097
- Bisi, F., Cattoni, A., De Michelis, B. and Piechele, P. A 60° sector type electromagnetic isotope separator, 2=3719
- Bisson, A. and Frisby, H. Electron microscope observations of porosity carbon inclusions and dislocations in hot pressed beryllium oxide, 2=4517
- Bisson, W.J. and Dennen, W.H. Newton and spectral lines, 2=9390
- Biswas, A.B. See Irani, K.S., 2=14923
- Biswas, A.B. See Srikanta, S., 2=10898
- Biswas, N.N. Y^* and two-nucleon K^- -captures, 2=5740
- Biswas, N.N. Possible existence of a pion-pion resonance in the s-wave $I = 2$ isospin state, 2=13874
- Biswas, S. The flux of heavy nuclei in the July 10, 1959, flare, 2=22670
- Biswas, S., Freier, P.S. and Stein, W. Solar protons and α -particles from the September 3, 1960 flares, 2=7913
- Biswas, S.N. Magnetic moments of baryons in a symmetry higher than charge-independence, 2=13752
- Biswas, S.N. Anomalous magnetic moments of the baryons in global symmetry model, 2=18089
- Biswas, S.N. and Gupta, V. Effect of the $(\Lambda-\pi)$ resonance in inelastic nucleon-hyperon collisions, 2=1725
- Biswas, S.N. K^* and the K_2 decay mode, 2=16239
- Biswas, S.N. and Gupta, V. $(\pi-\pi)$ and $(\bar{K}-\pi)$ resonances, 2=13862
- Biswas, S.N. See Banerjee, B., 2=16140
- Bither, T.A., Walter, P.H.L., Cloud, W.H., Swoboda, T.J. and Bierstedt, P.E. New modified Mn_2Sb compositions showing exchange inversion, 2=12735
- Bittel, H. Brownian movement of a galvanometer and electronic noise, 2=7549
- Bittel, H. See Gdddecke, H., 2=14398
- Bitter, F. Magnetic resonance in radiating or absorbing atoms, 2=6081

- Bitter, F. Water cooled magnets, 2=9681
- Bittini, M. The visual threshold, 2=24212
- Bizzarri, U. See Bernardini, C., 2=7690
- Bizzeti, P.G., Bizzeti-Sona, A.M. and Bocciolini, M. The absolute cross-sections for the $\text{Na}^{23}(\text{n}, \alpha)$ and $\text{I}^{127}(\text{n}, \alpha)$ reaction at 14 MeV, 2=18336
- Bizzeti-Sona, A.M. See Bizzeti, P.G., 2=18336
- Bjerhammar, A. On the gravity field of the earth, 2=15173
- Bjerke, A.E., Kerns, Q.A. and Nunamaker, T.A. Time resolution of a scintillation counter system, 2=17993
- Bjerke, A.E., Kerns, Q.A. and Nunamaker, T.A. Pulse shaping and standardizing of photomultiplier signals for optimum timing information using tunnel diodes, 2=19863
- Bjorklund, F.E., Lippmann, B.A. and Moravcsik, M.J. One-pion exchange and the optical model, 2=5896
- Bjorkstam, J.L., Jones, E.D., Silsbee, H.B. and Uehling, E.A. Absence of a linewidth transition for the protons in KH_2PO_4 -type crystals, 2=18971
- Bjorkstam, J.L. See Mayer, R.J., 2=16780
- Bjornholm, S. See Bell, R.E., 2=18256
- Bjornholm, S. and Lederer, C.M. Thin cation-exchange foils, 2=19148
- Bjornholm, S. and Nielsen, O.B. A study of the β -decay of Pa^{234} (UZ), 2=7944
- Black, P.J., Evans, D.E. and O'Connor, D.A. Interference between Rayleigh and nuclear resonant scattering in crystals, 2=23038
- Blackband, W.T. Possible propagation of very-low-frequency signals between Rugby and Rome through the ionosphere, 2=17968
- Blackburn, J.H. and Seely, L.B. Source of light recorded in photographs of shocked granular pressings, 2=17501
- Blackburn, W.S. α - β thermal cycling of uranium, 2=802
- Blackburn, W.S. Creep buckling of stacked fuel elements, 2=4331
- Blackburn, R. Some applications of radioactive isotopes in metallurgy, 2=17029
- Blackburn, W.S. The effect of internal stresses due to irradiation growth and thermal cycling on the creep of uranium, in the cases of both elastic and plastic behaviour, 2=4332
- Blackford, B.L. See Magarvey, R.H., 2=15877
- Blackford, B.L. See Magarvey, R.H., 2=17422
- Blackham, E.D. See Fletcher, H., 2=13413
- Blackman, L.C.F., Saunders, G. and Ubbelohde, A.R. Radiation damage in well oriented pyrolytic graphites, 2=614
- Blackman, L.C.F. and Ubbelohde, A.R. Stress recrystallization of graphite, 2=4392
- Blackman, M. and Gustard, B. Domains in haematite, 2=8633
- Blackstock, D.T. Propagation of plane sound waves of finite amplitude in nondissipative fluids, 2=2827
- Blackstock, D.T. Finite-amplitude motion of a piston in a shallow fluid-filled cavity, 2=13398
- Blackwell, D.E. The zodiacal light, 2=15328
- Blackwell, G.R. A revised theory of the floating crucible technique of crystal growing, 2=2366
- Bladel, J. Van. See Van Bladel, J.,
- Blades, J.D., Gerber, J. and Thompson, C.T. Initial studies of the preparation and properties of vanadium thin films, 2=4494
- Bladier, B. Contribution to the study of violin cello chords, 2=7300
- Blagoi, Yu. P. Surface tension of solutions of liquefied gases N_2 -A, $\text{A}-\text{CH}_4$, N_2 - CH_4 , 2=1125
- Blaine, L.R., Plyler, E.K. and Benedict, W.S. Calibration of small grating spectrometers from 166 to 600 cm^{-1} , 2=17617
- Blair, A.G. and Wegner, H.E. Experimental study and distorted-wave predictions for the (He^3, α) reaction on Fe isotopes, 2=18359
- Blair, A.G. and Wegner, H.E. Experimental study of the (He^3, t) reaction, 2=20678
- Blair, D.T.A. See Tedford, D.J., 2=7587
- Blair, I.M., Muirhead, H. and Woodhead, T. A measurement of the capture rate of negative muons in various elements, 2=22927
- Blair, I.M., Muirhead, H., Woodhead, T. and Woulds, J.N. The effect of atomic binding on the decay rate of negative muons, 2=22926
- Blair, I.M. See Astbury, A., 2=1702
- Blair, I.M. See Astbury, A., 2=10129
- Blair, J.C., Davis, R.M., Jr and Kirby, R.C. Frequency dependence of D-region scattering at v.h.f., 2=5490
- Blair, J.M. See Hobbie, R.K., 2=503
- Blair, J.S., Sharp, D. and Wilets, L. Inelastic scattering by deformed nuclei, 2=7959
- Blair, W.E. See Moore, R.K., 2=5478
- Blairs, S., Shelton, A.J. and Unsworth, R. Metal cell for use in vapour pressure measurements by the effusion method, 2=43
- Blaissie, B.S. See Bots, G.J.C., 2=12384
- Blaissie, B.S. See Druyvesteyn, W.F., 2=18981
- Blake, B. and Mühlischlegel, B. Estimate of the depolarization of transversely polarized electrons emitted from thin sources, 2=12157
- Blake, B., Robone, R., Frauenfelder, H. and Lipkin, H.J. Transverse polarization of conversion electrons following β -decay, 2=22772
- Blake, L.R. Achieving high burn-up in fast reactors, 2=3653
- Blake, R.L. See Chubb, T.A., 2=15339
- Blakely, J.M. Effect of impurity on surfaces of heated gold, 2=6845
- Blakely, J.M. and Jackson, K.A. Growth of crystal whiskers, 2=19059
- Blakely, J.M. and Mykura, H. Surface self diffusion and surface energy measurements on platinum by the multiple scratch method, 2=15087
- Blakemore, J.S. Design of germanium for thermometric applications, 2=2918
- Blakemore, J.S. Recombination processes in tellurium, 2=23409
- Blakemore, J.S., Long, D. and Nomura, K.C. and Nussbaum, A. Tellurium, 2=16732
- Blakemore, J.S. and Nomura, K.C. Intrinsic optical absorption in tellurium, 2=18805
- Blakemore, J.S., Schultz, J.W. and Myers, J.G. Measurements on gallium-doped germanium thermometers, 2=13480
- Blakey, P.R. See Sheldon, R.P., 2=23822
- Blamont, J. and Pecker, J.C. French projects and equipment, 2=13041
- Blamont, J.E. and de Jager, C. Upper atmospheric turbulence near the 100 km level, 2=882
- Blamont, J.E. and Roddier, F. Precise observation of the profile of the Fraunhofer strontium resonance line. Evidence for the gravitational red shift on the sun, 2=11125
- Blamont, J.E. See Boubil, Y., 2=11044
- Blamont, J.E. See Donahue, T.M., 2=908
- Blamont, J.E. See Donahue, T.M., 2=4625
- Blanariu, D. Methods of measuring the natural radioactivity of the atmosphere, 2=11040
- Blanariu, D. See Mageru, V., 2=8963
- Blanariu, D. See Mageru, V., 2=11039
- Blanaru, D., Gabe, T., Iorgulescu, A., Literat, R., Mageru, V. and Oncescu, M. Radioactive fall-out in the Rumanian People's Republic from November 1958 to December 1959, 2=7937
- Blanaru, L. See Draganescu, V., 2=5182
- Blanaru, L. See Draganescu, V., 2=7381
- Blanc, C., Blanc, D., Degeilh, A. and Malesset, C. Measurement of molecular flow leaking from a mass spectrometer, 2=11397
- Blanc, C., Blanc, D., Degeilh, A. and Malesset, C. Application of the mass spectrometer to the study of gas ionization, 2=15883
- Blanc, D., Cambou, F. and de Lafond, Y.G. Kinetics of the fast scintillation component in a pure organic medium. Application to the case of anthracene, 2=13703
- Blanc, D., Cambou, F., De Villers, D., Reme, H., Vedrenne, G. and Ambrosino, G. Reaction $^{28}\text{Si}(\text{n}, \alpha)^{25}\text{Mg}$ for 14.6 MeV neutrons, 2=12202
- Blanc, D., Degeilh, A. and Saporte, R. Configuration of the ion beam at the level of the extraction tube in electrically excited R.F. sources, 2=1519
- Blanc, D. and Laborie, P. Form of the characteristics of spark counters of the "wire and plane" type, 2=3199
- Blanc, D. and Laborie, P. Conditions of operation of spark counters with anode wires or sphere in discharge conditions by the corona effect, 2=20187
- Blanc, D., Lacoste, R., Lagasse, J. and Barribe, A. On the measurement of very high electrical resistances with the help of ionization chambers used as current sources, 2=1346
- Blanc, D. See Ambrosino, G., 2=7996
- Blanc, D. See Birot, A., 2=11821
- Blanc, D. See Blanc, C., 2=11397
- Blanc, D. See Blanc, C., 2=15883
- Blanc, D. See Fontan, J., 2=4610
- Blanc, D. See Fontan, J., 2=13011
- Blanc, D. See Fontan, J., 2=18274
- Blanc, D. See Laborie, P., 2=11825
- Blanc, G. See Berge, P., 2=615
- Blanc, G. See Dubois, M., 2=12481
- Blanc, J., Brecher, C. and Halford, R.S. Motions of molecules in condensed systems. XII. Infrared spectrum and structure of a single crystal of allene, 2=14684
- Blanc, J., Bube, R.H. and Rosi, F.D. The behavior of copper in GaAs, 2=23384
- Blanc, J. and Weisberg, L.R. Energy-level model for high-resistivity gallium arsenide, 2=2163
- Blanc, J. See Bube, R.H., 2=8408
- Blanc, J. See Weisberg, L.R., 2=19049
- Blanc, J. See Weisberg, L.R., 2=23385
- Blanc, M. Study of fused liquids salts by ultrasonic investigations, 2=13333
- Blanchard, C.H. See Cohen, A., 2=10287
- Blanchard, C.H. See Prosser, F.P., 2=8055
- Blanchard, C.H. See Roy, R.R., 2=5893
- Blanchard, M.L. Contribution in the study of zinc oxide by the dielectric method, 2=6517

- Blanchard, M.L. The influence of traces of impurities on the thermoluminescent properties of zinc oxide, 2=6648
- Blanchard, M.L. See Monod-Herzen, G., 2=12636
- Bland, C.J. A laboratory scale model for the investigation of cosmic ray threshold rigidities, 2=22682
- Bland, C.J. See Quenby, J.J., 2=16252
- Bland, J.A. The crystal structure of barium orthotitanate Ba_2TiO_4 , 2=10887
- Bländariu, D. See Magero, V., 2=6925
- Blander, M. Van der Waals energy changes in the mixing of molten salts, 2=11355
- Blander, M. Excess free energies and heats of mixing in certain molten salt mixtures, 2=17452
- Blander, M. See Manning, D.L., 2=17093
- Blandin, J. X-ray emission spectrography. II. Study of the operation of the bent crystal spectrograph. III. Rare earth spectra obtained by means of the best crystal spectrograph, 2=8544
- Blandin-Vial, J. Slowing down of α -particles emitted from Th C and Th C' in gold foils, 2=19903
- Blank, J. Saturation of nuclear forces in Brueckner theory, 2=20484
- Blankenbecler, R. Effect of the 3π resonance on the 2π resonance, 2=3388
- Blankenbecler, R., Cook, L.F. and Goldberger, M.L. In the proton an elementary particle? 2=20286
- Blankenbecler, R. and Goldberger, M.L. Behavior of scattering amplitudes at high energies, bound states, and resonances, 2=11891
- Blankenbecler, R. and Tarski, J. Isoscalar nucleon structure, 2=3326
- Blankenship, F.A. and Belford, R.L. VCl_4 vapor spectrum and Jahn-Teller splitting, 2=6162
- Blankenship, F.A. and Belford, R.L. Erratum: VCl_4 vapor spectrum and Jahn-Teller splitting, 2=20842
- Blankenship, J.L. and Borkowski, C.J. Improved techniques for making $\text{P}^+ - \text{I}^- - \text{N}^+$ diode detectors, 2=18019
- Blankenship, J.L. and Borkowski, C.J. Use of lithium-drifted diodes in beta and gamma spectrometry, 2=20202
- Blankinship, W.A. Method of time normalization for speech, 2=7066
- Blanpain, R. Experimental study of the specific heat of rhodium, 2=6284
- Blänsdorf, K. and Lautz, G. Experimental investigation of the influence of chemisorption on the thermoelectric power of evaporated metal films, 2=14591
- Blanter, M.E. and Mashkov, A.K. Changes of electrical resistance and thermoelectric power during the $\alpha \rightarrow \gamma$ transition in alloyed iron, 2=8271
- Blanter, M.E. and Mashkov, A.K. Variations in electrical resistivity and thermoelectromotive force in the process of $\alpha \rightarrow \gamma$ transformation in alloyed iron, 2=23234
- Blaquière, A. Extension of the Fourier method to nonlinear operators, with optimum linear approximation, 2=9329
- Blaquière, A. and Cazemajou, J. Neutron fluctuations in the Ulysses reactor, experimental results and their interpretation, 2=22872
- Blaquière, A., Cazemajou, J., Lapique, G., Pachowska, R., Stern, T. and Valat, J. The Fokker-Planck equation and the autocorrelation function of nuclear reactors, 2=1945
- Blaquière, A. and Pachowska, R. Schrödinger's equation applied to the calculation of nuclear reactor perturbations, 2=6003
- Blaskovic, L. See Astier, A., 2=22614
- Blatchley, D.E. See Bent, R.D., 2=20510
- Blatt, F.J. See Kleinberg, R., 2=6297
- Blatt, J.M. Persistent ring currents in an ideal Bose gas, 2=2951
- Blatt, J.M. Qualitative arguments concerning the Bose-Einstein condensation of fermion pairs, 2=15500
- Blatt, J.M., Böer, K.W. and Brandt, W. Bose-Einstein condensation of excitons, 2=14415
- Blatt, J.M. See McKenna, J., 2=11298
- Blatter, R. See Appel, H., 2=10076
- Blaugher, R.D., Chandrasekhar, B.S., Hulm, J.K., Corenzwit, E. and Matthias, B.T. Superconducting titanium-molybdenum alloys, 2=7520
- Blaugher, R.D. and Hulm, J.K. Superconducting critical field of single-crystal Mo_3Re , 2=2958
- Blaugher, R.D., Taylor, A. and Hulm, J.K. The superconductivity of some intermetallic compounds, 2=7522
- Blaugher, R.D. See Hulm, J.K., 2=1338
- Blaugrund, A.E. See Birk, M., 2=10011
- Blazek, M. Explicit determination of the potential with n bound states by means of the solution of the inverse problem, 2=16159
- Blazek, M. The Gelfand-Levitán equation and its application to the scattering of neutrons on protons, 2=16198
- Blazek, M. On some equations for potential scattering, 2=19437
- Blakney, H.H. The metallography of creep rupture in aluminum, 2=19011
- Bleaney, B. Electron spin resonance of point defects in CaF_2 , 2=4249
- Bleeker, E.J., Goudsmit, P.F.A. and de Vries, C. Measurements of K-shell photoelectric cross-sections, 2=5864
- Blekhman, I.I. and Dzhanelidze, G.Yu. The stability of vibrationally linearized nonlinear systems, 2=17393
- Bleichrodt, J.F. Increased concentration of beryllium-7 in the stratosphere after the nuclear test explosions during September-October 1961, 2=15204
- Blend, H. Ultrasonic dispersion in dissociating dinitrogen tetroxide, 2=4530
- Bleser, E., Lederman, L., Rosen, J., Rothberg, J. and Zavattini, E. Muon capture in liquid hydrogen, 2=16218
- Bleser, E., Lederman, L., Rosen, J., Rothberg, J. and Zavattini, E. μ -mesonic molecules in liquid hydrogen, 2=18504
- Blet, G. Apparatus for deposition of thin films on a heated substrate, 2=19641
- Bleuler, E. See Caldwell, D.O., 2=22611
- Bleuler, E. See Plouge, W.D., 2=497
- Bleuler, E. See Carpenter, R.D., 2=23614
- Bleuler, E. See Wong, S.S.M., 2=3613
- Blevin, W.R. and Brown, W.J. Total reflectances of opaque diffusers, 2=22060
- Blewett, M.H. The Brookhaven International Conference on high-energy accelerators, 2=3105
- Blettitt, T.H. See Makin, M.J., 2=8738
- Blignaut, E. See Wahlin, L., 2=19851
- Blin, J. See Bloch, J., 2=4442
- Blin, R., Detoni, S., Levstek, I., Pintar, M., Poberaj, S. and Schara, M. Electron spin resonance of irradiated ferroelectric tri-glycine sulfate, 2=2208
- Blin, R., Brenman, M., Miller, S.R. and Waugh, J.S. Proton spin-lattice relaxation in ferroelectric colemanite, 2=21379
- Blin, R. See Miller, S.R., 2=10711
- Blinder, S.M., Peller, M.L., Lord, N.W., Aamodt, L.C. and Ivanchukov, N.S. Electron spin resonance of tetraphenylpyrrol radical, 2=3778
- Blinov, M.V. and Eismont, V.P. Nuclear shells and instantaneous fission neutrons, 2=8014
- Blinov, M.V., Kazarinov, N.M. and Protopopov, A.N. Study of the energy and angular distributions of neutrons emitted in the fission of U^{235} induced by thermal neutrons, 2=14149
- Blinowski, K. and Sosnowski, J. Parasitic reflections of neutrons in crystal monochromators, 2=3353
- Blin-Stoyle, R.J. Mesonic and other corrections in β -decay, 2=1835
- Blin-Stoyle, R.J. Particles, field theory and force, 2=22378
- Blin-Stoyle, R.J. and Le Tourneux, J. The beta-decay coupling constant and the ft-value of O^{14} , 2=12161
- Blin-Stoyle, R.J. and Spector, R.M. Effects of parity-nonconserving internucleon potential on $\text{Li}^{7*}(0.478 \text{ MeV}) \rightarrow \text{Li}^7$ gamma transition, 2=418
- Blin-Stoyle, R.J. See Spector, R.M., 2=14033
- Blitz, J., Clunie, D.M. and Hogarth, C.A. Ultrasonic absorption in semiconductors, 2=23054
- Blitzer, L., Boughton, E.M., Kang, G. and Page, R.M. Effect of ellipticity of the equator on 24-hour nearly circular satellite orbits, 2=7042
- Blitzstein, W. See Maron, I., 2=4842
- Bloch, D. and Pauthenet, R. Variation with pressure of the Curie points of Gd and Mn_2Ge_3 , and of the compensation point of $5\text{Fe}_2\text{O}_3 \cdot 3\text{Gd}_2\text{O}_3$, 2=12753
- Bloch, J. Effect of neutron irradiation of uranium-iron alloys dilute in iron, 2=20729
- Bloch, J., Doulat, J. and Blin, J. Study of disordering the U_2Mo phase by irradiation, 2=4442
- Bloch, J. See Mustelier, J.P., 2=18626
- Bloch, M., Lagarrigue, A., Rancon, P. and Rousset, A. A 300 Liter heavy liquid bubble chamber, 2=1640
- Bloch, M. See Aubert, B., 2=18187
- Bloch, M. See Aubert, B., 2=22647
- Bloch, M. See Bellini, G., 2=22573
- Bloch, M. See Di Corato, M., 2=22627
- Bloch, R. See Kuhn, W., 2=10790
- Blocher, J.M., Jr. See Veigel, N.D., 2=21480
- Block, H.D. The perception: a model for brain functioning. I, 2=1320
- Block, H.D., Knight, B.W., Jr and Rosenblatt, F. Analysis of a four-layer series-coupled perception. II, 2=13207
- Block, M. See Pevsner, A., 2=5719
- Block, M. See Pevsner, A., 2=22572
- Block, M.M., Fiorini, E., Kikuchi, T., Giacomelli, G. and Ratti, S. The ρ -value for the β -decay of the negative muon, 2=9883
- Block, N. See Muhleman, D.O., 2=13175
- Blodgett, H.C., Jeffress, L.A. and Whitworth, R.H. Effect of noise at one ear on the masked threshold for tone at the other, 2=21756
- Blodgett, H.C. See Jeffress, L.A., 2=21760

- Blodgett, H.C. See Jeffress, L.A., 2=24201
 Blodgett, H.C. See Jeffress, L.A., 2=24207
 Bloem, J. and van Vessem, J.C. Etching Ge with mixtures of $\text{HF}-\text{H}_2\text{O}_2-\text{H}_2\text{O}$, 2=8778
 Bloembergen, N. See Armstrong, J.A., 2=19665
 Blok, J. See Born, P., 2=3512
 Blok, J. See De Boer, T.J., 2=12146
 Blok, J. See Kramer, P., 2=16361
 Blok, J. See Kramer, P., 2=16362
 Blok, J. See Kramer, P., 2=16363
 Blok, J. See Kramer, P., 2=20307
 Blokhin, M.A. and Sachenko, V.P. Concerning the shape of energy bands in solids, 2=14406
 Blokhintsev, D.I. On elastic pion and nucleon scattering at high energies, 2=9906
 Blokhintsev, D.I. Diffraction π -N scattering and spatial nucleon structure, 2=11990
 Blokhintsev, D.I. Elastic scattering of high energy pions and nucleons, 2=13861
 Blokhintsev, D.I. See Barashnikov, V.S., 2=7884
 Blokhintsev, L.D. and Dolinskii, E.I. On the coupling constants in μ -capture, 2=3371
 Blokhintsev, L.D. and Dolinsky, E.I. On induced pseudoscalar interaction in β -decay, 2=16349
 Blokhintsev, L.D., Dolinskii, E.I. and Popov, V.S. Analytic properties of nonrelativistic diagrams, 2=18058
 Blokhintseva, T.D., Grebinnik, V.G., Zhukov, V.A., Libman, G., Nemenov, L.L., Selivanov, G.I. and Yuan' Zhun-fan [Yuan Jung-fang], (π^+, p) -total reaction cross-sections measurements at 340 MeV, 2=16227
 Blomgren, G.E. Theories of fused salt solutions, 2=19552
 Bloom, A.L. Principles of operation of the rubidium vapor magnetometer, 2=5430
 Bloom, A.L. Optical pumping, 2=14225
 Bloom, J.H., Ludington, C.E. and Phipps, R.L. The study of a continuous getter at high ambient temperatures with carbon dioxide, 2=5087
 Bloom, J.H. See Phipps, R.L., 2=5083
 Bloom, L.R. See Buhrer, C.F., 2=22067
 Bloom, M. and Erdman, K. The transverse Stern-Gerlach experiment, 2=6112
 Bloom, M. and Jones, E.P. Detection of nuclear spin states in molecular crystals, 2=14847
 Bloom, M. and Sandhu, H.S. Proton spin-lattice relaxation in pure methane and its deuterated modifications, 2=10709
 Bloom, M. and Sandhu, H.S. N.M.R. line-shape studies in methane using pulse techniques, 2=14852
 Bloom, M. See Sawatzky, E., 2=21292
 Blue, M.D. and Kruse, P.W. Preparation and electrical properties of mercury selenide, 2=16728
 Blue, M.D., Garfunkel, J.H. and Kruse, P.W. Long wavelength photo-effect in mercury selenide, 2=130
 Blue, M.D. See Kruse, P.W., 2=10534
 Blue, M.H., Lord, J.J., Parks, J.G. and Tsao, C.H. Proton-proton collisions at 4.2 BeV, 2=5637
 Blum, E.J. and Cagnet, M. Interferometry in the presence of scintillations, 2=2892
 Blum, E.J. and Le Squeren, C. A new type of radiotelescope, 2=7032
 Blum, H. See Holton, W.C., 2=3960
 Blum, L. Evolution of a crystal in an oscillating field, 2=3826
 Blum, L. The evolution equation for the homogeneous crystal, 2=14347
 Blum, L. Theory of helium II, 2=17709
 Blum, P. An electron scintillation spectrometry method, 2=20192
 Blum, P.A. and Jobert, G. Spectral analysis of variations of gravity, 2=21607
 Blum, S.E. See Ainslie, N.G., 2=19048
 Blumberg, R.H. Critical field measurements on thin superconducting Sn films, 2=13517
 Blumberg, R.H. and Seraphim, D.P. Effect of elastic strain on the superconducting critical temperature of evaporated tin films, 2=1340
 Blumberg, R.H. See Douglass, D.H., Jr, 2=19820
 Blume, H., Brauer, P. and Westermann, K. On the decay of the luminescence of $\text{NH}_4\text{Br}:\text{Ti}$ excited with ultraviolet light, 2=23598
 Blume, M., Freeman, A.J. and Watson, R.E. Neutron magnetic scattering from rare-earth ions, 2=2711
 Blume, M., Freeman, A.J. and Watson, R.E. Neutron magnetic form factors and X-ray atomic scattering factor for rare-earth ions, 2=23675
 Blume, M. and Orbach, R. Spin-lattice relaxation of S-state ions: Mn^{2+} in a cubic environment, 2=18955
 Bloom, M.H. See Steiger, M.H., 2=19515
 Bloom, S.D., Mann, L.G. and Miskel, J.A. Isospin conservation and β - γ circular-polarization correlation in mixed transitions, 2=10058
 Bloom, S.D. See Mann, L.G., 2=10049
 Bloom, S.D. See Mann, L.G., 2=20552
 Bloor, D. and Martin, D.H. Antiferromagnetic resonance in the extreme infra-red, 2=2295
 Bloss, R.L. See Mordfin, L., 2=19838
 Bloss, W. The direct conversion of heat to electrical energy by means of noble-gas filled thermionic valves, 2=9521
 Bloss, W. See Pfender, E., 2=9627
 Blosser, H.G. and Gordon, M.M. Performance estimates for injector cyclotrons, 2=5418
 Bløtekjaer, K. and Grung, B. Optimum r.f. field distribution of mono-tron cavities, 2=17883
 Blotekjaer, K. Transverse electron beam noise described by filamentary beam parameters, 2=17887
 Blottiau, F. Trichromatic colorimetry measurements taking into account the variations of the state of adaption of the observer, 2=17329
 Blottiau, F. Application of the photocolorimetric representation to the production of colours by subtraction, 2=19675
 Blount, E.I. Bloch electrons in a magnetic field, 2=14402
 Blow, D.M. and Rossmann, M.G. The single isomorphous replacement method, 2=10849
 Blow, D.M. See Rossmann, M.G., 2=10851
 Bloxam, R.W. Quantitative determination of uranium and thorium in rocks, 2=17113
 Bloxsom, D.E. See Masson, D.J., 2=2747
 Bludman, S.A. and Young, J.A. Electromagnetic production of charged vector mesons, 2=9877
 Blue, J.W. and Liu, D.C. Scintillation response of alkali iodides to alpha particles and protons, 2=17999
 Blue, M.D. Extraordinary Hall effect in paramagnetic gold alloys, 2=23248
 Blume, M. and Watson, R.E. Theory of spin-orbit coupling in atoms I. Derivation of the spin-orbit coupling constant, 2=22884
 Blume, R.J. See Boyd, E.L., 2=18937
 Blumle, L.J. and Ross, W.J. Satellite observations of electron content at the magnetic equator, 2=13024
 Blyholder, G. Infrared spectrum of CO chemisorbed on iron, 2=12966
 Blyholder, G. and Neff, L. Rotation of physical adsorbed CO, 2=19116
 Blyholder, G. and Neff, L.D. Infrared spectra of CO, CO_2 , O_2 , and H_2O adsorbed on silica-supported iron, 2=23963
 Blytas, G.C., Kertesz, D.J. and Daniels, F. Concentrated solutions in liquid ammonia: solubility of NaNO_3 and KBr and other salts; vapor pressures of LiNO_3 - NH_3 solutions, 2=15576
 Boardman, A.D. See Roberts, P.H., 2=13661
 Boardman, G. See Whitmore, R.L., 2=13307
 Boade, R.R. See Olson, J.R., 2=15650
 Boato, G., Casanova, G. and Levi, A. Isotope effect in phase equilibria, 2=22092
 Boato, G., Scoles, G. and Vallauri, M.E. Vapour pressure of isotopic solids by a steady flow method: argon between 72°K and triple point, 2=9465
 Boato, G. See Ancona, E., 2=13490
 Boato, G. See Berne, A., 2=18595
 Bobber, R.J. Active load impedance, 2=7291
 Bobeldijk, C. See Born, P., 2=3512
 Bober, M. See Schultz, G., 2=8434
 Bobkov, Yu.V. See Sokurskii, Yu.N., 2=12843
 Bobyl', V.G. See Romanets', R.G., 2=17482
 Bobovich, Ya.S. The intensity of Raman bands and the character of the chemical bond, 2=6172
 Bobovich, Ya.S. Second-order Raman spectra in some liquids, 2=7215
 Bobovich, Ya.S. and Bursian, E.V. The Raman spectrum of barium titanate, 2=8538
 Bobroff, D.L. Reduction of beam noisiness in a drifting multivelocity beam, 2=17885
 Bobrov, A.V., Sterin, Kh.E. and Sobolev, E.V. Degree of depolarization of lines in the Raman spectra of hydrocarbons with conjugated double bonds, 2=20848
 Bobrov, A.V., Sterin, Kh.E. and Sobolev, E.V. Degree of depolarization of lines in the Raman spectra of hydrocarbons with conjugated double bonds, 2=22990
 Bobrov, M.S. Theoretical phase curves of the shadow effect of Saturn's rings. I. Derivation of pertinent formulae, 2=945
 Bobrov, M.S. Generalization of the theory of the shadow effect on Saturn's rings to the case of particles of unequal size, 2=4727
 Bobyr', V.V., Grona, L.Ya. and Strizhak, V.I. Angular distribution of 14 MeV neutrons elastically scattered on carbon, nitrogen and sulphur, 2=461

- Bobyry, V.V., Grona, L.Ya. and Strizhak, V.I. Amplitude-time selection of pulses for the study of the interaction of neutrons from the $D(T,d)He^4$ reaction with atomic nuclei, 2=7988
- Bobyry, V.V., Grona, L.Ya. and Strizhak, V.I. Angular distribution of 14 MeV neutrons elastically scattered on carbon, nitrogen and sulphur, 2=22822
- Bobyry, V.V. See Strizhak, V.I., 2=7989
- Bobyrev, N.A. and Fedyanin, O.I. A study of the initial stage of a high-current electrodeless discharge, 2=17798
- Bobyrev, N.A. and Fedyanin, O.I. Localization of breakdown of a high-current discharge by a transverse magnetic field, 2=17814
- Boccaletti, D. and Selleri, F. Some remarks on double photo-production, 2=5706
- Boccara, N. Potential and field of a volume distribution of multipoles, 2=15874
- Boccara, N. Ion displacement in alkali halide crystals. Principal oscillations case, 2=18765
- Bocciolini, M. See Bizzeti, P.G., 2=18336
- Bocek, M., Kratochvil, P. and Lukac, P. On the effect of impurities on the critical resolved shear stress of zinc single crystals, 2=2318
- Bocek, M., Kratochvil, P. and Lukac, P. The effect of impurities on the critical resolved shear stress of zinc single crystals, 2=23745
- Bocek, M. and Lukac, P. Effect of impurity content on the hardening process of zinc single crystals at liquid air temperature, 2=10764
- Bocek, M. and Vacek, K. Characteristics of the similarity between the plastic properties of ionic and metal crystals, 2=2327
- Bochirol, L. See Bonjour, E., 2=8262
- Bochkarev, V.N. and Nefedov, V.V. A scintillation counter for discriminating between lightly and heavily ionizing particles, 2=19856
- Bochkova, O.P., Razumovskaya, L.P. and Frish, S.E. Spectroscopic investigation of a high frequency discharge in neon, 2=11627
- Bochkova, O.P. See Frish, S.E., 2=22912
- Böckler, E. Pressure-release reflectors for water-borne sound at high hydrostatic pressures, 2=2833
- Bock, C.D. A high precision stellar navigator for interplanetary guidance, 2=11203
- Bockelman, E.A. See Berns, D.S., 2=1142
- Bocker, P. Measurements on high-intensity ultrasonic fields in air, 2=71
- Bocker, P., Diestel, H.G. and Mrass, H. Versatile measuring apparatus for use in hearing tests, 2=4889
- Böckmann, K. See Kalvius, M., 2=5811
- Bockeris, J.O'M. and Hooper, G.W. Self-diffusion in molten alkali halides, 2=15573
- Bockris, J.O'M. See Green, M., 2=4499
- Bodansky, D., Cole, R.K., Cross, W.G., Gruhn, C.R. and Halpern, I. Evaporation of coincident protons in $\alpha + Ni^{58}$ reactions, 2=12223
- Boddy, K. Radioactivity in rainfall during September 1961 following the Russian nuclear-weapons tests of September 1961, 2=2492
- Bodenstedt, E., Körner, H.J., Gerdau, E., Radeloff, J., Auerbach, K., Mayer, L. and Roggenbuck, A. Gyromagnetic ratio of the 2^+ rotational level of Hf^{178} and further investigations on the decay of W^{178} , 2=12136
- Bodenstedt, E., Körner, H.J., Gerdau, E., Radeloff, J., Auerbach, K., Mayer, L. and Roggenbuck, A. Magnetic moments of the 5^- levels of Sn^{118} and Sn^{120} , 2=16300
- Bodine, J.H. See Zapata, R.N., 2=3800
- Bodinet, E. See Kessler, F.R., 2=8490
- Bodmer, A.R. and Rook, J.R. Reaction cross sections and the shape of the imaginary part of the optical potential, 2=9980
- Bodmer, A.R. and Sampanthar, S. Binding energies of light hyper-nuclei and the Λ -N interaction, 2=1781
- Bodmer, A.R. and Sampanthar, S. The binding energy of a Λ particle in nuclear matter and the Λ -N interaction, 2=1782
- Bodmer, A.R. and Sampanthar, S. Binding energies of Λ particles and the Λ -N interaction, 2=9926
- Bodrogai, J. New and more precise method for the determination of fracture energy, 2=21440
- Bodrova, N.I. See Buzhinskii, I.M., 2=18820
- Bodo, Z. Some new observations on electroluminescent screens, 2=6640
- Böby, Z.T. On the backscattering of electron from solids, 2=20034
- Bodyako, M.N. and Astapchik, S.A. The effect of temperature and heating time on the process of recrystallization of copper, 2=19095
- Boegehold, H. Thoughts on S.Czapski's "Theory of optical instruments according to Abbe", on the centenary of his birth, 2=13441
- Boehm, F. and Rogers, J. Circular polarization of gamma rays in Sc^{46} , 2=14067
- Boehm, F. See Rogers, J.D., 2=14032
- Boehm, F. See Seppi, E.J., 2=20292
- Boeker, E. Giant resonances in photonuclear reactions, 2=22790
- Boenkova, N.M. and Kushnerevsky, J.A. Vertical travelling disturbances in the ionosphere, 2=15234
- Boer, E.de. See de Boer, D.
- Boer, J.H.De. See De Boer, J.H.
- Böer, K.W. Electroluminescence of single crystals of CdS, 2=6639
- Böer, K.W. Field inhomogeneities in CdS single crystals, 2=8187
- Böer, K.W. The temperature dependence of luminescence, 2=8551
- Böer, K.W. and Boyn, R. Characteristic defect semiconduction in CdS single crystals, 2=642
- Böer, K.W., Dziesiaty, J., Kümmel, U. and Misselwitz, W. Electrical breakdown of cadmium sulphide evaporated films, 2=6464
- Böer, K.W., Hänsch, H.J., Kümmel, U., Lange, H. and Nebauer, E. Processes leading to thermal breakdown. I. Inhomogeneous distribution of current density in CdS single crystals at high electric loads, 2=2158
- Böer, K.W., Hänsch, H.J. and Obornik, H. Electroluminescence in CdS single crystals. I. Experimental results, 2=2263
- Böer, K.W., Hornung, H. and Zimmermann, K. The change in structure of CdS crystals on evaporation of characteristic lattice components in vacuum, 2=596
- Böer, K.W., Jahne, E. and Nebauer, E. Processes leading to thermal breakdown. II. Theory of the inhomogeneous current distribution at high electric loads, 2=4099
- Böer, K.W. and Kümmel, U. Processes leading to thermal breakdown. III. Characteristic inhomogeneities and their kinetics of CdS single crystals under high electric loads, 2=4100
- Boer, K.W., Kümmel, U. and Schroeter, K.E. Electrostatic charging of CdS single crystals after the passage of current, 2=10561
- Böer, K.W. and Lubitz, K. The contact problem with CdS single crystals, 2=18725
- Böer, K.W. and Niekisch, E.A. Defect term spectroscopy with the aid of measurements of electrical conductivity. I, 2=6311
- Böer, K.W. and Niekisch, E.A. Defect term spectroscopy with the aid of measurements of electrical conductivity. II, 2=6312
- Böer, K.W., Rompe, R. and Rother, H. Oscillating diffusion in semiconductors and in low-pressure gaseous discharges, 2=1421
- Böer, K.W. and Voigt, J. Reaction-kinetic model with five transitions for photoconductors and phosphors, 2=6487
- Böer, K.W., Weber, E.H. and Wojtowicz, B. X-ray damage and its influence on the spectral distribution of the photocurrent in CdS single crystals, 2=12545
- Böer, K.W. and Williges, A. Field and current inhomogeneity in Si-single crystals, 2=21148
- Böer, K.W. and Zschauer, K.H. The green electroluminescence in CdS single crystals, 2=4189
- Böer, K.W. See Berger, H., 2=647
- Böer, K.W. See Blatt, J.M., 2=14415
- Boer, P.C.T.de. See de Boer, P.C.T.
- Boer, T.J.De. See De Boer, T.J.
- Boerboom, A.J.H. See Fluit, J.M., 2=227
- Boero, M. See Abecasis, S., 2=18262
- Boersch, H. and Forst, G. The deflection of Li^+ -ions in CCl_4 derived from the Debye-Ehrenfest scattering theory, 2=20049
- Boersch, H., Geiger, J., Hellwig, H. and Michel, H. Energy losses of electrons in a metal in different states of aggregation: measurements on silver and mercury, 2=23143
- Boersch, H., Hamisch, H. and Grohmann, K. Experimental proof of the phase shift of electron waves by the magnetic vector potential, 2=22262
- Boersch, H., Hamisch, H., Grohmann, K. and Wohlleben, D. Experimental proof of the phase shift of electron waves by the magnetic vector potential, 2=1505
- Boersch, H., Hamisch, H. and Wiesner, S. Electrical microdischarges in vacuum, 2=9559
- Boersch, H. and Lambeck, M. The portrayal of magnetic fine structure with the Faraday effect, 2=6668
- Boersch, H., Hamisch, H., Grohmann, K. and Wohlleben, D. Anti-parallel Weiss domains as biprisms for electron interference. II, 2=1596
- Boersch, H., Lambeck, M. and Wenzel, H. Blooming of metallic mirrors, 2=7378
- Boersch, H. and Miessner, H. Highly sensitive retarding-field energy analyser for electrons, 2=15961
- Boersch, H., Miessner, M. and Raith, W. Investigation of angular dependence of the 14.7 eV energy loss of electrons in aluminium, 2=20984
- Boersch, H., Radeloff, C. and Sauerbrey, G. Visible and ultraviolet radiation released by electrons from metals, 2=4187
- Boersch, H. and Raith, H. Phase determination in the Fraunhofer diffraction pattern of one-dimensional gratings, 2=11499
- Boersch, H. and Schweda, S. An inverse counter-field method of energy analysis in electron and ion beams, 2=13596
- Boersma, H.J. See Rethmeier, J., 2=5270
- Boese, J. Sedimentation investigations of television white light mixtures, 2=8566

- Boesman, E. and Schoemaker, D. Paramagnetic resonance of the NO_2 molecule in alkali halides, doped with nitrate, 2=773
- Boesman, E. and Schoemaker, D. Paramagnetic resonance of the I_2^+ center in KCl doped with KI, 2=21083
- Boesman, E. See Schoemaker, D., 2=4248
- Boeters, K.E. See Gobrecht, H., 2=9492
- Boffi, V.C. On the discrete coordinate method in the study of the space-time distribution of the neutron flux in a multi-layer system, 2=22531
- Bogachev, I.N., Mints, R.I., Petukhova, T.M. and D'Yakova, M.A. The influence of phase composition and structure on the cavitation resistance of titanium and its alloys, 2=21441
- Bogachev, I.N. See Ershova, L.S., 2=23876
- Bogachov, B.A. See Komar, A.P., 2=5892
- Bogachov, B.A. See Komar, A.P., 2=12182
- Bogaerde, J. Van den. See Van den Bogaerde, J.
- Bogat'yev, V.K. An approximate formula for the calculation of a geometrical parameter for homogeneous bodies of arbitrary form, 2=22867
- Bogat'yev, V.K. Use of the albedo method for the investigation of the interactions of a subcritical system, 2=22868
- Bogdan, D. On the calculation of transition probabilities for M3-transitions and 2nd forbidden β -transitions and moments of inertia according to the Nilsson model, 2=7949
- Bogdan, D. Matrix elements of the forbidden β -transitions for deformed atomic nuclei, 2=14037
- Bogdankevich, L.S. and Rukhadze, A.A. Plasma waves in the region of the ion cyclotron resonance, 2=22212
- Bogdanov, S.V., Kovalenko, G.M. and Cherepanov, A.M. Some physical properties of ferroelectric BaTiO_3 — PbTiO_3 , BaTiO_3 — BaSnO_3 and BaTiO_3 — PbTiO_3 — BaSnO_3 single crystals, 2=14612
- Bogdanov, S.V. Permittivities ceramic barium titanate piezoelements, 2=14625
- Bogdankevich, L.S. Radiation of a current ring moving uniformly in a gyrotropic waveguide, 2=238
- Bogdankevich, O.V. Circuit for the stabilization of the synchrotron energy with variable level of reference voltage, 2=11745
- Bogdankevich, O.V., Dolbilkin, B.S., Lazareva, L.E., Moiseev, A.M. and Nikolaev, F.A. Inelastic nuclear scattering of photons, 2=1862
- Bogdankevich, O.V., Goryachev, B.I. and Zapevalov, V.A. Splitting of the giant resonance in medium-heavy nuclei, 2=16387
- Bogdanoff, J.L. Influence on the behaviour of a linear dynamical system of some imposed rapid motions of small amplitude, 2=17529
- Bogdanoff, J.L. and Kozin, F. Moments of the output of linear random systems, 2=17530
- Bogdanov, A.A., Gorn, L.S. and Khazanov, B.I. High-resolution ferrite-transistor decade counter, 2=17754
- Bogdanov, G.F. See Golovin, I.N., 2=7632
- Bogdanov, N.N. See Sus, A.N., 2=1552
- Bogdanov, S.V. and Rassushin, V.A. Semiconductor properties of BaTiO_3 , 2=18693
- Bogdanov, S.V., Vul, B.M. and Razbash, R.Ya. The piezoelectric properties of polycrystalline barium titanate at high pressures, 2=4106
- Bogdanov, S.V., Vul, B.M. and Razbash, R.Ya. Features of the piezoelectric properties of ceramic piezo elements of BaTiO_3 cut at an angle of 45° to the direction of polarization, 2=4107
- Bogdanova, I.P. Experimental investigation of the excitation functions of atomic spectral lines, 2=16487
- Bogdanova, N.I. and Loginov, G.M. Magnetic susceptibility of vanadium oxide at 80 – 370°K , 2=12757
- Bogdanova, N.I. and Loginov, G.M. Magnetic susceptibility of vanadium oxide at 80 – 370°K , 2=14765
- Bogen, P. and Hintz, E. Investigations on a pulsed electrodeless ring discharge with magnetic bias fields of different amplitudes, 2=11676
- Bogen, P. See Beerwald, H., 2=15909
- Bogenschlitz, A.F., Bergmann, F. and Jentsch, J. Optical method of measuring the thicknesses of thin films, 2=21864
- Bogers, A.J. Orientation relation between austenite and martensite in an Fe—Ni alloy transformed by isothermal compression, 2=10781
- Boggia, L.M. See Wainstein, C., 2=18429
- Boggia, L.M. See Wainstein, C., 2=20790
- Boghen, J. See Lelong, P., 2=4515
- Bogle, G.S. and Symmons, H.F. Zero-field paramagnetic resonance of Fe^{3+} in methylamine alum, 2=770
- Bogle, G.S. and Symmons, H.F. The ground state splitting of gadolinium sulphate octohydrate, 2=10698
- Bogle, G.S. See Symmons, H.F., 2=8670
- Bogner, G. Electrical conductivity and Hall effect measurements on ZnO crystals and an interpretation in terms of the impurity band, 2=2117
- Bogner, G. and Rupprecht, H. The influence of inhomogeneities with layer structure on galvanomagnetic effects, 2=8309
- Bogomolov, S.G., Pemova, F.D. and Kolosova, L.P. Ultimate lines of 3,4-benzopyrene dissolved in normal hydrocarbons at different temperatures, 2=17472
- Bogorodskii, O.V. See Fomin, V.G., 2=2363
- Bogorodskii, O.V., Nashel'skii, A.Ya. and Ostrovskaya, V.Z. X-ray diffraction study of the solid solutions of InAs — InP , 2=4467
- Bogoslovskii, G.V. and Khrenov, B.A. An electronic simulator for the processing of data on extensive air showers of cosmic rays, 2=1738
- Boggess, A., III. Observation results on nebular and interstellar far-ultraviolet radiation: Introductory report, 2=17299
- Boggs, F.W. Partition function of bulk polymers. I, 2=12356
- Boggs, J.E. See Porte, A.L., 2=10725
- Boggs, J.E. See Porte, A.L., 2=10726
- Bogle, G.S. and Toutenhoofd, W. The specific heat of gadolinium sulphate. A new appraisal, 2=16605
- Bogomolov, A.M. Vibrational spectra of aromatic compounds. XII. Characteristic vibrations of para-disubstituted benzenes, 2=16537
- Bogomolov, K.S. See Antonov, S.M., 2=17245
- Bogusz, W. A two-tensor method for investigating nonlinear systems, 2=5091
- Bohatiel, T. The high-frequency electronic torch at pressures below 1 atmosphere, 2=15893
- Bohatyr'ov, Ye.Ye. See Yahola, H.K., 2=17489
- Bohlmann, M.A. Saturation magnetization of swaged Mn—Al, 2=12721
- Bohm, D. See Aharonov, Y., 2=9766
- Bohm, H.V. See Easterling, V.J., 2=3834
- Bohm, H.V. See Kamm, G.N., 2=21983
- Bohm, H.V. See Zimmerman, J.E., 2=9470
- Böhm, K.H. Temperature variations in the solar granulation, 2=11123
- Bohr, A. and Mottelson, B.R. Quantization and stability of currents in superconductors, 2=2954
- Bohr, N. The Rutherford Memorial Lecture 1958. Reminiscences of the founder of nuclear science and of some developments based on his work, 2=5502
- Bohun, A. Contribution to the problem of exo-emission from solids, 2=7638
- Bohun, A. Influence of Cu and Ag on the electron emission and luminescence of NaCl:Ca, 2=8563
- Bohun, A. Electron emission and luminescence of alkali fluorides, 2=20013
- Bohun, A. and Vinduskova, O. Electron emission from NaCl crystals after electron bombardment, 2=9623
- Bohun, A. See Dolejsi, J., 2=6606
- Boiko, B.A. Method for detecting molecular beams of metals, 2=20886
- Boiko, B.T. See Palatnik, L.S., 2=8877
- Boiko, B.T. See Palatnik, L.S., 2=21530
- Boiko, B.T. See Palatnik, L.S., 2=23936
- Boiko, B.T. See Palatnik, L.S., 2=23937
- Boiko, I.I. The optical properties of semiconductors with extremum loops, 2=10593
- Boiko, L.M. Effect of radiation on certain characteristics of electroluminescent screens, 2=18883
- Boim, A.B. and Reikrudel', E.M. Initial stages of low-pressure pulse discharge, 2=9541
- Bois, G.V. See Zhukovskii, V.I., 2=16990
- Boischor, A., Ginat, M. and Kazes, I. Observation of the planet Jupiter with the new radio-telescope at Nancy, 2=13176
- Boisshot, A. and Pick, M. Structure of the type IV radio burst and its relation with solar cosmic rays, 2=13158
- Boistelle, R., Kern, R. and Weiss, R. Growth forms of crystals of structural type NaCl in the presence of ferro- and ferricyanide ions, 2=12887
- Boivin, P. See Ozias, Y., 2=5819
- Bojarski, C. The influence of self-quenching on the concentration depolarization of the photoluminescence of stable solutions, 2=55
- Bojilov, M. See Nadjakov, E., 2=22290
- Bojtor, I., Dosay, K. and Koczka, J. Film dosimetry for measurement of ionizing radiations, 2=16098
- Bok, J. and Noel, J.P. Surface-barrier diode for the detection of nuclear particles, 2=5530
- Bok, J., De Cosnac, B., Noel, J.P., Schuttler, R., Lott, M., Millot, J.P. and Rastoin, J. Fast-neutron spectrometer of lithium-6 and silicon diodes, 2=5686
- Bokhari, M.S. Polarization in stripping reactions, 2=20603
- Bokov, V.A. and Mýl'nikova, I.E. Electrical and optical properties of monocrystals of ferroelectrics with broad phase transitions, 2=663
- Bokov, V.A., Mýl'nikova, I.E. and Smolenskii, G.A. Ferroelectric—antiferromagnetic crystals, 2=12562
- Bokros, J.C. Creep properties of a zirconium—hydrogen uranium alloy, 2=4329

- Bokros, J.C. Transformation kinetics of a zirconium-uranium-hydrogen alloy, 2=4458
- Boksay, Z. See Lengyel, B., 2=21110
- Bokshtein, B.S., Belashchenko, D.K. and Zhukhovitskii, A.A. Investigation of the surface diffusion in powders using the method of electrodiffusion potential, 2=21068
- Bokshtein, S.Z., Kishkin, S.T. and Svetlov, I.L. Tensile rupture tests on whiskers of copper, nickel and cobalt, 2=23778
- Boldt, E. See Berley, D., 2=22633
- Boldt, W. Investigations on the radiation yield in the wavelength region from 100 to 1000 microns, 2=9395
- Boldt, W. and Seiwert, R. The temperature dependence of luminescence of CdS crystals with added Mn, Fe, Ni, or Co, 2=8553
- Bolef, D.I. Acoustic techniques in magnetic resonance, 2=17973
- Bolef, D.I. and de Klerk, J. Elastic constants of single-crystal Mo and W between 77° and 500°K, 2=14869
- Bolef, D.I., de Klerk, J. and Gosser, R.B. Ultrasonic c.w. spectrometer for the investigation of electron spin-phonon interactions in solids, 2=15708
- Bolef, D.I. and Gosser, R.B. Resonant absorption of phonons by Fe^{2+} ions, 2=10699
- Boley, F.I., Baum, J.H., Palsedge, J.A. and Pereue, J.H. Longitudinal distribution of Čerenkov light from extensive air showers, 2=330
- Boley, F.I. and Macoy, N.H. Čerenkov radiation extensive air shower telescope, 2=1741
- Boley, F.I., Palsedge, J.A. and Baum, J.H. Altitude dependence of the longitudinal distribution of atmospheric Čerenkov radiation, 2=9954
- Boley, F.I. and Wilcox, J.M. Alfvén waves, 2=20002
- Boley, F.I. See Wilcox, J.M., 2=19948
- Bolger, J.C. See Michaels, A.S. 2=19521
- Bolgiano, R., Jr. Structure of turbulence in stratified media, 2=24008
- Boll, H.J. One-way all glass valve for high vacuum systems, 2=2801
- Boll, H.J. Field effects in insulating thin film secondary emitters, 2=9625
- Bolling, G.F. Erratum: Addendum to some thermal data for Bi_2Te_3 , 2=8169
- Bolling, G.F., Hays, L.E. and Wiedersich, H.W. The plasticity of lead single crystals and the determination of stack-fault energy, 2=8718
- Bolling, G.F. and Tiller, W.A. Growth from the melt. III. Dendritic growth, 2=2353
- Bollinger, L.M. See Jackson, H.E., 2=469
- Bollini, C.G. On the equivalence between pseudo-scalar and pseudo-vector couplings, 2=20248
- Bollini, D., Cambieri, A., Fossati, F. and Ròvera, S. A 560 kV accelerator for the study of photoreactions, 2=20069
- Bollmann, W. On the analysis of dislocation networks, 2=23190
- Bollmann, W. Dark field electron microscopy applied to radiation damage in graphite, 2=23940
- Bologa, M. and Văsar, G. Radioactivity of precipitation and atmospheric deposits at Cluj in the period 1 April to 31 December 1960, 2=6926
- Bologna, G., Diambri, G., Toschi, R., Figuera, A.S., Pellegrini, U., Rispoli, B. and Serra, A. A pair spectrometer for energies up to 2 GeV, 2=5610
- Bologna, G. See Barbiellini, G., 2=13755
- Bologna, G. See Barbiellini, G., 2=20302
- Bolotin, G.A. and Sokolov, A.V. Optical properties of gyro-electric media I. Structure of the tensors which define the induced anisotropy of the electric and magnetic properties of an isotropic medium, 2=21231
- Bolotin, H.H. See Chrien, R.E. 2=20524
- Bolotin, L.I., Bomko, V.O. and Revuts'kii, Ye.I. High-frequency characteristics of a "long" resonator in a heavy nuclei linear accelerator, 2=5410
- Bolotin, L.I., Bomko, V.O. and Revuts'kii, Ye.I. Equalization of the accelerating field in a "long" resonator of a heavy nuclei linear accelerator, 2=5411
- Bolotin, L.I., Bomko, V.A., Revuts'kii, E.I. and Sidorenko, I.S. Accelerating system using TE-modes, 2=17912
- Bolotin, L.I., Klyucharev, A.P., Kulygin, Yu.F., Ranyuk, Yu.N., Revuts'kii, E.I. and Rutkevich, N.Ya. Interaction of carbon ions with photographic emulsion nuclei, 2=16439
- Bolotin, L.I., Suprunenko, V.O., Revuts'kii, Ye.I. and Bomko, V.O. Calculation and construction of a strong focused linear accelerator, 2=17911
- Bolotin, L.I. See Berezin, A.K., 2=15952
- Bolotin, L.I. See Tolok, V.T., 2=17909
- Bolotin, L.I. See Zagorodnov, O.G., 2=237
- Bolotin, L.I. See Zagorodnov, O.G., 2=5342
- Bol'shakova, T.V. See Nikitinskaya, T.I., 2=8459
- Bol'shov, V.G. Secondary electron emission of GaAs, InSb, and AuCu_3 , 2=17879
- Bol'shov, V.G. Secondary electron emission of GaAs, InSb, and AuCu_3 , 2=20021
- Bol'shov, V.G. and Zharinov, A.A. The anodes of thermoelectronic converters, 2=22160
- Bölsterli, H.U. See Beun, J.A., 2=6495
- Bölsterli, H.U. See Nitsche, R., 2=6773
- Bolsterli, M. and Evans, J.A. Pairing forces near closed shells, 2=1753
- Boltaks, B.I. and Matveeva, N.M. The problem of diffusion of phosphorus in silicon, 2=18600
- Boltaks, B.I. and Fedorovich, N.A. Diffusion and solubility of silver in bismuth telluride, 2=18606
- Boltax, A. See Greenwood, G.W., 2=12270
- Bolton, H.C., Fawcett, W. and Gurney, I.D.C. The electric field in crystals. The refractivity of rutile, 2=16585
- Bolton, J.R. and Carrington, A. The electron spin resonance spectra of the toluene, p-xylene and m-xylene anions, 2=2018
- Bombre, F. and Gans, F. On the polarization of light emitted by cadmium sulphide subjected to electron bombardment, 2=23613
- Bomke, H.A. The relation of magnetic micropulsations to electric-current and space-charge systems in the lower ionosphere, 2=6968
- Bomko, V.A. See Bolotin, L.I., 2=17912
- Bomko, V.O. See Bolotin, L.I., 2=5410
- Bomko, V.O. See Bolotin, L.I., 2=5411
- Bomko, V.O. See Bolotin, L.I., 2=17911
- Bomyer, P. See Allen, K.W., 2=3637
- Bonacalza, E.C.O., Thieberger, P. and Bergström, I. The decay energy of Bi^{205} , 2=10061
- Bonacalza, E.C.O. See Bergström, I., 2=10021
- Bonacalza, E.C.O. See Thieberger, P., 2=9815
- Bonacalza, E.C.O. See Thieberger, P., 2=11827
- Bonalumi, R. Thermalization theory in a two-temperature lattice, 2=20348
- Bonomi, J. and Herminjard, J. Long distance comparison of atomic standards, 2=7172
- Bonart, R., Hosemann, R. and Lemm, K. Description of an optical analogue computer for evaluating Fourier transforms, 2=9371
- Bonavia-Hunt, N. Flue pipes, 2=17573
- Bonazzola, G., Borello, O., Costa, S. and Ferroni, S. Photodisintegration of sulphur in the 30-80 MeV range, 2=16390
- Bonazzola, G., Brovetto, P., Chiavassa, E. and Ferroni, S. Assembly and operation of a 300 keV electrostatic neutron source, 2=9861
- Bonc-Bruević, V.L. Problems of the many-electron theory of semiconductors, 2=23266
- Bonch-Bruevich, A.M. Certain regularities in the electroluminescence of ZnS:Cu:Al phosphors with high copper content, 2=6645
- Bonch-Bruevich, A.M., Karriss, Ya.É. and Molchanov, V.A. Microscopic studies of electroluminescence in ZnS:Cu, Al single crystals, 2=6641
- Bonch-Bruevich, A.M. and Molchanov, V.A. Investigation of electroluminescence pulses emitted by ZnS:Cu:Al phosphors with a high Cu concentration, 2=16869
- Bonch-Bruevich, V.L. Characteristics of the many electron system energy spectrum in a semiconductor, 2=4002
- Bonch-Bruevich, V.L. Note on the theory of optical transitions in semiconductors, 2=14403
- Bonch-Bruevich, V.L. Spectral representations of the mass and polarization operators at arbitrary temperatures, 2=21849
- Bonch-Bruevich, V.L. and Mironov, A.G. Influence of impurities on the energy spectrum of current carriers, 2=3863
- Bonch-Bruevich, V.L. and Mironov, A.G. Influence of impurities on the energy spectrum of current carriers, 2=8267
- Bonch-Bruevich, V.L. and Serebrennikov, P.S. I-V characteristics of tunnel diodes, 2=10509
- Bonch-Bruevich, V.L. and Suris, R.A. Some properties of charge carriers in ferromagnetics, 2=18542
- Bonch-Bruevich, V.L. Note on the theory of optical transitions in semiconductors, 2=18545
- Bonch-Bruevich, V.L. and Glasko, V.B. Theory of the "cascade" recombination of current carriers in covalent semiconductors, 2=18656
- Bonch-Osmolovskaya, N.A., Dzhelepov, B.S. and Kraft, O.E. Investigation of the positron spectra of neutron-deficient isotopes, 2=14035
- Bond, F.R. and Jacka, F. Distribution of auroras in the southern hemisphere. II. Nightly probability of overhead aurora, 2=19234
- Bond, W.L. Making crystal elements for optical masers, 2=9385
- Bond, W.L. See Cooper, A.S., 2=15013
- Bond, W.L. See Garrett, C.G.B., 2=2244
- Bond, W.L. See Javan, A., 2=5155

- Bondar, A.D., Emlyaninov, A.S., Klyucharev, A.P., Lishenko, L.G., Medyanik, V.N., Nikolaichuk, A.D. and Shalaeva, O.E. Preparation of isotope targets for nuclear studies, 2=17978
- Bondar, A.D., Karev, V.N. and Klyucharev, A.P. The making of metallic targets of ytterbium, europium and samarium from their oxides, 2=19114
- Bondar, A.D., Karev, V.N. and Klyucharev, A.P. Making of isotopic magnesium foil from magnesium oxide, 2=21556
- Bondar, A.D., Karev, V.N. and Klyucharev, A.P. Preparation of thin metal foil from isotopes of alkali and alkali earth metals, 2=21563
- Bondarenko, A.V., Voznesenskii, Yu.A., Menashin, M.E., Sidorova, I.I. and Sharapov, V.N. An investigation of the system of automatic regulation of the power level of a nuclear reactor, 2=10181
- Bondarenko, B.V., Ermakov, S.V. and Tsarev, B.M. Thermionic emission properties of the tantalates of the alkaline earth metals, 2=1481
- Bondarenko, I.I. and Stavitskii, Yu.Ya. Pulsed operation of a fast reactor, 2=3654
- Bondarenko, I.I. See Kuz'minov, B.D., 2=8021
- Bondarenko, I.I. See Lebedev, S.Ya., 2=20005
- Bondarenko, I.I. See Okolovich, V.N., 2=20690
- Bondarenko, K.P. See Grum-Grzhimailo, S.V., 2=1267
- Bondarev, A.F. The determination of the true contour of a spectral line from the observed contour, 2=19709
- Bondi, H., van der Burg, M.G.J. and Metzner, A.W.K. Gravitational waves in general relativity. VII. Waves from axi-symmetric isolated systems, 2=17345
- Bonera, G., De Stefano, P. and Rigamonti, A. Investigation of styrene polymerization by means of nuclear magnetic relaxation measurements, 2=4544
- Bonera, G., De Stefano, P. and Rigamonti, A. Study of vinyl polymerization by proton magnetic relaxation, 2=23960
- Bonetti, A. See Baldassarre, F., 2=22562
- Bonfiglioli, G., Ferro, A. and Mojoni, A. Electron microscope investigation on the nature of tracks of fission products in mica, 2=2107
- Bonfiglioli, G., Malvano, R. and Goodman, B.B. Search for an effect of surface charging on the superconducting transition temperature of tin films, 2=17730
- Bongaarts, P.J.M. See Abrahams, K., 2=11961
- Bonham, R.A. Inelastic scattering from atoms at medium energies. I. Bound states, 2=16491
- Bonham, R.A. Calculation of the inelastic scattering factor for the 3p to 4s transition in the argon at 40 kV, 2=22916
- Bonham, R.A. and Karle, J. The calculation of electron scattering factors, 2=22914
- Bonham, R.A. and Ukaji, T. Correction of electron diffraction data for failure of the Born approximation, 2=1953
- Bonilla, C.F., Busch, J.S., Landau, H.G. and Lynn, L.L. Formal heat transfer solutions, 2=6004
- Boniszewski, T. and Smith, G.C. A note on nickel hydride, 2=4415
- Bonjour, E., Bochirol, L. and Weil, L. Release of Wigner energy stored in graphites after neutron irradiation at 78°K, 2=8262
- Bonnafous, M. See Fontan, J., 2=4610
- Bonnafous, M. See Fontan, J., 2=13011
- Bonnefous, J. Barkhausen spectrum in the presence of a demagnetizing field. Alternating and rotating field cases, 2=10654
- Bonnel, C. See Lévy, P., 2=5932
- Bonnelle, C. L-spectra of metallic chromium, 2=12607
- Bonner, J.C. and Fisher, M.E. The entropy of an antiferromagnet in a magnetic field, 2=18928
- Bonner, N.A., Goishi, W., Hutchin, W.H., Iddings, G.M. and Tewes, H.A. Half-lives of Tm^{167} , Tm^{168} , Tm^{170} , Lu^{171} , Lu^{172} , Lu^{173} , Lu^{174} , Lu^{174m} , Au^{195} , Au^{198} , and Au^{199m} , 2=16341
- Bonner, T.W. See Bass, R., 2=3599
- Bonner, T.W. See Din, G.U., 2=1926
- Bonner, T.W. See St. Romain, F.A., 2=14137
- Bonnet, G. New possibilities of proton magnetometers. I, 2=15982
- Bonnevay, G. Some analytic properties of three-pion decay amplitudes, 2=5729
- Bonnor, W.B. and Rotenberg, M.A. Transport of momentum by gravitational waves: the linear approximation, 2=1053
- Bonometto, S. and Dallaporta, N. On the break of the Baryon mass-spectrum degeneracy by vector interactions, 2=20255
- Bonrath, H., Heber, H., Hellwege, K.H., Hüfner, S. and Lämmermann, H. Fluorescence lifetimes of terbium and europium salts, 2=8580
- Bonse, U. Note on Renninger's contribution "lattice plane interferometry", 2=20989
- Bonvini, L. and Clarke, C. Total electron content of the ionosphere over Singapore during a magnetic disturbance, 2=13031
- Booker, G.R. Growth structure difference on opposite {111} faces of a GaAs dendrite, 2=8784
- Booker, G.R. and Stickler, R. Method of preparing Si and Ge specimens for examination by transmission electron microscopy, 2=21577
- Bookin, G.V. Anomalous absorption in high latitudes of the southern hemisphere, 2=15230
- Boolsky, R. and Extermann, R. Curvilinear trajectories of energy and the energetic circulation of particles, 2=7715
- Boomsalter, P.C. and Creel, W. Ratio relationship in melody, 2=21977
- Boon, M.H. A diagram technique for the antiferromagnetic ground-state, 2=753
- Boorman, J.A., McLean, D.J., Sheridan, K.V. and Wild, J.P. The spectral components of 150 major solar radio events (1952-1960), 2=2559
- Boorse, H.A. See Hirshfeld, A.T., 2=19817
- Boos, E.G., Botvin, V.A., Pavlova, N.P., Takibayev, Zh.S. and Chasnikov, I.Ya. Analysis of 9 BeV proton-nucleon interactions in a nuclear emulsion, 2=7856
- Boos, E.G. See Botvin, V.A., 2=288
- Boos, E.G. See Botvin, V.A., 2=22511
- Booth, D.L. Steady states in reactors with positive reactivity coefficients, 2=3660
- Booth, E.C. and Wright, K.A. Nuclear resonance scattering of Bremsstrahlung, 2=16305
- Booth, F.B. See Hildebrandt, A.F., 2=3792
- Booth, J.G. and Crangle, J. Magnetic properties of mixed ferrites. I. Behaviour near the Curie point, 2=14801
- Booth, J.G. and Crangle, J. Magnetic properties of mixed ferrites. II. Superparamagnetism and exchange anisotropy in a cobalt-zinc ferrite, 2=14802
- Booth, R. See Benveniste, J., 2=3341
- Booy, H.M.W. See Born, P., 2=3512
- Booz, J. and Ebert, H.G. Measurement of the mean energy expenditure W, relative to air, for the formation, of ion pairs in water vapour, N_2 , O_2 , CO_2 and A by 100-300 kV X-rays, 2=7560
- Borchardt, W. Photochemical reactions and quenching in single crystals of CdS, 2=4062
- Booz, J. and Ebert, H.G. The mean energy expenditure for the formation of ion pairs in various gases by 100-300 kV X-rays, 2=15886
- Bopp, C.D. and Towns, R.L. Calorimetric measurement of nuclear heating in a reactor, 2=17684
- Bopp, F. Principles of electrodynamics, 2=20110
- Borchers, H.J. On structure of the algebra of field operators, 2=13716
- Borde, A.H. De See De Borde, A.H.
- Bordelon, D.J. Effect of correlated phase fluctuation on array performance, 2=17551
- Bordes, G. See Vautier, C., 2=23241
- Bordner, C.A., Jr. See Chretien, M., 2=22610
- Bordone-Sacerdote, C. Comparative tests on loudspeakers, 2=5122
- Bordovskii, G.A. See Krasovskii, V.I., 2=9022
- Bordovskii, G.A. See Krasovskii, V.I., 2=12088
- Boreani, G. See Bellini, G., 2=22573
- Borel, J.P. See Cornaz, P., 2=10703
- Borelli, F. See Berovic, N., 2=5999
- Borelius, G. and Larsson, L.E. Resistometric and calorimetric studies of ageing phenomena in quenched aluminium, 2=2409
- Borelius, G. and Larsson, L.E. Resistometric and calorimetric studies of ageing phenomena in quenched aluminium alloys, 2=10915
- Borello, O., Ferrero, F., Malvano, R. and Molinari, A., Forward asymmetry of the photoneutron angular distribution, 2=10084
- Borello, O. See Bonazzola, G., 2=16390
- Borelowski, Z. Homogeneous variational principle with third order derivatives in the special theory of relativity, 2=19399
- Borg, D.C., Segel, R.E., Kienle, P. and Campbell, L. Selective radio-activation and multiple coincidence spectrometry in the determination of trace elements in biological material. Measurement of manganese, 2=4574
- Borgest, V.A. Determination of deuterium in water at concentrations close to the natural abundance on the basis of the infrared absorption spectra, 2=12302
- Borggreen, J., Bielsen, O.B. and Nordby, H. Mixing of the γ -vibrational band and the ground state rotational band of Pu^{238} , 2=5806
- Borgman, J. and Johnson, H.L. The law of interstellar reddening, 2=11144
- Borgman, V.A., Zhmyreva, I.A., Zelinskii, V.V. and Kolobkov, V.P. Principal processes of deactivation of excited states of complex organic molecules, 2=14740
- Borgonovi, G. and Caglioti, G. Experimental observations on the multiple Bragg reflection of neutrons, 2=19069
- Borgwaldt, H. and Harder, H. Contribution to the calculation of absorber rod reactions in heterogeneous lattices, 2=8024

- Borie, B., Sparks, C.J., Jr and Cathcart, J.V. Epitaxially induced strains in Cu_2O films on copper single crystals. I. X-ray diffraction effects, 2=17065
- Borie, J.C., Durand, M. and Orszag, A. Ultra-rapid photography of the exit-face of a ruby crystal during "laser" emission, 2=4125
- Borie, J.C. and Orszag, A. Ultra-high-speed photography of Fabry-Perot rings in light emitted by a ruby laser, 2=22053
- Boring, J.W. and McEllistrem, M.T. Differential cross sections for $(n,n'\gamma)$ reactions in several nuclei, 2=459
- Borisevich, N.A. and Tolkachev, V.A. Temperature dependence of the fluorescence efficiency of complex molecule vapours, 2=15654
- Borisevich, V.A. and Malyukovich, V.I. An investigation of thermal coefficients of quartz sand as a function of temperature and porosity, 2=10328
- Borisoglebskii, V.P. See Timrot, D.L., 2=2702
- Borisov, B.S. See Arkharov, V.I., 2=8802
- Borisov, B.S. See Arkharov, V.I., 2=23934
- Borisov, D.G. A two-channel decade system for counting and delivering pulses, 2=19869
- Borisov, M.D., Demidenko, I.I. and Padalka, V.G. Determination of the electron concentration in the conductivity zone at the limit of transmission of thin aluminium films in the vacuum ultraviolet region, 2=14657
- Borisov, N.D. and Nemoshkalenko, V.V. Specifying the energy of X-ray photons and the energy of electron levels, 2=14692
- Borisov, N.D., Nemoshkalenko, V.V. and Fefer, A.M. Influence of the nickel concentration on the structure of the electron energy spectrum of iron-chromium alloys, 2=16626
- Borisov, V.L. See Alekseev, V.A., 2=11702
- Borisov, V.L. See Alekseev, V.A., 2=13593
- Borisov, V.T. Kinetic diagrams of solidification of alloys, 2=11543
- Borisov, V.T. Kinetic diagrams of solidification of alloys, 2=13493
- Borisov, V.T. and Dukhin, A.I. Measurement of temperature during growth of metal crystals [Cd-Cu] from melt, 2=8783
- Borisov, V.T. and Dukhin, A.I. Temperature measurement during the growth of metallic crystals from the melt, 2=21472
- Bork, A.M. Nonlinear ruler, 2=13298
- Borkowski, C.J. See Blankenship, J.L., 2=18019
- Borkowski, C.J. See Blankenship, J.L., 2=20202
- Borkowski, C.J. See Fox, R.J., 2=18024
- Borkowski, C.J. See Fox, R.J., 2=22487
- Borland, R.E. Existence of energy gaps in one-dimensional liquids, 2=50
- Borleffs, J.J.W. See Hass, W.P.A., 2=780
- Bormann, H.J. The use of semiconductor counters for the detection of heavy particles and neutrons, 2=11960
- Bormann, M., Cierjacks, S., Langkau, R. and Neuert, H. Reaction cross-sections of some $(n,n\alpha)$ reactions for neutron energies between 12 and 19 MeV, 2=7993
- Bormann, M., Cierjacks, S., Langkau, R., Neuert, H. and Pollehn, H. Measurements of (n,α) cross-sections for neutrons within the energy interval 12-19.6 MeV, 2=467
- Bormann, M., Langkau, R., Lindström, G., Neuert, H., and Warncke, J. Particle discrimination with scintillation counters, 2=9739
- Born, H.J., Legvold, S. and Spedding, F.H. Low-temperature thermoelectric power of the rare-earth metals, 2=2198
- Böttger, O. and Richter, E. Dependence of the density of dislocations and carrier lifetime in zone-grown silicon single crystals on the velocity of the zone and on annealing treatments, 2=23368
- Böttger, O. and Richter, E. On the lifetime in zone-grown and metal doped silicon single crystals, 2=23369
- Bottino, A. and Longoni, A.M. Holomorphy domain of the S-matrix in potential scattering, 2=11884
- Bottino, A., Longoni, A.M. and Regge, T. Potential scattering for complex energy and angular momentum, 2=9798
- Botto, P. and Hack, M. A two-dimensional classification for stars of class O, 2=17287
- Bottreau, A. Low-temperature variation of the paramagnetic resonance of an X-irradiated single crystal of glycine in the 9 000 Mc/s band, 2=12822
- Botty, M.C. and Thomas, A.M. Electron microscopy, 2=21576
- Botvin, V.A., Takibaev, Zh.S., Chasnikov, I.Ya., Pavlova, N.P. and Boos, É.G. Study of three-prong stars produced in nuclear emulsions as a result of inelastic p-n interactions at 9 BeV, 2=288
- Botvin, V.A., Takibaev, Zh.S., Chasnikov, I.Ya., Pavlova, N.P. and Boos, É.G. Study of three-prong stars produced in nuclear emulsions as a result of inelastic p-n interactions at 9 BeV, 2=22511
- Botvin, V.A. See Boos, É.G., 2=7856
- Bouard, X. De. See De Bouard, X.
- Boublil, C. See Juillard, A., 2=20562
- Boublil, Y., Blamont, J.E. and Herse, M. Action of ozone on the light scattered by artificial trains of solid particles created in the upper atmosphere, 2=11044
- Bouchat, J. See Steyaert, J., 2=11622
- Boucher, R. Study of uranium-plutonium-molybdenum alloys, 2=17043
- Bouchez, R., Dubus, M., Duclos, J., Hamilton, D., Perrin, P. and Quivy, P. Excitation of the 7.6 MeV level in C^{12} by 14 MeV neutrons, 2=12133
- Bouchiat, C. and Flamand, G. Final state interaction in proton-antiproton annihilation at rest, 2=11942
- Bouchiat, M.A. and Brossel, J. Study of the relaxation of rubidium atoms on walls coated with silicones and paraffins, 2=18425
- Boucke, G. Gamma spectrometry, 2=7844
- Boudouris, G. Nuclear quadrupole resonance and its applications, 2=9723
- Bougerie, P. Lunar variation of virtual heights of the ionospheric layer at Freiburg, 2=893
- Boughton, E.M. See Blitzer, L., 2=7042
- Bougnot, G., Galiana, R., Samuelli, J. and Sarazin, A. Apparatus for beam pulsation in a 3 MeV Van de Graaff accelerator, 2=5395
- Bougnot, G. See Sarazin, A., 2=2974
- Bougnot, J. and Uny, C. Method of obtaining rectifying monocrystalline contacts between copper and copper oxide, 2=6482
- Bouigue, R. Normal and isotopic bands of the red system of the CN molecule in the spectra of carbon stars, 2=19329
- Bouldin, W.V., Patten, R.A. and Gordy, W. Energy migration and transfer in solid argon and krypton at low temperatures, 2=20917
- Boult, G.T. See Savic, P., 2=13521
- Boulware, D.G. Spin and statistics with an electromagnetic field, 2=2634
- Boulware, D.G. Erratum: Spin and statistics with an electromagnetic field, 2=19443
- Boulware, D.G. and Gilbert, W. Connection between gauge invariance and mass, 2=13728
- Bouman, M.A. and Walraven, P.L. Quantum theory of colour discrimination of dichromates, 2=24227
- Bounin, P. and Bishop, G.R. Spectrum of high energy electrons inelastically scattered from carbon. Attempted interpretation, 2=434
- Bourdeau, R.E., Whipple, E.C., Jr, Donley, J.L. and Bauer, S.J. Experimental evidence for the presence of helium ions based on Explorer VIII satellite data, 2=8993
- Bourdeau, R.E. See Bauer, S.J., 2=15209
- Bourdeau, R.E. See Serbu, G.P., 2=6936
- Bourg, M. Study of the influence on the structure of cryolite thin films of the temperature of the support during evaporation, 2=8883
- Bourg, M. Study of the effect on the structure of thin films of cryolite of the pressure prevailing in the chamber during the deposition, 2=21566
- Bournazel, J. See Aarons, J., 2=4618
- Bourotte, B., Nicholas, J., Bilwes, R. and Magnac-Valette, D. Study of the $\text{B}^{11}(\text{He}^3, t) \text{C}^{11}$ reaction and the competing $\text{B}^{11}(\text{He}^3, \alpha) \text{B}^{10}$ reaction, 2=496
- Bourotte, B. See Bilwes, R., 2=366
- Borzyak, P.G. See Bibik, V.F., 2=12541
- Borzyak, P.G. See Bibik, V.F., 2=14581
- Bos, E.C. See Kramer, P., 2=16361
- Bos, E.C. See Kramer, P., 2=16362
- Bos, W.H. van den. See van den Bos, W.H.
- Bosch, G. On the thermal conductivity of SiC, 2=10343
- Bosch, H. See Abecasis, S., 2=18262
- Bösch, H. See de Carvalho, H.G., 2=18367
- Bösch, R., Lang, J., Müller, R. and Wölfl, W. Measurement of the polarization of photoneutrons from Be^9 , 2=14074
- Bösch, R., Lang, J., Müller, R. and Wölfl, W. Elastic scattering of 9 MeV γ -quanta in U and Pb, 2=20585
- Bösch, R., Lang, J., Müller, R. and Wölfl, W. Scattering of 9 MeV gamma rays by the nuclear electromagnetic potential (Delbrück scattering), 2=22762
- Bösch, R., Lang, J., Müller, R. and Wölfl, W. Study of the nuclear photoeffect in Be at discrete gamma-energies between 5.4 and 9.0 MeV, 2=22784
- Boscher, J., Goldsztaub, S. and Quivy, M. Concentration distribution in the solution around a crystal growing dendritically, 2=23818
- Boschitz, E. Polarization of protons elastically and inelastically scattered from carbon near 17 and 19 MeV, 2=7978
- Bosco, B. Phenomenological approach to the electrodisintegration of the deuteron, 2=9930
- Bosco, B. A dispersive formulation of the Levinson theorem, 2=22432
- Bose, A.K. Effect of the two-particle spin-orbit interaction on the angular distribution, and the polarization at the deuteron, of elastically scattered neutrons, 2=3345

- Bose, A.K. Effect of two-particle spin-orbit interaction on the angular distribution and polarization of neutrons elastically scattered by deuterons, 2=20344
- Bose, A.N. and Benson, S.W. Kinetics of the reaction of HI with propylene, 2=21582
- Bose, H.N. See Sen, S.C., 2=6612
- Bose, M. See Labes, M., 2=23305
- Bose, S.K. Decay rate of the neutral pion, 2=7878
- Bose, S.K. Effect of the π - π and K - π resonances on the kaon form factor, 2=13879
- Bose, S.K. Higher order weak interactions and the (K_1^0 - K_2^0) mass difference, 2=22622
- Bose, S.K. and Marshak, R.E. Pole approximation for nonleptonic and radiative hyperon decays and odd Σ - Λ relative parity, 2=9922
- Bose, S.K. and Marshak, R.E. Effect of pion resonances on the (π^+ - π^0) and (K^+ - K^0) mass differences, 2=18151
- Bosio, L. and Defrain, A. Study of the supercooling of small droplets of gallium, 2=7465
- Bosio, L., Defrain, A. and Epelboin, I. Supercooling of bismuth, 2=4447
- Bosman, A.J. and de Vries, G. Magnetic after-effect in iron and iron-silicon resulting from dissolved carbon and nitrogen atoms, 2=4222
- Bosman-Crespin, D. See Swings, P., 2=17263
- Bossart, R. See Baldinger, E., 2=22136
- Bossy, L. Stormer's problem and particle movement in radiation belts, 2=19251
- Boster, T.A. and Edwards, J.E. Kronig-structure variations in the X-ray K-absorption spectra of a Cu single crystal, 2=14696
- Bostick, H.A. See O'Connor, J.R., 2=12597
- Bostick, W.H. See Dickinson, H., 2=19952
- Bostick, W.H. See Di Marco, J.N., 2=17832
- Boston, C.R. and Smith, G.P. Spectra of dilute solutions of bismuth metal in molten bismuth trihalides. I. Evidence for two solute species in the system bismuth-bismuth trichloride, 2=19563
- Boston, C.R. See Smith, G.P., 2=15593
- Bosvieux, C. and Friedel, J. Electrolysis of metallic alloys, 2=12970
- Boswarva, I.M., Howard, R.E. and Lidiard, A.B. Faraday effect in semiconductors, 2=18797
- Böswirth, L. Transition from bubble to film evaporation (burn-out), 2=7464
- Bot, J. Le. See Le Bot, J.
- Botch, W. and Fixman, M. Viscosity of critical mixtures: dependence on viscosity [velocity] gradient, 2=17419
- Botham, J.H. Jupiter and Saturn in 1961, 2=17258
- Božilá, T. See Grigorovici, R., 2=16620
- Božilá, T. See Grigorovici, R., 2=20979
- Bots, G.J.C., Blaisse, B.S. and Goudswaard, B. The magnetic and caloric properties of neodymium magnesium nitrate, 2=12384
- Bottal, G. Electric field of the eye, 2=15428
- Born, M. Physics and problems of our age, 2=21777
- Born, P., Bobeldijk, C., Booy, H.M.W. and Blok, J. In the decay of ^{102}Rh , 2=3512
- Borner, H. Measurements of environmental noise, 2=5124
- Börner, H. The operation of acoustic shields in interiors, 2=5125
- Bornmann, J.A. Semiconductivity of naphthalene, 2=8369
- Borodin, A.V., Gavrin, P.P., Kovan, I.A., Patrushev, B.I., Nedoseev, S.L., Rusanov, V.D. and Frank-Kamenetskii, D.A. Magnetoacoustic oscillations and the instability of an induction pinch, 2=22223
- Borodin, N.S. See Sorkin, F.V., 2=16875
- Borodin, V.Z. Influence of compression on polarization processes in ferroceramics, 2=18778
- Borodina, G.V. Calculations of the flux of stellar radiation on a spectrograph slit, 2=929
- Borodkin, A.S. Motion of a charge for a special static electromagnetic field, 2=3137
- Borodkin, A.S. See Penchko, E.A., 2=2783
- Boronin, I.M., Dmitriev, V.D., Ibragimov, Sh.Sh. and Lyashenko, V.S. Mechanical properties and microstructures of certain structural materials after neutron irradiation, 2=10430
- Borovik, E.S., Busol, F.I. and Grishin, S.F. Study of feasibility of obtaining steady magnetic fields in coils cooled with liquid hydrogen, 2=1557
- Borovik, E.S., Lazarev, B.G. and Mikhailov, I.F. A hydrogen condensation pump with a built-in liquefier, 2=2787
- Borovik, E.S. and Limar, A.G. Production of long-duration pulsed magnetic fields, 2=9680
- Borovik, E.S., Mitin, R.V. and Knyazev, Yu.R. Long high-pressure arcs, 2=17810
- Borovik-Romanov, A.S. and Kalinkina, I.N. Specific heat of spin waves in antiferromagnetic MnCO_3 , 2=4237
- Borovikov, A.V., Gvozdev, V.S. and Porsev, G.D. A multichannel unit for recording β - γ and β -e angular correlations, 2=20315
- Borovikov, V.A. Reduction of some three-dimensional problems in diffraction to the Dirichlet problem for Laplace's equation, 2=21796
- Borovikov, V.A. Two-dimensional problem of diffraction by a polygon, 2=21797
- Borovskii, I.B. and Batyrev, V.A. Nature of the fine structure of the main K absorption edge of elements of the iron group, 2=16842
- Borovskii, I.B. See Ovsyannikova, I.A., 2=21258
- Borovskii, I.B. and Shmidt, V.V. Investigation of the correlation between the fine structure of X-ray absorption spectra and the characteristic electron energy losses, 2=14211
- Borowitz, J.L. The relative volatilities of the system H_2O^{17} - H_2O^{18} , 2=19783
- Borowitz, S. and Smith, S.J. The physics of electronic and atomic collisions, 2=12300
- Borrello, S.R. and Levinstein, H. Preparation and properties of mercury-doped germanium, 2=23340
- Børresen, S., Grimeland, B. and Messelt, S. Directional resolution and shielding properties of a long counter, 2=20363
- Borsellino, A. and Gamba, A. An outline of a mathematical theory of PAPA, 2=2590
- Borst, L.B. See Bernabei, A., 2=5926
- Bortner, M.H. Shock layer electron densities considering the effects of both chemical reactions and flow field variations, 2=2755
- Bortner, M.H. The effect of errors in rate constants on non-equilibrium shock layer electron density calculations, 2=3004
- Bortolali, M.V., Lendinara, L. and Monari, L. Production of ^3H in the absorption of π^- in ^4He , 2=18157
- Bortone, G. and Faleschini, B. Simulation of a neutron chopper, 2=16204
- Bortz, P.I. See Byron, S., 2=13543
- Borýsov, M.D. and Mitina, N.I. Instrumental and photographic broadening of spectral lines, 2=17622
- Borysowicz, J. and Dabrowski, J. Diffraction scattering of deuterons on non-spherical nuclei, 2=1910
- Borysowicz, J. and Dabrowski, J. Diffraction scattering of deuterons on non-spherical nuclei, 2=14124
- Borzyak, P.G. The Bao-adsorption effect on the work function and photoelectric emission of semiconductors, 2=22241
- Borzyak, P.G., Katrich, G.A. and Sarbei, O.G. Electron emission from CdS during the passage of a current, 2=11686
- Borzyak, P.G., Marchuk, P.M. and Mityans'kii, G.F. Photoelectron emission of the intermetallic compounds Mg_2Sn and InAs , 2=1483
- Borzyak, P.G., Miroschnichenko, L.S. and Fedorovich, R.D. Optical properties and photoelectron emission in Mg_2Sb_2 , 2=2213
- Bourret, R.C. Directivity of a linear array in a random transmission medium, 2=2824
- Bourret, R.C. Propagation of randomly perturbed fields, 2=15457
- Bourret, R.C. Stochastically perturbed fields, with applications to wave propagation in random media, 2=21799
- Bourrier, J., Bovard, P. and Grauby, A. A rapid method for evaluating the quantities of Strontium 90 and Yttrium 90 present in a source where the two radioactive elements are not necessarily in radioactive equilibrium, 2=5851
- Boury, A. and Hustin-Breton, M. High modes of radial oscillation of the standard model and vibrational stability of stars, 2=4796
- Bouška, J. The microstructure of ISC of geomagnetic storms, 2=13083
- Bouso, E. The viscosity of air at high rates of shear, 2=7234
- Bouten, M. α -particle model of ^{20}Ne and ^{26}Mg , 2=22705
- Bouten, M., Demeur, M. and Pollak, H. Theoretical study of the γ^{90} spectrum, 2=390
- Bouten, M. and van Leuven, P. Cu-isotopes by the unified model, 2=13956
- Bouten-Denys, M.C. Remarks on a new variational method, 2=11282
- Bouvier, P. Evaporation of a stellar cluster of two different populations, 2=24152
- Bouville, A. See Fontan, J., 2=4610
- Bouville, A. See Fontan, J., 2=13011
- Bouville, A. See Fontan, J., 2=18274
- Bouwens, A., Nawijn, A. and Krebs, R.G.F.P. Low brightness photography with electro-optical intensifiers, 2=1288
- Bouwuis, G. A dispersion phenomenon observable on dielectric multilayer mirrors, 2=22045
- Bovard, P. See Bourrier, J., 2=5851
- Bovenkerk, H.P. See Wentorf, R.N., Jr., 2=4362
- Bovenkerk, H.P. See Wentorf, R.N., Jr., 2=12894
- Bovey, E. Graticules and fine scales: their production and application in modern measuring systems, 2=17598
- Boville, B.W. and Hare, F.K. Total ozone and perturbations in the middle stratosphere, 2=4592

- Bowden, F.P. and Chadderton, L.T. Fission fragment damage to crystal lattices: dislocation formation, 2=21037
- Bowden, F.P. and Montague-Pollock, H.M. Slow decomposition of explosive crystals and their damage by fission fragments, 2=854
- Bowden, P.B. See Brandon, D.G., 2=23170
- Bowen, D.H., Wilks, R.S. and Clarke, F.J.P. Irradiation damage clusters in the oxides of beryllium and magnesium, 2=18569
- Bowen, E.D. See Heritage, J.L., 2=11803
- Bowen, J.I. See Meijer, P.H.E., 2=2636
- Bowen, L.H. and Irvine, J.W., Jr. Nuclear excitation functions and thick-target yields F^{19} , Na^{23} , $As^{75}(d,t)$, and Na^{23} , $As^{75}(d,p)$, 2=20671
- Bowen, P.H., Cox, G.C., Huxtable, G.B., Langsford, A., Scanlon, J.P. and Thresher, J.J. Polarization in neutron-proton scattering below 100 MeV, 2=1691
- Bowen, P.H., Cox, G.C., Huxtable, G.B., Scanlon, J.P., Thresher, J.J. and Langsford, A. Neutrons emitted at 0° from nuclei bombarded by 143 MeV protons, 2=7987
- Bowen, P.H., Cox, G.C., Huxtable, G.B., Scanlon, J.P., Thresher, J.J. and Langsford, A. An investigation of the production of polarized neutron beams in the energy range 18 to 120 MeV, 2=13810
- Bowen, P.J. See Pounds, K.A., 2=9034
- Bowen, T. and Roth, R.F. Design of a scintillation counter K^+ detector for a bubble chamber, 2=18182
- Bowers, R. and Yafet, Y. The magnetic susceptibility of p-Ge, 2=23637
- Bowers, R. See Rose, F.E., 2=18559
- Bowers, R. See Woods, A.D.B., 2=10320
- Bowers, V.A. See Adrian, F.J., 2=8124
- Bowers, V.A. See Cochran, E.L., 2=12351
- Bowers, V.A. See Jen, C.K., 2=14823
- Bowes, P.C. and Townshend, S.E. Ignition of combustible dusts on hot surfaces, 2=4539
- Bowhill, S.A. The formation of the daytime peak of the ionospheric F2-layer, 2=17172
- Bowhill, S.A. See Sales, G.S., 2=17166
- Bowles, A.H. The effect of a thermal gradient upon charge separation between similar polyethylene surfaces, 2=148
- Bowles, J.S. and Mackenzie, J.K. The crystallography of the $(225)_F$ -transformation in steels, 2=15056
- Bowles, K.L. Incoherent scattering by free electrons as a technique for studying the ionosphere and exosphere: some observations and theoretical considerations, 2=6938
- Bowles, K.L., Ochs, G.R. and Green, J.L. On the absolute intensity of incoherent scatter echoes from the ionosphere, 2=16075
- Bowles, K.L. See Cohen, R., 2=13034
- Bowley, A.E. See Delves, R.T., 2=640
- Bowman, A.L. The variation of lattice parameter with carbon content of tantalum carbide, 2=2388
- Bowman, A.L. See Giorgi, A.L., 2=2962
- Bowman, C.D., Bilpuch, E.G. and Newson, H.W. s- and p-wave neutron spectroscopy. VIII. Subshell effect on nuclear level spacing near $A=50$, 2=10116
- Bowman, G.G. Some aspects of gyro-splitting in the ionosphere, 2=11049
- Bowman, H.R., Thompson, S.G., Milton, J.C.D. and Swiatecki, W.J. Velocity and angular distributions of prompt neutrons from spontaneous fission of Cf^{252} , 2=14145
- Bowman, J.J. and Harris, J.D. Green's distributions and the Cauchy problem for the iterated Klein-Gordon operator, 2=15446
- Bowman, M.G. See Leitnaker, J.M., 2=2936
- Bowman, W. See Sodickson, L., 2=1679
- Bowman, W.C., Carroll, J.B. and Poirier, J.A. Total-absorption scintillation counter for high-energy photons, 2=18095
- Bowness, C., Missio, D. and Rogala, T. A high energy laser using a multi-elliptical cavity, 2=19704
- Bowsher, J.M. and Robinson, D.W. On scaling the unpleasantness of sounds, 2=7070
- Bowsher, J.M. See Robinson, D.W., 2=7306
- Boxer, A.S. and McCarter, R.S. Coaxial ferrite phase shifter for high power applications, 2=13678
- Boy, F. See Pacault, A., 2=12755
- Boyarchuk, A.A., Efimov, Yu.S. and Stepanov, V.E. The increase in the equivalent widths of absorption lines in a magnetic field, 2=984
- Boyarchuk, Yu.M. and Buben, N. Ya. Stabilization of free radicals in ionic crystal matrices, 2=3790
- Boyarkina, A.N. See Balashov, V.V., 2=20611
- Boyarkina, A.N. See Bednyakov, A.A., 2=14086
- Boyd, A.H. See Bates, D.R., 2=9532
- Boyd, E.L., Budnick, J.I., Bruner, L.J. and Blume, R.J. Observation of domain wall resonances in ferrimagnetic oxides, 2=18937
- Boyd, E.L. and Slonczewski, J.C. Anisotropy of the hyperfine interaction in magnetite, 2=12642
- Boyd, G.D., Collins, R.J., Porto, S.P.S., Yariv, A. and Hargreaves, W.A. Excitation, relaxation, and continuous maser action in the 2.613-Micron transition of $CaF_2:U^{3+}$, 2=14667
- Boyd, G.D., Gould, R.W. and Field, L.M. Interaction of a modulated electron beam with a plasma, 2=5341
- Boyd, G.D. See Johnson, L.F., 2=12588
- Boyd, M.E. Molecular-orbital study of the geometry of HO_2 , 2=22979
- Boyd, R.L.F. Space astronomy in Great Britain, 2=17310
- Boyer, C. and Camichel, H. Photographic observations of the planet Venus, 2=6992
- Boyer, D.W. See Eschenroeder, A.Q., 2=11395
- Boyer, P. Determination of the complex permittivity of liquid dielectrics at ultra-high frequencies, 2=19573
- Boyer, P. See Le Bot, J., 2=4088
- Boyer, R.F. See Simha, R., 2=21557
- Boyle, A.J.F., Bunbury, D.St.P. and Edwards, C. The isomer shift in ^{119}Sn and the quadrupole moment of the first excited state, 2=5790
- Boyle, A.J.F. and Hall, H.E. The Mössbauer effect, 2=18512
- Boyle, J.W. and Mahlman, H.A. Iron (III) molar extinction coefficients in light and heavy water solutions, 2=13344
- Boyle, W.S. and Howard, R.E. Transition to the high field limit in the Zeeman spectra of germanium donors, 2=2231
- Boyle, W.S. See Nelson, D.F., 2=11783
- Boyn, R. See Bber, K.W., 2=642
- Boyne, H.S. and Martin, W.C. Experimental determination of the frequency ratio of optical harmonics, 2=17605
- Boynton, R.M. and Siegfried, J.B. Psychophysical estimates of responses to brief light flashes, 2=17324
- Boynton, R.M. See Ikeda, M., 2=13223
- Boynton, R.M. See Onley, J.W., 2=17325
- Boýun, G. A study of evaporation and heat exchange between the sea surface and the atmosphere, 2=24005
- Bozek, E., Hryniewicz, A.Z., Konieczny, Z., Rybicka, M. and Szymczyk, S. Nuclear g-factor of the 113 keV rotational level in ^{177}Hf , 2=10013
- Bozek, E., Hryniewicz, A.Z., Konieczny, Z., Ogaza, S., Rybicka, M. and Szymczyk, S. The attenuation of the angular correlation of ^{181}Ta 133-482 keV cascade in liquids, 2=20557
- Božek, E., Hryniewicz, A.Z. and Styczeń, J. G-factor of 482 keV state of Ta^{181} measured with the differential method, 2=14002
- Bozhevol'nov, E.A. Reasons for elimination of internal nonradiative transitions in organic molecules incident to formation of intracomplex compounds with cations, 2=15604
- Bozhinskii, A.N. and Volmir, A.S. Experimental investigation of the stability of cylindrical shells beyond the elastic limit, 2=10742
- Bozhko, V.P., Zalyubovskii, I.I. and Tutubalin, A.I. Measurement of the mean lifetime of Lu^{175} in the 113.8 keV excited state, 2=13992
- Bozic, S.M. Mean square voltmeter, 2=11583
- Bozin, G.M. See Shorin, K.N., 2=1544
- Bozoki, G., Fen' vesh, É., Shandor, T., Balea, O., Batagui, M., Fridlander, E., Betev, B., Kavlov, Sh. and Mitran, L. Absorption of nuclear-active cosmic ray particles in air, 2=336
- Bozoki, G., Fen' vesh, É., Shandor, T., Balea, O., Batagui, M., Fridlander, E., Betev, B., Kavlov, Sh. and Mitran, L. Absorption of nuclear-active cosmic ray particles in air, 2=22684
- Božóki, G., Fenyves, E., Frenkel, A., Gombosi, E. and Suranyi, P. Inelastic pion-nucleon interactions at 7.3 GeV in emulsion, 2=11981
- Božóki, G., Fenyves, E. and Jánosy, L. Inelastic (n-p) cross section at 30 GeV, 2=18123
- Brabec, V., Kracík, B., Mhligui, Z., Vejs, M., Maštálka, A., Vobecký, M., Kracíková, T. and Hnatowicz, V. A study of the radioactive radiation of neutron-deficient Hf isotopes, 2=7951
- Braben, D.W., Green, L.L. and Willmott, J.C. The energy levels of Na^{23} , 2=1820
- Braben, D.W., Green, L.L. and Willmott, J.C. The $Ne^{22}(p,\gamma)Na^{23}$ reaction and the energy levels of Na^{23} , 2=14091
- Braccisi, A. and Ceccarelli, M. The Italian cross radio telescope. I. Design of the antenna, 2=11152
- Brace, L.H. See Spencer, N.W., 2=6935
- Brace, W.F. See Dulaney, E.N., 2=8750
- Bracewell, R.N. Correction of spectroscopic line profiles for instrumental broadening, 2=15730
- Bracewell, R.N., Swarup, G. and Seeger, C.L. Future large radio telescopes, 2=9110
- Brachet, C., Decomps, B., Durand, G., Heriard-Dubreuil, L., Lamain, H., Vasseur, P. and Vautier, P. Analysis of the pulsed voltage operation of a gas laser, 2=20140
- Brackmann, J., Kusterer, W. and Metzendorf, W. Influence of the boundary on the reverse magnetisation in thin Permalloy films, 2=8637
- Brąda, J. and Mardix, S. Properties of electron traps and electrons in single crystals of silver bromide at 77°K, 2=23470

- Bradbury, B.T. See Robins, R.G., 2=14941
- Bradbury, E.M. and Elliott, A. Simplified procedure for making selenium infrared polarizers, 2=17653
- Bradbury, T.C. Radiation damping in classical electrodynamics, 2=20106
- Braden, C.H. See Dulaney, H., 2=7945
- Braden, C.H. See Wyly, L.D., 2=406
- Bradfield, G. and Goodwin, W.E.T. A note on abnormalities in the travel time of a wave between two extensive apertures, 2=1232
- Bradfield, W.S., Barkdoll, R.O. and Byrne, J.T. Some effects of boiling on hydrodynamic drag, 2=15817
- Bradford, E. and Robson, B.A. Distorted wave analysis of the inelastic scattering of protons and the 9.63 MeV state of C^{12} , 2=5901
- Bradford, G. and Galloway, R.B. Dekatron scaler employing transistorized drive circuits, 2=1354
- Bradley, C.B. See Pelanne, C.M., 2=19744
- Bradley, C.J. See Altmann, S.L., 2=20964
- Bradley, D. and Entwistle, A.G. Determination of the emissivity, for total radiation, of small diameter platinum-10% rhodium wires in the temperature range 600-1450°C, 2=1306
- Bradley, D.J. Parallel movement for high finesse interferometric scanning, 2=2882
- Bradley, D.J. Rapidly-recording Fabry-Perot spectroscopy, 2=5161
- Bradley, D.J. Electron-optical scanning for a Fabry-Perot spectrometer employing image intensifier detection, 2=7669
- Bradley, D.J. Anomalous spectral intensity modification in a hollow-cathode discharge, 2=20736
- Bradley, E.F. See Rider, N.E., 2=2964
- Bradley, E.M. Properties of magnetic films for memory systems, 2=13630
- Bradley, J.C. Vibrational frequency spectrum of random crystal lattices, 2=558
- Bradley, J.E.S. and Marks, J. Method of measuring the Mössbauer effect, 2=3469
- Bradley, J.N. and Rabinovitch, B.S. On the mechanism of disproportionation of alkyl radicals, 2=23009
- Bradley, L.C. III, and Wall, N.S. The absence of circular dichroism in $^{16}O_2$ and a resultant upper limit for parity non-conservation, 2=16517
- Bradley, L.C. III. See Schuler, C.J., 2=10206
- Bradley, R.C. and Ruedl, E. Ions sputtered from copper, 2=7675
- Bradley, R.C. See Ruedl, E., 2=18576
- Bradley, R.S., Jamil, A.K. and Munro, D.C. Electrical conductivity of fayalite and spinel, 2=14511
- Bradley, W.E. See Vonnegut, B., 2=11029
- Bradley, W.G. Stationary dislocations in sodium chloride as possible vehicles for the electrical conductivity mechanism, 2=12438
- Bradner, H. See Amaldi, E., 2=22461
- Bradsell, R.H. See Froome, K.D., 2=1101
- Bradshaw, W.W., Cadena, D.G., Jr., Crawford, G.W. and Spetzler, H.A.W. The use of alanine as a solid dosimeter, 2=18032
- Bradt, R.C. and Wiley, J.S. Directional thermal expansion coefficients of β - MnO_2 , 2=20941
- Brady, F.P. See Sherr, R., 2=1889
- Brady, G.W. and Frisch, H.L. Some further observations on the critical region, 2=9269
- Braffort, P. See Larisse, J., 2=3655
- Bragança Gil, F. and Petit, G.Y. Angular correlation between γ - γ and α - γ radiations for elements of the Pa^{231} family, 2=410
- Bragin, A.A. Correction for nonlinearity in the scale of an intensity meter for nuclear radiation, 2=19854
- Braginski, A. Initial magnetic permeability in the system $Mn_xFe_{3-x}O_{4+y}$, 2=746
- Braginski, A. Oxygen-rich manganese ferrite solid solutions, 2=4232
- Braginski, A. and Merceron, T. On the magnetic relaxation spectrum in the system $Mn_xFe_{3-x}O_{4+y}$, 2=4243
- Braginskii, V.B., Rudenko, V.N. and Rukman, G.I. An experimental investigation of the effect of an intermediate medium on gravitational interaction, 2=19391
- Braginskii, V.B. and Rukman, G.I. On the possibility of recording gravitational radiation under laboratory conditions, 2=21803
- Braham, R.R., Jr. See Hoffer, T.E., 2=15191
- Braibanti, A. See Ferrari, A., 2=12901
- Braid, T.H., Yntema, J.L. and Zeidman, B. Angular correlations in inelastic scattering of protons from Mg^{24} , 2=1876
- Braid, T.H. See Broek, H.W., 2=1924
- Braid, T.H. See Broek, H.W., 2=12218
- Braid, T.H. See Yntema, J.L., 2=1916
- Brailsford, A.D. and Overhauser, A.W. Theory of the resistance minimum in dilute paramagnetic alloys, 2=3979
- Brainin, E.I. See Davidenkov, N.N., 2=8722
- Brainin, E.I. See Davidenkov, N.N., 2=23758
- Bramble, J.H. A sphere theorem for the equation of elasticity, 2=42
- Bramble, J.H. and Payne, L.E. A priori bounds in the first boundary value problem in elasticity, 2=4971
- Bramblett, R.L. See Fultz, S.C., 2=18316
- Bramblett, R.L. See Hatcher, C.R., 2=9828
- Bramblett, R.L. See St. Romain, F.A., 2=14137
- Bramley, E.N. The impedance of a short cylindrical dipole in the ionosphere, 2=21643
- Bramlitt, E.T., Fink, R.W., Gardner, D.G. and Poularikas, A. Some cross-section limits for the occurrence of the (n, He^3) reaction at 14.5 MeV, 2=3597
- Brancolini, G.P. See Mori, G.F., 2=24213
- Brand, H. and Dörr, F. An apparatus for the measurement of luminescence spectra of frozen solutions, 2=6627
- Brand, J.C.D., Callomon, J.H. and Watson, J.K.G. The $3\sigma 20 A^1A' \rightarrow ^1A'$, 2=539
- Branda, L.J. Hole bands in the LiCl crystal, 2=6304
- Branden, B.H. See Moffat, J.W., 2=9908
- Brandenberg, W. See McDaniels, D.K., 2=9938
- Brander, O. Elastic D-D-scattering in the impulse approximation expressions for the M-matrix, 2=18193
- Brandhorst, H.W., Jr. and Cobble, J.W. Decay of Ru^{106} , Pd^{106} , and Rb^{86} , 2=5849
- Brandon, D.G., Bowden, P.B. and Baker, A.J. Lattice defects in gold and platinum produced by low-energy ion bombardment, 2=23170
- Brandon, D.G., Southon, M.J. and Wald, M. The application of field ion microscope to the study of radiation damage, 2=23947
- Brandon, R.W., Gerkin, R.E. and Hutchison, C.A., Jr. Electron magnetic resonance of triplet states and the detection of energy transfer in crystals, 2=21370
- Brandreth, M. and Hellawell, A. Grain boundary precipitation in α/β brass, 2=23886
- Brandstaetter, F. Measurement of magnetic fields in very small air gaps with the aid of the Förster probe, 2=13647
- Brandt, A.A. and Kurtmulaev, R.Kh. Investigation of fast ionization processes in the gas flow behind a shock wave, 2=1382
- Brandt, G. See Dupré, A., 2=9456
- Brandt, J.C. Interplanetary gas. VI. Diffuse extreme ultraviolet helium radiation in the night and day sky, 2=4726
- Brandt, J.C. On the role of secondary scattering in the Lyman- α problem, 2=11071
- Brandt, J.C. A note on the gas tails of comets, 2=11113
- Brandt, J.C. On the scale of the galaxy, 2=19343
- Brandt, J.C. and Hodge, P.W. Lunar dust and the Gegenschein, 2=4731
- Brandt, J.C. and Michie, R.W. Semiempirical model of the interplanetary medium, 2=17237
- Brandt, J.C. See Chamberlain, J.W., 2=15300
- Brandt, J.F. See Small, A.M., Jr., 2=11218
- Brandt, N.B. Simple construction of spring scales for measurement of magnetic susceptibility, 2=5431
- Brandt, N.B. High-sensitivity differential pressure gauge, 2=19503
- Brandt, N.B. and Ginzburg, N.I. Investigation of the crystalline modifications of bismuth and some methods of obtaining high pressures at low temperatures, 2=7482
- Brandt, N.B. and Ginzburg, N.I. Investigation of the crystalline modifications of bismuth and some methods of obtaining high pressures at low temperatures, 2=9483
- Brandt, N.B. and Shchekochikhina, V.V. The influence of antimony impurities on the de Haas-van Alphen effect in bismuth, 2=4204
- Brandt, W. See Blatt, J.M., 2=14415
- Brändus, I. Calculation of the elastic cross-section for the scattering of particles with spin, 2=11903
- Brändus, I., Micu, M. and Săndulescu, A. Reduced widths for the emission of a deuteron calculated on the Nilsson Model, 2=7961
- Braner, A.A. See Halperin, A., 2=23216
- Brangaccio, D.J. Construction of a gaseous optical maser using Brewster angle windows, 2=19699
- Brangaccio, D.J. See Rigrod, W.W., 2=7346
- Brannen, E. and Olde, G.L. The response of organic scintillators to electron energy deposited in them, 2=7792
- Brans, C.H. and Dicke, R.H. Mach's principle and a relativistic theory of gravitation, 2=1051
- Brans, C.H. Mach's principle and the locally measured gravitational constant in general relativity, 2=2617
- Brans, C.H. Mach's principle and a relativistic theory of gravitation. II, 2=9157
- Branscomb, L.M. See Seman, M.L., 2=6088
- Branscomb, L.M. See Steiner, B., 2=22905
- Bransden, B.H. The low energy scattering of positrons by hydrogen atoms, 2=3319
- Bransden, B.H. and Moffat, J.W. On the consistency of the coupled S and P-wave solutions in pion-pion scattering, 2=9907

- Bransden, B.H. and Moffat, J.W. Pion-pion scattering in the two-pion exchange approximation, 2=9908
- Bransden, B.H. and Moffat, J.W. P-wave pion-pion resonance, 2=13860
- Bransden, B.H. and Moffat, J.W. On pion-pion scattering, 2=22595
- Bransden, B.H. and Moffat, J.W. High energy behaviour of pion-pion scattering amplitudes, 2=22597
- Branwood, A., Hughes, O.H., Hurd, J.D. and Tedgold, R.H. Evidence for space charge conduction in barium titanate single crystals, 2=14512
- Bratina, W.J. Contribution to the relaxation maximum due to oxygen in alpha-titanium, 2=21003
- Bratina, W.J. and Mills, D. Effect of dislocations on the ultrasonic wave attenuation in deformed carbon steels, 2=21018
- Bratož, S. See Besnainou, S., 2=6156
- Bratož, S. See Phillips, J., 2=12315
- Bratt, P., Engeler, W., Levinstein, H., MacRae, A. and Pehek, J. A status report on infrared detectors, 2=7454
- Brattsev, V.F. See Veselov, M.G., 2=513
- Bratukhina, V.A. See Balandin, Yu.F., 2=23794
- Brau, M.J. See Hach, R.J., 2=2416
- Braude, S.Ya. The selection of a standard discrete source of cosmic radio emission, 2=24179
- Braude, S.Ya. See Bass, F.G., 2=6921
- Braude, S.Ya. See Sodin, L.G., 2=24169
- Brauer, K.H. See Bethge, H., 2=5385
- Brauer, P. and Kolb, M. "Rubbing" of the thallium-phosphors of alkali and alkaline earth halides, 2=2247
- Brauer, P. See Blume, H., 2=23598
- Braun, C.L. See Kato, S., 2=19569
- Braun, E. Nuclear photoeffect in aluminium and fluorine using the lithium resonance radiation, 2=5887
- Braun, H., Baumann, G. and Cuer, P. The emission of Li^{β} and B^{β} fragments in the interactions of 24.8 GeV/c protons with elements in nuclear emulsions, 2=22816
- Braun, H. See Baumann, G., 2=10000
- Braun, H. See Baumann, G., 2=10108
- Braun, H. See Baumann, G., 2=12189
- Braun, H. See Baumann, G., 2=18347
- Braun, H. See Baumann, G., 2=20661
- Braun, H. See Debeauvais-Wack, M., 2=3339
- Braun, J. See Andersson, L.O., 2=5531
- Braun, J.H. and Pellin, R.A. The shape of melt-crystal interfaces during float zoning of silicon, 2=8793
- Braun, M. and Kohlhaas, R. Methods of analysing calorimetric procedure, 2=9443
- Braun, M.A. Analytical properties of the bound state wave function for a superposition of Yukawa potentials, 2=13948
- Braun, W.H. See Mirels, H., 2=7180
- Braunbeck, J. Optical properties of porous solid materials impregnated with liquid, 2=14646
- Brauner, J.W. and Wilson, D.J. Pressure dependence of fluorescence spectra. III. Effect of finite pulse length, 2=20786
- Brauner, K. See Feichtinger, H., 2=21603
- Bräunlich, P., Hanle, W. and Scharmann, A. Thermoluminescence of MgF_2 : Mn, 2=2265
- Bräunlich, P. and Scharmann, A. Dosimetry with the help of thermoluminescence of lithium fluoride, 2=16097
- Braunstein, A. and de-Shalit, A. New evidence for core excitation in Au^{197} , 2=18257
- Braunstein, B. Infrared lattice absorption of germanium-silicon alloys, 2=23571
- Braunstein, J. See Manning, D.L., 2=17093
- Braunstein, M.L. and White, W.J. Effects of acceleration on brightness discrimination, 2=24215
- Braunstein, R. Nonlinear optical effects, 2=4108
- Braunstein, R., Moore, A.R. and Herman, F. Phonon spectrum of germanium-silicon alloys, 2=2153
- Brautti, G. See Bartke, J., 2=13883
- Bravinskii, V.G., Osipov, M.V. and Kozlov, A.F. The determination of the ultimate strength and the Young's modulus of small specimens at high temperatures, 2=18975
- Bray, H.J., Bell, F.D. and Harris, S.J. The constitution of bismuth-cadmium-tin alloys, 2=2403
- Bray, K.N.C. and Wilson, J.A. A preliminary study of ionic recombination of argon in wind tunnel nozzles, 2=19592
- Bray, P.J. The study of chemical bonds by nuclear quadrupole effects, 2=14349
- Bray, P.J. See Sook Lee, 2=10926
- Bray, R. and Brown, D.M. Lattice scattering mechanisms in p-type germanium, 2=23065
- Bray, R. See Appel, J., 2=18681
- Bray, R. See Brown, D.M., 2=18680
- Bray, T., Brown, G.C., Jr and Kiel, A. Paramagnetic relaxation of Fe^{3+} in potassium cobalticyanide, 2=18953
- Brazhnik, M.I. See Krupnikov, K.K., 2=13360
- Brdička, M. On longitudinal vibrations of thin cylindrical tubes, 2=5092
- Breare, J.M. See Hopkins, H.W.K., 2=5541
- Breazeale, M.A. Sound propagation in the critical-temperature region of hydrogen chloride, 2=13375
- Breazeale, M.A. and Lester, W.W. Demonstration of the "least stable waveform" of finite amplitude waves, 2=2821
- Brebec, G., Lévy, V., Bendazzoli, M. and Adda, Y. New method of introducing rare gases into metals, 2=11230
- Brebner, J.L. and Mooser, E. Cryostat for optical measurements between 300°K and 4.2°K, 2=2921
- Brebrick, R.F. Statistical mechanics of dilute solid solutions, 2=4353
- Brebrick, R.F. and Gubner, E. PbSe composition stability limits, 2=2168
- Brebrick, R.F. and Gubner, E. Composition stability limits of PbTe. II., 2=6468
- Brecher, C. See Blanc, J., 2=14684
- Bredig, M.A. New evidence for tetrachloride complex ions in cadmium halide-alkali metal halide melts, 2=21891
- Bredig, M.A. Molten salt solutions of electropositive metals: electronic conductance and metal halide stoichiometry, 2=21919
- Bredig, M.A. See Bronstein, H.R., 2=21921
- Bredig, M.A. See Dworkin, A.S., 2=15577
- Bredov, M.M. and Nuromskii, A.B. Changes of the surface properties of p-silicon during radiation by lithium ions, 2=21146
- Bredov, M.M. See Balabanova, L.A., 2=12407
- Bredov, M.M. See Balabanova, L.A., 2=14418
- Breedis, J.F. and Robertson, W.D. The martensitic transformation in single crystals of iron-chromium-nickel alloys, 2=23870
- Breen, R.J. A one-group model for thermal activation calculations, 2=8029
- Breene, R.G. Dipole moment induction in homonuclear diatomic molecules. I. The Coulomb case, 2=20792
- Bregadze, Iu.I., Isaev, B.M. and Kvasov, V.A. An ionization method of determining the absorbed energy in a mixed flux of fast neutron and gamma rays, 2=18033
- Brehme, R.W. A geometric representation of Galilean and Lorentz transformations, 2=13250
- Breido, I.I., Markelova, A.A. and Shchegolev, D.E. Reliable detection of objects on the first photographs of the reverse side of the moon, 2=17246
- Breido, I.I., Markelova, A.A. and Shchegolev, D.E. Reliable detection of objects on the first photographs of the reverse side of the moon, 2=24096
- Breig, E.L. See Kojima, T., 2=1992
- Breit, G. On the interpretation of the field theoretical potential in terms of phase shifts, 2=1662
- Breit, G. and Ruppel, H.M. Wave distortion for magnetic moment effects in nucleon-nucleon scattering, 2=20330
- Breit, G. See Hull, M.H., Jr, 2=18121
- Breit, G. See Lassila, K.E., 2=11895
- Breit, G. See Nishida, Y., 2=1855
- Breit, G. See Zickinbraht, W., 2=324
- Breitenlohner, P. Higher symmetries of the strong interaction, 2=22413
- Breitfelder, E. See Goetz, H., 2=7274
- Breitling, G. See Richter, H., 2=17439
- Brekhovskikh, S.M. and Shapovalova, N.F. Investigation of photoluminescence and scintillation of silicate glasses, 2=14721
- Bremmer, H. On the theory of wave propagation through a concentrically stratified troposphere with a smooth profile. I. Discussion of the extended W.K.B. approximation, 2=3172
- Bremmer, H. The pulse solution connected with the Sommerfeld problem for a dipole in the interface between two dielectrics, 2=7739
- Bremmer, H. On the theory of wave propagation through a concentrically stratified troposphere with a smooth profile, 2=16060
- Bremont, B. Correction to intrinsic magnetic moments by central and tensor forces, 2=13969
- Brendel, K.D. First-order vibrations of rigid bodies embedded in rubber-elastic media, 2=7272
- Brene, N., Egardt, L., Qvist, B. and Geffen, D.A. A model for the K_{μ_3} and K_{e_3} decay modes, 2=7897
- Brenet, J. See Abraham, M., 2=19776
- Brenig, W. Remark concerning quantized magnetic flux in superconductors, 2=1334
- Brenig, W. Sum rules in the theory of Fermi liquids, 2=17377
- Brenman, M. See Blinc, R., 2=21379
- Brenman, M. See Miller, S.R., 2=10711

- ennan, J.G. See Smith, F.J., 2=3449
- enner, A. See Loria, A., 2=1714
- enner, A.E. See Chretien, M., 2=22610
- enner, A.E. See Weinberg, A., 2=20405
- enner, J.J. Metal "whiskers", 2=14963
- enner, M. See Simons, L., 2=1842
- enner, M.W., Hoogenboom, A.M. and Kashy, E. Nuclear energy levels in P^{30} , 2=18270
- enner, N. See Ettre, L.S., 2=12942
- enner, R. The dependence of crystal anisotropy and magnetostriction in Ni, 2=16917
- enner, S.S. Mechanical behavior of sapphire whiskers at elevated temperatures, 2=2332
- esker, R.I., Voronin, N.I. and Latysheva, Z.I. Infrared radiation sources based on silicon carbide, 2=5172
- eslow, R.A. See Knauss, H.P., 2=23432
- essy, A. See Aubert, B., 2=18187
- essy, A. See Aubert, B., 2=22647
- et, G.C. and Shrader, E.F. Fast tunnel diode circuits for NaI(Tl) detectors, 2=5275
- etscher, M.M. A student measurement of the diffusion length of thermal neutrons in water by a negative source technique, 2=22530
- etton, R.H. See Carberry, J.J., 2=5052
- reuer, H. The energy distribution of fast photoneutrons from lead, 2=22796
- reuer, H. and Pohl, W. The $(\gamma, 2n)$ reaction in O^{16} from 28.9 to 32.5 MeV, 2=7972
- reuer, S. and Onat, E.T. On uniqueness in linear viscoelasticity, 2=14887
- reuer, W. and Jaumann, J. The removal of coercive force by ultrasonics, 2=23655
- reuer, A.W. See Dobson, G.M.B., 2=11013
- reuer, D.F. and Champeney, D.C. Sorption of helium and nitrogen on Vycor porous glass, 2=9472
- reuer, D.F. and Edwards, D.O. Heat conduction by liquid helium in capillary tubes. II. Measurements of the pressure gradient, 2=1325
- reuer, D.F. and Keaton, J.R.G. Phase separation of dilute mixtures of He^4 in He^3 , 2=15833
- reuer, D.F. See Bernardes, N., 2=19801
- reuer, G.R., Currie, M.R. and Knechtli, R.C. Ionic and plasma propulsion for space vehicles, 2=7045
- reuer, H.R., Harmer, D.S. and Hay, D.H. M-shell, relativistic electron wave-functions, 2=1956
- reuer, L. and Engelke, J.L. Spectrum of C_2 , 2=6166
- reuer, L., Hicks, W.T. and Krikorian, O.H. Heat of sublimation and dissociation energy of gaseous C_2 , 2=2028
- reuer, L. and Trajmar, S. Ultraviolet bands of magnesium hydroxide and oxide, 2=8105
- reuer, L., Trajmar, S. and Berg, R.A. Analysis of the ultraviolet system of magnesium oxide, 2=14283
- reuer, L.E., McGregor, W.K. and Dooley, M.T. Spectral line intensities from argon and nitrogen plasmas, 2=17845
- reuer, R.B. High intensity low noise rubidium light source, 2=1261
- reuer, R.G. Light modulation by the Raman effect, 2=17646
- reuer, R.G. Slow transient response in infrared photomultipliers, 2=17873
- reuer, R.G. See Brown, R.L., 2=12318
- reyer, J.E. See Dunn, F., 2=13401
- riand, J.P. Nature of the 29 keV transition in protactinium-234 (UX_2), 2=5805
- ricard, J., Pradel, J. and Renoux, A. The particulate distribution of the radioactivity of natural aerosols, 2=2491
- rice, J.C. and Stride, A.A. A continuous-reading four point resistivity probe, 2=11581
- rice, M.K. See Reich, C.W., 2=16369
- rice, N.M. See Lokken, J.E., 2=4692
- ricin, K.I. See Keldys, L.V., 2=23554
- rickman, A.D. Preloading of acoustic transducers for high-pressure operation, 2=7304
- ridenbaugh, P.M. See Peterson, G.E., 2=23602
- ridge, H. See Bell, J.C., 2=1947
- ridge, H.S., Dilworth, C., Lazarus, A.J., Lyon, E.F., Rossi, B. and Scherb, F. Direct observations of the interplanetary plasma, 2=12055
- ridgeman, O.C. and Aldrich, E.W. Linear form of the Antoine vapour-pressure equation, 2=22091
- ridges, W.B. See Birdsall, C.K., 2=1500
- ride, J.A. and Morgan, J.L. High-speed temperature recording, 2=13479
- ridoux, M. and Delhaye, M. A new three-phase mercury lamp for a Raman spectrograph, 2=19714
- riffod, G. See Bertrand, P., 2=11681
- rigevich, R.F. See Lur'e, B.G., 2=21070
- Briggs, A.W. Radiation fields from a horizontal electric dipole in a semi-infinite conducting medium, 2=20133
- Briggs, B.R. See Spreiter, J.R., 2=6965
- Briggs, G. See Baldock, P., 2=12923
- Briggs, G.A. See Clayton, C.G., 2=2128
- Briggs, G.R. and Tuska, J.W. Permalloy-sheet transfluxor-array memory, 2=13635
- Briggs, M.H. Recent advances in the investigation of meteorites, 2=19291
- Briggs, R. Continuous recording of suspended solids in effluents, 2=2454
- Briggs, R.J. See Wade, G., 2=8376
- Brigmanis, E. See Speyer, E., 2=128
- Brill, A. and Hoekstra, W. Efficiencies of phosphors for short-wave ultra-violet excitation, 2=8567
- Brill, O.D. and Sumin, L.V. Excitation curves for the reactions $^{11}B(d, 2n)^{11}C$, $^9Be(\alpha, 2n)^{11}C$, $^{10}B(d, n)^{11}C$ and $^{12}C(d, n)^{13}N$, 2=1921
- Brill, R. and Chopra, K.L. Electron distribution and characteristic temperature variation at low temperatures in magnesium and ruthenium, 2=15019
- Brill, R. and Tauster, S. On the applicability of the Temkin-Pyzhev equation for the determination of activation energies of ammonia synthesis at one atmosphere pressure, 2=15138
- Brilliantov, N.A., Starostina, L.S. and Fedorov, O.P. Preparing monocrystals of molybdenum and tungsten by crucibleless zone melting, 2=2364
- Brillouin, J. Measurement of the acoustic length of a resonating neck in the form of a slit in a thin wall, 2=5101
- Brillouin, L. Giant molecules and semiconductors, 2=6430
- Brim, W.W. See Narahari Rao, K., 2=6163
- Brim, W.W. See Narahari Rao, K., 2=17619
- Brimhall, J.L. See Klein, M.J., 2=8230
- Brinckmann, H.F. See Alexander, K.F., 2=14114
- Brindley, B.J., Corderoy, D.J.H. and Honeycombe, R.W.K. Yield points and Luders bands in single crystals of copper-base alloys, 2=23749
- Brinen, J.S. See Jørgensen, C.K., 2=22981
- Brini, D., Ciriegi, U., Galli, M., Gandolfi, A. and Tabellini, G. A high altitude measurement on cosmic rays by a new telemetric procedure, 2=9944
- Brini, D., Ciriegi, U., Gandolfi, A. and Tabellini, G.L. Instrumentation for space research, 2=11197
- Brini, D., Fubini, A., Missiroli, M. and Salomoni, A. A device for the measurement of the distribution of the slow neutron flux, 2=6072
- Brini, D., Galli, M., Tabellini, G.L., Ciriegi, U. and Gandolfi, A. On a G.M. counting rate increase recorded at balloon altitude, 2=5770
- Brink, D.M. See Kenworthy, D.J., 2=13511
- Brink, G.O. Ionization of alkali atoms by electron bombardment, 2=19897
- Brink, G.O. See Baker, F.S., 2=21570
- Brink, J.J. See Hiller, L.A., Jr., 2=7449
- Brinkman, J.A., Sosin, A. and Grenall, A. An interpretation of electron microscope observations in neutron-irradiated copper and gold, 2=6322
- Brinkman, J.A. See Sosin, A., 2=18571
- Brinkworth, B.J. Rapid estimation of conditions for maximum light scattering in monodisperse suspensions, 2=15162
- Brinkworth, B.J. and Zakian, V. An inexpensive voltage stabilizer for photometric work, 2=19832
- Brinton, R.K. See Miyoshi, M., 2=15136
- Briscoe, H.W. See Pettengill, G.H., 2=13174
- Briscoe, H.W. See Pineo, V.C., 2=7767
- Brissaud, I. See Génin, J., 2=453
- Brissaud, I. See Radvanyi, P., 2=1892
- Brisson, B. See Aubert, B., 2=18187
- Brisson, J.C., Falk-Vairant, P., Merlo, J.P., Sonderegger, P., Turley, R. and Valladas, G. Measurement of the total cross-section of the neutral processes in the π^-p interaction at 300-1600 MeV and the determination of the ratio between π^0 production and charge exchange up to 1112 MeV, 2=22567
- Brisson, V. See Aubert, B., 2=22647
- Brisson, V. See Bertanza, L., 2=22652
- Brisson-Fouché, V. Automatic multiple scattering measurements in nuclear emulsions. Application to the study of the asymmetry in the $\mu \rightarrow e + \nu + \bar{\nu}$ disintegration, 2=5699
- Brissonneau, P. See Aleonard, R., 2=16906
- Brissonneau, P. See Dautreppe, D., 2=21084
- Britsyn, K.I. and Vavilov, V.S. The effect of an h.f. electric field on the fundamental absorption edge in silicon, 2=4139
- Britt, C.O., Tolbert, C.W. and Straiton, A.W. Radio wave absorption of several gases in the 100 to 117 kMc/s frequency range, 2=7261

- Britt, H.C. and Quinton, A.R. Alpha particles and protons emitted in the bombardment of Au¹⁹⁷ and Bi²⁰⁹ by C¹², N¹⁴, and O¹⁶ projectiles, 2=499
- Britt, H.C., Wegner, H.E. and Gursky, J. Energetics of the charged particle-induced fission of Ra²²⁶, Bi²⁰⁹ and Au¹⁹⁷, 2=14152
- Brix, P., Engler, R., Hegel, U., Quitmann, D., Backenstoss, G., Goebel, K. and Stadler, B. Energy measurements of the 2p-1s transitions in μ -mesonic atoms, 2=14230
- Brix, P., Fuchs, H., Lindenberger, K.H. and Salander, C. Relative measurement of the integrated reaction cross-section for the nuclear photoeffect, the reaction O¹⁶(γ , n)O¹⁵, 2=1866
- Broadbent, D. See Nassibian, G., 2=1532
- Broadbent, T.E. and Cooper, R. Tripping a 1 MV single-stage impulse generator, 2=1351
- Broadhurst, M.G. Extrapolation of the orthorhombic n-paraffin melting properties to very long chain lengths, 2=14391
- Broadhurst, M.G. An analysis of the solid phase behavior of the normal paraffins, 2=16978
- Brocas, J. and Résibois, P. Transport equations for a Lorentz gas, 2=1085
- Broch, E.K. Enumeration of structurally different close-packings of equal atoms, 2=1461
- Brochard, J. See Amat, G., 2=13427
- Brock, G.E. and Aliotta, C.F. Direct observation of dislocation loops in arsenic-doped germanium, 2=23192
- Brockhouse, B.N. See Watanabe, H., 2=18897
- Brockhouse, B.N. See Watanabe, H., 2=23679
- Brockhouse, B.N. See Woods, A.D.B., 2=10320
- Brocklebank, R.W. See Wilson, M.H., 2=1771
- Brocklehurst, B. and Pimentel, G.C. Thermoluminescence of solid nitrogen after electron bombardment at 4.2°K, 2=12637
- Brockway, L.O. Recent problems in diffraction by gases, 2=22949
- Broda, E. See Kalab, B., 2=16085
- Broder, D.L., Kayurin, Yu.P. and Kutuzov, A.A. Passage of γ -radiation through heterogeneous media, 2=18091
- Broder, D.L., Kondrashov, A.P., Kutuzov, A.A. and Lashuk, A.I. Effect of boron-containing layers on the yield of secondary gamma-rays, 2=8045
- Broder, D.L., Kondrashov, A.P., Kutuzov, A.A., Naumov, V.A., Sergeev, Yu.A. and Turusov, A.V. Application of multigroup methods to biological shielding calculations, 2=14175
- Broder, D.L., Kutuzov, A.A. and Levin, V.V. The protective properties of water, polyethylene and plexiglas, 2=20357
- Broder, D.L. See Androsenko, M.H., 2=1898
- Brodie, D.E., Petch, H.E. and Haering, R.R. Experimental verification of field ionization of maps in luminescent materials, 2=12629
- Brodin, M.S. Investigation of the form of the absorption bands of tolane single crystals, 2=21243
- Brodin, M.S. and Dovgii, Ya.O. Experimental study of the circular dichroism and optical activity of sodium uranyl acetate single crystals, 2=16804
- Brodin, M.S. and Dovgii, Ya.O. Certain properties of the exciton absorption spectrum of a sodium uranyl acetate single crystal, 2=18849
- Brodin, M.S. and Krochuk, A.S. Fine structure and temperature dependence of the absorption spectrum of single-crystal CuCl, 2=8527
- Brodin, M.S. and Marisova, S.V. Davydov splitting and polarization ratio in the region of the first electronic transition of anthracene crystal, 2=694
- Brodin, M.S. and Marisova, S.V. The dependence of the refractive indices of anthracene crystals at 20°K on their thickness, 2=18794
- Brodin, M.S. and Marisova, S.V. Spectral distribution of the dependence of the transparency of anthracene single crystals on their thickness, 2=18809
- Brodin, M.S., Prikhod'ko, A.F. and Soskin, M.S. Optical properties of crystals. I., 2=8475
- Brodin, M.S. and Strashnikova, M.I. Absorption and dispersion of light in a CdS single crystal at 20°K, 2=23543
- Brodin, M.S., Vitrikhovskii, N.I. and Strashnikova, M.I. Structure of the spectra of the mixed crystals CdS_xCdSe_{1-x}ZnS_{1-x} at 20°K, 2=6552
- Brodin, M.S., Vitrikhovskii, N.I. and Strashnikova, M.I. Structure of the spectra of the mixed crystals CdS_xCdSe_{1-x}, CdS_xZnS_{1-x} at 20°K, 2=10596
- Brodkey, R.S. See Denny, D.A., 2=15545
- Brodovoi, V.A. Kinetics of photoconductivity of antimony sulphide monocystals, 2=23450
- Brodoviy, V.A. and Lyashenko, V.I. Manufacture and electrical properties of Sb₂S₃ and Sb₂Te₃ single crystals, 2=8351
- Brodoviy, V.A. and Lyashenko, V.I. Manufacture, structure and electrical properties of the system Sb₂S₃-Sb₂Te₃, 2=8352
- Brodoviy, V.A. and Lyashenko, V.I. Kinetics of the photoconductivity of the Sb₂S₃--Sb₂Te₃ system, 2=18732
- Brodskaya, S.Yu. and Grabovskii, M.A. Magnetic stability of single component and two-component artificial systems, 2=18902
- Brodskii, A.D. and Sergeev, A.G. The "grain-of-sand" method for determining the piezomodulus of a crystal, 2=677
- Brodskii, A.M., Ivanenko, D. and Sokolik, G.A. A new interpretation of the gravitational field, 2=14
- Brodskii, A.M., Ivanenko, D. and Sokolik, H.A. A new conception of the gravitational field, 2=15463
- Brodskii, A.M. and Kolbanovskii, Yu.A. Mechanism of radiolysis inhibition, 2=4558
- Brodskii, A.M. and Kolbanovskii, Yu.A. Mechanism of radiolysis inhibition, 2=8927
- Brodwin, M. See Warder, R., 2=19957
- Brody, H. See Selove, W., 2=5539
- Brody, H. See Selove, W., 2=22578
- Brody, J.K. See Asundi, R.K., 2=1983
- Brody, J.K. See Ramakoteswara Rao, P., 2=10252
- Brody, J.K. See Ramakoteswara Rao, P., 2=10253
- Brody, J.K. See Ramakoteswara Rao, P., 2=22964
- Brody, T.A., Bulbulian, S., Calvillo, J. and Martinez, A.M. Fifth report on studies of radioactive precipitation, 2=19206
- Brody, T.A. See Moshinsky, M., 2=1042
- Brody, T.P. Nature of the valley current in tunnel diodes, 2=2178
- Brodyanskii, V.M. and Leites, I.L. The relationship between the value of the Rank effect and the properties of real gases, 2=17493
- Broek, H.W., Braid, T.H., Yntema, J.L. and Zeidman, B. Elastic and inelastic scattering of 43 meV α -particles in the Ni region, 2=1924
- Broek, H.W., Braid, T.H., Yntema, J.L. and Zeidman, B. Elastic and inelastic scattering of 43-MeV alpha particles by Ni⁵⁸ and Ni⁶⁰, 2=12218
- Broek, H.W. See Yntema, J.L., 2=1916
- Broer, L.J.F. Waves and wavegroups, 2=4917
- Brogan, T.R. See Kantrowitz, A.R., 2=11607
- Brogan, W.L. Radial vibrations of a thin cylindrical shell, 2=2806
- Brogren, G. A double-crystal spectrometer for work in vacuum region, 2=7693
- Brogren, G. The reflection properties of the 1010 plane in quartz, 2=14988
- Brogren, G. and Lindén, E. The X-ray diffraction properties of silicon single crystals, 2=23645
- Brogren, G. and Nordling, C. The anomalous X-ray transmission through calcite on each side of the critical K-edge of Ca, 2=19079
- Brogren, G. and Stebler, B. A new method for measuring small density differences, 2=9230
- Broida, H.P. Study of electronically excited hydroxyl radicals in the H + O₂ atomic flame, 2=3789
- Broida, H.P. and Tanaka, I. Double probe measurements of ionization in active nitrogen, 2=1389
- Broida, H.P. See Barger, R.L., 2=22976
- Broida, H.P. See Garvin, D., 2=16513
- Broida, H.P. See Kiess, N.H., 2=6188
- Broida, H.P. See Krishnamachari, S.L.N.G., 2=10251
- Broida, H.P. See Radford, H.E., 2=22962
- Broida, H.P. See Schoen, L.J., 2=11547
- Brokaw, R.S. Energy transport in high temperature and reacting gases, 2=2763
- Brokaw, R.S. Regarding the effects of relaxation rate on heat conduction in gases, 2=21944
- Brokaw, R.S. See O'Neal, C., Jr., 2=11423
- Brolin, S. See Tove, P.A., 2=1260
- Brombacher, W.G. Bibliography and index on vacuum and low pressure measurement, 2=2791
- Brömer, H.H. and Fette, K. The time variation with intensity in an afterglow plasma of pure nitrogen, 2=15898
- Bromley, D.A. Nuclear experimentation with semiconductor detectors, 2=18015
- Bromley, D.A. Mayer, J.W. Semiconductors detectors. Nuclear experimentation with semiconductor detectors. Semiconductor detectors: How have they improved? 2=20199
- Bromley, D.A., Sachs, M. and Anderson, C.E. Heavy ion induced fragmentation studies, 2=1934
- Bromley, D.A., Sachs, M.W. and Anderson, C.E. A high resolution particle identification system, 2=9747
- Bromley, D.A. and Vogt, E.W. (Ed.) Proceedings of the International Conference on Nuclear Structure, Kingston, Canada, August 29-September 3, 1960, 2=1751

- romley, D.A. See Anderson, C.E., 2=5975
- romley, D.A. See Goldfarb, L.B., 2=582
- romley, D.A. See Goodman, C.D., 2=9496
- romley, R.H. See Leaf, G.A.V., 2=19475
- ron, W.E. Optical absorption and electron spin resonance after optical and thermal bleaching of F centers, 2=3963
- ronfin, B.R., McLean, E.A. and Griem, H.R. Absolute intensity calibration of a time-resolved spectrogram, 2=5134
- ronnikova, E.G., Larionov, I.M., Mileikovskaya, N.D., Smazhevskaya, I.G., and Glozman, I.A. Use of lead and barium metaniobate solid solution piezoceramics in wide-band filters, 2=17946
- ronshtein, I.M. and Fraiman, B.S. Inelastic scattering of electrons and secondary electron emission from certain metals and semiconductors, 2=1492
- ronshtein, I.M. and Fraiman, B.S. Secondary electron emission from some solids, 2=1493
- ronshtein, I.M. and Fraiman, B.S. The secondary-emission properties of metals and semiconductors, and the periodic system of elements, 2=5376
- ronshtein, I.M. and Fraiman, B.S. Secondary electron emission from some solids, 2=7656
- ronshtein, I.M. and Fraiman, B.S. The secondary-emission properties of metals and semiconductors, and the periodic system of elements, 2=7657
- ronshtein, I.M. and Shchuchinskii, Ya.M. Energy spectrum of slow secondary electrons for barium adsorption on tungsten, 2=1496
- ronshtein, I.M. and Shchuchinskii, Ya.M. Secondary electron emission of potassium and calcium, 2=17877
- ronshten, V.A. See Stanyukovich, K.P., 2=2526
- ronstein, H.R., Dworkin, A.S. and Bredig, M.A. Electrical conductance of solutions of salts in liquid metals. II. Potassium fluoride and bromide in potassium, 2=21921
- ronstein, H.R. See Dworkin, A.S., 2=15577
- rook, M., Armstrong, G., Winder, R.P.H., Vonnegut, B. and Moore, C.B. Artificial initiation of lightning discharges, 2=6914
- rook, M., Kitagawa, N. and Workman, E.J. Quantitative study of strokes and continuing currents in lightning discharges to ground, 2=8977
- rook, M. See Kitagawa, N., 2=8976
- rooke, G., Gardener, M., Lloyd, J.L., Kisdnasamy, S. and Wolfendale, A.W. The Durham cosmic ray spectrograph. I. The general features of the instrument, 2=20469
- rooke, G., Hayman, P.J., Taylor, F.E. and Wolfendale, A.W. The spectrum of cosmic ray muons and protons near sea level, 2=20466
- rooker, R.J. See Collins, L.E., 2=13605
- rooks, C.C. and Oster, L. Thermal radio emission from the transition-layer chromosphere-corona, 2=4835
- rooks, C.S. Improved gravimetric vapor-sorption apparatus, 2=2436
- rooks, J.N. See Murcray, D.G., 2=8972
- rooks, J.T. See Telfair, D., 2=17389
- rooks, P.P.B. Calibration procedures for direct-current resistance apparatus, 2=11580
- room, K.M. 14.7-MeV neutron-induced fission of U^{238} , 2=12231
- room, R.F. and Rhoderick, E.H. A new type of bistable element involving thermal propagation of a normal region in a thin superconducting film, 2=5244
- room, R.F. and Rhoderick, E.H. Studies of the intermediate state in thin superconducting films, 2=9487
- room, T. See Ham, R.K., 2=6757
- roome, P.W. See Montgomery, W.D., 2=21990
- rophy, J.J. Current noise in pyrolyzed polyacrylonitrile, 2=2169
- rophy, J.J. and Robinson, R.J. Properties of shallow traps in cadmium sulfide, 2=23375
- roser, I. and Klein, W. On the problem of the saturation of the luminescence of ZnS crystals, 2=4179
- roser, I., Broser-Warminsky, R., Klipping, G., Rass, R. and Schulz, H.J. Photoconductivity and luminescence of II-VI compounds at low temperatures, 2=8413
- roser-Warminsky, R. See Broser, I., 2=8413
- rosi, A.R., Galonsky, A.I., Kettle, B.H. and Willard, H.B. A precision measurement of the longitudinal polarization of betas following P^{32} decay, 2=16348
- ross, H. The effect of defects on lattice thermal conductivity at low temperatures, 2=18540
- ross, H. and Hacker, W. Explanation for the positive sign of the thermo-electric power of copper at higher temperatures, 2=656
- rossel, J. See Amat, G., 2=13427
- rossel, J. See Bouchiat, M.A., 2=18425
- rosset, C. and Hagstedt, M. Electron microscope studies on glass surfaces, 2=849
- roten, N.W. and Medd, W.J. Observations of galactic radiation at 3200 Mc/s, 2=13181
- roten, N.W. See Medd, W.J., 2=4740
- Broucke, D. See Vanderlinden, H.L., 2=11137
- Broude, C. See Almqvist, E., 2=17906
- Broude, V.L. and Chykovani, N.M. Spectral distribution of the photoconductivity of CdS crystals at 300, 77 and 20°K, 2=18741
- Broude, V.L. and Medvedev, V.S. Luminescence of anthracene solid solutions, 2=14743
- Broude, V.L. and Medvedev, V.S. Excitation wavelength dependence of the blue luminescence yield of cadmium sulphide crystals at 20°K, 2=23594
- Broude, V.L. and Onoprienko, M.I. Absorption spectra of crystals of ordinary and deuterated benzenes at 20°K, 2=695
- Broude, V.L. and Rashba, E.I. Exciton absorption in mixed molecular crystals, 2=10592
- Broude, V.L., Rashba, E.I. and Sheka, E.F. Anomalous absorption of light near the exciton bands of molecular crystals due to impurities, 2=2234
- Broude, V.L., Rashba, E.I. and Sheka, E.F. Anomalous absorption of light near the exciton bands of molecular crystals due to impurities, 2=4157
- Brout, R. and Visscher, W. Suggested experiment on approximate localized modes in crystals, 2=23044
- Brovchenko, V.G. and Gorlov, G.V. Discrimination of neutron and gamma radiation by pulse shape in scintillation counter, 2=20368
- Brovetto, P., Chiavassa, E., Rosa, G. and Pasquarelli, A. Absolute beta counting by an end-windowed G.M. counter, 2=9826
- Brovetto, P. See Bonazzola, G., 2=9861
- Brown, A. The crystal structures of two thorium germanide phases with compositions approximating to $Th_{0.9}Ge_2$ and $ThGe_2$, 2=15048
- Brown, B.E. and Lautenschlager, E.P. Interchangeable axis mountings of small oriented crystals, 2=23638
- Brown, C.S. See Jones, C.K., 2=10740
- Brown, D.M. and Bray, R. Analysis of lattice and ionized impurity scattering in p-type germanium, 2=18680
- Brown, D.M. See Bray, R., 2=23065
- Brown, D.S. Radial shear interferometry, 2=2893
- Brown, D.S. A combined microdensitometer and plate-measuring machine, 2=13086
- Brown, E. Role of orthogonalization in the determination of valence states in crystals, 2=10351
- Brown, E. See Goedecke, G.H., 2=9799
- Brown, E. See Johnson, R.A., 2=16642
- Brown, E.N. A continuous-recording precipitation particle sampler, 2=8949
- Brown, F., Campion, P.J. and Oliver, B.H. The cross-section for the reaction $^{133}Cs(n,\gamma)^{134}Cs$ in the NRX reactor, 2=3593
- Brown, F. See Graham, R.L., 2=1846
- Brown, F. See Watt, D.E., 2=10152
- Brown, F.C. Electron mobility and scattering in polar crystals at low temperatures, 2=23472
- Brown, F.C., Masumi, T. and Tippins, H.H. Fine structure in the absorption edge of the silver halides, 2=8519
- Brown, F.C. See Ascarelli, G., 2=23140
- Brown, F.C. See Swank, R.K., 2=6387
- Brown, F.H., Kallmann, H. and Luchner, K. The relationship of phosphor properties to preparative methods in some ZnS:Cu/Cl phosphors, 2=2253
- Brown, F.H. See Spruch, G.M., 2=10613
- Brown, G.A. See Meyerhofer, D., 2=12533
- Brown, G.C., Jr. See Bray, T., 2=18953
- Brown, G.E. Theory of collective oscillations, 2=1792
- Brown, G.E. See Berggren, T., 2=14089
- Brown, G.E. See Vinh-Mau, N., 2=3479
- Brown, G.E. See Vinh-Mau, N., 2=16328
- Brown, G.P. and Aftergut, S. Electrical properties of phenothiazine, 2=10446
- Brown, H. See Duke, M., 2=2531
- Brown, H. See Nichiporuk, W., 2=24107
- Brown, H. See Pohn, H., 2=21700
- Brown, H.E. and Cairns, G.G. Very low frequency noise at Brisbane, 2=24031
- Brown, H.N., Culwick, B.B., Fowler, W.B., Gailloud, M., Kalogeropoulos, T.E., Kopp, J.K., Lea, R.M., Louttit, R.I., Morris, T.W., Shutt, R.P., Thorndike, A.M., Webster, M.S., Baltay, C., Fowler, E.C., Sandweiss, J., Sanford, J.R. and Taft, H.D. Observation of production of a $\Xi^- + \Xi^+$ pair, 2=12013
- Brown, H.W. and Jones, R.C. E.p.r. spectrum of an azulene free radical anion, 2=23006
- Brown, H.W. See Hyde, J.S., 2=18477
- Brown, J. See Clark, J., 2=13682
- Brown, J.L. Visual acuity and dark adaptation, 2=13321

- Brown, J.L., Kadyk, J.A., Trilling, G.H., Van de Walle, R.T., Roe, B.P. and Sinclair, D. Experimental study of the $K_{\alpha 3}^+$ decay interaction, 2=5730
- Brown, J.L., Kadyk, J.A., Trilling, G.H., Van de Walle, R.T., Roe, B.P. and Sinclair, D. Experimental studies of the form factors in $K_{\mu 3}^+$ and $K_{e 3}^+$ decay, 2=20417
- Brown, J.L. See Roe, B.P., 2=3399
- Brown, J.L., Jr. See Pigott, M.T., 2=9350
- Brown, J.R. See Clayton, D.B., 2=10923
- Brown, L. and Schwinger, J. Spin and statistics, 2=5569
- Brown, L.B. and Knowles, H.B. Alpha particles from Be^9 and C^{12} by 25 MeV alpha-particle bombardment, 2=5968
- Brown, L.C. See Weaver, C., 2=6364
- Brown, L.J. See Aamodt, R.L., 2=13584
- Brown, L.M. Analytic properties of n-point loops in perturbation theory, 2=266
- Brown, L.M. Mobile charged dislocations in ionic crystals, 2=3920
- Brown, L.M. and Singer, P. Neutral decay modes and the spin and parity of the η meson, 2=18171
- Brown, L.M. and Singer, P. Decay modes of the η meson, 2=20406
- Brown, M.A.C.S. Deviations from Ohm's law in germanium and silicon, 2=2154
- Brown, M.R., Coles, B.A., Owen, J. and Stevenson, R.W.H. Ferromagnetic exchange interaction between Mn^{2+} ions in Mn, ZnF_2 , 2=4218
- Brown, N. and Ekvall, R.A. Temperature dependence of the yield points in iron, 2=23750
- Brown, N. See Clark, J.S., 2=2406
- Brown, N. See Marcinkowski, M.J., 2=6831
- Brown, N. See Roberts, J.M., 2=21406
- Brown, P.J. The structure of the ζ -phase in the transition metal-zinc alloy systems, 2=15046
- Brown, P.J. See Alperin, H.A., 2=10684
- Brown, P.J. See Frazer, B.C., 2=6679
- Brown, P.J. See Kocher, C.W., 2=12648
- Brown, P.P. See Langton, N.H., 2=7786
- Brown, R.E. Experimental study of the $O^{17}(p, \alpha)N^{14}$ reaction and a calculation of the rate of this reaction in the CNO cycle in stars, 2=3575
- Brown, R.F. and McMahon, G.W. Material constants of ferroelectric ceramics at high pressure, 2=14610
- Brown, R.G. and Edwards, T.H. Infrared spectra of the methyl halides. II. Methyl bromide near 4450cm^{-1} , 2=20853
- Brown, R.G. and Edwards, T.H. Infrared spectra of the methyl halides. III. Methyl iodide near 4400cm^{-1} , 2=20854
- Brown, R.H. and Hazard, C. The radio emission from normal galaxies. III. Observations of irregular and early-type galaxies at 158 Mc/s and a general discussion of the results, 2=4859
- Brown, R. Hanbury. Clustering, cosmology and source counts, 2=15294
- Brown, R.J.S. See Thompson, D.D., 2=3785
- Brown, R.J.S. See Thompson, D.D., 2=14331
- Brown, R.L., Brewer, R.G. and Klemperer, W. Vibrational distribution in evaporating iodine, 2=12318
- Brown, R.M. See Kreger, W.E., 2=3212
- Brown, R.N. and McLaren, A.C. On the mechanism of the thermal transformations in solid ammonium nitrate, 2=6762
- Brown, R.R. West-East motion of an auroral-zone X-ray event, 2=6952
- Brown, R.R. and Campbell, W.H. An auroral-zone electron precipitation event and its relationship to a magnetic bay, 2=17194
- Brown, R.R. See Ortnier, J., 2=15284
- Brown, R.S. Transit time fluctuations of waves, 2=19380
- Brown, S.C. See Ascarelli, G., 2=23323
- Brown, S.C. See Ericson, M., 2=17842
- Brown, S.C. See Hirshfield, J.L., 2=7597
- Brown, T.B. Microwave zone plates, 2=1594
- Brown, T.H. See Schug, S.C., 2=18478
- Brown, W.B. and Steiner, E. Classical and continuum contributions to polarizability and force constants, 2=20767
- Brown, W.F., Jr. Failure of the local-field concept for hysteresis calculations, 2=12718
- Brown, W.F., Jr. Statistical aspects of ferromagnetic nucleation-field theory, 2=23658
- Brown, W.F., Jr. Nucleation fields of an infinitely long square ferromagnetic prism, 2=23659
- Brown, W.F., Jr. and Johnson, C.E., Jr. Temperature variation of saturation magnetization of gamma-ferric oxide, 2=21308
- Brown, W.F., Jr. and Shtrikman, S. Stability of one-dimensional ferromagnetic microstructures, 2=4217
- Brown, W.J. Use of a Hardy recording spectrophotometer as a spectroradiometer, 2=15733
- Brown, W.J. See Blevin, W.R., 2=22060
- Brown, W.S. Analyticity properties of the momentum-space vertex function, 2=9142
- Browne, C.P. Comparison of alpha-particle energies from Po^{210} and Po^{214} and the energy of Po^{210} alpha particles, 2=12154
- Browne, C.P., Dorenbusch, W.E. and Erskine, J.R. High-resolution study of the $B^{10}(He^3, p)C^{12}$ reaction, 2=3617
- Browne, C.P. and Eastwood, T.A. Comparison of alpha-particle energies from various Po^{210} sources, 2=394
- Browne, C.P. See Erskine, J.R., 2=5534
- Browne, J.C. Analysis of valence-bond wave functions for LiH, 2=1233
- Browne, J.C. and Miller, J. General one-center two-electron integrals for laguerre functions, 2=14183
- Browne, J.C. and Poshusta, R.D. Quantum-mechanical integrals over Gaussian atomic orbitals, 2=12278
- Browne, M.E. See Kaplan, D.E., 2=3177
- Browne, P.F. On the origin of radio emission from cosmic gas clouds, 2=4850
- Browne, P.F. Coupling between Sm ions and colour centres in the CaF_2 -Sm laser system, 2=12589
- Browne, P.F. The case for an exponential red-shift law, 2=13247
- Brownell, R.M. Direct observation of outward-progressing flux change in tape-wound cores at power frequencies, 2=20103
- Browning, K.A. and Ludlam, F.H. Airflow in convective storms, 2=13000
- Brownlow, A.E. See Parkin, D.W., 2=11121
- Broyer, A.M. See Nassau, K., 2=23820
- Broyles, A.A. Probability distribution for classical fluids, 2=38
- Brözel, R., Handtmann, D. and Richter, H. Structure of molten tin at different temperatures, 2=15566
- Brözel, R., Handtmann, D. and Richter, H. A net method of analysing the $I(s)_{\text{exp}}$ [experimental angular intensity distribution] curves [in X-ray interference patterns] of monatomic liquefied metals, 2=17435
- Brözel, R., Handtmann, D. and Richter, H. Temperature dependence of the structure of liquefied monatomic metals, 2=17436
- Bruce, C.E.R. Irregular and barred spiral nebulae, 2=7029
- Bruce, C.E.R. Cosmic electrical discharges. V. Cosmic plasma jets and hyperthermal wind tunnels, 2=24142
- Bruce, C.F. and Hill, R.M. Wavenumber reproducibility of the radiation $2p_{1/2}-5d_{5/2}$ of krypton 86, 2=22022
- Bruce, C.F. See Hill, R.M., 2=19719
- Bruce, G. See Almén, O., 2=3095
- Bruce, G. See Almén, O., 2=3096
- Bruce, G. See Thun, J.E., 2=3459
- Brückner, R. Thermal expansion behaviour of silica glass as a function of the thermal history, 2=14389
- Brudekner, K.A. See Klein, M.M., 2=3034
- Brueschke, E.E. A leak-free method of transmitting motion into ultrahigh vacuum, 2=9326
- Brugger, H.R., Niewodniczanski, T. and Steiger, M.P. $n'-\lambda$ correlation for $Mg^{24}(n, n'\gamma)$ at 3.25 MeV, 2=5940
- Brugger, H.R., Niewodniczanski, T. and Steiger, M.P. Inelastic scattering of medium energy neutrons from Mg^{24} , 2=14103
- Brugger, K. and Mason, W.P. Relation between thermal conductivity defect in sodium chloride and acoustic relaxation effects at low temperatures, 2=2059
- Brugger, R.M. Scattering of slow neutrons by solid and liquid terphenyls, 2=9854
- Brugger, R.M. and Evans, J.E. MTR phased chopper velocity selector, 2=3360
- Brugger, R.M. See Schmunk, R.E., 2=10822
- Brugger, R.M. See Strong, K.A., 2=3764
- Bruhn, W. and Mecke, R. Assignment of the internal vibrations of molecular crystals using polarized infrared radiation in the case of anthracene, 2=14374
- Bruin, P.J. A modification of Underwood's theorem for triple-valued relative volatilities, 2=6869
- Bruin, F., Heineken, F.W. and Bruin, M. Narrow E.S.R. hyperfine structure lines for a free radical dissolved in water, 2=23010
- Bruin, F., Heineken, F.W., Bruin, M. and Zahlan, A. E.S.R. spectrum of the 4,4'-dipyridyl radical, 2=15619
- Bruin, F. See Bruin, M., 2=16552
- Bruin, F. See Heineken, F.W., 2=20881
- Bruin, F. See Heineken, F.W., 2=23008
- Bruin, F. See Zahlan, A., 2=20862
- Bruin, M., Bruin, F. and Heineken, F.W. E.S.R. study of thio-indigo and related free radicals, 2=16552
- Bruin, M. See Bruin, F., 2=15619
- Bruin, M. See Bruin, F., 2=23010

- bruin, M. See Heineken, F.W., 2-20881
 bruin, M. See Heineken, F.W., 2-23008
 bruin, M. See Zahan, A., 2-20862
 brukhanov, V.A. See Delyagin, N.N., 2-3553
 brulin, O. and Laurent, B.E. Estimate of the possibility for a K- Λ compound, 2-3413
 brumberg, V.A. Random initial conditions and random parameters in problems of celestial mechanics, 2-4714
 brumberg, V.A., Kirpichnikov, S.N. and Chebotarev, G.A. Orbits of artificial moon satellites, 2-1027
 brümmer, O. and Klimanek, P. A contribution to the evaluation of the continuous Röntgen small angle scattering by monodisperse dilute systems, 2-3126
 brümmer, O. and Schülke, W. Influence of crystal distortions on interference from lattice sources, 2-14997
 brümmer, O. See Becherer, G., 2-8870
 brümmer, O. See Schülke, W., 2-14993
 brun, C., Lefort, M. and Tarrago, X. Contribution to the study of double pick-up as an indirect measurement of the production of tritium by protons of 82 and 105 MeV on various targets, 2-12191
 brun, C., Lefort, M. and Tarrago, X. Determination of the intensities of 40-150 MeV proton beams, 2-18112
 brun, C. and Simonoff, G.N. Fission-evaporation competition. Study of the excitation functions of different protactinium nuclei, 2-10098
 brun, E. and Derighetti, B. Quadrupole resonance of Li^7 in Li_2SO_4 , D₂O, 2-4297
 brun, E., Hafner, S. and Waldner, F. Electric field gradients in ionic crystals, 2-10297
 brun, E., Hana, R., Pierce, W.L. and Tanttila, W.H. Spin transitions induced by external r.f. electric field in GaAs, 2-18961
 brun, E., Hartmann, P., Laves, F. and Schwarzenbach, D. Electric quadrupole interaction of Al^{27} in AlPO_4 , 2-4298
 brun, E., Kraushaar, J.J., Pierce, W.L. and Veigele, W.J. Nuclear magnetic dipole moment of Ca^{41} , 2-22709
 brun, J.C., Verroust, G. and Victor, C. Design of a new arrangement for multidimensional analysis, 2-19844
 brun, P. Integrating and differentiating circuits (applications to filters and acoustics), 2-5255
 brun, P. Applications to acoustics of integrating and differentiating circuits, 2-5256
 brun, P. Applications of integrating and differentiating circuits to electrical measurements in the audio-frequency range. III, 2-5257
 brun, T.S., Meisingseth, E. and Palmork, K.H. Studies of ion exchanger membranes. X. Bi-ionic potentials and transference numbers in systems with bi-ionic specificity, 2-8919
 brune, H.A. and Zeil, W. C=N stretching frequency in coordination compounds of metal halides with nitriles, 2-14320
 brune, J.N. Attenuation of dispersed wave trains, 2-12987
 bruner, L.J. and Mecs, B.M. Dislocation damping in copper after low temperature plastic deformation, 2-21021
 bruner, L.J. See Boyd, E.L., 2-18937
 brunhart, G., Gall, C.D., Vittitoe, C., Schneider, K. and Kenney, V.P. Scanning apparatus for bubble chamber data analysis, 2-5547
 brunhart, G. See Kenney, V.P., 2-302
 bruninx, E. and Rudstam, G. Electro-spraying: a method of making samples for β counting allowing accurate correction for self-scattering and self-absorption, 2-5824
 bruninx, E. See Rudstam, G., 2-14097
 brunner, G. See Geisler, M., 2-7845
 brunner, G.O., Wondratschek, H. and Laves, F. Infrared investigations of the insertion of hydrogen in natural quartz, 2-6320
 brunner, J. Hall effect in an inhomogeneous magnetic field, 2-8288
 brunner, J.H., Lombard, R., Perdrisat, C.F. and Leisi, H.J. Positron spectra in the $_{83}\text{Bi}^{208} \rightarrow _{82}\text{Pb}^{208}$ and $_{83}\text{Bi}^{208} \rightarrow _{82}\text{Pb}^{206}$ disintegrations, 2-10050
 brunner, J.H. See Perdrisat, C.F., 2-10052
 brunner, J.H. See Perdrisat, C.F., 2-10053
 brunner, J.H. See Perdrisat, C.F., 2-16356
 brunner, W. and Paul, H. The theory of fission, 2-5978
 brunner, W. and Paul, H. The kinetic energy of fission fragments, 2-8019
 brunner, W. and Paul, H. The deformation of fission fragments from Cr^{252} , 2-10159
 bruns, A.V. and Prokof'ev, V.K. Measurement of the far ultraviolet helium emission, 2-19302
 bruns, A.V. and Prokof'ev, V.K. Spectrometer for the measurement of solar radiation in the far ultraviolet, 2-19303
 bruns, C.A. See Zdanis, R.A., 2-1920
 brunstein, S.A. See Gerhardt, J.R., 2-4597
 brush, A.H. See Myers, L.S., Jr., 2-11628
 brush, S.G. Development of the kinetic theory of gases. VI. Viscosity, 2-9312
 brussaard, P.J. See Biedenharn, L.C., 2-1067
 Brust, D., Phillips, J.C. and Bassani, F. Critical points and ultraviolet reflectivity of semiconductors, 2-21117
 Bruyn Ouboter, R.De. See De Bruyn Ouboter, R.
 Bruyneel, W. Note on the birefringence of hydrated calcium nickel cyanide, 2-21229
 Bruzek, A. Loop prominences over the solar disk, 2-11132
 Bruzzone, G. Structural and magnetic properties of the MX compounds formed from Ho with the metalloids of groups V and VI, 2-8828
 Bryan, G.M. and Pugh, E.M. Cratering of lead by oblique impacts of hypervelocity steel pellets, 2-6729
 Bryant, D.A., Ludwig, G.H. and McDonald, F.B. A scintillation counter telescope for charge and mass identification of primary cosmic rays, 2-18197
 Bryant, D.A. See Ogilvie, K.W., 2-12091
 Bryant, D.A. See Ogilvie, K.W., 2-13900
 Bryant, G.H. Propagation in a waveguide filled non-uniformly with plasma, 2-16030
 Bryant, J.I. and Turrell, G.C. Infrared spectra of the azide ion in alkali-halide lattices, 2-21250
 Bryant, R. A comparison of theory and observation of the Echo I satellite, 2-11192
 Bryant, R. See Jastrow, R., 2-9116
 Bryde, L., Lassen, N.O. and Poulsen, N.O.R. Ranges of recoil ions from α -reactions, 2-14136
 Bryden, J.H. The crystal structures of the germanium-arsenic compounds. I. Germanium diarsenide, GeAs_2 , 2-10873
 Bryndahl, O. The accurate estimation of the thermal conductivity properties in liquids by means of a shear-interferometric method, 2-11357
 Bryla, S.M. and Feldman, C. Contact potential in thin metal films, 2-8268
 Bryn, F. Optimum signal processing of three-dimensional arrays operating on Gaussian signals and noise, 2-7309
 Bryngdahl, O. and Ljunggren, S. A new refractive index gradient recording interferometer suitable for studying diffusion, electrophoresis and sedimentation, 2-1254
 Brysk, H. Specular echoes from dense meteor trails, 2-11162
 Brysk, H. New scattering approximation, 2-13266
 Bryson, A.E. and Rościszewski, J. Influence of viscosity, fluid conductivity, and wall conductivity in the magnetohydrodynamic Rayleigh problems, 2-5456
 Bryukhanov, V.A., Delyagin, N.N., Zvenglinskii, B. and Shpinel', V.S. Energy shifts of gamma transitions observed in resonance absorption of gamma quanta in crystals, 2554
 Bryukhanov, V.A., Delyagin, N.N. and Shpinel', V.S. Magnetic moment of the 23.8 keV excited state of the Sn^{119} nucleus, 2-16299
 Bryukhanov, V.A., Gol'danskii, V.I., Delyagin, N.N., Makarov, E.F. and Shpinel', V.S. Investigation of the Mössbauer effect in a tin-containing polymer, 2-10930
 Bryukhanov, V.A. See Shpinel', V.S., 2-555
 Bryukhanov, V.A. See Shpinel', V.S., 2-5810
 Bryukhanova, L.S., Andreyeva, I.N. and Likhtman, V.I. Effect of surface-active metallic melts on the creep resistance of metals, 2-6751
 Bryukhanova, L.S. See Chaevskii, M.I., 2-14899
 Bryukhanova, L.S. See Chaevskii, M.I., 2-19004
 Brzhezina, B. and Fousek, Ya. Interaction of 90° and 180° domains in BaTiO_3 , 2-21218
 Brzozowski, W. The magnetohydrodynamic generators, 2-7554
 Brzozowski, W.S. Results of the first experiments with small-power magnetohydrodynamic generators, 2-15879
 Brzozowski, W.S. and Celiński, Z. Plasma generators (plasmotrons, arc plasma torches, arc heaters), 2-19974
 Brýzgunov, V.A. Measurement of radioactivity of short-lived gases in a mixture of fission products, 2-14006
 Brýzhev, L.D., Leikin, A.Ya., and Sopol'nikov, M.D. Determination of frequency of a maser, and of irregularities in the earth's rotation, 2-1582
 Bubáková, R., Drahokoupil, J. and Fingerland, A. Single crystal diffraction patterns of germanium. II, 2-21511
 Bube, R.H. Trap density determination by space-charge-limited currents, 2-12420
 Bube, R.H., Macdonald, H.E. and Blanc, J. Photo-Hall effects in photoconductors, 2-8408
 Bube, R.H. See Blanc, J., 2-23384
 Bube, R.H. See Macdonald, H.E., 2-17739
 Buben, N.Ya. See Boyarchuk, Yu.M., 2-3790
 Bubernak, J., Lew, M.S. and Matlack, G.M. Point source technique for gamma ray absorption studies, 2-11925
 Bublei, R.E. Brittle strength of foamed materials, 2-6844

AUTHOR INDEX

- Bubnov, N.N., Voevodskii, V.V., Fok, N.V. and Shelimov, B.N. Study of electronic phototransfer reactions in the solid phase by E.P.R., 2=6686
- Buch, K. See Zetzsche, A., 2=6716
- Buch, T. See Pearson, R.G., 2=7231
- Buchanan, R.A., Kinsey, E.L. and Caspers, H.H. Infrared-absorption spectra of LiOH and LiOD, 2=14685
- Buchdahl, H.A. On the gravitational field equations arising from the square of the Gaussian curvature, 2=7121
- Buchdahl, H.A. Entropy concept and ordering of states. I, 2=15828
- Buchdahl, H.A. On the compatibility of relativistic wave equations in Riemann spaces, 2=20233
- Buchel'nikova, N.S. Determination of the attachment cross-sections for slow electrons in molecules, 2=1384
- Buchel'nikova, N.S. Calibration of an ionization manometer for some halogen-containing gases, 2=2793
- Bucher, E., Gross, D. and Olsen, J.L. Isotope and pressure effect in hard super-conductors, 2=7495
- Bucher, E., Heiniger, F. and Müller, J. Superconductivity and paramagnetism in complex phases of transition elements, 2=2961
- Bucher, E., Heiniger, F. and Müller, J. Superconductivity in σ -phases, 2=5237
- Bucher, E. and Müller, J. Superconductivity in hexagonal Ti-V and Ti-Nb alloys, 2=5242
- Bucher, W.P. See Kent, D.W., 2=1903
- Buchet, G., de Courville, J., Fakiris, A., Goldman, A., Goldman, M. and Reinhardt, J. Notes on the formation of discharge breakdown in gases and liquids, 2=19928
- Buchet, G., Goldman, M. and Fakiris-Zeitoun, A. Sputtering from metallic electrodes in a corona discharge, 2=19912
- Buchhold, T.A. Applications of superconductivity, 2=15858
- Buchholz, H. Geometric errors in coincidence counter arrangements, 2=22359
- Büchler, A., Klemperer, W. and Emslie, A.G. Infrared spectra of the group II halides: zinc halides and the ionic model, 2=14255
- Buchma, I.M. See Kushnir, R.M., 2=17789
- Buchsbaum, S.J. See Beketi, G., 2=22237
- Buchsbaum, S.J. See Ericson, M., 2=17842
- Buck, B. Excitation of two-phonon states by inelastic α -particle scattering, 2=18357
- Buck, B. and Hodgson, P.E. Optical model analysis of $\text{Mg}^{24}(\text{d}, \text{p})\text{Mg}^{25*}$ at 10.1 MeV, 2=5961
- Buck, B. and Perey, F. Effect of nuclear collective motions on S- and P- wave strength functions, 2=20655
- Buck, B. See Perey, F., 2=14105
- Buck, O. Deformation and electrical resistance of copper single crystals at very low temperatures, 2=14492
- Bucka, H., Kopfermann, H. and Ney, J. Double resonance investigation of the hyperfine structure of the $5^2\text{P}_{3/2}$ term in the KI spectrum for determining the nuclear electric quadrupole moment of K^{40} , 2=9996
- Bucka, H., Kopfermann, H. and Putlitz, G. Nuclear quadrupole moments of the barium isotopes Ba^{135} and Ba^{137} , 2=348
- Bucka, H., Kopfermann, H. and Zu Putlitz, G. Quadrupole moment of strontium 87, 2=18243
- Bucka, H. and Otten, E.W. Determination of the g_J -factor of the $4s4p^3\text{P}_1$ term in the spectrum of Ca I, 2=10208
- Buckhoff, F.J. and Pace, E.L. Residual entropy of sulfuryl fluoride at 0°K, 2=20935
- Buckingham, A.D. Frequency dependence of the Kerr constant, 2=11507
- Buckingham, A.D. Pressure-induced shifts and broadenings of infra-red spectral lines, 2=14273
- Buckingham, A.D. Temperature-dependent chemical shifts in the N.M.R. spectra of gases, 2=18484
- Buckingham, A.D. Nuclear quadrupole coupling in ionic molecules, 2=20868
- Buckingham, A.D. See Pijcher, E., 2=2021
- Buckingham, A.D. See Raynes, W.T., 2=16556
- Buckingham, B.E. See Hyde, F.J., 2=6480
- Buckingham, M.J. Measurement of interplanetary electron density from the earth, 2=11104
- Buckingham, M.J. See Butler, S.T., 2=9570
- Buckingham, R.A. The present status of intermolecular potentials for calculations of transport properties, 2=3794
- Buckingham, R.A. and Fox, J.W. The coefficient of viscosity of atomic hydrogen from 25 to 300°K, 2=9292
- Buckle, C. Metallographic observation of the plastic behaviour of uranium oxide in indentation hardness experiments, 2=19022
- Buckley, S.N. Irradiation growth, 2=20995
- Bucur, R. Influence on its potential of the $\text{H}_2\text{-D}_2\text{O}$ isotopic exchange at the surface of the $(\text{Pd-H})_{\text{AS}}$ electrode, 2=4546
- Bucur, R.V. The equilibrium isotherm for the $\beta\text{-Pd-H}$ solution, 2=10932
- Bucur, R.V. The partial miscibility of passadium and hydrogen in solid solutions and the properties of the Pd-H electrode, 2=10987
- Budagov, Yu.A., Ermolov, P.F., Krushnirenko, E.A. and Moskalev, V.I. Interaction between 153 MeV negative π -mesons and helium, 2=16228
- Budd, H. Chamber's solution of the Boltzmann equation, 2=15501
- Budde, J., Fischer, K., Menz, W. and Sauerwald, F. Viscosity measurements. XIV. Most probable values of the viscosities of molten tin, lead, bismuth, potassium, 2=7182
- Budde, R. See Bartke, J., 2=13883
- Budde, W. Stability of high-pressure xenon lamps, 2=7316
- Budde, W. Photoelectric analysis of polarized light, 2=15749
- Budden, K.G. The influence of the earth's magnetic field on radio propagation by wave-guide modes, 2=7756
- Budden, K.G. and Cooper, E. Ionospheric equivalent heights of reflection calculated by a full wave method and by the phase integral method, 2=21647
- Budden, K.G. and Martin, H.G. The ionosphere as a whispering gallery, 2=5493
- Buddenhagen, D.A., Haef, A.V., Smith, G.F., Oster, G. and Oster, G.K. Observations of ruby-laser beam-intensity patterns with dye-sensitized photopolymers, 2=13448
- Buddenhagen, D.A., Lengyel, B.A., McClung, F.J. and Smith, G.F. An experimental laser ranging system, 2=5154
- Buddery, J.H. and Scott, K.T. A study of the melting of irradiated uranium, 2=6061
- Buddery, J.H. See Scott, K.T., 2=4457
- Budin, C. Transformation of wave functions under a change of a Galilean system, 2=15481
- Budini, P. See Andreassi, G., 2=22393
- Budini, P. and Weber, T. Gauge invariance of form factors, 2=9763
- Budnick, D. See Behrend, H.J., 2=12124
- Budnick, J.I. See Boyd, E.L., 2=18937
- Budworth, D.W. Calibration curves for density-gradient columns, 2=15530
- Budzinski, E. See McDiarmid, I.B., 2=4641
- Bueche, F. Rate and pressure effects in polymers and other glass-forming substances, 2=13340
- Buechner, W.W. See Hoogenboom, A.M., 2=22841
- Buechner, W.W. See Kashy, E., 2=1796
- Buehler, E. See Hauser, J.J., 2=2960
- Buerger, M.J., Burnham, C.W. and Peacor, D.R. Assessment of the several structures proposed for tourmaline, 2=15032
- Buff, F.P. See Stillinger, F.H., Jr., 2=17367
- Buffington, A. See Wahlig, M.A., 2=11849
- Buffler, C.R. Resonance properties of single-crystal hexagonal ferrites, 2=14818
- Buffler, C.R., Muller, M.W. and Kantor, R.H. Note on the frequency of ferromagnetic resonance, 2=2293
- Bugard, P. Type of endocrine and metabolic reaction to acoustic attack [in young breeding pigs], 2=4887
- Bugg, D.V. See Barnes, V.E., 2=285
- Bugorkov, S.S. See Bak, M.A., 2=1939
- Bugrienko, V.I. and Belous, V.M. Photoelectret state in silver chloride, 2=21224
- Bugrienko, V.I. and Demidov, K.K. Some features of the photoelectret state in HgI_2 , 2=21223
- Buhaiova, N.I. See Yerko, V.F., 2=19175
- Buhaiova, N.I. See Lifshits, Ye.V., 2=19177
- Buhl, P.A. See Kelsch, J.J., 2=10426
- Buhl, R. Reduction of the contamination due to ion bombardment of the walls surrounding the specimen, 2=9328
- Bühler, R.E. See Dorfman, L.M., 2=10965
- Bühler, R.E. See Dorfman, L.M., 2=15161
- Buhrer, C.F. Some properties of bismuth perovskites, 2=6522
- Buhrer, C.F., Fowler, V.J. and Bloom, L.R. Single-sideband suppressed-carrier modulation of coherent light beams, 2=22067
- Buhrow, J. Parameter determination in inorganic crystalline luminescent materials with the aid of the fluorescence intensity as a function of temperature, 2=8568
- Buhrow, J. Generalized temperature function for the fluorescent intensity of inorganic crystalline luminescent materials, 2=8569
- Buhrow, J. See Witzmann, H., 2=8548
- Buhrow, J. See Witzmann, H., 2=8550
- Buhrow, J. See Witzmann, H., 2=12618
- Buhrow, J. See Witzmann, H., 2=12619
- Buhrow, J. See Witzmann, H., 2=18860
- Bui Ai. Study of ionization phenomena in solid insulators by means of an analogous cell, 2=21221
- Buijs, K. Infrared absorption of nonequivalent anions in crystalline potassium dithionate, 2=6579

- Buijs, K. See Schutte, C.J.H., 2=8531
- Buijze, C. See Tertoolen, J.F.W., 2=20731
- Bulishvili, L.L. Nuclear relaxation influenced by localized electron centres, 2=782
- Bulishvili, L.L. Nuclear relaxation influenced by localized electron centres, 2=4277
- Bulishvili, L.L. Spin-lattice relaxation in ferrites with paramagnetic admixtures, 2=8674
- Bulishvili, L.L. Spin-lattice relaxation in ferrites with paramagnetic admixtures, 2=14835
- Bulishvili, L.L. Nuclear quadrupole relaxation in ferrites, 2=14857
- Bulishvili, L.L. Combined resonance in crossed magnetic and electric fields, 2=18657
- Bulishvili, L.L. Acoustic paramagnetic resonance of nuclei in ferromagnetic materials, 2=18949
- Bulishvili, L.L. Acoustic paramagnetic resonance of nuclei in ferromagnetic materials, 2=23716
- Bulishvili, L.L. and Giorgadze, N.P. Spin-lattice relaxation of nuclei during nuclear resonance in ferromagnetic substances, 2=10712
- Buissart, M. See Bécart, M., 2=19906
- Buja, Z. See Grigorov, N.L., 2=16254
- Bukata, R.P., Chin, F.K. and Standil, S. Determination of a pressure coefficient for the photon component of cosmic radiation, 2=9961
- Bukata, R.P. See Chin, F.K., 2=12098
- Bukhovtsev, B.B. and Shmal'gauzen, V.I. A photographic method of investigating random processes, 2=1349
- Bukhteev, A.M. and Bydin, Yu.F. Resonance charge exchange of alkali metal ions and atoms, 2=17787
- Bukhteev, A.M., Bydin, Yu.F. and Dukel'skii, V.M. Electron capture by O_2 and Cl_2 molecules bombarded with fast alkali-metal atoms, 2=11618
- Bukhvostov, A.P. and Shmushkevich, I.M. Depolarization of μ^- -mesons in the formation of μ -mesic atoms, on spin $\frac{1}{2}$ nuclei, 2=3720
- Bukke, E.E. Measurement of losses in an electroluminescent capacitor, 2=15875
- Bulabois, J. See Viénat, J.C., 2=10587
- Bulanin, M.O. and Orlova, N.D. On the infrared absorption spectra of hydrogen in solutions, 2=9280
- Bulanin, M.O. See Pimentel, G.C., 2=4151
- Bulatov, A.S. See Kogan, V.S., 2=16612
- Bulatov, B.P. The albedos of various substances for γ -rays from isotropic Co^{60} , Cs^{137} , and Cr^{51} sources, 2=1676
- Bulatova, G.A. See Troitskaya, V.A., 2=17219
- Bulbulian, S. See Bródy, T.A., 2=19206
- Bulewicz, E.M. Electron-molecule and electron-atom collision cross sections from a cyclotron resonance study of flame gases, 2=3678
- Bulewicz, E.M. and Padley, P.J. Electron-molecule collision cross sections in the burned gases of a variety of fuels, 2=22946
- Bulgakov, Yu.V. Comments on the paper by N.V. Pleshivtsev "Sputtering of copper by hydrogen ions with energy up to 50 keV", 2=7676
- Bulis, L.A., Kostritsa, A.A. and Kubyskhina, V.D. Calculation and modelling of optimum reactors with flattening of the active zone (age approximation), 2=18373
- Bull, C.S. See Mee, C.H.B., 2=17882
- Bull, R.M., Coates, D.W., Nash, W.F. and Rastin, B.C. A computer method for the analysis of flash tube data, 2=11846
- Bull, R.M., Coates, D.W., Nash, W.F. and Rastin, B.C. The design of flash tube arrays, 2=11847
- Bull, R.M., Nash, W.F. and Rastin, B.C. Some sources of error in measurements of cosmic ray μ -meson spectra, 2=13937
- Bull, V.A. and Garbutt, D.A. Proton-proton elastic scattering at 24 GeV/c and 19.8 GeV/c, 2=22514
- Bullen, F.P. Discontinuous yielding in zinc single crystals, 2=6738
- Bullen, F.P. and Hutchison, M.M. Dynamic recovery from strain-hardening in polycrystalline copper and aluminium, 2=23771
- Bullen, F.P. See Hutchison, M.M., 2=23165
- Bullen, J.M. Atmospheric scale height as a modifying influence on linear trend of F-region electron density with sunspot number, 2=15241
- Bullen, K.E. Oscillations of the earth and the earth's deep internal structure, 2=12989
- Bullen, K.E. The earth's inner core, 2=23995
- Bullock, J.W. See Vonnegut, B., 2=11029
- Bullough, K. Radio-echo observations of the aurora in Terre Adelie, II. The fading characteristics of the radio-echoes and their frequency of occurrence as a function of range, amplitude, height and the aspect effect, 2=17192
- Bullough, K. Radio-echo observations of the aurora in Terre Adelie, III. The association with high latitude geomagnetic agitation and the dependence of radio-echo occurrence on solar declination and zenith angle, 2=19244
- Bullough, R. and Newman, R.C. The growth of impurity atmospheres around dislocations, 2=6339
- Bullough, R. and Newman, R.C. Impurity precipitation on dislocations — a theory of strain ageing, 2=6340
- Bullough, R. and Newman, R.C. The interaction of vacancies with dislocations, 2=10372
- Bullough, R., Newman, R.C., Wakefield, J. and Willis, J.B. The kinetics of impurity migration of dislocations, 2=23160
- Bullough, R.K. A molecular theory of electromagnetic wave propagation in two-component anisotropic polymer systems, 2=4116
- Bullough, R.K. On homometric sets. I. Some general theorems, 2=6793
- Bullrich, K. Multiple scattering considerations in the calculation of sky radiation and of its degree of polarization in a Rayleigh atmosphere, 2=878
- Bullrich, K. See Giese, R.H., 2=22061
- Bulos, F. See Chretien, M., 2=22610
- Bulyanitsa, D.S. See Gross, E.F., 2=21245
- Bulyga, A.V. A graphical analytical calculation of the dynamic parameters of a thermistor, 2=8390
- Bulyginskii, D.G. See Ovsyannikov, V.A., 2=5356
- Bumiller, F., Croissiaux, M., Dally, E. and Hofstadter, R. Electromagnetic form factors of the proton, 2=282
- Bumpus, C. See Spiegler, P., 2=10990
- Bunbury, D.St.P. See Boyle, A.J.F., 2=5790
- Bunce, J.L. See Barry, J.F., 2=473
- Bunch, S.I. See Bach, D.R., 2=6040
- Bundel', A.A., Guretskaya, Z.I. and Noskova, M.N. Separating the selenium band in the spectra of sulphide-selenide phosphors, 2=10621
- Bundel', A.A., Guretskaya, Z.I. and Taushkanova, L.B. Thermodynamics of the mechanism of activation of sulphide and sulphide-selenide phosphors, 2=14734
- Buneman, O. Instability of electrons drifting through ions across a magnetic field, 2=11650
- Buneman, O. Scattering of radiation by the fluctuations in a nonequilibrium plasma, 2=19995
- Bunge, H.J. The description of fibre texture. II, 2=835
- Bunge, H.J. The calculation of some physical properties of materials with fibre texture, 2=836
- Bunge, H.J. Determination of the square of the structure factor from fibre photographs, 2=14999
- Bunge, H.J. Determination of the squares of the moduli of structure factors from texture photographs, 2=17013
- Bunge, H.J. The calculation of some physical properties of materials with general texture, 2=23628
- Bunke, H. and Seiwert, R. Inelastic collisions between excited and unexcited caesium atoms, 2=18426
- Bunke, H. and Seiwert, R. Inelastic collisions between excited and ground-state Cs atoms, 2=22900
- Bunker, D.L. Monte Carlo calculation of triatomic dissociation rates. I. N_2O and O_3 , 2=18488
- Bunker, M.E., Dropesky, B.J., Knight, J.D. and Starnner, J.W. Decay of Y^{92} and Nb^{92} , 2=18292
- Bunkin, F.V. The theory of electromagnetic fluctuations in a nonequilibrium plasma, 2=189
- Bunkin, F.V. Thermal fluctuations in non-linear systems, 2=5293
- Bunkin, F.V. Contribution to the theory of electromagnetic fluctuations in a non-steady state plasma, 2=5365
- Bunkin, F.V. The theory of electromagnetic fluctuations in a nonequilibrium plasma, 2=22219
- Bunn, H.L. Determining electron density and distribution in plasmas, 2=5353
- Bunn, H.L. Microwave diagnostic systems and techniques for use in controlled fusion research, 2=19978
- Bunn, P.M., Cummings, D.G. and Leavenworth, H.W., Jr. The effect of zirconium on internal friction in columbium [niobium] 2=23738
- Bunyayev, V.I. See Andreev, A.P., 2=1638
- Bunyan, P.J. Carbon-carbon elastic scattering, 2=12225
- Bunyatov, S.A. See Batusov, Yu.A., 2=310
- Burakov, K.S. and Dianov-Klovov, V.I. High-sensitivity magnetic susceptibility meter, 2=20089
- Buras, B. See Suwalski, J., 2=23325
- Buravikhin, V.A. See Kirenskii, L.V., 2=8636
- Buravikhin, V.A. See Kirenskii, L.V., 2=16912
- Buravikhin, V.A. See Kirenskii, L.V., 2=16913
- Buravikhin, V.A. See Kirenskii, L.V., 2=21318

- Buravikhin, V.A. See Kirenskii, L.V., 2-21319
 Buravikhin, V.A. See Kirenskii, L.V., 2-23661
 Buravikhin, V.A. See Salanskii, N.M., 2-8626
 Buravikhin, V.A. See Salanskii, N.M., 2-21307
 Buravov, L.I. and Eknadosyants, O.K. On the behaviour of aerosol particles in an acoustic field, 2-17105
 Burbach, J. and Haasen, P. Ageing kinetics of α - iron from damping measurements in the kilocycle region, 2-16948
 Burbank, R.D. and Knox, K. Lorentz polarization absorption corrections in the X-ray precession method, 2-6798
 Burbidge, E.M. and Burbidge, G.R. Recent investigations of groups and clusters of galaxies, 2-9097
 Burbidge, E.M. and Burbidge, G.R. Ionized gas in spiral and irregular galaxies, 2-15385
 Burbidge, E.M. and Burbidge, G.R. Nature of the peculiar galaxy NGC 5128, 2-15390
 Burbidge, E.M. See Wildey, R.L., 2-4816
 Burbidge, G. The origin of cosmic rays, 2-13923
 Burbidge, G. See Burbidge, M., 2-15366
 Burbidge, G. See Burbidge, M., 2-15392
 Burbidge, G.R. Theoretical explanation of radio emission. Introductory lecture to part VI - Mechanisms of solar and cosmic emission, 2-2572
 Burbidge, G.R. Star formation in elliptical galaxies and intense radio sources, 2-24140
 Burbidge, G.R. See Burbidge, E.M., 2-9097
 Burbidge, G.R. See Burbidge, E.M., 2-15385
 Burbidge, G.R. See Burbidge, E.M., 2-15390
 Burbidge, G.R. See Wildey, R.L., 2-4816
 Burbidge, M. and Burbidge, G. Subdwarf stars, 2-15366
 Burbidge, M. and Burbidge, G. Peculiar galaxies, 2-15392
 Burch, D.E., Singleton, E.B. and Williams, D. Absorption line broadening in the infrared, 2-14272
 Burch, D.E. and Williams, D. Total absorptance by nitrous oxide bands in the infrared, 2-19619
 Burch, D.E. and Williams, D. Total absorptance of carbon monoxide and methane in the infrared, 2-20800
 Burch, F.H. See Bigg, P.H., 2-19364
 Burch, P.R.J. See Iinuma, T.A., 2-20294
 Burd, A.N. Symposium on calibration of microphones and hydrophones, London, January 1962, 2-15701
 Burde, J., Rakavy, M. and Engler, G. Lifetime determination of three excited levels in the odd-odd nucleus Pr^{144} , 2-16329
 Burde, J., Rakavy, M. and Engler, G. Absolute transition probabilities in the odd-odd nucleus Pr^{144} , 2-22741
 Burde, J., Rakavy, M. and Ofer, S. Determination of the lifetime of the first-excited state of Gd^{152} , 2-1803
 Burdecki, F. Earth and planets seen from a space vehicle. A study in perspective, 2-2573
 Burden, H.S. See Bennett, F.D., 2-1189
 Burdet, A. and Philbert, G. Emission of hyperfragments in nuclear interactions of 25 GeV protons, 2-14094
 Burdet, G. Angular distribution of photons scattered in the double Compton effect, 2-9812
 Burdet, G. and Maitrot, M. Theoretical study of the production of two photons in the Compton effect, 2-3296
 Burdett, G.P. See Benson, F.A., 2-11632
 Burdian, I.I., Rozneritsa, Ya.A. and Stepanov, G.I. Thermoelectric properties of solid solutions of the AISb - GaSb system, 2-2196
 Bureau, A.J. See Cliekman, F.M., 2-14075
 Burge, E.J. and Smith, D.A. Theoretical investigation of slit scattering, 2-1685
 Burge, R.E. and Smith, G.H. A new calculation of electron scattering cross sections and a theoretical discussion of image contrast in the electron microscope, 2-9635
 Burge, R.E. See Smith, G.H., 2-10861
 Burger, H. and Hanke, I. The inclusion of α - Fe_2O_3 in Mn-ferrite single crystals and its influence on the density of dislocations, 2-10394
 Burger, H. See Hanke, I., 2-10401
 Burger, H. See Hanke, I., 2-18590
 Burger, J.F. See Lochner, J.P.A., 2-2578
 Burger, J.F. See Lochner, J.P.A., 2-7054
 Burger, J.F. See Lochner, J.P.A., 2-7055
 Burger, J.F. See Lochner, J.P.A., 2-13216
 Burgers, J.M. The Boltzmann equation for flows with chemical reactions, 2-4524
 Burgers, W.G. See de Keijzer, A.A., 2-19093
 Burgers, W.G. See van Zuillchem, A.G., 2-23184
 Burgers, W.G. See Zeedijk, H.B., 2-3965
 Burgess, A. New results on coronal cross-sections, 2-15346
 Burgess, J.H., Rhodes, R.S., Mandel, M., and Edelstein, A.S. Magnetic susceptibilities and exchange effects in four organic free radicals, 2-12738
 Burgess, J.Q. See Chang, W.S.C., 2-14651
 Burgess, R.D. See Wachspress, E.L., 2-10170
 Burgess, R.E. Some topics in the fluctuations of photo-processes in solids, 2-8430
 Burgess, R.E. Negative resistance processes in homogeneous semiconductors, 2-23288
 Burgess, R.E. See Barrie, R., 2-21130
 Burgess, R.E. See Gibson, A.F. (Eds.), 2-14513
 Burgess, R.E. See Gibson, A.F. Ed., 2-18670
 Burgess, T.E. Chemical etching of germanium in $\text{HF}-\text{HNO}_3-\text{H}_2\text{O}$ solutions, 2-10787
 Burget, J., Odehnal, M., Petříček, V., Šácha, J. and Trlifaj, L. Double quantum transitions in free radicals, 2-4247
 Burghoff, H. See Becker, E.W., 2-7239
 Burgov, N.A., Danilyan, G.V., Dolbilkin, B.S., Lazareva, L.E. and Nikolaev, F.A. Cross-section for γ -quantum absorption by O^{16} nuclei in the giant resonance region, 2-20594
 Burgov, N.A., Davydov, A.V. and Kartashov, G.R. Comparative measurements of the β -spectra of Au^{198} and Zn^{65} , 2-3506
 Burgov, N.A., Davydov, A.V. and Kartashov, G.R. An iron-free toroidal β -spectrometer with high transmission, 2-5622
 Burgov, N.A., Davydov, A.V. and Kartashov, G.R. An iron-free toroidal
 Burgreen, D. Thermoelastic dynamics of rods, thin shells, and solid spheres, 2-8049
 Burgtorf, W. Investigation of the perceptibility of delayed sound signals, 2-70
 Burgtorf, W. and Seraphim, H.P. Apparatus for the electroacoustic production of simple sound fields in an anechoic room, 2-81
 Burgus, W.H. See Simpson, F.B., 2-10122
 Burhop, E.H.S. The capture of K^- mesons in emulsion nuclei and the Y^* isobar, 2-22835
 Burhop, E.H.S. See Jones, B.D., 2-16241
 Burhop, E.H.S. See Jones, B.D., 2-22834
 Burk, P.G., Burke, V.M., Percival, I.C. and McCarroll, R. Electron scattering by atomic hydrogen in the 1s, 2s, or 2p state. I, 2-18400
 Burk, W. Particle sizes and their distribution in radioactive gold colloids, 2-19170
 Burkard, O. The total electron content through the entire ionosphere by the Faraday rotation technique, 2-11051
 Burkard, O. Recombination in the upper ionosphere, 2-11066
 Burke, E.A. See Kerwin, J., 2-14199
 Burke, J. The kinetics of precipitation from solid solutions by nucleation and diffusion controlled growth processes, 2-6782
 Burke, J.E., Mower, L. and Twersky, V. Elementary results for scattering by large cones, 2-19729
 Burke, P.G. and Schey, H.M. Elastic scattering of low-energy electrons by atomic hydrogen, 2-10218
 Burke, P.G. and Schey, H.M. Polarization and correlation of electron spin in low-energy elastic electron-hydrogen collisions, 2-10219
 Burke, P.G. and Smith, K. The low energy scattering of electrons and positrons by hydrogen atoms, 2-22919
 Burke, V.M. See Burke, P.G., 2-18409
 Burke, V.M. and McCarroll, R. Electron scattering by atomic hydrogen in the 1s, 2s, or 2p state. II, 2-18410
 Burket, R.E. and Stewart, D.M. A method of magnetic annealing of vanadium Permendur-type alloys, 2-12704
 Burkhalter, T.S. See Hach, R.J., 2-2416
 Burkhardt, L.C. and Lovberg, R.H. Current sheet in a coaxial plasma gun, 2-7630
 Burkhardt, W. and Erler, H. Continuous operation of spark counters, 2-16091
 Bürkholz, A. See Dickel, G., 2-17505
 Burlakov, A.V. See Oksman, Ya.A., 2-661
 Burleson, G.R., Roberts, A. and Romanowski, T.A. Studies in the use of spark chambers in magnetic fields, 2-9755
 Burley, J. See Rubin, V.C., 2-24151
 Burlin, T.E. Measurement of stopping-power ratio for cavity ionization chambers, 2-3197
 Burlin, T.E. The limits of validity of cavity ionization theory, 2-1182
 Burmistrov, V.R. Energy resolution of a scintillation counter with light output at both crystal faces, 2-1627
 Burmistrova, N.P. See Berg, L.G., 2-9464
 Burn, I. and Din, F. Liquid-vapour equilibrium of the system argon + oxygen at pressures up to 10 atmospheres, 2-22097
 Burnelle, L. See Roux, M., 2-20849
 Burnes, F.P. See West, H.I., Jr., 2-13775
 Burnham, C.W. See Buerger, M.J., 2-15032
 Burns, G. Nuclear quadrupole resonance of Li in Ferroelectric compounds, 2-18972
 Burns, G. N.Q.R. and E.S.R. and $\text{AlCl}_3 \cdot 6\text{H}_2\text{O}$, 2-23725

- Burns, G. See Dunne, T.G., 2-8462
 Burns, J.F. Experimental detection of auto-ionizing transitions in krypton by electron impact, 2-3000
 Burns, R.R. Experimental program with the Iowa State University undergraduate 1.5 MeV cyclotron, 2-11741
 Burq, J. See Walker, J.K., 2-7882
 Burr, A. See Ianniello, L., 2-21546
 Burrell, E.J. See Marquardt, D.W., 2-3774
 Burridge, R. The reflexion of high-frequency sound in a liquid sphere, 2-21974
 Burrows, C.R. The history of radio wave propagation up to the end of World War I, 2-16044
 Burrows, K.M. Floating multiple probe systems for plasma measurements, 2-19975
 Burrows, J.R. See Anderson, J.M., 2-14203
 Burshtein, E.L. and Solov'ev, L.S. The Hamiltonian of averaged motion, 2-3136
 Burshtein, E.L., Vasil'ev, A.A., Mints, A.L., Petukhov, V.A. and Rubchinskii, S.M. High-energy cyclic accelerators with automatically operated tuning of the magnetic field, 2-5412
 Burshtein, E.L., Vasil'ev, A.A., Mints, A.L., Petukhov, V.A. and Rubchinskii, S.M. High-energy cyclic accelerators with automatically operated tuning of the magnetic field, 2-9660
 Burshtein, E.L., Vasil'ev, A.A., Mints, A.L., Petukhov, V.A. and Rubchinskii, S.M. Application of the magnetic field self-correction principle to cyclic accelerators for ultra-high energies, 2-17913
 Burshtein, E.L. and Vlasov, A.D. Calculation of a klystron buncher for a linear electron accelerator, 2-1531
 Bursian, E.V. and Smirnova, N.P. Monocrystalline BaTiO₃ films grown from melt in an atmosphere of oxygen, 2-21568
 Bursian, E.V. See Bobovich, Ya.S., 2-8538
 Burt, P. and Wahlquist, H.D. Spin and exchange corrections to plasma dispersion relations, 2-9569
 Burt, P. and Watson, W.K.R. Determination of the coupling strength of ρ mesons and nucleons, 2-7896
 Burtin, R. Optical properties of thin films of tin [at wavelengths] between 0.9 and 11 μ . Experimental results, 2-10570
 Burtin, R. Optical properties of thin films of tin between 0.9 and 11 μ , 2-10571
 Burton, W.B. See van de Kamp, P., 2-24131
 Burton, W.M. and Wilson, R. Spectroscopic investigations of plasma containment in ZETA, 2-5349
 Buryak, E.M. See Karchevsky, A.I., 2-10642
 Burzynski, Z. Stabilizer of direct currents of 25 mA to 3A, with a precision of 10⁻³, 2-2966
 Busch, F.v. See v. Busch, F.
 Busch, G., Hiltl, B. and Steigmeier, E. Thermal conductivity of Ag₂Se, 2-573
 Busch, G., Schade, H., Gobbi, A. and Marmier, P. Evidence of boron on silicon-surfaces with activation analysis, 2-16711
 Busch, G. and Tièche, Y. Hall effect in liquid metals, 2-21920
 Busch, G.A. and Vogt, O.R. Magnetic susceptibility of Ge-Si alloys, 2-23636
 Busch, J.S. See Bonilla, C.F., 2-6004
 Buschhorn, G. Low-energy γ -rays in the capture of thermal neutrons in rhodium, 2-12211
 Buscombe, W. The scorpio-centaurus association. III. Radial velocities of 70 additional stars, 2-24136
 Buscombe, W. and Kennedy, P.M. The scorpio-centaurus association. IV. Interstellar absorption lines in the southern milky way, 2-24137
 Busemann, A. Onsager relations in Mollier's i-x diagram, 2-15776
 Busen, K.M., Meeks, E.L. and Shirn, G.A. Surface concentration of indium in germanium from gaseous diffusion, 2-8244
 Buser, R. and Buser, W. Determination of plasma properties by free-space microwave techniques, 2-15899
 Buser, R. and Sullivan, J.J. Pressure measurements above 1 μ using commercial ionization gauges, 2-17520
 Buser, W. See Buser, R., 2-15899
 Busey, R.H. and Sonder, E. Magnetic susceptibility of potassium hexachloroheptate (IV) and potassium hexabromorhenate (IV) from 5° to 300°K, 2-2272
 Bush, D.E. See Makens, R.F., 2-5994
 Bushby, F.H. and Whitlam, C.J. A three-parameter model of the atmosphere suitable for numerical integration, 2-2461
 Buslaev, V.S. Formulae for traces of Schrödinger's operator in a three-dimensional space, 2-15489
 Buslaev, V.S. Formulae for traces of Schrödinger's operator in a three-dimensional space, 2-19438
 Busnel, R.G. and Loher, W. Excitation of phonoresponses in Chorthippus brunneus (Thbg.) acridinae, 2-1031
 Busol, F.I. See Borovik, E.S., 2-1557
 Buss, J.H. See Myers, H., 2-3031
 Bussard, R.W. Some considerations of dynamic behavior in the plasma thermocouple, 2-7658
 Bussiére De Nercy, A. Resonant scattering of photons: giant resonances in C¹², Al²⁷ and Ca⁴⁰, 2-419
 Bussiére de Nercy, A. Contribution to the study of the resonant diffusion of Bremsstrahlung, 2-13999
 But, Z.P. Frequency dependence of the work function of semiconductors, 2-9611
 Butaux, J. See Barrat, J.P., 2-3706
 Butcher, B.R. and Baverstock, D. The effect of α - β - α phase transformation on the preferred orientation of α uranium, 2-4452
 Butcher, B.R., Minty, D.C., Meredith, K.E.G. and Strong, H. Grain shapes in quenched uranium, 2-4470
 Butcher, E.G. and Alsop, M. Diaphragm-type pressure balance detector, 2-19501
 Butcher, J.C. See Messel, H., 2-12085
 Butcher, P.N., Hulbert, J.A. and Hulme, K.F. Indium antimonide tunnel diodes in high magnetic fields, 2-8377
 Butcher, S. See Cahill, P., 2-3740
 Butera, R.A. See Kofstad, P., 2-18986
 Buti, B. Plasma oscillations and Landau damping in a relativistic gas, 2-1463
 Butler, D. Positron annihilation in metals, 2-20980
 Butler, D.K. and Sjöblom, R.K. Fast-neutron-induced fission cross-sections of Pu²⁴¹ and Am²⁴³, 2-507
 Butler, H.E. British equipment and plans, 2-13199
 Butler, J.D. Semi-conducting properties of vanadium pentoxide and the catalytic oxidation of sulphur dioxide, 2-4041
 Butler, J.F. Effect of Luders front number of the yield point of iron, 2-10757
 Butler, J.W. See Hatch, A.J., 2-5347
 Butler, R.A. and Naunton, R.F. Some effects of unilateral auditory masking upon the localization of sound in space, 2-24199
 Butler, S.T. and Buckingham, M.J. Energy loss of a fast ion in a plasma, 2-9570
 Butler, S.T. and Pearson, C.A. Deuterons from high-energy proton bombardment of matter, 2-1879
 Butler, S.T. and Pearson, C.A. Deuterons from high-energy proton bombardment of matter, 2-14098
 Butler, S.T. See Small, K.A., 2-4594
 Butler, W.H. An infra-red source giving high flux density, 2-11530
 Butler, W.L. Absorption of light by turbid materials, 2-5173
 Butsko, S.S. See Vysotskii, Z.Z., 2-19705
 Butslov, M.M., Medvedev, M.N., Filippov, I.I., Chuvilo, I.V. and Sheshunov, V.M. Recording of the cone of Vavilov-Cherenkov radiation from single particles, 2-20305
 Butslov, M.M., Plakhov, A.G. and Shapkin, V.V. A high light-speed electron-optical system for spectral investigations of plasma, 2-19981
 Butslov, M.M. See Akimov, Yu.K., 2-20194
 Butt, D.K. and Nicholson, P.W. The angular correlation of some coincident gamma rays of Pt¹⁹⁴, 2-10078
 Buttino, G., Cecchetti, A. and Drigo, A. Creep of the hysteresis cycle in ferrites under two orthogonal magnetic fields, 2-10670
 Buttlar, H.v. See v. Buttlar, H.
 Button, J., Kalbfleisch, G.R., Lynch, G.R., Maglic, B.C., Rosenfeld, A.H. and Stevenson, M.L. Pion-pion interaction in the reaction $\bar{p} + p \rightarrow 2\pi^+ + 2\pi^- + n\pi^0$, 2-13802
 Button, J. and Maglic, B. Experimental study of the polarization and magnetic moment of the antiproton, 2-18114
 Buya, Z.A. See Babetski, Ya.S., 2-331
 Buya, Z.A. See Babetski, Ya.S., 2-22675
 Buyanov, R.A., Zel'dovich, A.G. and Pilipenko, Yu.K. A liquefier for producing para-hydrogen and catalysts for the ortho-para conversion of hydrogen, 2-9469
 Buyanov, R.A., Zel'dovich, A.G. and Pilipenko, Yu.K. Parahydrogen plant and catalysts for the ortho-para conversion of hydrogen, 2-17706
 Buyanov, Y.I. See Karal'nik, S.M., 2-6590
 Buyle-Bodin, M. See Le Dang Khoi, 2-4285
 Buyle-Bodin, M. See Le Dang Khoi, 2-6703
 Buzhinskii, I.M. and Bodrova, N.I. Spectral study of CdS- and CdSe-colored glasses, 2-18820
 Byan' Nan-khua. See Veingerov, M.L., 2-13446
 Bychkov, Yu.A. The influence of impurities on the de Haas—Van Alphen effect, 2-730
 Bychkov, Yu.A. and Gor'kov, L.P. Quantum oscillations of the thermodynamic quantities of a metal in a magnetic field according to the Fermi fluid model, 2-6303
 Byckling, E. Classical statistical mechanics of a one-dimensional system of molecules, 2-19449
 Bydin, Yu.F. See Bukhteev, A.M., 2-11618

- Bydin, Yu. F. See Bukhteev, A. M., 2-17787
- Byers, N., Humphrey, W. E., Rosenfeld, A. H. and Ross, R. R. Parity conservation in $\Sigma^0 \rightarrow \Lambda + \gamma$, 2-12008
- Byelykh, H. V. See Barchuk, I. F., 2-18104
- Byford, G. H. The fidelity of contact lens eye movement recording, 2-24221
- Bykhovskii, A. I. Kinetics of the transformation of white tin to grey tin, 2-21458
- Bykov, V. N. and Levdiuk, V. A. High-efficiency boron counter, 2-3363
- Bykov, V. P. Investigation of electron packets in a microtron, 2-231
- Bykov, V. P. See Kapitsa, S. P., 2-22289
- Byram, E. T., Chubb, T. A. and Friedman, H. Ultraviolet light from celestial sources, 2-15367
- Byrne, J. New bands in the second negative system of oxygen, 2-2001
- Byrne, J. T. See Bradfield, W. S., 2-15817
- Byrne, W. J. See Maley, S. W., 2-15986
- Byron, S., Stabler, R. C. and Bortz, P. I. Electron-ion recombination by collisional and radiative processes, 2-13543
- Býševskii, V., Aleksandrovich, E. and Labno, L. The temperature measurements of the WWR-S reactor fuel element wall, 2-3675
- Bystrov, N. F. The automation of astrometric measurements of moon photographs by means of a photoelectric instrument, 2-21684
- Bystrov, N. F. The precision of determination of the position of the centre of the moon's mass from photographic observations, 2-24090
- Bystrov, N. F. See Potter, Kh. I., 2-24088
- Býstrov, V. F., Dekabrun, L. L., Kil'yanov, Yu. N., Stepanyants, A. U. and Utyanskaya, E. Z. A high-resolution nuclear magnetic resonance spectrometer, 2-7774
- Byszewski, W. See Labno, L., 2-3362
- Byurganovskaya, G. V. and Orlov, N. F. Formation of colour centres in sodium silicate and quartz glasses under the action of gamma radiation, 2-16667
- Ca Nguyen Dai. See Dai Ca Nguyen,
- Cabane, G. See Beaudier, J., 2-4456
- Cabannes, C. See Chapelle, J., 2-1459
- Cabannes, F., Chapelle, J., Hadni, A. and Rollet, G. The emission from the jet of a "plasma pipe" in the neighbourhood of the plasma frequency (far infrared), 2-22231
- Cabannes, F. See Sy, A., 2-19979
- Cabannes, F. See Thureau, P., 2-7436
- Cabaret, F., Didry, J. R. and Guy, J. Theoretical determination of the magnetic screening constant associated with the protons of the methane molecule, 2-6222
- Cabaret, F., Didry, J. R. and Guy, J. Theoretical determination of the magnetic screening constants of protons in acetylene, 2-23002
- Cabaret, F. See Salès, A., 2-20764
- Cabell, M. J. and Slee, L. J. The ratio of neutron capture to fission for ^{235}U , 2-14148
- Cabell, M. J. See Attree, R. W., 2-5834
- Cabezas, A. Y., Lindgren, I. P. K., Marrus, R. and Nierenberg, W. A. Hyperfine structure of praseodymium-142, 2-12295
- Cabibbo, N. Measurement of the linear polarization of γ -rays by the elastic photoproduction of π^0 on He^4 , 2-5615
- Cabibbo, N. and Da Prato, G. Pion production by high-energy neutrinos, 2-18100
- Cabibbo, N. and Ferrari, E. Quantum electrodynamics with Dirac monopoles, 2-16121
- Cabibbo, N. and Gatto, R. Electron-positron colliding beam experiments, 2-275
- Cabibbo, N. and Gatto, R. Consequences of unitary symmetry for weak and electromagnetic transitions, 2-3259
- Cabibbo, N. See Zichichi, A., 2-9849
- Cable, J. W., Wilkinson, M. K., Wollan, E. O. and Koehler, W. C. Neutron diffraction investigation of the magnetic order in MnI_2 , 2-8661
- Cable, J. W., Wilkinson, M. K., Wollan, E. O. and Koehler, W. C. Neutron-diffraction study of antiferromagnetic FeCl_2 , 2-18927
- Cable, J. W., Wollan, E. O., Koehler, W. C. and Wilkinson, M. K. Neutron diffraction investigations of ferromagnetic palladium and iron group alloys, 2-12731
- Cable, J. W. See Koehler, W. C., 2-12663
- Cable, J. W. See Koehler, W. C., 2-14810
- Cable, J. W. See Wilkinson, M. K., 2-21349
- Cachon, P. and Sarazin, A. Light pulse generator in the microsecond region and at a high recurrence rate and its use for studying photomultiplier strain, 2-5156
- Cadas, J. P., Courpron, C., Lochet, R. and Rousset, A. Energy transfer between triplet states in the crystalline phase at 77°K , 2-12592
- Caddy, R. S. and Pollard, H. F. Determination of the energy reflection, absorption and transmission coefficients of acoustical materials, 2-17561
- Cadena, D. G., Jr. See Bradshaw, W. W., 2-18032
- Cadle, R. D. The photochemistry of the upper atmosphere of Jupiter, 2-24103
- Cadle, R. D. See Schadt, C. F., 2-2455
- Cadoret, R. See Goureaux, C., 2-14494
- Cafasso, F. A., Feder, H. M. and Johnson, I. Partition of solutes between liquid metals. I. The aluminum-cadmium system, 2-19551
- Cafasso, F. A. See Selig, H., 2-16889
- Caffyn, J. E. and Goodfellow, T. L. The movement of charged dislocations in sodium chloride, 2-14443
- Caffyn, J. E. and Goodfellow, T. L. Sign of charged dislocations in NaCl , 2-18582
- Caforio, A. See Baldassarre, F., 2-22562
- Caforio, A. See Evans, D., 2-22492
- Cagle, F. W., Jr. See Terada, K., 2-4473
- Caglioti, C. and Ricci, F. P. Resolution and luminosity of crystal spectrometers for neutron diffraction, 2-14969
- Caglioti, G., De Agostino, E., Marsili, F., Paoletti, A., Pellegrini, U. and Ricci, F. P. Crystal spectrometer for the diffraction of neutrons at the centre of Ispra, 2-29668
- Caglioti, G. and Ricci, F. P. The structure of liquid bromine, 2-11348
- Caglioti, G. See Borghonovi, G., 2-19069
- Cagnac, B. Nuclear orientation by optical pumping for odd isotopes of mercury, 2-3708
- Cagnet, M. See Blum, E. J., 2-2892
- Cagniard, L. See Queilli-Lefèvre, C., 2-19256
- Cahen, M. See Debever, R., 2-4926
- Cahill, J. A. and Kirshenbaum, A. D. The density of liquid copper from its melting point (1356°K) to 2500°K , and an estimate of its critical constants^{1,2}, 2-19544
- Cahill, J. A. See Grosse, A. V., 2-2700
- Cahill, P. and Butcher, S. Microwave spectrum and barrier to internal rotation of methyl stannane, 2-3740
- Cahn, J. W. On spinodal decomposition, 2-6839
- Cahn, J. W. On spinodal decomposition, 2-10780
- Cahn, J. W. The impurity-drag effect in grain boundary motion, 2-2100
- Cahn, J. W. See Kikuchi, R., 2-10655
- Cahn, R. W. and Feder, R. Search for an anisotropic Debye-Waller factor in cubic copper-base solid solutions, 2-10830
- Cahn, R. W. See Birkenbeil, H. J., 2-8620
- Cahn, R. W. See Davies, R. G., 2-10906
- Cahn, R. W. See Davies, R. G., 2-14449
- Cahn, R. W. See Lawley, A., 2-2398
- Cahn, R. W. See Sabato, J. A., 2-4471
- Caianello, E. R. and Campolattaro, A. Self-coupled meson field: equations for single propagators, their solution for a numerical model, considerations on the convergence of perturbative expansions, 2-22390
- Caid Mohamed Ben. See Mohamed Ben Caid
- Cailler, M. An improvement relating to various semi-empirical theories of secondary electron emission from solids, 2-15948
- Caillère, S. and Pobeguine, T. Comparison of the thermal properties and the behaviour in the infrared of several carbonates, nitrates, sulphates and simple selenates, 2-17000
- Cain, B. J. Determination of mean elements for Brouwer's satellite theory, 2-19355
- Cain, J. C., Shapiro, I. R., Stolarik, J. D. and Heppner, J. P. Whistler signals observed with the Vanguard III satellite, 2-17145
- Cain, J. C. See Akasofu, S. I., 2-13059
- Caines, R. See Ahlburg, H., 2-10864
- Caini, V. and Olsson, I. U. A quenching circuit for self-quenching Geiger-Müller arrays, 2-11589
- Cairns, D. J., Griffith, T. C., Lush, G. J., Metheringham, A. J. and Thomas, R. H. The use of a counter controlled high pressure cloud chamber for experiments with charged particles, 2-3224
- Cairns, G. G. See Brown, H. E., 2-24031
- Cakenberghe, J. See Gilles, J. M., 2-12547
- Calais, D. See Lloyd, L. T., 2-6325
- Calais, D. See Siménel, N., 2-4370
- Calais, J. L. and Löwdin, P. O. A simple method of treating atomic integrals containing functions of r_{12} , 2-12277
- Calame, G. P. The direct calculation of diffusion lengths and diffusion hardened spectra, 2-14165
- Calame, G. P. and Federighi, F. D. A variational procedure for determining spatially dependent thermal spectra, 2-6018
- Calame, G. P., Federighi, F. D. and Ombrellaro, P. A. A two-mode variational procedure for calculating thermal diffusion theory parameters, 2-5658
- Calboreanu, A. See Martalogu, N., 2-9731

- Calder, R.S., Cochran, W., Griffiths, D. and Lowde, R.D. An X-ray and neutron diffraction analysis of lithium hydride, 2=15021
- Caldero, J.C., Forzani, R. and Schmouker, J. A linear amplifier for use with a junction-type detector, 2=11592
- Caldirola, P. Recent developments in the ergodic method in statistical mechanics, 2=34
- Caldow, G.L. and Coulson, C.A. Bond energies of halogen molecules, 2=14318
- Caldwell, D.O., Bleuler, E., Elsner, B., Jones, J.W., and Zacharov, B. production of $X\rho^0$ mesons at 12 and 17 GeV/c, 2=22611
- Caldwell, D.R. and Donnelly, R.J. On the reversibility of the transition past instability in Couette flow, 2=11336
- Caldwell, F.R. Thermocouple materials, 2=11611
- Caldwell, J.T. See Fultz, S.C., 2=18316
- Caldwell, R.L. See Mills, W.R., Jr., 2=20374
- Calhoun, B.A., Freiser, M.J. and Penoyer, R.F. The contribution of rare-earth ions to the anisotropy of iron garnets, 2=12716
- Califano, S. Infrared spectra in polarized light and vibrational assignment of the infrared active modes of anthracene and anthracene- d_{10} , 2=6164
- Califano, S. See Wu, E.L., 2=1989
- Calimani, E. See Ely, R.P., 2=18173
- Calimani, E. See Ely, R.P., 2=22613
- Calkins, G.D. Fuel elements for organically moderated reactors, 2=6060
- Calladine, C.R. and Drucker, D.C. Nesting surfaces of constant rate of energy dissipation in creep, 2=14893
- Callan, E.J. KLL Auger transition probabilities, 2=525
- Callaway, J. Energy bands in lithium, 2=2062
- Callaway, J. Effect of point imperfections on lattice thermal conductivity, 2=23081
- Callaway, J. and Cumming, F.W. Inelastic scattering of electrons in germanium, 2=8341
- Callaway, J. and Hughes, A.J. Moment singularity expansion for the density of states, 2=23024
- Callaway, J. and Kohn, W. Electron wave functions in metallic lithium, 2=20954
- Callaway, J. See Weinberg, I., 2=12833
- Callaway, J. See Wolfram, T., 2=21303
- Callear, A.B. and Norrish, R.G.W. The metastable triplet state of mercury $Hg\ 6(^3P_2)$: a study of its reactions by kinetic spectroscopy, 2=6877
- Callear, A.B. See Basco, N., 2=20817
- Callen, E.R. Temperature dependence of ferromagnetic uniaxial anisotropy coefficients, 2=6664
- Callen, H.B. Statistical mechanics of ferromagnetism, 2=12682
- Callen, H.B. See Horwitz, G., 2=2037
- Callinan, T.D. and Parks, A.M. [Eds]. Digest of literature on dielectrics. Vol.24, 1960, 2=5289
- Callomon, J.H. See Brand, J.C.D., 2=539
- Calogero, F. Modified Lee models and the field-theoretical definition of elementary particle, 2=13727
- Calverley, A., Mendelssohn, K. and Rowell, P.M. Some thermal and magnetic properties of tantalum, niobium, and vanadium at helium temperatures, 2=6292
- Calvert, J.M., Gale, N.H., Garg, J.B. and Ramavartaram, K. Neutron angular distributions from the reaction $^{11}B(a, n)^{14}N$, 2=10142
- Calvert, J.M. See Garg, J.B., 2=1919
- Calvert, J.M. See Garg, J.B., 2=20669
- Calvert, J.M. See Takayanagi, S., 2=3570
- Calvert, L.D. and Henry, W.G. The initial lattice distortions of manganese in copper, silver, and gold, 2=23863
- Calvert, L.D. See Rand, R.P., 2=10883
- Calvert, W. and Cohen, R. The interpretation and synthesis of certain spread-F configurations appearing on equatorial ionograms, 2=11064
- Calvert, W. See Cohen, R., 2=13034
- Calvet, E. Use of the differential microcalorimeter compensated by the Peltier effect for quantitative differential thermal analysis, 2=19138
- Calvet, E. See Ozias, Y., 2=5819
- Calvet, J. See Martinod, H., 2=6739
- Calvillo, J. See Brody, T.A., 2=19206
- Calvin, M. See Eastman, J.W., 2=8669
- Camac, M. and Feinberg, R.M. High speed infrared bolometer, 2=22090
- Camac, M. See Berner, F., 2=4874
- Cambel, A.B. See Warder, R., 2=19957
- Cambey, L.A. See Barber, R.C., 2=20760
- Cambieri, A. See Bollini, D., 2=20069
- Cambou, F. See Blanc, D., 2=12202
- Cambou, F. See Blanc, D., 2=13703
- Cambou, F. See Ambrosino, G., 2=5516
- Cambou, F. See Ambrosino, G., 2=7996
- Camerini, U., Fry, W.F., Gaidos, J.A., Huzita, H., Natali, S.V., Willmann, R.B., Birge, R.W., Ely, R.P., Powell, W.M. and White, H.S. $K_1^0 - K_2^0$ mass difference, 2=22624
- Camerini, U. See Ely, R.P., 2=18173
- Camerini, W. See Ely, R.P., 2=22613
- Cameron, A.G.W. Neutron star models, 2=986
- Cameron, A.G.W. Chemical evolution of the stars: introductory report, 2=2549
- Cameron, A.G.W. Star formation in elliptical galaxies and intense radio sources, 2=24140
- Cameron, I.R. See Hage, W., 2=10176
- Cameron, J.A., King, H.J., Eastwood, H.K. and Summers-Gill, R.G. The magnetic moment of indium-115m, 2=18242
- Cameron, J.A. and Summers-Gill, R.G. The nuclear spin of indium-117m, 2=22706
- Cameron, J.F. See Berry, P.F., 2=7267
- Cameron, J.F. See Olive, G., 2=22542
- Cameron, L.M. See Gutsche, G.D., 2=3631
- Cameron, L.M. See Holmgren, H.D., 2=1932
- Cameron, L.M. See Holmgren, H.D., 2=3630
- Cameron, R.C. See Hayashi, C., 2=19317
- Camia, F.M. Ballistic heat equation following the lines of flow in the case of a geometrically stable thermal field for a solid heterogeneous in space and time, 2=10340
- Camichel, H. and Rosch, J. Measurement of the diameter of Mercury during its transit in front of the sun on 7 November, 1960, 2=21702
- Camichel, H. See Boyer, C., 2=6992
- Camm, J.C., Kivel, B., Taylor, R.L. and Teare, J.D. Absolute intensity of non-equilibrium radiation in air and stagnation heating at high altitudes, 2=1180
- Camm, J.C. See Allen, R.A., 2=7566
- Camm, J.C. See Allen, R.A., 2=9319
- Carona, G. See Bassi, A., 2=17057
- Camp, D.C. See Hamilton, J.H., 2=20550
- Campan, J.L. See Beets, C., 2=14120
- Campbell, A.J. and Gibbons, R. X-ray yields from elements in the range beryllium to aluminium, 2=14697
- Campbell, A.N., Kartzmark, E.M. and Williams, D.F. The conductance of molten lithium chlorate and the effect of additions of traces of nonelectrolytes on the conductance, 2=15148
- Campbell, A.N. and Reynolds, W.F. The system silver-indium-gallium, 2=4438
- Campbell, B.L. and Whitem, R.N. Isotopic discrimination introduced by electron multiplier detectors in mass spectrometry, 2=1526
- Campbell, C.G. and Symonds, J.L. A revision of thermal reactor core calculations, 2=20714
- Campbell, C.K. Magnetization nutations in maser oscillation pulses, 2=1581
- Campbell, D.A. Diffusion of magnesium in base nickels for oxide-coated cathodes, 2=14464
- Campbell, E.C. and Fettweis, P.F. Fast pneumatic transfer tube for the irradiation of samples in a reactor, 2=10002
- Campbell, E.C. See Fowler, J.L., 2=20634
- Campbell, E.M. See Holloway, A.F., 2=20534
- Campbell, F.A. See Baadsgaard, H., 2=4755
- Campbell, F.W. and Alpern, M. Pupillomotor spectral sensitivity curve and color of the fundus, 2=21769
- Campbell, F.W. See Westheimer, G., 2=21764
- Campbell, L. See Borg, D.C., 2=4574
- Campbell, L.J. and Kerman, A.K. The scattering of high-energy deuterons from nuclei, 2=1909
- Campbell, M.J., Jauncey, D.L., Murdoch, H.S., Rathgeber, H.D. and Ogilvie, K.W. The momentum spectrum of muons underground, 2=12079
- Campbell, M.J., Murdoch, H.S., Ogilvie, K.W. and Rathgeber, H.D. The momentum spectrum of muons at a depth 7.2 kg cm^{-2} underground, 2=13935
- Campbell, W.H. Magnetic field micropulsations and electron bremsstrahlung, 2=4703
- Campbell, W.H. Some auroral zone disturbances at times of magnetic micropulsation storms, 2=15280
- Campbell, W.H. and Matsushita, S. Auroral-zone geomagnetic micropulsations with periods of 5 to 30 seconds, 2=9040
- Campbell, W.H. See Brown, R.R., 2=17194
- Campion, P.J. See Brown, F., 2=3593
- Campolattaro, A. and Marino, M. Some remarks on the Wick product of interacting fields, 2=3243
- Campolattaro, A. See Caianello, E.R., 2=22390
- Camras, M. Current problems in magnetic recording, 2=15988
- Candler, C. The track density of a charged particle in a photographic emulsion, 2=3232
- Candler, C. Photographic characteristic of a monolayer, 2=5194
- Candler, C. Hurter's theory of the photographic characteristic, 2=9413

- Candler, C. The structure of the latent image, 2=13466
- Candy, C.J. See Griffiths, R.J., 2=20189
- Canfield, E.H. See Lingenfelter, R.E., 2=19284
- Canfield, J. See Theimer, O., 2=654
- Canina, V. Garino. See Garino Canina, V.
- Canjar, L.N. See Madonna, L.A., 2=1313
- Cannon, M.C., Grimes, W.R., Ward, W.T. and Watson, G.M. Adsorption of Xenon and argon on graphite, 2=6856
- Cannon, P. and Gaines, G.L., Jr. Use of krypton for surface area measurements, 2=2430
- Cannon, P. See Gaines, G.L., Jr., 2=2429
- Cannon, P. See Huggins, C.M., 2=18943
- Canobbio, E. Radiation from a modulated beam of charged particles penetrating a plasma in a uniform magnetic field, 2=190
- Canobbio, E. The Cherenkov and anomalous Doppler effects in plasmas with magnetic fields, 2=9563
- Canobbio, E. and Croci, R. Modulated beams in a plasma with a magnetic field, 2=5388
- Canon, M. See Bernstein, S., 2=3125
- Canstein, R. Supernovae, 2=21721
- Cantor, S. Freezing point depressions in sodium fluoride. Effect of alkaline earth fluorides, 2=5221
- Cantwell, M. and Goldsmith, M. The effect on calculated clean critical activation shapes of the use of transport approximation in the fast groups, 2=12252
- Cantwell, R.M. See Goldsmith, M., 2=5659
- Canut, M.L. and Amorós, J.L. Temperature dependence of the X-ray diffuse scattering of molecular crystals: naphthalene, 2=8160
- Canuto, V. On the internal energy and partition function of a Bose system, 2=21846
- Cao Xuan Chuan. Nuclear reactions with simultaneous emission of three particles, 2=10080
- Cap, F., Gröbner, W. and Lesky, P. The astronomical n-body problem with time-dependent forces, 2=24075
- Capella, A. The quantization of the gravitational field, 2=11251
- Capella, A. Impulse-energy tensor of a gravitational field, 2=13246
- Capella, L. Epitaxy of crystals of arsenic, antimony and bismuth obtained by reduction of the gaseous phase of their sulphides and deposited on different monocrystalline supports, 2=12896
- Caplan, H.S. See Williams, W.S.C., 2=1860
- Caplinger, E. See Smith, A.C.H., 2=22174
- Capon, I.N. The application of Ray tracing methods to calculations of skip distances for radio communications, 2=9722
- Caporiccio, G. See Castellano, S., 2=6224
- Cappellani, F. See Bassi, P., 2=14111
- Cappellani, F. See Bertolini, G., 2=10026
- Capps, R.H. Σ^0 Lifetime and associated photoproduction poles, 2=9928
- Capps, R.H. Resonance-interference method for determining KEN parity, 2=13877
- Capps, R.H. See Akiba, T., 2=20422
- Capps, R.H. See Schult, R.L., 2=7903
- Caprioli, L., Scheggi, A.M. and Toraldo Di Francia, G. Approximate synthesis of a prescribed diffraction pattern by means of different aperture distributions, 2=1278
- Capus, J.M. and Cockcroft, M.G. Relative slip and deformation during cold rolling, 2=10763
- Caputo, M. Elastostatics of a stratified sphere and its deformations caused by surface masses, 2=15505
- Caputo, M. Tables for the deformation of an earth model by surface mass distributions, 2=17119
- Carabateas, E.N. Electron space-charge-limited operation of cesium thermionic converters, 2=9520
- Carabateas, E.N. Thermodynamics of surface films, 2=21560
- Carberry, J.J. and Bretton, R.H. Determination of molecular diffusivity by gas chromatography techniques, 2=5052
- Cardona, M. Voigt effect in semiconductors, 2=6548
- Cardona, M. Temperature dependence of the refractive index and the polarizability of free carriers in some III-V semiconductors, 2=23518
- Cardona, M. and Greenaway, D.L. Reflectivity of gray tin single crystals in the fundamental absorption region, 2=6539
- Cardona, M. and Harbeke, G. Excitons at the L absorption edge in zinc-blende-type semiconductors, 2=14679
- Cardus, J.O. Note on solar geomagnetic and ionospheric activity, Oct.-Dec.1960, 2=11126
- Cardús, J.O. See Román, A., 2=13084
- Cardwell, A.B. See Fry, R.K., 2=3072
- Careri, G., Dupré, F. and Modena, I. Magnetic deflection of positive ions in liquid helium at 0.2°K., 2=1327
- Careri, G., McCormick, W.D. and Scaramuzzi, F. Ions in rotating liquid helium II, 2=22108
- Carette, J.D. and Kerwin, L. A study of red phosphorus by mass spectrometry, 2=1393
- Caretto, A.A., Jr. See Merz, E.R., 2=12193
- Caretto, A.A., Jr. See Morrison, D.L., 2=20628
- Carey, R. See Bates, L.F., 2=14780
- Carignan, G.R. See Spencer, N.W., 2=6935
- Caringella, P.C. and Eisenman, W.L. System for low-frequency noise measurements, 2=17774
- Caris, J.C., Knapp, E.A., Perez-Mendez, V. and Perkins, W.A. Positive-pion cross-sections on complex nuclei, 2=10125
- Carleton, N.P. and Megill, L.R. Electron energy distribution in slightly ionized air under the influence of electric and magnetic fields, 2=15887
- Carleton, N.P. and Oldenberg, O. Lifetime of the lowest excited level of N_2 , 2=16516
- Carleton, N.P. and Papaliolios, C. Measured variation of the electronic transition moment of the Vegard-Kaplan bands in N_2 , 2=20811
- Carlin, R.L. See Piper, T.S., 2=16836
- Carlson, H.R. Durable narrow absorption band infrared filters utilizing powdered mineral materials on polyethylene substrates, 2=2203
- Carlos, J.E. De. See De Carlos, J.E.
- Carlson, B.C. and Pao Lu. Charged liquid drop with high angular momentum, 2=3536
- Carlson, B.C. See Lynch, P.J., 2=13737
- Carlson, N.W. See Ellis, R.E., 2=1452
- Carlson, P.J. See Ronne, B.E., 2=9850
- Carlson, R.F., Eisberg, R.M., Stokes, R.H. and Short, T.H. Total proton reaction cross section of copper at 9 MeV, 2=20616
- Carlson, R.O., Silverman, S.J. and Ehrenreich, H. Nernst effect in n-type GaAs, 2=16722
- Carlson, R.R. The 9.63 MeV state of C^{12} , 2=1799
- Carlson, R.R. See Nelson, E.B., 2=10103
- Carlson, T.A. and White, R.M. Decomposition of (CH_3Xe^{131}) + following the nuclear decay of CH_3I^{131} , 2=15159
- Carlsson, J. Experimental studies of brittle fracture propagation, 2=14909
- Carlston, C.E. and Magnuson, G.D. High efficiency low-pressure ion source, 2=22274
- Carman, P.C. See Miller, L., 2=7247
- Carmi, A. See Avinor, M., 2=4170
- Carmichael, C.H. and Dore, M. Electrical effects observed in polycrystalline boron, 2=4032
- Carmichael, H. and Steljes, J.F. The solar cosmic-ray increase of November 20, 1960, 2=12026
- Carmichael, H. and Steljes, J.F. Review of recent high energy solar particle events including November 12, 1960, 2=12032
- Carmichael, J.H. and Waters, P.M. Re-emission of ionically pumped helium by helium ion bombardment, 2=9839
- Carmony, D.D., Rosenfeld, A.H. and Van de Walle, R.T. Evidence that the η meson has isospin zero, 2=22609
- Carmony, D.D. and Van de Walle, R.T. Determination of $\pi - \pi$ cross sections by the Chew-Low extrapolation method, 2=18160
- Carmony, D.D. and Van de Walle, R.T. Differential $\pi - \pi$ cross section evidence for the spin of the ρ meson, 2=18163
- Carmony, D.D. See Rosenfeld, A.H., 2=18172
- Carnahan, C.W. Masers, lasers, and the ether drift, 2=11253
- Carnevale, E.H. See Ziegler, C.A., 2=19597
- Carniglia, S.C. and Hove, J.E. Fabrication and properties of dense beryllium oxide, 2=3845
- Caro, D.E. and Rouse, J.L. The Melbourne University Variable Energy Cyclotron, 2=3114
- Caron, A. and Donohue, J. The lattice constants of orthorhombic sulfur and revision of the interatomic distances, 2=8824
- Carovillano, R. See Wildermuth, K., 2=1852
- Carovillano, R.L. See Wildermuth, K., 2=3544
- Carpenter, C.D. See Fujii, C.T., 2=7167
- Carpenter, D.L. New experimental evidence of the effect of magnetic storms on the magnetosphere, 2=6963
- Carpenter, D.L. Electron-density variations in the magnetosphere deduced from whistler data, 2=24050
- Carpenter, E.W. See Savill, R.A., 2=15177
- Carpenter, R.D., Mentillo, L.R. and Bleuler, E. Excitation curves for reactions of alpha particles with C^{12} from 15 to 19 MeV, 2=3614
- Carpenter, R.J. and Ochs, G.R. High resolution pulse measurements of meteor-burst propagation at 41 Mc/s over a 1295-km path, 2=1606
- Carpenter, R.J. See Sugar, G.R., 2=1601
- Carr, C.W., McClintock, R. and Sollner, K. Electro-osmosis in cation-selective collodion matrix membranes of graded porosity, 2=1163
- Carr, E. See Lu, C.S., 2=20057
- Carr, E.F. Dielectric loss in the liquid crystal p-azoxyanisole, 2=17477
- Carr, E.F. See Hart, J.K., 2=17476
- Carr, J.M. See Sallo, J.S., 2=12722

- rr,P.H. and Strandberg,M.W.P. The generation of microwave phonons for studying the spin-lattice interaction, 2=18952
- rr,W.J. Jr. Ground-state energy of metallic hydrogen. I, 2=23113
- rr,W.N. Reversible degradation effects in GaSb tunnel diodes, 2=21173
- rral,M. de T. Determination of the unit cell and symmetry of Mexicanin-E by X-ray diffraction, 2=19084
- rrara,N.,Checcacci,P.F. and Ronchi,L. Radar observations of meteor echoes as a means of investigation in the field of meteor astronomy and physics, 2=11163
- rrara,N. See Aarons,J., 2=4618
- rrara,R.,Cresti,M.,Grigoletto,A.,Loria,A.,Peruzzo,L.,Santangelo,R. and Venchiarutti,D. Pion production by positive pions on protons at 308 MeV K.E., 2=22559
- rrara,R. See Bartke,J., 2=13883
- rrassi,M. and Passatore,G. Remarks on a possible method for detecting the double Compton effect, 2=7839
- rrelli,A. and Porreca,F. Experimental behaviour of the complex coefficient of viscosity with the temperature for the frequency of 50 Hz, 2=9246
- rrière,Z. Sound diagrams of a tuning fork, 2=19651
- rrington,A. Theory of line width alternation in certain electron resonance spectra, 2=20858
- rrington,A. and Longuet-Higgins,H.C. Line width variations in the electron resonance spectra of free radicals in solution, 2=20859
- rrington,A. See Bolton,J.R., 2=2018
- rrington,T. Fluorescence in comets as a Markov process, 2=15321
- rroll,A. See Patel,P.M. 2=18122
- rroll,C.O. See Johnson,W.R., 2=11285
- rroll,J.B. See Bowman,W.C., 2=18095
- rroll,P.J. Jr. and Kyame,J.J. Matrix representation of thermodynamics of multicomponent systems, 2=9200
- rroll,P.K. Structure of the triplet bands of Co, 2=14262
- rroll,P.K. Note on the $^5\Sigma^+g$ state of N_2 , 2=20813
- rroll,P.K. and Daly,P.J. The band spectrum of $ZrCl$, 2=3736
- rroll,P.K. and Hurley,A.C. Identification of an electronic transition of N_2^+ , 2=3734
- rroll,R.M. Argon activation measures irradiation flux continuously, 2=12261
- rruthers,J.A.,Cochran,J.F. and Mendelssohn,K. Thermal conductivity of p-type germanium between 0.2° and $4^\circ K$, 2=10464
- rruthers,P. Integral equations for the process, $3\pi \rightarrow 3\pi$, 2=3392
- rruthers,P. Resonance in phonon-phonon scattering, 2=3836
- rruthers,P. Thermal conductivity of solids. III. Modification of three-phonon processes by isotopic scattering, 2=23090
- rstoiu,J. The movement of magnetic fields, 2=1563
- rstoiu,J. Effects of electrical conductivity and viscosity on the propagation of magnetohydrodynamic waves, 2=1564
- rstoiu,J. Analogue of the Taylor-Proudman theorem in magnetohydrodynamics, 2=15992
- rstoiu,J. Magnetohydrodynamic waves in a constant dipole magnetic field, 2=20121
- rtacci,A.M.,Dagliana,M.G. and Tocci,L. On the application of the nuclear emulsion technique to the study of complex electron conversion spectra, 2=3316
- rtter,A.W.L. A high accuracy radio-interferometer, 2=15396
- rtter,C. The homogenization of heterogeneous reactors, 2=3656
- rtter,C. Streaming due to holes in a reactor, 2=3661
- rtter,C. and Jarvis,R.J. Influence of a cylindrical channel on a neutron flux which varies linearly in a direction perpendicular to the axis of the channel, 2=3664
- rtter,C. and Rowlands,G. Some topics in one-velocity neutron transport theory, 2=3350
- rtter,D.L. A.c.w. solid state, push-pull maser in the 5 to 6 millimeter wavelength region, 2=1583
- rtter,F.L. See Ryan,F.M. 2=8451
- rtter,G.,Colligon,J.S. and Leck,J.H. Ion sorption in the presence of sputtering, 2=7677
- rtter,G.,James,L.H. and Leck,J.H. The pumping of nitrogen in an ionization gauge, 2=21957
- rtter,G. See Cobic,B., 2=9325
- rtter,G. See James,L.H., 2=2786
- rtter,G. See James,L.H., 2=3091
- rtter,J.C. and Morehouse,N.F., Jr. The solution of the reactor kinetics equations for large and small excursions, 2=6006
- rtter,J.G. See Weinberg,C.J., 2=14758
- rtter,P.S. and Beverage,H.H. Early history of the antennas and propagation field until the end of World War 1. I. Antennas, 2=16043
- rtterette,E.C. and Cole,M. A comparison of the receiver operating characteristics for messages received by ear and by eye, 2=7060
- rtledge,W.A. Compound nucleus formation in nitrogen-oxygen and oxygen-oxygen reactions, 2=3625
- Carver,J.H.,Coote,G.E. and Sherwood,T.R. Isomeric (γ,n) cross section ratios and the spin dependence of the nuclear level density, 2=22787
- Carver,J.H.,Peaslee,D.C. and Taylor,R.B. Nuclear E1 overtones, 2=20506
- Carver,T.R. See Arditi,M., 2=524
- Casado,M. Palomares. See Palomares Casado M.
- Casanova,G. See Ancona,E., 2=13490
- Casanova,G. See Boato,G., 2=22092
- Casanova,J. Escape fraction of the products of the reaction $Li^6(n, \alpha)$ in nuclear emulsion, and measurement of absolute neutron flux, 2=18331
- Casanova,J. See Catalá,J., 2=3343
- Casanova,J. See Catalá,J., 2=16102
- Casas,J.,Merino,F. and Valdés,S. The best [optical] image in the presence of aberrations, 2=7320
- Casas,J.,Moneo,J. de F. and Lacasta,J. Correction for coma, 2=5145
- Casas,J.,Lacasta,J. and de F.Moneo,J. Contribution to the calculation of optical systems, 2=17586
- Case,K.M.,Ferziger,J.H. and Zweifel,F.P. Asymptotic reactor theory, 2=6022
- Case,K.M. and Gasiorowicz,S.G. Can massless particles be charged?, 2=3255
- Case,K.M. See Aamodt,R., 2=11947
- Case,K.M. See Aamodt,R.E., 2=21672
- Casella,C. See Mackavey,W.R., 2=2584
- Cashion,K. See Secrest,D., 2=19428
- Cashman,R.J. See Kannewurf,C.R., 2=8520
- Caspari,M.E.,Frankel,S. and Wood,G.T. Magnetic hyperfine interaction and electronic relaxation in Sm^{3+} in EuIG, 2=12647
- Caspari,M.E.,Frankel,S. and Wood,G.T. Magnetic hyperfine interaction and electronic relaxation in rare-earth ions in europium iron garnet, 2=20908
- Caspers,H.H. See Buchanan,R.A., 2=14685
- Caspers,W.J. Spin-spin relaxation and magnetic resonances in two copper Tutton salts, 2=4273
- Cassagnou,Y.,Jeronymo,J.M.F.,Levi,L.,Papineau,L. and Stanojevic,D. Study by γ -ray detection of the excitation functions of reactions produced by protons in V^{51} , 2=452
- Cassagnou,Y.,Jeronymo,J.M.F.,Levi,C.,Papineau,L. and Stanojevic,D. Excitation functions of $V^{51}(p,n\gamma)Cr^{51}$ reactions, 2=1887
- Cassagnou,Y.,Jeronymo,J.M.F.,Mani,G.S.,Sadeghi,A. and Forsyth,P.D. The $Li^7(p,\alpha)$ reaction, 2=16408
- Cassagnou,Y.,Levi,C.,Mermaz,M. and Papineau,L. Indications of the existence of "Ericson fluctuations" in the $Al^{27}(d,\alpha)Mg^{25}$ reactions, 2=22845
- Cassagnou,Y. See Ballini,R., 2=9874
- Cassidy,G. See Bartholomew,C.Y., 2=5323
- Cassiers,P.M. Memory effects in electrophotography, 2=15757
- Castagnoli,C. See Baudinet-Robinet,Y., 2=13798
- Castagnoli,C. and Ortalli,L. Angular information in nucleon-nucleon collisions at ultrarelativistic energies. I. The transverse momentum at 27 GeV, 2=20328
- Castagnoli,G.C. Diffusion of Kr and He in liquid hydrogen, 2=1140
- Castang,R. and Henry,L. Magnetic filtering of speeds in electron microscopy, 2=22270
- Castans,M. Entropy and uncertainty, 2=13240
- Castel,F. du. See du Castel,F.
- Casteljaeu,M. de. See de Casteljaeu,M.
- Castellano,E. and Schumacher,H.J. Photochemical decomposition of ozone in yellow-red light and the mechanism of its thermal decomposition, 2=21591
- Castellano,S. and Caporiccio,G. N.M.R. spectrum of 3,3,3-trichloropropene, 2=6224
- Castellano,S. See Waugh,J.S., 2=3186
- Castillejo,L. See Ashmore,A., 2=18118
- Castleman,L.S. Layer growth during interdiffusion in the aluminium-uranium alloy system, 2=3937
- Castner,T.G. Jr. Direct measurement of the valley-orbit splitting of shallow donors in silicon, 2=8348
- Castro,G. See Feliu,S., 2=14933
- Caswell,H.L. Effect of residual gases on the properties of indium films, 2=1339
- Caswell,H.L. See Priest,J., 2=838
- Catalá,J.,Aguilar,J.,García,A.,Gil,G. and De La Rubia,J. Scattering of 29 MeV He^3 particles on fluorine, 2=5965
- Catalá,J.,Aguilar,J.,García,A.,Pardo,G. and Lleó,A. Interactions of He^3 particles of 29 MeV on acetylene. I. Elastic scattering $He^3 - C^{12}$, 2=8008
- Catalá,J.,Casanova,J.,Senent,F.,Villar,E.,Tárrega, P. and Díez,R. Absolute index of measurement of the degree of development of nuclear emulsions. I. Comparative study of the emulsions Ilford C2 and K2, 2=16102

- Catalá, J., de la Cuadra, M., Font, R., Aguilar, J., Casanova, J. and Senent, F. Scattering of 14 MeV neutrons by protons, 2=3343
- Catalá, J., García Rodríguez, A. and Aguilar, J. A study of elastic scattering of He^3 particles on Ne, 2=1925
- Catalá, J., Lleo, A., García, A. and Aguilar, J. Scattering of 29 MeV He^3 particles by CCl_4 . II. Study of the $\text{C}^{12}(\text{He}^3, \alpha)\text{C}^{11}$ pick-up reaction, 2=3612
- Catalá, J., Senent, F., Villar, E., Font, R. and Miralles, L. Precision of a radius of curvature measurement in nuclear tracks, 2=1642
- Catalán, L.A. Some computed optical properties of antireflection coating, 2=7371
- Cataland, G. and Plumb, H.H. Acoustical interferometer employed as an instrument for measuring low absolute temperatures, 2=17559
- Catalano, E. and Phillips, N.E. The low temperature heat capacities of antiferromagnetic MnF_2 and CoF_2 , 2=23075
- Catalina, F. See Solís, M., 2=15755
- Catalina, F. See Tinaut, D., 2=19107
- Cathcart, J.V., Epperson, J.E. and Petersen, G.F. Epitaxially induced strains in Cu_2O films on copper single crystals. II. Optical effects, 2=17066
- Cathcart, J.V. See Borie, B., 2=17065
- Cathey, E.H. Jr. See Ham, L.B., 2=21759
- Cathey, L. Low level alpha counting with solid state detectors, 2=7910
- Cathey, L. and Jenkins, W.J. The operation of solid-state alpha counters in chemical process streams, 2=18196
- Cathro, K.J. and Walkley, A. The preparation of small metal spheres, 2=13228
- Catcha-Elis, S. On the use of anomalous scattering of x-rays in the solution of centrosymmetric structures, 2=21508
- Caton, P.S. See Secker, P.E., 2=13551
- Cattaneo, F., Germagnoli, E. and Grasso, F. Self-diffusion in platinum, 2=23206
- Cattani, D. See Priester, W., 2=15287
- Catterall, J.A. and Trotter, J. Soft X-ray emission spectra from Cu_2Au , 2=8545
- Catterall, J.A. and Trotter, J. The broadening of soft X-ray emission edges in metals and alloys, 2=23581
- Cattoni, A. See Bisi, F., 2=3719
- Cattoni, A. See Bisi, A., 2=18097
- Catura, R.C. and Richardson, J.R. New isotope indium-106, 2=10033
- Cauchois, Y., de Bersuder, A. and Manescu, I. New observations on the X-ray spectra of plutonium, 2=706
- Caudra, M. de la. See de la Caudra, M.
- Caulfield, D. and Ullman, R. High-angle limit in low-angle scattering and its effect on the determination of surface area, 2=11795
- Caulton, M., Hershenov, B. and Paschke, F. Experimental evidence of Landau damping in electron beams, 2=7662
- Cause, R., Poirier, Y. and Vivés, C. An experimental study, in the presence of a magnetic field, of the free oscillations in a vertical U-tube of a conducting, viscous liquid, 2=7722
- Cause, R., Robert, J. and Vivés, C. Experimental study of the damping of a viscous liquid between two instantaneously arrested coaxial cylinders, 2=11332
- Cause, R. See Crausse, É., 2=3140
- Cause, R. See Crausse, É., 2=5451
- Cavaliere, A. Relativistic limits to non-linear plasma oscillations, 2=11682
- Cavallaro, S., Potenza, R. and Rubbino, A. Li^{7+} p interaction and excited states of Be^6 , 2=20509
- Cavalleri, C., Gatti, E. and Redaelli, G. Light chamber or gas-amplified scintillation chamber, 2=22377
- Cavanaugh, W.J., Farrell, W.R., Hirtle, P.W. and Watters, B.G. Speech privacy in buildings, 2=9355
- Caverzasio, C., Kuroda, K. and Michalowicz, A. Proton-proton scattering at 155 MeV, 2=291
- Caverzasio, C. See Garron, J.P., 2=1895
- Cayrel, J. Ballistic measure of small industries fluxes, 2=234
- Cayrel De Strobel, G. A comparison of photoelectric and photographic spectrophotometry, 2=6967
- Cazacu, M.D. Similarity method in the water-hammer phenomenon, 2=7185
- Cazemajou, J. See Blaquiére, A., 2=1945
- Cazemajou, J. See Blaquiére, A., 2=22872
- Cebulla, T.J. See Prosen, R.J., 2=12674
- Ceccarelli, M. See Braccisi, A., 2=11152
- Cecchetti, A. See Buttino, G., 2=10670
- Cedarlund, R., Horn, A. and Scolnick, M. Solid-state detector for monitoring 14 MeV neutron production, 2=5696
- Celiński, Z. Device for measuring reactor excess reactivity, 2=6073
- Celiński, Z. See Brzozowski, W.S., 2=19974
- Celli, V., Gold, A. and Thomson, R. Electronic states on dislocations in semiconductors, 2=14538
- Celli, V. See Hobart, R., 2=2081
- Celustka, B. and Ogorelec, Z. Density of conduction electrons and holes between the extrinsic and intrinsic conduction range in n-type germanium, 2=18678
- Cenerini, R. An aqueous homogeneous zero-energy suspension reactor. II. Analysis of the neutron flux fluctuations in an aqueous homogeneous subcritical reactor with circulating UO_2 particles, 2=12266
- Ceolin, C., Duimo, F., Stroffolini, R. and Fubini, S. An integral equation for high-energy cross-sections, 2=22431
- Ceolin, C. and Stroffolini, R. Some remarks about low-energy pion-pion scattering, 2=3393
- Cerbone, R.J. See Bach, D.R., 2=6047
- Cerceo, M., Meister, R. and Litovitz, T. Ultrasonic absorption in toluene in the kilocycle region, 2=9274
- Cerineo, M., Ilakovac, K., Šlaus, I. and Tomaš, P. Capture of 14.4 MeV neutrons by protons and deuterons, 2=1693
- Čermák, I. and Trlifaj, L. Effect of a partially inserted absorbing rod on the density distribution of a neutron flux, 2=10180
- Čermák, J. The distribution of neutron density in the vicinity of a partly inserted black rod in two-group approximation, 2=1946
- Čermák, V. and Herman, Z. Molecular dissociation in charge-transfer reactions, 2=161
- Cernigoi, C., Gabrielli, I. and Iernetti, G. Behaviour of photomultiplier against short light-pulses, 2=1487
- Černohorský, M. The effective-D-method of determination of lattice parameters, 2=4410
- Černohorský, M. A new set of charts for two-parameter lattices, 2=10844
- Cernuschi, F. and Segre, M. Theory of condensation of liquids of one and two components, 2=2935
- Cerny, J., Harvey, B.G. and Pehl, R.H. (α, d) reactions on odd targets, 2=3616
- Certainne, J. See Goldstein, H., 2=5672
- Cerulus, F. Statistical theory of multiple meson production with angular momentum conservation, 2=5698
- Červena, J. See Bayer, R., 2=9857
- Červinka, L. X-ray determination of tetragonally distorted $\text{Mn}^{3+}\text{O}_6^{2-}$ octahedrons in cubic MnFe_2O_4 , 2=21520
- Červinka, L. Electron diffraction on a thin monocrystalline layer of manganese-zinc ferrite, 2=21525
- Červinka, L., Krupička, S. and Syneček, V. To the existence of tetragonally distorted $\text{Mn}^{3+}\text{O}_6^{2-}$ octahedra, in cubic MnTe_2O_4 , 2=3913
- Červinka, L. See Bergstein, A., 2=826
- Ceschia, M. See Bartke, J., 2=13883
- Cess, R.D. The effect of radiation upon forced-convection heat transfer, 2=15787
- Cester, R. Characteristics of Λ^0 produced in carbon nuclei by 1.3 GeV π^- , 2=5950
- Cester, R., Ciocchetti, G., Debenediti, A., Marzari Chiesa, A., Rinaudo, G., Deney, C., Gottstein, K. and Puschel, W. Λ^0 s from K^- capture in emulsion, 2=3409
- Ceulemans, H. and Poortmans, F. Determination of the spin of the levels of In^{116} and Hf^{178} by resonant scattering of slow neutrons, 2=371
- Cha, M.H. See Fried, Z., 2=18404
- Chabbal, R. and Jacquinot, P. Description of a Fabry-Perot interference spectrometer, 2=7382
- Chabre, M. and Depommier, P. Correction factor of the β -spectrum of Au^{198} , 2=401
- Chabre, M. and Depommier, P. Measurement of the polarization of the γ -rays following the β -disintegration of Au^{211} , 2=22759
- Chabre, M. See Depommier, P., 2=403
- Cha-Chien, See Tyapunina, N.A., 2=14871
- Chackett, G.A. See Chackett, K.F., 2=20623
- Chackett, K.F., Chackett, G.A. and Ismail, L. The (p,n) reaction cross section of copper for 9.3 MeV protons, 2=20623
- Chacon, E. and Moshinsky, M. Theoretical analysis of the energy levels in Ne^{20} , 2=22736
- Chadan, K. The left-hand cut discontinuity and equivalent potentials, 2=11885
- Chadderton, L.T. Dislocation loops in fission fragment bombarded lead iodide, 2=23185
- Chadderton, L.T. See Bowden, F.P., 2=21037
- Chadeau, C. A comparative study of the spectral lines from the helium star Sigma Ori E and from the normal star Sigma Ori E (B2.5V), 2=4809
- Chadeau, C. The Balmer series in B-type stars, 2=4811
- Chadrasekhar, S. The stability of spiral flow between rotating cylinders, 2=2684

- hadwick, G.A. and Argent, B.B. Thermodynamic properties of solid solutions IV. Copper-rich solid solutions of copper + zinc + nickel., 2=6837
- hadwick, G.B., Davies, W.T., Derrick, M., Mulvey, J.H., Radojicic, D., Wilkinson, C.A., Cresti, M., Limentani, S., Loria, A. and Santagelo, R. Antiproton annihilations at rest into two charged pions, 2=22522
- hadwick, G.B. See Duke, P.J., 2=22504
- hadwick, P. On the propagation of thermoelastic disturbances in thin plates and rods, 2=11447
- hadwick, W.B. A quick method for estimating the stage of the sunspot cycle, 2=6941
- haevskii, M.I., Bryukhanova, L.S. and Likhtman, V.I. The long-term strength of steel in the presence of active metallic melts, 2=14899
- haevskii, M.I., Bryukhanova, L.S. and Likhtman, V.I. The long-term strength of steel in the presence of active metallic melts, 2=19004
- hagalj, J. See Cicchini, A., 2=335
- hagnon, C.W. and Junge, C.E. The vertical distribution of sub-micron particles in the stratosphere, 2=8964
- hagnon, P.R. See Treado, P.A., 2=16376
- hahine, M.T. Free-molecule flow over nonconvex surfaces, 2=5037
- hahound, J.N. Some remarks about pion-pion interaction from pion production experiment, 2=16221
- haika, G.V. See Tolpýgo, K.B., 2=21203
- haika, M.P. See Kagan, Yu.M., 2=17602
- haika, M.P. See Kaliteevskii, N.I., 2=16298
- haika, M.P. See Razumovskii, A.N.
- haika, M.P. See Turkin, Yu.I., 2=12292
- haikin, S.W., Anderson, J.R. and Santos, G.J.Jr. Improved probe apparatus for measuring contact resistance, 2=1347
- haikovskii, E.F. See Pines, B.Ya., 2=8250
- haikovskii, E.F. See Pines, B.Ya., 2=8851
- haikovskii, E.F. See Pines, B.Ya., 2=23210
- haikovskii, E.F. See Pines, B.Ya., 2=23888
- hakraborti, P.K. See Barua, A.K., 2=13374
- hakraborty, A.K. Influence of ultraviolet absorption frequencies on the intensities of Raman lines, 2=20784
- hakravarty, S.N. See Arnika, H.J., 2=3190
- hakravorty, A. See Gangopadhyay, A.K., 2=4144
- hala, V.H. See Konozenko, I.D., 2=6497
- halaya, V.H. See Svyetchnikov, S.V., 2=23458
- hal'ii, A.V. See Smirnov, A.A., 2=19068
- hallis, L.J. The calculation of temperature differences from resistance thermometer measurements using a digital computer, 2=5207
- hallis, L.J. Some experiments on the Kapitza resistance between metals and liquid helium II., 2=22123
- halmers, B. See Suits, J.C., 2=6724
- halmers, B. See Hauser, J.J., 2=6730
- halmers, J.A. The measurement of the vertical electric current in the atmosphere, 2=11030
- halmers, J.A. The relation of point-discharge current to potential difference and wind-speed, 2=11032
- halmers, J.A. The first suggestion of an ionosphere, 2=13026
- halmers, J.A. The laws of electromagnetism and analogue, 2=22302
- haloupka, P. See Dubinsky, J., 2=3443
- hal'yi, A.V. See Smirnov, A.A., 2=14990
- hal'ya, V.H. See Svyetchnikov, S.V., 2=21191
- hamberlain, A.C., Garner, R.J. and Williams, D. Environmental monitoring after accidental deposition of radioactivity, 2=3496
- hamberlain, J.W. The energies in the spectra of the airglow and aurora, 2=907
- hamberlain, J.W. Theory of auroral bombardment, 2=15254
- hamberlain, J.W. Ultraviolet emission in the aurora, 2=17187
- hamberlain, J.W. Neutral and ionized interplanetary hydrogen, 2=15300
- hamberlain, J.W. and Sobouti, Y. Fluorescent scattering in planetary atmospheres. I. Basic theoretical considerations, 2=15310
- hamberlain, O., Crowe, K.M., Keefe, D., Kerth, L.T., Lemonick, A., Tin Maung and Zipf, T.E. Measurement of total cross sections of K mesons in hydrogen and deuterium in the momentum region 630 to 1190 MeV/c, 2=7902
- hamberlain, O. See Frankel, S., 2=13831
- hamberlin, G.J. See Judd, D.B., 2=15718
- hamberlin, G.J. See Judd, D.B., 2=15719
- hambers, F.W. See Cole, H., 2=10818
- hambers, F.W. See Cole, H., 2=10823
- hambers, L.G. Some applications of Schwinger's principle, 2=144
- hambers, R.G. The inversion of specific heat curves, 2=570
- hambers, R.H. and Schultz, J. Dislocation relaxation spectra in plastically deformed refractory b.c.c. metals, 2=21412
- hambers, R.P. See Spencer, E.G., 2=10322
- hambre, P.L. See Selim, M.A., 2=4986
- haminade, R., Cros, M., Papineau, A. and Saudinos, J. Detection system for particles analysed by a magnet, 2=3194
- Chaminade, R., Crut, M., Faraggi, H., Garreta, D., Saudinos, J. and Thirion, J. Excitation of the second level of Zn^{64} , Zn^{66} and Zn^{68} by inelastic scattering of α -particles, 2=494
- Chaminade, R., Crut, M., Faraggi, H., Garreta, D., Saudinos, J. and Thirion, J. Inelastic scattering of 43 MeV α -particles by medium weight nuclei, 2=1923
- Champeix, R. Physics and Techniques of electron tubes, Vol. I. Principles of vacuum technique, 2=5075
- Champeny, D.C. See Brewer, D.F., 2=9472
- Champion, G. and Toussaint, G. Dynamics of the close-packed hexagonal lattice, 2=3818
- Champion, J.A. Surface state levels in silicon as revealed by the pulsed field effect technique, 2=12523
- Champion, K.S.W., Minzner, R.A. and Pond, H.L. Review of the A.R.D.C. Model Atmosphere, 1959, 2=11047
- Chan, C.H. On decay probabilities of ρ , ω and K particles, 2=16237
- Chan Hong-Mo. New class of kinematic branch points for n-line graphs, 2=7817
- Chan Hong-Mo. Kinematic branch points of n-particle reaction amplitudes, 2=11896
- Chan, K.L., Kanellakos, D.P. and Villard, O.G. Jr. Correlation of short-period fluctuations of the earth's magnetic field and instantaneous frequency measurements., 2=19262
- Chan, K.L. and Villard, O.G. Jr. Observation of large-scale travelling ionospheric disturbances by spaced-path high-frequency instantaneous-frequency measurements, 2=13029
- Chan, K.L. See Kanellakos, D.P., 2=17161
- Chan, U. See Ayres, R., 2=5787
- Chan, S.I. and Das, T.P. Simple evaluation of the paramagnetic part of the proton magnetic shielding constant, 2=22938
- Chan, Y.W., Ewbank, W.B., Nierenberg, W.A. and Shugart, H.A. Nuclear spin of 9.5 Hour Au^{198m} , 2=18241
- Chand, P. and Agarwal, B.K. Capture rates of negative muons by nuclei, 2=13836
- Chanda, R.N. See Sheline, R.K., 2=5797
- Chanaud, R.C. and Powell, A. Experiments concerning the sound-sensitive jet, 2=17424
- Chander, J. Ionization of atomic and molecular beams with a plasma ion source, 2=11614
- Chandra, A.K. Self-consistent field calculation with core approximation on BeH^+ , 2=6214
- Chandra, G. See Sorokin, A.A., 2=14066
- Chandra, S. See Krishnaji, 2=14340
- Chandrasekaran, K.S. Monitors for diffractometer X-ray beams, 2=813
- Chandrasekhar, B.S. and Bardeen, J.M. The paramagnetic susceptibilities of some uranium-molybdenum alloys between 100°K and 300°K, 2=6657
- Chandrasekhar, B.S. See Blaugher, R.D., 2=7520
- Chandrasekhar, B.S. See Rayne, J.A., 2=10355
- Chandrasekhar, S. and Elbert, D.D. The stability of viscous flow between rotating cylinders. II., 2=15538
- Chandrasekhar, S. and Lebovitz, N.R. On super-potentials in the theory of Newtonian gravitation, 2=2604
- Chandrasekhar, S. and Lebovitz, N.R. On the oscillations and the stability of rotating gaseous masses, 2=4794
- Chandrasekhar, S. and Lee, L. The stability of spiral flow between rotating cylinders. Appendix, 2=2684
- Chandrasekhar, V. See Bashforth, G.R., 2=17032
- Chandrasekhara, K. See Iyengar, K.T.S.R., 2=21857
- Chandy, K.C. Orientation of cetyl alcohol in a high d.c. field in relation to Gross's theory of the electret, 2=14644
- Chang, C.C. Magnetohydrodynamic method of injecting charged particles into a magnetic field, 2=7727
- Chang, C.C. Outer Van Allen belts and neutral points on interface between solar wind and geomagnetic field, 2=17211
- Chang, C.C. and Lundgren, T.S. Duct flow in magnetohydrodynamics, 2=5463
- Chang, C.C. and Yen, J.T. Magnetohydrodynamic channel flow is influenced by wall conductance, 2=20129
- Chang, C.C. See Lundgren, T.S., 2=17822
- Chang, C.C. See Whang, Y.C., 2=5344
- Chang, D.B. See Davis, L.Jr., 2=19255
- Chang, G.K. and Jones, R.E. Low-temperature thermal conductivity of amorphous solids, 2=16615
- Chang, G.K., Jones, R.E. and Toxen, A.M. Thermal conductivity of dilute indium-mercury superconducting alloys, 2=7510
- Chang, G.K. See Toxen, A.M., 2=11561
- Chang k'ai - ta. See Chzhan Kai - da.
- Chang K'ai-ta, See Galkina, O.S., 2=3985
- Chang Kuang-yin, See Chzhan Guan-in, 2=16806
- Chang Kuang-yin, See Chzhan Guan-in, 2=17621
- Chang Kuang-yin, See Chzhan Guan-in, 2=19707
- Chang Kuang-yin, See Chzhan Guan-in, 2=21232

- Chang Kuan'yn, See Gross, E.F., 2=12582
 Chang Kuan'yn, See Gross, E.F., 2=14654
 Chang Nai-sen, See Chzhan Nai-sen, 2=22581
 Chang, P.K. Separation of flow, 2=4979
 Chang, R. Flow and recovery properties of nearly stoichiometric polycrystalline uranium carbide and mechanism of work hardening of crystalline solids, 2=6742
 Chang, S.-S. and Westrum, E.F. Jr. Thermal properties based upon heat capacity and decomposition pressure of tetramethylammonium hydrogen dichloride. Nature of the hydrogen bond in the $[Cl-H-Cl]^-$ ion, 2=14303
 Chang, S.-S. and Westrum, E.F. Jr. Heat capacities and thermodynamic properties of two tetramethylammonium halides, 2=14381
 Chang Tsung. See Chzhan - Tszun,
 Chang Tsung. See Smolenskii, G.A., 2=2289
 Chang, W.S.C. and Burgess, J.Q. Optical Faraday rotation and microwave interactions in paramagnetic salts, 2=14651
 Change, P.K. Analytical study of a forward moving annular jet, 2=19593
 Chantry, G.W. and Ewing, V.C. The molecular vibrations of sulphur hexafluoride and sulphur tetrafluoride, 2=16533
 Chantry, G.W., Horsfield, A., Morton, J.R., Rowlands, J.R., and Whiffen, D.H. The optical and electron resonance spectra of SO_3^- , 2=16565
 Chantry, G.W. and Whiffen, D.H. Electronic absorption spectra of CO_2^- trapped in γ -irradiated crystalline sodium formate, 2=10603
 Chanu, J. and Mousselin, L. The indirect measurement of the temperature gradient by interferometry in a cell with a vertical gradient, 2=7440
 Chanu, J., Mousselin, L., and Parra, F. Interferometric method for measurement of weak variations in the index gradient of liquids, 2=17592
 Chao, B.T. Motion of spherical gas bubbles in a viscous liquid at large Reynolds numbers, 2=1120
 Chao, B.T. See Azer, M.Z., 2=5202
 Chao, C.C. See Achenbach, J.D., 2=19484
 Chao-Chien, See Tyapunina, N.A., 2=10738
 Chao Chung-yao, See Chzhao Chzhan-yao,
 Chapelle, J., Cabannes, F., Sy, A. and Cabannes, C. Absorption of infrared electromagnetic radiation by the jet of a plasma blow-pipe, 2=1459
 Chapelle, J. See Cabannes, F., 2=22231
 Chaperot, D. See Navez, M., 2=4487
 Chaplik, A.V. Quasi-classical wave-function of a system with many degrees of freedom, 2=21826
 Chaplin, N.J. See Paulnack, C.L., 2=21128
 Chaplin, R.L. and Shearin, P.E. Some experimental techniques of low-temperature radiation damage studies, 2=10427
 Chapman, E.F. See Kronick, P.L., 2=14509
 Chapman, I.D. and McIntosh, R. The dielectric behavior at low temperatures of several gases absorbed upon porous Vycor glass, 2=2779
 Chapman, J.A. A systematic method for the correction of astigmatism in the Siemens Elmiskop I, 2=11474
 Chapman, J.A. Preparation of carbon films for electron microscopy, 2=15115
 Chapman, K.R. and Gowariker, S. A convenient method of constructing accelerator tubes, 2=3108
 Chapman, K.R., Martelli, G. van der Raay, H.B., Reading, D.H. and Rubinstein, R. Stripping cross section for 620 MeV deuterons, 2=16433
 Chapman, R.M. Cloud distributions and altitude profiles from satellite, 2=11022
 Chapman, S. Dynamical and other aspects of cosmic gases of low density, 2=4715
 Chapman, S. Electric currents in the ionosphere and the aurora, 2=15221
 Chapman, S. See Akasofu, S.I., 2=921
 Chapman, S. See Akasofu, S.I., 2=13044
 Chapman, S. See Akasofu, S.I., 2=13059
 Chapman, S. See Akasofu, S.I., 2=21667
 Chapman, S. See Mason, E.A., 2=5058
 Chapnik, I.M. A possible criterion for superconductivity, 2=13512
 Chapnik, I.M. A possible criterion for superconductivity, 2=19814
 Chapnin, V.A. See Vavilov, V.S., 2=18567
 Chapnin, V.A. See Vavilov, V.S., 2=23149
 Chappellear, D.C. Models of a liquid drop approaching an interface, 2=2694
 Charakhchyan, A.N., Tulinov, V.F. and Charakhchyan, T.N. Cosmic ray intensity bursts in the stratosphere in November 1960, 2=13902
 Charakhchyan, A.N., Tulinov, V.F. and Charakhchyan, T.N. The energy spectrum and time dependence of the intensity of solar cosmic-ray protons in flares, 2=13903
 Charakhch'yan, A.N., Tulinov, V.F. and Charakhch'yan, T.N. The energy spectrum and time dependence of the intensity of solar cosmic ray protons, 2=22669
 Charakhchyan, T.N. See Charakhchyan, A.N., 2=13902
 Charakhchyan, T.N. See Charakhch'yan, A.N., 2=13903
 Charakhch'yan, T.N. See Charakhch'yan, A.N., 2=22669
 Charap, J.M. and Squires, E.J. Factorization of the residues of Regge poles, 2=20263
 Charap, S.H. Concerning the theory of anisotropic magnetization, 2=4221
 Charap, S.H. Critical concentrations in magnetism, 2=12751
 Charbonnier, F.M. and Martin, E.E. A simple method for deriving, from measured $I(V)$ data, information on the geometry of a field emission current source of unknown characteristic, 2=13581
 Charette, J.J. Test of the classification of the infrared absorption bands of diamond, 2=700
 Charette, J.J. Infrared spectra of synthetic diamond, 2=4148
 Chari, M.S.R. The Lorenz parameter in dilute silver-manganese alloys at liquid helium temperatures, 2=6294
 Chari, M.S.R. The Lorenz parameter in magnetic fields in dilute silver-manganese alloys at helium temperatures, 2=14395
 Chari, M.S.R. Lattice thermal conductivity of dilute silver-manganese alloys at helium temperatures, 2=14396
 Chari, M.S.R. Anomalous Lorenz parameter in specimens of high-purity copper at low temperatures, 2=21095
 Charlesby, A. and Thomas, D.K. A comparison of the effects of ultra-violet and gamma radiation in polymethylmethacrylate, 2=18503
 Charlton, D.E. and Cormack, D.V. Energy dissipation in finite cavities, 2=18103
 Charlton, M.G. and Southam, F.H. The adsorption of methane by barium films in the presence of a thermionic current, 2=843
 Charman, W.N. The production of circular disks of known diameter for calibration purposes in high-resolution microscopy, 2=15725
 Charnaya, F.A. See Vul'fson, K.S., 2=11641
 Charney, J.G. and Stern, M.E. On the stability of internal baroclinic jets in a rotating atmosphere, 2=17131
 Charpak, G. Determination of the trajectory of charge particles by means of a new type of detector "bubble hodoscope", 2=13712
 Charpak, G. Location of the position of a spark in a spark chamber, 2=20212
 Charpak, G., Dick, L. and Feuvrais, L. Location of the position of a particle trajectory in a scintillator, 2=22357
 Charpak, G., Farley, F.J.M., Garwin, R.L., Muller, T., Sens, J.C. and Zichichi, A. A new limit to the electric dipole moment of the muon, 2=3367
 Charpak, G., Farley, F.J.M., Garwin, R.L., Muller, T., Sens, J.C., Telegdi, V.L., York, C.M. and Zichichi, A. Quenching of muon depolarization by weak magnetic fields, 2=1700
 Charpak, G., Farley, F.J.M., Garwin, R.L., Muller, T., Sens, J.C. and Zichichi, A. A new measurement of the anomalous magnetic moment of the muon, 2=13832
 Charters, A.C. High-speed impact, 2=15526
 Charvin, P., Rayrole, J. and Semel, M. Apparatus for recording the variation of wavelength along a spectral line, 2=11481
 Charwat, A.F. Molecular flow study of the hypersonic sharp leading edge interaction, 2=2744
 Chase, A.B. See Lefever, R.A., 2=14800
 Chase, C.E. Thermal conduction in liquid helium II. I. Temperature dependence, 2=17711
 Chase, C.E., Maxwell, E. and Millett, W.E. The dielectric constant of liquid helium, 2=1326
 Chase, L.F., Jr., Johnson, R.G., Vaughn, F.J. and Warburton, E.K. Endothermic deuteron stripping reactions. III. The $C^{14}(d, p)\gamma$ C^{14} and $Li^7(d, p)\gamma$ Li^6 reactions, 2=18349
 Chase, L.F., Jr. See Sharp, R.D., 2=450
 Chase, L.F., Jr. See Warburton, E.K., 2=16314
 Chase, R.L. Recent developments in multichannel pulse-height analysis, 2=17745
 Chase, R.L. Status of pulse height analyser equipment, 2=19842
 Chasman, R.R. New approximation for pairing forces in nuclei, 2=57
 Chasmar, R.P. Electron mobility in indium arsenide, 2=4037
 Chasmar, R.P., Durham, E.W. and Stuckes, A.D. The thermal and electrical properties of cadmium and mercury tellurides, 2=2308
 Chasnikov, I.Ya. See Boos, E.G., 2=7856
 Chasnikov, I.Ya. See Botvin, V.A., 2=288
 Chasnikov, I.Ya. See Botvin, V.A., 2=22511
 Chasson, R.L. Fine structure of Forbush decreases, 2=12034
 Chasson, R.L. See Anderson, J.C., 2=12022
 Chateau, H., Moncet, M.C. and Pouradier, J. Study of mixed ternary crystals of silver halides, 2=10895
 Chatenier, F.J. du. See du Chatenier, F.J.
 Chatterjee, A. See Dutt, P.K., 2=20036
 Chatterjee, B.K. See Miyake, S., 2=12074

- Chatterjee, H.K. Resistance in potential flow with circulation.
I. Circular and elliptic cylinders, 2=7184
- Chatterjee, S.K. See Bandyopadhyay, P., 2=19224
- Chatterton, P.A. and Craggs, J.D. Measurements of attachment coefficients in oxygen using an electron filter technique, 2=5300
- Chaudhari, K.R. and Trivedi, G.K. Study of viscosity of highly viscous liquids. I. Simple method of measuring viscosity, 2=4983
- Chaudhri, M.M. See Katti, P.K., 2=7472
- Chaudhri, R.M. and Khan, M.Y. Emission of ultraviolet and visible radiation from metals by the impact of high-energy hydrogen ions, 2=3970
- Chaudhry, R., Vandenbosch, R. and Huizenga, J.R. Fission fragment angular distributions and saddle deformation, 2=10157
- Chaudhry, R. See Huizenga, J.R., 2=10156
- Chaudhuri, A.R. See Patel, J.R., 2=16956
- Chaudhury, A.R., Patel, J.R. and Rubin, L.G. Velocities and densities of dislocations in germanium and other semiconductor crystals, 2=21033
- Chaudhury, T.K. Note on the unsteady flow of viscous liquid through a channel of rectangular section, 2=15549
- Chaulia, P.B. and Krishnan, S. Photoelastic study of short beams with varying sections, 2=4970
- Chauveau, J. Analogical study of the propagation of seismic signal, 2=17116
- Chauveau, J. See Lavergne, M., 2=2818
- Chauvy, D. See Besson, H., 2=14508
- Chaventon, J. High resolution infrared spectra at 1.65μ for molecules of C_{3v} symmetry. A comparative study of the perpendicular bands of the first harmonic of the antisymmetric CH_3 stretching mode, 2=1994
- Chaves, R. Calculation of the effective capture sections of electrons by lattice defects in thin films of cadmium sulphide, 2=12540
- Chavet, I. See Valentin, J., 2=22775
- Cheban, A.G. Theory of thermal ionization of F^+ -centres, 2=609
- Chebkaev, A.V. Some physical properties of vacuum annealed polycrystalline barium titanate, 2=18645
- Chebotaev, G.A. See Brumberg, V.A., 2=1027
- Chebotaev, G.A. See Gontkovskaya, V.T., 2=1026
- Chebotaev, G.A. See Gontkovskaya, V.T., 2=24188
- Ceccacci, P. See Aarons, J., 2=4618
- Ceccacci, P.F. See Carrara, N., 2=11163
- Chechernikov, V.I. Antiferromagnetism of iron-nickel alloys, 2=14813
- Chechernikov, V.I. and Galeev, G.S. Investigation of iron-base alloys in the paramagnetic range, 2=23635
- Chechernikov, V.I. and Kol'chenko, V.G. Antiferromagnetic properties of cobaltous oxide, 2=757
- Chechetkin, A.V. The question of aerodynamic resistance of a pseudoliquidified layer, 2=9299
- Chechin, G.M. See Sachenko, V.P., 2=8185
- Chechin, G.M. See Sachenko, V.P., 2=20969
- Chechkin, V.V., Vasil'ev, M.P., Grigor'eva, L.I. and Smerdov, B.I. Absorption of cyclotron waves in an inhomogeneous plasma, 2=9573
- Chechkin, V.V. See Khizhnyak, N.A., 2=11735
- Chechkin, V.V. See Tolok, V.T., 2=17909
- Chechurin, S.N. See Rogachev, A.A., 2=18750
- Chechurin, S.N. Change of the refractive index of semiconductor films when intensely illuminated, 2=18793
- Chechurin, S.N. Change of the refractive index of semiconductor films when intensely illuminated, 2=21227
- Chechurin, S.N. See Rogachev, A.A., 2=23467
- Cecinska, H. See Garlick, G.F.J., 2=8440
- Ch'én-K'ó-Ming. See Chén-Ké-Min, 2=6434
- Cheer, D.A. See Moore, A., 2=23831
- Cheifetz, E., Gilat, J., Yavin, A.I. and Cohen, S.G. Alpha particle emission competing with thermal neutron capture gamma-rays in rare earth isotopes, 2=18341
- Chekhovskoi, V.Y. See Sheindlin, A.E., 2=8174
- Chekhovskoi, V.Ya. See Kirillin, V.A., 2=3839
- Chekhovskoi, V.Ya. See Kirillin, V.A., 2=12386
- Chekhovskoi, V.Ya. See Kirillin, V.A., 2=18528
- Chekmarev, I.B. and Ufliand, Ia.S. Some possibilities of accelerating electrically conducting fluids with the use of crossed magnetic fields, 2=17937
- Chelovskii, A.V. See Vereshchagin, L.F., 2=21946
- Chen, A. See Pope, M., 2=14579
- Chen, D. and Morrish, A.H. Ferromagnetic resonances in thin films, 2=12672
- Chen, F.F. Low-frequency oscillations in gas discharges, 2=204
- Chen, F.F. Use of electrostatic probes in plasma physics, 2=7626
- Chen, F.F. Radial electric field in a reflex discharge, 2=11628
- Chen, J.C.Y. and Magee, J.L. Excitation of molecular vibration by slow electron impact, 2=8087
- Chén-Ké-Min. See Chuenkov, V.A., 2=6434
- Chen, M.-C. Trident production cross-section and quantum electro-dynamics at small distances, 2=20321
- Ch'èv T'a Mei. See Bak, M.A., 2=16417
- Chen' Tsun-mo. See Solov'ev, L.D., 2=9901
- Chen' Tsun-mo. See Syan' Din-chan, 2=22466
- Chen' Tya-Mei. See Ch'èn T'a Mei.
- Chen Yung Ming. See Yung Ming Chen.
- Cheng, C.H., Gupta, K.P., van Reuth, E.C. and Beck, P.A. Low-temperature specific heat of body-centred cubic Ti-V alloys, 2=16609
- Cheng, C.H. See Starke, E.A., Jr, 2=14382
- Ch'eng Ts'ung-mo. See Solov'ev, L.D., 2=9901
- Chentsov, R. Seventh all-Union Conference on low temperature physics, 2=5223
- Cheremisinov, V.P. and Zlomanov, V.P. Vibrational spectra and the structure of tellurium dioxide in the crystalline and glassy states, 2=16819
- Cherenkov, P.A. See Gorbunov, A.N., 2=14077
- Cherepanov, A.M. See Bogdanov, S.V., 2=14612
- Cherepanov, G.P. See Barenblatt, G.I., 2=19014
- Cherepanov, V.I. Effect of uniaxial compression of cubic crystals on the quadrupole exciton absorption spectra. II, 2=4135
- Cherepanov, V.I. Effect of uniaxial compression of cubic crystals on the quadrupole exciton absorption spectra. II, 2=6564
- Cherepanov, V.I. Possible enhancement of quadrupole exciton lines of optical absorption in an electric field, 2=10594
- Cherepanov, V.I., Druzhinin, V.V., Kargapolov, Yu. A. and Nikiforov, A.E. The effect of an electric field on the quadrupole lines in the exciton absorption spectrum of light, 2=4140
- Cherepanov, V.I., Druzhinin, V.V., Kargapolov, Yu. A. and Nikiforov, A.E. The effect of an electric field on the quadrupole lines in the exciton absorption spectrum of light, 2=513
- Cherepanov, V.I. See Zhilich, A.G., 2=3876
- Cherkashin, Yu.N. See Barkhatov, A.N., 2=5119
- Cherkasov, A.S. Influence of the solvent on the fluorescence spectra of acetylanthracenes, 2=15600
- Cherkasov, A.S. See Bakhshiev, N.G., 2=21947
- Cherkasov, A.S. See Vember, T.M., 2=721
- Cherkasov, A.S. See Vember, T.M., 2=14745
- Cherkasova, K.P. See Polovin, R.V., 2=11776
- Cherkasova, K.P. See Polovin, R.V., 2=22317
- Chernavskii, D.S. See Gramenitskii, I.M., 2=22586
- Chernavskii, D.S. See Roisen, I.I., 2=9878
- Chernavskii, D.S. See Rus'kin, V.I., 2=22584
- Chernenko, A.A. See Dogonadze, R.R., 2=10361
- Chernenko, A.A. See Dogonadze, R.R., 2=14417
- Chernenko, A.I. Spectral line intensity as a function of the mean rate of evaporation of a substance, 2=22037
- Chernets, A.N. See Ganapol'skii, E.M., 2=7286
- Chernets, A.N. See Peskovatskii, S.A., 2=18950
- Chernets, A.N. See Peskovatskii, S.A., 2=18951
- Chernets, A.N. See Pyestovats'kyi, S.A., 2=19057
- Chernev, Kh.M. See Zlateva, A.I., 2=9842
- Chernevskaya, E.G. Transmittance of mixed CaF_2 - SrF_2 and SrF_2 - BaF_2 monocrystals and the effect of gamma radiation on them, 2=690
- Chernevskaya, E.G. The transparency of CaF_2 , SrF_2 , and BaF_2 crystals and the effect of hard radiation on them, 2=6555
- Chernick, J., Honeck, H.C., Michael, P., Moore, S.O. and Srikantiah, G. The correlation of integral experiments and high energy cross-sections, 2=18379
- Chernick, J., Lellouche, G. and Wollman, W. The effect of temperature on xenon instability, 2=6015
- Chernikov, A.M. See Korotkov, K.A., 2=14027
- Chernikov, N.A. The Fock representation of the Duffin-Kemmer algebra, 2=4955
- Chernikov, N.A. Kinetic equation for a relativistic gas in an arbitrary electromagnetic field, 2=17931
- Chernikov, N.A. Relativistic Maxwell-Boltzmann distribution and the integral form of conservation laws, 2=19615
- Chernikov, N.A. Relativistic Maxwell-Boltzmann distribution and the integral form of conservation laws, 2=21941
- Chernikov, N.A. Kinetic equation for a relativistic gas in an arbitrary electromagnetic field, 2=22310
- Chernikov, N.A. See Logunov, A.A., 2=16134
- Chernikova, L.A. See Galkina, O.S., 2=3985
- Chernogorova, V.A. See Evseev, V.S., 2=7872
- Chernogorova, V.A. See Evseev, V.S., 2=22832
- Chernosky, E.J. Changes in the geomagnetic field associated with magnetic disturbance, 2=13068
- Chernous'ko, F.L. The reflection of weak converging shock waves in a gas of variable density, 2=19595
- Chernov, G.M. See Azimov, S.A., 2=281

- Chernov, G.M. See Surkov, Yu.A., 2=14044
- Chernov, N.N. and Chesnokov, V.I. Improving the stability of synchrotron parameters by stabilization of the magnet power supply, 2=3122
- Chernov, N.N. See Komar, A.P., 2=13618
- Chernov, V.M. See Balashov, V.V., 2=20595
- Chernov, V.N. and Yakovlev, V.I. Scientific work during flight of an animal in an artificial earth satellite, 2=11210
- Chernov, Yu.M. and Stepanov, A.V. Temperature dependence of the elastic constants of single crystal lithium, 2=8705
- Chernova, L.P. See Azimov, S.A., 2=281
- Chernovolenko, A.F. See Vasil'eva, I.A., 2=1394
- Chernyav'skiy, K.K. See Val'ter, A.K. [Walter], 2=10149
- Chernyi, B.K. See Sinyakov, E.V., 2=18644
- Chernyi, B.M. See Strel'nikov, P.I., 2=217
- Chernyi, G.G. Integral methods for the calculation of gas flows with strong shock waves, 2=17499
- Chernysh, V.I. A photoelectric method of extracting weak pulse signals, 2=19195
- Cheroff, G., Heer, J. and Triebwasser, S. Trapping and recombination measurement by a light modulation technique, 2=8399
- Cherry, J.T., Jr. The azimuthal and polar radiation patterns obtained from a horizontal stress applied at the surface of an elastic half space, 2=11440
- Cherry, L.V. and Wallace, W.E. Magnetic studies of some intermetallic compounds between cobalt and the lanthanide elements, 2=10640
- Cherry, L.V. and Wallace, W.E. On intermediate phases in lanthanon-manganese systems, 2=12925
- Cherry, R.D. See Pagano, R., 2=22133
- Cherry, R.D. See Schroeder, B.W., 2=15182
- Cherry, R.J. and Allen, J.W. Some electrical properties of p-type gallium phosphide, 2=12528
- Cherry, R.J. See Allen, J.W., 2=14554
- Cherry, W.H. and Gittleman, J.I. Thermal and electrodynamic aspects of the superconductive transition process, 2=1333
- Chersovani, L. See Bartke, J., 2=13883
- Chertock, G. Comments on spheroidal wave functions, 2=1228
- Chertock, G. General reciprocity relation, 2=17524
- Chéry, R. Contribution to the study of the nuclear scheme of Sm^{151} , 2=404
- Chéry, R. Experimental study of the nuclear levels of Samarium 151, 2=12144
- Chescoe, D. and Halliday, J.S. Measurement of the thickness of vacuum deposits using the electron microscope, 2=8881
- Cheshkov, A.A. and Shirokov, Yu.M. Invariant parametrization of the relativistic scattering matrix, 2=7831
- Chesnokov, N.A. See Shirokov, M.F., 2=5357
- Chesnokov, V.I. See Chernov, N.N., 2=3122
- Chesnut, D.B. and Arthur, P., Jr. Spin correlation in ion radical salts; the system $(\text{Cs}^+)_2(\text{TCNQ})_2$, 2=14827
- Chessick, J.J. A criticism of heat of immersional wetting practice, 2=17426
- Chessick, J.J. and Zettlemoyer, A.C. A comparison of integral enthalpies, free energies and entropies of adsorption, 2=2432
- Chessin, H. See Araj, S., 2=12739
- Chester, G.V. The theory of the interaction of electrons with lattice vibrations in metals, 2=3835
- Chester, M. Thermodynamics of a superconducting energy converter, 2=7523
- Chetkarov, M.L. The kinetics of E.M.F. from high-voltage polarization of dielectrics, 2=4102
- Chetkarov, M.L. The theory of photoelectrets, 2=4103
- Chetkarov, M.L. Kinetics of the electromotive force of high-voltage polarization in dielectrics, 2=6533
- Chetkin, M.C. See Krinchik, G.S., 2=23535
- Chetkin, M.V. See Krinchik, G.S., 2=685
- Chetkin, M.V. See Krinchik, G.S., 2=12604
- Chetv'orkina, H.Ye. See Zhmud'skiy, O.Z., 2=18634
- Chevalier, H. Lagrangian of the perturbed gravitational field, 2=9165
- Chevalier, J. and Baltensperger, W. Ferro- and antiferromagnetism of rare earth metals, 2=4214
- Chevallier, P. See Gorodetzky, S., 2=376
- Chevallier, P. See Gorodetzky, S., 2=13980
- Chevallier, P. See Gorodetzky, S., 2=13996
- Chevallier, P. See Gorodetzky, S., 2=16327
- Chevallier, P. See Gorodetzky, S., 2=20522
- Chevychelov, A.D. See Gubanov, A.I., 2=16964
- Chevychelov, A.D. See Gubanov, A.I., 2=19003
- Chew, G.F. and Frautschi, S.C. Principle of equivalence for all strongly interacting particles within the S-matrix framework, 2=3270
- Chew, G.F. and Frautschi, S.C. Regge trajectories and the principle of maximum strength for strong interactions, 2=7816
- Chew, G.F., Frautschi, S.C. and Mandelstam, S. Regge poles in $\pi-\pi$ scattering, 2=11991
- Chew, H. Evidence against partially conserved currents in K_L^0 decay, 2=11996
- Chew, H. Magnitude of the $\Delta I = \frac{3}{2}$ amplitude in K_L^0 decay, 2=20411
- Chhonkar, N.S. See Mookherji, A., 2=5018
- Chi, S.W. See Spalding, D.B., 2=11322
- Chiang, R. See Pollack, S.S., 2=4504
- Chiara, L. Upper limits of the variation of eccentricity in binary systems with decreasing mass, 2=9084
- Chiarini, A. See Benzi, V., 2=16455
- Chiavassa, E. See Brovetto, P., 2=9826
- Chiavassa, E. See Bonazzola, G., 2=9861
- Chiba, R. See Yamabe, S., 2=16399
- Chiba, S. See Hori, S., 2=13869
- Chiba, T. Deuteron magnetic resonance study of several deuterated ammonium salts, 2=6708
- Chiche, P. Thermodynamics of adsorption. I, 2=19118
- Chiche, P. Thermodynamics of adsorption. II, 2=19119
- Chick, B. See Hikata, A., 2=21436
- Chidambaram, R. Structure of the hydrogen-bonded water molecule in crystals, 2=15038
- Chien, C.W. See Mason, B.J., 2=13002
- Chiesa, A. Amplitude distribution analyzer by means of electronic integrators, 2=5099
- Chiesa, A. Marzari. See Marzari Chiesa, A.
- Chihara, H. See Beaumont, R.H., 2=6270
- Ch'i I-jang. See Chi I-zhan.
- Chi I-zhan. See Malyuchkov, O.T., 2=14858
- Chikazumi, S. See Tamagawa, N., 2=23651
- Chikhlaize, V.A. See Basina, A.S., 2=16365
- Chikin, A.I. Measurement of the spectral line width of a molecular generator, 2=13675
- Chikin, V.A. A generalization of Huyghens' theorem, 2=11313
- Chikvashvili, Ya.M. Change of [electrical] resistance of bismuth in a strong magnetic field, 2=8274
- Chikvashvili, Ya.M. Variation in the resistivity of bismuth in a strong magnetic field, 2=23244
- Child, M.S. and Longuet-Higgins, H.C. Studies of the Jahn-Teller effect. III. The rotational and vibrational spectra of symmetric-top molecules in electronically degenerate states, 2=3725
- Childress, J.D. Application of a ferroelectric material in an energy conversion device, 2=11608
- Childs, B.G. The release of stored energy from neutron-irradiated uranium oxides, 2=6393
- Childs, C.B. and Slifkin, L. A new technique for recording heavy primary cosmic radiation and nuclear processes in silver chloride single crystals, 2=17980
- Chin, F.K., Bukata, R.P. and Standil, S. A day-night comparison of the cosmic-ray photon intensity near sea-level, 2=12098
- Chin, F.K. See Bukata, R.P., 2=9961
- Chinaglia, B. and Malvano, R. The determination of some elements in aluminium by non-destructive radioactivation analysis, 2=6899
- Ch'ing Ch'eng Jui. See Tsin Ch'en-Zhui.
- Ching Lin Wang. See Cork, B., 2=18113
- Ching-Sheng, W. Hypersonic viscous flow near the stagnation point in the presence of magnetic field, 2=22313
- Chinowsky, W. See Goldhaber, S., 2=22635
- Chinowsky, W. See Slater, W., 2=3403
- Chiou, C. See Seraphim, D.P., 2=7494
- Chiplonkar, M.W. and Karekar, R.N. Radio-meteorological thunderstorm formations, 2=17124
- Chiplonkar, M.W., Karekar, R.N. and Marwadi, P.R. Midnight fall in atmospheric activity on 27 kc/s band at Poona, 2=4604
- Chiplonkar, V.T. and Joshi, S.B. A note on the longitudinal variation of wall temperature in a glow discharge tube, 2=22191
- Chiplonkar, V.T. and Maneck, S.S. Normal glow discharge-controlled constant-current device, 2=11575
- Chiplonkar, V.T. and Naik, P.K. Electrical oscillations in a constricted d.c. cold-cathode glow discharge with a three electrode system, 2=9548
- Chiplonkar, V.T. and Rane, S.R. Velocity of propagation of self-generated potential waves in glow discharge plasma, 2=17852
- Chipman, D.R. See Batterman, B.W., 2=18522
- Chirba, V.G. See Gibbons, D.F., 2=20927
- Chirkin, G.K. See Vinokurov, V.M., 2=4252
- Chirkin, G.K. See Vinokurov, V.M., 2=21360
- Chirkinyan, S.S. See Grigoryan, E.V., 2=15606
- Chirko, V.I. See Pasechnik, M.V., 2=16394
- Chirkov, A.K. and Kokin, A.A. The shape of the electron resonance line in a system of particles with an anisotropic g-factor, 2=764

- hisholm, A. See Allaby, J.V., 2=10126
 hisholm, J.H. See Abel, W.G., 2=9113
 hisholm, R.C. and Stout, J.W. Heat capacity and entropy of CoCl_2 and MnCl_2 from 11° to 300°K. Thermal anomaly associated with anti-ferromagnetic ordering in CoCl_2 , 2=6272
 hisholm, R.C. See Stout, J.W., 2=6273
 hisler, E.V. See Stekhanov, A.I., 2=14690
 histovich, L.A. See Alekin, R.O., 2=24198
 histyakov, I.D. and Krucheanu, E. The question of the crystal structure of zinc telluride, 2=8829
 histyakov, I.G. Liquid crystalline texture of potassium oleate, 2=2706
 histyakov, P.N. and Milovanova, R.A. The values of $V_{\text{S.C.}}$ and ϕ for a molybdenum cathode in argon, 2=19919
 histyakov, V.F. A study of the Wilson effect in sunspots, 2=4764
 histyakov, V.F. The observed depths of sunspots, 2=24114
 hittenden, R.A. See Thomas, L.C., 2=16531
 Chiu, H.Y. Neutrino emission processes, stellar evolution, and supernova. II, 2=2541
 Chiu, H.-Y. See Stothers, R., 2=17293
 Chiuder, C. See Ademollo, M., 2=20387
 Chivers, H.J.A. and Davies, R.D. A comparison of radio star scintillations at 1390 and 79 Mc/s at low angles of elevation, 2=21646
 Chizhevskaya, S.N. See Glazov, V.M., 2=4014
 Chizhevskaya, S.N. See Glazov, V.M., 2=6448
 Chizhevskaya, S.N. See Glazov, V.M., 2=21918
 Chizhikova, Z.A. See Galanin, M.D., 2=6628
 Chizhikova, Z.A. See Galanin, M.D., 2=22021
 Chizhov, V.P., Komar, A.P., Kulchitsky, L.A., Kulikov, A.V., Makhnovsky, E.D. and Volkov, Yu.M. Photonuclear reactions with deuteron emission, 2=16389
 Chizhov, V.P. See Volkov, Yu.M., 2=7968
 Chizmadzhev, Yu.A. See Dogonadze, R.R., 2=10360
 Chizmadzhev, Yu.A. See Dogonadze, R.R., 2=10361
 Chizmadzhev, Yu.A. See Dogonadze, R.R., 2=14416
 Chizmadzhev, Yu.A. See Dogonadze, R.R., 2=14417
 Chjan Guan-in'. Dispersion shift of discrete absorption bands in uniaxial crystals, 2=23565
 Chkhartishvili, Yu.V. See Tsertsvadze, A.A., 2=20899
 Chkuaseli, D.V., Nikoleishvili, U.D. and Guldashvili, I.G. Resonance charge exchange of position alkali metal ions, 2=17788
 Cleck, D. See Ziegler, C.A., 2=19507
 Chmel', M.H. See Stepko, I.I., 2=8875
 Chō, T. See Maki, T., 2=20665
 Chō, T. See Morita, S., 2=489
 Chobanu, G. A theory of transport on the surfaces of semiconducting filaments, 2=4001
 Chobanu, G. See Glodyanu, A., 2=6446
 Choi, S. and Rice, S.A. Exciton-exciton interactions and photoconductivity in organic crystals, 2=14580
 Choi, S.I. and Ross, J. Note on second-order W.K.B. phase shifts, 2=19440
 Chojnacki, H. Photoconductivity and semiconductivity of the Keynon-Banfield radical, 2=14584
 Chojnacki, S., Kopystyński, J., Preibisz, Z., Sosnowski, R., Żylicz, J. and Yutlandov, I. Note on positron radiation from Pr^{140} , 2=1839
 Cholpan, P.P. See Holýk, O.Z., 2=11350
 Cholpan, P.P. See Holýk, O.Z., 2=11351
 Cholpan, P.P. See Holýk, O.Z., 2=21893
 Cholpan, P.P. See Holýk, O.Z., 2=21906
 Cholpan, P.P. See Holýk, O.Z., 2=23016
 Chomka, W. A measurement of the diffusion coefficient of caesium in an NaCl monocrystal [by an integral method with longitudinal section], 2=603
 Chomka, W. Diffusion of cadmium in a magnesium-cadmium alloy near the MgCd composition, 2=15060
 Chomka, W. and Andruszkiewicz, J. Diffusion of tin, zinc and cobalt in single crystals and polycrystals of tin, 2=605
 Chomse, H. and Arend, I. Systems capable of luminescence based on crystalline inorganic substances and organic activators, 2=8562
 Chon, H., Fisher, R.A., McCammon, R.D. and Aston, J.G. Interaction of helium, neon, argon, and krypton with a clean platinum surface, 2=8889
 Chong, A.Y.J. See Hasted, J.B., 2=17791
 Chong, P. and Inuishi, Y. Conductivity induced by injected electrons in liquid dielectrics, 2=2988
 Chong, P., Kawarabayashi, T. and Inuishi, Y. Electrical conduction and breakdown in liquid dielectrics. I, 2=11384
 Chong Bai, Z'yong. See Z'yong Chong Bai.
 Chopinet, M. Determination of radial velocities of planetary nebulae with the aid of the electronic camera, 2=19342
 Choppin, G.R. See Morton, J.R., III, 2=22854
 Chopra, K.L. Liquid helium cryostat for X-ray diffraction studies, 2=10815
 Chopra, K.L. See Brill, R., 2=15019
 Chopra, K.P. Excitation of plasma waves by bodies moving in ionized atmosphere, 2=3060
 Chopra, K.P. Production of carbon in the upper atmosphere, 2=6956
 Choquard, P. Remarks on the role of the theory of cumulants in theoretical physics, 2=4911
 Choquet, C. See Barloutaud, R., 2=22560
 Choquet, C. See Gard, F., 2=1715
 Choquet, C. See Gard, F., 2=22513
 Choquet-Louedec, C. See Barloutaud, R., 2=16231
 Chormonov, T.Kh. Effect of ultrasound on some physical properties of Rochelle salt crystals, 2=16972
 Chornaya, N.S. Effect of oxygen on the energy distribution of the surface levels of germanium, 2=8343
 Chornaya, N.S. See Lyashenko, V.I., 2=6455
 Chornii, Z.P. See Valdaných, V.I., 2=8579
 Chornyi, V.G. Change in the fine crystalline structure on the aging of a nimonic-type alloy with low titanium content, 2=8854
 Chornyi, V.G. See Markovskiy, Ye.A., 2=8734
 Chornyi, V.H. See Gusliyenko, Y.A., 2=8853
 Chou, Y.T. Interactions of parallel dislocations in a hexagonal crystal, 2=21034
 Chou, Y.T. Width of an extended dislocation in a hexagonal crystal, 2=23173
 Chou, Y.T. and Eshelby, J.D. The energy and line tension of a dislocation in a hexagonal crystal, 2=6328
 Chou, Y.T. See Baker, C., 2=3926
 Chou-Huang. See Chzhou-Khuan.
 Chou Kuang chao. See Chzhou Guan-chzhao.
 Chou Kuang-chao. See Lapidus, L.I., 2=271
 Chou Kuang-chao. See Lapidus, L.I., 2=318
 Chou Kuang-chao. See Lapidus, L.I., 2=3300
 Chou Kuang-chao. See Lapidus, L.I., 2=22470
 Chou Phong Nguyen. See Nguyen Phong Chou.
 Chou Tê-ling. See Chzhou Dé-lin.
 Choudhury, A. Thermoluminescence and magnetic properties of irradiated sodium chloride, 2=6653
 Choudhury, A. F-absorption due to high pressure, 2=8254
 Choumoff, S. and Legrand, P. Roots pumps, 2=13383
 Chow, N. and Wilson, D.J. Intermolecular energy transfer in gas reactions, 2=10963
 Chow, Y. A note on radiation in a gyro-electric-magnetic medium — an extension of Bunkin's calculation, 2=22202
 Chowhury, M. and Goodman, L. Fluorescence of s-tetrazine, 2=4186
 Choy, L. See Abeledo, D., 2=5791
 Choyke, W.J. and Patrick, L. Exciton recombination radiation and phonon spectrum of 6H SiC, 2=23123
 Choyke, W.J. and Patrick, L. Exciton and interband absorption in SiC, 2=23562
 Chretien, M., Bulos, F., Crouch, H.R., Jr, Lanou, R.E., Jr, Massimo, J.T., Shapiro, A.M., Averell, J.A., Bordner, C.A., Jr, Brenner, A.E., Firth, D.R., Law, M.E., Ronat, E.E., Strauch, K., Street, J.C., Szymanski, J.J., Weinberg, A., Nelson, B., Pless, I.A., Rosenson, L., Salandin, G.A., Yamamoto, R.K., Guerriero, L. and Waldner, F. Evidence for spin zero of the η from the two gamma-ray decay mode, 2=22610
 Chrien, R.E., Bolotin, H.H. and Palevsky, H. Resonance capture γ rays from platinum, 2=20524
 Chrien, R.E., Jain, A.P. and Palevsky, H. Anomalous neutron scattering of Ar^{36} , 2=3581
 Chrien, R.E. See Zimmerman, R.L., 2=5692
 Christ, J. and Springer, T. Development of a neutron beam tube in the FRM-reactor, 2=10187
 Christenhuss, R. See Reimer, L., 2=10956
 Christensen, J.A. See Bates, J.L., 2=12235
 Christensen, P.R. Lifetime of the first 2^+ level in Cm^{244} , 2=22730
 Christensen, R.M. See Gottenberg, W.G., 2=17531
 Christensen, R.W. See Hadley, C.P., 2=9669
 Christian, H. See Macherauch, E., 2=4325
 Christian, R.H. See Alder, B.J., 2=4360
 Christiansen, J.A., Jensen, C.E. and Vilstrup, T. Displacement potentials and bending of rod-like polyelectrolytes, 2=858
 Christie, G. and Williams, J. The effect of small additions of yttria on the plasticity of uranium oxides at 940°C, 2=4476
 Christmas, P. Proton-proton polarization between 30 MeV and 100 MeV, 2=1686
 Christophorou, L.G. See Birks, J.B., 2=11376
 Christy, R.W. Conducting thin films formed by electron bombardment of substrate, 2=12943
 Christyakov, Yu.D. See Zelikman, A.N., 2=4422

- Chrzanowski, P., Greene, G., Lemmon, K.T. and Young, J.M. Traveling pressure waves associated with geomagnetic activity, 2=4595
- Chrzanowski, P., Young, J.M., Greene, G. and Lemmon, K.T. Infrasonic pressure waves associated with magnetic storms, 2=13078
- Chu, B. See Debye, P., 2=5016
- Chu, B. See Debye, P., 2=21595
- Chu, B. See Debye, P., 2=11373
- Chu, B. See Debye, P., 2=17450
- Chu, C.K. Magneto-hydrodynamic nozzle flow with three transitions, 2=11771
- Chu, L.J. Growth of the antennas and propagation field between World War I and World War II. I. Antennas, 2=16045
- Ch'u Liang-yuan. See Chu Lyan-yuan.
- Chu Lyan-yuan. See Lyu Yuan'.
- Chuan, R.L. Experimental investigation of electromagnetic propagation through the plasma sheath in a hypersonic low density wind tunnel, 2=3166
- Chuan Xuan Cao. See Cao Xuan Chuan.
- Chubarov, S.I. See Ivanov, A.A., 2=19859
- Chubb, T.A., Friedman, H. and Kreplin, R.W. X-ray emission accompanying solar flares, 2=15338
- Chubb, T.A., Friedman, H., Kreplin, R.W., Blake, R.L. and Unzicker, A.E. I. X-ray and ultraviolet measurements during the eclipse of October 12, 1958. II. X-ray solar disk photograph, 2=15339
- Chubb, T.A., Friedman, H., Kreplin, R.W. and Mange, P. Lyman-alpha radiation in the night sky, 2=15248
- Chubb, T.A. See Byram, E.T., 2=15367
- Chubb, T.A. See Kreplin, R.W., 2=11072
- Chubb, T.A. See Kreplin, R.W., 2=19314
- Chuburkov, Yu. T. See Donets, E.D., 2=22855
- Chuburkov, Yu. T. See Perelygin, V.P., 2=16443
- Chudakov, A.E., Zatsepin, V.I., Nesterova, N.M. and Dadykin, V.L. A search of photons with the energy of 10^{13} eV from discrete sources of cosmic radiation, 2=20460
- Chudakov, A.E. See Vernov, S.N., 2=9029
- Chudakov, A.E. See Vernov, S.N., 2=12087
- Chudakov, A.E. See Vernov, S.N., 2=12089
- Chudakov, A.E. See Vernov, S.N., 2=16256
- Chudakov, A.E. See Zatssepin, G.T., 2=1743
- Chudakov, A.E. See Zatssepin, G.T., 2=22694
- Chudakov, A.E. See Zatssepin, V.I., 2=16269
- Chudakov, V.M. See Azimov, S.A., 2=281
- Chudinov, A.A. Temperature dependence of ultrasonic velocity in PbTe monocrystals at 80-640°K, 2=18525
- Chudnovskii, F.A. See Moizhes, B.Ya., 2=10312
- Chudnovskii, F.A. See Regel', A.R., 2=8331
- Chudnovskii, F.A. See Regel', A.R., 2=14532
- Chudnovsky, A.F. See Kaganov, M.A., 2=5197
- Chuenkov, V.A. and Chén'-Ké-Min [Chè'en-K'o-Ming]. Generalization of the criterion for breakdown of semiconductors in a constant electric field, 2=6434
- Chuev, V.I. See Ogloblin, A.A., 2=20440
- Chuev, V.I. See Vlasov, N.A., 2=14133
- Chuikov, B.O. See Ptushyn'skiy, Yu.H., 2=19121
- Chukhladze, V.L. See Vartanov, N.A., 2=22761
- Chukin, V.S. See Veprik, Ya.M., 2=19360
- Chukova, Yu.P. Electret effect in zinc sulphide, 2=6530
- Chukova, Yu.P. Electret effect in zinc sulphide, 2=8472
- Chulli, S. and Fisher, J. On the polarization cross-section for scattering of fast nucleons, 2=22498
- Chulli, S. See Fisher, Ya., 2=22602
- Chultem, D. See Ignatenko, A.E., 2=14228
- Chultem, D. See Ignatenko, A.E., 2=22930
- Chumin, V.G. See Abdurazakov, A.A., 2=14025
- Chumin, V.G. See Baranov, V.I., 2=14053
- Chung, P.M. Langmuir potential associated with Couette flow of viscous plasma, 2=19951
- Chung, T.I. Study of aluminum fusion into silicon, 2=12539
- Chuong Phan Van. See Phan Van Chuong.
- Chupakhin, M.S. and Gradshtain, E. Effect of the guided formation of ions in the three-ribbon ion source of the mass-spectrometer, 2=9650
- Chupka, W.A. and Kaminsky, M. Energy distribution and fragmentation processes resulting from electron impact on propane and n-butane, 2=2030
- Chupka, W.A. See Berkowitz, J., 2=13534
- Chupp, E.L. and Williams, R.W. Intensity of solar proton emissions, 2=12024
- Churaev, N.V. See Volarovich, M.P., 2=15081
- Churaev, V.A. See Safronov, B.G., 2=17927
- Church, E.L. and Weneser, J. Anomalous electric-dipole internal conversion, 2=1849
- Churchill, D. See Bartell, L.S., 2=5165
- Churchill, R.J. Re-ignition of high current spark discharges, 2=1404
- Churchill, R.J., Parker, A.B. and Craggs, J.D. Measurement of reignition voltage characteristics for high current spark gaps in air, 2=3012
- Churchill, R.J. See Curzon, F.L., 2=19966
- Churchill, R.J. See Curzon, F.L., 2=22196
- Churchouse, R.F. Detection of novae by electronic computer, 2=13140
- Chutov, Yu.I. See Morgulis, N.D., 2=7555
- Chuvaev, K.K. A separation of the light from the night sky into its components, 2=4660
- Chuvatin, S.A. See Luk'yanov, S.Yu., 2=9603
- Chuvilo, I.V. See Butslov, M.M., 2=20305
- Chuvilo, I.V. See Ozhdyan, L., 2=9841
- Chvanov, N.A. See Vvedenskii, V.T., 2=22141
- Chwaszczewski, S. Pulsing a high-frequency ion source, 2=221
- Chwaszczewski, S. Energy parameters of an electrodeless discharge in hydrogen, 2=1406
- Chykovani, N.M. See Broude, V.L., 2=18741
- Chynoweth, A.G. and Logan, R.A. On the excess current in silicon Esaki junctions, 2=23419
- Chynoweth, A.G., Logan, R.A. and Thomas, D.E. Phonon-assisted tunneling in silicon and germanium Esaki junctions, 2=4050
- Chynoweth, A.G. See Logan, R.A., 2=12527
- Chyrko, V.I. See Pasichnyk, M.V., 2=12186
- Chzha-Tsyzan'. See Tyapunina, N.A., 2=14871
- Chzhan Guan-in' [Chang Kuang-yin]. An improved method for observation of structure in the reflection spectra of crystals, 2=17621
- Chzhan Guan-in' [Chang Kuang-yin]. An improved method for observation of structure in the reflection spectra of crystals, 2=19707
- Chzhan Guan'-in' See Gross, E.F., 2=12582
- Chzhan Guan'-in' See Gross, E.F., 2=14654
- Chzhan Guan-in. See Gross, E.F., 2=16808
- Chzhan Guan-in. See Gross, E.F., 2=21232
- Chzhan Kai-da. See Galkina, O.S., 2=3385
- Chzhan Nai-sen. See Likhachev, M.F., 2=22581
- Chzhan-Tszun. See Smolenskii, G.A., 2=2289
- Chzhao Chzhan-yao. See Chzhou Dé-lin.
- Chzhao-Tsyzan'. See Tyapunina, N.A., 2=10738
- Chzhou Dé-lin [Chou Tê-ling], Mao Chzhen-lin [Mao Chên-ling], Yuan, Zhun-fan [Yuan Jung-fang], Lyan Vén-syue [Liang Wên-hsueh] and Chzhao Chzhan-yao [Chao Chung-yao]. Elastic scattering of proton of energy 6.8 MeV by the nuclei Cr, Co, Ni, Cu and Zn, 2=10097
- Chzhou Guan-chzhao. See Lapidus, L.I., 2=271
- Chzhou Guan-chzhao. See Lapidus, L.I., 2=318
- Chzhou Guan-chzhao. See Lapidus, L.I., 2=3300
- Chzhou Guan-chzhao. See Lapidus, L.I., 2=22468
- Chzhou Guan-chzhao. See Lapidus, L.I., 2=22470
- Chzhou-Khuan. See Ivanov-Omskii, V.I., 2=18703
- Chzhu Khun-yuan'. See Efremov, A.V., 2=22603
- Ciais, A. Exciton of naphthalene h-8 and d-8 at 4°K, 2=16817
- Ciais, A. and Pestell, P. A new interpretation of the absorption spectrum of solid naphthalene at low temperatures, 2=12595
- Ciampolillo, S. See Ely, P.P., 2=22613
- Ciampolillo, S. See Ely, P.P., 2=18173
- Ciarrapico, J.O., Levialdi, A. and Shojet, M. On the change of certain electrical properties of sintered barium titanate as a function of grain size, 2=14637
- Cicala, P. On certain states of tension in thin elastic shells, 2=15506
- Cicchini, A. and Chagalj, J. Absorption mean free path of the nucleonic component of cosmic radiation, 2=335
- Cidilkovskij, I.M. The nature of the scattering process of carriers in $A^{III}B^V$ -type compounds and some ionic crystals as found by thermomagnetic measurements, 2=23066
- Ciechanowicz, W. Transient temperature distribution of the cylindrical fuel element in the case of boundary conditions being time dependent, 2=6031
- Ciechanowicz, W. Influence of the temperature reactivity coefficient on the transient temperature distribution in the rod type fuel element, 2=8050
- Ciechanowicz, W. Simulation of the thermal processes in the reactor core based on an exact solution of the thermal diffusion and heat flow equations, 2=16450
- Cieplinski, E.W. See Ettre, L.S., 2=12942
- Cierjacks, S. See Bormann, M., 2=467
- Cierjacks, S. See Bormann, M., 2=7993
- Cierny, V. See Arend, H., 2=671
- Çiftan, M. See Schuler, C.J., 2=10206
- Cimino, A., Molinari, E., Cramarossa, F. and Ghersini, G. The relation between photoconductivity and photo-desorption of oxygen in zinc oxide, 2=12548

- Andro, N. A possible method for distinguishing charged particles with semiconductor detectors, 2=7797
- Andro, N. See Melkanoff, M.A., 2=20662
- Andro, N. See Strohal, P., 2=5930
- Bobanu, G. Boundary conditions in the theory of surface conductivity of semiconductors, 2=16691
- Bocchetti, G. The pion-pion interaction in the K_{e4} decay, 2=18176
- Bocchetti, G. See Cester, R., 2=3409
- Boffi, P.P. Approach to the ideal magnetic circuit concept through superconductivity, 2=7709
- Bontea, N. See Stoicovici, E., 2=22288
- Borăscu, F., Baciu, G., Gresescu, M., Hălătrich, S., Iliescu, C., and Leibovici, I. Some problems raised by the starting up and adjustment of the betatron of the Institute of Atomic Physics, Bucharest, 2=20084
- Bopoline, E. and Gordy, W. Electron spin resonance of a γ -irradiated single crystal of N-acetyl methionine, 2=16550
- Bopolini, E., Owen, J., Thornley, J.H.M. and Windsor, C. Electron transfer in $(\text{IrCl})^{2-}$, 2=12337
- Birelli, R. and Gulmanelli, P. On the spin-orbit distortion in deuteron stripping reactions, 2=22657
- Birelli, R. and Stabilini, G. The nucleon-nucleon potential in quantum field theory. I, 2=3290
- Birić, M. See Pupezin, J., 2=23985
- Birić, M.M. and Pupezin, J.D. Separation of lithium isotopes on the Amberlite IR-120 cation exchanger, 2=22924
- Briegli, U. See Brini, D., 2=5770
- Briegli, U. See Brini, D., 2=11197
- Brillo, F.N. See Watanabe, T., 2=20758
- Brilov, S.D. The elastic scattering of deuterons by carbon, 2=1912
- Brown, A., Delorme, C., Farley, F.J.M., Goldzahl, L., Heintze, J., Michaélis, E.G., Morpurgo, M., Overas, H. and Shtcherbakov, Yu. Intense beam of μ^- -mesons of high purity, 2=5703
- Brown, A., Delorme, C., Fries, D., Goldzahl, L., Heintze, J., Michaélis, E.G., Richard, C. and Øverås, H. Scattering of μ^- -mesons by carbon, 2=20658
- Brown, A., Delorme, C., Fries, D., Heintze, J., Michaélis, E.G., Øverås, H. and Shtcherbakov, Yu. An investigation of π^- contamination in μ^- beams, 2=13841
- Brown, A., Hoffmann, L. and Passow, C. Investigation of the nuclear cascade in shielding materials, 2=6043
- Chulli, I., Ciulli, S. and Fischer, J. On the extrapolation of the experimental scattering amplitude to the spectral function region, 2=15490
- Chulli, I., Glagolev, V.V., Nikitin, V.A., Petržílka, V., Sviridov, V.A. and Tolstov, K.D. On the interactions of π^- -mesons with nucleons and nuclei, 2=22574
- Chulli, S. See Chulli, S., 2=22602
- Chulli, S. See Ciulli, I., 2=15490
- Cizeron, G. See Guiraldenq, P., 2=6368
- Clasassen, H.H., Malm, J.G. and Selig, H. Vibrational spectra of ReF_6 , 2=14277
- Clasassen, H.H., Selig, H. and Malm, J.G. Vibrational spectra of MoF_6 and TcF_6 , 2=14276
- Clafin, A.B., White, R.T. and Pool, M.L. Radioactive decay of Ir^{106} , 2=20569
- Claire, A.D. Le. See Le Claire, A.D.
- Clancy, E.P. Women and physics, 2=19363
- Clapier, R. See Devienne, F.M., 2=12355
- Clapp, R.W., Jr. Conditions pertinent to the occurrence of fiber orientation in iron films <1000 Å thick deposited onto amorphous substrates, 2=17067
- Clarebrough, L.M., Hargreaves, M.E. and Loretto, M.H. Electrical resistivity of dislocations in face-centred cubic metals, 2=6338
- Clark, B.G., Radhakrishnan, V. and Wilson, R.W. The hydrogen line in absorption, 2=4851
- Clark, C.B. Calculated lattice specific heats for seven b.c.c. elements, 2=8166
- Clark, C.D., Kemmery, P.J. and Mitchell, E.W.J. Optical and electrical effects of radiation damage in diamond, 2=12477
- Clark, C.D., Kemmery, P.J. and Mitchell, E.W.J. The threshold energy for production of irradiation damage effects in diamond, 2=23558
- Clark, C.D., Maycraft, G.W. and Mitchell, E.W.J. Polarization of luminescence, 2=4165
- Clark, C.D. and Mitchell, E.W.J. The electronic structure of defects. Optical methods, 2=20986
- Clark, D. See Forsyth, P.J.E., 2=12869
- Clark, D.J., Mackenzie, K.R., Petersen, E.L., Richardson, J.R. and Wright, B.T. The U.C.L.A. 50 MeV sector-focused cyclotron, 2=9662
- Clark, D.J. and Richardson, J.R. Measurement of betatron oscillation frequencies on the UCLA 50-MeV cyclotron, 2=20077
- Clark, D.J., Richardson, J.R. and Wright, B.T. The criteria and techniques of magnetic field measurement used on the UCLA 50 MeV spiral ridge cyclotron, 2=9677
- Clark, D.S. See Russell, T.L., 2=2325
- Clark, G. See Suga, K., 2=12066
- Clark, G.L., Wuerker, R.F. and York, C.M. High-speed photographic study of the coherent radiation from a ruby laser, 2=16813
- Clark, G.L. See Holshouser, D.F., 2=87
- Clark, G.W. See Kraushaar, W.L., 2=16263
- Clark, G.W. See Kraushaar, W.L., 2=20446
- Clark, G.W. See Lefever, R.A., 2=19056
- Clark, H.K. Reactivity effect of (n,2n) reactions in D_2O , 2=8025
- Clark, J. and Brown, J. A miniaturized ferrimagnetic high power coaxial duplexer-limiter, 2=13682
- Clark, J.S. and Brown, N. A study of a dilute concentration of disorder in the $\beta\text{-Cu-Zn}$ superlattice, 2=2406
- Clark, K.C. See Fairchild, C.E., 2=22909
- Clark, K.C. See Young, R.A., 2=4659
- Clark, M., Jr. See de Sobrino, L., 2=5677
- Clark, M., Jr. See de Sobrino, L., 2=5678
- Clark, M., Jr. See de Sobrino, L., 2=5679
- Clark, M.A. See Almqvist, E., 2=17906
- Clark, M.A., Gove, H.E. and Litherland, A.E. Lifetimes of the low-lying levels in Ne^{20} , 2=1811
- Clark, M.A. See Gove, H.E., 2=997
- Clark, M.A. See Gove, H.E., 2=1808
- Clark, M.A. See Gove, H.E., 2=1933
- Clark, M.A. See Gove, H.E., 2=3623
- Clark, M.A. See Litherland, A.E., 2=1810
- Clark, M.A. See Litherland, A.E., 2=1812
- Clark, M.A. See Simpson, J.J., 2=16319
- Clark, R.F. and Covington, A.E. A parametric amplifier for the 10.7 cm compound interferometer, 2=13157
- Clarke, A.M. See Beams, J.W., 2=17403
- Clarke, C. See Bonvini, L., 2=13031
- Clarke, F.J.J. Visual recovery following local adaptation of the peripheral retina (Troxler's effect), 2=2582
- Clarke, F.J.J. and Belcher, S.J. On the localization of Troxler's effect in the visual pathway, 2=13227
- Clarke, F.J.P., Sambell, R.A.J. and Tattersall, H.G. Mechanisms of microcrack growth in magnesium oxide crystals, 2=8752
- Clarke, F.J.P., Tappin, G. and Ghosh, T.K. Some irradiation induced property changes in beryllium oxide, 2=3972
- Clarke, F.J.P. and Williams, J. Aspects of irradiation damage in beryllium oxide, 2=3971
- Clarke, F.J.P. See Bowen, D.H., 2=18569
- Clarke, F.J.P. See Miles, G.D., 2=6753
- Clarke, G.A. Effects of helium buffer gas atoms on the atomic hydrogen hyperfine frequency, 2=14196
- Clarke, H.B., Northrop, D.C. and Simpson, O. The scintillation phenomenon in anthracene I. Radiation damage, 2=6636
- Clarke, K.M. See Huizenga, J.R., 2=14150
- Clarke, L.N. Method of measuring static dielectric constant especially of materials with long relaxation times, 2=17768
- Clarke, R.W. Interpretation of "surface brightness" measurements of radio sources, 2=13186
- Class, C.M. See Cramer, J.G., 2=16350
- Claudel, J. See Munier, J.M., 2=22058
- Clauser, E. Property of a test particle in Einstein's gravitational field, 2=9171
- Clausing, P. On the molecular flow with Langmuirian absorption of the molecules on the wall of the tube; a correction, 2=9296
- Clavier, P.A. Erratum: Man-made heating and ionization of the upper atmosphere, 2=2494
- Clavier, P.A. See Leen, M.W., 2=13657
- Clawson, A.R. See Wieder, H.H., 2=12564
- Clay, W.G. See Slattery, R.E., 2=15627
- Clayden, W.A. Recent research in the A.R.D.E. low density wind tunnel with a plasma jet heater, 2=3052
- Clayton, C.G., Whittaker, J.B., Briggs, G.A. and Kelly, T.G. Dependence of thermo-stimulated current curves on heating rate, 2=2128
- Clayton, C.G. See Oliver, G., 2=22542
- Clayton, D.B., Smith, T.B. and Brown, J.R. The application of electron-probe microanalysis to the study of microsegregation in a low-alloyed steel, 2=10923
- Clayton, D.D. and Fowler, W.A. Abundances of heavy nuclides, 2=2548
- Clayton, H.H. Note on an inversion formula by B. Davison, 2=21781
- Cleary, G.F. Preliminary design of a simple low-cost satellite vehicle launched from an aircraft, 2=4876
- Cleaver, B., Rhodes, E. and Ubbelohde, A.R. Structural influences on ion migration in crystals and melts, 2=16666
- Cleaver, B., Rhodes, E. and Ubbelohde, A.R. Changes of ultra-violet absorption spectra on melting ionic crystals, 2=16822

- Clegg, A.B. The missing $J = \frac{3}{2}$ state of ${}^7\text{Li}$, 2=16288
 Clegg, A.B. and Foley, K.J. Energy level schemes of Na^{23} , Al^{27} , P^{31} on the unified model, 2=5802
 Clegg, A.B. and Satchler, G.R. Gamma-rays from inelastic scattering of high energy nucleons, 2=1867
 Clegg, A.B. See Austin, S.M., 2=1870
 Clegg, A.B. See Austin, S.M., 2=18318
 Clegg, A.B. See Foley, K.J., 2=10109
 Clegg, A.B. See Foley, K.J., 2=20615
 Clegg, A.B. See Newton, D., 2=3568
 Clegg, A.B. See Rowe, D.J., 2=1872
 Clegg, A.B. See Rowe, D.J., 2=1873
 Clegg, A.B. See Rowe, D.J., 2=5503
 Clegg, A.B. See Salmon, G.L., 2=3565
 Cleiren, A.P. See van Gool, W., 2=4181
 Cleland, D. See Slessor, C.G.M., 2=19780
 Cleland, J.W., Bass, R.F. and Crawford, J.H., Jr. Lattice defect production in thermal neutron shielded materials, 2=20992
 Cleland, J.W. and Crawford, J.H., Jr. Radiation-induced disorder in semiconductors, 2=23326
 Cleland, W. See Ziolk, K., 2=18169
 Clemanti, E. and Clemanti, H. Electron distributions in small molecules, 2=14305
 Clemanti, H. See Clemanti, E., 2=14305
 Clemence, G.M. Planetary distances according to general relativity, 2=19283
 Clement, C. Molar refractions of normal, branched, and halogenated paraffins, 2=22989
 Clementi, E. Electronic states in the C molecule, 2=2005
 Clementi, E. SCF-MO wave functions for the hydrogen fluoride molecule, 2=2013
 Clementi, E. Ground state SCF-LCAO-MO wave function for the carbonyl sulfide molecule, 2=6202
 Clementi, E. and McLean, A.D. SCF-LCAO-MO wave function for the ${}^1\Sigma_g^+$ ground state of C_2 , 2=2014
 Clementi, E. and McLean, A.D. A computation on the ground state wave function for the C_2N_2 molecule, 2=6199
 Clementi, E. and McLean, A.D. SCF-LCAO-MO wave functions for the bifluoride ion, 2=6201
 Clementi, E., Roothaan, C.C.J. and Yoshimine, M. Accurate analytical self-consistent field functions for atoms. II. Lowest configurations of the neutral first row atoms, 2=22888
 Clemesha, B.R. and Wright, R.W. Scattering of radio waves in the ionosphere, 2=4638
 Clemett, C. See Davies, M., 2=8871
 Clendenin, W.W. Boundary, gap and blackness conditions in the cylindrical geometry spherical harmonics approximation, 2=14166
 Cless-Bernert, T., Duftschmid, K.E. and Vonach, H. Energy determination for β and γ radiation in liquid scintillators, 2=20295
 Cleveland, F.F. See Daykin, P.N., 2=20851
 Cleveland, F.F. See Ramaswamy, K., 2=20838
 Cleveland, F.F. See Sathianandan, K., 2=16541
 Clews, C.J.B., Maslen, E.N. and Rietveld, H.M. X-ray and neutron diffraction examination of p-diphenylbenzene, 2=827
 Clifford, J. Investigation of melting and freezing of glycerides by nuclear magnetic resonance spectroscopy, 2=22098
 Clifton, D.G. Calculations of the coefficient of thermal conductivity for dissociating hydrogen, 2=2762
 Cliekman, F.M., Bureau, A.J. and Stewart, M.G. Photoproton reaction in Be^9 , 2=14075
 Cline, D. Infrared wavelength dependence of the total absorptivity of electroplated silver, 2=14662
 Cline, J.E., Yates, E.C. and Turk, E.H. Decay of 27 hr Ho^{166} , 2=5846
 Cline, T.L., Hones, E.W., Jr. and Serlemitos, P. A double gamma ray spectrometer to search for positrons in space, 2=18105
 Clinesmith, C.R. See Talman, R.M., 2=20389
 Clinton, A.C. Developments in astronautics, 2=4862
 Clinton, W.L. New potential energy function. I. Empirical, 2=6119
 Clinton, W.L. New potential energy function. II. Theoretical, 2=6120
 Clogston, A.M. Impurity states in metals, 2=3869
 Clogston, A.M., Matthias, B.T., Peter, M., Williams, H.J., Corenzwit, E. and Sherwood, R.C. Local magnetic moment associated with an iron atom dissolved in various transition metal alloys, 2=4197
 Clogston, A.M. See Wolff, P.A., 2=12683
 Cloney, R.D., Mason, E.A. and Vanderslice, J.T. Binding energy of Ar_2^+ from ion scattering data, 2=10237
 Cloney, R.D. and Vanderslice, J.T. Interaction energies from scattering cross-sections of hydrogen ions in CH_4 , CF_4 , C_2H_6 , and C_2F_6 , 2=12354
 Cloney, R.D. See Fallon, R.J., 2=20798
 Clot, J., Giral, G. and Lagasse, J. A numerical apparatus for measuring electric charge, 2=22154
 Cloud, W.H., Schreiber, D.S. and Babcock, K.R. X-ray and magnetic studies of CrO_2 single crystals, 2=12689
 Cloud, W.H. See Austin, A.E., 2=12741
 Cloud, W.H. See Bierstedt, P.E., 2=6677
 Cloud, W.H. See Bither, T.A., 2=12735
 Clough, S. and Gray, K.W. The stochastic theory of the nuclear magnetic resonance line in rotating solids, 2=8682
 Clough, S. See Andrew, E.R. [Conf. rep.], 2=4238
 Cloupeau, M. Photoelectric studies in a two-gas, magnetically driven shock tube, 2=5048
 Cloupeau, M. and Lasek, A. Study of the characteristics of a shock tube with magnetic driver, 2=7245
 Clow, H. Very low coercive force in nickel-iron films, 2=21326
 Clowes, M.B. A note on colour discrimination under conditions of retinal image constraint, 2=7081
 Clunie, D.M. See Blitz, J., 2=10024
 Coates, D.G., Lawson, W.D. and Prior, A.C. Single crystal photoconductors in lead selenide, 2=8447
 Coates, D.W. See Bull, R.M., 2=11846
 Coates, D.W. See Bull, R.M., 2=11847
 Cobb, G.C. See Cooper, C.D., 2=6169
 Cobbald, T.E. and Skerrett, E.J. Electronic anemometer, 2=2669
 Cobble, J.W. See Argue, G.R., 2=1305
 Cobble, J.W. See Brandhorst, H.W., Jr., 2=5849
 Cobble, J.W. See McDonald, J.E., 2=17084
 Coberly, J.C. See Dratz, A.F., 2=4888
 Cobić, B. Investigation of the characteristics of the ion sorption in a Bayard-Alpert ionization tube, 2=2792
 Cobić, B., Carter, G. and Leck, J.H. Further investigation of the bistable operation of the Bayard-Alpert gauge, 2=9325
 Cobine, J.D. The development of gas discharge tubes, 2=15897
 Coccoli, J.D. See Bekefi, G., 2=22237
 Cocconi, G., Diddens, A.N., Lillithun, E., Manning, G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. Elastic and inelastic scattering of high-energy protons from hydrogen, 2=5639
 Cocconi, G., Diddens, A.N., Lillithun, E., Manning, G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. High-energy proton scattering from carbon and deuterium, 2=10095
 Cocconi, G., Diddens, A.N., Lillithun, E., Manning, G., Taylor, A.E., Walker, T.G. and Wetherell, A.M. Elastic and inelastic proton-proton scattering between 12 and 27 GeV, 2=22503
 Cocconi, V.T. See Amaldi, U., 2=22516
 Coceva, C. See Bertozzi, G., 2=13704
 Coche, A. and Siffert, P. Construction and study of the properties of surface-barrier detectors for heavy particles, 2=5527
 Coche, A. and Siffert, P. Detection of nuclear radiation by gold-silicon surface barrier detectors of very high resistivity, 2=11834
 Coche, A. See Pfeffer, G., 2=5266
 Coche, A. See Pfeffer, G., 2=7357
 Coche, A. See Urban, F., 2=17470
 Coche, A. See Walter, G., 2=5517
 Cochran, D.R.F. See Frauenfelder, H., 2=12125
 Cochran, D.R.F. See Nagle, D.E., 2=4216
 Cochran, E.L. and Adrian, F.J. Electron-spin-resonance identifies radio chemical species, 2=3180
 Cochran, E.L., Adrian, F.J. and Bowers, V.A. E.S.R. detection of the cyanogen and methylene imino free radicals, 2=12351
 Cochran, E.L. See Adrian, F.J., 2=8124
 Cochran, E.L. See Jen, C.K., 2=14823
 Cochran, J.F. Specific heat of tantalum and tin near the superconducting critical temperature, 2=19818
 Cochran, J.F. See Carruthers, J.A., 2=10464
 Cochran, L.W. and Forester, D.W. Diffusion of slow electrons in gases, 2=13381
 Cochran, W. and Cowley, R.A. Dielectric constants and lattice vibrations, 2=14596
 Cochran, W. See Calder, R.S., 2=15021
 Cockcroft, M.G. See Capus, J.M., 2=10763
 Cocks, M. Interaction of sliding metal surfaces, 2=14913
 Codd, I. See Armstrong, R., 2=6733
 Codd, J., Durston, C. and James, M.F. Some calculations of sodium reactivity effects in a dilute fast reactor, 2=20708
 Codegone, C. Thermal radiation of planes in non-isothermal cavities, 2=15798
 Codling, K. See Garton, W.R.S., 2=14190
 Cody, G.D. See Abeles, B., 2=3855
 Coelho, R. Optical excitation in the cuprous halides, 2=23563
 Coenraads, C.N. and Lavelle, J.E. High speed drives in high vacuum, 2=19639
 Cofta, H. New methods for determining the exchange interaction ratios in MnO -type superstructure, 2=12795
 Cofta, H. Spin-wave analysis of the existence range of antiferromagnetic superstructures, 2=16927

- Cogan, H.L. See Owen, B.B., 2=1163
- Coggeshall, N.D. Initial kinetic energy discrimination effects in crossed-field ion sources, 2=7671
- Cohan, N.V., Cotti, M., Iribarne, J.V. and Weissmann, M. Electrostatic energies in ice and the formation of defects, 2=14597
- Cohan, N.V. See Batana, A., 2=6180
- Cohen, A. and Blanchard, C.H. New class of potential functions, 2=10287
- Cohen, A. See Schouten, J.F., 2=11219
- Cohen, A. See Strehlow, R.A., 2=1185
- Cohen, A.D. Generalized trajectory charts, 2=11184
- Cohen, A.F. See Friedberg, S.A., 2=23072
- Cohen, A.J. Megashatter cone hypothesis of the origin of lunar volcanoes, 2=4737
- Cohen, A.V. The non-elastic neutron cross-section for uranium at 13-19 MeV and beryllium at 14 MeV, 2=3584
- Cohen, A.V. and Cookson, J.A. Decay schemes of excited states of Mg^{24} and Si^{28} , 2=1805
- Cohen, A.V. and Cookson, J.A. Decay schemes of excited states in Mg^{24} and Si^{28} and the collective model, 2=5870
- Cohen, A.V., Cookson, J.A., Darcey, W. and Tanner, N.W. Inelastic scattering [of protons and deuterons] from collective nuclei, 2=1874
- Cohen, A.V., Cookson, J.A. and Wankling, J.L. A magnetic particle spectrometer for use with a 12 MeV tandem electrostatic generator, 2=3342
- Cohen, B.L. Experimental evidence for collective oscillations
- Cohen, B.L. Limitations of accelerator magnetic analyzing systems, 2=3106
- Cohen, B.L. Nuclear structure studies in the zirconium region with stripping reactions, 2=5964
- Cohen, B.L. Neutron-proton interaction between states of same l in nuclear shell model, 2=18234
- Cohen, B.L., Fulmer, R.H. and McCarthy, A.L. Location of single-particle levels in medium mass nuclei, 2=10017
- Cohen, B.L., Hamburger, E.W. and Price, R.E. Single particle neutron levels in the zirconium region, 2=1824
- Cohen, B.L., Mukherjee, P., Fulmer, R.H. and McCarthy, A.L. Spin-orbit splittings in nuclear shell model, 2=20487
- Cohen, B.L. See Lorenzi, H., 2=7963
- Cohen, B.L. See Mead, J.B., 2=3604
- Cohen, B.L. See Mukherjee, P., 2=18354
- Cohen, C.J. and Hubbard, E.C. A nonsingular set of orbit elements, 2=6974
- Cohen, C.J. See Lydan, R.H., 2=11190
- Cohen, D. Feasibility of accelerating polarized protons with the Argonne Z.G.S., 2=7691
- Cohen, E.G.D. Theory of transport phenomena in gases. II, 2=5059
- Cohen, E.G.D. and van Leeuwen, J.M.J. On supermobility in an isotopic mixture of a hard sphere Bose and Fermi gas at $T = 0$, 2=2650
- Cohen, E.R. Transport mean free path and diffusion length of neutrons calculated from Markov chain statistics, 2=11952
- Cohen, E.R. See Goldstein, R., 2=16202
- Cohen, H.A. Measurements of flux of small extra-terrestrial particles, 2=11068
- Cohen, I., Lustman, B. and Eichenberg, J.D. Measurement of the thermal conductivity of metal-clad uranium oxide rods during irradiation, 2=3860
- Cohen, J. Tunnel emission into vacuum, 2=13579
- Cohen, J. and Gibson, W.A. Vector model for color sensations, 2=15438
- Cohen, J.B. and Wagner, C.N.J. Determination of twin fault probabilities from the diffraction patterns of f.c.c. metals and alloys, 2=15108
- Cohen, J.B., Hinton, R., Lay, K. and Sass, S. Partial dislocations on the $\{110\}$ planes in the b.c.c. lattice, 2=21023
- Cohen, J.B. See Mikkola, D.E., 2=8232
- Cohen, K. and Wolfe, B. Development of the fast ceramic reactor, 2=22864
- Cohen, L. The construction of wave functions for Li^9 , 2=13949
- Cohen, L. and Willis, J.B. Wave functions and matrix elements for triton, 2=12017
- Cohen, M. Single-centre expansions for the hydrogen molecular ion. II, 2=3751
- Cohen, M., Dalgarno, A. and McNamee, J.M. An expansion method for calculating atomic properties. II, 2=22881
- Cohen, M. See Hirano, K., 2=21057
- Cohen, M. See Hirano, K., 2=23202
- Cohen, M. See Sewell, P.B., 2=8879
- Cohen, M.H. Radiation in a plasma. II. Equivalent sources, 2=11663
- Cohen, M.H. Radiation in a plasma. III. Metal boundaries, 2=11664
- Cohen, M.H. and Falicov, L.M. Magnetic breakdown in crystals, 2=675
- Cohen, M.H. and Phillips, J.C. Dielectric screening and self-consistent crystal fields, 2=2041
- Cohen, M.H., Falicov, L.M. and Phillips, J.C. Superconductive tunneling, 2=15847
- Cohen, M.H. See Phillips, J.C., 2=3806
- Cohen, M.L. Electron-phonon self-energies in many valley semi-conductors, 2=23298
- Cohen, R., Bowles, K.L. and Calvert, W. On the nature of equatorial slant sporadic E, 2=13034
- Cohen, R. See Calvert, W., 2=11064
- Cohen, R. See Pitteway, M.L.V., 2=11065
- Cohen, R.W. See Ancker-Johnson, B., 2=2166
- Cohen, S. and Swiatecki, W.J. The deformation energy of a charged drop. IV. Evidence for a discontinuity in the conventional family of saddle point shapes, 2=20683
- Cohen, S.G. See Bauminger, R., 2=1777
- Cohen, S.G. See Cheifetz, E., 2=18341
- Cohen, V.W., Moran, T. and Penselin, S. Hyperfine structure of Cs^{134m} , 2=16477
- Cohen, V.W. See Penselin, S., 2=16478
- Cohen-Ganouna, J., Lambert, M. and Schmouker, J. Elastic scattering of protons of energies between 1 and 2 MeV by N^{14} , P^{31} and A^{40} , 2=442
- Cohen-Tannoudji, C. Partial conservation of coherence during a cycle of optical pumping, 2=6100
- Cohen-Tannoudji, C. Observation of a displacement of a magnetic resonance line caused by real transitions of optical resonance, 2=20739
- Cohn, C. See Duclaux, J., 2=21599
- Cohn, C.E. Reflected-reactor kinetics, 2=14163
- Cohn, G.I. See Hodara, H., 2=22332
- Cohn, G.I. See Zucker, H., 2=17960
- Cohn, Z. See Rosenberg, M., 2=10519
- Cojan, J.L. See Sebire, N., 2=7379
- Cojocaru, V. See Cristu, M., 2=10024
- Cola, M., Giuseppetti, G. and Mazzi, F. Crystal structure of copper triethylenediamine, 2=21526
- Colani, K. See Winstel, G., 2=23438
- Colard, J. and Gal, J. Calibration of solid state p-n detectors with alpha and heavy high-energy particles, 2=20201
- Colard, J. See Del Marmol, P., 2=18306
- Colbow, K., Richard, J.W. and Giles, J.C. Temperature dependence of absorption line width in boron-doped silicon, 2=23556
- Colburn, C.B. See Noggle, J.H., 2=16559
- Coldwell-Horsfall, R.A. See Maradudin, A.A., 2=568
- Coldwell-Horsfall, R.A. See Maradudin, A.A., 2=569
- Cole, A.J. See Griffiths, R.J., 2=20189
- Cole, A.R.H. See Nakajima, H., 2=23003
- Cole, G.H.A. Consistency and the fifth virial coefficient for a hard sphere gas, 2=7145
- Cole, G.H.A. Scattering of small wavelength neutrons by a gas of hard spheres, 2=9852
- Cole, G.H.A. Hydromagnetic scaling laws for fluid temperature distribution, 2=13669
- Cole, G.H.A. Hydromagnetic heat transfer, 2=15781
- Cole, G.H.A. Fluid dynamics, 2=21867
- Cole, H., Chambers, F.W. and Dunn, H.M. Simultaneous diffraction: indexing Umweganregung peaks in simple cases, 2=10818
- Cole, H., Chambers, F.W. and Wood, C.G. Some geometrical considerations for X-ray collimation in single-crystal diffraction work, 2=10823
- Cole, H. and Okrasinski, M. Gimbali goniometer, 2=21499
- Cole, H. and Stemple, N.R. Effect of crystal perfection and polarity on absorption edges seen in Bragg diffraction, 2=14987
- Cole, K.D. On solar wind generation of polar geomagnetic disturbance, 2=2517
- Cole, K.D. Electro-hydromagnetic waves in a fully ionized gas. II, 2=3145
- Cole, K.D. Airglow and the South Atlantic geomagnetic anomaly, 2=11069
- Cole, K.D. Variation of upper atmosphere densities with solar activity, 2=13016
- Cole, K.D. Interaction of trapped radiation and the DS current system, 2=13023
- Cole, K.D. Hydromagnetic radiation of the sun and its effect at the earth, 2=13077
- Cole, K.D. Orbital acceleration of satellites during geomagnetic disturbance, 2=13191
- Cole, K.D. A source of energy for the ionosphere, 2=15224
- Cole, K.D. Joule heating of the upper atmosphere, 2=19209
- Cole, K.D. Atmospheric blow-up at the auroral zone, 2=21668
- Cole, K.D. Magnetic bays at Macquarie Island, 2=24060
- Cole, K.D. and Jacka, F. Magnetic bays, auroral orientation, and isochasms, 2=2511
- Cole, M. See Carterette, E.C., 2=7060
- Cole, R.H. See Johnston, D.R., 2=2780
- Cole, R.K. See Bodansky, D., 2=12223
- Cole, T. See Coles, B.R., 2=3998
- Cole, T. See Heller, C., 2=18491

- Cole, T. See McIrvine, E.C., 2=13697
- Colegrove, F.D. See Walters, G.K., 2=22896
- Coleman, B.D. and Noll, W. Steady extension of incompressible simple fluids, 2=15547
- Coleman, C.F. A network analogue for a quadrupole lens system, 2=5261
- Coleman, P.D. Failure to localize the source distance of an unfamiliar sound, 2=9135
- Coleman, P.D. Spanning the microwave infrared gap, 2=16011
- Coleman, P.D. See Hakki, B.W., 2=3171
- Coleman, P.J., Jr and Sonett, C.P. Note on hydromagnetic propagation and geomagnetic field stability, 2=4694
- Coleman, P.J., Jr. See Sonett, C.P., 2=13099
- Coleman, R.F. and Perkin, J.L. The transfer and exchange transfer of nucleons between ^{16}O and ^{27}Al , 2=3628
- Coleman, R.F. See Perkin, J.L., 2=3610
- Coleman, R.F. See Perkin, J.L., 2=10148
- Coleman, S. and Glashow, S.L. Chiral symmetries, 2=5570
- Coleman, S. and Norton, R.E. Runaway modes in model field theories, 2=4918
- Coles, B.A. See Brown, M.R., 2=4218
- Coles, B.R. Effects of electron concentration and mean free path on the superconducting behaviour of alloys, 2=8864
- Coles, B.R., Cole, T., Lambe, J. and Laurance, N. Electrical resistivity and paramagnetic resonance in gadolinium hexaboride, 2=3998
- Coles, B.R. and Taylor, J.C. The electrical resistivities of the palladium-silver alloys, 2=8277
- Coles, D. See Liepmann, H.W., 2=15632
- Colgate, S.A., Grasberger, W.H. and White, R.H. The dynamics of a supernova explosion, 2=13145
- Coli, M. See Szabo Miszenti, G., 2=5997
- Colin, R. and Drowart, J. Thermodynamic study of tin sulfide and lead sulfide using a mass spectrometer, 2=20877
- Colin, Y. and Fourrier, C. Conductivity and thermoelectric power of samples of cadmium oxide, 2=18698
- Collette, R. New anisotropy recorder for ferromagnetic thin films, 2=9671
- Colli, L., Facchini, U., Iori, I., Marazzan, G.M., Milazzo, M. and Tonolini, F. Fluctuations in the cross section of $\text{Si}^{28}(\text{n}, \alpha)\text{Mn}^{25}$ reaction with fast neutrons, 2=14117
- Colli, L., Iori, I., Marazzan, M.G. and Milazzo, M. Ericson fluctuations in the $\text{Si}^{28}(\text{n}, \alpha)\text{Mg}^{25}$ reaction, 2=20650
- Colli, L., Sona, P.G., Bassani, G., Cristofori, F., Franceschetti, M.O. and Frigerio, G. Production of a beam of hydrogen atoms in the excited metastable state 2S , 2=22922
- Colli, L. See Bassani, G., 2=20646
- Colligan, G.A. and Bayles, B.J. Dendrite growth velocity in undercooled nickel melts, 2=23816
- Colligon, J.S. Ion bombardment of metal surfaces, 2=9646
- Colligon, J.S. See Carter, G., 2=7677
- Collin, H.L. Sign discrimination in field mills, 2=24022
- Collinge, B. and Marciano, F. Data logging equipment for nuclear physics experiments, 2=19852
- Collings, E.W. and Hedgcock, F.T. Low-temperature magnetic properties of dilute Mg-Mn, Al-Mn, Mg-Fe, and Al-Fe alloys, 2=14763
- Collins, C. See Jelly, D.H., 2=17158
- Collins, G.B. See Duke, P.J., 2=22504
- Collins, J.G. and Steel, W.H. On a calculus for retardation plates, 2=7410
- Collins, K.E. and Steele, D.J. Torsion vane flowmeter for the continuous recording of air flow, 2=7236
- Collins, L.E. and Brooker, R.J. Ion beam control in a duoplasmatron source, 2=13605
- Collins, M.F. Lattice dynamics of magnesium, 2=18524
- Collins, R.J. and Kisliuk, P. Control of population inversion in pulsed optical masers by feedback modulation, 2=16018
- Collins, R.J. See Boyd, G.D., 2=14667
- Collins, S.C. and Hughes, R.W. New refrigeration cycle for the production of liquid nitrogen, 2=5214
- Collins, T.L. See Baker, P.S., 2=8070
- Collins, W.D. Some axially symmetric stress distributions in elastic solids containing penny-shaped cracks. I. Cracks in an infinite solid and a thick plate, 2=6726
- Collinson, A.J.L. and Demetsopoulos, I.C. Experience with a molecular-sieve backed Penning pump ultra-high vacuum system, 2=11432
- Collinson, A.J.L., Demetsopoulos, I.C. and Zarzycki, J.M. An investigation into the mechanism of self-quenching Geiger-Müller counters containing argon with small quantities of xenon, oxygen and nitrogen, 2=242
- Collinson, C.D. A class of conserved tensors in an arbitrary gravitational field, 2=9158
- Collinson, E., Dainton, F.S. and Kroh, J. The radiation chemistry of aqueous solutions. I. The effect of changing linear energy transfer along a polonium α -particle track, 2=4555
- Collinson, E., Dainton, F.S. and Kroh, J. The radiation chemistry of aqueous solutions. II. Radical and molecular yields for tritium β -particles, 2=4556
- Collinson, E., Dainton, F.S. and Kroh, J. The radiation chemistry of aqueous solutions. III. The isotope effect for polonium α -particles and tritium β -particles, 2=4557
- Colombani, A. and Huet, P. Thermal evolution of the Hall effect in thin films of bismuth. Experimental results, 2=10440
- Colombani, A. and Huet, P. The temperature dependence of the Hall effect of thin films of bismuth: interpretation of experimental results, 2=12495
- Colombani, A., Laniepe, B. and Goureaux, G. Variation of the electrical conductivity of thin films of nickel under constraint, 2=6415
- Colombani, A. See Vautier, C., 2=23241
- Colombie, N. and Phan Van Chuong. Secondary electron emission from metal targets bombarded by ions of mean energy 10-110 keV, 2=14
- Colombo, G. and Benedikt, E.T. Instability of motion at the Lagrangian triangular point in the earth-moon system, 2=15306
- Colombo, R. and Frigerio, G. On the occurrence of uranium metal particles in fused UO_2 , 2=14926
- Colonnetti, G. Fatigue of materials, 2=6755
- Coltman, M. See McChesney, M., 2=17665
- Colvin, R.V. See Aarajs, S., 2=12739
- Colvin, R.V. See Aarajs, S., 2=16894
- Colwell, J.H., Gill, E.K. and Morrison, J.A. Second transition in solid CH_4 , 2=14379
- Colwell, J.H. See Lovejoy, R.W., 2=6161
- Comaniciu, N. See Drăgănescu, V., 2=5182
- Comaniciu, N. See Drăgănescu, V., 2=7381
- Combe, J.C. See Hoffmann, L., 2=13713
- Combe, J.C. See Hoffmann, L., 2=18045
- Combes, L.S., Gallagher, C.C. and Levine, M.A. Plasma behavior in a cusp-mirror magnetic field, 2=22225
- Combet, E. Variation of fields in general relativity, 2=9166
- Combet, E. Quantization of the varied field in general relativity, 2=173
- Comes, F.J. and Lessmann, W. Measurements on the excitation states of nitrogen molecules by means of photoionization, 2=3730
- Comes, F.J. and Lessmann, W. New excited states of argon above the continuum limit $2^3\text{P}_{3/2}$, 2=10200
- Comes, F.J. and Lessmann, W. Ion formation in nitrogen, 2=22176
- Comolet, R. Friction of gas on an abutment disk, 2=1177
- Comolet, R. Distribution of pressure on a gas abutment, 2=17495
- Compaan, K. and Zijlstra, H. Effective-field approach to the problem of interacting polarized particles, 2=13645
- Companion, A.L. and Parr, R.G. Remark on the Mulliken approximation for two-center electron distributions, 2=3769
- Compton, A.H. The scattering of X-rays as particles, 2=272
- Compton, V.B. and Matthias, B.T. The crystal structure of Sc_2In , 2=10
- Compton, W.D. and Arnold, G.W., Jr. Radiation effects in fused silica and $\alpha\text{-Al}_2\text{O}_3$, 2=12478
- Comşa, G. and Iosifescu, B. A simple arrangement for measuring the pumping speed of a fore-pump, 2=7262
- Comşa, G. and Iosifescu, B. Study of an ion pump for the evaporation of titanium, 2=7264
- Comşa, G. See Băjeu, G., 2=7679
- Comşa, G. See Băjeu, G., 2=22177
- Comstock, D.F. See Glaser, P.E., 2=2907
- Condas, G.A. Properties and preparation of thin antimony films of high uniformity, 2=21567
- Condé, H. and Starfelt, N. Measurement of ν in fast neutron fission of Th^{232} and U^{238} , 2=5981
- Condell, W.J., Mandelberg, H.I., Beahn, T.J. and Muehe, C.E. Bakeable absolute pressure gauge for the millimeter of mercury range, 2=7170
- Condon, E.U. Intermediate courses in physics, 2=7098
- Conforto, A.M. Sideral time variation of low energy cosmic rays, 2=18212
- Conforto, G., Conversi, M. and di Lella, L. Observation of radiative capture of negative muons in iron, 2=20660
- Conforto, G., Conversi, M., di Lella, L., Penso, G., Rubbia, C. and Toller, M. Search for neutrinoless coherent nuclear capture of μ^- -mesons, 2=22831
- Conger, R.L. and Tomlinson, J.L. Magneto-optic readout for computer memories, 2=13632
- Connes, J. Spectroscopic studies using Fourier transformations, 2=7389
- Connes, J. Spectroscopic studies using Fourier transformations, 2=7390
- Connes, J. Spectroscopic studies using Fourier transformations, 2=7391

- Connes, J. Spectroscopic studies using Fourier transformations, 2=7392
- Connes, P., Duong Hong Tuan and Pinard, J. Spectral line splitting by high-frequency modulation, 2=11492
- Connes, P., Duong Hong Tuan and Pinard, J. Detection of a weak Doppler effect by the use of superposition fringes, 2=15740
- Connes, P. See Amat, G., 2=13427
- Connick, R.E. and Stover, E.D. Rate of elimination of water molecules from the first coordination sphere of paramagnetic cations as detected by nuclear magnetic resonance measurements of O^{17} , 2=1170
- Connick, R.E. See Swift, T.J., 2=19581
- Connolly, A. and Mendelsohn, K. Thermal conductivity of tantalum and niobium below $1^{\circ}K$, 2=8183
- Connolly, D.E. The evaluation of a pure diffraction profile from experimental data, 2=23831
- Connolly, J.F. Virial coefficients of hydrogen — hydrocarbon mixtures, 2=1196
- Connolly, J.F. Thermodynamic properties of hydrogen in benzene solutions, 2=13327
- Connolly, P.L. See Bertanza, L., 2=13854
- Connolly, P.L. See Bertanza, L., 2=22652
- Connor, D. and Tung Tsang. Sign of the Li^2 magnetic moment, 2=12120
- Connor, R.J. Millimicrosecond pulsing, 2=5402
- Connors, M.M. and Kinney, J.A.S. Relative red-green sensitivity as a function of retinal position, 2=7080
- Connors, P. and Signell, P. Non-static effect in the nucleon-nucleon interaction, 2=3329
- Conrad, B. A spatial angular filter and shutter system for the measurement of charged particles for nuclear reactions, 2=5883
- Conrad, C.M. See Creely, J.J., 2=14980
- Conrad, H. Comment on dislocation relaxation phenomena in oxide crystals, 2=8217
- Conrad, H. and Frederick, S. The effect of temperature and strain rate on the flow stress of iron, 2=23747
- Conroy, L.E. See McNeil, W., 2=2116
- Consoli, T., Dagai, M., Dupas, L. and Ichtchenko, G. Experimental verifications of regions of longitudinal propagation of right- and left-handed circularly polarized waves, 2=1418
- Consoli, T., Dupas, L. and Ichtchenko, G. The transmission of circularly polarized waves through a dense plasma, 2=19958
- Consoli, T. and Le Gardeur, R. The force equation in the reduction of transverse diffusion losses by h.f. field, 2=13567
- Consoli, T. and Le Gardeur, R. Experimental verifications of the reduction of diffusion losses and of confinement by the superposition of h.f. fields on magnetostatic fields, 2=17841
- Consoli, T., Le Gardeur, R. and Slama, L. Detection of stationary ion oscillations in a reflex discharge with hot cathodes, 2=1466
- Constabaris, G. See Sams, J.R., Jr., 2=6854
- Constans, M. Causes of errors in interference metrology, 2=11495
- Constant, E. and Racz, L. A method of measuring intermolecular association by the study of the static polarization of ternary mixtures, 2=2728
- Constantin, C. See Baruch, P., 2=12458
- Constantinescu, C. A method of determining the capture cross-section for recombination centres in semiconductors, 2=23286
- Constantinescu, L. Optical properties of cooled mirrors of Ge and Se, 2=19695
- Contogouris, A.P. Elastic scattering of photons by protons. II, 2=1672
- Contogouris, A.P. Two-pion exchange contribution in proton Compton-scattering, 2=1673
- Contogouris, A.P. Partial wave dispersion relations for photon-nucleon scattering and nucleon-antinucleon production by photons, 2=16180
- Conversi, M. Use of a spark chamber in a search for neutrinoless conversion of muons into electrons, 2=9880
- Conversi, M., di Lella, L., Penso, G., Toller, M. and Rubbia, C. Search for conversion of muons into electrons, 2=13834
- Conversi, M., di Lella, L. and Toller, M. High-current fast-triggering system for spark chambers, 2=20213
- Conversi, M. See Conforto, G., 2=20660
- Conversi, M. See Conforto, G., 2=22831
- Conway, D.C. Attachment of low-energy electrons to oxygen, 2=13536
- Conway, D.C. See Santos Ocampo, A.G., 2=22770
- Conway, D.C. See Smith, C.F., Jr., 2=17984
- Conway, J.G., Gruber, J.B., Hulet, E.K., Morrow, R.J. and Gutmacher, R.G. Absorption and self-luminescence spectra of Cf^{3+} ($5f^6$), 2=2248
- Conway, J.G., Hulet, E.K. and Morrow, R.J. Emission spectrum of californium, 2=12288
- Conway, J.G. See Gruber, J.B., 2=2232
- Conwell, E.M. Disturbances of carrier concentration in high electric field, 2=630
- Conwell, E.M. Diffusion of excess carriers in a many-valley band structure, 2=21121
- Conwell, E.M. and Fowler, V.J. High-frequency conductivity and dielectric constant versus electric field intensity in germanium, 2=23314
- Conwell, E.M. and Zucker, J. The recombination of hot carriers — theoretical, 2=8405
- Conwell, E.M. See Zucker, J., 2=4024
- Conwell, E.M. See Zucker, J., 2=8404
- Coogan, C.K. and Gutowsky, H.S. Diffusion of hydrogen in the γ phase of titanium hydride, 2=2097
- Cook, A.H. Analysis of some new possibilities of interference of electromagnetic waves, 2=7395
- Cook, B.D. New procedure for computing finite-amplitude distortion, 2=17558
- Cook, C.F. A fast neutron time-of-flight spectrometer, 2=13820
- Cook, C.F., Jr. New method for producing platinum preshadowed carbon substrates, 2=8901
- Cook, C.J. and Fredericks, W.J. Interaction of 0.2 to 4.0 eV electron beams with cleaved MgO, 2=6394
- Cook, C.J., Heinz, O., Lorents, D.C. and Peterson, J.R. Energy anomalies observed in ion beams produced by r.f. sources, 2=17897
- Cook, C.J. and Peterson, J.R. Direct and dissociative ionization cross-sections for electrons in N_2 , 2=22175
- Cook, C.M., Jr. The heat of vaporization and the heat of fusion of ferric chloride, 2=9453
- Cook, G.E. Geophysical results obtained from satellite orbits, 2=15171
- Cook, G.E. Luni-solar perturbations of the orbit of an Earth satellite, 2=15412
- Cook, G.E. and Hughes, J.M. The orbits of needle satellites, 2=15414
- Cook, H.C. See Weil, R., 2=10939
- Cook, J.C. On measuring the phase velocity of an oscillating gravitational field, 2=17343
- Cook, J.S. and Dryden, J.S. An investigation of the aggregation of divalent cationic impurities in alkali halides by dielectric absorption, 2=18577
- Cook, L.F., Jr. and Lee, B.W. Unitarity and production amplitudes, 2=16168
- Cook, L.F., Jr. and Lee, B.W. π -N scattering with inelastic contributions, 2=16169
- Cook, L.F., Jr. and Tarski, J. Some properties of the five-point function in perturbation theory, 2=2595
- Cook, L.F. See Blankenbecler, R., 2=20286
- Cook, P.D. A slow sweep generator, 2=11811
- Cook, R.K. Strange sounds in the atmosphere. I, 2=15206
- Cook, V., Keefe, D., Kerth, L., Murphy, P., Wenzel, W. and Zipf, T. K^+ -nucleon total and differential cross-sections in the momentum range 0.8-2.9 BeV/c, 2=22630
- Cooke, B.A., Pounds, K.A., Russell, P.C. and Stewardson, E.A. Preliminary measurements of the mass absorption coefficients of aluminium in the region 8-14 Å, 2=12611
- Cooke, D. Moiré fringe technique for vibration measurement, 2=15666
- Cooke, I. and Reed, L.D. The effect of dislocation density on the energy resolution of sodium iodide scintillators, 2=18001
- Cooke-Yarborough, E.H. The instrumentation and control circuits of nuclear reactors, 2=14181
- Cookson, J.A. See Cohen, A.V., 2=1805
- Cookson, J.A. See Cohen, A.V., 2=1874
- Cookson, J.A. See Cohen, A.V., 2=3342
- Cookson, J.A. See Cohen, A.V., 2=5870
- Cool, R.L., Jenkins, E.W., Kycia, T.F., Hill, D.A., Marshall, L. and Schluter, R.A. Measurement of the magnetic moment of the Λ^0 hyperon, 2=20430
- Cool, R.L. See Baker, W.F., 2=20627
- Cooley, J.W. Improved eigenvalue corrector formula for solving the Schrödinger equation for central fields, 2=8085
- Cooley, W.C. Solar direct-conversion power systems, 2=13197
- Coomes, E.A. See Gardner, G., 2=8785
- Coon, D.D. See Roberts, S., 2=18791
- Coon, G.W. See Dimeff, J., 2=19506
- Coon, J.B., DeWames, R.E. and Loyd, C.M. The Franck-Condon principle and the structures of excited electronic states of molecules, 2=14298
- Coop, W.H. and Hammond, J.A. Phosphorescence of fused quartz and sapphire, 2=16849
- Cooper, A.R., Jr. and Kingery, W.D. Kinetics of solution in high viscosity liquids: sodium chloride-glycerol, 2=15581
- Cooper, A.S. Precise lattice constants of germanium, aluminium, gallium arsenide, uranium, sulphur, quartz and sapphire, 2=15014
- Cooper, A.S., Bond, W.L. and Abrahams, S.C. The lattice and molecular constants in orthorhombic sulfur, 2=15013

- Cooper, B.R., Elliott, R.J., Nettel, S.J. and Suhl, H. Theory of magnetic resonance in the heavy rare-earth metals, 2=14816
- Cooper, B.R. and Keffer, F. Paramagnetic resonance width in iron and nickel, 2=4259
- Cooper, C.D., Cobb, G.C. and Tolnas, E.L. Visible spectra of XeO and KrO, 2=6169
- Cooper, E. See Budden, K.G., 2=21647
- Cooper, H.W., Arrott, A.S. and Paxton, H.W. Magnetic investigation of pure manganese and of several of its alloys, 2=2291
- Cooper, J. Minimum detectable power of a pyroelectric thermal receiver, 2=2929
- Cooper, J. A fast response total-radiation detector, 2=13482
- Cooper, J. A fast-response pyroelectric thermal detector, 2=19766
- Cooper, J.N. See Schmidlin, F.W., 2=5238
- Cooper, J.W. Calculations of the neutron age in water and heavy water for D-D sources, 2=5670
- Cooper, J.W. and Martin, J.B. Electron photodetachment from ions and elastic collision cross sections for O, C, Cl, and F, 2=12298
- Cooper, L.N. Some elementary theoretical considerations concerning superconductivity of superimposed metallic films, 2=7502
- Cooper, L.N. Theory of the Knight shift in superconductors, 2=13508
- Cooper, P.N., Firth, K., Kerridge, M., Mathams, R.F., Salmon, A.J. and Stephens, K.G. Some measurements of reactivity in a light-water moderated highly enriched uranium assembly, 2=10179
- Cooper, P.N., Firth, K. and Stephens, K.G. Use of ring-shaped neutron sources in a research reactor, 2=16457
- Cooper, R. Fast reactor rocket engines—criticality, 2=20698
- Cooper, R. and Fernandez, A. Anisotropy in the electric strength of alkali halide crystals, 2=6528
- Cooper, R. and Smith, W.A. The electric breakdown of sodium chloride, 2=676
- Cooper, R. See Broadbent, T.E., 2=1351
- Cooper, R.H. and Billings, D.E. A long-lived polar coronal region, 2=13132
- Cooper, W. Photovoltaic effect of silver bromide, 2=16758
- Cooper, W.A. See Bartke, J., 2=13883
- Cooper, W.A. See Gibbs, D.C.C., 2=3673
- Cooper, W.M. See Jacquemin, J., 2=12258
- Cooper, W.S., III. See Wilcox, J.M., 2=1470
- Cooper, W.S., III. See Wilcox, J.M., 2=19948
- Coote, G.E. See Carver, J.H., 2=22787
- Cooter, I.L. See Sanford, R.L., 2=17921
- Covert, R.E. Surface magnetoconductivity experiments on silicon, 2=2156
- Cope, F.W. See Sever, R.J., 2=24222
- Cope, J.O. Direct-reading diaphragm-type pressure transducers, 2=19504
- Copeland, C.S. See Allen, P.E.M., 2=17481
- Copeland, C.S. See Newton, P., 2=19575
- Copley, D.M. and Whiteman, K.J. Some hydromagnetic equilibria that satisfy the necessary and sufficient stability conditions, 2=11774
- Coppens, P. Intramolecular repulsions in substituted aromatic molecules, 2=16640
- Copper, J.A. Experimental investigation of the equilibrium interface technique, 2=15631
- Corazza, C.F. See Bernardini, C., 2=7690
- Corbeau, J. The Compton effect in silicon crystals, 2=2371
- Corben, H.C. Radiation damping of spinning particles, 2=13729
- Corbett, J.D. See Herschaft, A., 2=8826
- Corbett, J.W. and Watkins, G.D. Silicon divacancy and its direct production by electron irradiation, 2=3905
- Corbett, J.W. and Watkins, G.D. Stress-induced-alignment of anisotropic defects in crystals, 2=3914
- Corbett, J.W. See Watkins, G.D., 2=12417
- Corbey, M.M.G. See Haas, C., 2=2217
- Corciovei, A. The effect of magnetic anisotropy in cobalt ferromagnetic thin films, 2=4226
- Corciovei, A. and Croitoru, N. Order types of cubic-centred binary alloys, 2=4446
- Corciovei, A. and Croitoru, N. Types of ordering in centred cubic binary alloys, 2=6818
- Corciovei, A. and Ghika, G. On the theory of ferromagnetic thin films, 2=16911
- Corciovei, A., Ghika, G. and Grecu, D. The distribution function of irradiation-displaced atoms in a solid, 2=21087
- Corciovei, A. and Grecu, D. Thermal spikes in metals produced by irradiation, 2=6323
- Corciovei, A. and Grecu, D. Multiple thermal spikes produced by irradiations in metals, 2=8209
- Corcuff, Y. Variation of the dispersion of whistlers during magnetic storms, 2=6916
- Corcuff, Y. and Legrand, J.P. Correlations between the very low frequency emissions and the magnetic and cosmic ray storms, 2=21658
- Cordero, F. and Verdager, F. Pulsation of a 600 keV Cockroft--Walton accelerator, 2=20065
- Corderoy, D.J.H. See Brindley, B.J., 2=23749
- Coren, R.L. Hall effect determination of planar stress in ferromagnetic films, 2=12680
- Coren, R.L. and Juretschke, H.J. Magnetoresistance and domain structure in thin nickel films, 2=12777
- Corenzwit, E. See Blaugher, R.D., 2=7520
- Corenzwit, E. See Clogston, A.M., 2=4197
- Corenzwit, E. See Geballe, T.H., 2=17726
- Corenzwit, E. See Hein, R.A., 2=17727
- Corge, C. See Julien, J., 2=18332
- Corge, C., Bianchi, G., Vinh-Dinh Huynh, Julien, J., Morgenstern, J. and Netter, F. Systematic determination of resonance parameters for neutron transmission by different nuclei, 2=18334
- Corfield, M.G., Hörzelski, J. and Price, A.H. Rapid method for determining v.h.f. dielectric parameters for liquids and solutions using standing wave procedures, 2=1161
- Corge, C., Huynh, V.D., Julien, J., Morgenstern, J. and Netter, F. Methods of analysis of resonance parameters in neutron transmission experiments by time of flight, 2=295
- Corge, C., Huynh, V.D., Julien, J., Morgenstern, J. and Netter, F. Statistics of excited nuclear levels produced by the interaction of resonance neutrons with Zr and Pr, 2=388
- Corge, C., Huynh, V.D., Julien, J., Morgenstern, J. and Netter, F. Statistical anomalies for partial widths of energetic radiative transitions in neutron resonance capture by heavy nuclei, 2=415
- Corge, C., Huynh, V.D., Julien, J., Morgenstern, J. and Netter, F. Fluctuations of partial widths of energetic radiative transitions for neutron capture of medium-sized nuclei (Pr and Ag). Application to the determination of the characteristics of level states, 2=416
- Corinaldesi, E. Perturbation theory of scattering of a particle by an identical bound particle. I, 2=11284
- Corinaldesi, E. Scattering of a particle by a system of identical particles in a bound state, 2=15491
- Corio, P.L. The magnetic resonance spectra of some multi-spin systems, 2=11818
- Cork, B., Dahl, O.I., Miller, D.H., Tenner, A.G. and Ching Lin Wang. Antiproton-proton interaction cross-sections at 45, 90, 145, and 245 MeV, 2=18113
- Cork, B. See Allison, R.W., Jr., 2=1533
- Cork, B. See Beall, E., 2=16245
- Cork, B. See Beall, E.F., 2=11992
- Corke, R.L. See Watt-Carter, D.E., 2=11798
- Corkill, J.M., Goodman, J.F., Haisman, D.R. and Harrold, S.P. The thickness and composition of thin detergent films, 2=2696
- Corliss, C.H. Temperature of a copper arc, 2=7584
- Corliss, C.H. Ionization in the plasma of a copper arc, 2=15884
- Corliss, C.H. See Bidelman, W.P., 2=17291
- Corliss, C.H. See Meggers, W.F., 2=3691
- Corliss, C.H. See Meggers, W.F., 2=12280
- Corliss, C.H. See Tech, J.L., 2=3693
- Corliss, L. See Bertaut, E.F., 2=6814
- Corliss, L.M. and Hastings, J.M. Magnetic structure of manganese chromite, 2=12669
- Cormack, A.M. Dead-time losses with pulsed beams, 2=19855
- Cormack, D.V. See Charlton, D.E., 2=18103
- Cormack, G.D. and Barnard, A.J. Low inductance low pressure spark gap switch, 2=17760
- Cormack, G.D. See Barnard, A.J., 2=11640
- Corman, E.G. Optical-model analysis of high-energy neutrons scattered by deformed nuclei, 2=3587
- Cormia, R.L., Price, F.P. and Turnbull, D. Kinetics of crystal nucleation in polyethylene, 2=23823
- Cornaz, P. and Borel, J.P. Study of the paramagnetic resonance of picrylamino-carbazyl as a function of temperature, 2=10703
- Cornford, P.V., Kipling, J.J. and Wright, E.H.M. Adsorption from solution: thickness of the adsorbed layer, 2=8893
- Corngold, N. and Zamick, L. The effect of diffusion upon the initial phases of the thermalization of neutrons, 2=5668
- Cornille, H. Determination of the S-matrix for the case of tensor potentials which are non-zero at the origin, 2=9791
- Cornille, H. and Martin, A. Analytic properties of the scattering amplitude of two charged particles interacting by a potential of the Yukawa type, 2=22414
- Cornille, M. See Roux, M., 2=20849

- Cornille, M. See Roux, M., 2=21495
- Cornish, D.C. Control of the concentration of suspended matter in slurries containing dissolved substances by means of density measurements, 2=4566
- Cornish, D.C. and Nickolds, A.M. Simple device for the measurement of the density of slurries and liquids, 2=2668
- Cornish, E.H. Electron and Corona bombardment of polyethylene, 2=12982
- Corno, S., Facchini, A., Giorcelli, M., Sanguist, V. and Terrani, M. Self-regulating neutron absorbers: their control efficiency and optimization in a gas-graphite reactor, 2=12245
- Cornou, M. See Aubert, M., 2=19585
- Cornwell, C.D. See Nugent, L.J., 2=20852
- Cornwell, C.D. See Verdieck, J.F., 2=1609
- Cornwell, J.F. and Wohlfarth, E.P. The energy band structure of body centred iron, 2=23109
- Corradini, P. and Allegra, G. Calculation of the diffraction of X-rays by a structure with disordered layer packets in an ordered structure, 2=10837
- Correll, M. Intermediate physics courses for the undergraduate physics major, 2=7100
- Correll, M. 1962 citations for distinguished service, 2=11239
- Corrigan, W.J. See Onodera, G.C., 2=23440
- Corry, T.M. and Spira, G. Thermoelectric generator design, performance, and application, 2=11605
- Corte, M. Della. See Della Corte, M.
- Cortellessa, G. See Berkelman, K., 2=9913
- Cortes, H. and Perrot, M. Graphical method for determining the illumination in any plane from a paraboloidal solar mirror, 2=11469
- Cory, H. See Altman, C., 2=17972
- Coryell, C.D. See Gleit, C.E., 2=1800
- Coryell, C.D. See Kaplan, M., 2=1938
- Coryell, C.D. See Pierson, W.R., 2=20539
- Cosden, T.H. See Knestrick, G.L., 2=19203
- Cosnac, B. De. See De Cosnac, B.
- Cosslett, V.E. See Green, M., 2=3124
- Cosslett, V.E. See Hawkes, P.W., 2=13598
- Costa de Beauregard, O. Gravitational effect of spin on a particle of spin zero, 2=1052
- Costa de Beauregard, O. Deduction of the existence of our "inertial effect of spin" from the postulates of the Dirac electron theory, 2=3252
- Costa de Beauregard, O. Inertial effect of spin deduced from the postulates of the Dirac theory of the electron, 2=18101
- Costa de Beauregard, O. The spin 2, 1 and 0 graviton particle associated with the asymmetric gravitational field including spin effects, 2=4921
- Costa, G. and Feld, B.T. Mesons and the structure of nucleons. IV. The nucleon-nucleon potential, 2=11937
- Costa, G. and Ferrari, F. Polology and ND^{-1} solutions in the multiple-channel problems, 2=1667
- Costa, G. and Zimmerman, A.H. Some remarks about the isovector form factors of the nucleons and the ρ^0 meson, 2=16236
- Costa, S. See Bonazzola, G., 2=16390
- Costain, C.C. and Srivastava, G.P. Study of hydrogen bonding. The microwave rotation spectrum of $CF_3COOH-HCOOH$, 2=3739
- Coste, M., Lemeille, C., Marquez, L. and Saunier, N. Study of reactions produced by Li^+ ions in beryllium, 2=500
- Coste, M. and Marquez, L. Study of the reaction in which Be^8 nuclei are produced by the collision of two Li^6 nuclei, 2=10147
- Costea, T. See Mantescu, C., 2=17100
- Costello, D.G. See Walters, W.L., 2=449
- Costello, D.G. See Walters, W.L., 2=10106
- Costikas, A. and Grossweiner, L.I. Photoequilibrium between KCl F and F' centers at 80°K, 2=12470
- Cotignola, J.M. See Daniels, J.M., 2=23036
- Cotner, J. and Weertman, J. Fast moving edge dislocations in alpha iron, 2=14437
- Cotsaftis, M. See Mercier, C., 2=3028
- Cotterell, K. and Sharpe, R.S. The use of carbon tetrachloride as a radiopaque penetrant, 2=23933
- Cotterhill, R.W. and Fitch, R.K. Anomalous variation of surface tension, 2=2691
- Cotterill, P. The hydrogen embrittlement of metals, 2=8744
- Cotterill, R.M.J. Correlated electrical resistivity and electron microscope measurements in f.c.c. metals, 2=23230
- Cotti, M. See Cohan, N.V., 2=14597
- Cotti, P. Measurement of magnetoresistance of rectangular plates, 2=8286
- Cotti, P., Wyder, P. and Quattropiani, A. Helicon oscillations in indium, 2=18513
- Cottingham, W.N. See Amati, D., 2=22497
- Cotton, E. Nuclear lifetimes, 2=5818
- Cotton, E., Gastebois, J. and Picou, J.L. Recoilless gamma emission from Coulomb excitation of Fe^{57} , 2=351
- Cottrell, A.H. Fracture, 2=23781
- Cottrell, A.H. See Bell, J.C., 2=1947
- Cotts, R.M. See Gendell, J., 2=18963
- Couch, W.E. and Swartz, J.C. The dilatation of dislocation kinks and jogs, 2=23188
- Couchet, G., Pagani, A. and Savelli, M. Contribution to the theoretical study of the phenomenon of ionoluminescence at constant ionic intensity, 2=21279
- Couchiat, C.C. The $\Delta T = 0$ isotopic selection rule in fermi transitions and the theory of the vector interaction in beta decay, 2=1834
- Coufová, P. and Arend, H. The defect structure of oxygen-deficient rutile, 2=8830
- Coufová, P. and Arend, H. The thickness dependence of the permittivity of barium titanate single crystals, 2=16787
- Coufová, P. See Arend, H., 2=671
- Couget, A. and Lacoste, R. Range of validity of the analytical expression for the absorption current of a chloropolyvinyl, 2=10552
- Coulson, C.A. Interatomic forces: Maxwell to Schrödinger, 2=22880
- Coulson, C.A. and Gofebiewski, A. The Jahn-Teller effect in aromatic ions and radicals, 2=6190
- Coulson, C.A. and Gofebiewski, A. On perturbation calculations for the π -electrons and their application to bond length reconsiderations in aromatic hydrocarbons, 2=6213
- Coulson, C.A. and Hurley, A.C. Comment on "Hellmann-Feynman wave functions", 2=20772
- Coulson, C.A. and Neilson, A.H. Electron correlation in the ground state of helium, 2=518
- Coulson, C.A. and Sharma, C.S. Correction for self-interaction in the Thomas-Fermi potential with application to f electrons in atoms, 2=10198
- Coulson, C.A. and Strauss, H.L. Static Jahn-Teller distortions in the small molecules: CH_4^+ , CF_4^+ , NH_3^+ (excited state) and NH_3 (excited state), 2=22983
- Coulson, C.A. and Zalewski, K. Internal conversion and the crossing of molecular potential energy surfaces, 2=16504
- Coulson, C.A. See Caldwell, G.L., 2=14318
- Coulson, C.A. See Hirschfelder, J.O., 2=6210
- Coulson, C.A. See Jortner, J., 2=1955
- Coulson, C.A. See Sharma, C.S., 2=16475
- Coupry, G. Relation between space and time dampings, 2=1219
- Coupry, G. The notion of a family of proper functions and its application to thin shells, 2=9213
- Courpron, C. See Cadas, J.P., 2=12592
- Courtél, R. A mechanism of sliding friction complementary to that of adhesion, 2=1097
- Courtél, R. On the observation of certain periodic damage caused to surfaces by rubbing, and its interpretation, 2=4350
- Courtél, R., Makram, H. and Pigeat, G. Optical examination and determination of microhardness of single crystals of yttrium garnet and magnetoplumbite, 2=21449
- Courtès, G. Astrophysical use of very selective interference filters and of a new multiple band-pass filter, 2=11099
- Courtès, G., Gruvellier, P. and Pottasch, S.R. Movement of the bright edges in diffuse nebulae, 2=17298
- Courtney, W.G. Remarks on homogeneous nucleation, 2=2934
- Courtney, W.G. Non-steady-state nucleation, 2=13486
- Courtney, W.G. Kinetics of condensation of water vapour, 2=13487
- Courville, G.E. and Biondi, M.A. Temperature dependence of ionic mobilities in gas mixture, 2=19899
- Cousins, J.E. and Nash, W.F. The momentum spectrum of μ -mesons at 37 m water equivalent underground, 2=7916
- Cousins, L.R. See Saier, E.L., 2=10248
- Couture, L. See Amat, G., 2=13427
- Covington, A.E., Harvey, G.A. and Dodson, H.W. Selected high-resolution strip scans of the 10.7 cm sun, 2=13170
- Covington, A.E. See Clark, R.F., 2=13157
- Cowan, J.D. Conference on redundancy techniques in computing systems, Washington D.C., February, 1962, 2=15454
- Cowen, J.A. See Kaplan, D.E., 2=3177
- Cowles, L.E.J. and Dauncey, L.A. Apparatus for the rapid scanning of the Seebeck coefficient of semiconductors, 2=2139
- Cowley, A.P. Some molecular abundances in a carbon rich atmosphere, 2=24146
- Cowley, C.W., Timson, W.J. and Sawdye, J.A. A method for improving heat transfer to a boiling fluid, 2=15780
- Cowley, J.M. Diffraction intensities from bent crystals, 2=14994
- Cowley, J.M. and Kuwabara, S. Electron diffraction intensities from polycrystalline material containing heavy atoms, 2=10819
- Cowley, R.A. Some calculations using the Ewald transformation, 2=14352

- Cowley, R.A. The lattice dynamics of ionic and covalent crystals, 2=16590
- Cowley, R.A. The elastic and dielectric properties of crystals with polarizable atoms, 2=16944
- Cowley, R.A. Temperature dependence of a transverse optic mode in strontium titanate, 2=23496
- Cowley, R.A. See Cochran, W., 2=14596
- Cowling, T.G. See Rubbra, F.T., 2= 2539
- Cowperthwaite, M. and Bauer, S.H. Estimation of molecular parameters of C/H fragments, 2=12347
- Cowperthwaite, M. See Tsang, W., 2=12349
- Cox, D.B. Radial flow in the cone-plate viscometer, 2=9245
- Cox, D.E., Takei, W.J., Miller, R.C. and Shirane, G. A magnetic and neutron diffraction study of the $\text{Fe}_2\text{O}_3\text{-V}_2\text{O}_5$ system, 2=18921
- Cox, D.E. See Shirane, G., 2=6663
- Cox, G.C. See Bowen, P.H., 2=1691
- Cox, G.C. See Bowen, P.H., 2=7987
- Cox, G.C. See Bowen, P.H., 2=13810
- Cox, G.C. See Kerns, Q.A., 2=5267
- Cox, J.T. Special type of double-layer antireflection coating for infrared optical materials with high refractive indices, 2=98
- Cox, J.T., Hass, G. and Thelen, A. Triple-layer antireflection coatings on glass for the visible and near infrared, 2=19678
- Cox, M.C. See Mysels, K.J., 2=7189
- Cox, P.G. See Small, A.M., Jr., 2=11218
- Coxell, H., Meyer, M.A., Scull, P.S. and Wolfendale, A.W. Optical measurements on neon flash-tubes, 2=3189
- Coyle, R.A. See Hickman, B.S., 2=21516
- Cozens, J.R. and von Engel, A. New caloelectric effect, 2=13531
- Crabbe, G.F. and Kearns, G.L. Change-exchange phenomena in a mass spectrometer, 2=5390
- Craddock, M.K. See Stafford, G.H., 2=13801
- Cragg, T.A. Rotation of Saturn, 2=9062
- Craggs, J.D. Time-resolved spectroscopy, 2=1451
- Craggs, J.D. See Bhalla, M.S., 2=17784
- Craggs, J.D. See Chatterton, P.A., 2=5300
- Craggs, J.D. See Churchill, R.J., 2=3012
- Craggs, J.D. See Vujnovic, V., 2=17805
- Craig, D.P. and Zauli, C. d orbitals in compounds of second-row elements. I. SF_6 , 2=20839
- Craig, D.P. and Zauli, C. d orbitals in compounds of second-row elements. II. Comparison of H, C, F, and Cl as ligands, 2=20840
- Craig, G.B. See McGrath, J.T., 2=16982
- Craig, G.B. See Rezek, J., 2=14451
- Craig, N.C. and Entemann, E.A. Infrared spectra and vibrational assignments for cis and trans, 1,2-Difluoroethylenes: $\text{HFC} = \text{CFH}$, $\text{HFC} = \text{CFD}$, and $\text{DFC} = \text{CFD}$, 2=1996
- Craig, P.P. Drag forces in rotating He II, 2=1328
- Craig, P.P., Nagle, D.E., Steyert, W.A. and Taylor, R.D. Paramagnetism of Fe impurities in transition metals, 2=21294
- Craig, P.P. See Nagle, D.E., 2=4216
- Craig, P.P. See Steyert, W.A., 2=23039
- Craig, R.S. See Kofstad, P., 2=18986
- Craig, R.S. See Saba, W.G., 2=2054
- Craik, D.J. See Bates, L.F., 2=10656
- Craik, D.J. See Bates, L.F., 2=21327
- Craik, R.L., Birch, D., Fizzotti, C. and Saraceno, F. Phase equilibria in uranium-rich binary alloys containing molybdenum and zirconium and the effect of ternary additions of carbon, 2=17033
- Cramarossa, F. See Cimino, A., 2=12548
- Cramer, J.G., Jr. and Class, C.M. The beta decay of Sc^{41} , 2=16350
- Cramer, W.A., Telegdi, V.L., Winston, R. and Lundy, R.A. Muon capture rates for Ca^{44} and Ca^{40} : observation of the isotope effect, 2=13840
- Cramer, W.A. See Lundy, R.A., 2=20659
- Cranberg, L. Time-to-pulse height converter as coincidence and anti-coincidence indicator, 2=7541
- Cranberg, L., Fernald, R.A., Hahn, F.S. and Schrader, E.F. Production of high intensity ion pulses of nanosecond duration, 2=5407
- Cranberg, L. See Ajzenberg-Selove, F., 2=381
- Cranberg, L. See Thomson, D.B., 2=10112
- Crane, L.T. Effect of oxygen upon the heat capacity of gadolinium between 1.3° and 5°K , 2=2053
- Crane, L.T. Specific heats of dilute Au-Co alloys between 1.2° and 5°K , 2=8167
- Crane, L.T. and Zimmerman, J.E. The specific heats of single Cu-Mn crystals between 1.4° and 5°K , 2=8170
- Crane, L.T. See Zimmerman, J.E., 2=10331
- Crane, R. See Murphy, T.W., 2=13205
- Crangle, J. and Shaw, J.A. The range of stability of the super-lattice Pt_3Fe , 2=6832
- Crangle, J. and Smith, T.F. Specific heat of metallic palladium between 65 and 105°K , 2=23077
- Crangle, J. See Booth, J.G., 2=14801
- Crangle, J. See Booth, J.G., 2=14802
- Cranshaw, T.E. See De Beer, J.F., 2=7914
- Crapo, W.A. See McGuire, T.R., 2=12717
- Crausse, E., Causse, R. and Poirier, Y. Experimental study of the laminar setting in motion of an electrically conducting liquid in a tube of rectangular cross-section in a magnetic field, 2=3140
- Crausse, E., Causse, R. and Pourier, Y. Motion between two parallel planes of a conducting fluid under the action of a transverse magnetic field, 2=5451
- Crawford, B., Jr. See Golden, D.M., 2=8097
- Crawford, B., Jr. See Wu, E.L., 2=1989
- Crawford, D.F. See Messel, H., 2=12085
- Crawford, F.S., Jr., Grard, F. and Smith, G.A. Production of Σ^+K^+ by (π^+, p) interaction at 1170 MeV/c , 2=22650
- Crawford, F.S., Jr. See Alexander, G., 2=3411
- Crawford, F.S., Jr. See Alexander, G., 2=20413
- Crawford, F.W. Impedance characteristics of a mercury-vapor plasma, 2=1425
- Crawford, F.W. Frequency spectra of low-frequency fluctuations in plasma, 2=1467
- Crawford, F.W. and Kino, G.S. Oscillations and noise in low-pressure d.c. discharges, 2=5324
- Crawford, G.W. See Bradshaw, W.W., 2=18032
- Crawford, J.H., Jr. See Cleland, J.W., 2=20992
- Crawford, J.H., Jr. See Cleland, J.W., 2=23326
- Crawford, J.H., Jr. See Curtis, O.L., Jr., 2=2150
- Crawford, J.H., Jr. See Curtis, O.L., Jr., 2=12514
- Crawford, J.H., Jr. See Curtis, O.L., Jr., 2=12515
- Crayton, N., Levii Setti, R., Raymond, M., Skjeggstad, D., Abeledo, D., Ammar, R.G., Roberts, J.H. and Shipley, E.N. Summary of binding energy data from nuclei decaying by π -emission, 2=3472
- Crayton, N., Levi Setti, R., Raymond, M., Skjeggstad, O., Abeledo, D., Ammar, R.G., Roberts, J.H. and Shipley, E.N. Compilation of hyperfragment binding energies, 2=22718
- Crayton, N. See Abeledo, D., 2=5791
- Creel, W. See Boomsliiter, P.C., 2=21977
- Creelman, C.D. Human discrimination of auditory duration, 2=13215
- Creely, J.J. and Conrad, C.M. X-ray diffractometer thermal technique for study of structural changes in cellulosic compounds, 2=14980
- Cremieu-Alcan, E., Falk-Vairant, P. and Lebey, O. [Eds.]. The Aix-en-Provence International Conference on Elementary Particles. Vol. I. Parallel sessions, 2=3291
- Cremieu-Alcan, E., Falk-Vairant, P. and Lebey, O. [Eds.]. The Aix-en-Provence International Conference on Elementary Particles. Vol. II. Plenary sessions, 2=3292
- Cressell, I.G. Proceedings of the symposium on tunnel diodes — London, February 1961, 2=2176
- Cresswell, M.W. and Roy, R.R. On the reaction $\text{Pt}(n, \alpha)\text{Os}$, 2=5943
- Cresti, M. See Bellini, G., 2=22573
- Cresti, M. See Carrara, R., 2=22559
- Cresti, M. See Chadwick, G.B., 2=22522
- Cresti, M. See Grard, F., 2=1715
- Cresti, M. See Grard, F., 2=22513
- Crettez, J.P. See Ambrosino, G., 2=5516
- Creutz, E., Grenacs, L. and Jones, A. Excited levels of $^{116}_{50}\text{Sn}$, 2=12148
- Creutz, E.S. and Zumwalt, L.R. A new semiempirical equation for gas flow through capillaries, 2=19586
- Cribier, D., Farnoux, B. and Jacrot, B. Experimental determination of the principal "optical" frequencies of CaF_2 , 2=20922
- Cribier, D. See Hautecler, S., 2=12397
- Crisp, R.S. The reflectivity of glass and aluminium gratings at grazing incidence below 1000 \AA , 2=116
- Crispin, A. See Barton, J.C., 2=22139
- Cristea, I.I. Intrinsic equations for a continuous motion of fluids, 2=4988
- Cristea, V. See Ursu, I., 2=23416
- Cristescu, G. New kind of electric discharge, a spectroscopic source of variable excitation, 2=7589
- Cristofori, F. See Colli, L., 2=22922
- Cristu, M., Dorcioman, D., Cojocaru, V. and Dragomirescu, D. 0-350 keV gamma-rays from thermal neutron capture in S, Sc and J, 2=1002
- Critchlow, P.R. See Bhagat, S.M., 2=5227
- Crittenden, E.C., Jr. See Schmidlin, F.W., 2=5238
- Croce, P., Gandais, M. and Marraud, A. Study of the structure of thin films of gold and indium, 2=6848
- Croce, P., Gandais, M. and Marraud, A. Second orientation of crystals in thin layers of indium, 2=19035

- Croci, R. See Canobbio, E., 2-5388
- Crocker, A.G. Twinned martensite, 2-8768
- Crocker, A.J. Crystal habits of GaAs and GaP grown from the vapor phase, 2-21462
- Croft, J.F. and Perry, K.E.G. A technique for rapid emergency air sampling, 2-20536
- Croft, T.A. and Villard, O.G., Jr. An h.f. radar search for possible effects of earth satellites upon the upper atmosphere, 2-2495
- Croft, V. See McGrath, I.A., 2-17682
- Croft, W.L. See Pettersson, B.G., 2-18296
- Croissiaux, M. See Bumiller, F., 2-282
- Croitoru, N. See Corciovei, A., 2-4446
- Croitoru, N. See Corciovei, A., 2-6818
- Croitoru, N. See Grigorovici, R., 2-6469
- Croitoru, N. See Grigorovici, R., 2-8281
- Croitoru, N. See Grigorovici, R., 2-8282
- Croitoru, N. See Grigorovici, R., 2-8283
- Croitoru, N. See Grigorovici, R., 2-12518
- Croitoru, N. See Grigorovici, R., 2-18682
- Croitoru, N. See Grigorovici, R., 2-18749
- Croitoru, N. See Kroitoru, N.
- Crombie, D.D. Reflection from a sharply bounded ionosphere for V.L.F. propagation perpendicular to the magnetic meridian, 2-5484
- Cronin, J. See Engels, E., 2-18048
- Cronin, J.W. Spark chambers — state of the art, 2-18047
- Cronin, J.W., Engels, E., Pyka, M. and Roth, R. Electron showers in a lead plate spark chamber, 2-22489
- Cronk, E.R. See Steinort, E., 2-12719
- Crook, A.W. Some physical aspects of lubrication and wear, 2-23796
- Crooks, J.W., Jr. A simplified high precision 200 million mile tracking, guidance and communication system, 2-11207
- Cropper, W.H. See Henley, E.J., 2-12978
- Cros, M. See Chaminade, R., 2-3194
- Crosby, G.A. and Whan, R.E. Selective excitation of trivalent thulium via intramolecular energy transfer, 2-6611
- Cross, L.E. The properties of ferroelectric materials at high frequency, 2-14608
- Cross, P. See Axton, E.J., 2-3355
- Cross, P.C. See Redington, R.L., 2-6159
- Cross, P.C. See Spencer, G.H., Jr., 2-1987
- Cross, P.C. See Spencer, G.H., Jr., 2-1988
- Cross, R.J., Jr and Wolfgang, R. Billiard-ball collisions in the reactions on the hydrogen displacement in methane, 2-4561
- Cross, W.G. See Bodansky, D., 2-12223
- Crosser, O.K. See Hamilton, R.L., 2-19747
- Crossiaux, M. Electron-proton coincidences in inelastic electron-deuteron scattering, 2-18102
- Crosswhite, H.M., Zipf, E.C., Jr and Fastie, W.G. Far-ultraviolet auroral spectra, 2-15258
- Crosswhite, H.M. See Dieke, G.H., 2-20822
- Crosswhite, H.M. See Fastie, W.G., 2-916
- Crouch, H.R., Jr. See Chretien, M., 2-22610
- Crowden, J.B. and Marsden, P.L. The diurnal variation of the intensity of the nucleonic component during Forbush decreases, 2-13910
- Crowe, K.M. See Chamberlain, O., 2-7902
- Crowell, A.D. and Norberg, A.L., Jr. Work function changes produced by chemisorption on surfaces with different types of adsorption sites, 2-20011
- Crowell, C.R., Spitzer, W.G., Howarth, L.E. and LaBate, E.E. Attenuation length measurements of hot electrons in metal films, 2-22251
- Crowell, C.R. See Spitzer, W.G., 2-18747
- Crowther, R.L. Use of thorium in boiling water reactors, 2-14174
- Crozier, W.D. Five years of continuous collection of black, magnetic spherules from the atmosphere, 2-19228
- Crozon, M. and Tocqueville, J. Scattering of 960 MeV/c π -mesons by nuclei, 2-12213
- Cruikshank, D.W.J. Coordinate errors due to rotational oscillations of molecules, 2-10825
- Crupi, G. On cylindrical magnetohydrodynamic waves, 2-7719
- Crupi, G. On the equations of magneto-elasticity, 2-7720
- Crussard, C. Stacking faults in iron, 2-23198
- Crussard, J. See Berley, D., 2-22633
- Crut, M. See Chaminade, R., 2-494
- Crut, M. See Chaminade, R., 2-1923
- Cruvillier, P. Radial velocity of new H II regions, 2-11148
- Cruvillier, P. See Courtès, G., 2-17298
- Cruzan, O.R. Translational addition theorems for spherical vector wave functions, 2-11791
- Cryzinski, M. and Sadowski, M. The design and construction of magnetic fields for plasma research, 2-20099
- Csavinsky, P. Treatment of ionized impurity scattering in degenerate semiconductors. Application of the variational technique in the partial-wave method, 2-12507
- Csejthey-Barth, M. See Jones, B.D., 2-16241
- Csejthey-Barth, M. See Jones, B.D., 2-22834
- Csikai, J., Daróczy, A. and Dede, K. Measurements of the diffusion length of thermal neutrons in water from 16 to 89°C and in diphyl (Dowtherm A) at 185°C, 2-5665
- Csikai, J., Molnár, E. and Schlenk, B. Investigations about the critical radius of the BF₃ counters, 2-3193
- Csikai, J. See Szalay, A., 2-5618
- Csillag, L. On the experimental verification of the Balmer spectrum theory, 2-10204
- Csoma, Z. The distribution of linear momentum of nucleons in nuclei, 2-343
- Cucka, P. and Barrett, C.S. The crystal structure of Bi and of solid solutions of Pb, Sn, Sb and Te in Bi, 2-21515
- Cucurezeanu, I. See Agărbiceanu, I., 2-6090
- Cuddy, L.J. and Machlin, E.S. Quenching-in and annealing of point defects in silver, 2-23152
- Cueille, J.P. See Raoult, G., 2-11750
- Čuenkov, V.A. The electrical conductivity of valence semiconductors in strong electric fields at low temperatures, 2-23272
- Ct̃er, P., Pfohl, R. and Gegauff, C. Preliminary research into primary interactions in nuclear reactions induced by Ne²⁰ ions of 200 MeV using nuclear emulsions, 2-504
- Ct̃er, P. See Baumann, G., 2-10000
- Ct̃er, P. See Baumann, G., 2-10108
- Ct̃er, P. See Baumann, G., 2-12189
- Ct̃er, P. See Baumann, G., 2-18347
- Ct̃er, P. See Baumann, G., 2-20661
- Ct̃er, P. See Braun, H., 2-22816
- Ct̃er, P. See Debeauvais-Wack, M., 2-3339
- Cuevas, J. See Allison, S.K., 2-1968
- Cuevas, J. See Allison, S.K., 2-18427
- Cuevas, M. See Fritzsche, H., 2-23320
- Čujec, B. Photoneuclear effect with Be⁹, 2-22786
- Cullen, A.L. Propagation of microwaves through a magneto-plasma, and a possible method for determining the electron velocity distributions, 2-1602
- Cullen, A.L. See Allison, J., 2-7568
- Cullen, G.W., Amick, J.A. and Gerlich, D. The stabilization of germanium surfaces by ethylation. I. Chemical treatment, 2-8335
- Cullen, G.W. See Amick, J.A., 2-8336
- Cullen, G.W. See Gerlich, D., 2-8337
- Culler, G.J., Fried, B.D., Hüff, R.W. and Schrieffer, J.R. Solution of the gap equation for a superconductor, 2-15848
- Culligan, G., Harting, D., Lipman, N.H. and Tibell, G. The decay rate of negative muons bound in K-orbits around iron nuclei, 2-22928
- Culligan, G., Lathrop, J.F., Telegdi, V.L., Winston, R. and Lundy, R.A. Experimental proof of the spin dependence of the muon capture interaction, and evidence for its (F-GT) character, 2-5849
- Culligan, G. See Lundy, R.A., 2-20659
- Culvahouse, J.W. Paramagnetic resonance of nickel ions in double-nitrate crystals, 2-14829
- Culwick, B.B. and Goldsack, S.J. Measuring machine for bubble chamber photographs, 2-5543
- Culwick, B.B. See Bertanza, L., 2-13854
- Culwick, B.B. See Brown, H.N., 2-12013
- Cummack, C.H. Evidence of some geomagnetic control on the F1 layer, 2-899
- Cummack, C.H. The heat balance of the F-region and the saturation effect, 2-4651
- Cummack, C.H. The thermal balance of the ionospheric F-region, 2-21653
- Cumming, G.L. See Baadsgaard, H., 2-4755
- Cumming, J. and Moorhouse, R.G. Partial wave dispersion relations in K-nucleon absorption. II, 2-12003
- Cumming, J.B., Friedlander, G., Hudis, J. and Poskanzer, A.M. Spallation of aluminum by 28 GeV protons, 2-18326
- Cumming, J.B., Friedlander, G. and Katcoff, S. C¹²(p,pn)C¹¹ cross-section at 28 GeV, 2-10107
- Cummings, D.G. See Bunn, P.M., 2-23738
- Cummings, F.W. See Bauer, E., 2-6237
- Cummings, F.W. See Callaway, J., 2-8341
- Cummings, W.C. See Steinberg, J.C., 2-17576
- Cummings, W.V. See Holden, A.G., 2-18625
- Cummins, W.F. Diagnostic techniques of the high compression and neutral injection experiments, 2-7625
- Cundy, D.C., Donald, R.A., Evans, W.H., Hadley, D.W., Hart, W., Mason, P., Newport, R.W., Plane, D.E., Smith, J.R. and Thomas, J.G. Internally produced electron pairs from π^- -mesons captured in hydrogen, 2-5716
- Cunliffe, A. See Garlick, G.F.J., 2-10409

- Cunningham, G.W. and Spretnak, J.W. A study of the effect of applied pressure on surface contact area, 2=14914
- Cunningham, J. Radiation-induced optical absorption in KNO_3 crystals, 2=18832
- Cunningham, J. and Steele, L.R. Lattice compressibility and its relation to the radiolysis of ionic nitrates at 700 atmospheres, 2=21090
- Cunningham, R.W. See Beattie, A.R., 2=4074
- Cuny, Y., Lefèvre, J., and Pecker, J.C. The influence of the inhomogeneities on the central intensity of the Fraunhofer lines, 2=4776
- Cupcic, A. Young's modulus of an aggregate of p cells, 2=6713
- Cuperman, S. Search for pseudoscalar interaction in $\frac{1}{2}^+ \rightarrow \frac{1}{2}^-$ β -decay transitions. I. Measurement of the longitudinal polarization of the β -particles emitted in the transition ${}_{81}\text{TI}^{207} \rightarrow {}_{82}\text{Pb}^{207}$, 2=3514
- Cuperman, S., Engelmann, F. and Oxenius, J. On impurity radiation losses from a hot spherical plasma, 2=22206
- Cuperman, S.A. Search for pseudoscalar interaction in $\frac{1}{2}^+ \rightarrow \frac{1}{2}^-$ β -decay transitions. II. On the calculation of the longitudinal polarization of β -particles emitted in $\frac{1}{2}^+ \rightarrow \frac{1}{2}^-$ transitions and the relative contribution of the pseudoscalar interaction, 2=10039
- Cupp, C.R. and Flubacher, P. An autoradiographic technique for the study of tritium in metals and its application to diffusion in zirconium at 149° to 140°C , 2=21073
- Curcio, J.A. See Knestrick, G.L., 2=19203
- Curcio, P. and Nankivell, J.F. An exposure meter for an electron microscope, 2=11718
- Curien, H. and Fructus-Ricquebourg, J. Dielectric dispersion in lithium fluoride crystals irradiated with neutrons, 2=659
- Curien, H., Rimsky, A. and Defrain, A. Atomic structure of a crystalline phase of gallium, unstable at atmospheric pressure, 2=2386
- Curl, R.F., Jr. Microwave spectrum of chlorine dioxide. III. Interpretation of the hyperfine coupling constants obtained in terms of the electronic structure, 2=20830
- Curl, R.F., Jr., Heidelberg, R.F. and Kinsey, J.L. Microwave spectrum of chlorine dioxide. II. Analysis of hyperfine structure and the spectrum of $\text{Cl}^{35}\text{O}^{16}\text{O}^{18}$, 2=20829
- Curl, R.F. See Tolles, W.M., 2=20831
- Curnutte, B. See Tsao, C.J., 2=12305
- Curran, R.K. Negative ion formation in ozone, 2=1391
- Curran, R.K. Formation of NO_2^- by charge transfer at very low energies, 2=3009
- Current, J.H. See Rabinovitch, B.S., 2=10241
- Currie, M.R. See Brewer, G.R., 2=7045
- Currie, W.M. Lifetime of the 2.083 MeV state in Ce^{140} , 2=13983
- Currie, W.M., Azuma, R.E. and Lewis, G.M. Measurements of instrumental time delay and resolution in a fast coincidence system, 2=5277
- Currin, J.D. Theory of exchange relaxation of hyperfine structure in electron spin resonance, 2=14321
- Curry, N.A. See Bacon, G.E., 2=4430
- Curtis, A.J. Dielectric loss in "nonpolar" polymers, 2=18763
- Curtis, B.J. See Harrison, F.W., 2=12908
- Curtis, C.W. See DeVault, G.P., 2=9220
- Curtis, O.L., Jr. Effect of a phase transformation on the vapor phase growth of single-crystal HgS , 2=16976
- Curtis, O.L., Jr. and Crawford, J.H., Jr. Radiation-induced recombination and trapping centers in germanium. I. The nature of the recombination process, 2=2150
- Curtis, O.L., Jr. and Crawford, J.H., Jr. Carrier recombination and trapping processes in irradiated germanium, 2=12514
- Curtis, O.L., Jr. and Crawford, J.H., Jr. Radiation-induced recombination and trapping centers in germanium. II. Annealing in gamma-irradiated, antimony- and arsenic-doped material, 2=12515
- Curtis, S.B. See Nickols, N.A., 2=22716
- Curzon, F.L. and Churchill, R.J. Framing camera studies of the Z-pinch in nitrogen, 2=19966
- Curzon, F.L., Churchill, R.J. and Howard, R. Streamers in the nitrogen pinch, 2=22196
- Curzon, F.L. and Howard, R. A proposal to use microwave cavities to study the surface properties of high density plasmas, 2=1444
- Cusachs, L.C. Dependence of induction and dispersion energies at finite internuclear distances, 2=3714
- Cusachs, L.C. Study of a simple semi-empirical potential function for covalent diatomic molecules, 2=20789
- Cushing, R.L. See Attree, R.W., 2=5834
- Cusminsky, J.B.de. See de Cusminsky, J.B.
- Cusson, Y., Lucasson, P. and Walker, R.M. The production of atomic displacements near threshold in Fe and Cu. II. Preliminary results on monocrystals irradiation, 2=23169
- Cuthill, J.R. See Wyman, L.L., 2=21536
- Cuthill, J.R. See Yakowitz, H., 2=21256
- Cutkosky, R.D. Evaluation of the N.B.S. unit of resistance based on a computable capacitor, 2=5248
- Cutkosky, R.E. Expansion of the scattering matrix in terms of multiple impulsive peripheral interactions, 2=22441
- Cutkosky, R.E. Wave functions, 2=3286
- Cutkosky, R.E., Kalckar, J. and Tarjanne, P. A dynamical scheme for meson-baryon interactions based on SU_3 symmetry, 2=13827
- Cutler, C.C. Radio communication by means of satellites, 2=11208
- Cutler, D. and Powles, J.G. Microwave spin echoes, electron spin relaxation and electron diffusion in metal-ammonia solutions, 2=17488
- Cvelbar, F., Hudoklin, A., Mihailović, M.V. and Ramšak, V. A telescope pair spectrometer for 5-20 MeV gamma-rays, 2=16181
- Cvetanović, R.J. and Doyle, L.C. Molecular rearrangement in the mercury-photosensitized reaction of butene-1, 2=19158
- Cvijanovic, G., Egli, P., Koch, W., Nikolic, M., Schneeber, R., Winzeler, H., Czapek, G. and Kellner, G. Elastic scattering of high energy protons on hydrogen nuclei, 2=22515
- Cvijanovich, G.B. Diffraction scattering of 24 BeV protons at very small angles, 2=5904
- Cvijanovic, G., Egli, P., Koch, W., Nikolic, M., Schneeber, R., Winzeler, H., Czapek, G. and Kellner, G. Elastic scattering of high energy protons on hydrogen nuclei, 2=22515
- Cvijanovich, G.B. Diffraction scattering of 24 BeV protons at very small angles, 2=5904
- Cvijanovich, G.B., Egli, P., Gorgé, V., Hofer, H., Koch, W., Nikolić, M., Schneeberger, R., Winzeler, H., Zulauf, M., Czapek, G. and Kellner, G. Elastic scattering of 24 GeV protons on hydrogen nuclei, 2=5638
- Cyvin, S.J. and Meisingseth, E. Out-of-plane molecular vibrations and "shrinkage effects" in naphthalene skeleton, 2=22993
- Cyvin, S.J. See Morino, Y., 2=10267
- Cyvin, S.J. See Meisingseth, E., 2=18434
- Czaja, W. Thermodynamic theory of irreversible processes, 2=2643
- Czaja, W. Theory of the energy required for the production of electron-hole pairs in semiconductors of Group IV, 2=6436
- Czaja, W. See Baldinger, E., 2=6478
- Czaja, W. See Baldinger, E., 2=9744
- Czanderna, A.W. See Wieder, H., 2=6878
- Czapek, G., Kellner, G. and Pietschmann, H. Determination of the slope of the Pomeranchuk trajectory from high energy elastic scattering, 2=20266
- Czapek, G. See Cvijanovich, G.B., 2=5638
- Czapek, G. See Cvijanovic, G., 2=22515
- Czapek, G. See Kellner, G., 2=18346
- Czapp, B. See Kellner, G., 2=18346
- Czarnecki, J. Parameters of radiation gauges, 2=5613
- Czarycki, W. Obtaining ultra-high vacuum by means of getter-ion pumps, 2=15657
- Czekalla, J. and Wick, G. The determination of the absolute transition moment directions and of the dipole moments of excited molecules from measurements of the electrical dichroism. II. Results, 2=20780
- Czekalla, J. See Liptay, W., 2=8101
- Czerny, M. See Bruder, C., 2=7356
- Czjzek, G., Seeger, A. and Mader, S. Stability of stacking fault tetrahedra in quenched f.c.c. metals and alloys, 2=14450
- Czubek, J., Florkowski, T., Górski, L. and Zuber, A. Comparison of spectra obtained for various measurement parameters in a single-channel automatic gamma-ray spectrometer, 2=3305
- Czulius, W., Engler, H.D. and Kuckuck, H. Semiconductor-insulating layer counters, 2=16093
- Czyż, W. On the microscopic theory of giant dipole resonance, 2=3547
- Czyzak, S.J., Manthuruthil, J.C. and Reynolds, D.C. Etch pit studies on ZnS crystals, 2=2351
- Czyż, W. Production of photons in high energy pion-nucleon collisions, 2=9898
- Daams, H. See Holuj, F., 2=16019
- Dabbs, J.W.T. See Hanauer, S.H., 2=393
- Dabek, W. See Łabno, L., 2=3362
- Dabosi, F. Several micrographic observations of Weiss domains in zone-refined iron, 2=6667
- Dabosi, F. and Dubois, B. The magnetic properties of zone-melted iron. The influence of small additions of carbon, 2=12764
- Dabosi, F., Epelboin, I. and Talbot, J. The magnetization of specimens of zone-melted iron of thickness less than the mean width of Weiss domains, 2=8635

- browski, J., Sobiczewski, A. and Zielińska, M. Calculation of the optical potential with the nucleon-nucleon phase shifts, 2=1868
- browski, J., Sobiczewski, A. and Zielińska, M. Calculation of the optical potential with the nucleon-nucleon phase shifts in the Thomas-Fermi approximation, 2=10093
- browski, J. See Borysowicz, J., 2=1910
- browski, J. See Borysowicz, J., 2=14124
- cey, G.C. Optical masers in science and technology, 2=3160
- Costa, R.C.T. On the diffraction of a pulse by a half-plane, 2=17957
- Costa, R.C.T. On the diffraction of a pulse at the open end of a parallel-plate waveguide, 2=17961
- cus, E.N. See Scott, F.R., 2=22034
- ddi, L. Determination of the end-point energy of a β -spectrum by the absorption coefficient in aluminium, 2=9825
- dykin, V.L. See Chudakov, A.E., 2=20460
- ehnick, W.W. See Schrank, G., 2=20609
- ael, W. Van. See Van Dael, W.
- en, J. and de Boer, P.C.T. Some studies on argon, helium and carbon dioxide, with an integrated-Schlieren instrumented shock tube, 2=7244
- agai, M. See Consoli, T., 2=1418
- agg, I.R. See Embleton, T.F.W., 2=15712
- agliana, M.G., Della Corte, M. and Tocci-Cecchi, L. Photometric track profiles of heavy relativistic nuclei, 2=3233
- agliana, M.G. See Cartacci, A.M., 2=3316
- ahl, O.I. See Bastien, P.L., 2=22608
- ahl-Jensen, E., Gailloud, M., Lock, W.O. and Vanderhaeghe, G. Two modes of measuring spurious scattering in nuclear emulsion, 2=5553
- ahl-Jensen, E. and Skrzypczak, E. The influence of heating on fading in nuclear emulsions, 2=11845
- ahl, L.F. and Wampler, D.L. The crystal structure of α -niobium tetraiodide, 2=21518
- ahl, O.I. See Cork, B., 2=18113
- ahlberg, E. On the one-dimensional flow of a conducting gas in crossed fields, 2=3146
- ahlberg, R., Jirlow, K. and Johansson, E. Measurements of some resonance activation integrals, 2=7994
- ahlborg, U. See Larsson, K.E., 2=10321
- ahler, J.S., Franklin, J.L., Munson, M.S.B. and Field, F.H. Rare-gas molecule-ion formation by mass spectrometry. Kinetics of Ar_2^+ , Ne_2^+ and He_2^+ formation by second- and third-order processes, 2=16569
- ahler, J.S. and Scriven, L.E. Angular momentum of continua, 2=1087
- ahler, J.S. See Sather, N.F., 2=1198
- ahler, J.S. See Sather, N.F., 2=15537
- ahmen, H.D. and Schaarschmidt, A. Calculation of response and resolution of a Compton-coincidence scintillation spectrometer, 2=9740
- ahn, C.C. See Page, T., 2=7023
- hne, S. Visible and infrared spectra of photographically active dyes adsorbed on silver halides, 2=9411
- hne, S., Frenz, G. and Seiwert, R. Spectral analytical determination of the chromium content of Al_2O_3 - Cr_2O_3 mixed crystals, 2=862
- ahne, W. See Hoppe, R., 2=21519
- ai Ca Nguyen. See Nakamura, T., 2=5913
- ai Ca Nguyen. See Yanabu, T., 2=8007
- ai Ca Nguyen. See Yanabu, T., 2=16425
- alber, J.W. and Williams, M.J. Transition probabilities for nitric oxide in the far ultraviolet, 2=8108
- aich, A.R. See Tsirlin, Yu.A., 2=15748
- alley, B.P. See Rothschild, W.G., 2=14266
- alley, B.P. See Jonathan, N., 2=14328
- ainton, F.S. See Collinson, E., 2=4555
- ainton, F.S. See Collinson, E., 2=4556
- ainton, F.S. See Collinson, E., 2=4557
- alion, M.I., Volynskii, V.Kh. and Potapov, L.I. A telescope of spark counters in a magnetic field as a means of measuring the momentum of a fast charged particle, 2=17989
- alion, M.I. See Volynskii, V.Kh., 2=20215
- aiyasu, K., Kobayakawa, K., Murota, T. and Nakano, T. On hard showers produced by μ -mesons, 2=12080
- aiyasu, K., Kobayakawa, K., Yajima, N. and Yokomi, H. A semi-phenomenological approach to multiple meson production, 2=11968
- akhovskii, I.V. See Samoilovich, A.G., 2=3893
- akhovskii, I.V. See Samoilovich, A.G., 2=10454
- akhovskii, I.V. See Samoilovich, A.G., 2=6440
- akhovskii, I.V. See Samoilovich, A.G., 2=8202
- akin, T.W. and Berg, D. Theory of gas breakdown, 2=19927
- alby, F.W. See Bennett, R.G., 2=3761
- alby, F.W. See Paul, D.E., 2=20882
- ale, E.B. and Senecal, G. Annealing effects in evaporated InSb films, 2=16726
- Dale, J.R. Defects in epitaxially vapour grown germanium deposits, 2=19062
- Dalgarno, A. Charged particles in the upper atmosphere, 2=880
- Dalgarno, A. Transport properties of atomic hydrogen, 2=2770
- Dalgarno, A. Perturbation theory calculations, 2=3680
- Dalgarno, A. Intermolecular potentials for ionic systems, 2=3716
- Dalgarno, A. and Ewart, R.W. Sum rules for the oscillator strengths of H^- , 2=20741
- Dalgarno, A. and McNamee, J.M. Calculation of polarizabilities and shielding factors, 2=1954
- Dalgarno, A. and Smith, F.J. The thermal conductivity and viscosity of atomic oxygen, 2=9316
- Dalgarno, A. and Smith, F.J. The viscosity and thermal conductivity of atomic hydrogen, 2=11426
- Dalgarno, A. and Williams, D.A. Raman and Rayleigh scattering of Lyman α by molecular hydrogen, 2=22968
- Dalgarno, A. See Cohen, M., 2=22881
- Dalinenko, N.K. See Vil'dgrube, G.S., 2=20019
- Dalitz, R.H. Hypernuclei and the hyperon-nucleon interaction, 2=1783
- Dalitz, R.H. and Rajasekharan, G. The spins and lifetimes of the light hypernuclei, 2=13974
- Dalkhazhav, N. See Van-Shu-Fen', 2=18043
- Dalkhsuren, B., Levenberg, L.Yu., Murin, A.N., Norseev, Yu.V., Pokrovskii, V.P. and Yutlandov, I.A. Concerning the $\text{Yb}^{104} \rightarrow \text{Tm}^{104} \rightarrow \text{Er}^{104}$ decay chain, 2=14023
- Dallaporta, N. Baryon mass differences and isobar states, 2=253
- Dallaporta, N. Some aspects of the problem of the heavy unstable particles, 2=5588
- Dallaporta, N. Baryon mass differences and isobar states, 2=22463
- Dallaporta, N. and De Santis, V. On the electromagnetic form factors of mesons and baryons, 2=18143
- Dallaporta, N. See Bonometto, S., 2=20255
- Dall'olmo, U. Observations of Jupiter during the 1958 opposition, 2=6990
- Dally, E. See Bumiller, F., 2=282
- d'Alte da Veiga, L.M. See Forsyth, J.B., 2=15045
- Dalton, G.R. Interaction of adjacent neutron detectors, 2=16208
- Dalton, G.R. and Osborn, R.K. Flux perturbations by thermal neutron detectors, 2=5651
- Dalton, G.R. and Ritchie, R.H. Re: "Thermal neutron flux depression by absorbing foils" and "Flux perturbations by thermal detectors", 2=9859
- Dalton, M.L., Jr. Nonparallel light, plane grating monochromator, 2=19694
- Daly, N.R. See Wilson, H.W., 2=5389
- Daly, P.J. See Carroll, P.K., 2=3736
- Daly, R.A. and Hill, B.J. Basic semiconductor devices, 2=10498
- Damany-Astoin, N., Sanson, L., Romand, J. and Vodar, B. Absorption spectra of carbon dioxide, and nitrogen in the region, 160-1000 Å, 2=14286
- Damaschun, G. See Unangst, D., 2=23927
- Damask, A.C. Radiation effects in non-fissionable alloys, 2=21547
- Damask, A.C. and Dienes, G.J. Kinetics of vacancy-interstitial annihilation. I. Impurity-interstitial trapping, 2=3901
- Damask, A.C., Furhman, Z.A. and Germagnoli, E. Electrical resistivity changes in annealed Cu_3Au above the critical temperature, 2=2110
- Damask, A.C. See Ascoli, A.T., 2=3935
- Damask, A.C. See Dienes, G.J., 2=2058
- Damask, A.C. See Dienes, G.J., 2=3902
- Damask, A.C. See Wagenblast, H., 2=15070
- Damask, A.C. See Wagenblast, H., 2=21395
- Damaskinskii, E.A., Korolev, G.A. and Kocharov, G.E. Attachment effects of electrons in the ionization chamber, 2=22356
- Damburg, R. and Peterkop, R. Application of the multichannel effective range theory to electron-hydrogen scattering, 2=22921
- Damburg, R.Ya. and Iolin, E.M. Calculation of the diamagnetic susceptibility of helium, 2=18411
- Damburg, R.Ya. See Gorshanova, A.F., 2=20752
- Damerell, C.J.S. Electronic elimination of noise pulses in scintillation counting, 2=13705
- Damerell, C.J.S. See Pagano, R., 2=22133
- Damm, C.C., Futch, A.H., Gordon, F., Hunt, A.L., Popp, E.C., Post, R.F. and Steinhilber, J.F. Plasma production by the trapping of energetic atoms, 2=15912
- Damm, J.Z. and Tompkins, F.C. Thermal bleaching of V- and F-centres in X-irradiated potassium chloride crystals, 2=12472
- Dammig, P., Loudon, M. and Venzke, G. Use of room corners in sound-pressure measurements in architectural acoustics, 2=2849
- Dammig, P. See Venzke, G., 2=2851
- Damon, D.H. and Gerritsen, A.N. Magnetic susceptibility of weakly interacting donors in germanium, 2=16890
- Damon, D.H. See Gerritsen, A.N., 2=7701

- Damon, R.W. and Eshbach, J.R. Magnetostatic modes of a ferro-magnet slab, 2=1593
- Danan, H. See Andra, W., 2=12763
- Danby, G., Gaillard, J.M., Goulianos, K., Lederman, L.M., Mistry, N., Schwartz, M. and Steinberger, J. Observation of high-energy neutrino reactions and the existence of two kinds of neutrinos, 2=20308
- Danby, J.M.A. Integration of the equations of planetary motion in rectangular coordinates, 2=17251
- Dandekar, B.S. and Bhonsle, R.V. An experimental arrangement for scanning night airglow over the sky, 2=4662
- Danelyan, L.S. See Efimov, B.V., 2=18140
- Daneri, A., Loinger, A. and Prosperi, G.M. Quantum theory of measurement and ergodicity conditions, 2=17357
- Danforth, W.E. Desorption of a thorium monolayer, 2=8896
- Danforth, W.E. On the theory of monolayer evaporation, 2=15088
- Dang Do, G. See Do Dang, G.
- Dang Giu Do. See Do Dang Giu.
- Dang Khoi Le. See Le Dang Khoi.
- Dang Ngoc Minh. See Huetz-Aubert, M., 2=1197
- Dang Ngoc Minh. See Huetz-Aubert, M., 2=15648
- Dang Ngoc Minh. See Huetz-Aubert, M., 2=19621
- Dang Tran Quan. See Le Bot, J., 2=4087
- D'Angelo, N. and Motley, R.W. Electrostatic oscillations near the ion cyclotron frequency, 2=13577
- Dangle, R. See Salisbury, S.R., 2=16405
- Danguy, G. Effect of the conditions of precipitation on the properties of silver bromide emulsions, 2=9415
- Danguy, G. Effect of chemical sensitization of silver bromide emulsions on their developability with respect to light and ionizing agents, 2=17659
- Daniel, D.J. Ben. See Ben Daniel, D.J.
- Daniel, E. Electric and magnetic properties of dilute alloys of transition metals in copper, gold and hydrogenated palladium, 2=16675
- Daniel, E.D. and Noble, R. The effect of angular variations in field on fine-particle remanence, 2=12725
- Daniel, H. The β -spectrum of RaE, 2=10046
- Daniel, H. and Jahm, P. Coil arrangement for a β -ray spectrometer with curved exit slit, 2=13773
- Daniel, H., Kuntze, M. and Mehling, O. β - γ circular polarization correlation in K^{42} , Co^{56} , Rb^{86} , Ag^{108m} and I^{130} , 2=3525
- Daniel, H. and Laslett, L.J. Beta-ray spectrometer with curved exit slit, 2=3317
- Daniel, H., Mehling, O., Müller, O. and Subudhi, K.S. β - γ circular-polarization correlation in the decay of Mn^{52} , 2=22768
- Daniel, H. and Schmitt, H. Beta-spectrum of Cs^{137} , 2=14034
- Daniel, H. See Fehrentz, D., 2=3509
- Daniel, M.R. See Mackinnon, L., 2=12377
- Daniel, M.R. See Mackinnon, L., 2=20926
- Daniel, R.R. and Durgaprasad, N. The chemical composition of the primary cosmic radiation above the earth's atmosphere, 2=9950
- Daniel, R.R. and Prasad, N.D. The composition of heavy nuclei of the primary cosmic radiation above the earth's atmosphere, 2=18201
- Daniels, F. See Blytas, G.C., 2=15576
- Daniels, F.B. Generation of infrasound by ocean waves, 2=7282
- Daniels, F.B. Author's comments on the preceding discussion, 2=11155
- Daniels, F.B. and Harris, A.K. Note on "Vertically travelling shock waves in the ionosphere", 2=6933
- Daniels, J.M. and Cotignola, J.M. The interpretation of the angular distribution of gamma rays from assemblies of oriented nuclei, 2=23036
- Daniels, J.M. and Goldemberg, J. Nuclear reactions with oriented target nuclei and polarized beams, 2=12179
- Daniels, J.M. and Griffiths, D.J. Nuclear orientation of Mn^{54} in $MnSiF_6 \cdot 6H_2O$, 2=23037
- Daniels, J.M. and Griffiths, D.J. The angular distribution of γ -rays from Mn^{54} oriented in antiferromagnetic $CoCl_2 \cdot 6H_2O$, 2=23687
- Daniels, R.E. Stable electronic integrator switch, 2=13526
- Daniels, W.B. Low-temperature limit of Grüneisen's gamma of germanium and silicon, 2=8177
- Danielson, G.C. See Heller, M.W., 2=16761
- Danielson, G.C. See Heller, M.W., 2=23404
- Danielson, G.C. See Koenig, P., 2=4152
- Danielsson, O. See Ronne, B.E., 2=9850
- Danielsson, O. See Ronne, B.E., 2=13849
- Daniel-Szabó, J. and Gengnagel, H. Reptation and bascule effect in Fe-Al single crystals, 2=4333
- Danilov, A.D. Formation of NO^+ in the upper atmosphere, 2=8985
- Danilov, A.D. Formation of molecular ions in the upper atmosphere, 2=11045
- Danilov, A.D. The mechanism of excitation of the red oxygen line in the nightglow, 2=11074
- Danilov, A.D. Formation of O_2^+ ions in the upper atmosphere, 2=8990
- Danilov, A.D. Formation of O_2^+ ions in the upper atmosphere, 2=15212
- Danilov, A.D. Molecular nitrogen in the upper atmosphere, 2=19246
- Danilov, A.D. The mechanism of excitation of the red oxygen line in the nightglow, 2=21662
- Danilov, G.S. See Ansel'm, A.A., 2=22456
- Danilov, G.S. See Gribov, V.N., 2=269
- Danilov, G.S. See Gribov, V.N., 2=22424
- Danilov, I.B. See Kapitza, P.L., 2=133
- Danilov, V.N. See Deryugin, I.A., 2=18587
- Danilov, V.N. See Deryugin, I.A., 2=23176
- Danilov, V.V. See Deryugin, I.A., 2=18587
- Danilov, V.V. See Deryugin, I.A., 2=23176
- Danilyan, G.V. See Burgov, N.A., 2=20594
- Danjon, A. Continuous variation of the earth's rotation, 2=13101
- Danjon, A. Terrestrial rotation and quiet sun, 2=15305
- Danko, J.C., Kilp, G.R. and Ferrari, H.M. An investigation of $Li_xNi_{1-x}O$ as a mixed-valence thermoelectric material, 2=10547
- Dannberg, W. and Würtz, G. On the effect on distortion of a thick aspherized glass plate at the image plane of an objective, 2=7327
- Danneberg, W. and Krautz, E. Self-diffusion in molybdenum, 2=6371
- Dannemiller, M.C. See Nimeroff, I., 2=15439
- Dannemiller, M.C. See Nimeroff, I., 2=5136
- Dannhäuser, F. Two-band theory for the magnetoelectric and thermomagnetic transversal effects, 2=6416
- Danon, F. and Pitzer, K.S. Volumetric and thermodynamic properties of fluids. VI. Relationship of molecular properties to the acentric factor, 2=2677
- Danon, F. and Pitzer, K.S. Corresponding states theory for argon and xenon, 2=15643
- Danos, M. See Spokas, O.E., 2=17925
- Danoy, M. See Latière, H.J., 2=12858
- Danti, G. Thermal expansion of H_2O and D_2O single crystals, 2=3847
- Dantzig, G.B. and DeHaven, J.C. On the reduction of certain multiplicative chemical equilibrium systems to mathematically equivalent additive systems, 2=15125
- Danylenko, V.M. Scattering of X-rays by incompletely ordered alloys, 2=6799
- Danylenko, V.M. Theory of α -ray scattering in substitutional alloys with a domain structure of ordering, 2=8814
- Danylenko, V.M. Theory of X-ray scattering by substitutional, 2=8815
- Danzys, M. See Pniewski, J., 2=13975
- Danziger, I.J. The 5577 Å O I emission line of the airglow at Brisbane, 2=9012
- Da Prato, G. Single pion production in proton-proton collisions according to the one-particle exchange model, 2=301
- Da Prato, G. and Putzolu, G. Three-pion form factor from electron-positron experiments, 2=5628
- Da Prato, G. See Cabibbo, N., 2=18100
- Da Providencia, J. A variational principle for Brueckner theory, 2=18
- Darby, W. See Galasso, F., 2=8145
- Darcey, W. See Cohen, A.V., 2=1874
- Dardel, G. von See von Dardel, G.
- Dardis, J.G. See Kenney, V.P., 2=302
- Darewych, G. See Neamtan, S.M., 2=18406
- Darley, H.C.H. See Hight, R., Jr., 2=19167
- Darlington, S. Guidance and control of unmanned soft landings on the moon, 2=11205
- Darnell, F.J. See Baum, F.J., 2=10632
- Darnell, F.J. See Bierstedt, P.E., 2=6677
- Darnell, F.J. See Gillson, J.L., Jr., 2=4193
- Daróczy, A. See Csikai, J., 2=5665
- Darovskikh, V.F., Makarov, M.M. and Ostroumov, V.I. Decay of ${}_5B^9$ nuclei observed in nuclear emulsion, 2=3535
- Darovskikh, V.F., Makarov, M.M. and Ostroumov, V.I. Decay of ${}_5B^9$ nuclei observed in nuclear emulsion, 2=7956
- Darovskikh, V.F. See Goritchev, P.A., 2=14151
- Darriulat, P. See Beurtey, R., 2=20073
- Darriulat, P. See Rosen, L., 2=16400
- Darveniza, M. and Tropper, H. Electrical properties of organic insulating liquids containing fluorescent solutes, 2=59
- Das, A. A class of exact solutions of certain classical field equations in general relativity, 2=9170
- Das, A.K. Note on stresses in a truncated cone with the ends fixed due to shearing forces produced by a circular ring on the curved surface, 2=9219
- Das, B.R. Thermoelastic stresses in a long cylinder due to a hot ring in contact with its outer surface, 2=1095
- Das, C.D. See Rao, R.V.G., 2=19538
- Das, M.K. Point-to-plane discharges in pure and mixed inert gases and also with added electronegative gases, 2=9545
- Das, M.R. and Venkataraman, B. C^{13} H.F.S. in the e.s.r. spectrum of p-benzo-semiquinone-1- C^{13} ion, 2=3776

- Das, P. See Le Pair, C., 2=13497
- Das, S.B. and Gerritsen, A.N. Anomalous resistivity of dilute magnesium-neodymium alloys, 2=14489
- Das, S.R. Heterochromatic luminance and brightness on the basis of the Stiles' Pilot colour-mixture functions, 2=1245
- Das, T.P. and Karplus, M. Magnetic properties of hydrogen fluoride. I. Rotational moment, 2=14239
- Das, T.P. and Dick, B.G. Nuclear quadrupole interactions in alkali-halide solid solutions, 2=19025
- Das, T.P. See Chan, S.I., 2=22938
- Das, T.P. See Dick, B.G., 2=19024
- Das, T.P. See Dick, B.G., Jr., 2=21456
- Das, T.P. See Hurst, R.P., 2=20807
- Das, T.P. See Khubchandani, P.G., 2=10199
- Dasannacharya, B.A. See Iyengar, P.K., 2=8660
- Dascola, G. See Baudinet-Robinet, Y., 2=13798
- Dasgupta, S. Dielectric measurements at 1 km/s, 2=11599
- Dasgupta, S. and Mohan, G. Mechanism of dielectric absorption in the microwave region, 2=12557
- Dash, W.C. A method for measuring the thickness of epitaxial silicon films, 2=17402
- Dash, W.C. Oxidation of thin films of germanium and silicon, 2=23957
- Dash, W.C. See Philipp, H.R., 2=18799
- Dash, W.C. and Tweet, A.G. Observing dislocations in crystals, 2=14448
- Dash, W.C. See Phillips, V.A., 2=6347
- Dashchenko, A.I. See Zapesochnyi, I.P., 2=18423
- Dashkovskii, A.I. and Savitskii, E.M. Internal friction in strontium, 2=8710
- da Silva, E. See Nazarewicz, W., 2=17583
- da Silva, E.M. and White, P. Electrical properties of evaporated aluminum oxide films, 2=10551
- da Silveira, A. Unusual eigenvalues of the energy operator, 2=11279
- Dassù, G. See Bassi, A., 2=17057
- Datars, W.R. Cyclotron resonance in antimony, 2=6308
- Datars, W.R. Electron spin resonance in antimony, 2=12814
- Datars, W.R. and Eastman, P.C. A new effect in the magnetoresistance of antimony at 4.2°K, 2=12524
- Date, M. Anomalous paramagnetic resonance in $\text{Ni}(\text{NH}_3)_6\text{Cl}_2$, 2=774
- Date, M., Kanamori, J. and Tachiki, M. Origin of magnetoelectric effect in Cr_2O_3 , 2=6418
- Date, M. See Fukada, E., 2=23729
- Datsenko, L.I. X-ray images of various dislocation lines obtained without special sharp-focusing sources, 2=12443
- Datsenko, L.I. X-ray method of observing and determining small densities of dislocations in germanium, 2=18586
- Datsenko, L.I. Quick determination of the orientation of Ge and Si single crystals on a URS-251 diffractometer, 2=19036
- Datsenko, L.I. See Vasylevska, V.M., 2=21038
- Dattner, A. Current-induced instabilities of a mercury jet, 2=5464
- Datzeff, A. The interpretation of quantum mechanics. Non-relativistic case of a particle with spin, 2=9186
- Datzeff, A. The interpretation of quantum mechanics. Relativistic case of a particle with spin, 2=9187
- Datzeff, A. On the stable directions in the motion of molecules in some rectilinear configurations, 2=11417
- Datzeff, A.B. Interpretation of quantum mechanics. V. Spin and relativity, 2=16126
- Daudin, A. See Alitti, J., 2=16229
- Daudin, A. See Alitti, J., 2=18156
- Daughtry, J.W. See Sprenkel, E.L., 2=417
- Daum, A. See Barriol, J., 2=8074
- Dauncey, L.A. See Cowles, L.E.J., 2=2139
- Daune, M., Freund, L. and Spach, G. Hydrodynamic analysis of the dimensions of rigid particles in dilute solutions, 2=19557
- Daune, M. See Varoqui, R., 2=11359
- Daunt, J.G., Kreitman, M., Baltensperger, W. and Olsen, J.L., The variation of critical current in superconducting alloys with field direction, 2=17725
- Daunt, J.G. See Edwards, D.O., 2=15834
- Daunt, J.G. See Edwards, D.O., 2=17719
- Dautreppe, D., Moser, P. and Paulevé, J. Magnetic methods for studying radiation damage in ferromagnetic substances, 2=12475
- Dautreppe, D., Paulevé, J., Moser, P. and Brissonneau, P. Application of magnetic measurements to the study of irradiation effects, 2=21084
- Dautreppe, D. See Paulevé, J., 2=6830
- Dauvillier, A. New principle of photography, 2=1284
- Dauvillier, A. On the age and rotation of galactic stars, 2=4797
- Dauvillier, A. Cosmic debris. Interplanetary, interstellar and intergalactic sources, 2=6979
- Dave, J.V. See Sekera, Z., 2=4591
- da Veiga, L.M.d'Alte. See d'Alte da Veiga, L.M.
- Davey, J.E. Epitaxy of germanium films on germanium by vacuum evaporation, 2=8800
- David, E.E., Jr. The reproduction of sound, 2=15697
- David, J.P. Study of the reflection and transmission of light by a thin metallic film with a granular structure, 2=5177
- David, K.H. and Elste, G. Effect of scattered light on the photometry of the solar surface, 2=7004
- David, R., van der Laan, H.R. and Poulis, N.J. Attenuation of longitudinal ultrasonic waves in aluminium at low temperatures, 2=10323
- Davidenko, N.I. and Fakidov, I.G. Anisotropy of the Nernst-Ettinghausen longitudinal thermomagnetic effect in magnetite in the region of the low-temperature transformation, 2=3995
- Davidenko, N.I. and Fakidov, I.G. Anisotropy of the Nernst-Ettinghausen longitudinal thermomagnetic effect in magnetite in the region of the low-temperature transformation, 2=8293
- Davidenko, N.I., Samokhvalov, A.A. and Fakidov, I.G. Anisotropy of the longitudinal Nernst-Ettinghausen effect in [single-crystal] magnetite in the low-temperature inversion region, 2=2125
- Davidenko, N.N. Kinetics of formation of tooth-like curves in deformation graphs, 2=4315
- Davidenkova, N.N., Brainin, E.I. and Vasil'ev, D.M. The mechanism of formation of Lüder's lines and the geometry of plastic deformation of steel in yield plateau, 2=8722
- Davidenkova, N.N., Brainin, E.I. and Vasil'ev, D.M. The formation of Lüder's lines and the geometry of the plastic deformation of steel specimens at yield-point elongation, 2=23758
- Davidenkova, N.N., Likhachev, V.A. and Ivanov, V.G. Size effect in irreversible thermal expansion, 2=20939
- Davidenkova, N.N., Smirnov, B.I. and Yaroshevich, V.D. The effect of temperature on the yield point of metals with a body-centred cubic lattice, 2=2324
- Davidenkova, N.N. and Yaroshevich, V.D. Effect of low-temperature deformation on subsequent ageing of Armco iron, 2=12929
- Davidenkova, N.N. and Yaroshevich, V.D. Effect of low-temperature deformation on subsequent ageing of Armco iron, 2=15068
- Davidovici, M., Popescu, I.M. and Weiss, A.M. A device with constant magnetic field for investigation of double magneto-optical resonance, 2=7412
- Davidovici, M., Popescu, I.M. and Weiss, A.M. Magneto-optical double resonance detector, 2=17977
- Davids, N. See Nahmani, G., 2=14905
- Davidson, C.W. and Farvis, W.E.J. Microwave studies of a pulsed glow discharge, 2=19918
- Davidson, E.R. Ground-state potential energy of diatomic molecules, 2=14237
- Davidson, E.R. Natural expansions of exact wave functions. I. Method, 2=19427
- Davidson, E.R. Potential curves for H_2^- , 2=20805
- Davidson, J.P. A model for odd parity states in even nuclei, 2=18231
- Davidson, J.P. See Williams, S.A., 2=22723
- Davidson, P.M. Theory of temporal growth of ionization between parallel plates in the inert gases, 2=17783
- Davidson, W. The cosmological implications of the recent counts of radio sources. I. Analysis of the results and their immediate interpretation, 2=15293
- Davidson, W. The cosmological implications of the recent counts of radio sources. II. An evolutionary model, 2=21688
- Davie, O.H. A nanosecond light source based on a conventional pulse generator, 2=19697
- Davies, A.E. and Gosling, D.S. Non-ohmic behaviour in silicon, 2=16710
- Davies, D.K., Jones, F., Llewellyn and Morgan, C.G. Primary ionization coefficient of helium, 2=19898
- Davies, D.M. and Martin, J.W. The effect of inclusions on the fracture of uranium, 2=4344
- Davies, D.W. Self-consistent molecular orbital calculations on π -electron systems. II. Diamagnetic susceptibilities, 2=6215
- Davies, G.W. See Morris, D.P., 2=10682
- Davies, J.A., McIntyre, J.D. and Sims, G. The range of Cs^{137} ions of keV energies in germanium, 2=22276
- Davies, J.G. and Turski, W. The formation of the Giacobinid meteor stream, 2=11120
- Davies, J.G. See Haslam, C.G.T., 2=24166
- Davies, J.L. High temperature pressurized furnace, 2=2923
- Davies, J.T. The volume magnetostriction of gadolinium metal near the Curie temperature, 2=8645
- Davies, K. Ionospheric effects associated with the solar flare of September 28, 1961, 2=19221
- Davies, K., Watts, J.M. and Zacharisen, D.H. A study of F_2 -layer effects as observed with a Doppler technique, 2=9004
- Davies, K. See Agy, V., 2=4642
- Davies, K. See Knecht, R.W., 2=4653
- Davies, L.W. Electron tunneling in solids, 2=12414
- Davies, L.W. Electron-hole scattering at high injection-levels in germanium, 2=16700

- Davies, M. and Clemett, C. Energy and apparent entropy terms for quasi-spherical molecular rotations, 2=8871
- Davies, P.T. The setting of single crystals, 2=8809
- Davies, P.W. and Dennison, J.P. Observations on the creep and fracture of stable and unstable solid solutions of nickel-tin alloys, 2=4328
- Davies, P.W., Richards, J.D. and Wilshire, B. The influence of cold work on the creep and fracture behaviour of a dilute nickel alloy, 2=16962
- Davies, P.W. and Wilshire, B. Stress concentration effects in tertiary creep, 2=12857
- Davies, R.D. Radio emission from interstellar neutral hydrogen, 2=24174
- Davies, R.D. and Hazard, C. A survey of the anticentre region of the galaxy at 237 Mc/s, 2=24176
- Davies, R.D. See Chivers, H.J.A., 2=21646
- Davies, R.G. On the activation energy for high temperature steady state creep, 2=4326
- Davies, R.G. and Cahn, R.W. Short range order in aluminium bronze, 2=10906
- Davies, R.G. and Cahn, R.W. Stacking fault densities in filings of some copper- and silver-base solid solutions, 2=14449
- Davies, R.G. and Funes, A.J. X-ray study of order in CuAu alloys, 2=4461
- Davies, R.G. and Funes, A.J. Effect of cold work upon order in Au₃Cu alloys, 2=4462
- Davies, W.E.R. and Wysocki, G. Physical approximation of color-mixture functions, 2=13433
- Davies, W.O. Infrared absorption by carbon monoxide at high temperature, 2=2776
- Davies, W.T. See Chadwick, G.B., 2=22522
- Davies, W.T. See Dodd, P., 2=22508
- Davies, W.T. See Goldsack, S.J., 2=9888
- Davis, A.F. See Howl, D.A., 2=11532
- Davis, A.F. See Howl, D.A., 2=11533
- Davis, A.H. and Harris, I. Interaction of a charged satellite with the ionosphere, 2=4628
- Davis, B.L. See Adams, L.H., 2=23806
- Davis, C. Operator-valued entropy of a quantum mechanical measurement, 2=7143
- Davis, D.H., Levenson, L.L. and Milleron, N. Theoretical and experimental studies of molecular flow through short ducts, 2=5033
- Davis, D.H., Levi Setti, R., Raymond, M. and Tomasini, G. Probable example of the decay $Z^0 \rightarrow \Lambda + e^+ + e^-$ in nuclear emulsion, 2=18191
- Davis, D.H. See Jones, B.D., 2=16241
- Davis, D.H. See Jones, B.D., 2=22834
- Davis, D.H. See Sacton, J., 2=10128
- Davis, F.N. See Podgurski, H.H., 2=1175
- Davis, G. See Moreh, R., 2=18361
- Davis, H.L. Application of configuration interaction to the 2^3S state of helium, 2=22893
- Davis, H.L., Beckjord, E., Edwards, R.A., Gaines, W.M., Glass, T.J., Lennox, C.G. and Pearson, A. On-line computers for power reactors, 2=20717
- Davis, H.L. See Banister, J.R., 2=4622
- Davis, H.T., Rice, S.A. and Meyer, L. On the kinetic theory of simple dense fluids. XI. Experimental and theoretical studies of positive ion mobility in liquid Ar, Kr and Xe, 2=21895
- Davis, H.T., Rice, S.A. and Sengers, J.V. On the kinetic theory of dense fluids. IX. The fluid of rigid spheres with a square-well attraction, 2=1116
- Davis, H.T. See Meyer, L., 2=15832
- Davis, J.A. See Gelbard, E.M., 2=18130
- Davis, L., Jr. The effect of solar disturbances and the galactic magnetic field on the interplanetary gas, 2=13100
- Davis, L., Jr. and Chang, D.B. On the effect of geomagnetic fluctuations on trapped particles, 2=19255
- Davis, L., Jr. See Midgley, J.E., 2=9577
- Davis, L., Jr. See Sonett, C.P., 2=13099
- Davis, L.D. See McNeill, K.G., 2=15422
- Davis, L.R., Fichtel, C.E., Guss, D.E. and Ogilvie, K.W. Rocket observations of solar protons on September 3, 1960, 2=16259
- Davis, L.R. and Ogilvie, K.W. Rocket observations of solar protons during the November 1960 Events. II, 2=16260
- Davis, L.R. See Ogilvie, K.W., 2=12091
- Davis, L.R. See Ogilvie, K.W., 2=13900
- Davis, M.M. See van de Hulst, H.C., 2=2658
- Davis, P.W., Timberlake, A.B. and Shilliday, T.S. A method for measuring thermal diffusivities in small semiconducting samples, 2=8239
- Davis, R.C. and Wilson, D.J. Pressure dependence of fluorescence spectra. IV. Effects of vibrational energy transfer between fluorescing molecules, 2=20787
- Davis, R.H. See Nelson, J.W., 2=10105
- Davis, R.J. U.S. plans for space telescopes for planets, stars and nebulae, 2=13198
- Davis, R.J. and Godfredsen, E.A. Optimum resolving power for an ultraviolet space telescope, 2=4712
- Davis, R.J. and Rustgi, O.P. Ultraviolet instrumentation for Telescope an astrophysical reconnaissance satellite, 2=11198
- Davis, R.M., Jr. See Blair, J.C., 2=5490
- Davis, R.S. See Johnson, P.C., 2=6821
- Davis, S.P. See Porter, T.L., 2=22973
- Davis, T.N. The morphology of the auroral displays of 1957-1958. I. Statistical analyses of Alaska data, 2=6953
- Davis, T.N. The morphology of the auroral displays of 1957-1958. II. Detail analyses of Alaska data and analyses of high-latitude data, 2=6954
- Davis, T.N. Horizontal auroral motions and magnetic disturbance at the auroral zone, 2=13045
- Davis, W.C. A high-speed rotating-mirror framing camera, 2=17664
- Davis, W.D. Detection of 10- to 100-keV ions by nuclear track plates, 2=20052
- Davis, W.P., Jr. The senior physics laboratory course at Dartmouth College, 2=17333
- Davis, W.P., Jr. and Worthington, W.C. Light pulse from halogen-quenched GM counter discharges, 2=1619
- Davison, A., Giachetti, A. and Stanley, R.W. Interferometric wavelengths of thorium lines between 2650 Å and 3400 Å, 2=8064
- Davison, M. See Hopkins, H.W.K., 2=5541
- Davison, J.W. See Pasternak, J., 2=8775
- Davoine, F. and Gauthier, R. Luminous emission of cadmium sulphide crystals under electron bombardment, 2=10630
- Davydov, A.S. Rotational energy of even-even and odd nuclei, 2=13954
- Davydov, A.S. and Sardaryan, R.A. Excited states of odd-mass nuclei with small non-axiality, 2=20504
- Davydov, A.V. See Burgov, N.A., 2=3506
- Davydov, A.V. See Burgov, N.A., 2=5622
- Davydova, N.I. Model studies of the dependence of the dynamic characteristics of longitudinal head waves on the thickness of the refracting layer, 2=17540
- Day, P. See Unik, J., 2=18287
- Day, P. and Williams, R.J.P. Spectra and photoconduction of phthalocyanine complexes. I, 2=18751
- Day, S.M. See Otsuka, E., 2=18966
- Davydov, B.S. Measurement of small-amplitude mechanical vibrations, 2=2803
- Daw, H.A. and Mitchell, J.P. Conservation of momentum experiment, 2=13293
- Dawson, B. Aspherical atomic scattering factors for S, S⁻ and Cl, 2=4412
- Dawson, B. Comparison of atomic scattering factors and mean radii for the charge distributions in Na⁺; Ne and F⁻ obtained from Hartree-Fock and poly-deter calculations, 2=10857
- Dawson, B. Atomic scattering amplitudes for electrons for some of the lighter elements, 2=10858
- Dawson, B. Atomic scattering amplitudes for electrons for some of the lighter elements, 2=10863
- Dawson, B. Location and shape of peak maxima in the Gaussian ellipsoid approximation, 2=15001
- Dawson, J. One-dimensional plasma model, 2=9571
- Dawson, J. and Oberman, C. High-frequency conductivity and the emission and absorption coefficients of a fully ionized plasma, 2=11667
- Dawson, J.F., Talmi, I. and Walecka, J.D. A calculation of the level spectrum of O¹⁶ from the free two-nucleon potential, 2=16324
- Dawson, P.H. and Tickner, A.W. Detection of H₂ in the hydrogen glow discharge, 2=22190
- Dawson, S. See Muller, M.W., 2=21312
- Dawton, R.H.V.M. A 200 microampere negative ion source, utilising a supersonic mercury jet, 2=3090
- Day, G.F. and Hultgren, R. Thermodynamics of the gold-nickel system, 2=23867
- Day, P. See Vandenbosch, S.E., 2=7938
- Day, R.P., Wallner, R.A. and Lodi, E.A. An experimental study of energetic proton radiation effects on IRI lead sulfide infrared detectors, 2=9448
- Dayal, B. and Singh, S.P. Participation of the electron gas in lattice vibrations, 2=6262
- Dayal, B. and Tripathi, B.B. Fuch's relations and the contribution of the free electrons to the elastic constants of metals, 2=4310
- Dayal, B. and Tripathi, B.B. Metallic cohesion and vibration spectrum of copper, 2=14369
- Dayem, A.H. and Martin, R.J. Quantum interaction of microwave radiation with tunneling between superconductors, 2=11571

- ayhoff, E.S. Emission patterns of a ruby laser, 2=19702
- ayhoff, E.S. and Kessler, B. High-speed sequence photography of a ruby laser, 2=15727
- aykin, P.N., Sundaram, S. and Cleveland, F.F. Potential energy constants, and thermodynamic properties of methylacetylenes, 2=20851
- ayton, I.E. Toward a more effective introductory laboratory, 2=7105
- azai, T. An analysis of the $F^{19}(d,p)F^{20}$ reaction, 2=10136
- azai, T. See Kjellman, J., 2=5967
- e, M. Aberrations of single thick lenses, 2=1248
- e, M. Maximization of the factor of encircled energy by amplitude filters, 2=5152
- e, M. and Som, S.C. Diffraction images of circular openings with partially coherent illumination, 2=7397
- e, M.L. On the dependence of electron scattering cross-section of atoms on their atomic number, 2=20749
- e, M.L. The optimum resolving power of the electron microscope, 2=22269
- e, M.L. and Sarkar, N.H. Optical density of thin carbon films, 2=7373
- e Achaval, E.M. See De Pena, R.G., 2=22101
- eacon, R.F. and Barella, D. A high temperature ultra-violet microscope, 2=22006
- e Agostino, E. See Caglioti, G., 2=9868
- eahl, J., Derrick, M., Fetkovich, J., Fields, T. and Yodh, G.B. π -p interactions at 224 MeV, 2=1712
- eahl, K.J. See McIlwain, R.L., 2=16190
- ea, B.E. Epitaxial deposition of silicon in a hot-tube furnace, 2=14966
- e Alfaro, V., Regge, T. and Rossetti, C. A dynamical equation for the Jost function, 2=21825
- eam, A.P. Radiosonde for atmospheric refractive index measurements, 2=9714
- ean, F.V., Kerr, J.R. and Hellawell, A. Factors affecting the solute distribution during the normal freezing of lead-antimony alloys, 2=9460
- ean, L.W., III. Interactions between sound waves, 2=17564
- ean, L.W., III and Ball, N.A. Low resonant-frequency barium-titanate, 2=7305
- ean, P. See Bacon, M.D., 2=14370
- ean, P. See Bacon, M.D., 2=16596
- e Andres Sanz, M.P. Hall effect and resistivity in binary iron alloys, 2=21102
- eAngelis, H.M. Retention of krypton-85 trapped during positive ion bombardment, 2=18627
- earborn, E.F. See Laudise, R.A., 2=12743
- earden, E.W. The geometry of radio reflections from field-aligned ionization irregularities in the ionosphere, 2=9719
- e Arellano, M.E. Ramirez. See Ramirez de Arellano, M.E.
- earman, H.H. See Hanna, M.W., 2=18495
- earnaley, G. Semiconductor nuclear radiation detectors, 2=22365
- earnaley, G. and Ferguson, A.T.G. Evidence for a new first-excited state in Mg^{26} , 2=1806
- earnaley, G. and Ferguson, A.T.G. Semiconductor neutron counters, 2=9864
- earnaley, G. and Ferguson, A.T.G. Two new semiconductor detectors for fast neutrons, 2=11964
- earnaley, G., Ferguson, A.T.G. and Morrison, G.C. Semiconductor fast neutron detectors, 2=18135
- earnaley, G., Gemmell, D.S. and Hanna, S.S. States in B^{10} from elastic scattering of alphas by Li^6 , 2=18252
- earnaley, G., Gemmell, D.S., Hooton, B.W. and Jones, G.A. Excited states in O^{16} , 2=18265
- earnaley, G. and Ferguson, A.T.G. Neutron induced reactions in silicon, 2=18339
- earnaley, G. and Whitehead, A.B. The semiconductor surface barrier for nuclear particle detection, 2=5528
- eachage, B.H. See Jeffress, L.A., 2=21760
- eachage, B.H. See Jeffress, L.A., 2=24201
- eaton, B.C. See Gavenda, J.D., 2=16601
- eb, D. Note on stresses in a thin inhomogeneous circular plate with central circular hole, rotating about a diameter, 2=9216
- eb, S. and Nag, B.R. Measurement of lifetime of carriers in semiconductors through microwave reflection, 2=14528
- eb, S.K. Ultraviolet absorption spectra of alkali metal azides, 2=4143
- eBala, S. See Garn, P.D., 2=11318
- e Barr, A.E. The application of single crystals, 2=23809
- e Bary, E. See Giese, R.H., 2=22061
- e Batist, R. Low-frequency mechanical relaxation peaks in cold-worked body-centred cubic metals, 2=16950
- Beaumont, H. and Andre-Talamon, T. Bilinear equation of state and its relation to the Nernst principle, 2=17701
- e Beaumont, H. See Aubert, M., 2=4977
- e Beaumont, H. and Andre-Talamon, T. The bilinear equation of state and its relation to Nernst's principle, 2=11545
- de Beauregard, O. Costa. See Costa de Beauregard, O.
- Debeauvais-Wack, M., Braun, H. and Cuer, P. Study of the formation of the latent image due to protons at plateau energies in G5 emulsion, 2=3339
- De Beer, A. See Kramer, P., 2=16362
- De Beer, A. See Kramer, P., 2=16363
- De Beer, A. See Kramer, P., 2=16361
- De Beer, J.F., Cranshaw, T.E. and Parham, A.G. Observations on extensive air showers. IX. An experimental investigation into the Mu-meson component by means of triggered spark counters, 2=7914
- DeBell, A.G. See Simmons, F.A., 2=2927
- Debenedetti, A. See Cester, R., 2=3409
- de Bergevin, F. See Bertaut, E.F., 2=12662
- de Bergevin, F. See Muldower, L., 2=4220
- de Bersuder, L. See Cauchois, Y., 2=706
- Debeer, R. and Cahen, M. On space-times that admit a parallel field of null-vectors, 2=4926
- Debiesse, J. and Klein, S. The appearance of an electromotive force caused by the turbulent state of an ionized fluid, 2=19894
- de Boer, E. Synthesis of bass-reflex loudspeaker enclosures, 2=76
- de Boer, E. Note on phase distortion and hearing, 2=7052
- De Boer, E. Note on the critical bandwidth, 2=17322
- de Boer, E. and Mackor, E.L. On the influence of second-order splitting and sign of the coupling constant in the e.s.r. spectra of polyatomic free radicals, 2=20861
- De Boer, J.H. and Menon, P.G. Entropy and mobility of adsorbed molecules. VII. Adsorption of N_2 and CO alumina at high and at a low pressures, 2=17076
- De Boer, T.J., Voorthuis, H. and Blok, J. The half-lives of the first excited states of ^{203}Tl and ^{192}Pt , 2=12146
- De Borde, A.H. and Haas, F.A. Axial conduction and radiation losses in a stabilized linear pinch, 2=194
- De Bouard, X. Multicellular ionization chamber for studying the 150 MeV proton beam of the Orsay synchrocyclotron, 2=5413
- De Bouard, X., Langevin-Joliot, H., Marty, N. and Tatischeff, B. Study of $(p,p'\gamma)$ reactions at 151 MeV for the 15.1 MeV level of C^{12} , 2=438
- De Bouard, X., Langevin-Joliot, H., Marty, N. and Tatischeff, B. Excitation of the 15.1 MeV level of C^{12} by the inelastic scattering of 150 MeV protons, 2=3566
- de Boer, P.C.T. See Daen, J., 2=7244
- Debrunner, H. and Houtermans, F.G. Day-to-day variation of nucleon components of cosmic rays at Jungfraujoch, 2=18209
- De Bruyn Ouboter, R. See le Pair, C., 2=13497
- Debuc, A. Use of abundance-equivalent-width diagrams with a view to determining the chemical composition of a stellar atmosphere, 2=7014
- Debus, G.H. The determination of mass discrimination in a mass spectrometer, 2=20059
- Debye, P. and Chu, B. Spectrophotometry and light scattering on supported platinum, 2=21595
- Debye, P., Chu, B. and Kaufmann, H. Critical opalescence of binary liquid mixtures: methanol-cyclohexane; aniline-cyclohexane, 2=17450
- Debye, P., Chu, B. and Woermann, D. Critical opalescence of polystyrene in cyclohexane: range of molecular forces and radius of gyration, 2=11373
- Debye, P., Woermann, D. and Chu, B. Critical opalescence of polystyrene in cyclohexane transmission measurements, 2=5016
- Debye, P.P. See Klein, C.A., 2=23324
- de Campos Costa, M.J. See do Carmo Anta, M., 2=22476
- Decamps, E. See Munier, J.M., 2=22058
- DeCarlo, V. and Griffing, V. An SCF-LCAO-MO study of H_2^+ and H_2 , 2=16512
- De Carlos, J.E. See Tanarro, A., 2=10182
- de Carvalho, H.G., Manfredini, A., Muchnik, M., Severi, M., Büsch, H., Lang, J., Müller, R. and Wülfli, W. ^{232}Th and ^{238}U fission induced by low-energy monochromatic γ -rays, 2=18367
- de Carvalho, H.G., Potenza, G., Rinzivillo, R., Sassi, E. and Vanderhaeghe, G. Experimental results on the nuclear fission produced by 600 MeV protons, 2=20688
- De Carvalho, J. See Amaldi, E., 2=22461
- de Casteljau, M. See Thurceau, P., 2=7242
- Decaux, B. and Gabry, A. A two-year comparison of spatially separated atomic frequency standards, 2=4976
- DeCelles, P.C. See Baqi Beg, M.A., 2=5732
- DeCelles, P.C. See Baqi Beg, M.A., 2=22617
- DeCelles, P.C. See Durand, L., III, 2=13732
- Decius, J.C. See Kalman, O.F., 2=1153
- Decius, J.C. See Woodmansee, W.E., 2=13376
- Deck, R.T. See Johnson, W.R., 2=9193
- Decker, M.T. See Hartman, W.J., 2=4882

- Deckers, H. Calculation of recoil spectra induced by fast neutron spectra in nuclear emulsions, 2=6652
- Deckers, H. See Beets, C., 2=8017
- Decomps, B. See Brachet, C., 2=20140
- Deconninck, G., Demortier, G., De Vroey, M., Meulders, J.P. and Simonet, J. Angular distributions of the neutrons from the reaction $\text{Be}^9(\alpha, n)\text{C}^{12}$ in the neighbourhood of 20 MeV, 2=20676
- Deconninck, G., Gonze, A., Macq, P. and Neulders, J.P. Total cross-sections for 28.4 MeV neutrons, 2=465
- De Cosnac, B. See Bok, J., 2=5686
- DeCoster, M. and Amelinckx, S. Evidence from Mössbauer experiments for the association of aliovalent ions and vacancies in potassium chloride, 2=23167
- De Courreges, M.M. See Astier, A., 2=22614
- de Cusminsky, J.B. See Arvia, A.J., 2=8920
- de Courville, J. a See Buchet, G., 2=19928
- Dede, K. See Csikai, J., 2=5665
- Dedrick, K.G. and Wilson, R.N. Use of the displacement vector in electromagnetic theory, 2=5439
- Deeds, W.E. See Herndon, J.A., 2=20808
- Deeds, W.E. See Herget, W.F., 2=20809
- Deehr, C.S. See Rees, M.H., 2=9015
- Deehr, C.S. See Rees, M.H., 2=19229
- Deev, Yu.S. See Plaksir, I.N., 2=20444
- Deetscreek, V.D. See Schuele, W.J., 2=12668
- Defay, R. and Petre, G. Correcting surface tension data obtained by the oscillating jet method, 2=21884
- Defay, R. See Senfeld, A., 2=12972
- Defay, R. See Sanfeld, A., 2=12973
- de Feiter, L.D. The profiles of $\text{H}\alpha$ in solar flares, 2=4780
- de Feiter, L.D., Freon, A. and Legrand, J.P. The cosmic-ray flares of Nov. 12 and 15, 1960, 2=5764
- de Feiter, L.D. and Legrand, J.P. On a maximum of cosmic-ray intensity prior to a prebaisse effect, 2=16251
- de Feiter, L.D. See Roosen, J., 2=15277
- DeFelice, J. See Fireman, E.L., 2=2529
- Defrain, A. See Bosio, L., 2=4447
- Defrain, A. See Bosio, L., 2=7465
- Defrain, A. See Curien, H., 2=2386
- de Freitas Mourao, R.R. The latitudes of Jupiter's belts during the years 1959 and 1960, 2=4744
- Degaonkar, S.S. and Bhonsle, R.V. Ionospheric disturbances and change in cosmic radio noise absorption on 25 Mc/s at Ahmedabad associated with some solar events and geomagnetic storms in November 1960, 2=15238
- Degeilh, A. See Blanc, D., 2=1519
- Degeilh, A. See Blanc, C., 2=11397
- Degeilh, A. See Blanc, C., 2=15883
- Degen, V. See May, A.D., 2=1204
- de Gennes, P.G. and Hartmann-Boutron, F. Nuclear relaxation of Fe^{57} in yttrium iron garnet, 2=6704
- de Gennes, P.G., Hartmann-Boutron, F. and Pincus, P.A. Precession modes of the nuclear magnetization in a magnetic substance, 2=12829
- de Gennes, P.G., Hartmann-Boutron, F., Pincus, P.A. and Saint-James, D. Contribution of static crystal-field effects to the line-width in rare-earth-doped yttrium iron garnets, 2=21353
- De Gottal, P. See Balescu, R., 2=1417
- Degras, D.A. High vacua in atomic and nuclear research, 2=17516
- Degras, D.A. See Petermann, L.A., 2=23920
- de Grinberg, D.K. Some new observations on the growing of cadmium crystals, 2=6766
- de Grinberg, D. Krasnapolsky. See Krasnapolsky de Grinberg de.
- Degrois, M. and Badilian, B. Relaxation phenomenon in solutions under ultrasonic radiation, 2=5013
- Degrois, M. and Badilian, B. Effect of relaxation phenomenon, produced in a solution irradiated by ultrasound, on the yield of chemical effects and on luminescence, 2=11370
- Degrois, M. and Badilian, B. Study of the onset and of the development of cavitation in liquids radiated by ultrasound, by means of a thermocouple, 2=11455
- Degrois, M. and Badilian, B. Relaxation of cavities of gas and vapour in solutions under ultrasonic irradiation, 2=15587
- de Groot, S.R. On the thermodynamics of irreversible heat and mass transfer, 2=15824
- de Groot, S.R. See Vlieger, J., 2=4956
- de Groot, S.R. See Vlieger, J., 2=4957
- Degtyarev, I.F. See Kirenski, L.V., 2=21321
- de Haas, N. See Westernberg, A.A., 2=7253
- De Haven, J.C. See Dantzig, G.B., 2=15125
- de Heer, J. See Pauncz, R., 2=14307
- de Heer, J. See Pauncz, R., 2=14306
- de Hemptinne, M. See Van Riet, R., 2=14280
- Dehmelt, H.G. and Jefferts, K.B. Alignment of the H_2^+ molecular ion by selective photodissociation. I, 2=6229
- Dehmelt, H.G. and Major, F.G. Orientation of $(\text{He}^4)^+$ ions by exchange collisions with cesium atoms, 2=17785
- Dehnhard, D., Kamke, D. and Kramer, P. Evidence for three alpha particle break-up of C^{12*} (16.11 MeV), 2=1833
- Dehnen, H. A representation of Einstein's field equations analogous to Maxwell's equations, with some applications, 2=9174
- Dehnen, H. The relative nature of the Coriolis and centrifugal forces for an expanding Friedmann-Lemaître model, 2=9176
- Dehnen, H., Hünl, H. and Westpfahl, K. Independence of the Sommerfeld fine-structure constant from the gravitational field, 2=521
- Dehnen, H. See Hünl, H., 2=9175
- Dehnhard, D., Kamke, D. and Kramer, P. Three alpha-particle decay of C^{12*} (16.11 MeV), 2=10038
- De Hoff, R.T., Baldwin, D.H. and Rhines, F.N. Size sensitivity of the two-particle sintering model, 2=17058
- De Hoop, A.T. Impulsive radiation from a vertical electric dipole situated above a plane, non-conducting, earth, 2=3152
- de Hulst, H.C. van. See van de Hulst, H.C.
- Deicha, G. and Sella, C. Crystallization lacunae and secondary corrosion cavities in quartz, 2=2087
- Deigen, M.F. The theory of paramagnetic resonance and paramagnetic relaxation of local electron centres in semiconductors, 2=23697
- Deigen, M.F. and Roitsin, A.B. A possibility of realizing zero-field resonance in many-level systems, 2=8665
- Deighton, M.O. Statistical errors arising from use of a gated pulse train for total live time measurement during pulse amplitude analysis, 2=5285
- Deineko, A.S., Popov, A.I., Sorokin, P.V. and Taranov, A.Ya. Double-focusing magnetic spectrometer, 2=16099
- Deineko, A.S. See Val'ter, A.K., 2=16395
- Deiness, S. See Pauthier, M., 2=10585
- Deirmendjian, D. Note on the photometry of the sea surface, 2=23990
- Deissler, R.G. Turbulence in the presence of a vertical body force and temperature gradient, 2=24011
- De Jager, C. Asymptotic widening parameters for the hydrogen lines, 2=3695
- De Jager, C. The solar chromosphere, 2=9081
- de Jager, C. Loss of matter by stars, 2=11136
- de Jager, C. Non-thermal solar X-rays and radio emission, 2=17280
- De Jager, C., Kanno, M. and Neven, L. A program for the computation of b_n tables for H and He, 2=4803
- de Jager, C. See Blamont, J.E., 2=882
- de Jong, M. The anisotropy of the Zener relaxation, 2=21400
- de Jong, M. and Rathenau, G.W. Remarks on the alpha-gamma transformation in pure iron, 2=8842
- DeJuren, J.A. Slowing-down time of neutrons in water, 2=7867
- De Juren, J.A., Reier, M. and Stooksberry, R.W. Spatial distribution in water at indium resonance of neutrons from a 1.4 MeV D-D source, 2=5649
- DeJuren, J.A., Stooksberry, R.W. and Wallis, M., Measurement of the $\text{O}^{16}(\text{n}, \text{p})\text{N}^{16}$ cross section from 11 to 19 MeV, 2=18338
- DeJuren, J.A. Note on calibration of the N.B.S. standard thermal neutron density, 2=18390
- de Juren, J.A. See Reier, M., 2=3348
- Deka, G.C. and Pathak, K.M. Ejection of a Li^9 -hammer track, 2=22836
- Dekabrun, L.L. See Bystrov, V.F., 2=7774
- de Kamp, P. van. See van de Kamp, P.
- Dekartova, N.V. and Rozhanskii, V.N. Investigation of the surface activity of some metals relative to zinc, using the method of internal friction, 2=8697
- Dekartova, N.V. and Rozhanskii, V.N. Investigation of the surface activity of certain metals in relation to zinc, by the internal friction method, 2=21569
- Dekartova, V.N., Rozhanskii, V.N. and Shchukin, E.D. Recording the damping of the oscillations of a torsional pendulum on a loop oscillograph during the measurement of internal friction, 2=2310
- de Keijzer, A.A. and Burgers, W.G. Lorentz effects in electron diffraction patterns of a decomposing gold-nickel alloy, 2=19090
- Deketelaere, A. See Remaut, G., 2=23772
- Dekeyser, W. See Remaut, G., 2=23772
- Dektyar, I.Ya. and Levina, D.A. A study of the influence of plastic and elastic deformation on the coercive force in ordering and non-ordering alloys, 2=23657
- Dektyar, I.Ya., Litovchenko, S.H. and Fedchenko, R.H. Investigation of the effect of plastic deformation on the electrical resistance of alloys, 2=6404
- Dektyar, I.Ya. and Madatova, E.G. The change of saturation magnetization on annealing quenched ferromagnetic [nickel], 2=8644

- ekhtyar, I.Ya. and Madatova, E.G. Variation in saturation magnetization on the annealing of quench-hardened ferromagnetic materials, 2=23671
- ekhtyar, I.Ya. and Mikhailenkov, V.S. A study of the angular correlation of γ -rays produced during the annihilation of positrons and electrons in zinc, 2=3558
- ekhtyar, I.Ya. and Mikhailenkov, V.S. A study of the angular correlation of γ -rays produced during the annihilation of positrons and electrons in zinc, 2=8194
- ekhtyar, I.Ya. and Shalayev, A.M. Effect of gamma radiation on certain magnetic properties of iron and its alloys, 2=8628
- ekhtyar, I.Ya. See Herzriken, S.D., 2=6413
- ekhtyar, M.V. Uncompensated antiferromagnetism and anomalous temperature dependence of magnetic properties of the Fe_3Cr alloys and their relationship with atomic ordering, 2=16925
- ekhtyar, M.V. Antiferromagnetic properties of the alloy Ni_3Mn in relation to atomic ordering, 2=16926
- ekhtyar, M.V. Uncompensated antiferromagnetism and anomalous temperature dependence of magnetic properties of the Fe_3Cr alloy and their relationship with atomic ordering, 2=18924
- ekhtyar, M.V. Antiferromagnetic properties of the alloy Ni_3Mn in relation to atomic ordering, 2=18925
- ekker, W. See van Ruyven, L.J., 2=10808
- ekkers, D. See von Dardel, G., 2=13853
- el Klerk, J. See Bolef, D.I., 2=14869
- el Klerk, J. See Bolef, D.I., 2=15708
- el Kowalewski, D.G. Long-range interaction between protons, along C-N bonds, 2=16560
- el Kowalewski, D.G. and Kowalewski, V.J. Long-range coupling in the N.M.R. spectra of aldehydic protons in aromatic compounds, 2=20873
- el Kowalewski, D.G. See Kowalewski, V.J., 2=2023
- elabaye, M., Deutsch, J. and Lipnik, P. Measurements of β - γ angular correlation polarization of Re^{186} , 2=5858
- elabaye, M., Deutsch, J.P. and Lipnik, P. Measurement of the β -circularly polarized γ angular correlation in As^{70} , 2=16372
- el la Cuadra, M. See Catalá, J., 2=3343
- el Ladonchamps, J.R.L. and Grossman, L.M. Neutron diffusion in a temperature gradient, 2=7861
- el Laet, C. Evaluation of the attractive potential between two lithium-6 nuclei, 2=5775
- el Lafond, Y.G. See Blanc, D., 2=13703
- el ahay, P. See Senda, M., 2=2451
- el Lange, P.W. See Abrahams, K., 2=11961
- el Lano, R.B., Jr. Edge effects in superconducting films, 2=11567
- el alpama, A. See Bertaut, E.F., 2=12662
- el la Perrelle, E.T. The measurement of absorptivity and reflectivity, 2=17584
- el La Rubia, J. See Catalá, J., 2=5965
- el latre, P. Some factors of vowel duration and their cross-linguistic validity, 2=21752
- el avignette, P. and Amelinckx, S. Dislocation patterns in graphite, 2=6346
- el avignette, P., Tournier, J. and Amelinckx, S. Direct observation of dislocations due to epitaxy, 2=4398
- el avignette, P. See Aerts, E., 2=23199
- el avignette, P. See Amelinckx, S., 2=10391
- el avignette, P. See Gevers, R., 2=6336
- el avignette, P. See Ruedl, E., 2=612
- el avignette, P. See Ruedl, E., 2=16661
- el avignette, P. See Siems, R., 2=3927
- el avignette, P. See Siems, R., 2=12439
- el avignette, P. See Siems, R., 2=14427
- el becq, C.J. Hole photoconductivity in KBr crystals containing Br^- molecule ions, 2=8425
- el Bianco, W.E. and Stephens, W.E. Photonuclear activation by 20.5 MeV gamma rays, 2=10083
- el bouille, L. See Gebbie, H.A., 2=13108
- el bove, F. See Petit, G., 2=9463
- el croix, J.L., Denisse, J.F. and Quemada, D. Theory of adiabatic waves associated with the non-diagonal terms of the pressure tensor in plasmas, 2=1432
- el er, B. See Alitti, J., 2=18156
- el León, J. Montes Ponce. See Montes Ponce de León, J.
- el er, B. See Alitti, J., 2=16229
- el ezenne, E. See Bergere, R., 2=22285
- el f, B.W. See Wilson, A.J.C., 2=5428
- el fosse, J.M. See Steyaert, J., 2=11622
- el gado, R. Márquez. See Márquez Delgado, R.
- el Greco, F.P. See Kaufman, F., 2=6232
- el haye, M. See Bridoux, M., 2=19714
- el ie, A. See Deprit, A., 2=4943
- el la Corte, M. See Dagliana, M.G., 2=3233
- el l'Antonio, G.F. Support of a field in p space, 2=8
- Dell'Antonio, G.F. On the connection between spin and statistics, 2=1045
- della Porta, P. and Argano, E. Nitrogen sorption by barium films, 2=846
- della Porta, P. and Origlio, S. Hydrogen sorption by barium films, 2=845
- della Porta, P. and Origlio, S. The sorption of hydrogen by barium getters, 2=5086
- della Porta, P. See Ricca, F., 2=844
- Delli Santi, S. See Mannino, G., 2=13168
- Delli Santi, S. See Mannino, G., 2=17303
- Dellis, A.N. and Weaver, J.M. Measurement of a high refractive index for transmission of 3 cm microwaves through a plasma, 2=13565
- Del'man, E.V. See Efimova, B.A., 2=12525
- Del'man, E.V. See Efimova, B.A., 2=14545
- Del Marmol, P. and Colard, J. The decay of 62 min Sn^{128} and 10.8 min Sb^{128} , 2=18306
- Delmas, R. See Bel, A., 2=834
- Del Monaco, A. See Serra, M., 2=6634
- de Loor, G.P. The effect of moisture on the dielectric constant of hardened Portland cement paste, 2=10553
- de López, E.O. Determination of the angular characteristics of the ground and first excited states of O^{17} at moderate energies (~ 1.6 MeV) in and out of a resonance of F^{18*} , 2=5803
- Delorme, C. See Citron, A., 2=5703
- Delorme, C. See Citron, A., 2=13841
- Delorme, C. See Citron, A., 2=20658
- del Río, C. Sánchez. See Sánchez del Río, C.
- De Luca, L.B. and Orr, R.S. Crystallite orientation and spiral structure of cotton: considerations for measuring crystallinity, 2=15086
- Del'va, V.O. Spectral analysis of biological materials, 2=19174
- Delvaille, J., Kendziorowski, F. and Greisen, K. Spectrum and isotropy of EAS, 2=12062
- Delvaille, J. See Bennett, S., 2=12070
- Delves, L.M. Variational principles for many-channel scattering systems, 2=5585
- Delves, L.M. Three-particle photo-disintegration of the triton, 2=5777
- Delves, L.M. Deuteron capture by deuterons and the structure of ^4He , 2=9931
- Delves, L.M. Test of an approximation method for breakup reactions, 2=16164
- Delves, L.M. The neutron-deuteron polarization below 2 MeV, 2=16200
- Delves, L.M. and Whale, H.A. The short-term statistics of a fading radio wave, 2=9717
- Delves, R.T. The prospects for Ettinghausen and Peltier cooling at low temperatures, 2=21129
- Delves, R.T., Bowley, A.E., Hazelden, D.W. and Goldsmid, H.J. Anisotropy of the electrical conductivity in bismuth telluride, 2=640
- Delyagin, N.N., Shpinel, V.S. and Brukhanov, V.A. Resonance absorption of 23.8 keV γ -quanta by Sn^{119} nuclei in crystals, 2=3553
- Delyagin, N.N. See Bryukhanov, V.A., 2=554
- Delyagin, N.N. See Bryukhanov, V.A., 2=10930
- Delyagin, N.N. See Bryukhanov, V.A., 2=16299
- Delyagin, N.N. See Shpinel, V.S., 2=555
- Delyagin, N.N. See Shpinel, V.S., 2=5810
- DeLyser, H. See Friedland, S.S., 2=18198
- de Malleman, R. Refractivity, dispersion and rotativity, 2=13342
- Demans, F., Pisent, G., Poiani, G. and Villi, C. Scattering of neutrons by alpha particles, 2=3420
- DeMarco, A. See Bartke, J., 2=13883
- De Marcus, W.C. The influence of specular reflection on the Knudsen conductance of circular capillaries, 2=5035
- DeMars, G.A. See Rimai, L., 2=12714
- de Mars, G.A. See Rimai, L., 2=18945
- Demars, H. and Lehr, P. The rolling and recrystallization textures of zirconium, 2=4363
- Demars, H. and Lehr, P. Mechanical anisotropy of zirconium sheet, 2=10746
- DeMartini, F. and Gatti, E. Optimum linear filter for pulse shape recognition in the presence of thermal noise, 2=15869
- De Mastry, J.A., Shober, R. and Dickerson, R.F. Niobium-20 w/o uranium, high-temperature metallic fuel of the future, 2=6062
- Demau, C. See Servant, R., 2=6515
- Dembinski, S. Remarks on complex singularities of the vertex function and Nakanishi's conjecture, 2=3282
- Dembitskii, A.D. and Sumarokova, T.N. Raman spectra of systems formed by tin tetrachloride with esters. I, 2=18468
- de Mendonça, F. Ionospheric electron content and variations measured by Doppler shifts in satellite transmissions, 2=19220

- de Mendonça, F. and Garriott, O.K. Ionospheric electron content circulated by a hybrid Faraday-Doppler technique, 2=13030
- Dementii, V.S. See V'yuhov, P.M., 2=5823
- Dementii, V.S. See V'yuhov, P.M., 2=9732
- Dementii, V.S. See V'yuhov, P.M., 2=22538
- Demer, L.J. See Kramer, I.R., 2=8742
- Demerdache, A. See Sugden, T.M., 2=20823
- Demeter, I. See Keszthelyi, L., 2=5518
- Demeter, I. See Keszthelyi, L., 2=5910
- Demeter, I. See Berkes, I., 2=11826
- Demetriades, A. Electric-field heating threshold for charged particles, 2=22217
- Demetriades, S.T. Novel method of measurement of plasma properties by momentum change techniques, 2=3048
- Demetriades, S.T. and Ziemer, R.W. Measurements of electrode drag and conductance in a supersonic free jet of plasma, 2=3055
- Demetsopoulos, I.C. See Collinson, A.J.L., 2=242
- Demetsopoulos, I.C. See Collinson, A.J.L., 2=11432
- Demeur, M. and Meert, M. Effect of nuclear recoil on the ionization due to a rapid change of charge by radioactivity, 2=23972
- Demeur, M. See Bouten, M., 2=390
- Demiański, M. and Infeld, E. Note on the field method of obtaining the conservation laws and solving the two body problem in general relativity, 2=11260
- De Michelis, B. See Bisi, F., 2=3719
- Demichelis, F. New metrological problems in the calculation of quantities, 2=21779
- Demidenko, I.I. See Borisov, M.D., 2=14657
- Demidenko, S.G. See Vetshtein, V.E., 2=20058
- Demidenko, S.G. See Vetshtein, V.E., 2=20061
- Demidenko, Z.A. Calculation of the internal field in NaCl- and diamond-type crystals, 2=2040
- Demidenko, Z.A. Spectrum of natural frequencies and amplitudes of lattice vibrations in LiF crystals calculated for the symmetrical directions of the wave vector, 2=20921
- Demidenko, Z.A., Kucher, T.I. and Tolpýgo, K.B. Normal frequencies of vibration of germanium lattice calculated in different approximations, 2=3827
- Demidenko, Z.A., Kucher, T.I. and Tolpýgo, K.B. Vibration frequencies and amplitudes for a diamond type crystal for waves directed along the cube diagonal, 2=12371
- Demidenko, Z.A., Kucher, T.I. and Tolpýgo, K.B. Vibration frequencies and amplitudes for a diamond type crystal for waves directed along the cubic diagonal, 2=14368
- Demidenko, Z.A. and Tolpýgo, K.B. The normal vibrations of alkali halide crystals including ionic size effect, 2=8158
- Demidenko, Z.A. and Tolpýgo, K.B. The normal vibrations of alkali halide crystals including ionic size effect, 2=10315
- Demidov, A.M. See Groshev, L.V., 2=3476
- Demidov, A.M. See Groshev, L.V., 2=5799
- Demidov, A.M. See Groshev, L.V., 2=7930
- Demidov, A.M. See Groshev, L.V., 2=13766
- Demidov, A.M. See Groshev, L.V., 2=14113
- Demidov, K.K. See Bugrienko, V.I., 2=21223
- Demidov, V.P. Two-photon transitions between the hyperfine structure levels of the 1S-state of the hydrogen atom, 2=12283
- Demidov, V.P. Two photon transitions between the hyperfine structure levels of the 1S-state of the hydrogen atom, 2=14195
- Demidov, V.S., Kirillov-Ugryumov, V.G., Ponomov, A.K., Protasov, V.P. and Sergeev, F.M. Elastic scattering of π^- mesons by carbon at 5 to 15 MeV, 2=18344
- De Miguel, L. Geomagnetic observations effected at Toledo during the IGY and the succeeding year, 2=17212
- Demin, V.G. New classes of periodic solutions in the restricted problem of three bodies, 2=936
- Demin, V.G. Almost circular orbits of artificial earth satellites, 2=11179
- Demin, V.G. Almost circular orbits of artificial earth satellites, 2=21747
- Demin, V.G. See Aksenov, E.P., 2=11180
- Demin, V.G. See Aksenov, E.P., 2=21746
- Demirkhanov, R.A., Khodyrev, Yu.S., Romashko, N.D. and Nadykto, B.T. Investigation of a discharge excited by a travelling wave, 2=22188
- Demirkhanov, R.A., Leont'ev, N.I. and Kosyi, I.A. Measurement of the charged-particle density in an intense pulsed r.f. discharge with a travelling magnetic field, 2=19911
- Demirkhanov, R.A., Leont'ev, N.I., Kosyi, A.I. and Filatova, T.M. Instability of a plasma in a toroidal discharge excited by a traveling electromagnetic field, 2=9584
- Demny, J. Observations on specially prepared crystal moiré patterns, 2=6865
- De Montgolfier, C. and Papillon, Y. Measurement of [high-current] intensities with a Rogowski belt using a compensating coil, 2=11577
- de Moraes, R.J. See Gross, B., 2=12573
- de Moraes, R.J. See Gross, B., 2=18781
- Demortier, G. and Macq, P.C. Elastic scattering of 11.85 MeV deuterons in Al, Si, P, S, 2=477
- Demortier, G. See Deconninck, G., 2=20676
- de Morton, M.E. Measurement of nitrogen diffusion in chromium by anelastic methods, 2=21061
- De Moura, L.A., Schwachheim, G. and Willner, E.R. An analysis of the solar daily variations of the primary cosmic radiation measured with the IGY neutron monitor network, 2=3441
- Dempsey, E. See Benson, G.C., 2=6245
- Demtröder, W. Determination of oscillator strengths through life-time measurements of the first excited states of the elements Ga, Al, Mg, Ti and Na, 2=10216
- Demuth, H.B. See Balcomb, J.D., 2=6027
- Demutskii, V.P. The Hugoniot adiabat in magnetohydrodynamics, 2=16004
- Demutskii, V.P. and Polovin, R.V. Shock ionization and detonation in magnetohydrodynamics, 2=1576
- Demutskii, V.P. See Polovin, R.V., 2=1569
- Demutskii, V.P. See Polovin, R.V., 2=1570
- Dem'yanchuk, A.S. A universal light source and a standard procedure for the spectral analysis of metals and alloys, 2=17635
- den Bergh, S. Van. See Van den Bergh, S.
- Den Besten, I.E., Fox, P.G. and Selwood, P.W. The mechanism of chemisorption: carbon monoxide and carbon dioxide on nickel, 2=10980
- der Bogaerde, J. Van. See Van der Bogaerde, J.
- den Bos, W.H. van. See van den Bos, W.H.
- Denby, E.F. Monochromatic aberrations of symmetrical optical systems. I. Expansion of the aberration function, 2=1249
- Denby, E.F. Monochromatic aberrations of symmetrical optical systems. II. Computing formulas, 2=1250
- Denda, S. See Tarui, Y., 2=8388
- De Nercy, A. De Bussière. See Bussière De Nercy, A.
- Deney, C. See Cester, R., 2=3409
- den Handel, J. van. See van den Handel, J.
- Denison, D.R. See Winters, H.F., 2=13387
- Denisov, S.P. See Govorkov, B.B., 2=13847
- Denisov, Yu.N. A universal nuclear magnetometer, 2=1547
- Denisov, Yu.N. See Vasilevskaya, D.P., 2=20090
- Denisuk, Yu.N. Representation of optical properties of an objective by means of wave pattern of light scattered by it, 2=19679
- Denisse, J.F. Assessment of Landau damping and of the linear approximation in the study of plasma oscillations, 2=1461
- Denisse, J.F. and McLean, D. Observations on the Landau absorption of plasma oscillations, 2=19993
- Denisse, J.F. See Delcroix, J.L., 2=1432
- Dennen, W.H. See Bisson, W.J., 2=9390
- Dennery, P. Theory of the electro- and photoproduction of π mesons, 2=3377
- Dennery, P. Pion production in neutrino-nucleon collisions, 2=18154
- Dennery, P. and Primakoff, H. Remarks on weak-interaction form factors, 2=13747
- Denney, J.M., Downing, R.G., Lackman, S.R. and Oliver, J.W. Estimate of space-radiation effects on satellite solar-cell power supplies, 2=13195
- Dennis, A.S. Correlation between hourly median scattered signals and simple refractivity parameters, 2=16063
- Dennis, W. See Miller, D.G., 2=17700
- Dennison, D.M. See Weeks, W.T., 2=6142
- Dennison, J.P. See Davies, P.W., 2=4328
- Denny, D.A. and Brodkey, R.S. Kinetic interpretation of non-Newtonian flow, 2=15545
- de Nobel, J. See du Chatenier, F.J., 2=8171
- Denoux, M. Some aspects of the pulverization of copper by medium-energy protons, 2=2109
- DeNoyer, J. See Meecham, W.C., 2=11442
- Denton, R.T. and Spencer, E.G. Ferromagnetic resonance loss in lithium ferrite as a function of temperature, 2=12806
- Denton, R.T. See Spencer, E.G., 2=10322
- Deo, B.B. Interacting fermions in two dimensions, 2=16163
- Deo, B.B. Mass spectrum from four-beson contact interaction, 2=17379
- Deo Bibhuti Bhusan. See Bibhuti Bhusan Deo.

- odhar,G.B. and Padalia,B.D. An extended study of a new relationship in the case of the K_{α} and K_{β} satellites, 2=10214
- odhar,G.B. and Padalia,B.D. Behaviour of some faint K_{β} lines for elements As(33) to Ru(44), 2=14212
- odhar,G.B. and Padalia,B.D. New non-quadrupole transitions in the L-spectrum of thallium 81, 2=20746
- Oliveira,C.G. and Tiomno,J. Representations of dirac equation on general relativity, 2=13261
- Palma,J.J. and Lowry,E.M. Sine-wave response of the visual system. II. Sine-wave and square-wave contrast sensitivity, 2=7085
- Paux,B. Determination of the multiple scattering of charged particles in nuclear emulsions, 2=20577
- Paux,B.,Habaru,J.M. and Tsai-Chih. Application of the centre of gravity method to the determination of the multiple scattering in nuclear emulsion of the tracks of 27 GeV protons produced by the CERN proton synchrotron, 2=3333
- Paz,M. See Bernè,A., 2=18595
- Pena,R.G.,Iribarne,J.V. and De Achával,E.M. The freezing of supercooled droplets of electrolytic solutions, 2=22101
- Pain,L. Passivity conditions for three-terminal networks, 2=7774
- Pinho,A. See Foucher,R., 2=10069
- Pinho,A. See Foucher,R., 2=22766
- Pinho,A.G. See Foucher,R., 2=414
- Pireux,J. See Duchesne,J., 2=14863
- Pommier,P. and Chabre,M. Anomalous β -spectrum of P^{32} , 2=403
- Pommier,P. See Chabre,M., 2=401
- Pommier,P. See Chabre,M., 2=22759
- Prins,J.,Menoud,C. and Kartaschoff,P. $N^{15}H_2$ double-beam maser as a primary frequency standard, 2=3161
- Prins,J.,Menoud,C. and Kartaschoff,P. Double beam masers as primary frequency standards, 2=5466
- Prit,A. and Delie,A. Canonical reduction of the flat-not-plane case of the n-body problem, 2=4943
- Raad,B. See Bellini,G., 2=22573
- Raad,B. See Di Corato,M., 2=22627
- Rafael,E. Strong interaction symmetries and relations between polarizations for $\bar{p}p \rightarrow \bar{Y}Y$, 2=18185
- Agobian,R. A new method of measuring the variations of electron density of a plasma of a function of time, 2=19976
- Rbyshire,W. The coupling between an unpaired electron spin and a proton two bonds away, 2=14338
- Rbyshire,W. See Roberts,G., 2=1614
- Rblom,H. See Omholt,A., 2=11077
- rem,A. See Baloutaud,R., 2=16231
- resiewicz,H. Effect of boundaries on waves in a thermoelastic solid, 2=11448
- resiewicz,H. The effect of boundaries on wave propagation in a liquid-filled porous solid. IV. Surface waves in a half-space, 2=17537
- resiewicz,H. A note on Love waves in a homogeneous crust overlying an inhomogeneous substratum, 2=17538
- resiewicz,H. and Rice,J.T. The effect of boundaries on wave propagation in a liquid-filled porous solid. III. Reflection of plane waves at a free plane boundary (general case), 2=17536
- Ridder,J. See Kramer,P., 2=20307
- rightetti,B. See Brun,E., 2=4297
- raguin,B.V. The force between molecules, 2=14341
- rkacheva,L.D. Symmetry of the third excited state of naphthalene, 2=20855
- Laan,H.R. van. See van der Laan,H.R.
- Leun,C. van. See van der Leun,C.
- Lugt,W. van. See van der Lugt,W.
- Mateosian,E. and Sehgal,M.L. Isomeric transition in Sb^{122m} , 2=5861
- mit,G. Tunnel-diode power, 2=12534
- mit,G. Alternant orbitals in crystals, 2=18510
- Rlas,T. See van der Rlas,T.
- Raay,H.B. van. See van der Raay,H.B.
- Rocco,A.G. and Hoover,W. Second virial coefficient for the spherical shell potential, 2=7248
- Rocco,A.G. See Hoover,W.G., 2=17378
- Roodenbeke,A.t'Kent. See t'Kent Roodenbeke,A.
- rick,G.H. Triton matrix elements of the quadratic LS operator, 2=16248
- rick,M. See Chadwick,G.B., 2=22522
- rick,M. See Deahl,J., 2=1712
- rick,M. See Dodd,P., 2=22508
- rick,M. See Goldsack,S.J., 2=9888
- rick,M. See McIlwain,R.L. 2=16190
- Smitten,F.J. In See In der Smitten,F.J.
- Spuy,E. Van. See Van Der Spuy,E.
- Steege,M.G. van. See van der Steeg,M.G.
- Deruytter,A.J. The fission cross-section of ^{235}U from 0.01 eV to 0.1 eV and its absolute value at 0.0253 eV, 2=5983
- Deruytter,A.J. Evaluation of the absolute activity of alpha emitters and of the number of nuclei in thin alpha active layers, 2=14013
- der Veen,K. van. See van der Veen,K.
- Derviz,T.E. Kuprevich,N.F. and Mitrofanova,L.A. The dependence of line intensities in the solar spectrum on the phase of solar activity, 2=958
- der Waals,J.H. van der. See van der Waals,J.H.
- Der Walt,A.J. Van. See Van Der Walt,A.J.
- Deryagin,B.V. See Bakanov,S.P. 2=1172
- Deryugin,I.A. Danilov,V.N. and Danilov,V.V. Visualization of dislocations in single crystals of ferrites with hexagonal structure, 2=18587
- Deryugin,I.A. Danilov,V.N. and Danilov,V.V. Visualization of dislocations in single crystals of ferrites with hexagonal structure, 2=23176
- Deryugin,I.A. and Sigal,M.A. Natural ferromagnetic resonance in single-domain particles of Fe, Co and Ni due to the anisotropy field, 2=18930
- Desai,B.R. Low-energy pion-photon interaction: The $(2\pi\ 2\gamma)$ vertex, 2=307
- Desai,R.C. Rastogi,B.P. Srinivasan,K.R. and Trasi,M.S. Physics calculations of the Canada-India reactor: comparison with experimental results, 2=5998
- De Santis,V. See Dallaporta,N. 2=18143
- de Saussure,G. A note on the measurement of diffusion parameters by the pulsed-neutron source technique, 2=11953
- De Saussure,G. Henry,K. and Perez-Belles,R. Reactivity worth of the central fuel element in the Bulk Shielding Reactor-I [Oak Ridge National Laboratory], 2=6036
- De Saussure,G. See Perez-Belles,R. 2=12253
- Deschamps,G.A. and Weeks,W.L. Charts for computing the refractive indexes of a magneto-ionic medium, 2=16069
- Deschamps,R. A relation between crystalline and molecular ionicity, 2=23026
- Dewchamps,Y. See Avignon,P. 2=482
- Deser,S. See Arnowitz,R. 2=20232
- de-Shalit,A. See Braunstein,A. 2=18257
- de shalit,A. See Lemmer,R.H. 2=357
- Deshmukh,K.G. See Bhide,V.G. 2=21220
- DeShong,J.A. Jr. Spark chamber track measuring system, 2=20216
- Deshpande,B.B. Automatic tuning of the musical scale, 2=19658
- Deshpande,V.T. and Mudholker,V.M. On the evaluation of the coefficients of thermal expansion of crystals from X-ray data, 2=572
- Deshpande,V.T. Thermal expansion of sodium fluoride and sodium bromide, 2=10338
- Deshpande,V.T. and Sirdeshmukh,D.B. Thermal expansion of tin in the β - γ transition region, 2=10336
- DeSilva,A.W. See Wilcox,J.M. 2=1470
- DeSilva,A.W. See Wilcox,J.W. 2=19948
- de Silva,C.M. See do Carmo Anta,M. 2=22476
- de Sobrino,L. and Clark,M.Jr. Comparison of Wilkins equation with experiments on water systems, 2=5677
- de Sobrino,L. and Clark,M.Jr. Comparison of the Wilkins equation and higher order approximations for solid moderators, 2=5678
- de Sobrino,L. and Clark,M.Jr. A study of Wilkins equation, 2=5679
- de Soete,D. and Hoste,J. Predicting gamma resolution, 2=11924
- De Soete,D. and Hoste,J. γ -spectrometry compensated for the Compton effect, 2=20290
- DeSorbo,W. and Newhouse,V.L. Optical detection of domain structure and current flow in superconducting lead films, 2=7512
- D'Espagnat,B. The existence of two neutrinos and the analysis of the leptonic currents structure in strangeness non-conserving processes, 2=22484
- d'Espagnat,B. and Prentki,J. The unitary symmetry and a connection between the $\Delta S \neq \frac{1}{2}$ and $\Delta I = 2$ rules, 2=11875
- Despuijols,J. Extension of the theory of diffraction of X-rays by perfect crystals, 2=12902
- Dessaux,O. See Pannetier,G. 2=20818
- Dessens,J. A procedure for studying atmospheric ice crystals by optical sounding, 2=4596
- Dessler,A.J. The stability of the interface between the solar wind and the geomagnetic field, 2=4693
- Dessler,A.J. Hydromagnetic picture of earth storms, 2=13079
- Dessler,A.J. See Ahluwalia,H.S. 2=16278
- Dessler,A.J. and Hanson,W.B. Possible energy source for the aurora, 2=6950
- Dessler,A.J. Hanson,W.B. and Parker,E.N. Formation of the geomagnetic storm main-phase ring current, 2=4695
- Dessler,A.J. Hanson,W.B. and Parker,E.N. Mechanism to establish the magnetic storm ring current, 2=13076

- De Stefano, P. See Bonera, G. 2=4544
 De Stefano, P. See Bonera, G. 2=23960
 De Strobel, G. Cayrel. See Cayrel De Strobel, G.
 Desvignes, F. Photovoltaic solar cells, 2=19889
 De Swart, J.J. and Dullemond, C. Hyperon-nucleon scattering, 2=3408
 de Swart, J.J. and Dullemond, C. Effective range theory and the low energy hyperon-nucleon interactions, 2=22642
 de Swart, J.J. See Dullemond, C. 2=20428
 Deterding, L.G. High-precision, stain-free mounting of large lens-elements, 2=17588
 De Tollis, B. and Verganelakis, A. The effect of a pion-pion interaction on the π^0 photoproduction, 2=3376
 Detoni, S. See Blinc, R. 2=2208
 Detraz, C. See Genin, J. 2=453
 Detraz, C. See Radvanyi, P. 2=1892
 Detraz, C. See Radvanyi, P. 2=3571
 de Turville, C.M. Terrestrial accretion from the solar wind, 2=15181
 Detwiler, C.R. Garrett, D.L. Purcell, J.D. and Tousey, R. The intensity distribution in the ultraviolet solar spectrum, 2=2480
 Detwiler, C.R. Purcell, J.D. Tousey, R. The extreme ultraviolet spectrum of the sun, 2=15341
 Deubner, F.L. Observation on the problem of the coincidence of eruptions and the magnetic zero-line, 2=15359
 Deuchars, W.M. and Lawrence, G.P. The reaction silicon-29(n, α) magnesium -26 at 14 MeV neutron energy, 2=7997
 Deutch, B.I. Nuclear resonance fluorescence from the 343 keV level of Lu^{175} , 2=7954
 Deutch, B.I. Measurement of the magnetic moment of the 279-keV state in Tl^{203} using resonance fluorescence, 2=12122
 Deutsch, E. Determination of the displacements and stresses on the surface of a semi-infinite elastic medium under the action of a normal axisymmetric force, 2=19477
 Deutsch, J. See Delabaye, M. 2=5858
 Deutsch, J.L. See Barrow, R.F. 2=6145
 Deutsch, J.L. and Barrow, R.F. The state $1^1\Sigma^-$ of carbon monoxide, 2=20799
 Deutsch, J.P. Grenacs, L. Lehmann, J. and Lipnik, P. Study of the β - γ cascade in the de-excitation of Rb^{86} , 2=407
 Deutsch, J.P. Grenacs, L. and Lipnik, P. Experimental study of the β - γ cascade in Ce^{141} , 2=408
 Deutsch, J.P. Grenacs, L. and Lipnik, P. The β - γ correlation in Ho^{166} , 2=5859
 Deutsch, J.P. See Delabaye, M. 2=16372
 Deutsch, J.P. See Lipnik, P. 2=7943
 Deutsch, M. Mencuccini, C. Querzoli, R. Salvini, G. Silvestrini, G.V. and Stiening, R. The single photoproduction of neutral pions in hydrogen in the energy range 600 to 800 MeV. Use of the spark chamber technique, 2=22557
 Deutsch, M. See Bauer, R.W. 2=1822
 Deutsch, R.W. Method for analysing low-enrichment, light-water cores, 2=3657
 Deutsch, R.W. Spatial dependence of thermal-neutron spectra and the interpretation of thermal utilization measurements, 2=8039
 Deutsch, R.W. Re "Spatial dependence of thermal-neutron spectra and the interpretation of thermal utilization measurements", 2=16454
 Deutsch, S. Fast-response temperature-control unit for a spectroscopic sample chamber, 2=9442
 Deutsch, T. Polarization effects in the infrared lattice absorption bands of CdS, 2=8533
 Dev, D. The elasto-plastic problem of a thin rotating disc with a central circular hole and variable thickness, I, 2=2664
 Devanathan, C. Oscillations of a three-component assembly with or without magnetic field, 2=9610
 Devanathan, M.A.V. and Stachurski, Z. The adsorption and diffusion of electrolytic hydrogen in palladium, 2=23207
 Devanathan, V. See Ramkrishnan, A. 2=5725
 Devare, H.G. See Jha, S. 2=16373
 Devare, S.H. See Sharma, R.P. 2=10043
 de Vaucouleurs, A. See Mayall, N.U. 2=19340
 de Vaucouleurs, G. Recent studies of clusters and superclusters, 2=9103
 DeVault, G.P. and Curtis, C.W. Elastic cylinder with free lateral surface and mixed time-dependent end conditions, 2=9220
 Deveni, A. [Devenyi] and Meneile, R. The effect of non-uniformity of thickness on the electrical conductivity of thin metallic films, 2=12491
 Devenyi, A. and Manaila, R. Influence of non-uniform thickness on the electrical conductivity of thin metallic films, 2=18636
 Deveryi, A. See Deveni, A.
 Devenyi, A. See Grigorovici, N. 2=6469
 Devenyi, A. See Grigorovici, R. 2=8281
 Devenyi, A. See Grigorovici, R. 2=8283
 Devenyi, A. See Grigorovici, R. 2=10438
 Devenyi, A. See Grigorovici, R. 2=16620
 Devenyi, A. See Grigorovici, R. 2=16681
 Devenyi, A. See Grigorovici, R. 2=18635
 Devenyi, A. See Grigorovici, R. 2=18749
 Devenyi, A. See Grigorovici, R. 2=20979
 Dever, D.F. See Walsh, P.N. 2=1317
 Dever, D.F. See White, D. 2=1316
 Devienne, F.M. Realization of a molecular gun, 2=14342
 Devienne, F.M. Clapier, R. and Roustau, J. Detection and Measurement of Velocity of Fast Molecules and Neutral Atoms, 2=12355
 Devienne, F.M. and Souquet, J. Production of a molecular beam at a very high speed and relatively great density; development of a molecular gun, 2=3801
 de Vijver, R.E. van. See van de Vijver, R.E.
 Devillers, D. See Ambrosino, G. 2=7996
 De Villers, D. See Blanc, D. 2=12202
 De Villers, J.A.M. See Meyer, M.A. 2=3425
 De Villers, J.A.M. See Meyer, M.A. 2=8001
 De Villers, J.A.M. See Meyer, M.A. 2=2097
 de Villers, J.A.M. See Meyer, M.A. 2=13920
 Devin, B. and Vandevyver, M. Maximum theoretical efficiency of thermionic emission energy convertor, 2=19885
 Devins, D.W. Forster, H.H. and Gigas, G.G. Elastic and inelastic scattering of 30.8 MeV protons from Ni^{60} and Pb^{208} , 2=16404
 Devlin, G.E. McKenna, J. May, A.D. and Schawlow, A.L. Composite rod optical masers, 2=6560
 Devlin, T.J. Moyer, B.J. and Perez-Mendez, V. $\pi^\pm - p$ total cross sections in the range 450 to 1650 MeV, 2=3386
 Devochkin, F.K. and Sokolov, Yu.Ya. Angular distribution of β -radiation from thick sources, 2=12159
 DeVoe, H. Effect of weak coupling on the absorption spectrum of an aggregate of chromophores, 2=22985
 De Volpi, A. and Porges, K.G. Rejection of gamma background radiation pulses in Hornyak buttons, 2=18013
 Devons, S. Limitations and needs in instrumentation for nuclear physics, 2=1618
 Devons, S. Superconducting magnets, 2=19809
 Devons, S. See Bartlett, D. 2=13830
 Devons, S. See Nassibian, G. 2=1532
 Devooght, J. See Gyftopoulos, E.P. 2=6025
 Devor, D.P. D'Haenens, I.J. and Asawa, C.K. Microwave generation in ruby due to population inversion produced by optical absorption, 2=20144
 de Vos, J.A. Covariant description of the motion of a particle with spin in a homogeneous electromagnetic field, 2=7716
 de Vos, K.J. Velge, W.A.J.J. van der Steeg, M.G. and Zijlstra, H. Permanent magnetic properties of iron-cobalt-phosphides, 2=16404
 Devralne, P. and Heubel, J. Factors influencing the critical dimensions of a parent-crystal of potassium nitrate from its supersaturated solution, 2=21488
 Devralne, P. See Heubel, J. 2=4373
 de Vries, C. Hofstadter, R. and Herman, R. Neutron from factors and nucleon structure, 2=13805
 de Vries, C. Hofstadter, R. Herman, R. and Krasner, S. Recent results on the form factors of the neutron and on the structure of neutron and on the structure of nucleons, 2=22523
 de Vries, C. See Bleeker, E.J. 2=5864
 de Vries, G. See Bosman, A.J. 2=4222
 de Vries, L.J. and Udo, F. A fast pulse-shape discriminator with applications as a spectrometer and sensitive monitor for 1-30 MeV neutrons, 2=5272
 De Vroey, M. See Deconninck, G. 2=20676
 de Vroomen, A.R. and Potters, M.L. On the origin of the giant thermopowers in some metals at low temperatures, 2=652
 De Vuyst, A. See Lahaye, E. 2=13065
 Devyatkov, E.D. and Smirnov, I.A. Influence of halogen impurities on the thermal conductivity of lead telluride, 2=3857
 Devyatkov, E.D. and Smirnov, I.A. Thermal conductivity of p-and-n type germanium, 2=20950
 Devyatkov, E.D. Kornfeld, M.I. and Smirnov, I.A. Scattering of phonons by impurity ions in a crystal of sodium chloride, 2=1036
 Devyatkov, E.D. and Smirnov, I.A. The mechanism of the scattering of charge carriers in lead telluride, 2=4082
 Devyatkov, E.D. and Smirnov, I.A. NaCl and KCl monocrystals as standard materials for measurement of thermal conductivity in the 80-460°K range, 2=22077
 Devyatkov, E.D. See Smirnov, I.A. 2=23401
 Devyatov, A.M. See Volkova, L.M. 2=16479
 Dew, G.D. Multi-sectional gratings for linear measurement, 2=7401
 de Waard, C. See Henning, J.C.M. 2=3777
 De Waard, C. See Henning, J.C.M. 2=22995
 de Waard, H. See van Klinken, J. 2=20546
 DeWaard, R. See Astheimer, R.W. 2=1028
 de Walle, R.T. Van See Van de Walle, R.T.

- Wames, R.E. See Coon, J.B. 2=14298
- wan, E.M. Remarks on the derivation of the Lorentz transformation, 2=2610
- war, M.J.S. The SPO method; reply to Dr. J.S. Griffith, 2=10269
- war, M.J.S. and Hojvat, N.L. The Sp-O (split-p-orbital) method. II. further definition and application to acetylene, 2=2009
- wdney, J.W. Energy distributions of photoelectrons from metals due to a surface effect, 2=3071
- wdney, J.W. Apparatus review: open air alpha particle counter, 2=5753
- Wet, J.F. The crystal structure of Mn_2Hg_5 , 2=10878
- Wijn, H.W. and Henning, J.C.M. Determination of the g-tensor anisotropy of triclinic DPPH at 4.5 mm wavelength, 2=14828
- Wijn, H.W. Severin, P.J. and van der Veen, K. The refractive index of $14 NH_3$ near the (3,3) line of the microwave inversion spectrum, 2=1200
- Wire, J.W. Feldman, M. Highland, V.L. and Littauer, R. Elastic scattering of photons by protons, I, 2=1671
- Witt, B.S. Quantum theory without electromagnetic potentials, 2=9765
- Witt, B.S. Definition of commutators via the uncertainty principle, 2=19434
- Witt, B.S. Quantization of field with infinite-dimensional invariance groups, II. Anticommuting fields, 2=19435
- Witt, B.S. See Utiyama, R. 2=19396
- Witt, R.N. The occurrence of aurora in geomagnetically conjugate areas, 2=17183
- Witt, R.N. See Basler, R.P. 2=9024
- xter, D.L. Cooperative optical absorption in solids, 2=14665
- xter, D.L. Electron-hole pair production, 2=23273
- xter, D.L. See Fowler, W.B. 2=16669
- y, B.N. See Quader, M.A. 2=12389
- ye, R.W.M. Physical factors affecting line profile, 2=23831
- yub, I.P. and Lubchenko, A.F. The influence of the forced oscillations of a crystal on the spectrum of scattered γ -quanta, 2=25539
- zelic, G. and Kratochvil, J.P. Influence of sodium chloride on light scattering by colloidal silica, 2=23977
- zsi, I. See Berkes, I. 2=11826
- zsi, I. See Imre, L. 2=12150
- Haenens, I.J. See Devor, D.P. 2=20144
- armatti, S.S. Shankar Rao, V.U. and Vijayaraghavan, R. Knight shifts in the intermetallic compound $PtSn_2$, 2=6706
- ashi, T. See Abe, T. 2=4369
- ulst, See Radvanyi, P. 2=1892
- ambrini, G. See Barbiellini, G. 2=13755
- ambrini, G. See Barbiellini, G. 2=20302
- ambrini, G. See Bologna, G. 2=5610
- amond, A.L. Brightness of a field as a function of its area, 2=13224
- anov, D.B. Merkulov, L.G. and Nikitenko, V.I. Precipitation of zinc oxide aerosol in an acoustic field, 2=23974
- anov-Klokov, V.I. See Burakov, K.S. 2=20089
- az Pena, M. Recurrent partition function, 2=4948
- eler, V.H. See Shields, W.R. 2=14227
- Capua, E. Dore, U. Gialanella, G.C. Guidoni, P. Laakso, I. and Moneti, G.C. A four liters liquid helium bubble chamber, 2=18039
- Clanni, N. See Pierce, L. 2=3737
- ck, B.G. and Das, T.P. Lattice deformations in alkali-halide solid solutions, 2=19024
- ck, B.G. See Das, T.P. 2=19025
- ck, B.G., Jr. and Das, T.P. Theory of alkali halide solid solutions, 2=21456
- ck, L. Feuvrais, L. Madansky, L. and Telegdi, V.L. A new method for determining proton polarization, 2=22490
- ck, L. See Charpak, G. 2=22357
- ck, R.H. Experimental tests of Mach's principle, 2=1057
- ck, R.H. Mach's principle and invariance under transformation of units, 2=9156
- ck, R.H. Implications for cosmology of stellar and Galactic evolution rates, 2=13096
- ck, R.H. Lee-Yang vector field and isotropy of the universe, 2=13717
- ck, R.H. Long-range scalar interaction, 2=13718
- ck, R.H. Dating the Galaxy by uranium decay, 2=15389
- ck, R.H. See Brans, C. 2=1051
- ck, R.H. See Peebles, P.J. 2=17338
- ckel, G. The asymmetric separation column, 2=17504
- ckel, G. and Burkholz, A. Determination of the parasitic currents in the separation column, 2=17505
- ckens, P.G. and Ripamonti, A. Calculation of vibrational relaxation times in gases, 2=3726
- ckerson, R.F. See De Mastry, J.A. 2=6062
- ckey, D.H. See Harman, T.C. 2=4034
- ckinson, H. Bostick, W.H. DiMarco, J.N. and Koslov, S. Experimental study of Rayleigh-Taylor instability in plasma, 2=19952
- Dickinson, H.O. See Barr, J. 2=1381
- Dickinson, W.C. Passell, L. and Halpern, O. Studies of the optics of neutrons. I. Measurement of the neutron-proton coherent scattering amplitude by mirror reflection, 2=9853
- Dicke, R.H. Dirac's cosmology and Mach's principle, 2=17229
- Dickinson, B. See Ellison, R.J. 2=16315
- Dickson, A.K. Nuclear heating of non-fissile material by thermal neutron reactions, 2=20722
- Dickson, J.M. See Stafford, G.H. 2=13801
- Di Corato, M. Gelsema, E.S. Minguzzi-Ranzi, A. Belliere, J. Bingham, H.H. Bloch, M. Hennessy, J. Mittner, P. Orkin-Lecourtois, A. Ferrero, M.I. Garelli, C.M. Vigone, M. Grigoletto, A. Limentani, S. Loria, A. Waldner, F. Baglin, C. Drijard, D. Lagarrigue, A. Rancon, P. Rousset, A. De Raad, B. Salmeron, R. and Voss, R. V^0 pairs produced in the Ecole polytechnique one meter propane bubble chamber by π^- of 6.1, 11.6 and 18.1 GeV/c, 2=22627
- Diddens, A.N. Results from the CERN proton synchrotron, 2=3119
- Diddens, A.N. Lillethun, E. Manning, G. Taylor, A.E. Walker, T.G. and Wetherell, A.M. High-energy nucleon-nucleon total cross-sections, 2=20331
- Diddens, A.N. Lillethun, E. Manning, G. Taylor, A.E. Walker, T.G. and Wetherell, A.M. High-energy proton-proton diffraction scattering, 2=20335
- Diddens, A.N. Lillethun, E. Manning, G. Taylor, A.E. Walker, T.G. and Wetherell, A.M. High-energy proton-proton scattering, 2=20336
- Diddens, A.N. See Cocconi, G. 2=5639
- Diddens, A.N. See Cocconi, G. 2=10095
- Diddens, A.N. See Cocconi, G. 2=22503
- Didenko, A.N. and Kovalenko, E.S. Effectiveness of a waveguide as the accelerating system of an electron synchrotron, 2=3121
- Didenko, A.N. and Vall, A.N. The application of Kramer's method to the calculation of particle losses in cyclical accelerators due to the influence of scattering because of betatron oscillations, 2=5421
- Didenko, A.N. See Vorob'ev, A.A. 2=13622
- Didier, D. Measurement of 14.7 MeV neutron cross-sections: use of the alpha-particle associated with the neutron in the reaction $T(d,n)He^4$, 2=5685
- DiDomenico, M. Jr. Johnson, D.A. and Pantell, R.H. Ferroelectric harmonic generator and the large-signal microwave characteristics of a ferroelectric ceramic, 2=12563
- Didry, J.R. Cabaret, F. and Guy, J. Topological considerations of the contributions of localized molecular orbitals to the magnetic screening constants, 2=10272
- Didry, J.R. See Cabaret, F. 2=6222
- Didry, J.R. See Cabaret, F. 2=23002
- Didry, J.R. See Guy, J. 2=12342
- Diebold, R. Gomez, R. Talman, R. and Walker, R.L. Photoproduction of single neutral pions from hydrogen at 60° in the 600-1100 MeV region, 2=1709
- Diederichs, E. Optical contrast transfer theory applied to surface quality, 2=1256
- Diefendorf, R.J. See Klein, C.A. 2=4035
- Diehl, J. See Seeger, A. 2=20993
- Dieke, G.H. and Crosswhite, H.M. The ultraviolet bands of OH. Fundamenta data, 2=20822
- Dieke, G.H. and Sarup, R. Fluorescence spectrum and the energy levels of the Sm^{2+} ion, 2=4176
- Dieke, G.H. See Varsanyi, F. 2=6577
- Dieke, G.H. See Varsanyi, F. 2=6603
- Dieke, G.H. See Varsanyi, F. 2=14678
- Diemer, G. Field effects on photoconductivity quenching, 2=10524
- Diemer, G. Opto-electronics, 2=14411
- Dieminger, W. and Kohl, H. Effects of nuclear explosions on the ionosphere, 2=15223
- Diener, A. See Fetz, H. 2=11704
- Dienes, G.J. and Damask, A.C. An estimate of the effect of radiation on the thermal conductivity of beryllium, 2=2058
- Dienes, G.J. and Damask, A.C. Theory of annealing of vacancies and divacancies in pure metals, 2=12423
- Dienes, G.J. and Damask, A.C. Kinetics of vacancy-interstitial annihilation. II. Di-interstitial formation, 2=3902
- Dienes, G.J. See Damask, A.C. 2=3901
- Diercks, K.J. and Jeffress, L.A. Interaural phase and the absolute threshold for tone, 2=7321
- Dierchx, R. Threshold detectors for measuring fast neutron spectra, 2=22537
- Diesendruck, L. Electromagnetic fields of a charge and isotropic medium in relative motion, 2=9684
- Diestel, H.G. Sound propagation in an almost anechoic room, 2=15713
- Diestel, H.G. See Bocker, P. 2=4889
- Dieter, G.E. See Leslie, W.C. 2=23846
- Dieter, N.H. A search for H I in Centaurus A, 2=13180

- Dieter, N.H. Neutral hydrogen in M33, 2=13185.
 Dieter, N.H. Neutral hydrogen in IC342, 2=17308
 Dieter, N.H. Neutral hydrogen in M 101, 2=17309
 Dieter, N.H. See Miczaika, G.R. 2=11206.
 Diethorn, W.S. Sr^{90} - Y^{90} beta sources for radiation chemistry studies, 2=5620
 Diethorn, W.S. See Townley, C.W. 2=4577
 Dietrich, F.S. See Ajzenberg-Solove, F. 2=381
 Dietrich, I. Determination of the energy gap of superconducting tantalum with the help of the tunnel effect, 2=1569
 Dietrich, K. Application of the pair model to the nuclear physics five-body problem, 2=9982
 Dietrich, K. On the energy spectrum of (p,p) reactions, 2=20622
 Dietrich, W. Incomplete switching processes in thin magnetic films, 2=12783
 Dietz, G. and Jaumann, J. Ultrasonic propagation in ferromagnetic substances, 2=12379
 Dietz, R.E. Thomas, D.G. and Hopfield, J.J. "Mirror" absorption and fluorescence in ZnTe, 2=16861
 Dietzsch, O. See Landim, E. 2=18138
 Dietzsch, W. Measuring sensitiveness and measuring accuracy in industrial β -ray thickness measurement, 2=1102
 Diez, R. See Catala, J. 2=16102
 Di Francia, G. Toraldo, See Toraldo Di Francia, G.
 Dignam, M.J. Oxide films on aluminum. I. Ionic conduction and structure, 2=10937.
 Dignam, M.J. Oxide films on aluminum. II. Kinetics of formation in oxygen, 2=10938
 Dikhoif, J.A.M. Cross-sectional resistivity variations in germanium single crystals, 2=8342
 Dikina, L.S. and Shpunt, A.A. Strength of "cleavage whiskers", 2=19006
 di Lella, L. See Conforto, G. 2=22831
 di Lella, L. See Conforto, G. 2=20660
 di Lella, L. See Conversi, M. 2=13834
 di Lella, L. See Conversi, M. 2=20213
 Dill, M.W. See Yun, S.S. 2=13337
 Dilla, M.A. Van See Van Dilla, M.A.
 Dillenburg, D. and Maris, T.A.J. The effect of statistical perturbations on angular correlations, 2=16337
 Dillon, O.W. Jr. An experimental study of the heat generated during torsional oscillations, 2=21417
 Diller, D.E. See Goodwin, R.D. 2=7191
 Diller, D.E. See Weber, L.A. 2=15805
 Dilling, M. See Vratny, F. 2=6578
 Dillon, J.A. Jr. Asymmetries in the surface properties of the (III) and (III) faces of zinc telluride, 2=7644
 Dillon, J.A. Jr. and Oman, R.M. Surface diffusion effects and ion bombardment cleaning of silicon and germanium, 2=23203
 Dillon, J.F. Jr. Ferromagnetic resonance in CrBr_3 , 2=12687
 Dillon, J.F. Jr. Ferromagnetic resonance in rare-earth-doped yttrium iron garnet. III. Linewidth, 2=18939
 Dillon, J.F. Jr. and Walker, L.R. Erratum: ferrimagnetic resonance in rare-earth doped yttrium iron garnet. II. Terbium substitution, 2=14820
 Dillon, O.W. Jr. An experimental study of the heat generated during torsional oscillations, 2=21417
 Dillon, O.W. Jr. A nonlinear thermoelasticity theory, 2=11308
 Dillon, O.W. Jr. Temperature generated in aluminum rods undergoing torsional oscillations, 2=23741
 Dilworth, C. See Bridge, H.S. 2=12055
 Di Marco, J.N. and Bostick, W.H. Experimental observations of colliding plasmas in cusped and mirror-geometry magnetic fields, 2=17832
 DiMarco, J.N. See Dickinson, H. 2=19952
 Dimarova, E.N. See Andrievskii, A.L. 2=12392
 Dimarova, E.N. See Andrievskii, A.I. 2=14393
 DiMarzio, E.A. Contribution to a liquid-like theory of rubber elasticity, 2=8140
 DiMattia, A.P. See McDaniel, G.W. 2=19687
 Dimeff, J. Lane, J.W. and Coon, G.W. New wide-range pressure transducer, 2=19506
 Dimigen, H. Energy analysis of the electron scattering diagram of a thin silicon foil, 2=821
 Dimitrijevic, Z. See Ribon, P. 2=12143
 Dimitrijevic, Z. See Ribon, P. 2=462
 Dimitrov, O. See Frois, C. 2=4391
 Dimmick, F.L. See Siegel, M.H. 2=24230
 Dimmock, J.O. and Wheeler, R.G. I reducible representations of magnetic groups, 2=16897
 Dimmock, J.O. and Wheeler, R.G. Symmetry properties of wave functions in magnetic crystals, 2=18884
 Dimmock, J.O. See Wheeler, R.G. 2=10359
 Dimock, E.L. See Szabo, A. 2=2883
 Dimov, N.A. An integrating stellar spectrophotometer, 2=927
 Din Da-tso[Ting Ta-ta'ao]. See Birger, N.G. 2=3391
 Din, F. See Burn, I. 2=22097
 Din, G.U. Hsin-min Kuan and Bonner, T.W. Mechanism of the reaction $\text{C}^{12}(\text{He}^3, \text{n})\text{O}^{14}$, 2=1926
 Dinger, H.E. Radio frequency interference measurements and standards, 2=15410
 Dinh - Lien - Pham. See Pham - Dinh - Lien.
 Dinh Tuong Guyen. See Guyen Dinh Tuong.
 Din Ty Nguen. See Nguen Din Ty.
 Dinh-Vuong, B. Influence of the rate of evaporation on the electrical conductivity of thin metallic films, 2=14498
 Dionisio, J. Sant' ana. See Sant' ana Dionisio, J.
 Dirac, P.A.M. An extensible model of the electron, 2=16184
 Dirac, P.A.M. Dirac's cosmology and Mach's principle, 2=17229
 Dischler, B. and Englert, G. The analysis of some nuclear resonance spectra of type A_2B , 2=6220
 Dischler, B. and Maier, W. Direct analysis of complex nuclear magnetic resonance spectra of the type A_2B_2 , 2=3781
 Dismukes, J.P. See Abeles, B. 2=3855
 Ditchburn, R.W. and Young, P.A. The absorption of molecular oxygen between 1850 and 2500 Å, 2=8106
 Ditsman, S.A. Reflection of X-rays from a bent crystal in the case of microfocus source, 2=14978
 Ditzemberger, J.A. See Whelna, J.M. 2=23386
 Diven, B.C. See Hopkins, J.C. 2=8016
 Divnich, L.F. See Vysotskii, Z.Z. 2=19705
 Dixon, J.A. See Silvestri, A.J. 2=2015
 Dixon, J.R. Problem of materials for composite models in photoelastic frozen-stress work, 2=2662
 Dixon, J.R. Optical absorption mechanisms in indium arsenide, 2=235
 Dixon, S. Jr. High-power characteristics of single-crystal ferrites with planar anisotropy, 2=12745
 Dixon-Lewis, G. and Isles, G.L. Sharp-focusing Schlieren systems for studies of flat flames, 2=7352
 Dixon, W.R. See Aitken, J.H. 2=20651
 Djuric, J. Gravitational fields, 2=11252
 Dmitriev, A.A. The application of the thermodynamic determination of entropy in a gravitational field, 2=9467
 Dmitriev, A.B. and Leven-Fisher, N.P. A system for centralized evacuation of vacuum devices, 2=19637
 Dmitriev, A.B. See Shevryev, V.S. 2=20185
 Dmitriev, A.G. See Gromov, K.Ya. 2=14049
 Dmitriev, I.S. Nikolaev, V.S. Fateeva, L.N. and Teplova, Ya.A. Concerning the mean charge of ions passing through matter, 2=15892
 Dmitriev, I.S. Kikolayev, V.S. Fateeva, L.N. and Teplova, Ya.A. Experimental investigation of electron loss by multicharged ions gases, 2=9535
 Dmitriev, I.S. See Nikolaev, V.S. 2=163
 Dmitriev, I.S. See Nikolaev, V.S. 2=22168
 Dmitriev, I.S. See Teplova, Ya.A. 2=7674
 Dmitriev, I.S. See Teplov, I.B. 2=10100
 Dmitriev, N.A. The equation of state of a crystal at zero temperature, 2=14348
 Dmitriev, V.D. See Boronin, I.M. 2=10430
 Dmitriev, V.A. See Bekkerman, I.M. 2=1739
 Dmitriev, V.A. See Vernov, S.N. 2=20462
 Dmitriev, V.I. The measurement of the gas pressure in sealed cathode ray tubes, 2=2799
 Dmitrieva, N.N. See Sanin, A.A. 2=19857
 Dmytrenko, Y.P. See Shpak, M.T. 2=21277
 Dneprovskii, I.S. New isotopes of erbium and holmium, 2=12152
 Dnestrovskii, Yu.N. and Kostomarov, D.P. The dispersion equation for an extraordinary wave moving in a plasma across an external magnetic field, 2=3061
 Dnestrovskii, Yu.N. and Kostomarov, D.P. Stability of plane electron beams in bounded systems with a decelerating electric field, 2=20026
 Doan, R.L. MTR-ETR operating experience, 2=6041
 Dobbs, J.M. Lande, K. Mann, A.K. Reibel, K. Sciuilli, F.J. Uto, H. White, D. and Young, K.K. Ratio of form factors in the leptonic decays of the K^+ meson, 2=11995
 Doblash, I. See Benda, F. 2=15971
 Dobrego, V.P. and Ryvkin, S.M. Negative photoconductivity in germanium at the temperature of liquid helium, 2=16755
 Dobrego, V.P. See Ryvkin, S.M. 2=23339
 Dobretov, L.N. See Bacal, M. 2=5594
 Dobrikov, V.N. Zaika, N.I. and Nemets, O.F. Precision cyclotron monitor, 2=1534
 Dobrilovic, L. and Milojevic, A. Investigation of the efficiency of vapor condensation on ions in a Wilson cloud chamber, 2=3221
 Dobrodeeva, N.M. See Vasil'ev, D.M. 2=12853

- prodeeva, N.M. See Vasil'ev, D.M. 2=14881
 prokhotova, V.K. See Naboikin, Yu.V. 2=14748
 prolyubov, G.N. See Atlaskin, N.N. 2=20075
 protin, N.A. Guseva, V.V. Kotelnikov, K.A. Lebedev, A.M. Ryabikov, S.V. Slavatskiy, S.A. and Zelevinskaya, N.G. Experimental data on nucleon-nucleon interactions at energies > 100 GeV, 2=13786
 prott, D. and Ishimaru, A. East-West effect on v.l.f. mode transmission across the earth's magnetic field, 2=7770
 provenskii, V.V. An apparatus for growing monocrystals of refractory substances from powder in a controlled atmosphere, 2=2367
 provins'ka, O.R. Mokhir, O.P. and Eidel'man, L.G. Influence of certain factors on the energy resolution of NaI:Tl crystal scintillation counters, 2=8588
 provol'skii, V.L. Plane plastic strain problems for anisotropic materials, 2=14885
 provol'skii, V.D. See Kara'nik, S.M. 2=18853
 provol'skii, V.N. Effect of a magnetic field on the diffusion of injected current carriers, 2=6442
 provol'skii, V.N. Photo-Hall effect and photoconductivity in a magnetic field, 2=18728
 provol'skii, V.N. and Lyashenko, V.I. Investigation of the drift of excess current carriers in a magnetic field, 2=4012
 provol'skii, V.N. and Lyashenko, V.I. Investigation of the drift of excess current carriers in a magnetic field, 2=6432
 prynin, Yu.P. See Apalin, V.F. 2=1941
 provol'skii, V.N. and Lyashenko, V.I. Method for determination of diffusion coefficients of current carriers, 2=21115
 pryshman, E.M. and Shakina, N.P. The nonlinear theory of local winds in a turbulent atmosphere, 2=19198
 przhanskii, G.F. See Belyaev, L.M. 2=4390
 przhanskii, G.F. See Belyaev, L.M. 2=14732
 przhanskii, G.F. See Karpenko, A.G. 2=4389
 przhanskii, G.F. See Sonin, A.S. 2=16776
 pson, G.M.B. Brewer, A.W. and Houghton, J.T. The humidity of the stratosphere, 2=11013
 pson, P.S. and Wilman, H. The compression textures of polycrystalline materials of caesium chloride structure type, 2=14928
 pson, P.S. and Wilman, H. The re-orientation caused by unidirectional abrasion on materials of rocksalt structure type, 2=19033
 pson, P.S. and Wilman, H. The re-orientation caused by abrasion on materials of CsCl structure type, 2=19034
 Carma Anta, M. de Campos Costa, M.J. Namorado Rosa, R. de Silva, C.M. and Novais, H.M. X-rays produced by the bremsstrahlung effect in a thick target with electrons of 1 to 2 MeV. Determination of the intensity distribution around the Van de Graaff accelerator of the L.F.E.N., 2=22476
 Occhieppo, K. Ferrari, See Ferrari d'Occhieppo, K.
 Dang, G. Theory of the $(p, p\gamma)$ reaction at high energies. Application to the 15.1 MeV level in C^{12} , 2=439
 Dang Giu and Marty, C. On $(p, p\gamma)$ reaction with excitation of the 15.1 MeV level of ^{12}C by 150 MeV protons, 2=1880
 dd, J.G. Elementary quantities and the uncertainty principle, 2=9140
 dd, P. Jobs, M. Kinson, J. Tallini, B. French, B.R. Sherman, H.J. Skillicorn, I.O. Davies, W.T. Derrick, M. and Radojicic, D. Pion production by 24 GeV/c protons in hydrogen, 2=22508
 dd, R.A. See Nielsen, E.J. 2=15065
 dd, W.P. Doran, G.A. Kinson, J.B. Riddiford, L. and Tallini, B. Operation of a 9 inch bubble chamber with deuterium, 2=5542
 dd, W.P. See Barnes, V.E. 2=285
 dd, M. See Gerdanian, P. 2=10776
 dge, W.R. and Barber, W.C. Photoprotons from oxygen, fluorine, neon, and other light elements, 2=20592
 dgen, H.W. See Hunt, J.P. 2=4525
 dson, H.W. See Covington, A.E. 2=13170
 dt, E. and Jessen, K.H. Change of threshold during light and dark adaptation following exposures to spectral lights of equal scotopic and equal photopic efficiencies, 2=1033
 ehler, A.O. See Arnaud, J. 2=3080
 ering, J.P. and Mahan, B.H. Photoionization of nitric oxide, 2=5299
 ering, J.P. and Mahan, B.H. Photolysis of nitrous oxide. II. 1470 and 1830 Å, 2=8926
 erner, E.C. Wiener-spectrum analysis of photographic granularity, 2=13467
 erner, R.C. Armani, R.J. Zagotta, W.E. and Martens, F.H. Age of fission energy neutrons to indium resonance in water, 2=5985
 ogonadze, R.R. A semiclassical discussion of electron exchange in solutions, 2=17092
 ogonadze, R.R. Chernenko, A.A. and Chizmadzhev, Yu.A. Electrical conductivity of polar crystals with carriers of small mobility. II. Calculation of the mobility, 2=10361
 Dogonadze, R.R. Chernenko, A.A. and Chizmadzhev, Yu.A. Electrical conductivity of polar crystals with carriers of small mobility. II. Calculation of the mobility, 2=14417
 Dogonadze, R.R. and Chizmadzhev, Yu.A. Electrical conductivity of polar crystals with carriers of small mobility. I. The structure of the energy spectrum, 2=10360
 Dogonadze, R.R. and Chizmadzhev, Yu.A. Electrical conductivity of polar crystals with carriers of small mobility. I. The structure of the energy spectrum, 2=14416
 Doherty, L.R. See Menzel, D.H. 2=15345
 Dohnanyi, J.S. Nuclear magnetic relaxation in the presence of paramagnetic ions, 2=8679
 Dohnanyi, J.S. Nuclear magnetic relaxation in the presence of paramagnetic ions, II, 2=21384
 Doi, K. Interpretation of line profiles by the Fourier method, with special reference to the size distribution of carbon black crystallites, 2=10841
 Doi, K. A possible approach to the problem of the propagation of order [in solid solutions] by means of the Fourier transformation of X-ray diffuse scattering, 2=10918
 Do In Seb, Kirillova, L.F. Markov, P.K. Popova, L.G. Silin, N.I. Tsyganov, E.N. Shafranov, M.G. Shakhbazyan, B.A. and Yuldashev, A.A. Scattering of 8.5 BeV protons, 2=5640
 Do In Seb, Remark on the range-energy relationship, 2=20285
 Do In Seb, See Asimov, S.A. 2=9845
 Doke, T. A new method for the reduction of alpha-ray background in a gridded ionization chamber, 2=11824
 Doke, T. Awamura, K. and Nakamoto, A. A new sample changer for a gridded ionization chamber, 2=7787
 Doke, T. See Ogawa, I. 2=5507
 Dokoupil, Z. See Omar, M.H. 2=1311
 Dokoupil, Z. See Omar, M.H. 2=9461
 Dokoupil, Z. See Omar, M.H. 2=11365
 Dokoupil, Z. See Omar, M.H. 2=11541
 Dokuchaev, I.A. and Osipov, I.S. The specific α -activity and half-life of U^{233} , 2=396
 Dokunikhin, N.S. See Nurmukhametov, R.N. 2=17473
 Dolbilkin, B.S. See Bogdankevich, O.V. 2=1862
 Dolbilkin, B.S. See Burgov, N.A. 2=20594
 Dole, S.H. The gravitational concentration of particles in space near the earth, 2=24086
 Dolecek, R.L. See Alers, P.B. 2=21267
 Dolega, U. Capacitance measurements on selenium rectifiers, 2=10512
 Doleiden, F.H. See Fuller, C.S. 2=2146
 Dolejsi, J. and Bohun, A. Contribution to the explanation of the emission bands at 3600 Å in NaCl crystals, 2=6606
 Dolejsi, J. Lebl, M. and Trnka, J. The X-ray luminescence of NaCl crystals with cobalt, 2=6607
 Dolejsi, J. and Trnka, J. The X-ray luminescence of NaCl crystals with admixtures of elements of the iron group, 2=18863
 Dolginov, S.Sh., Eroshenko, E.G. Zhuzogov, L.N. Pushkov, N.V. and Tyurmina, L.O. Magnetic measurements on the second space rocket, 2=11082
 Dolginov, S.Sh., Zhuzgov, L.N. and Pushkov, N.V. A preliminary report on geomagnetic measurements from the third Soviet artificial earth satellite, 2=13063
 Dolginov, S.Sh., Zhuzgov, L.N. and Selyutin, V.A. The magnetometer apparatus of Sputnik III, 2=9133
 Dolgoplov, V.V. and Stepanov, K.M. Damping of magnetohydrodynamic waves in a rarefied plasma, 2=1433
 Dolgoborodova, M.A. See Dzelepov, B.S. 2=14072
 Dolgoshein, B.A. and Kuzin, L.A. Quick-acting valve for bubble chambers, 2=3228
 Dolgoshein, B. Luchkov, B. and Ushakov, V. Polarization of low energy cosmic-ray muons at sea level, 2=13933
 Dolgoshein, B. See Berezinskii, V. 2=13934
 Dolgova, E.I. Spiral distribution of ionospheric magnetic disturbances, 2=15218
 Dolhoplov, D.H. and Bahrov, M.M. Measurements of the diffusion coefficient in liquids by the method of saturation from the gas phase, 2=9265
 Dolinskii, E.I. See Blokhintsev, L.D. 2=3371
 Dolinskii, E.I. See Blokhintsev, L.D. 2=18058
 Dolinsky, E.I. See Blokhintsev, L.D. 2=16349
 Dolique, J.M. Injection of electrons into a bundle of ions; nonlinear phenomena, 2=11621
 Dolkhazhav, N. See Barashenkov, V.S. 2=1869
 Dollfus, A. A new technique for stratosphere balloons and a direct study of the origin of stellar scintillations, 2=21621
 Dolmatova, K.A. See Ovsyannikov, V.A. 2=5356
 Dolph, C.L. and Weil, H. On the change in radar cross-section of a spherical satellite caused by a plasma sheath, 2=4879

- Dolphin, G.W. Megaw, W.J. and Rundo, J. Health physics, 2=13203
- Dolya, G.P. See Samoilov, V.P. 2=1958
- Domani, B.G.S. and ter Haar, D. On the use of Green functions in the theory of the Ising ferromagnet, 2=21304
- Domb, C. and Hiley, B.J. On the method of Yvon in crystal statistics, 2=16579
- Domb, C. and Isenberg, C. The calculations of thermodynamic functions in lattice dynamics, 2=12381
- Domb, C. and Sykes, M.F. Effect of change of spin on the critical properties of the Ising and Heisenberg models, 2=23646
- Dombey, N. Weak pion production, 2=18153
- Dombi, J. See Ketskemeti, I. 2=1156
- Dombi, J. See Ketskemeti, I. 2=13346
- Dombrowski, N. See Fraser, R.P. 2=15764
- Domen, S.R. See Pruitt, J.S. 2=20306
- Dominguez, R. See Jaidar, A. 2=5800
- Dommaschk, W. See Schaff, F. 2=20025
- Domokosh, G. Behavior of the amplitude for elastic high energy pion-pion scattering, 2=9909
- Domokosh, G. The question of calculation of the Regge-poles, 2=22444
- Domokosh, G. The analytic behaviour of the amplitude for the elastic $\pi-\pi$ scattering in the l -plane, 2=22598
- Domokos, G. On the asymptotic behaviour of the elastic $\pi\pi$ and πN scattering amplitudes, 2=11987
- Domokosh, G. See Vol'f, Yu. 2=13856
- Don Khva Li See Li Don Khva
- Donaghy, J.J. See Stewart, A.T. 2=23118
- Donahoe, F.J. See Testardi, L.R. 2=23372
- Donahue, T.M. A note on polar blackouts, 2=895
- Donahue, T.M. and Blamont, J.E. Sodium in the upper atmosphere, 2=908
- Donahue, T.M. Blamont, J.E. and Lory, M.L. The influence of resonance absorption in the sodium layer on temperature and density measurements in the upper atmosphere, 2=4625
- Donald, R.A. See Cundy, D.C. 2=5716
- Donaldson, I.G. A theory for the square guarded hot plate — a solution of the heat conduction equation for a two layer system, 2=2905
- Donaldson, I.G. Free convection in a vertical tube with a linear wall temperature gradient, 2=5204
- Donaldson, R.H. and Edmonds, D.T. Magnetic field dependent thermal conductivity in an antiferromagnet, 2=23092
- Donat, K. See Lihl, F. 2=15112
- Donets, E.D. Karnaukhov, V.A. Kumpf, G. Gvozdev, B.A. and Chuburkov, Yu.T. Investigation of the nuclear reaction $\text{Th}^{232}(\text{Ne}^{22}, 4n)\text{Fm}^{280}$, 2=22855
- Dongorozi, C.S. Crystallization asymmetry, 2=8782
- Dong Van Nguyen. See Nguyen Van Dong.
- Donley, J.L. See Bourdeau, R.E. 2=8993
- Donley, J.L. See Serbu, G.P. 2=6936
- Dong Van Nguyen, N. See Guyen Van Dong, N.
- Donn, W.L. and Ewing, M. Atmospheric waves from nuclear explosions. II. The Soviet test of 30 October 1961, 2=15187
- Donnachie, A. The photodisintegration of the deuteron, 2=13893
- Donnadieu, A. See Savornin, F. 2=14495
- Donnelly, G.J. See Henderson, M.C. 2=13417
- Donnelly, R.J. and Ozima, M. Experiments on the stability of flow between rotating cylinders in the presence of a magnetic field, 2=5454
- Donnelly, R.J. See Caldwell, D.R. 2=11336
- Donnelly, R.J. See Meyer, L. 2=15832
- Donohue, J. On the structure of uranium in thin film, 2=822
- Donohue, J. A refinement of the positional parameter in [solid] α -nitrogen, 2=15012
- Donohue, J. See Caron, A. 2=8824
- Donohue, R.J. and Majkowski, R.F. Spectroscopic measurements of temperatures and densities in a cesium plasma, 2=1447
- Donovan, B. and Webster, J. The theory of the Faraday effect in anisotropic semiconductors, 2=4121
- Donovan, B. and Webster, J. Note on the Faraday effect in anisotropic semiconductors, 2=12581
- Donovan, R.E. and Vuylsteke, A.A. Paramagnetic resonance spectrum of manganese in CdWO_4 , 2=14832
- Donth, E. and Gladun, C. Measurement of thermal conductivity at low temperatures by a non-stationary method, 2=15767
- Donze, G. Dutilloy, D. Le Hazif, R. and Adda, Y. Morphology of a liquid phase with an aluminium basis in the grain boundaries of beryllium, 2=19088
- Donze, G. Le Hazif, R. Maurice, F. Dutilloy, D. and Adda, Y. Diffusion and solubility of iron in beryllium, 2=12455
- Donze, G. See Adda, Y. 2=8210
- Donze, G. See Beaudier, J. 2=4456
- Donze, G. Nature of the $\alpha \rightleftharpoons \beta$ transformation of uranium near equilibrium, 2=6823
- Dooley, M.T. See Brewer, L.E. 2=17845
- Döös, B.R. The influence of exchange of sensible heat with the earth's surface on the planetary flow, 2=17133
- Dorain, P.B. and Rahn, R. Electron paramagnetic resonance of rhenu [IV] in a cubic field, 2=8671
- Doran, G.A. See Dodd, W.P. 2=5542
- Doran, G.A. and Jobs, M. An automatic track following device, 2=55
- Dorcioman, D. See Cristu, M. 2=10024
- Dorda, G. Effect of the relative humidity on the electrical properties of germanium, 2=23331
- Dore, M. See Carmichael, C.H. 2=4032
- Dore, U. See Di Capua, E. 2=18039
- Dorenbusch, W.E. See Browne, C.P. 2=3617
- Dorendorf, H. See Wöfle, R. 2=21065
- Dorfman, L.M. Buhler, R.E. and Taub, I.A. Absolute rate constant for the reaction of hydroxyl radicals with benzene in water, 2=10965
- Dorfman, L.M. Taub, I.A. and Böhler, R.E. Pulse radiolysis studies. I. Transient spectra and reaction-rate constants in irradiated aqueous solutions of benzene, 2=15161
- Dorfman, Ya.G. Concerning the nature of the unusual magnetic phenomena exhibited by certain organic materials, 2=14766
- Dorfman, Ya.G. Concerning the nature of the unusual magnetic phenomena exhibited by certain organic materials, 2=16896
- Doring, W. Saturation magnetization of thin films, 2=8638
- Doring, W. Ferromagnetism of a plane lattice, 2=14769
- Dorman, J. Period equation for waves of Rayleigh type on a layered, liquid-solid half space, 2=11445
- Dormont, H. Random effects of transit times and secondary-emission multiplications in a multiplier phototube, 2=15947
- Dorn, D. See Bieger, W. 2=11677
- Dorn, D.W. Mike results — implications for spontaneous fission, 2=10153
- Dornberger-Schiff, K. Relation to symmetry to structure in twinning II, 2=14967
- Dorokhova, M.P. See Zhukovskii, V.I. 2=16990
- Doroshenko, G.G. and Stolyarova, E.L. Method of discriminating pulses due to fast neutrons from pulses due to γ -rays by means of photomultiplier space charge, 2=13818
- Doroshenko, G.G. and Stolyarova, E.L. A fast-neutron scintillation counter with a low sensitivity to γ -rays, 2=20365
- Doroshenko, H.A. See Vatsset, P.I. 2=5536
- Doroshkevich, A.G. Storage of cold neutrons, 2=20376
- Dorr, F. Kern, J. Thies, J. and Zanker, V. A method for the determination of the polarization of triplet-triplet transitions in organic dyestuff molecules, 2=10277
- Dorr, F. See Brand, H. 2=6627
- Dorrestein, R. On the deviation of the average pressure at a fixed point in a moving fluid from its "hydrostatic" value, 2=4987
- Dorsey, W.W. See Ruegg, F.W. 2=9305
- Dorsi, D. See Wernick, J.H. 2=17042
- Dosay, K. See Bojtor, I. 2=16098
- Dosdat, J. See Lelong, P. 2=4515
- Dossin, F. Fehrenbach, C. Haser, L. and Swings, P. Spectrum of the comet Burnham (1959 k), 2=6994
- Dosso, H.W. and Vidal, R.H. Simple apparatus for angular motion demonstrations, 2=13292
- Dote, T. Takayama, K. and Ichimiya, T. Analysis of probe characteristics in drifting plasma, 2=6942
- Dotsenko, B.B. The pionic and electromagnetic structure of nucleons, 2=5630
- Dotsenko, B.B. Collective excitations in superfluid nuclear matter, 2=13964
- Dotsenko, B.B. and Salasyuk, V.M. Two-nucleon problem with nonlocal potentials, 2=22699
- Douch, L.S. See Kolsky, H. 2=21416
- Dougal, A.A. See Engelhardt, A.G. 2=1435
- Dougan, P.W. Ledingham, K.W.D. and Drever, R.W.P. The L/K-capture ratio of Argon 37, 2=7950
- Dougan, P.W. Ledingham, K.W.D. and Drever, R.W.P. The decay of chlorine-36 to sulphur-36, 2=22771
- Dougherty, D.E. and Shen, C.N. The space-time neutron kinetic equations obtained by the semidirect variational method, 2=164
- Douglas, A.E. and Frackowiak, M. The electronic spectra of PF^+ and PF^+ , 2=16520
- Douglas, A.E. Howe, L.L. and Morton, J.R. The spectrum of the SnS molecule, 2=6167
- Douglas, A.S. and Carstang, R.H. Transition integrals for Si IV and Ca II, 2=10210
- Douglas, D.G. The gamma spectrum of terbium-160 below 1 MeV, 2=16375
- Douglas, J.N. and Smith, H.J. Presence and correlation of fine structure in Jovian decametric radiation, 2=4841

- glas, L. See Kolk, A. 2=13633
- glas, T.B. and Victor, A.C. Enthalpy and specific heat of nine corrosion-resistant alloys at high temperatures, 2=4445
- glass, D.H. Jr. Phenomenological theory of superimposed films of normal and superconducting metals, 2=22112
- glass, D.H. Jr. Magnetic field dependence of the superconducting energy gap in Ginzburg-Landau theory with application to Al, 2=7499
- glass, D.H. Jr. and Blumberg, R.H. Precise critical-field measurements of superconducting Sn Films in the London limit, 2=19820
- glass, D.H. Jr. See Simmons, W.A. 2=22122
- glass, D.L. A comparison of niobium-vanadium and niobium-zirconium alloys for structural applications in boiling water reactors, 2=4330
- ulat, J. See Bloch, J. 2=4442
- uslin, D.R. See Scott, D.W. 2=20847
- usmanis, G.C. Duncan, R.C. Jr. Thomas, J.J. and Williams, R.C. Cyclotron resonance and Landau levels of negative masses, 2=23131
- uthett, D.D. Kaufman, I. and Risley, A.S. Frequency doubling in anisotropic ferrites, 2=9710
- uthwaite, R.M. See Armstrong, R. 2=6733
- ve, D.B. See Basinski, Z.S. 2=8231
- vgii, Ya.O. See Brodin, M.S. 2=16804
- vyi, Ya.O. Some characteristics of the optical properties of doped 9,10-dihydroanthracene-anthracene crystals, 2=18824
- vyi, Ya.O. See Brodin, M.S. 2=18849
- w, D.G. Plasma confinement by direct-current magnetic fields assisted by an arbitrary external force, 2=13569
- wden, R.L. Wind-band bursts of V.L.F. radio noise (Hiss) at Hobart, 2=11081
- wden, R.L. Doppler-shifted cyclotron radiation from electrons: a theory of very low frequency emissions from the exosphere, 2=17195
- wden, R.L. Theory of generation of exospheric very-low-frequency noise (hiss), 2=19248
- wden, R.L. Very low-frequency discrete emissions received at conjugate points, 2=21657
- well, J.D. Koch, W. Leontic, B. Lundby, A. Meunier, R. Stroot, J.P. and Szeptycka, M. Strange particle spectroscopy, 2=13890
- well, J.D. Leontic, B. Lundby, A. Meunier, R. Petmez, G. Stroot, J.P. and Szeptycka, M. Counter study of hyperon production in π -p collisions, 2=22641
- well, J.T. See Schulz, G.J. 2=22974
- well, L.G. and Berwaldt, O.E. Experiments with fluorescent X-rays in the 10 to 50-A wavelength region, 2=9670
- wker, J.S. π -Y resonances and K⁻ absorption reactions, 2=5735
- wker, J.S. Remarks on the limit $Z_0 \rightarrow 0$, 2=20223
- wley, M.W. See Walstedt, R.E. 2=18967
- wnes, J.G. See McMahon, G.B. 2=15625
- wnes, J.G. See McMahon, G.B. 2=22094
- wning, R.G. See Denney, J.M. 2=13195
- wns, B.W. Elementary theory of resonance scattering, 2=9762
- wns, B.W. and Schriels, R. Possibility of a $[\sigma(1) - \sigma(2)]$. L term in hyperon-nucleon interactions, 2=18186
- ws, D.A. Infrared spectra of crystalline C₂H₄ and C₂D₄, 2=14686
- ws, D.A. Intermolecular coupling of vibrations in molecular crystals. III. Intermolecular potential and crystal structure of ethylene, 2=15040
- ws, D.A. See Hollenberg, J.L. 2=23576
- wson, D. A generalized Reynolds equation for fluid-film lubrication, 2=15558
- yama, M. and Koehler, J.S. Quenching and annealing of lattice vacancies in pure silver, 2=16646
- yle, L.C. See Cvetanovic, R.J. 2=19158
- yle, M.V. See Bean, C.P. 2=22119
- yle, W.D. Determination of the anisotropy in thin permalloy films, 2=12775
- yle, W.D. Rudisill, J.E. and Shtrikman, S. Unidirectional hysteresis in thin Permalloy films, 2=12677
- yle, W.D. See Flanders, P.J. 2=20092
- yle, W.P. and Pearson, B.D. Effect of film thickness and substrate on the absorption spectrum of solid lead chloride, 2=12598
- yle, W.T. Amplitude modulation in ENDOR studies, 2=7777
- yle, W.T. Electron-nuclear double resonance studies of color centers, 2=12471
- ylrush, E. Television reflections from aurorae, 2=17967
- abble, J.R. and Goldsmid, H.J. Thermal conduction in semiconductors, 2=3852
- achman, R.J. Ground-state energy of the nucleon, 2=7849
- aganesu, M. Theory of the high-injection-level transistor (dependence of the surface recombination velocity on the injection-level in the transistor base), 2=10514
- Draganesu, M. Diffusion capacity of a p-n junction, 2=21168
- Draganesu, V. Comaniciu, N. Blanaru, L. and Tatu, V. Fabry-Perot etalon with improved properties, 2=7381
- Draganesu, V. Comaniciu, N. Blanaru, L. and Tatu, V. Fabry-Perot grating with improvements, 2=5182
- Draganic, I. See Gal, O. 2=18372
- Draganic, I. See Radak, B. 2=6000
- Draganic, I.G. See Radak, B.B. 2=18092
- Draganu, M. Dispersion relation in the theory of nonlinear longitudinal oscillations of a relativistic plasma, 2=15934
- Dragin, R. See Berovic, N. 2=5999
- Dragnev, T. Solid angle of a rectangular detector with respect to a rectangular source (target), 2=7782
- Dragnev, T.N. and Konstantinov, B.P. The energy and angular distributions of protons from the Ca⁴⁰(γ ,p)K³⁹ reaction with E_{γmax}=22 MeV, 2=10085
- Drago, R.S. See Piper, T.S. 2=1148
- Dragomirescu, D. Dutescu, G. Marinescu, L. Neagu, D. and Radulescu, C. Study of the establishment of optimum working conditions in a Wilson chamber, 2=22369
- Dragomirescu, D. See Cristu, M. 2=10024
- Dragsdorf, R. and Johnson, R.T. Jr. Parallel dislocations in cobalt whiskers, 2=6332
- Dragsdorf, R.D. and Forgeng, W.D. The intermetallic phases in the cobalt-tantalum system, 2=15044
- Dragsdorf, R.D. See Spencer, W.J. 2=4394
- Dragt, A.J. and Karplus, R. Analyticity and unitarity of general transition amplitudes, 2=22428
- Dragun, G.S. Kurnosova, L.V. Logachev, V.I. Razorenov, L.A. Sirotkin, I.A. and Fradkin, M.I. Apparatus for the investigation of the nuclear cosmic ray component from space rockets and artificial earth satellites, 2=17314
- Drahokoupil, J. See Bubakova, R. 2=21511
- Draisbach, H.C. Jeschke, D. and Stuart, H.A. The adsorption and diffusion of gases in polyethylene glycol-terephthalic acid ester, 2=23923
- Dranged, K.E. and Sommerhalder, R. Observed sign reversal of a magnetic field penetrating a superconductor, 2=17731
- Dransfeld, K. Ultrasonic absorption in liquid helium at temperatures below 0.6°K, 2=15839
- Dransfeld, K. Frisch, H.L. and Wood, E.A. Dielectric relaxation of water absorbed on γ -alumina, 2=8891
- Drapak, I.T. See Vereshchagin, I.K. 2=21262
- Drapak, I.T. See Vereshchagin, I.K. 2=23622
- Draper, L. Self-contained integrating irradiance meter for use underwater, 2=1243
- Drapchinskii, L.V. See Vyazemskii, V.O. 2=1353
- Drapchinskii, L.V. See Vyazemskii, V.O. 2=1367
- Dratz, A.F. Coberly, J.C. and Rohrer, R.H. Body-cross-section scan phantom for the study of scintillation counting problems in nuclear medicine, 2=4888
- Drawbaugh, D.W. On the solution of transport problems by conditional Monte Carlo, 2=4968
- Drawin, H.W. Contributions to a theory of the continuously indicating viscosity vacuum gauge, 2=19636
- Drazin, P.G. On stability of parallel flow of an incompressible fluid of variable density and viscosity, 2=21879
- Drechsler, M. Field emission microscopy at low current densities with a superorthikon image intensifier, 2=8904
- Drechsler, M. Temperature dependence of field electron emission at very low current densities, 2=13583
- Drechsler, M. Addition to "Temperature dependence of field electron emission at very-low current densities," 2=22248
- Dreesen, J.A. Effect of order on the Hall constants of Ni, Mn, 2=6422
- Dreher, J.J. Linguistic considerations of porpoise sounds, 2=7067
- Dreiner, R. and Garnache, R. Precision orientation of germanium crystals in the [111] direction using alloy pits, 2=8767
- Dreitlein, J. and Primakoff, H. Properties of Σ decays and the Σ^0 lifetime, 2=5743
- Dreitlein, J. and Primakoff, H. Possible neutrinoless decay modes of the muon, 2=9881
- Dritlein, J. See Behrends, R.E. 2=11876
- Dreizler, H. Group-theory treatment of microwave spectra of molecules with two three-fold symmetrical groups showing hindered internal rotation, 2=8092
- Drell, S.D. and Pratt, R.H. Extrapolation to cuts and the scattering of electrons and positrons, 2=5573
- Dremin, I.M. The analytic properties of the total π -n interaction cross-section as a function of virtuality, 2=22585
- Dremin, I.M. See Gramenitskii, I.M. 2=22586

- Drescher, K. Garte, D. and Suhle, A. A multi-purpose nuclear resonance spectrometer, 2=7773
- Dresner, J. and Shallcross, F.V. Rectification and space-charge limited currents in CdS films, 2=18718
- Dresner, L. Inelastic scattering of neutrons by U^{238} below 1 MeV, 2=5927
- Dresner, L. Comparison theorems for the estimation of criticality in bare, one-velocity reactors, 2=6009
- Dresner, L. Resonance self-shielding in the measurement of radiative capture cross sections, 2=20649
- Dressel, R.W. Image loop probe for measurement of microwave surface currents, 2=9491
- Dresselhaus, G. Ferro- and antiferromagnetism in a cubic cluster of spins, 2=14768
- Dresselhaus, G. Ferro- and antiferromagnetism in a simple cubic lattice, 2=18896
- Dresselhaus, G. and Dresselhaus, M.S. Interband transitions in superconductors, 2=5233
- Dresselhaus, G. See Dresselhaus, M.S. 2=4109
- Dresselhaus, M.S. and Dresselhaus, G. Interband transitions for metals in a magnetic field, 2=4109
- Dresselhaus, M.S. See Dresselhaus, G. 2=5233
- Dresselhaus, M.S. See Harman, T.C. 2=4034
- Dreval, V.E. See Tager, A.A. 2=21890
- Drever, R. See Pound, R.V. 2=5868
- Drever, R.W.P. See Dougan, P.W. 2=22771
- Drew, C.M. See Gordon, A.S. 2=4551
- Dreyfus, B. Spectrum of spin waves in the garnet structure, 2=14807
- Dreyfus, B. Effect of pressure and of impurities in pure nuclear quadrupole resonance, 2=14862
- Dreyfus, B. Goodman, B.B. Lacaze, A. and Trolliet, G. The specific heats of the rare-earth metals between 0.5 and 4°K, 2=2051
- Dreyfus, B. Lacaze, A. and Zadworny, F. Thermal conductivity of dilute paramagnetic single crystals at low temperature in a magnetic field, 2=16614
- Dreyfus, M.G. Wedge-immersed thermistor bolometer, 2=22088
- Dreyfus, M.G. and Hilleary, D.T. Satellite infrared spectrometer, 2=15194
- Dreyfus, R.W. and Nowick, A.S. Energy and entropy of formation and motion of vacancies in NaCl and KCl crystals, 2=3900
- Dreyfus, R.W. and Nowick, A.S. Ionic conductivity of doped NaCl crystal, 2=12501
- Driatskii, V.M. See Besprozvannaya, A.S. 2=4789
- Drickamer, H.G. See Balchan, A.S. 2=2229
- Drickamer, H.G. See Miniomura, S. 2=16704
- Drickamer, H.G. See Riggelman, B.M. 2=21156
- Drickamer, H.G. See Samara, G.A. 2=16705
- Drickamer, H.G. See Samara, G.A. 2=18633
- Drickamer, H.G. See Samara, G.A. 2=18651
- Drickamer, H.G. See Samara, G.A. 2=18701
- Drickamer, H.G. See Samara, G.A. 2=22988
- Drickamer, H.G. See Samara, G.A. 2=23257
- Drickamer, H.G. See Stager, R.A. 2=23877
- Drickamer, H.G. See Tischer, R.E. 2=23901
- Drickey, D.J. and Mozeley, R.F. Possible evidence for a retardation term in low-energy π^0 photoproduction, 2=13846
- Drietein, J. and Lee, B.W. Lifetime of the Σ^0 , 2=322
- Drigo, A. See Buttino, G. 2=10670
- Drijard, D. See Bellini, G. 2=22573
- Drijard, D. See Di Carato, M. 2=22627
- Drincho, N.M. See Ioffe, S.B. 2=928
- Drinkard, W.C. See Holmes, J.R. 2=16558
- Drits, V.A. and Kashaev, A.A. An X-ray study of some structures consisting of mixed layers, 2=2383
- Drobachenko, O.V. Effect of repulsion forces between nucleons on the photoeffect cross-section, 2=20492
- Drobachenko, O.V. See Sytenko, A.H. 2=20491
- Drofa, V.N. The permanent axes of motion for a heavy gyrostat near an imovable point, 2=17400
- Drokin, A.I. See Dylgerov, V.D. 2=751
- Dronov, A.P. Sviridov, A.G. and Sobolev, N.N. Study of the state of krypton behind a shock wave, 2=63
- Dronyuk, M.I. See Sandulova, A.V. 2=2098
- Dronyuk, M.I. See Sandulova, H.V. 2=21060
- Dropecky, B.J. See Bunker, M.E. 2=18292
- Dropkin, J.J. See Goldstein, B. 2=12627
- Dropleman, L. See Megill, L.R. 2=5163
- Drouin, J.R.S. and Yaffe, L. The half-life of Ca^{41} , 2=16360
- Drowart, J. See Ackerman, M. 2=8127
- Drowart, J. See Colin, R. 2=20877
- Droz, L. and Levshin, V.L. Spectral distribution of radiation from nonactivated ZnS-CdS phosphors as a function of temperature, 2=10626
- Droz, L. and Levshin, V.L. Location of energy levels in ZnS-CdS phosphors, 2=10626
- Droz-Vincent, P. Poisson brackets in the case of a field with linear Lagrangian, 2=7136
- Drucker, D.C. See Calladine, C.R. 2=14893
- Druin, V.A. See Polikanov, S.M. 2=16442
- Drummond, A.J. See Angstrom, A.K. 2=19672
- Drummond, I.T. Analytic properties of partial differential cross-sections, 2=11864
- Druyanov, B.A. Method for solving statically indeterminate problem of plane flow of an ideally plastic body, 2=15516
- Druyanov, B.A. Method for solving statically indeterminate problem of plane flow of an ideally plastic body, 2=19481
- Druyvesteyn, W.F. and Blaisse, B.S. Change in the modulus of elasticity of copper after deformation in the temperature range from 4.2-78°K, 2=18981
- Druyvesteyn, W.F. and Jongenburger, P. Models for the reduction in torsional and elastic modulus after plastic deformation, 2=189
- Druzhinin, V.V. See Cherepanov, V.I. 2=4140
- Druzhinin, V.V. See Cherepanov, V.I. 2=8513
- Druzyak, N.P. See Subashiev, V.K. 2=17733
- Dryabchuk, A.A. See Kachkacheva, M.M. 2=14618
- Dryden, J.S. See Cook, J.S. 2=18577
- Dryden, V.W. Exact solutions for space-change flow in spherical coordinates with application to magnetron injection guns, 2=22
- D'Stefan, D.J. See Klein, D.L. 2=8779
- Duane, B.H. Albedo logic for S_n transport analysis, 2=11954
- Dubbeldam, P.S. and Walter, R.L. Polarization of D-D-neutrons for deuteron energies from 1.9 to 11 MeV, 2=1732
- Dubbeldam, P.S. See Walter, R.L. 2=7908
- Dubin, M. and McCracken, C.W. Measurements of distributions of interplanetary dust, 2=17235
- Dubin, M. See McCracken, C.W. 2=24085
- Dubin, V.G. An investigation of the effect of a flux on activator concentration in a phosphor by the paramagnetic absorption method, 2=6608
- Dubin, V.G. See Antonov-Romanovskii, V.V. 2=14730
- Dubina, E.M. See Sbitnikova, I.S. 2=1509
- Dubinskii, I.H. See Yerko, V.F. 2=19175
- Dubinsky, J. and Chaloupka, P. On the lunar variation of cosmic radiation, 2=3443
- Duboc, J. See Berley, D. 2=22633
- Dubois, B. See Dabosi, F. 2=12764
- DuBois, D.F., Gilinsky, V. and Kivelson, M.G. Collision damping of plasma oscillations, 2=20001
- DuBois, D.F. and Kivelson, M.G. Quasi-chemical theory of electron correlations in atoms, 2=18398
- Dubois, E. and Bathier, M. Study of the photoelectric emission of metals, 2=17868
- Dubois, J. A level density analysis of excited states formed by radiative proton captures, 2=12129
- Dubois, J. and Rivier, D. Hall effect in cobalt at low temperatures, 2=6421
- Dubois, M., Berge, P. and Blanc, G. Influence of radiations on the electrical and optical properties of LiF, 2=12481
- Dubois, M. See Berge, P. 2=615
- Dubois, M. and Tournarie, M. A contribution to the radiocrystallographic study of the effect of neutrons on single crystals of LiF, 2=15020
- Dubois-Salmon, A. Remarks on the errors involved by Milne-Eddington type approximations, 2=13094
- Dubov, E.E. The energy balance in the chromosphere, 2=979
- Dubov, G.A. See Regel, V.R. 2=1283
- Dubovik, A.S. and Sitsinskaya, N.M. The use of high-speed camera combination with shadow apparatus, 2=19738
- Dubovoi, L.V. and Ponomarenko, A.G. Measurement of plasma parameters in a magnetic field, 2=17846
- Dubovoi, L.V. and Shvets, O.M. Procedure for measuring total particle collision cross-sections in dense plasma, 2=22200
- Dubovskii, B.G. Sectionalized reactor systems, 2=8038
- Dubrov, K.P. See Konobeevskii, S.T. 2=12926
- Dubrov, K.P., Konobeevskii, S.T., Levitskiy, B.M., Panteleyev, L.I. Platonov, P.A. and Pravdyuk, N.F. The relaxation of elastic stresses under neutron irradiation, 2=23769
- Dubrov, V.M. See Kotelnikov, V.A. 2=11174
- Dubrovina, V.A. See Gorbunov, A.N. 2=14077
- Dubrovskii, G.B. The optical properties of CdTe, 2=680
- Dubrovsky, V.G. and Kramarenko, S.A. On the morphology of ionospheric disturbances depending on the character of commencement of the geomagnetic storms, 2=15237

- bus, M. See Bouchez, R., 2=12133
- Castel, F. Role of partial reflection processes in wave propagation, 2=20158
- Castel, F., Misme, P., Spizzichino, A. and Voge, J. On the role of the process of reflection in radio wave propagation, 2=16041
- Chatenier, F. J. and de Nobel, J. Heat capacities of some dilute alloys, 2=8171
- chesne, J. and Depireux, J. Effect of ionizing radiations on crystals, 2=14863
- chesne, M. and Meallet, M. Linearity of response of an electron camera, 2=15765
- ck, I. Muon capture in the shell model, 2=13838
- ckworth, H. E. See Barber, R. C., 2=20760
- claux, F. Diurnal variation of the earth's magnetic field at Tamanrasset between 1948 and 1955 (horizontal component) 2=15272
- claux, J. The theory of real gases. XXVI, 2=19605
- claux, J. and Cohn, C. Theory of colloids. Valency of compensator ions, 2=21599
- clos, J. See Bouchez, R., 2=12133
- cuing, J. See Armstrong, J. A., 2=19665
- delzak, B. and Taylor, R. E. Excitation of the 15.1 and 16.1 MeV levels of the C^{12} nucleus by scattering of electrons, 2=431
- denkova, A. V. Sealed-off molecular generator, 2=18500
- diko, G. V. The measurement of contact potential difference by the capacitor method, 2=22130
- dley, D. See Forster, L. S., 2=15608
- dley, K. See Vaughn, J., 2=7642
- dynk, V. P. See Gol'dman, O. G., 2=18881
- err, H. P. and Heisenberg, W. The quantum numbers of the ω -meson, 2=9911
- ay, J. and Baranne, A. Spectrum of the Wilson-Hubbard comet (1961d), 2=19287
- ay, M. The presence of the $H\alpha$ line in the spectrum of the night sky, 2=9052
- ff, M. J. B. The Digiscat-A digitally controlled device for the measurement of multiple scattering in nuclear emulsions, 2=13714
- ff, R. E. and Bauer, S. H. Equilibrium composition of the C/H system at elevated temperatures, 2=12348
- ff, R. E. Harlow, F. H. and Hirt, C. W. Effects of diffusion on interface instability between gases, 2=9310
- ffieux, P. M. Theory of images and radiation. III. Emission and extent of the photon, 2=21988
- ffin, W. J. See Goodyear, J., 2=10872
- ffin, H. J., Kinnear, J. K., Shand, J. A. and Wright, C. S. Spatial variations in geomagnetic micropulsations, 2=24957
- ffin, H. J., Shand, J. A. and Wright, C. S. Short-range spatial coherence of geomagnetic micropulsations, 2=6961
- ffy, W., Jr. Magnetic susceptibilities of crystalline stable free radicals in the 77-293°K temperature range, 2=4206
- flot, M. Radial velocities obtained with the aid of a large objective prism of 40 cm diameter. Kinematic and photometric study of a galactic field, 2=13153
- fournaud, J. See Yuasa, T., 2=5540
- ffschmid, K. E. See Cless-Bernert, T., 2=20295
- ga, J. J. Plastic bending of InSb, 2=2323
- ga, J. J., Freundlich, J. J. and Bate, R. T. Automatic data recording system for semiconductor research, 2=8394
- gan, F. A., Floyd, J. J., Reeve, F. P. and Goland, A. N. A cooling facility for reactor irradiations, 2=16459
- gas, J., Durandau, P. and Fert, C. Symmetric and asymmetric electromagnetic lenses, 2=9643
- gdale, J. S. and Guban, D. Note on the scattering of electrons by stacking faults in lithium, 2=2085
- gdale, J. S. and Guban, D. The effect of the martensitic transformation on the electrical resistance of lithium and dilute lithium-magnesium alloys, 2=6411
- gdale, J. S. and Mundy, J. N. The pressure dependence of the thermoelectric power of the alkali metals at room temperature, 2=6507
- gdale, R. A., Maskrey, J. T. and McVickers, R. C. Arc initiation on heated molybdenum exposed to a toroidal hydrogen discharge, 2=17804
- gdale, R. A., McVickers, R. C. and Ford, S. D. The bursting of tubes containing gas discharges, 2=23782
- ggal, S. P. See Pomerantz, M. A., 2=12047
- ggal, S. P. and Pomerantz, M. A. The cosmic ray storm of July, 1961, 2=16266
- ggal, S. P. See Pomerantz, M. A., 2=16271
- ggal, S. P. and Pomerantz, M. A. Progressive rotation of cosmic-ray diurnal variation vector, 2=18219
- ggal, V. P. and Thaper, C. L. Removal of higher orders in the thermal region from a neutron crystal spectrometer, 2=3357
- Duhmke, M. Interferometric length measurements on long parallel endstandards, 2=7394
- Duimio, F. See Ceolin, C., 2=22431
- Dukarevich, Yu. V. and Dyumin, A. N. Collimation of neutrons from reaction $T(d,n)He^4$ by selection of α -n coincidences, 2=20371
- Duke, C. B. See Nodvik, J. S., 2=3564
- Duke, M., Maynes, D. and Brown, H. The petrography and chemical composition of the Bruderheim meteorite, 2=2531
- Duke, P. J., Chadwick, G. B., Collins, G. B., Fujii, T., Hien, N. C. and Turkot, F. Inelastic proton-proton scattering at small angles, 2=22504
- Dukel'skii, V. M. See Bukhteev, A. M., 2=11618
- Dukhin, A. I. See Borisov, V. T., 2=8783
- Dukhin, A. I. See Borisov, V. T., 2=21472
- Duk'yanychev, Yu. A. See Bikolaev, N. S., 2=19554
- Dulac, J. Spinels containing six-coordinated germanium, 2=12916
- Dulac, J. See Bertaut, E. F., 2=4425
- Dulaney, E. N. and Brace, W. F. Velocity behavior of a growing crack: Comments on a discussion by J. P. Berry, 2=8750
- Dulaney, H. See Wyly, L. D., 2=406
- Dulaney, S. H., Braden, C. H. and Wyly, L. D. Interpretation of experiments on the beta decay of Eu^{152} , 2=7945
- Dulin, V. A. See Belov, S. P., 2=1692
- Dulin, V. A., Kazanskii, Yu. A., Kuznetsov, V. F. and Smirenkin, G. N. A single-crystal fast-neutron spectrometer: gamma-ray discrimination by means of the time course of the emission, 2=18139
- Dullemond, C. and de Swart, J. J. On hyperon-nucleon scattering 2=20428
- Dullemond, C. See De Swart, J. J., 2=3408
- Dullemond, C. See de Swart, J. J., 2=22642
- Duller, N. M. See Sheldon, W. R., 2=5772
- Dullien, F. A. L. Relationship between viscous flow and diffusion, 2=19546
- Dullien, F. A. L. and Shemilt, L. W. Equations for calculations of liquid diffusivities from measurements in diaphragm cells, 2=7202
- Dumbgen, G. See Haul, R., 2=14456
- Dumitrescu, R. See Martalogu, N., 2=7689
- Dumitrescu, R. See Tinta, F., 2=3116
- Dumin, D. J. Low impedance transmission system for driving cryogenic circuits, 2=17762
- Dumke, W. P. Quantum theory of free carrier absorption, 2=2223
- Dumke, W. P. Interband transitions and maser action, 2=18671
- Dumke, W. P. Two-phonon indirect transitions and lattice scattering in Si and Ge, 2=23350
- Dumke, W. P. and Haering, R. R. Ultrasonic amplification in semimetals, 2=15683
- Dumke, W. P., Miller, P. B. and Haering, R. R. Theory of polar phonon assisted tunneling, 2=14560
- Dummer, G. W. A. Microminiaturization by thin film and solid circuit techniques, 2=17743
- Dumond, J. W. M. See Seppi, E. J., 2=20292
- Dumont, R. The elimination of atmospheric luminescence in photoelectric photometry of the zodiacal light, 2=21660
- Dumont, S. Comments on the use of Eddington's approximation, 2=4808
- Dumont, S., Laloux, R., Mouellic, L. and Pecker, J. C. Depth of formation in the solar spectrum. II. Tables of depth of formation and $\text{iso-}\tau$ curves, 2=17271
- Dunaev, F. N. and Kalinin, V. M. Longitudinal and transverse magnetotri-
tion in electrical engineering steels, 2=23672
- Dunaev, F. N. and Yaroshenko, Yu. N. Volume magnetostriction in ferrosilicon alloys, 2=23673
- Dunaev, Yu. A., Tumakayev, G. K. and Shukhtin, A. M. Application of Roshdestvenskii's hook method in the investigation of gasdynamic processes in shock tubes, 2=9309
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Experimental estimate of the probability of β -decay of the π^+ meson, 2=11973
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Experimental evaluation of the $\pi^+-\pi^0+e^++\nu$ decay probability, 2=11974
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Check of the conserved vector current hypothesis, 2=20383
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Probability of the decays $\pi^+-\pi^0+e^++\nu$ and $\pi^+-\gamma+e^++\nu$, 2=20384
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Discovery of charge transfer from π^- -mesons stopped on nuclei of bound hydrogen, 2=22587
- Dunaitsev, A. F., Petrukhin, V. I., Prokoshkin, Yu. D. and Rykalin, V. I. Discovery of charge transfer from π^- -mesons stopped on nuclei of bound hydrogen, 2=22588
- Dunaisky, L. Invariance of Maxwell's equations and the principles of reversibility for a plane harmonic wave, 2=9397
- Dunajsky, L. Energy flux through a thin dielectric film near total reflection, 2=5479
- Duncan, A. B. F. See Hernandez, G. J., 2=8104
- Duncan, A. B. F. See Zung, J. T., 2=14313
- Duncan, J. F. See Baulch, D. L., 2=15106

- Duncan, R.A. Universal-time control of the arctic and antarctic F region, 2=17169
- Duncan, R.C., Jr. and Rosenblum, B. Theory of cyclotron resonance absorption by negative-mass holes in germanium, 2=4022
- Duncan, R.C., Jr., Kiss, Z.J. and Wittke, J.P. Direct observation of longitudinal modes in the output of optical masers, 2=19700
- Duncan, R.C., Jr. See Dousmanis, G.C., 2=23131
- Duncan, R.C., Jr. See Kiss, Z.J., 2=23546
- Duncan, R.C., Jr. See Kiss, Z.J., 2=23547
- Duncan, R.C., Jr. See Rosenblum, B., 2=23132
- Duncan, R.H. Theory of the infinite cylindrical antenna including the feedpoint singularity in antenna current, 2=16036
- Duncumb, P. See Emley, E.E., 2=17056
- Dungey, J.W. The origin of irregularities in the F-region, 2=15239
- Dungey, J.W. The interplanetary field and auroral theory, 2=15255
- Dungey, J.W. Torque on a plasma in terms of magnetic stress, 2=19949
- Dunham, J. A probe for measuring fluctuating flows in axial compressors, 2=15626
- Dunitz, J.D. See Tracy, J.W., 2=15023
- Dunken, H. and Fischer, H. A contribution to photoelectric refractometry, 2=5153
- Dunlap, J.L. See Barnett, C.F., 2=15929
- Dunlap, R.D. See Scott, R.L., 2=15642
- Dunn, F. and Breyer, J.E. Generation and detection of ultra-high-frequency sound in liquids, 2=13401
- Dunn, F. See Fry, W.J., 2=5103
- Dunn, G.H. Anisotropies in angular distributions of molecular dissociation products, 2=20879
- Dunn, H.K. Methods of measuring vowel formant bandwidths, 2=4891
- Dunn, H.M. See Cole, H., 2=10818
- Dunn, P.D., Rice, G., Sanders, L.G., Watt, D.A., Adam, J., Hill, R.J., Purchas, J.G., Wheatley, C.C.H. and McWilliams, J.A. Direct conversion of fission heat to electric power, 2=19886
- Dunne, B.B. Mach reflection of 700-kbar shock waves in gases, 2=5046
- Dunne, T.G. and Burns, G. Unit cell volume effects in some isomorphous ferroelectric systems, 2=8462
- Dunning, W.J. Crystallographic studies of plastic crystals, 2=10901
- Dunning, W.J. See Albon, J., 2=10788
- Dunsmuir, R. Theory of relaxation oscillations in optical masers, 2=3158
- Duong Hong Tuan. See Connes, P., 2=11492
- Duong Hong Tuan. See Connes, P., 2=15740
- Duorah, H. Equilibrium abundances of stable isotopes, 2=6982
- Duorah, H.L. and Kushwaha, R.S. Technetium in sun, 2=9071
- Dupas, L. See Consoli, T., 2=1418
- Dupas, L. See Consoli, T., 2=19958
- Dupin, P., Bajon, J. and Josserand, P. Study of ionospheric self-demodulation in the neighbourhood of the gyrofrequency, 2=1606
- Dupouy, G. and Perrier, F. Study of the structure of metals and alloys by means of an electron microscope operating at 1 million volts, 2=4434
- Dupouy, G., Perrier, F. and Durrieu, L. Observations of objects in a gaseous environment. Application to the study of contamination in the electron microscope, 2=23941
- Dupre, A., van Isterbeek, A. and Brandt, G. On the increase of the boiling temperature of liquid oxygen in a magnetic field, 2=9456
- Dupre, F. See Careri, G., 2=1327
- Dupuy, J. See Abraham, M., 2=19776
- Dupuy, O. Theoretical study of the precision of longitudinal focal setting by means of the Foucault knife-edge system, 2=9378
- Dupuy, O. See Marechal, A., 2=7342
- Duraffourg, G. See Bernard, M., 2=10590
- Duraffourg, G. See Bernard, M.G.A., 2=2137
- Durand, E. Development in series of the potential in the neighbourhood of curves which limit the surface charge distributions having rotational symmetry, 2=2993
- Durand, G. Method permitting the direct measurement by mass spectrometer of the isotopic relations of lead contained in traces of pitch-blende without previous chemical treatment, 2=10998
- Durand, G. See Brachet, C., 2=20140
- Durand, L., III. Pionic contributions to the magnetic moment of the muon, 2=22547
- Durand, L., III, De Celles, P.C. and Marr, R.B. Lorentz invariance and the kinematic structure of vertex functions, 2=13732
- Durand, M. See Borie, J.C., 2=4125
- Durand, R. See Margotin, P., 2=2965
- Durandau, P. See Dugas, J., 2=9643
- Durbin, W.G. and White, G.D. Measurements of the vertical distribution of atmospheric chloride particles, 2=2468
- Durbin, W.G. See Singleton, F., 2=21635
- Durgaprasad, N. See Daniel, R.R., 2=9950
- Durham, E.W. See Chasmar, R.P., 2=23084
- Durham, R.J. Notch strength of some aluminium alloys at low temperatures, 2=19010
- Durig, J.R., Lord, R.C., Gardner, W.J. and Johnston, L.H. Infrared transmittance and reflectance of beryllium oxide, 2=23536
- Durisch, J. See Baumgartner, E., 2=20632
- Durisch, J. See Huber, P., 2=20631
- Durivault, J., Garrigue, C., Lazare, F., Salvinien, J. and Viallet, P. Physicochemical study of concentrated salt solutions. Resistance measurements under ordinary pressure of solutions of certain halogeno compounds with bivalent ions, 2=11385
- Durlach, N.I. Note on the creation of pitch through binaural interaction, 2=21757
- Durney, B. Electronic conduction in polar semiconductors, 2=643
- Durr, H.P. and Heisenberg, W. Theory of the strange particles, 2=1000
- Durr, W. The efficiency of selenium photocells for low intensity illumination, 2=10545
- Durrieu, L. See Dupouy, G., 2=23941
- Durrschnabel, W. See Gebhardt, E., 2=3983
- Durrschnabel, W. See Gebhardt, E., 2=4459
- Durrschnabel, W. See Gebhardt, E., 2=4472
- Durston, C. See Codd, J., 2=20708
- Durup, J. and Platzman, R.L. Role of the Auger effect in the displacement of atoms in solids by ionizing radiation, 2=12480
- Dushin, L.A. See Pavlichenko, O.S., 2=22181
- Dusterhoff, H., Fritze, G. and Link, R. The effect of annealing on the conductivity of tellurium, 2=2113
- Dutchak, Ya.I. Temperature dependence of short-range order in lead, 2=1134
- Dutchak, Ya.I. X-ray diffraction study of the structure of molten aluminium, 2=2704
- Dutchak, Ya.I. Short-range order and properties of liquid bismuth, 2=19539
- Dutchak, Ya.I. Short-range order and the properties of molten bismuth, 2=19539
- Dutchak, Ya.I., Klym, M.M. and Mykolaichuk, O.H. Viscosity of some complex metal liquids, 2=17421
- Dutchak, Ya.I. See Mikolaichuk, O.H., 2=4495
- Dutescu, G. See Dragomirescu, D., 2=22369
- Dutescu, N. See Mateescu, N., 2=5666
- Duthie, J., Fowler, P.H., Kaddoura, A., Perkins, D.H. and Pinkau, K. Flux of γ -rays at high altitudes, and comparison with the muon sea-level, 2=12102
- Dutilloy, D. See Donze, G., 2=12455
- Dutilloy, D. See Donze, G., 2=19088
- Dutreix, A. See Dutreix, J., 2=5603
- Dutreix, J., Dutreix, A. and Bernard, M. Variation of ionization near interface between two media exposed to the γ -rays of Co^{60} , 2=1000
- Dutt, I. and Mukherjee, P. Stability of nuclear octupole deformation, 2=356
- Dutt, I. and Mukherjee, P. Axial asymmetry in even rare earth nuclei, 2=5778
- Dutt, P.K. Theory of "ion-bunching" in relation to the development of an electrostatic time-of-flight mass spectrometer, 2=3100
- Dutt, P.K., Patro, A.P., Basu, B. and Chatterjee, A. Characteristics of the ion-source of the Calcutta 37 in cyclotron, 2=20036
- Dutta, T.L. See Gallop, J.W., 2=5339
- Dutta, A.K. Periodicity in nuclear binding energy and correlation between the isotopes of different nuclei, 2=7921
- Dutta, B.N. Lattice constants and thermal expansion of silicon at 900°C by X-ray method, 2=18535
- Dutta, S.K. See Ghosh, A., 2=5647
- Dutta, C. On the theory of "static displacement" of a bowed string, 2=1221
- Dutta Roy, S. On the transfer relation of a manometer for liquid level measurements, 2=1117
- Dutton, D. See Smith, A., 2=8429
- Dutton, E.J. See Bean, B.R., 2=5480
- Duval, M. See Herman, R., 2=4812
- Duval, X. and Schuller, D. Investigation of the correlation between accommodation coefficient and the physisorption, 2=21573
- Duverney, R. Residual infrared rays of sodium chlorate and sodium bromate single crystals, 2=14648
- Duwell, E.J. Friction and wear of single-crystal sapphire sliding steel, 2=21452
- Duykers, L.R.B. See Goodman, R.R., 2=17552
- Dvorak, V. and Janovec, V. On the interpretation of infra-red spectra and the lattice dynamics of cubic BaTiO_3 , 2=20918
- Dvorozenko, V.K. Some peculiarities of the phosphorescence of cement luminophors, 2=18873
- Dvoryankin, V.F. See Vainshtein, B.K., 2=667
- Dvoryankin, V.F. See Vainshtein, B.K., 2=8463
- Dvoryashin, A.S. Ejection of plasma with the magnetic field and energy solar cosmic rays from the region of chromospheric flares, 2=12053

- voryashin, A.S., Levitsskii, L.S. and Pankratov, A.K. A study of flares in the X-ray spectral region, 2=24124
- wight, K., Germann, R.W., Menyuk, N. and Wold, A. Magnetic properties of Cr_2S_3 in chromium sulphides, 2=12732
- wight, K. See Menyuk, N., 2=12671
- wight, K. See Menyuk, N., 2=21341
- wight, K. See Wickham, D.G., 2=4234
- workin, A.S., Bronstein, H.R. and Bredig, M.A. Moseley's law of metals with salts. VI. Lithium-lithium halide systems, 2=15577
- workin, A.S. See Bronstein, H.R., 2=21921
- wornik, E.J. See Adler, I., 2=10996
- worschak, F. Investigation of the colouring of CaF_2 , 2=10417
- worschak, F. The measurement of coloration in some non-transparent and optically cloudy minerals (flourite, amazonite, microcline and fibrous salt), 2=23517
- yachenko, N.G. See Belous, V.M., 2=713
- yachenko, N.G. See Belous, V.M., 2=14731
- yad'kin, I.G. and Batalina, E.P. Time variation of the space-energy distribution of neutrons from a pulsed source, 2=9855
- yakov, G.P. See Yugov, V.A., 2=14865
- yakov, Yu.E. See Akhmanov, S.A., 2=22147
- yal, P. and Hummel, J.P. Cross sections for the $\text{B}^{11}(\gamma, \pi^-)\text{C}^{11}$ and $\text{B}^{11}(\gamma, \pi^+)\text{Be}^{11}$ reactions, 2=20598
- yatlov, I.T. See Ansel'm, A.A., 2=22456
- yatlov, I.T. See Gribov, V.N., 2=269
- yatlov, I.T. See Gribov, V.N., 2=7833
- yatlov, I.T. See Gribov, V.N., 2=16176
- yatlov, I.T. See Gribov, V.N., 2=22424
- ybovskii, K. See Khvashchevskaya, Ya., 2=7911
- ychak, R.H. and McClure, D.S. Ultraviolet spectra of stilbenes, p-monohalogen stilbenes, and azobenzene the trans to cis photoisomerization process, 2=14675
- ychak, S.R. van See van Dyck, S.R.
- ye, J.L. See Karl, D.J., 2=10984
- ye, J.L. See Potter, R.L., 2=2731
- yer, A.J. Measurements of evaporation and heat transfer in the lower atmosphere by an automatic eddy-correlation technique, 2=2473
- yer, J.N. See Barkas, W.H., 2=314
- yer, L.D. Rolling friction on single crystals of copper in the plastic range, 2=2340
- yer, R.H. and Edmunds, D.E. On the instability of Taylor and Dean flows under the influence of a circular magnetic field, 2=3138
- ykhe, A.M. Adiabatic perturbation of discrete spectrum states, 2=29
- yman, D.G. See Zhukovskii, V.I., 2=16990
- yman, I.M. and Tolpygo, E.I. Magnetoresistance and the Hall effect in semiconductors with hot electrons and in plasma, 2=18659
- yman, I.M. and Tolpygo, E.I. Magnetoresistance and the Hall effect in semiconductors with hot electrons and in plasma, 2=21120
- yman, I.M. and Tomchuk, P.M. Influence of electric field on electron temperature, electrical conductivity, and thermionic emission of semiconductors. IV. Low lattice temperatures, 2=10451
- yman, I.M. and Tomchuk, P.M. The effect of an electric field on the electron temperature, electrical conductivity and thermionic emission of semiconductors. V, 2=18660
- yman, I.M. and Tomchuk, P.M. The effect of an electric field on the electron temperature, electrical conductivity and thermionic emission of semiconductors. V, 2=23289
- ylgerov, V.D. and Drokin, A.I. Domain structure in a single crystal of yttrium-iron garnet, 2=751
- ynkin, E.B. Brownian motion with a decreasing μ measure and with γ measure of velocity, 2=19447
- yring, E. Statistical studies of the performance of cosmic ray recording instruments, 2=9945
- yring, E. and Lindgren, S. Standard errors of cosmic ray data corrected for atmospheric effects, 2=16282
- yring, E. See Sandstrom, A.E., 2=9968
- yring, E. See Sandstrom, A.E., 2=13909
- yring, F.J. Statistical theory of the energy levels of complex systems. I, 2=4950
- yring, F.J. Statistical theory of the energy levels of complex systems. II, 2=4951
- yring, F.J. Statistical theory of the energy levels of complex systems. III, 2=4952
- yring, J. See Waters, R.T., 2=15762
- yson, J.D. A survey of the very wide band and frequency independent antennas - 1945 to the present, 2=16032
- yson, N.A. The Debye temperature of iron-57 in copper from observations of the Mossbauer effect, 2=18533
- yson, N.A. and Fremlin, J.H. An upper limit to the electric dipole moment of photons, 2=5597
- yumin, A.N. See Dukarevich, Yu.V., 2=20371
- zhagatspanyan, R.V., Maksimov, M.P. and Eisel'son, M.P. Arrangement for recording of fast processes, 2=19768
- Zhamagidze, Sh.Z. See Shvagiradze, R.R., 2=18431
- Zhanelidze, G.Yu. See Blekhan, I.I., 2=17393
- Dzhelepov, B.S. and Dolgoborodova, M.A. Resonance fluorescence in Ce^{140} excited by La^{140} gamma-rays, 2=14072
- Dzhelepov, B.S. and Kohl'nov, Yu.V. The photorotron (a gamma-spectrometer for the low-energy region), 2=13764
- Dzhelepov, B.S. and Khol'nov, Yu.V. Gamma-spectrum of $\text{Eu}^{152,154}$ in the 245 to 500 and 1450 to 2000 keV energy intervals, 2=14063
- Dzhelepov, B.S., Emel'yanov, B.A., Kupriyano va, K.P. and Podkopaev, Yu.N. Beta-decay of La^{140} , 2=14026
- Dzhelepov, B.S., Gromov, K., Kudryavtseva, A., Van Fu-Tsin, Vizi, I., Yazvitsky, Yu. and Zhelev, Zh. On the scheme of the $\text{Eu}^{140} \rightarrow \text{Sm}^{140}$ decay, 2=5865
- Dzhelepov, B.S., Gromov, K., Vizi, I., Yazvitsky, Yu. and Zhelev, Zh. On the Eu^{147} decay scheme, 2=5866
- Dzhelepov, B.S., Gromov, K., Kudryavtseva, A.V. and Zhelev, Zh.T. Study of the Tb^{152} position and conversion electron spectrum, 2=5867
- Dzhelepov, B.S., Ivanov, R.B. and Nedovesov, V.G. α -decay of Pu^{239} , 2=3503
- Dzhelepov, B.S., Ivanov, R.B., Nedovesov, V.G. and Puzynovich, Yu.T. Alpha-radiation from U^{233} , 2=14015
- Dzhelepov, B.S., Rumyantsev, V.L., Khol'nov, Yu.V. and Shchukin, G.E. Gamma spectrum of W^{187} , 2=14064
- Dzhelepov, B.S., Uchevatkin, I.F. and Shestopalova, S.A. Conversion electron spectrum of neutron-deficient lutetium isotopes in the 1000 to 3500 keV region, 2=16364
- Dzhelepov, B.S. See Abdurazakov, A.A., 2=14025
- Dzhelepov, B.S. See Abdurazakov, A.A., 2=18302
- Dzhelepov, B.S. See Baranov, V.I., 2=14053
- Dzhelepov, B.S. See Basina, A.S., 2=14050
- Dzhelepov, B.S. See Basina, A.S., 2=16365
- Dzhelepov, B.S. See Bonch-Osmolovskaya, N.A., 2=14035
- Dzhelepov, B.S. See Gromov, K.Ya., 2=14049
- Dzhelepov, B.S. See Vitman, V.D., 2=14051
- Dzhelepov, B.S. See Voinova, N.A., 2=14057
- Dzhelepov, B.S. See Voinova, N.A., 2=14062
- Dzhelepov, B.S. See Voinova, N.A., 2=14068
- Dzhelepov, V.P., Ermolov, P.F., Kushnirenko, E.A., Moskalev, V.I. and Gershtein, S.S. Experimental investigation of μ^- -mesic atom processes in gaseous hydrogen, 2=10231
- Dzhelepov, V.P., Gershtein, S.S., Kushnirenko, E.A., Moskalev, V.I. and Yermolov, P.F. μ^- -mesic atomic processes in gaseous hydrogen, 2=14231
- Dzhelepov, V.P. See Golovin, B.M., 2=22518
- Dzhelepov, V.P. See Golovin, B.M., 2=3361
- Dzhibuti, R.I. See Mamasakhilov, V.I., 2=3554
- Dzhurakulov, Kh. See Arifov, U.A., 2=13591
- Dzhurakulov, Kh. See Arifov, U.A., 2=17876
- Dzhurova, V. See Nadzhakov, G., 2=6401
- Dziesiaty, J. See Boer, K.W., 2=6464
- Dzong, T.K. See Richter, G., 2=2148
- Dzhaloshinskii, I.E. Diagram technique for calculating transport coefficients in statistical physics at finite temperatures, 2=13283
- Dzhaloshinskii, I.E., Lifshits, E.M. and Pitaevskii, L.P. General theory of Van der Waal's forces, 2=6243
- Dzyub, I.P. and Lubchenko, A.F. Scattering of γ -quanta by nuclei of solids, 2=3821
- Dzyub, I.P. and Lubchenko, A.F. The resonant scattering of light by impurity centres in the solid state, 2=8493
- Dzyub, I.P. and Lubchenko, A.F. The resonant scattering of light by impurity centres in the solid state, 2=14699
- Dzyub, I.P., Lubchenko, A.F. and Tsin' Yun'-ven'. Resonance scattering of gamma-rays by impurity nuclei located in a solid, 2=23040
- Eades, J. See Allaby, J.V., 2=10126
- Eades, R.G. See Andrew, E.R., 2=10724
- Eaglesfield, C.C. The angular dependence of scattering by nearly polished surfaces, 2=22062
- Eales, W.T. See Sutton, A.L., 2=23831
- Earl, J.A. Balloon measurement of solar cosmic rays at Fort Churchill, Canada, during July 1959, 2=1749
- Earl, J.A. Cloud-chamber observations of solar cosmic rays over Minneapolis on September 4, 1960, 2=18214
- Earle, E.D. See Tanner, N.W., 2=1864
- Earle, E.D. See Tanner, N.W., 2=1865
- Earls, J.C. Generation of low-frequency sinusoidal voltages of given phase, amplitude and frequency by means of a two-integrator loop, 2=3156
- Earls, J.C. A bridge method for the measurement of water-wave profiles, 2=17425
- Early, J.M. Semiconductor devices, 2=16734

- Earwaker, L.G., Jenkin, J.G. and Titterton, E.W. Half-lives of carbon 10 and neon 19, 2=22754
- Easlea, B.R. Proton scattering by copper at 10 MeV, 2=5909
- Easlea, B.R. The dipole state in C^{13} , 2=16318
- Easley, J.W. Radiation effects in semiconductor devices, 2=21183
- Eason, R.G. See White, C.T., 2=7075
- Easterling, V.J. and Bohm, H.V. Magnetoacoustic measurements in silver at 230 Mc/s and $4.2^\circ K$, 2=3834
- Eastman, D.P. See Rank, D.H., 2=3728
- Eastman, J.W., Androes, G.M. and Calvin, M. Electron spin resonance absorption and other properties of some solid hydrocarbon-quinone complexes, 2=8669
- Eastman, P.C. See Datars, W.R., 2=12524
- Easton, D.S. See Kneip, G.D., Jr., 2=11563
- Eastwood, H.K. See Cameron, J.A., 2=18242
- Eastwood, T.A. and Werner, R.D. Resonance and thermal neutron self-shielding in cobalt foils and wires, 2=20644
- Eastwood, T.A. See Browne, C.P., 2=394
- Eastwood, T.A. See Howe, L.M., 2=7871
- Eaton, D.R., Josey, A.D., Phillips, W.D. and Benson, R.E. Spin-density distributions in conjugated ligands of paramagnetic chelates from N.M.R. contact interaction shifts, 2=18466
- Eaton, G.H. See Homer, R.J., 2=9844
- Eaton, J.R. and Long, R.L. An electrical analogy of nuclear reactor neutron flux, 2=5996
- Ebashi, S. The role of "relaxation factor" in contraction-relaxation cycle of muscle, 2=7049
- Ebata, T. and Takahashi, A. Application of the dispersion relation to the $K^+ - p$ scattering, 2=12001
- Ebbing, D.D. Configuration interaction study of the lithium hydride molecule, 2=8116
- Ebel, H. A method of measuring rapidly changing temperatures, 2=9436
- Ebel, H. High temperature chamber for X-ray goniometer, 2=17003
- Ebel, M.E. Causality and the R matrix, 2=5580
- Ebeling, V. See Klimontovich, Yu.L., 2=22218
- Eberhard, P. See Berley, D., 2=22633
- Eberhardt, N. Possible energy sources of ion oscillations in high and ultrahigh vacuum, 2=7635
- Eberhardt, P., Geiss, J. and Lutz, H. Neutrons in meteorites, 2=4750
- Eberhardt, W.H. See Haaland, A., 2=14300
- Eberle, H. See Stein, R., 2=20211
- Eberspächer, O. Incorporation of antimony into barium titanate, $BaTiO_3$, 2=15034
- Eberspächer, O. X-ray study of depth-dependent concentration gradient, 2=21504
- Ebert, F. Displacement of the centre of gravity of X-ray reflections from the equatorial measuring plane as a source of error in the accurate measurement of lattice constants, 2=17010
- Ebert, H.G. See Booz, J., 2=7560
- Ebert, H.G. See Booz, J., 2=15886
- Eberth, E. and Oldekop, W. Exact two-group diffusion theory of a finite heterogeneous "sandwich" reactor, 2=10177
- Ebina, Y. See Tsuya, N., 2=3861
- Ebsworth, E.A.V. and Turner, J.J. Nuclear magnetic resonance spectra of silicon hydrides and derivatives. I. Coupling constants involving hydrogen, 2=14330
- Eby, R.K. Thermal generation of vacancies and substitutional sites in crystalline polymers, 2=14430
- Eby, R.K. and Wilson, F.C. Relaxations in copolymers of tetrafluoroethylene and hexafluoropropylene, 2=23903
- Eby, R.K. See Williams, A.O., Jr., 2=13409
- Eccles, P.J. See Linsley, J., 2=13930
- Eccles, S.F. Gamma ray spectroscopy of ^{179}Cd , ^{108}Pd and ^{111}Pd , 2=10072
- Eccleshall, D., Hinds, B.M. and Yates, M.J.L. Coulomb excitation of Pd^{108} , Pd^{110} , Ru^{102} and Ru^{104} using oxygen ions, 2=12140
- Eccleshall, D., Hinds, B.M., Yates, M.J.L. and Macdonald, N. Coulomb excitation of collective states in medium mass nuclei using 45 MeV oxygen ions, 2=22740
- Eccleshall, D. See Adams, B.M., 2=1818
- Eccleshall, D. See Yates, M.J.L., 2=1819
- Eccleston, B.H. See Whisman, M.L., 2=21604
- Eck, T.G. See Stark, R.W., 2=14409
- Eckardt, A., Gbřlich, P., Pohl, H.J. and Prager, R. Dependence of time and amplitude properties of a new millimicrosecond-photomultiplier upon the operating parameters, 2=22254
- Eckardt, J. Investigations on thin nickel-iron-molybdenum films, 2=12781
- Eckart, F. Conductivity behaviour of polycrystalline selenium, 2=626
- Eckart, F. Effect of oxygen on the behaviour of the conductivity of polycrystalline selenium, 2=8278
- Eckart, F. The (electrical) conductivity of polycrystalline selenium, 2=8373
- Eckart, F. and Henrion, W. Optical investigations on hexagonal selenium single crystals, 2=16801
- Eckart, F. and Jungk, G. Hall effect and conductivity of thin germanium layers, 2=21140
- Eckart, F. and Ludwig, W. Dielectric relaxation phenomena in high purified selenium, 2=6516
- Eckart, F. and Ludwig, W. Dielectric relaxation phenomena in high purified selenium, 2=12559
- Eckart, F. and Schulz, H. Measurements of contact potential on single crystals of CdS, 2=12526
- Eckart, F. and Tetsch, H. Field-effect measurements on single crystals of CdS, 2=12542
- Eckart, F. See Asche, M., 2=648
- Eckart, F. See Asche, M., 2=649
- Ecker, G. and McClure, J.J. On the "stability" of the plasma boundary layer, 2=22214
- Ecker, J., Le Paintre, M. and Poulain, P. Measurement of the maximum temperature of a hydrocarbon-air flame by suppression of the fuel, 2=2915
- Eckert, A.C. and Shrader, E.F. Nuclear resonant absorption of gamma rays by Ca^{40} , 2=352
- Eckert, E.R.G., Irvine, T.F., Jr., Sparrow, E.M. and Ibele, W.E. Heat transfer, a review of current literature, 2=7424
- Eckert, E.R.G., Schoeck, P.A. and Winter, E.R.F. Thermal investigation of a high intensity electric arc with a porous transpiration-cooled anode, 2=15904
- Eckert, E.R.G. and Sparrow, E.M. Radiative heat exchange between surfaces with specular reflection, 2=5211
- Eckert, H.U. Diffusion theory of the electrodeless ring discharge, 2=19916
- Eckertová, L. See Hájek, Z., 2=15944
- Eckhardt, G. Precipitates in gallium arsenide single crystals, 2=13837
- Eckhause, M., Filippas, T.A., Sutton, R.B., Welsh, R.E. and Romanowski, J. Experimental tests of the Fermi-Teller "Z-law", 2=13837
- Eckhaus, W. Nonlinear problems in the theory of [hydrodynamic] stability, 2=21877
- Eckstein, B.H. and Forman, R. Preparation and some properties of tantalum carbide, 2=2448
- Edagawa, H., Morita, Y., Maekawa, S. and Inuishi, Y. N-type conversion of thermally oxidized Si surface, 2=21164
- Eddy, J.A. See Newkirk, G.A., 2=15195
- Edeleanu, C. and Law, T.J. Fracture of oxide films on strained aluminium, 2=23784
- Edelen, D.G.B. Extended functional variation. I. Invariance transformations, 2=21783
- Edelen, D.G.B. Extended functional variation. II. On the Lagrangian class admitting a given invariance collection, 2=21784
- Edelman, S. See Jones, E., 2=9348
- Edelman, S. See Schmidt, V.A., 2=9331
- Edels, H., Halder, A.K., Shaw, A.B. and Whittaker, D. Convection-free post-arc gap recovery, 2=9552
- Edels, H. See Allan, J.W.S., 2=174
- Edelson, D., Griffiths, J.E. and McAfee, K.B., Jr. Autodetachment of electrons in sulfur hexafluoride, 2=22178
- Edelson, D. See Morrison, J.A., 2=11625
- Edelson, S. Calculations of a slowly varying component at 4.3 mm, 2=13172
- Edelstein, A.S. See Burgess, J.H., 2=12738
- Eder, F.X. and Haefner, H. The internal friction of iron-carbon-nitrogen alloys and of Al-1% Mg alloy, 2=4312
- Eder, G. Two-pion force and three-pion system, 2=20397
- Eder, G. See Baumann, K., 2=1047
- Eder, H. I. Investigation of the super linear luminescence yield of ZnCdS phosphors and its dependence on excitation intensity and temperature, 2=6624
- Eder, H. Determination of the trapping centre concentration, binding energies, and recombination constants from the luminescence efficiency of ZnCdS phosphors, 2=23607
- Edge, P.M., Jr. See Mayes, W.H., 2=15705
- Edgell, W.F. See Richardson, J.W., 2=6084
- Edgerton, H.E. See Rogers, G.T., 2=19908
- Edie, J.W. and Rohrlach, F. Negative atomic ions. II, 2=5298
- Eddie, R.G., Rao, R.D. and Gogate, D.V. Heat transfer under ionic currents, 2=5199
- Edmonds, A.R. Unitary symmetry in theories of elementary particles: the reduction of products of representations of the groups U_6 and $SU(3)$, 2=18064
- Edmonds, D.T. See Donaldson, R.H., 2=23092
- Edmunds, D.E. The uniqueness of solutions of the magneto-hydrodynamic equations, 2=11766
- Edmunds, D.E. On the differential equations of magneto-hydrodynamics, 2=20114
- Edmunds, D.E. See Dyer, R.H., 2=3138

- munds, I.G. See Harburn, G., 2=14425
- munds, P.D. See Andreev, J.H., 2=1240
- vi-Iles, C.A. See Mohr, C.B.O., 2=5878
- wards, C. See Boyle, A.J.F., 2=5790
- wards, D.F., Lazavzera, V.J. and Peters, C.W. Exciton and magneto-optical effect in unstrained germanium, 2=23528
- wards, D.F. and Maker, P.D. Quantitative measurement of semi-conductor homogeneity from plasma edge, 2=16686
- wards, D.F. and Mercado, M. Ultimate sensitivity and practical performance of the tellurium photoconductive detector, 2=7460
- wards, D.F. See Lax, B., 2=16637
- wards, D.M. Spin waves in ferromagnetic metals, 2=21301
- wards, D.O., McWilliams, A.S. and Daunt, J.G. Calorimetric measurements on He³ near the melting curve, 2=15834
- wards, D.O., McWilliams, A.S. and Daunt, J.G. Lattice imperfections, isotopic ordering and nuclear spin interaction in solid helium as shown by specific heat measurements, 2=17719
- wards, D.O. See Brewer, D.F., 2=1325
- wards, G.R. and Evans, L.F. Requirements of an ice nucleus, 2=2477
- wards, G.R. and Evans, L.F. Effect of surface charge on ice nucleation by silver iodide, 2=21490
- wards, H.H. and Newhouse, V.L. Superconducting film geometry with strong critical current asymmetry, 2=7503
- wards, J.E. See Boster, T.A., 2=14696
- wards, J.W. and Kington, G.L. Low temperature adiabatic calorimeter and the heat capacity of α -alumina, 2=22081
- wards, L.C. and Thome, G.D. Sudden frequency shift observed at high frequency during ionospheric disturbances, 2=20163
- wards, M.H. and Woodbury, W.C. Compressibility of liquid He⁴, 2=1323
- wards, P.L. and Happel, R.J., Jr. Alumina whisker growth on a single-crystal alumina substrate, 2=6786
- wards, P.L. and Happel, R.J., Jr. Beryllium oxide whiskers and platelets, 2=6787
- wards, R.A. See Davis, H.L., 2=20717
- wards, R.K. and Veleckis, E. Thermodynamic properties and phase relations in the system hydrogen-hafnium, 2=23808
- wards, R.S. See Barnett, C.F., 2=15929
- wards, S. See Zdanis, R.A., 2=1920
- wards, S.F. The electronic structure of liquid metals, 2=11349
- wards, S.F. and Halsall, M.J. A variational calculation of the ground state energy of liquid helium, 2=17714
- wards, S.F. and Kanaris, A.D. Pion production by proton bombardment of He³ and H³ near threshold, 2=16220
- wards, S.F. and Lenard, A. Exact statistical mechanics of a one-dimensional system with Coulomb forces. II. The method of functional integration, 2=19445
- wards, T.H. See Brown, R.G., 2=20853
- wards, T.H. See Brown, R.G., 2=20854
- wards, W.D. See Barry, A.L., 2=7530
- endiev, G.A. and Ivanova, I.V. Phase transformations in thin Ni-Se layers, 2=12879
- endiev, G.A. and Ivanova, I.V. Phase transformations in thin Ni-Se layers, 2=19027
- endiev, G.A. and Shafizade, R.B. Electron diffraction investigation of phase formation in double layers of Bi-Se, 2=4355
- endiev, G.A. and Shafizade, R.B. Electron diffraction investigation of phase formation in double layers of Bi-Se, 2=6759
- imov, B.V., Danelyan, L.S., Kuznetsov, A.S. and Pevzner, M.I. A mechanical monochromator for neutrons in the energy range 0.001 to 2 eV, 2=18140
- imov, G.V. The Kemmer scalar symmetric model, 2=18071
- imov, G.V. See Barbashov, B.M., 2=9804
- imov, I.A. Investigation of the switching time of ferromagnetic film elements, 2=18908
- imov, O.N. See Efremov, A.I., 2=19297
- imov, O.N. See Efremov, A.I., 2=19298
- imov, Yu.S. See Boyarchuk, A.A., 2=984
- imova, A.M. See Telesnin, R.V., 2=16920
- imova, B.A., Del'man, E.V. and Stil'bans, L.S. The mechanism of scattering on impurity ions in Bi₂Te₃, 2=12525
- imova, B.A., Del'man, E.V. and Stil'bans, L.S. The mechanism of scattering on impurity ions in Bi₂Te₃, 2=14546
- imova, B.A., Korenblit, I.Ya., Novikov, V.I. and Ostroumov, A.G. Anisotropy of the galvanomagnetic properties of p-type Bi₂Te₃, 2=6462
- imova, B.A., Novikov, V.I. and Ostroumov, A.G. Anisotropy of the galvanomagnetic properties of n-type Bi₂Te₃, 2=14547
- imova, B.A., Novikov, V.I. and Ostroumov, A.G. Anisotropy of the galvanomagnetic properties of n-type Bi₂Te₃, 2=18694
- efremov, A.I., Podmoshenskii, A.L., Efimov, O.N. and Lebedev, A.A. Study of short-wave solar radiation, 2=19297
- efremov, A.I., Podmoshenskii, A.L., Ivanov, M.A., Nikiforov, V.N. and Efimov, O.N. Filter apparatus for studying short-wave solar radiation, 2=19298
- efremov, A.V., Chzhu Khun-yuan' [Tzu Hung-yuan] and Shirkov, D.V. A neutral model for investigation of π - π scattering, 2=22603
- efremov, A.V. and Shirkov, D.V. Higher partial waves in low energy π - π scattering, 2=16233
- efremov, A.V., Shirkov, D.V. and Tzu, H.Y. The pion-pion scattering at low energy, 2=7894
- efros, A.L. Approximate calculation of the vibrational spectrum of lead sulphide and telluride crystals, 2=10313
- efros, A.L. Oscillations of transverse electrical conductivity in strong magnetic fields, caused by scattering by optical phonons in metals and semimetals, 2=18639
- efros, A.L. See Gurevich, L.E., 2=3987
- efros, A.L. See Gurevich, V.L., 2=21119
- efros, A.L. See Moizhes, B.Ya., 2=10312
- efros, A.L. See Shal'yt, S.S., 2=16683
- efros, A.L. See Shal'yt, S.S., 2=23246
- efrussi, M.M. Modern audiometers and hearing aids, 2=17317
- eftimiu, C. On the photoproduction of pions on pions, 2=5707
- egami, F. Approach to the determination of nucleotide sequence in nucleic acids, 2=7049
- egan, R.D. and Peterson, A.M. Auroral noise at H.F., 2=9020
- egardt, L. Some remarks on the Δ_L decay, 2=22648
- egardt, L. See Brene, N., 2=7897
- egeland, A. Very low-frequency radio wave propagation over a long high-latitude path, 2=1605
- egeland, A. Fading rate of auroral reflections at 92.8 Mc/s, 2=9013
- egeland, A., Ortner, J. and Hultqvist, B. A study of the statistics of VHF oblique auroral reflections, 2=19243
- egeland, A. See Hultqvist, B., 2=4678
- egelstaff, P.A. The scattering of thermal neutrons by moderators, 2=11948
- egelstaff, P.A. Neutron scattering studies of liquid diffusion, 2=19548
- egelstaff, P.A. The scattering of thermal neutrons by moderators, 2=20345
- egelstaff, P.A. The doppler broadening of slow neutron resonances, 2=20657
- egelstaff, P.A. Neutron scattering studies of liquid diffusion, 2=21899
- egelstaff, P.A. Progress of the scattering law experiment, 2=22526
- egelstaff, P.A. and Schofield, P. On the evaluation of the thermal neutron scattering law, 2=11946
- egelstaff, P.A. See Turberfield, K.C., 2=18523
- eggers, D.F., Jr. See Emerson, M.T., 2=18454
- eggers, D.F., Jr. See Lovejoy, R.W., 2=6161
- eggleton, A.E.J. See Bishop, K.F., 2=2467
- eglan, K.Sh. See Khirmian, A.V., 2=12081
- egidy, T. v. See v. Egidy, T.
- egiyani, K.Sh. See Khirmian, A.V., 2=13924
- egli, P. See Cvijanovic, G., 2=22515
- egli, P. See Cvijanovich, G.B., 2=5638
- egli, P.H. Progress in thermoelectricity, 2=11604
- eglit, M.E. See Sedov, L.I., 2=11312
- egorov, A.M. See Zagorodnov, O.G., 2=237
- egorov, B.N. See Rivkin, S.L., 2=5000
- egorov, E.A. See Slutsker, A.I., 2=2438
- egorov, L.B., Zhuravlev, G.V., Ignatenko, A.E., Kuptsov, A.V., Syuan-min, L. [Hsuang-ming, L.] and Petrashku, M.G. Investigation of the spin dependence of weak interaction in the process $\mu^- + p \rightarrow n + \nu$, 2=22548
- egorov, N.N. Attenuation of Rayleigh waves in an elastic layer above a half-space, 2=7280
- egorov, V.S. The measurement of the electron-gas temperature and the charged-particle concentration in a pulsed discharge in neon, 2=165
- egorov, Yu.A. and Kucheryaev, V.A. The possibility of using certain organic scintillators for dosimetry, 2=11838
- egorov, Yu.A. and Pankrat'ev, Yu.V. A fast neutron spectrometer with one data unit, 2=5684
- egorov, Yu.A. and Panov, E.A. The measurement of a dose of gamma radiation with a scintillation dosimeter, 2=9816
- egorov, Yu.A. and Panov, E.A. Scintillation gamma dosimeter, 2=20298
- egorov, Yu.S. See Zhernovoi, A.I., 2=1548
- egorov, Yu.S. See Zhernovoi, A.I., 2=1549
- egorova, A.V. Influence of lunar and solar attraction on the motion of an artificial earth satellite, 2=11178
- egorova, A.V. Influence of lunar and solar attraction on the motion of an artificial earth satellite, 2=21745
- egorova, V.F., Isaenko, V.I., Mak, A.A. and Sadykova, A.I. Distribution of temperature and electron density in a spark-discharge channel, 2=22185

- Eguchi, T. Nuclear radiations from solids, 2=6253
- Ehara, S. and Tomono, Y. Nuclear magnetic resonance of Co^{59} in dilute cobalt-palladium alloys, 2=18960
- Ehlers, F.E. Response of internally-damped beams on vibrating supports, 2=2807
- Ehlers, H.H. See Turnbull, T.P., 2=23924
- Ehlers, J. See Jordan, P., 2=7127
- Ehlers, J. See Jordan, P., 2=7128
- Ehlers, V.J., Nierenberg, W.A. and Shugart, H.A. Nuclear spin of gallium-70, 2=9991
- Ehlers, V.J. and Shugart, H.A. Hyperfine-structure separations and nuclear moments of gallium-68, 2=18418
- Ehmert, A. Cosmic ray modulation and geomagnetism, 2=13905
- Ehmert, A. See Plotzer, G., 2=9023
- Ehrenberg, W. and Hidden, N.J. Electron bombardment conductivity in zinc sulphide, 2=18652
- Ehrenberg, W. See Billington, E.W., 2=638
- Ehrenberg, W. See Billington, E.W., 2=23359
- Ehrenreich, H. Band structure and transport properties of GaAs, 2=23106
- Ehrenreich, H., Philipp, H.R. and Phillips, J.C. Interband transitions in Groups IV, III-V, and II-VI semiconductors, 2=18673
- Ehrenreich, H. See Carlson, E.O., 2=16722
- Ehrenreich, H. See Marple, T.D.F., 2=14602
- Ehrenreich, H. See Philipp, H.R., 2=16809
- Ehrenreich, H. See Philipp, H.R., 2=18799
- Ehrenson, S. A closed form analysis of the LCAO-MO ω -technique. I. Ionization potentials and electron-affinities, 2=16498
- Ehrenson, S. A closed form analysis of the LCAO-MO ω -technique. II. Mechanics of the technique, 2=16499
- Ehrenson, S. Photo- and spectroscopic ionization potentials in the ω -technique framework, 2=20763
- Ehrhardt, C. See Simonsohn, G., 2=23915
- Ehrhardt, H. See Meisel, A., 2=5424
- Ehrlich, G. Adsorption and electrical conduction in thin films, 2=3984
- Ehrlich, G. Energy parameters in adsorption, 2=8890
- Ehrlich, G. Structure and surface binding: N and CO on tungsten, 2=8917
- Ehrlich, G., Gerbatsch, R., Jaetsch, K. and Scholze, H. Use of a high-resolution spectrograph for spectrochemical determination of trace impurities without pre-concentration, 2=23984
- Ehrlich, G. and Hudda, F.G. Erratum: Low-temperature chemisorption. III. Studies in the field emission microscope, 2=6885
- Ehrlich, G. and Hudda, F.G. Direct observation of individual adatoms: nitrogen on tungsten, 2=17072
- Ehrman, J.R. See Margulies, S., 2=3470
- Eiben, K. See Schulte-Frohlinde, D., 2=19151
- Eichenauer, W. and Liebscher, D. Measurement of the diffusion rate of hydrogen in gold, 2=14459
- Eichenberg, J.D. See Cohen, I., 2=3860
- Eicher, H. The hyperfine structure of the nuclear energy levels in ionic crystals of the rare earths, 2=20910
- Eicher, H. See Kalvius, M., 2=5811
- Eicher, H. See Kalvius, M., 2=18245
- Eicher, H. See Wagner, F.E., 2=5612
- Eicher, H. See Zahn, U., 2=3773
- Eichhorn, E.L. and Holm, M.W. Atomic scattering factors for ytterbium, 2=10862
- Eichler, E., O'Kelley, G.D., Robinson, R.L., Marinsky, J.A. and Johnson, N.R. Nuclear levels of Ge^{74} , 2=16321
- Eichler, E. See Robinson, R.L., 2=22767
- Eicke, H.F. Improvement of a method for the experimental determination of transition probabilities and its application to the spectrum of barium, 2=12287
- Eidel'man, L.G. See Dobrovins'ka, O.R., 2=8588
- Eidman, V.Ya. Radiation of a plasma wave by a charge moving in a magnetoactive plasma, 2=3062
- Eidman, V.Ya. See Ginzburg, V.L., 2=7847
- Eido, R. Graphical recording of the wave functions of the molecule N_2 with the aid of an analogue computer, 2=6204
- Eidson, W.W. and Bent, R.D. Gamma decay of the 7.57 MeV level on N^{15} , 2=18260
- Eidson, W.W. See Bent, R.D., 2=20510
- Eiermann, K. and Knappe, W. Simple plate apparatus for the determination of the thermal conductivity of plastics in addition to a contribution to the question of thermal contact at low temperatures, 2=19746
- Eigen, M. and Tamm, K. Sound absorption in electrolyte solutions due to chemical relaxation. I. Relaxation theory of multistage dissociation, 2=10985
- Eigen, M. and Tamm, K. Sound absorption in electrolyte solutions due to chemical relaxation. II. Experimental results and relaxation mechanisms for 2-2 valent electrolytes, 2=10986
- Eijnsbergen, B. Van. See Van Eijnsbergen, B.
- Einbinder, I. See Minkoff, I., 2=14945
- Eins, S. and Unangst, D. A new construction of a Kratky-type small-angle X-ray camera of high resolving power, 2=14970
- Einspruch, N.G. The effects of dried O_2 on the surface conductance of silicon, 2=6459
- Einspruch, N.G. A.C. field effect measurements on silicon, 2=10480
- Einspruch, N.G. Ultrasonic loss in yttrium iron garnet, 2=23056
- Einspruch, N.G. and Barlow, C.A., Jr. Scattering of a compressional wave by a prolate spheroid, 2=2837
- Einspruch, N.G. and Truell, R. Results of an ultrasonic measurement survey, 2=23728
- Eisberg, R.M. See Carlson, R.F., 2=20616
- Eisen, C.L. See Schock, A., 2=1479
- Eisenberg, H. Multicomponent polyelectrolyte solutions. I. Thermodynamic equations for light scattering and sedimentation, 2=11366
- Eisenberg, H. and Woodside, D. Multicomponent polyelectrolyte solutions. II. Excluded volume study of polyvinylsulfonate alkali halide systems, 2=11367
- Eisenberg, Y., Friedmann, M., Alexander, G. and Kessler, D. On the multi-nucleon capture of K^- mesons, 2=319
- Eisenberg, Y. and Kessler, D. Remarks on the hyperon-pion resonances (Y^*) mesons by complex nuclei, 2=22632
- Eisenhart, L.P. The paths of rays of light in general relativity of the nonsymmetric field V_4 , 2=9178
- Eisenhart, L.P. The paths of rays of light in generalized general relativity of the nonsymmetric field V_4 , 2=19418
- Eisenkolb, F. Investigations of the sintering ability of austenitic chromium-nickel steels, 2=831
- Eisenman, W.L. See Caringella, P.C., 2=17774
- Eisenman, W.L. See Potter, R.F., 2=22086
- Eisenmenger, W. Test sound source of pressure impulses in liquids for measurement by broad-band microphones, 2=19659
- Eisenmenger, W. Production and measurement of short electrical and acoustical pulses, 2=19835
- Eisenmenger, W. Electromagnetic generation of plane pressure pulses in liquids, 2=21930
- Eisenstein, J.C. See Ambler, E., 2=4913
- Eisenstein, J.C. See Ambler, E., 2=19367
- Eisinger, J., Shulman, R.G. and Szymanski, B.M. Transition metal binding in DNA solutions, 2=11393
- Eisler, F., Gaillard, J.M., Keren, J., Schwartz, M. and Wolf, S.E. The $\pi^- + p \rightarrow \Lambda^0 + K^0$ reaction at the thresholds of the $\pi + p \rightarrow \Sigma^0 + K^0$ reactions (cusp), 2=22568
- Eisler, F.R. See Bertanza, L., 2=13554
- Éismont, V.P. Symmetry of nuclear fission, 2=8013
- Éismont, V.P. See Baranov, I.A., 2=509
- Éismont, V.P. See Baranov, I.A., 2=14154
- Éismont, V.P. See Baranov, I.A., 2=22859
- Éismont, V.P. See Blinov, M.V., 2=8014
- Eisner, I.Ya. Some electrical characteristics of ammonium dihydrogen phosphate single crystals, 2=18766
- Eisner, L., Bell, E.E., Young, J. and Oetjen, R.A. Spectral radiance of sky and terrain at wavelengths between 1 and 20 μ . III. Terrain measurements, 2=4590
- Eisner, M. See Kattawar, G.W., 2=12344
- Éizner, Yu.I. See Pittsýn, O.B., 2=11330
- Ejima, T. See Straumanis, M.E., 2=6811
- Ejima, T. See Straumanis, M.E., 2=10375
- Ek, F., Kahalas, S.L. and Tidman, D.A. Instability of contra-streaming plasmas with resonance distribution functions, 2=7599
- Ekaterinin, V.V. See Vishnevskii, V.F., 2=18036
- Ekatov, A.B. and Tishechkin, A.S. Device for readout from amplitude and time analysers, 2=22143
- Eklund, K.E. See Nessin, M., 2=3529
- Ekman, G. and Lindman, R. Measurement of the underlying process in perceptual fluctuations, 2=24225
- Éknadiosyants, O.K. See Buravov, L.I., 2=17105
- Ekstein, H. Time reversal and superselection, 2=9787
- Ekstrom, L. and Weisberg, L.R. Sources of contamination in GaAs crystal growth, 2=10801
- Ekvall, R.A. See Brown, N., 2=23750
- Elagin, Yu.P., Lul'ka, V.A. and Nemirovskii, P.E. Neutron force function in the optical model, 2=22825
- El-Bakkal, J.M. and Loeb, L.B. Electrical breakdown of argon in glass cells with external electrodes at constant and at 60-cycle alternating potential, 2=9554
- Elbaum, C. See Hikata, A., 2=21436
- El-Bayoumi, M.A. and Kearns, D.R. Comparison of localized and delocalized models for $n \rightarrow \pi^*$ transitions: a possible interpretation of the observed sym-tetrazine fluorescence, 2=16503
- El-Bayoumi, M.A. See O'Dwyer, M.F., 2=10628

- ek,B. and Nakamura,M. Multichannel detector for use in particle spectrometers, 2=3203
- el,M. and Fischer,W. On the isotope shift in copper I and II spectrum, 2=6094
- el,M. and Fischer,W. The isotope shift in the silver I and II spectrum, 2=10211
- ert,D.D. See Chandrasekhar,S., 2=15538
- nger,G. Magnetic crystalline anisotropy in the systems nickel ferrite-magnetite and magnesium ferrite-magnetite, 2=12789
- nger,G. Magnetic crystalline anisotropy of the systems nickel ferrite-magnetite and magnesium ferrite-magnetite, 2=18920
- or,R.A.,Hughes,W.F. and Young,F.J. Theoretical analysis of the radical field vortex magneto-gas dynamic generator, 2=16009
- er,F.,Giese,C.,Steiner,B. and Inghram,M. Photo-ionization of alkyl free radicals, 2=17781
- er,T. Interactions between the corona discharge and a zinc oxide electrode, 2=19913
- ridge,O.C. and Feix,M. One-dimensional plasma model at thermodynamic equilibrium, 2=20111
- ridge,O.C.,Jr. See Scott,F.R., 2=1439
- ridge,H.B. See Ritchie,R.H., 2=14751
- ridge,R.G. A few fog drop-size distributions, 2=2476
- ridge,R.G. and Johnson,J.C. Distribution of irradiance in haze and fog, 2=15198
- rk,T. Position and meaning of measurement and experimental observation in physical knowledge, 2=7109
- man,F. On solar flares and geomagnetic solar flare effects (s.f.e.), 2=9078
- onskii,V.M.,Zyryanov,P.S. and Silin,V.P. Collision integral for charged particles in a magnetic field, 2=13660
- onskii,V.M.,Zyryanov,P.S. and Silin,V.P. Collision integral for charged particles [in solids] in a magnetic field, 2=8199
- ant,R.F. and Friedlaender,F.J. Approximate solution of the equations of magnetization reversal by coherent rotation, 2=13638
- ard,A.M. A study of the dependence of the permittivity and the loss-angle tangent of ferroelectrics on the electric field intensity in the range 50 c/s-100 kc/s, 2=664
- ard,A.M. A study of the dependence of the permittivity and the loss-angle tangent of polarized ferroelectrics on the electrical field intensity in the range 50 c/s-100 kc/s, 2=665
- ard,A.M. Investigation of the dielectric properties of polarized ferroelectrics in strong electric fields, 2=18776
- ard,A.M. Investigation of the strong-field anisotropy of dielectric properties of ferroelectrics subjected to a preliminary treatment with an electric field, 2=18777
- ard,A.M. Measurement of the specific dielectric capacitance and the losses in strong electric fields of ultrasonic range, 2=19875
- ard,A.M. Investigation of the dielectric properties of polarized ferroelectrics in strong electric fields, 2=23502
- ard,A.M. Investigation of the strong-field anisotropy dielectric properties of ferroelectrics subjected to a preliminary treatment with an electric field, 2=23503
- ard,A.M. See Velyukhanova,G.A., 2=14627
- ard,A.M. See Zaitseva,V.I., 2=14626
- aroy,O. High-resolution spectrometry of enhanced solar radio emission, 2=2564
- azzy,E.M. See Meligy,A.S., 2=19430
- ashberg,G.M. Kinetic equation for a degenerate system of Fermi particles, 2=39
- ashberg,G.M. A microscopic theory of damping of zero sound in a Fermi liquid, 2=17461
- ashberg,M.B. See Stekhanov,A.I., 2=702
- ashberg,M.B. See Stekhanov,A.I., 2=18850
- ashberg,M.B. See Stekhanov,A.I., 2=23577
- ezzer,C.J. and Roy,S.K. The effect of a magnetic pole on the energy levels of a hydrogen-like atom, 2=12281
- onson,M.I. See Stepanov,G.V., 2=2182
- off,T. See Auerbach,L.B., 2=20393
- off,T. See Wiegand,C.E., 2=11962
- on,H.A. and Ogilvie,R.E. Reflecting variable bent crystal spectrometer, 2=20086
- opoulos,H.A. Geometric interpretation of the mechanics of a 3-dimensional continuous isotropic medium, 2=19406
- eev,A.A. See Gliki,N.V., 2=15809
- eev,A.A. See Gliki,N.V., 2=19775
- eev,V.V. See Striganov,A.R., 2=16483
- stratov,N.P. See Gusev,V.M., 2=13606
- Khalafawy,T. Spectroscopic measurements on an electrodeless ring discharge, 2=11639
- Khalafawy,T. See Beerwald,H., 2=15909
- holy,H. A method for measuring the Hall coefficient at high temperature, 2=6419
- ind,A.I. Determination of waveguide probe parameters, 2=20147
- Elkington,R.W. The effect of substructure on the stress-corrosion of commercial Al-Zn-Mg alloys, 2=16968
- Elkomoss,S.G. The oscillator strength for the first peak of the exciton in some alkali halide crystals, 2=12601
- Elkomoss,S.G. and Magee,J.L. Parent-ion recapture in gases, 2=1396
- Elleman,D.D. and Manatt,S.L. An n.m.r. study of indene using a proton-proton decoupling technique, 2=14327
- Elleman,D.D. See Hildebrandt,A.F., 2=11556
- Elleman,T.D. See Hildebrandt,A.F., 2=15850
- Elleman,T.S.,Howes,J.E., Jr and Sunderman,D.N. A technique for the resolution of complex gamma spectra using a single-channel gamma-ray spectrometer, 2=5607
- Ellemann,D.D. and Manatt,S.L. Fluorine-fluorine nuclear spin-spin decoupling, 2=18462
- Ellenkamp,L.A. Instrument for recording coercive force as a function of temperature, 2=9673
- Eller,g.von. See von Eller,g.
- Ellerböck,W. List of monochromatic corona rays 1957-1958, 2=11131
- Elliott,H. Modulation of the cosmic ray intensity by the interplanetary magnetic field, 2=13915
- Elliott,A. See Bradbury,E.M., 2=17653
- Elliott,D.N. See Lukaszewski,J.S., 2=7064
- Elliott,J.H. Thick junction radiation detectors made by ion drift, 2=3215
- Elliott,J.H. and Pehl,R.H. Thin semiconductor transmission-counter system for nuclear particle detection, 2=18029
- Elliott,L.A. Shock fronts in two-dimensional flow, 2=11401
- Elliott,L.L. Backward and forward masking of probe tones of different frequencies, 2=21758
- Elliott,L.L. Backward masking: monotonic and dichotic conditions, 2=24200
- Elliott,N. and Hastings,J. Neutron diffraction investigation of KCN, 2=10891
- Elliott,R.J. and Heap,B.R. Theory of random dilute magnets with application to $MnZnF_2$, 2=2292
- Elliott,R.J. See Cooper,B.R., 2=14816
- Elliott,R.O.,Olsen,C.E. and Louie,J. Electrical behavior below 300°K of plutonium-rich delta-phase solid solution alloys containing cerium, aluminum and zinc, 2=21094
- Elliott,R.O. See Gschneidner,K.A., Jr, 2=17041
- Elliott,R.O. See Gschneidner,K.A., Jr, 2=23878
- Elliott,R.O. See Gschneidner,K.A., Jr, 2=23879
- Elliott,R.O. See Olsen,C.E., 2=23237
- Elliott,R.S. See Bellanca,T.J., 2=1469
- Elliott,R.S. See Flock,W.L., 2=13687
- Ellis,A.J. Measurement of high pressures by electrolyte conductance, 2=19500
- Ellis,B. See Walton,A.K., 2=10492
- Ellis,C.E. Effect of temperature during irradiation on the behaviour of helium in aluminum, 2=8261
- Ellis,C.P. The variation of gaseous viscosity with temperature, 2=13355
- Ellis,G.R.A. Extra-galactic radio emissions at 4.8 Mc/s, 2=11169
- Ellis,G.R.A. Radiation from Jupiter at 4.8 Mc/s, 2=15404
- Ellis,R.C.,Jr. See Rindner,W., 2=19046
- Ellis,R.E. and Carlson,N.W. Calibrated scintillator probe for determining energy distribution, density, and mean energy of the electronic component of a pyrotron plasma, 2=1452
- Ellis,W.C. See Greiner,E.S., 2=606
- Ellison,F.O. Intensities of vibrational and rotational spectra of charged diatomic molecules, 2=3723
- Ellison,F.O. Calculation of atomic valence state energies of B^- , C, and N^+ in BH_n^- , CH_n , and NH_n^+ , $n = 1$ to 4, 2=16522
- Ellison,F.O. Semiempirical valence bond calculations of electronic energies of CH , CH_2 , CH_3 , and CH_4 , 2=16534
- Ellison,F.O. Approximating two-electron atomic energies using scaled eigenfunctions: semiempirical Coulomb-repulsion integrals, 2=22887
- Ellison,M.A.,McKenna,S.M.P. and Reid,J.H. Cosmic ray flares. A description and discussion of the ten great solar flares which have generated cosmic rays recorded at ground level, 2=9962
- Ellison,M.A.,McKenna,S.M.P. and Reid,J.H. Cosmic ray flares associated with the 1961 July event, 2=24126
- Ellison,R.J. and Dickinson,B. On the excited states of ^{10}B near 7.5 MeV, 2=16315
- Ellison,T.H. Laboratory measurements of turbulent diffusion in stratified flows, 2=24009
- Ellyett,C. and Keay,C.S.L. All-sky meteor rates in the southern hemisphere, 2=4845
- Ellyett,C. See Keay,C.S.L., 2=4844
- El Nadi,M. and Sherif,H. Stripping on heavy projectiles, 2=3542

- El Nadi, M. and Sherif, H. Analysis of (^3He , p) and (α , n) reactions, 2=22853
- El-Nesr, M.S. and Bashandy, E. On the decay of Hf^{181} , 2=5845
- El-Nesr, M.S. and Bashandy, E. Energy dependence of beta-gamma directional correlation in the decay of Lu^{177} , 2=7947
- El-Nesr, M.S. and Bashandy, E. Lifetime measurement of the 84 keV transition in Yb^{170} , 2=14005
- El-Nesr, M.S. and Bashandy, E. Studies of the decay scheme of Yb^{189} by means of an electron-electron and electron-gamma coincidence techniques, 2=14040
- El-Nesr, M.S., Bashandy, E., Gerholm, T.R. and Lindqvist, T. Experimental evidence for anomalous beta-gamma directional correlation in Au^{198} , 2=3522
- El-Nesr, M.S. and Bashandy, E. The decay of Lu^{177} to Hf^{177} , 2=10041
- El-Nesr, M.S. See Bashandy, E., 2=5852
- El-Nesr, M.S. See Bashandy, E., 2=5863
- El-Nesr, M.S. See Bashandy, E., 2=10059
- El-Nesr, M.S. See Bashandy, E., 2=13986
- El-Nesr, M.S. See Bashandy, E., 2=14043
- El-Nesr, M.S. See Bashandy, E., 2=16325
- El-Nesr, M.S. See Gerholm, T.R., 2=10060
- El-Nesr, M.S. See Gerholm, T.R., 2=10032
- El-Nesr, M.S. See Grabowski, Z., 2=7953
- El-Nesr, M.S. See Thun, J.E., 2=3459
- El-Nesr, M.S. See Thun, J.E., 2=3524
- Elpidinskii, A.V. and Fetisov, I.N. Characteristics of alpha-particle scintillation detector in relation to grain size of ZnS , 2=20443
- El-Saden, M.R. Theory of the Ettingshausen cooler, 2=11529
- El Saffar, Z.M. Nuclear magnetic resonance in hexamethylbenzene at low temperatures, 2=8684
- El Saffar, Z.M. See Spence, R.D., 2=8609
- El-Sayed, M.A. Radiationless processes involving change of multiplicity in the diazenes, 2=6185
- El-Sayed, M.A. Effect of reducing the symmetry on the spectra of benzene in the 1500-2000 Å region: spectra of pyridine, pyrimidine, and pyrazine, 2=6176
- El-Sayed, M.A. Perturbational enhancement of the coupling between the lowest two electronic π, π^* states in naphthalene, 2=18469
- El-Sayed, M.A. Intramolecular resonance interaction between fundamental vibrations in polyatomic molecules, 2=22937
- El-Sayed, M.A., Wauk, M.T. and Robinson, G.W. Retardation of singlet and triplet excitation migration inorganic crystals by isotopic dilution, 2=12630
- Elsner, B. See Caldwell, D.O., 2=22611
- Elste, G. See David, K.H., 2=7004
- Elston, J. and Labbe, C. Effect of heat treatment and neutron irradiation on the physical and mechanical properties of hot pressed beryllium oxide, 2=4337
- Elton, L.R.B. and Jackson, D.F. Wave distortion in direct interactions, 2=16415
- El-Wahab, M.A. and Kane, J.V. An analytic treatment for scintillation counter time resolution functions, 2=13706
- Elwyn, A.J. and Lane, R.O. Polarization of neutrons in scattering from light nuclei and in the $\text{Li}^7(\text{p}, \text{n})\text{Be}^7$ reaction, 2=10101
- Elwyn, A.J. See Lane, R.O., 2=12196
- Elwyn, A.J. See Monahan, J.E., 2=9835
- Ely, P.P., Powell, W.M., Ceolin, M.B., Salimani, E., Ciampolillo, S., Fabbri, O., Farini, F., Filippi, C., Huzita, H., Miari, G., Camerini, W., Fry, W.F. and Natali, S. An experimental test of the selection rule $\Delta Q = \Delta S$, 2=22613
- Ely, R.P., Fung, S.-Y., Gidal, G., Pan, Y.-L., Powell, W.M. and White, H.S. Spin of Y_2^+ , 2=5747
- Ely, R.P., Powell, W.M., White, H., Baldo-Ceolin, M., Calimani, E., Ciampolillo, S., Fabbri, O., Farini, F., Filippi, C., Huzita, H., Miari, G., Camerini, U., Fry, W.F. and Natali, S. Experimental test of the selection rule $\Delta S = \Delta Q$, 2=18173
- Ely, R.P. See Camerini, U., 2=22624
- Él'yasberg, P.E. Determination of the density of the upper atmosphere from secular changes in the orbit elements of the first two artificial earth satellites, 2=13014
- Él'yasberg, P.E. and Yastrebov, V.D. Determination of the density of the upper atmosphere from the results of observations of the flight of Sputnik III, 2=8983
- Eman, B. and Tadić, D. On the deviations from the allowed shape in the allowed β -decay spectra, 2=5841
- Eman, B. See Strohal, P., 2=5930
- Emara, S.H. Comparison of lens response for sinusoidal and square-wave targets at several focal positions, 2=5141
- Emara, S.H. Wavelength shifts in Hg^{180} as a function of temperature, 2=5169
- Ember, G., Ferron, J.R. and Wohl, K. Self-diffusion coefficients of carbon dioxide at 1180°-1680° K, 2=19609
- Embleton, T.F.W. Relation of mechanical power of a propeller to radiated power of the resulting acoustic sources, 2=17542
- Embleton, T.F.W. and Thiessen, G.J. Efficiency of circular sources and circular arrays of point sources with linear phase variation, 2=13403
- Embleton, T.F.W. and Dagg, I.R. Sound radiation from a rectangular array of incoherent sources, 2=15712
- Embleton, T.F.W. and Thiessen, G.J. Train noises and use of adjacent land, 2=15710
- Emeleus, K.G. and Garscadden, A. Plasma electron oscillation and concentration patterns, 2=17850
- Emeleus, K.G. See Garscadden, A., 2=9598
- Emeleus, K.G. See Garscadden, A., 2=9605
- Emeleus, K.G. See Mahaffey, D.W., 2=1464
- Emeljanenko, O.V., Justi, E. and Schneider, G. The electrical transport properties of zinc antimonide at low temperatures, 2=4042
- Emel'yanenko, O.V., Kesamanly, F.P. and Nasledov, D.N. Dependence of the effective electron mass in n-InSb on the carrier density, 2=2164
- Émel'yanenko, O.V., Kesamanly, F.P. and Nasledov, D.N. The Nernst-Ettingshausen thermomagnetic effect in degenerate indium antimonide, 2=18706
- Émel'yanenko, O.V. See Andronik, I.K., 2=641
- Émel'yanenko, O.V. See Andronik, I.K., 2=8355
- Emel'yanov, A.A. On the theory of heavy nuclei-nucleon collisions, 2=3560
- Emel'yanov, A.A. Interpretation of the two-centre model [of cosmic ray showers] within the framework of the hydrodynamic theory, 2=7915
- Emel'yanov, E.A. See Dzhelepov, B.S., 2=14026
- Emeric, A. See Rasigni, G., 2=11488
- Emeric, N. See Rasigni, G., 2=11488
- Emerson, M.T. and Eggers, D.F., Jr. Effect of centrifugal distortion on the shape of the hydrogen sulfide fundamental infrared bands, 2=18454
- Emerson, M.T. See Howard, B.B., 2=3780
- Emerson, M.T. See Jumper, C.F., 2=2703
- Emery, G.T. See Schmorak, M., 2=383
- Eminzade, T.A. The cause of novae outbursts, 2=24147
- Emley, E.F. and Duncumb, P. The maximum solid solubility of zirconium in magnesium, 2=17056
- Emlyaninov, A.S. See Bondar, A.P., 2=17978
- Emma, V., Milone, C., Rubbino, A., Jannelli, S. and Mezzanares, F. Energy spectrum of photoneutrons from cobalt, 2=423
- Emmer, T.L. Nuclear instrumentation for scintillation and semiconductor spectroscopy, 2=17992
- Emmony, D.C. See Berz, F., 2=23345
- Emslie, A.G. See Büchler, A., 2=14255
- Emslie, A.G. See Glaser, P.E., 2=2907
- Emtage, P.R. Electrical conduction and the photovoltaic effect in semiconductors with position-dependent band gaps, 2=14519
- Emtage, P.R. and Tantraporn, W. Schottky emission through thin insulating films, 2=13582
- Enander, B. See Agdur, B., 2=7736
- Enck, F.D., Engle, D.G. and Marks, K.I. Thermal expansion of KCl at elevated temperatures, 2=13887
- Endo, K. See Kimura, R., 2=21551
- Endt, P.M. Resonance reactions, 2=5879
- Endt, P.M. and van der Leun, C. Energy levels of light nuclei ($Z = 11$ to $Z = 20$). III, 2=12131
- Endt, P.M. See Glaudemans, P.W.M., 2=5912
- Enflo, B. On the anomalous threshold of the deuteron vertex function, 2=22653
- Engel, A. von. See von Engel, A.
- Engelen, M. See Audran, R., 2=7414
- Engeler, W., Levinstein, H. and Stannard, C., Jr. Photoconductivity in p-type indium antimonide with deep acceptor impurities, 2=84
- Engeler, W. See Bratt, P., 2=7454
- Engelhard, E. and Vieweg, R. On the new definition of the metre in terms of a light wavelength, 2=7108
- Engelhardt, A.G. and Dougal, A.A. Dispersion of ion cyclotron waves in magnetoplasmas, 2=1435
- Engelhardt, H. See Hauser, I., 2=13715
- Engelhardt, W.V., Haussühl, S. and Zinnow, K.P. Relationship between cleavage planes and growth faces in potassium sulphate crystals, 2=21469
- Engelhardt, W.v. See v. Engelhardt, W.
- Engelke, J.L. See Brewer, L., 2=6166
- Engelkemeir, D.W., Flynn, K.F. and Glendenin, L.E. Positron emission in the decay of K^{40} , 2=14036
- an electric field in a collisionless plasma, 2=3058
- Engelmann, F. See Cuperman, S., 2=22206

- elmann, R., Hepp, V., Kluge, E., Krehbiel, H. and Meyer-Berkhout, U. Production of new nuclear isomeric states by photonuclear reactions on antimony and thallium, 2=18250
- els, E., Roth, D., Cronin, J. and Pyka, M. Ionization density effects in spark chambers, 2=18048
- els, E. See Cronin, J.W., 2=22489
- elsberg, S. Energy losses and collective excitations in a crystal, 2=12410
- elsberg, S. Functional derivative techniques in the theory of superconductivity, 2=13506
- er, R. See Brix, P., 2=14230
- lander, M. and Stohr, J.A. The characteristics of various metallic nuclear fuels and their behaviour under irradiation, 2=20723
- le, D.G. See Enck, F.D., 2=14387
- ler, A. See Pevsner, A., 2=5719
- ler, G. See Burde, J., 2=16329
- ler, G. See Burde, J., 2=22741
- ler, H.D. See Czuliuz, W., 2=16093
- lert, A. and Tompa, H. The energy and the configuration of the atoms in a simple model of an edge dislocation, 2=10392
- lert, F. Effective Hamiltonian formalism in the exciton problem and in superconductivity, 2=23121
- lert, G. See Dischler, B., 2=6220
- lish, A.C. and Thomas, R.W. Creep and forming in selenium rectifiers, 2=10511
- lman, R. Suggestion for the j dependence of some of the results of Jaffe and co-workers, 2=16508
- lman, R. A suggested adiabatic approximation for vibronic problems with electronic near-degeneracy, 2=23052
- g, J.W. Method for solving fluid flow problems by following the motion of energy cells, 2=15536
- keev, E.Kh., Roginsky, C.Z. and Rufov, J.H. Study of the influence of the adsorption of gases on the work-function of semi-conductors, 2=22240
- o, T. See Murakami, Y., 2=19090
- os, A.E. Optical properties of evaporated lead monoxide films, 2=6537
- ch, J. Nonlinearized theory of transverse plasma oscillations, 2=9607
- ch, J. Kinetic model for high velocity ratio near free molecular flow, 2=17511
- eev, T.M., Platonov, A.K. and Kazakova, R.K. Determination of the orbit parameters of artificial satellites from ground-measurement data, 2=9119
- eman, E.A. See Craig, N.C., 2=1996
- wistle, K.M. See Bradley, D., 2=1306
- wistle, K.M. On the decay of vacancies in aluminium-copper alloys measured by an internal friction method, 2=20996
- , U. See Lotgering, F.K., 2=8658
- neshnikov, M.M. and Fan Chih-Fen [Fan Chih-Fen]. Criteria for estimating discomfort, 2=24223
- lboin, I. See Bosio, L., 2=4447
- lboin, I. See Dabosi, F., 2=8635
- erson, J.E. See Cathcart, J.V., 2=17066
- htein, E.M. Scattering of high energy electrons on electrons and the dipole structure of the electron, 2=13770
- htein, M.I. Use of luminescence for measurements of spectral response of energy receivers in ultraviolet region, 2=17618
- tein, J.H. and Epstein, S.T. Some applications of hypervirial theorems to the calculation of average values, 2=9201
- tein, J.H. See Weymouth, J.W., 2=16979
- tein, L.F. Correlation and prediction of explosive metal-water reaction temperatures, 2=4540
- tein, L.F. An equation of state involving the critical ratio, 2=15637
- tein, L.M. Mössbauer spectra of some iron complexes, 2=14235
- tein, L.M. See Wallace, W.E., 2=3816
- tein, M. Electromagnetic-wave propagation in a plasma with nonlinear electrical conductivity, 2=9590
- tein, S.T. Hypervirial theorems and variational calculations in classical mechanics, 2=13284
- tein, S.T. A note on gauge theories of vector particles, 2=18052
- tein, S.T. See Epstein, J.H., 2=9201
- er, B. See Astier, A., 2=22614
- s, J. See Becker, J., 2=21992
- a, E., Facchini, U. and Saetta Menichella, E. Statistical emission in nuclear level density, 2=5875
- a, E., Facchini, U. and Menichella, E.S. On the level density of atomic nuclei deduced from p, α reactions, 2=12128
- e, H. See Pfozter, G., 2=9023
- oles, A.M. See Ronchi, L., 2=15430
- al, A. See Graue, A., 2=13817
- ei, M. Duality of non-planar electric circuits without the use of ideal transformers, 2=19822
- Erdélyi, I. Influence of centrifugal fields on the heat-state of gases. Explanation of the Ranque phenomenon, 2=15645
- Erdélyi, I. See Greguss, P., 2=7292
- Erdik, E. The experimental determination of fast fission factors in light water-moderated, slightly enriched uranium rod lattices, 2=3639
- Erdik, E. The experimental determination of the correction factors $k(t)$ for the fast fission factors measurements, 2=20684
- Erdman, K. See Bloom, M., 2=6112
- Erdman, K.L. See Robertson, L.P., 2=3338
- Erdőkürti, Z. See Bakos, J., 2=11233
- Eremenko, V.N. See Naidich, Yu.V., 2=7188
- Eremenko, V.N. See Naidich, Yu.V., 2=19532
- Eremin, L.V. See Shorin, K.N., 2=1544
- Erez, G. The solubility limit of zinc in copper between 260 and 153°C, 2=15072
- Ergakov, V.A., Levin, G.É., Melamid, A.E., Trebukhovskii, Yu.V. and Khlebnikov, N.S. Electron multiplier with an axially symmetric entrance window of 24 cm², 2=20196
- Ergun, S. See McCartney, J.T., 2=4115
- Erickson, E.F. See Kendall, H.W., 2=325
- Erickson, J.S. Mobility of edge dislocations on {112} slip planes in 3.25% silicon iron, 2=18581
- Erickson, K.E. Investigation of the invariance of atmospheric dispersion with a long-path refractometer, 2=15196
- Erickson, K.E. Long-path interferometry through an uncontrolled atmosphere, 2=15197
- Ericson, M. Confinement of plasmas by radiofrequency field, 2=11670
- Ericson, M., Ward, C.S., Brown, S.C. and Buchsbaum, S.J. Containment of plasmas by high-frequency electric fields, 2=17842
- Ericson, T., Selli, F. and van de Walle, R.T. Low momentum transfer reactions in complex nuclei at high energy, 2=20574
- Eriksen, E. and Kolsrud, M. Charge distributions of the electron in various types of two-component representations of Dirac's equation, 2=20309
- Eriksen, G. Oscillation broadening of lines from ionized elements in stellar spectra, 2=2547
- Eriksson, G. Intersections between the different boundary curves for the four point function without local commutativity, 2=16111
- Eriksson, K.B.S. Pair coupling in p_f^2 with application to O II, 2=3688
- Eriksson, K.E. Low-energy radiation in collision processes at very high energies, 2=20229
- Eriksson, K.E. See Thun, J.E., 2=20547
- Érings, K.K., Fridberg, P.Sh. and Shugurov, V.K. The extended Fock [Fock] method in a multi-configuration approximation for the helium atom, 2=8058
- Erlbach, E. and Gunn, J.B. Noise temperature of hot electrons in germanium, 2=12516
- Erler, H. All-transistorized pulse density meter and some fields of application, 2=1355
- Erler, H. See Burkhardt, W., 2=16091
- Erlinger, J.J. See Bellanca, T.J., 2=1469
- Ermakov, S.V. See Bondarenko, B.V., 2=1481
- Ermakov, V.I. and Platonov, V.M. An apparatus for observing spin echo, 2=17975
- Ermakova, L.A. See Kopstik, V.A., 2=7483
- Erman, P. and Sujkowski, Z. Gamma transition probabilities and the Auger effect in the β -decay of Xe^{133} , 2=3516
- Ermann, F. and Miller, E. The semiconducting properties of CdSb, 2=8356
- Ermich, W. See Klopfer, A., 2=2789
- Ermolaev, V.L. The sphere of influence for quenching in the case of energy transfer in triplet levels, 2=1155
- Ermolaev, V.L. The luminescence of simple derivatives of benzene. I. The aromatic amines, 2=6629
- Ermolaev, V.L., Kotlyar, I.P. and Svitashov, K.K. Internal conversion from the fluorescence to the phosphorescence level in naphthalene derivations, 2=14746
- Ermolina, T.D. See Kotelnikov, N.V., 2=14791
- Ermolov, P.F. See Budagov, Yu.A., 2=16228
- Ermolov, P.F. See Dzhelepov, V.P., 2=10231
- Ermrich, W. See Klopfer, A., 2=67
- Ermshaus, R. See Reichardt, H., 2=15775
- Ernst, B.M. See Lomsadze, Yu.M., 2=7880
- Erő, J. See Zimányi, J., 2=16426
- Erofeev, R.S. See Mittel'man, M.G., 2=12156
- Erofeichev, V.G. Temperature dependence of the photoconductivity and lifetime in PbS films at a frequency of 10^{10} c/s, 2=6500
- Erofeichev, V.G. Temperature dependence of the photoconductivity and lifetime in PbS films at a frequency of 10^{10} c/s, 2=10533
- Erokhin, V.M. See Belov, S.V., 2=20533
- Erokhina, K.I. See Andreev, D.S., 2=13982
- Erokhina, K.I. See Andreev, D.S., 2=13993

- Erokhina, K.I. See Andreev, D.S., 2=16334
 Erokhina, K.I. See Andreev, D.S., 2=18267
 Eroshenko, E.G. See Dolginov, S.Sh., 2=11082
 Erpenbeck, J.J. Stability of steady-state equilibrium detonations, 2=11403
 Erramuspe, H.J. and Slobodrian, R.J. Scattering and stripping of 27.0 MeV deuterons on nitrogen, 2=16423
 Ershov, A.G. Determination of the amplitudes of betatron and synchrotron oscillations of electrons by rapid moving picture photography, 2=9666
 Ershov, A.G. See Korolev, F.A., 2=212
 Ershov, L.V. and Ivlev, D.D. Stability of a strip during compression, 2=1091
 Ershov, N.A. See Sidorenko, V.V., 2=20301
 Ershova, L.S. and Bogachev, I.N. Influence of previous plastic deformation on the $\gamma \rightarrow \epsilon$ transformation in manganese steel, 2=23876
 Erskine, J.R. and Browne, C.P. Inexpensive target chamber with port movable through zero degrees under vacuum, 2=5534
 Erskine, J.R. See Browne, C.P., 2=3617
 Erteza, A. and Newman, J.J. Čerenkov radiation from an electron traveling in a circle through a dielectric medium, 2=11929
 Ertl, G. and Gerischer, H. A discontinuous temperature method for the investigation of rapid dissociation reactions by means of microwave impulses, 2=6882
 Erwin, A.R., Hoyer, G.A., March, R.H., Walker, W.D. and Wangler, T.P. Experimental cross section for $\pi\pi \rightarrow K\bar{K}$, 2=20391
 Erwin, A.R., March, R.H. and Walker, W.D. Preliminary results on Y^{\dagger} and K^* production in $\pi\pi$ collisions, 2=11982
 Erwin, A.R., March, R.H. and Walker, W.D. Inelastic hyperon production with 1.89 BeV/c π^- , 2=22640
 Erwin, A.R., March, R.H., Walker, W.D. and West, E. Further work on $\pi\pi$ interactions, 2=22569
 Esaki, L. New phenomenon in magnetoresistance of bismuth at low temperature, 2=6417
 Esaki, L. A proposed new bismuth device utilizing the electron-phonon interaction, 2=21112
 Esaki, L. and Haering, R.R. Magnetic field effects on InSb tunnel diodes, 2=14571
 Escaig, B. Internal friction at high temperature and vacancy diffusion between dislocations, 2=21414
 Eschenroeder, A.Q., Boyer, D.W. and Hall, J.G. Nonequilibrium expansions of air with coupled chemical reactions, 2=11395
 Eschrich, D. See Frieser, H., 2=9412
 Escobar, I., Nerurkar, N.W., Troncoso, O. and Zubieta, M. On a short-lived cosmic ray decrease on November 13, 1960, 2=5769
 Escobar, I., Nerurkar, N.W., Troncoso, O. and Zubieta, M. The recovery characteristics of Forbush decreases and the configuration of the associated solar emission, 2=13907
 Escobar, I. See Suga, K., 2=12066
 Esel'son, B.N., Ivantsov, V.G. and Shvets, A.D. λ -point of concentrated He^3 - He^4 solutions, 2=13498
 Esel'son, B.N., Lazarev, B.G. and Shvets, A.D. Obtaining temperatures below 1°K by evacuating liquid helium vapour with absorption pumps, 2=19791
 Esel'son, M.P. See Dzhagatspanyan, R.V., 2=19768
 Esel'son, M.P. See Mal'nyev, A.F., 2=7358
 Esel'son, M.P. See Mal'nev, A.F., 2=7462
 Eshaya, A.M. See Salzanó, F.J., 2=6855
 Eshbach, J.R. Spin-wave propagation and the magnetoelastic interaction in yttrium iron garnet, 2=21338
 Eshbach, J.R. See Damon, R.W., 2=1593
 Eshelby, J.D. The interaction of kinks and elastic waves, 2=6341
 Eshelby, J.D. The distortion and electrification of plates and rods by dislocations, 2=18584
 Eshelby, J.D. See Chou, Y.T., 2=6328
 Eshleman, V.R. and Gallagher, P.B. Radar studies of the 15th magnitude meteors, 2=17307
 Eshleman, V.R. and Peterson, A.M. Radar astronomy, 2=15394
 Esin, O.A. See Manakov, A.I., 2=14564
 Esipov, V.F. Increasing the sensitivity of emulsions used in photography with long exposures, 2=930
 Esipov, V.F. See Volkov, I.V., 2=19737
 Espagnet, B.D'. See D'Espagnet, B.
 Espi, G. and Monsonego, G. Calculation of the first levels of three isotopes of lead, Pb^{203} , Pb^{204} and Pb^{206} . Quadrupole transitions, 2=3483
 Espi, G. and Monsonego, G. Introduction of anharmonic terms in the study of vibrations of spherical nuclei, 2=12106
 Espinosa, G.P. See Geller, S., 2=12690
 Esquivel, A., Fung, A.-I., Rhoads, H.U. and Weber, A.H. Electron optical investigation of thin films of lithium on tantalum, platinum, and carbon substrates, 2=17068
 Essen, L. Atomic clocks, 2=17409
 Esterlis, M.Kh. See Azimov, V.S., 2=22550
 Esteve Pastor, A. See García Moliner, F., 2=4543
 Estlin, A.J. High mode tunable cavity for microwave-gas interactions, 2=9709
 Éstrin, É.I., Zueva, O.M., Maksimova, O.P. and Piguzov, Yu.V. The problem of damping effects due to direct and reverse martensitic transformation, 2=23873
 Éstulin, I.V. and Petushkov, A.A. Measurement of circular polarization of γ -quanta accompanying La^{140} β -decay, 2=18288
 Éstulin, I.V. See Kalinkin, L.F., 2=16420
 Éstulin, I.V. See Petushkov, A.A., 2=16354
 Eswaran, M.A. See Varma, J., 2=3533
 Eswaran, M.A. See Varma, J., 2=18090
 Etienne, J. Propagation of waves in the exterior or interior of a circle on a sphere, 2=13693
 Étievant, C. and Perulli, M. Instabilities and decay of an electron beam-plasma system, 2=22199
 Etoh, K., Hisatake, K., Kobayashi, T., Horie, K., Ohmura, H. and Nogami, Y. Angular distributions of high energy gamma rays from the $\text{F}^{19}(\text{p}, \gamma)\text{Ne}^{20}$ reaction, 2=1888
 Ettre, L.S., Brenner, N. and Cieplinski, E.W. Surface determination in continuous gas flow. Development and comparative studies of the apparatus, 2=12942
 Euthymiou, P. and Axel, P. Photoproduction of a 100 μsec isomer and its tentative assignment to Hg^{201} , 2=22734
 Evangelisti, R., Pasotti, G. and Sacerdoti, G. A pulsed magnet for high magnetic fields, 2=20100
 Evangelisti, R. and Sacerdoti, G. Proposal for a storage ring for relativistic charged particles, 2=5415
 Evan-Iwanowski, R.M. Mechanical dislocations and steady state processes, 2=4302
 Evans, D., Hossain, A., Votruba, F.M., Wataghin, A., Fisher, C.M., Mason, A., Venus, W., Pelosi, V., Tallone, L., Ahmed, I., Ghani, A., Kasim, M.M., Shaukat, M.A., Baldassare, F., Caforio, A. and Ferraro, D. Production of electron-pairs by 16 GeV/c pions, 2=22492
 Evans, D. See Baldassarre, F., 2=22562
 Evans, D. See Hossain, A., 2=5554
 Evans, D.A. and Landsberg, P.T. Recombination-generation noise theory for semiconductors in equilibrium, 2=12509
 Evans, D.A. See Landsberg, P.T., 2=8311
 Evans, D.E. and Hillier, R.R. Energy-dependence of fragmentation parameters, 2=9977
 Evans, D.E. See Black, P.J., 2=23038
 Evans, D.F. The relative signs of fluorine N.M.R. spin coupling constants by double irradiation, 2=11392
 Evans, D.S. Geodetic applications of artificial satellites, 2=19359
 Evans, D.S. and Raynor, G.V. The solubility of zirconium in α -thorium, 2=4475
 Evans, D.S. and Stoy, R.H. On the identification of sub-dwarfs, 2=240
 Evans, E.H. See Swanson, H.E., 2=10899
 Evans, F. and Kirsten, F.A. An 1800-bit buffer store and readout system, 2=2990
 Evans, H.L. Mass transfer through laminar boundary layers. VII. Further similar solutions to the b-equation for the case $B = 0$, 2=11321
 Evans, H.T., Jr. An X-ray diffraction study of tetragonal barium titanate, 2=10888
 Evans, I. See Jordan, D.W., 2=2665
 Evans, J.A. See Bolsterli, M., 2=1753
 Evans, J.C. Infrared spectrometry, 2=17607
 Evans, J.E. Polarization in $\text{C}^{12}(\text{p}, \text{p})$ scattering from 5 to 10.5 MeV, 2=5900
 Evans, J.E. See Brugger, R.M., 2=3360
 Evans, J.E. See Paul, E.B., 2=1793
 Evans, J.E. See Simpson, F.B., 2=10122
 Evans, J.V. See Pettengill, G.H., 2=13174
 Evans, J.W. and Michard, R. Observational study of macroscopic inhomogeneities in the solar atmospheres. I. Velocity displacements on Fraunhofer lines as a function of line strength and position on disk, 2=15332
 Evans, J.W. and Waddell, J. The elimination of scattered light in solar spectrographs, 2=9046
 Evans, J.W. See Smith, H.J., 2=15717
 Evans, L.E. The Dalitz-pair spectrum in $\Sigma^0 \rightarrow \Lambda + e^+ + e^-$, 2=1818
 Evans, L.F. See Edwards, G.R., 2=2477
 Evans, L.F. See Edwards, G.R., 2=21490
 Evans, M.W. Detonation sensitivity and failure diameter in homogeneous condensed materials, 2=1225
 Evans, M.W., Harlow, F.H. and Melxner, B.D. Interaction of shock on rarefaction with a bubble, 2=13361
 Evans, P.E. and Wildsmith, G. Carbon arc image furnace: design, construction and evaluation, 2=2922

- ans,R.B., III, Watson, G.M. and Mason, E.A. Gaseous diffusion in porous media at uniform pressure, 2=1193
- ans,R.B., III, Watson, G.M. and Mason, E.A. Gaseous diffusion in porous media. II. Effect of pressure gradients, 2=11409
- ans,R.B., III, Watson, G.M. and Truitt, J. Interdiffusion of gases in a low permeability graphite at uniform pressure, 2=19610
- ans, S. Polar ionospheric spread echoes and radio frequency properties of ice shelves, 2=4589
- ans, T. and Phaal, C. Dislocation loops in diamond, 2=23180
- ans, T.L. See Simmons, D.A.R., 2=17265
- ans, W.H. See Cundy, D.C., 2=5716
- ans, W.H. See Meese, A.D., 2=17147
- odkimov, G.S., Kaplan, B.L., Kogarko, S.M., Loviya, S.A., Novikov, A.S. and Solodilov, L.N. [Contribution] to the problem of generating elastic waves by underwater detonation of gas mixtures, 2=15673
- odkimov, V.D. Resistance to wear of the surface layer for sliding friction under conditions of marked variation of shearing deformation, 2=14912
- odkimova, G.K. See Zhukova, N.V., 2=16856
- odkimova, V.V. and Vereshchagin, L.F. A polymorphic transition in NaCl, 2=23804
- ve, J. See Rushbrooke, G.S., 2=4954
- ven, U. See Oppenheim, U.P., 2=21237
- verett, A. Corrections to the impulse approximation in scattering from deuterons, 2=12016
- verett, A.E. Plon-hyperon resonances and possible nonconservation of isotopic spin, 2=18162
- verett, D.H. See Barker, J.A., 2=21572
- verhart, E. See Lockwood, G.J., 2=3715
- veritt, C.W.F. Thermoremanent magnetization. II. Experiments on multidomain grains, 2=24065
- veritt, C.W.F. Thermoremanent magnetization. III. Theory of multidomain grains, 2=24066
- veritt, C.W.F. Self-reversal of magnetization in a shale containing pyrrhotite, 2=24067
- verling, F. Nuclear beta-decay energy systematics including excited states, 2=18286
- versteijn, F.C., Stevels, J.M. and Waterman, H.I. The density, refractive index and specific refraction of vitreous boron oxide and of sodium borate glasses as functions of composition, method of preparation and rate of cooling, 2=10573
- versteijn, F.C., Stevels, J.M. and Waterman, H.I. The diamond pyramid hardness of sodium borate glasses as a function of their composition and heat treatment, 2=10773
- vett, A.A. Static gravitational fields in general relativity, 2=2606
- vett, A.A. Coordinate conditions from variational principles, 2=15452
- ward, R. Note on short range interactions in KH_2PO_4 crystals, 2=12363
- vseev, V.S., Komarov, V.I., Kush, V.Z., Roganov, V.S., Chernogorova, V.A. and Shimchak, M.M. A multi-layer scintillation detector for the recording of fast neutron in the presence of gamma rays, 2=7872
- vseev, V.S., Komarov, V.I., Kush, V.Z., Roganov, V.S., Chernogorova, V.A. and Shimchak, M.M. The asymmetry in the angular distribution of neutrons emitted in the capture of μ^- -mesons in calcium, 2=22832
- vtuhov, V. Valence bands of germanium and silicon in an external magnetic field, 2=8346
- vtuhov, V. and Neeland, J.K. Observations relating to the transverse and longitudinal modes of a ruby laser, 2=18814
- vtuhov, V., Smith, G.F. and Yaggy, L.S. Method of measuring the normal velocity distribution of secondary electrons at low primary bombarding energies, 2=1490
- vald, H. See Neumann, S., 2=20048
- vald, H. See Urbach, W., 2=20761
- vald, P.P. William Henry Bragg and the new crystallography, 2=23830
- van, G.T., Graham, R.L. and Geiger, J.S. Energy levels of Gd^{166} , 2=1801
- van, G.T., Graham, R.L. and Geiger, J.S. Levels in Gd^{166} fed in the β -decay of Eu^{156} , 2=3481
- van, G.T. See Geiger, J.S., 2=3523
- van, G.T. See Geiger, J.S., 2=7939
- van, G.T. See Graham, R.L., 2=1511
- van, G.T. See Graham, R.L., 2=1846
- vart, R.W. See Dalgarno, A., 2=20741
- vbank, W.B. See Chan, Y.W., 2=18241
- ving, M. See Donn, W.L., 2=15187
- ving, R.I. Response of silicon surface barrier detectors to hydrogen ions of energies 25 to 250 keV, 2=18022
- ving, V.C. See Chantry, G.W., 2=16533
- mer, G. and Schreiber, W. Microphotometric studies of test-objects, 2=22005
- termann, R. See Boolsky, R., 2=7715
- frig, R. Ambiguity in the relationship between the maximum density of the ionosphere and solar activity, 2=2506
- Eyfrig, R. Influence of magnetic declination on the behaviour of the F_2 layer, 2=9002
- Eyfrig, R. The geographical distribution of ionization and the equator of the F_2 layer, 2=19225
- Eyges, L. Solution of Schrödinger equation for a periodic lattice. II, 2=10345
- Eyraud, C. See Maurat, M., 2=12496
- Eyraud, L., Petit, J.L. and Fétiveau, M. Enthalpy of the tetragonal-cubic transition of mixed barium strontium titanate ferroelectric ceramics, 2=20933
- Eyraud, L. See Fétiveau, M., 2=670
- Eyrich, W. Two high efficiency neutron generators for pulse and continuous operation, 2=20364
- Eyring, H. See Gabrysh, A.F., 2=2102
- Eyring, H. See Gabrysh, A.F., 2=15539
- Eyring, H. See Henderson, D., 2=19534
- Eyring, H. See Ree, T.S., 2=2445
- Eyring, H. See Woodbury, H.A., 2=10634
- Eyring, L. and Baenziger, N.C. On the structure and related properties of the oxides of praseodymium, 2=4418
- Ezawa, H., Kikkawa, K. and Umezawa, H. Potential representation in quantum field theory, 2=9796
- Ezawa, H., Kikkawa, K. and Umezawa, H. A formulation for the bound-state problems, 2=20237
- Ezhik, I.I. Infrared luminescence of F-centres in X-ray irradiated fluorite crystals, 2=23596
- Ezhov, N.M. See Altaiskii, Yu.M., 2=2800
- Ezratty, J. See Solomon, I., 2=14849
- Ezrow, D.H. Measurement of the thermal-noise spectrum of water, 2=13420
- Fabbri, O. See Ely, P.P., 2=22613
- Fabbri, O. See Ely, R.P., 2=18173
- Fabiani, F., Fidecaro, M., Finocchiaro, G., Giacomelli, G., Harting, D., Lipman, N.H. and Torelli, G. Positron-electron annihilation in flight between 2 and 10 GeV, 2=20319
- Fabiani, F., Fidecaro, M., Finocchiaro, G., Giacomelli, G., Harting, D., Lipman, N.H. and Torelli, G. A measurement of the total cross-section for the annihilation in flight of positrons between 2 and 10 GeV, 2=22491
- Fabre, D., Romand, J. and Vodar, B. A contribution to the study of the optical properties of thin films in the far ultraviolet, 2=7377
- Fabre de la Ripelle, M. Excitation of collective motion of the photo-nuclear giant resonance by protons, 2=20621
- Fabri, E. See Barsella, B., 2=13742
- Fabri, G., Gatti, E. and Svelto, V. Spectrum expander for semiconductor detector spectroscopy, 2=20200
- Fabri, G. and Germagnoli, E. Positron annihilation in neutron-damaged anthracene, 2=9827
- Fábrí, G. See Imre, L., 2=12150
- Fabricius, E.D. Diffusion of impurities in a thin semiconductor slab, 2=8238
- Fabricius, E.D. Photoeffect in Au-CdS and Cu-CdS photovoltaic cells, 2=10542
- Fabricius, H. See Bethge, K., 2=13544
- Fabrikant, V.A. Negative absorption coefficients in discharges in gas mixtures, 2=22165
- Facaros, G. and Aspdén, R.G. Textured 6.5% silicon-iron alloy, 2=12701
- Facchini, A., Garroni, A. and Gervasio, V. Stability problems in a gas-graphite reactor using self-regulating neutron absorbers, 2=12244
- Facchini, A. See Corno, S., 2=12245
- Facchini, U., Menichella, E.S. and Tonolini, F. Statistical emission and Ericson fluctuations in (p, α) and (d, α) reactions, 2=16409
- Facchini, U., Marozzani, M.G., Merzari, F. and Tonolini, F. (n, α) reactions in heavy elements, 2=14118
- Facchini, U. See Colli, L., 2=14117
- Facchini, U. See Erba, E., 2=5875
- Facchini, U. See Erba, E., 2=12128
- Facer, G.H.J. and Thompson, H.W. Intensities of Raman vibration bands. II. Effects of solvent and solute structure, 2=15597
- Facetti, J., Tralab, E., McClint, R. and Torres, S. A new isotope, Pt^{201} , 2=20540
- Faddeev, I.P. The determination of the velocity of a drop of condensate of average size in a flow of saturated steam, 2=9294
- Faddeev, L.D. See Minlos, R.A., 2=4934
- Faddeev, L.D. See Minlos, R.A., 2=4936
- Faddeev, L.D. See Minlos, R.A., 2=1283
- Faddeev, V.M. See Komarov, N.N., 2=22209
- Faddeev, V.M. See Komarov, N.N., 2=22215

- Fadeeva, M.S. See Ryazanova, E.F., 2=14749
- Fadin, V.P. See Panin, V.E., 2=23882
- Faessler, A. A new treatment of the theory of the Sternheimer effect, 2=9997
- Faessler, A. and Greiner, W. Rotation-vibration interaction in deformed gg nuclei, 2=16294
- Faessler, A. and Greiner, W. Potential energy of the γ -oscillations in deformed even-even nuclei, 2=22704
- Faget, J. Application of electron waves to a method of electron interference microscopy, 2=5384
- Faggiani, S. Observations on the microcalorimetric calibration of a radium source, 2=12149
- Fagot, B. and Santouil, R. Some observations on image contrast in secondary-emission electron microscopy under ion bombardment, 2=13600
- Fahlenbrach, H. Heat-treatment of a 50% nickel-iron alloy with and without magnetic field at temperatures below 400°C, 2=10649
- Faidysh, A.N. The luminescence and photoconductivity of anthracene crystals, 2=14744
- Fain, J. See Avan, L., 2=22372
- Fain, V.M. Quantum theory of relaxation processes, 2=13270
- Fain, V.M. and Khanin, Ya.I. Self-excitation conditions of a laser, 2=3162
- Fain, V.M., Khanin, Ya.I. and Yashchin, E.G. The nonlinear properties of three-level systems, 2=22329
- Fain, V.M., Khanin, Ya.I. and Yashchin, E.G. The nonlinear properties of three-level systems, 2=1587
- Fain, V.M. See Genkin, V.N., 2=4244
- Fain, V.M. See Ginzburg, V.L., 2=732
- Fain, V.M. See Ginzburg, V.L., 2=8142
- Fainberg, E.A. See Grechaniuk, L.A., 2=18648
- Fainberg, Ya.B., Kurilko, V.I. and Shapiro, V.D. Instabilities in the interaction of charged particle beams with plasmas, 2=11647
- Fainberg, Ya.B. See Kharchenko, I.F., 2=11665
- Fainberg, Ya.B. See Zagorodnov, O.G., 2=237
- Fainberg, Ya.B. See Zagorodnov, O.G., 2=5342
- Faini, G. and Svetlo, O. Signal-to-noise considerations in a nuclear magnetometer, 2=11747
- Fairbairn, W.M. See Bell, G.M., 2=3809
- Fairbank, W.M. See Kidder, J.N., 2=19797
- Fairbrother, E.M. See Field, E.C., 2=11802
- Fairchild, C.E. and Clark, K.C. Oscillator strengths for the $3s^2P-(2p)^3S$ transitions in atomic nitrogen, 2=22909
- Fairlie, D.B., Landshoff, P.V., Nuttall, J. and Polkinghorne, J.C. Singularities of the second type, 2=19424
- Faissner, H. See Ackermann, H., 2=3231
- Faizullov, F.S. and Sobolev, N.N. Determination of the effective cross-section for collisions of excited barium ions with argon atoms, 2=10223
- Fakidov, I.G. See Davidenko, N.I., 2=2125
- Fakidov, I.G. See Davidenko, N.I., 2=3995
- Fakidov, I.G. See Davidenko, N.I., 2=8293
- Fakidov, I.G. See Krasovskii, B.P., 2=8607
- Fakidov, I.G. See Krasovskii, V.P., 2=8172
- Fakidov, I.G. See Krasovskii, V.P., 2=23073
- Fakidov, I.G. See Krasovskii, V.P., 2=23647
- Fakidov, I.G. See Novogrudskii, V.N., 2=8291
- Fakidov, I.G. See Novogrudskii, V.N., 2=10441
- Fakidov, I.G. See Zavadskii, E.A., 2=635
- Fakidov, I.G. See Zavadskii, E.A., 2=8323
- Fakidov, I.G. See Zavadskii, E.A., 2=8324
- Fakidov, I.G. See Zavadskii, E.A., 2=21136
- Fakidov, I.G. See Zavadskii, E.A., 2=23335
- Fakiris, A. See Buchet, G., 2=19928
- Fakiris-Zeitoun, A. See Buchet, G., 2=19912
- Falaleev, G.A. and Lapkin, N.I. The effect of neutron irradiation on the magnetic properties of cores of the alloy 79 NM, 2=23674
- Falaleev, L.V. See Tseitlin, A.B., 2=21953
- Fal'chenko, V.M. See Herzriken, S.D., 2=6413
- Faleschini, B. See Bortone, G., 2=16204
- Falicov, L.M. See Cohen, M.H., 2=675
- Falicov, L.M. See Cohen, M.H., 2=15847
- Falk, D.S. and Wilets, L. Nuclear compressibility and symmetry energy, 2=1772
- Falk, K. See Tove, P.A., 2=5529
- Falk, R.B. and Hooper, G.D. Properties of single-domain particles of cobalt-nickel, 2=2284
- Falk, W.R. and Katz, L. Fluorescence decay time measurements of organic scintillators, 2=16862
- Falkenhagen, H. and Hoffmann, H.J. A new method for measuring the complex dielectric constant of aqueous ionic solutions in the decimeter wave region, 2=13352
- Fal'kevich, E.S. See Grikit, I.A., 2=19173
- Falkowitz, Y. See Shafer, H.J., 2=17123
- Falk-Vairant, P. See Brisson, J.C., 2=22567
- Falk-Vairant, P. See Cremieu-Alcan, E. [Eds.], 2=3291
- Falk-Vairant, P. See Cremieu-Alcan, E. [Eds.], 2=3292
- Fallon, R.J., Vanderslice, J.T. and Cloney, R.D. Potential curves and rotational perturbations of CN, 2=20798
- Fallon, R.J. See Vanderslice, J.T., 2=5066
- Falomkin, I.V., Filippov, A.I., Kulyukin, M.M., Pontecorvo, B., Scherbakov, Yu.A., Sulyaev, R.M., Tsupko-Sitnikov, V.M. and Zaimidoroga, O.A. Measurement of the $\mu^- + \text{He}^3 \rightarrow \text{H}^3 + \nu$ reaction rate, 2=20381
- Fälthammar, C.G. Experiments on magnetohydrodynamic co-rotation in mercury, 2=1575
- Fälthammar, C.G. Electromagnetic properties of an expanding stream of magnetized plasma, 2=17238
- Fam Zui Khien [Pham Zuy Hien], Shapiro, V.G. and Shpinel, V.S. Resonance scattering of γ -quanta in Te^{125} , 2=13973
- Fan, C.Y. See Simpson, J.A., 2=12050
- Fan, C.Y. See Simpson, J.A., 2=17209
- Fan, C.Y. See Tuzzolino, A.J., 2=2195
- Fan, H.Y. and Ramdas, A.K. Infrared absorption in irradiated silicon, 2=23570
- Fan, L.-T. and Ahn, Y.-K. Axial dispersion of solids in rotary solid flow systems, 2=15163
- Fanchenko, S.D. New variant of electron-optical chronography, 2=156
- Fan' Chih-Fên. See Fan' Chzhi-Fyn', 2=24223
- Fan' Chzhi-Fyn. See Epaneshnikov, M.M., 2=24223
- Fang, P.H. and Fatuzzo, E. Switching properties in ferroelectrics of the family $\text{Bi}_4\text{Ba}_{m-2}\text{Ti}_{m+1}\text{O}_3(m+2)$, 2=8467
- Fang, P.H., Robbins, C.R. and Aurivillius, B. Ferroelectricity in the compound $\text{Bi}_4\text{Ti}_3\text{O}_{12}$, 2=12569
- Fang, P.H. See Aurivillius, B., 2=12570
- Fang, Pao-Hsien, Roth, R.S. and Forrat, F. Ferroelectric properties of $\text{Ba}_2\text{Nb}_{2/3}\text{Ni}_{1/3}\text{O}_{30}$, 2=666
- Faninger, G. and Trey, F. The magnetic field in the vicinity of oblique magnetized cylindrical bodies, 2=9678
- Fann, H. See Ayres, R., 2=5787
- Fano, G. and Sawicki, J. The higher random phase approximation and the stability of the energy spectrum of the nuclear shell model, 2=18230
- Fano, U. Effects of configuration interaction on intensities and phase shifts, 2=1952
- Fantz, R.L. The origin of form perception, 2=15435
- Fara, H.D. and Scheidegger, A.E. Statistical geometry of porous media, 2=2419
- Faraggi, H. See Chaminade, R., 2=494
- Faraggi, H. See Rosen, L., 2=16400
- Farago, P.S. Electron spin rotation and beam focusing, 2=20029
- Farago, P.S. Focusing of electron beams in crossed static electric and magnetic fields, 2=22263
- Farber, M. Heat of formation and entropy of the trimer of boron oxyfluoride, 2=4536
- Farber, M. Heat of formation of BOF, 2=12957
- Farbshtein, I.I. See Parfen'ev, R.V., 2=3990
- Farini, F. See Ely, R.P., 2=18173
- Farini, F. See Ely, R.P., 2=22613
- Farkas, E. Transit of pressure waves through New Zealand from the Soviet 50 megaton bomb explosion, 2=21613
- Farley, D.T., Jr. Discussion of paper by John R. Spreiter and Benjamin R. Briggs on "Theory of electrostatic fields in the ionosphere at polar and middle geomagnetic latitudes", 2=6945
- Farley, F.J.M. See Charpak, G., 2=1700
- Farley, F.J.M. See Charpak, G., 2=3367
- Farley, F.J.M. See Charpak, G., 2=13832
- Farley, F.J.M. See Citron, A., 2=5703
- Farley, T.A. and Sanders, N.L. Pitch angle distributions and mirror point densities in the outer radiation zone, 2=19254
- Farmery, B.W. See Barnfield, R.W., 2=11734
- Farmery, B.W. See Thompson, M.W., 2=17900
- Farnell, G.C., Flint, R.B. and Pitts, E. Observations on lattice rotation in tabular silver bromide grains, 2=602
- Farnoux, B. See Cribier, D., 2=20922
- Farnoux, F.C. Calculation of a lower bound to the energy by means of an anti-symmetrized wave-function, 2=22882
- Farnsworth, H.E. See Shooter, D., 2=6871
- Farnsworth, H.E. See Shooter, D., 2=10962
- Farrall, G.A. Cranberg hypothesis of vacuum breakdown as applied to impulse voltages, 2=1412
- Farrar, H. and Tomlinson, R.H. Cumulative yields of the heavy fragments in U^{235} thermal neutron fission, 2=14157
- Farrar, H. and Tomlinson, R.H. Structure in the mass-yield distribution for U^{235} fission, 2=18365

- rrrar,H.,Fickel,H.R. and Tomlinson,R.H. Cumulative yields of light fragments in U^{235} thermal neutron fission, 2=18366
 rrrrel,W.R. See Cavanaugh,W.J., 2=9355
 rrrvis,W.E.J. See Davidson,C.W., 2=19918
 rrrwell,G.W. Systematics of octupole states in nuclei, 2=1789
 rrrwell,G.W. See McDaniels,D.K., 2=9938
 rrrsana,A. See Bisi,A., 2=18097
 rrrsolli,U.,Manduchi,C. and Zannoni,G. Measurement of the L/K-capture ratio in Cr^{51} decay, 2=12169
 rrrssett,D.W. See Jackson,J.E., 2=7063
 rrrssett,J.R. See Klaassen,F.M., 2=8431
 rrrstie,W.G.,Crosswhite,H.M. and Markham,P. Far ultra-violet auroral spectra with a rocket Ebert spectrophotometer, 2=916
 rrrstie,W.G. See Crosswhite,H.M., 2=15258
 rrrstov,N.S. Thermodynamics of interstitial solid solutions in body-centred cubic lattices, 2=8862
 rrrstov,N.S. The thermodynamics of interstitial solid solutions with a body-centred cubic lattice, 2=23893
 rrrtaggi,H. See Chaminade,R., 2=1923
 rrrteev,A.P. Theory of the ring cyclotron, 2=9663
 rrrteev,A.P. See Kolomenskii,A.A., 2=5416
 rrrteeva,L.N. See Dmitriev,I.S., 2=9535
 rrrteeva,L.N. See Dmitriev,L.S., 2=15892
 rrrteeva,L.N. See Nikolaev,V.S., 2=163
 rrrteeva,L.N. See Nikolaev,V.S., 2=22168
 rrrteeva,L.N. See Teplova,Ya.A., 2=7674
 rrrtt,I. A modified diffusion time-lag, 2=21055
 rrrttorre,V.G. See Peterson,D.T., 2=2405
 rrrtuzzo,E. Increase in dielectric constant during switching in barium titanate and triglycine sulfate, 2=16783
 rrrtuzzo,E. Theoretical considerations on the switching transient in ferroelectrics, 2=21213
 rrrtuzzo,E.,Harbeke,G.,Merz,W.J.,Nitsche,R.,Roetschi,H. and Ruppel,W. Ferroelectricity in $SbSI$, 2=21214
 rrrtuzzo,E.,Nitsche,R.,Roetschi,H. and Zingg,S. New ferroelectrics of the tetramethylammonium-trihalo-mercurate family, 2=4093
 rrrtuzzo,E. See Fang,P.H., 2=8467
 rrrtucher,J.A. On an integral equation in the theory of dispersion curves of whistlers, 2=19205
 rrrudrowicz,A. See Ambroży,B., 2=1821
 rrruldres,C.R. The speed of propagation of magnetodynamically driven shock wave, 2=16005
 rrrulknér,D.J. and Mugglestone,D. Medium-strong line theory of solar atmospheric abundances: oxygen abundance, 2=17273
 rrrulknér,E.A. Improved circuit for an electron spin resonance spectrometer, 2=16080
 rrrulknér,E.A. and Ham,R.K. Nuclear magnetic resonance, stored energy, and the density of dislocations in deformed aluminium, 2=6349
 rrrulknér,J.S. Constructing the spin Hamiltonian for an N-electron system, 2=22877
 rrruquignon,C. See Valentin,P., 2=13542
 rrruquignon,C. See Valentin,P., 2=19624
 rrrure,C. See Servant,R., 2=2200
 rrruré,J. Rotational and vibrational relaxation in gases. I, 2=15649
 rrruré,J. Rotational and vibrational relaxation phenomena in gases. II, 2=17512
 rrruska,H.,Orth,J.W. and Schmidt,F.H. Fixed frequency cyclotron operation with a regulator for dee voltage stabilization, 2=3113
 rrrust,J.W.,Jr and John,H.F. Growth facets on III-V intermetallic compounds, 2=19053
 rrrust,W.L. See Bennett,W.R., 2=22908
 rrrust,W.R. See Kolb,A.C., 2=17840
 rrrustov,R.N. See Arbuzov,B.A., 2=13888
 rrrustov,R.N. See Arbuzov,B.A., 2=22450
 rrrvella,L. and Reineri,M.T. Properties of the S-matrix as a function of the complex angular momentum for the many-channel case and for the Dirac equation, 2=9794
 rrrvero,P.,Giacometti,G.,Nordio,P.L. and Rigatti,G. Electron spin resonance spectra of negative radical ions of benzophenone and benzoylpyridine, 2=16551
 rrrvero,P. See Mirri,A.M., 2=18467
 rrrvin,S. See Walker,R.E., 2=2764
 rrrvorin,V.N.,Kozina,G.S. and Anisimova,I.D. Investigation of the electroluminescence of $ZnS:Cu$ and $ZnS:Cu$, Mn phosphor layers with excitation by d.c. and pulse voltages, 2=16870
 rrrvre,R.L. A fast discriminator, 2=7540
 rrrvre,R.L. High resolution scaler, 2=11591
 rrrwcett,B.C.,Jones,B.B. and Wilson,R. Vacuum ultraviolet spectra of multiply ionized inert gases, 2=1201
 rrrwcett,E. Magnetoresistance of transition metals in the high-field limit, 2=3992
 rrrwcett,E. Magnetoresistance of molybdenum and tungsten, 2=23249
 rrrFawcett,W. See Bolton,H.C., 2=16585
 rrrFay,H. See Beerwald,H., 2=15909
 rrrFay,J.A. and Hogan,W.T. Heat transfer to cold electrodes in a flowing ionized gas, 2=20131
 rrrFay,R.D. Corrected analysis of plane finite waves, 2=21972
 rrrFay,W.J. See Heritage,J.L., 2=11803
 rrrFayyazuddin and Riazuddin. K^* and leptonic decays of K meson and Λ hyperon, 2=11994
 rrrFayyazuddin. See Riazuddin, 2=9915
 rrrFazekas,E.I. The creation and maintenance of clean liquid metal surfaces, 2=7093
 rrrFazio,G.G. See Mellisinos,A.C., 2=5710
 rrrFazzini,T. See Amaldi,U., 2=22516
 rrrFea,K. Samos II (1961 alpha), 2=11191
 rrrFeates,F.S. Magnetically operated shutters for use in vacuum systems, 2=69
 rrrFeates,F.S. and Knight,B. The effects of radiation on the tantalum-tantalum oxide electrode, 2=3969
 rrrFeather,N. Spontaneous fission rates and the role of the "excess" neutrons in heavy nuclei, 2=20685
 rrrFeautrier,P. Construction of model stellar atmospheres in the non-grey case, 2=2543
 rrrFeautrier,P. The determination of surface temperatures of atmosphere models, 2=9092
 rrrFechner,B. The temperature-dependence of the paramagnetic susceptibility of ferri- and antiferrimagnetic systems, 2=18922
 rrrFechter,H. and Sztankay,Z. Bubble chamber control and alarm circuits using solid state elements, 2=20207
 rrrFedchenko,R.H. See Dekhtyar,I.Ya., 2=6404
 rrrFedchenko,Ye.D. See Vanetsian,R.A., 2=20610
 rrrFeddars,H.,Hunger,M. and Lüty,F. A comprehensive study of a simple photoconductive phosphor, 2=10535
 rrrFeder,D.P. Automatic lens design with a high-speed computer, 2=2866
 rrrFeder,H.M. See Cafasso,F.A., 2=19551
 rrrFeder,H.M. See Veleckis,E., 2=6822
 rrrFeder,R. See Cahn,R.W., 2=10830
 rrrFederbush,P.G. Operator equations in two field theory models, 2=3265
 rrrFederbush,P.G.,Grisaru,M.T. and Tausner,M. The higher resonances in pion-nucleon scattering, 2=11986
 rrrFederighi,F.D. See Calame,G.P., 2=5658
 rrrFederighi,F.D. See Calame,G.P., 2=6018
 rrrFederighi,T. and Thomas,G. The interaction between vacancies and zones and the kinetics of pre-precipitation in Al-rich alloys, 2=6314
 rrrFedorov,F.I. and Konstantinova,A.F. Passage of light through plates of uniaxial optically active crystals belonging to axial classes. I. General solution, 2=19731
 rrrFedorov,G.A. See Stolyarova,E.L., 2=18141
 rrrFedorin,G.K. See Gershtein,G.M., 2=19823
 rrrFedorchenko,A.M. Exact solution of Schrödinger's equation for a motion of arbitrary spin in a non-stationary magnetic field, 2=5567
 rrrFedorchenko,A.M. A dynamical method for increasing stability of a rapidly rotating symmetrical gyroscope, 2=19490
 rrrFedorenko,A.I. See Strel'nikov,P.I., 2=217
 rrrFedorenko,N.V. See Afrosimov,V.V., 2=153
 rrrFedorenko,N.V. See Flaks,I.P., 2=154
 rrrFedorenko,N.V. See Flaks,I.P., 2=3718
 rrrFedorenko,N.V. See Solov'ev,E.S., 2=13540
 rrrFedorov,A.F. and Samokhin,G.V. Gamma-field intensity over sea surface, 2=13012
 rrrFedorov,F.I. and Konstantinova,A.F. The passage of light through plates of uniaxial optically active crystals. II. Plates cut parallel to the optic axis, 2=22066
 rrrFedorov,F.I. and Kotyash,T.L. Transmission of light through a transparent uniaxial crystal plate, 2=15750
 rrrFedorov,F.I. See Grum-Grzhimailo,S.V., 2=4129
 rrrFedorov,G.V. See Palatnik,L.S., 2=8876
 rrrFedorov,G.V. See Palatnik,L.S., 2=23800
 rrrFedorov,G.V. See Volkenshtein,N.V., 2=8290
 rrrFedorov,M.B. See Vlasov,M.F., 2=5537
 rrrFedorov,N.D. See Babichev,A.P., 2=22286
 rrrFedorov,O.P. See Brilliantov,N.A., 2=2364
 rrrFedorov,V.V. See Klepikov,N.P., 2=22590
 rrrFedorova,E.O. See Koslov,V.P., 2=107
 rrrFedorova,M.F. See Lazarev,B.G., 2=5079
 rrrFedorovich,N.A. See Boltaks,B.I., 2=18606
 rrrFedorovich,R.D. See Borzyak,P.G., 2=2213
 rrrFedorovich,Yu.V. Water as acceptor on a surface of germanium, 2=2143
 rrrFedorovich,Yu.V. Water as acceptor on a surface of germanium, 2=8325
 rrrFedorovich,Yu.V. Procedural methods for investigation of surface conductivity and surface potential in semiconductors, 2=21116
 rrrFedorus,G.A. See Marchenko,A.I., 2=4061

- Fedorus, H.A. and Fursenko, V.D. Effect of Cu impurities on the photoelectric properties of CdS single crystals, 2-18740
- Fedoseeva, L.A. and Granovskii, V.L. Cooling of the electron gas in a decaying mercury plasma, 2-1426
- Fedotov, P.I. See Zhdanov, A.P., 2-5921
- Fedotov, V.N. See Garif'yanov, N.S., 2-15617
- Fedotov, V.N. See Garif'yanov, N.S., 2-17483
- Fedrighini, A. See Baldassarre, F., 2-22562
- Fedulov, S.A. Determination of the Curie temperature of ferroelectric BiFeO₃, 2-2205
- Fedulov, S.A. Determination of the Curie temperature of ferroelectric BiFeO₃, 2-4090
- Fedulov, S.A. and Venevtsev, Yu.N. Investigations of the structure and dielectric properties of solid solutions of (PbZr)(TiZr)O₃, 2-8863
- Fedulov, S.A. and Venevtsev, Yu.N. Investigations of the structure and dielectric properties of solid solutions of (PbZr)(TiZr)O₃, 2-15071
- Fedyanin, O.I. See Bobyrev, N.A., 2-17798
- Fedyanin, O.I. See Bobyrev, N.A., 2-17814
- Fedyanin, V.K. Dispersion relations for Compton effect in nucleons, 2-7838
- Fedyanin, V.K. Compton effect on proton in the dipole approximation, 2-13757
- Fefer, A.M. See Borisov, N.D., 2-16626
- Feher, G. Paramagnetic resonance experiments on shallow impurities in silicon and germanium, 2-23705
- Feher, K. and Schmidt, W. Investigations on ceramic electrostrictive materials with respect to their polarization state, 2-21210
- Fehrenbach, C. See Dossin, F., 2-6994
- Fehrentz, D. and Daniel, H. Effect of source thickness on the measured shape of a beta spectrum, 2-3509
- Feichtinger, H., Bächtold, H. and Brauner, K. Precise gas analysis in metals by means of gas chromatography, 2-21603
- Feigelson, E.M. Origination and development of stratus clouds, 2-21633
- Fein, A.E. See Gourary, B.S., 2-3874
- Fein, A.E. See Miller, R.C., 2-14589
- Feinberg, G. Conservation of hypercharge, 2-3262
- Feinberg, G. Decay products of vector mesons, 2-16238
- Feinberg, G., Gürsey, F. and Pais, A. Lepton pairings in the two-neutrino theory, 2-265
- Feinberg, G. and Pais, A. Properties and effects of ξ decays, 2-13865
- Feinberg, G. and Pais, A. Electromagnetic effects on decays of G eigenstates, 2-20277
- Feinberg, G. See Bernstein, J., 2-7815
- Feinberg, G. See Bernstein, J., 2-22409
- Feinberg, R. and Roberts, M.E. The spectral distribution of some optical radiation phenomena in arc conduction pulses in low pressure inert gases, 2-9551
- Feinberg, R.M. See Camac, M., 2-22090
- Feiter, L.D. de. See de Feiter, L.D.
- Feitknecht, J., Herr, W. and Hoffmeister, W. Isotope composition of ruthenium in meteorites, 2-24106
- Feix, M. See Eldridge, O.C., 2-20111
- Feix, M. See Engelmann, F., 2-3058
- Fejer, J.A. The effects of energetic trapped particles on magnetospheric motions and ionospheric currents, 2-888
- Fejer, J.A. See Axford, W.I., 2-15270
- Fekete, J.M. See Bennett, A.I., 2-21486
- Felber, H. The efficiency of a C⁴ dating apparatus, 2-22751
- Felbinger, K., Kulenkampff, H., Scheer, M. and Schröfer, E. A magnetic Compton-spectrometer for the investigation of high energy bremsstrahlung, 2-3309
- Felcher, G.P., Gazzarrini, F. and Poletti, G. A fission chamber for monitoring a collimated neutron beam from a reactor, 2-3670
- Feld, B.T. Violation of isotopic spin conservation in the decay of excited mesonic states, 2-22605
- Feld, B.T. and Lichtenberg, D.B. A possible means to obtain evidence concerning the spin of the K⁻ meson, 2-3401
- Felderhof, B.U. Properties of the master equation, 2-2635
- Feldman, C. See Bryla, S.M., 2-8268
- Feldman, C. See Hacksaylo, M., 2-23493
- Feldman, D. See Hwa, R.C., 2-11978
- Feldman, G., Fulton, T. and Wali, K.C. Some consequences of the decay modes and production of the new heavy bosons, 2-11865
- Feldman, M. See DeWire, J.W., 2-1671
- Feldman, P. See Swartz, C.E., 2-15973
- Feldshtein, Ya.I. The aurora australis during July 1959 at the geomagnetic pole, 2-914
- Feldstein, J.I. Magnetic disturbances and aurorae in the near-polar region of the northern hemisphere, 2-19237
- Feldstein, J.I., Khorosheva, O.V. and Lebedinsky, A.I. Investigations of auroral planetary distribution, 2-15256
- Feldstein, J.I. and Solomatina, E.K. Geographical distribution of aurorae in the southern hemisphere, 2-19236
- Feldtkeller, E. and Liesch, W. 360° walls in magnetic films, 2-12782
- Felici, C. See Ageno, M., 2-22140
- Feliu, S. and Castro, G. A method of obtaining etch spirals and their relation with dislocations in silicon iron, 2-14933
- Felix, D. See Henderson, D., 2-19534
- Fellenzer, H. Measurement of the reduced plasma loss in lithium in transmission, 2-6309
- Felsen, L.B. High-frequency diffraction by a wedge with a linearly varying surface impedance, 2-5472
- Felsen, L.B. and Marcinkowski, C.J. Diffraction by a cylinder with a variable surface impedance, 2-11792
- Felsen, L.B. and Siegel, K.M. Diffraction and scattering, 2-7402
- Felt, J.W. Comment on "significance of the Mach principle", 2-13288
- Feltham, P. On the creep of metals at very low temperatures, 2-2328
- Feltham, P. Cross-slip and fatigue in metals at low temperatures, 2-6756
- Feltham, P. Creep of metals, 2-18997
- Feltham, P. High temperature metallography, 2-23861
- Feltham, P. and Meakin, J.D. On the activation energy of high temperature creep, 2-4327
- Feltner, C.E. and Laughhunn, D.J. On the activation energy for polygonization, 2-16651
- Fel'tsan, P.F. See Zapishchnii, I.P., 2-18424
- Fender, B.E.F. Potential parameters of krypton, 2-10288
- Fender, B.E.F. and Halsey, G.D., Jr. Second virial coefficients of argon, krypton, and argon-krypton mixtures at low temperatures, 2-111
- Fendler, H.G., Preusch, H. and Sellen, L. Shielding calculations for a boiling water reactor, 2-8041
- Fengler, H. An extension of the kinematic theory for the description of electron interference in crystals, 2-6800
- Fengler, H. Theoretical description of "Umweganregung" for electron interference in crystals, 2-8816
- Fenimore, C.P. Comment on the paper "thermal decomposition of nitrous oxide", 2-4529
- Fenkart, R.P. Revolving half-plate [halbblende], an additional apparatus of the iris diaphragm plane photometer, 2-6973
- Fenton, A.G., Jacklyn, R.M. and Taylor, R.B. Cosmic ray observations at 42 m w.e. underground at Hobart, Tasmania, 2-3447
- Fenton, D.G. and Russek, A. Diatomic molecular orbitals for small internuclear separations, 2-18443
- Fen'vesh, É. See Bozoki, G., 2-336
- Fen'vesh, É. See Bozoki, G., 2-22684
- Fenyves, E. See Bozoki, G., 2-11981
- Fenyves, E. See Bozoki, G., 2-18123
- Feofilov, P.P. and Kaplyanskii, A.A. Latent optical anisotropy of cubic crystals containing local centres, and the methods of investigating it, 2-18785
- Feofilov, P.P. and Kaplyanskii, A.A. Spectra of divalent rare earth ions in crystals of alkaline earth fluorides. I. Samarium, 2-21242
- Feofilov, P.P. See Belyaev, L.M., 2-14732
- Feofilov, P.P. See Vasil'eva, M.A., 2-21280
- Fér, F. Relations between dynamical systems with limit cycles and linear differential systems with eigenvalues, 2-19426
- Fér, F. See Andrade e Silva, J., 2-11243
- Ferchmin, A.R. On the quantum theory of spin-wave resonance in a finite ferromagnetic linear chain, 2-4240
- Ferchmin, A.R. A quantum theory of spin-wave resonance in cubic ferromagnets, 2-18932
- Ferguson, L.A., Seizinger, D.E. and McBride, C.H. The determination of hydrogen in uranium by mass spectrometry, 2-4582
- Ferguson, A.J. See Gove, H.E., 2-1814
- Ferguson, A.T.G. and White, R.E. Polarization in neutron-deuteron elastic scattering below 1.0 MeV, 2-16199
- Ferguson, A.T.G. See Dearnaley, G., 2-1806
- Ferguson, A.T.G. See Dearnaley, G., 2-9864
- Ferguson, A.T.G. See Dearnaley, G., 2-11964
- Ferguson, A.T.G. See Dearnaley, G., 2-18135
- Ferguson, A.T.G. See Dearnaley, G., 2-18339
- Ferguson, E.E. Considerations on helium emission λ 10830 Å in aurorae, 2-21671
- Ferguson, E.E. Calculation of cross-sections for zero activation energy processes by simple collision models with emphasis on the Penning effect, 2-22895
- Ferguson, E.E. See Benton, E.E., 2-22894
- Ferguson, G.A., Jr and Sáenz, A.W. Scattering of polarized neutrons by spin waves in magnetite, 2-10667
- Ferguson, I.F. Routine measurement of crystallite size and strain in uranium dioxide from X-ray line breadths, 2-23831
- Ferguson, J., Knox, K. and Wood, D.L. Effect of next nearest neighbors on the crystal field splitting of transition metal ions in crystals, 2-3812

- Ferguson, J., Knox, K. and Wood, D.L. Erratum: effect of next-nearest neighbour ions on the crystal field splitting of transition metal ions in crystals, 2=16583
- Ferguson, R.L. See Wahl, A.C., 2=12236
- Ferguson, W.S. and Gullikson, C.W. A microcell for ultraviolet absorption studies, 2=15732
- Ferilli, A. See Baldassarre, F., 2=22562
- Ferlin-Guion, B. See Barbier, J.C., 2=12705
- Fernald, R.A. See Cranberg, L., 2=5407
- Fernandez, A. See Cooper, R., 2=6528
- Fernández, C. Graef. See Graef Fernández, C.
- Fernández Biarge, J., Herranz, J. and Morcillo, J. On the interpretation of infrared intensities in gases, 2=6155
- Fernie, J.D. Interstellar absorption in the galactic neighborhood of the sun, 2=13097
- Fernie, J.D. and Rosenberg, W.J. The effects of unresolved binaries in three-color photometry, 2=4819
- Ferrand, E.F., Jr. Polyethylene cell technique in infrared spectroscopy, 2=15731
- Ferrandon, J. Propagation of discontinuity waves in ionized fluids, 2=20113
- Ferraresso, G. See Bettinali, C., 2=8597
- Ferraresso, G. See Bettinali, C., 2=16876
- Ferrari, A., Braibanti, A. and Tiripicchio, A. The calculation of [X-ray] absorption for highly absorbing crystals with rectangular cross-sections, 2=12901
- Ferrari, E. Treiman—Yang criterion and peripheral nucleon—nucleon collisions, 2=22509
- Ferrari, E. and Selleri, F. Pionic form factors effects in peripheral nucleon—nucleon collisions, 2=3331
- Ferrari, E. See Cabibbo, N., 2=16121
- Ferrari, F. See Costa, G., 2=1667
- Ferrari, H.M. See Danko, J.C., 2=10547
- Ferrari, D'Occhieppo, K. Early documents (relating to) Peuerbach's opinion of the comet of 1456, together with remarks on the chronicle of the summer comet of 1457, 2=11114
- Ferraro, A.J. and Tou, C.P. Identification of sporadic E from low frequency sweep polarization records, 2=9001
- Ferraro, D. See Baldassarre, F., 2=22562
- Ferraro, D. See Evans, D., 2=22492
- Ferraro, J.R. See Ziomek, J.S., 2=12330
- Ferraro, V.C.A. Diffusion in the ionosphere: A review of some recent work, 2=898
- Ferraro, V.C.A. and Willis, D.M. On the Bennett—Hulburt hypothesis of the origin of magnetic storms and aurorae, 2=19264
- Ferreira, E.M. On the inelastic scattering of mesons by deuterons, 2=1698
- Ferreira, E.M. Analysis of the K^+ -deuterium experiments, 2=5738
- Ferreira, E. Perez. See Perez Ferreira, E.
- Ferrell, R.A. and Stern, E.A. Plasma resonance in the electro-dynamics of metal films, 2=23126
- Ferrero, F. See Borello, O., 2=10084
- Ferrero, G. Magnetohydrodynamic equilibrium of a gravitating spheroidal gaseous mass in non-uniform rotation, 2=11764
- Ferrero, M.I. See Bellini, G., 2=22573
- Ferrero, M.I. See Di Corato, M., 2=22627
- Ferretti, B. See Bassi, P., 2=14111
- Ferrier, A. Calculation of the heat fusion of iron from the phase diagrams of various binary systems, 2=7479
- Ferrier, A. and Olette, M. Measurement of the heat capacity of iron between 940 and 1937° C, 2=12383
- Ferrier, A. and Olette, M. Contribution to the study of the enthalpy of corundum at high temperatures, 2=20934
- Ferrieu, J. and Rocard, Y. Measurement of the total electric current yield of a nuclear explosion, 2=5991
- Ferro, A., Mazzetti, P. and Montalenti, G. Experiments on magnetic viscosity due to different solute atom pairs in iron alloys, 2=8627
- Ferro, A. See Bonfiglioli, G., 2=2107
- Ferro-Luzzi, M. See Bastien, P.L., 2=22608
- Ferro-Luzzi, M. See Tripp, R.D., 2=18192
- Ferro, R. A modification of the logarithmic charts for the interpretation of powder photographs, 2=10846
- Ferro-Luzzi, M., Miller, D.H., Murray, J.J., Rosenfeld, A.H. and Tripp, R.D. Analysis of 1347 τ^- decays, 2=5728
- Ferro-Luzzi, M., Tripp, R.D. and Watson, M.B. Excited hyperon of mass 1520 MeV, 2=5741
- Ferro-Luzzi, M. See Bastien, P.L., 2=22608
- Ferro-Luzzi, M. See Tripp, R.D., 2=18192
- Ferro-Luzzi, M. See Tripp, R.D., 2=20432
- Ferron, J.R. See Ember, G., 2=19609
- Ferroni, S. See Bonazzola, G., 2=9861
- Ferroni, S. See Bonazzola, G., 2=16390
- Ferry, J.D. See Morton, S.D., 2=23979
- Fert, C. See Dugas, J., 2=9643
- Ferziger, J.H., Wang, G.S.C. and Zweifel, P.F. Diffusion lengths in heterogeneous media, 2=5660
- Ferziger, J.H. See Case, K.M., 2=6022
- Ferziger, J.H. See Zweifel, P.F., 2=6023
- Fesenko, E.G. and Kolesova, R.V. Interpreting X-ray rotation patterns of twinned tetragonal crystals, 2=4366
- Fesenko, E.G. and Prokopalo, O.I. Some data on the phase diagram of the $BaTiO_3$ — $BaHfO_3$ system, 2=4359
- Fesenko, E.G. See Komarov, V.D., 2=14633
- Fesenko, E.G. See Rumanov, E.N., 2=6519
- Fesenko, E.G. See Sholokhov, M.L., 2=14951
- Feskov, V.G. The presence of elliptical polarization in the light of the day sky, 2=876
- Feskov, V.G. The polarization of emission lines in the spectrum of the night sky, 2=911
- Feskov, V.G. Photometric peculiarities of the moon, 2=942
- Feskov, V.G. On the cometary nature of the Tunguska meteorite, 2=4749
- Feskov, V.G. The density of meteor matter in interplanetary space and the possible existence of a dust cloud around the earth, 2=13117
- Feskov, V.G. The density of meteor matter in interplanetary space and the possible existence of a dust cloud around the earth, 2=17236
- Feshbach, H. A unified theory of nuclear reactions. II, 2=20579
- Feshbach, H. and Yennie, D.R. Radiation of low energy quanta in nuclear reactions, 2=20602
- Fessenden, R.W. Second-order splittings in the E.S.R. spectra of organic radicals, 2=20860
- Fessenden, R.W. and Waugh, J.S. Temperature dependence of spin-spin splitting in the hindered rotator $CHCl_2$ — CF_2Cl , 2=22999
- Fessler, R.E. and Vincent, J.S. An external beam bunch selector for a 60-inch cyclotron, 2=11739
- Fetisov, D.V. See Pochtarev, B.I., 2=16880
- Fetisov, D.V. See Sbitnikova, I.S., 2=1509
- Fetisov, E.P. See Silin, V.P., 2=1424
- Fetisov, E.P. See Silin, V.P., 2=3887
- Fetisov, E.P. See Silin, V.P., 2=22216
- Fetisov, I.N. See Elpidinskii, A.V., 2=20443
- Fetiveau, M., Eyraud, L. and Turlier, P. Dielectric permittivity and field factor of ceramics of barium and strontium titanate, 2=670
- Fetiveau, M. See Eyraud, L., 2=20933
- Fetkovich, J. See Deahl, J., 2=1712
- Fetkovich, J.G. See McIlwain, R.L., 2=16190
- Fette, K. See Brömer, H.H., 2=15898
- Fettweis, P.F. and Campbell, E.C. Nuclear isomers produced by reactor neutrons, 2=18275
- Fettweis, P.F. See Campbell, E.C., 2=10002
- Fetz, H., Diener, A. and Meyer, E. Electron ejection by low-energy ions from gas-covered metal surfaces, 2=11704
- Feuchtwang, T.E. Hyperfine interaction constants of the F centre electron with the lattice in alkali halides (with NaCl structure), 2=14474
- Feuchtwang, T.E. Electron—nuclear double resonance spectrum of an F-centre electron in alkali halides (with NaCl structure), 2=14475
- Feuvsais, L. See Charpak, G., 2=22357
- Feuvsais, L. See Dick, L., 2=22490
- Fey, R.L., Milton, J.B. and Morgan, A.H. Remote phase control of radio station WWVL, 2=16012
- Feynman, R.P., Hellwarth, R.W., Iddings, C.K. and Platzman, P.M. Mobility of slow electrons in a polar crystal, 2=18557
- Fiala, J. The influence of compression on the absorption of AgBr single crystals, 2=10591
- Fialko, E.I. The dependence of the mean hourly rates of recorded meteors on the parameters of meteoroids, the atmosphere, and the radar system, 2=905
- Fialko, E.I. The velocity distribution of meteoroids, 2=954
- Fialkov'ska, O.V. Infrared absorption spectrum of germanium with iron impurity, 2=18848
- Fichera, E. Determinations of the right ascension of the planet Venus, 2=17257
- Fichtel, C.E. and Guss, D.E. Heavy nuclei in solar cosmic rays, 2=12029
- Fichtel, C.E. See Davis, L.R., 2=16259
- Fichter, R. Application of the light microscope in metallurgy, 2=23900
- Fick, E. Theory of the electron—phonon interaction in paramagnetic salts, 2=18527
- Fickel, H.R. See Farrar, H., 2=18366
- Fickinger, W.J., Pickup, E., Robinson, D.K. and Salant, E.O. p—p interaction at 2 BeV. I. Single-pion production, 2=9838
- Fickinger, W.J., Pickup, E., Robinson, D.K. and Salant, E.O. One-pion exchange in p—p collisions at 2 BeV, 2=22505
- Fickler, S.I. See Arnowitz, R.L., 2=20275
- Fidecaro, G. See Amaldi, U., 2=22516

- Fidecaro, M., Finocchiaro, G., Gatti, G., Giacomelli, G., Middelkoop, W.C. and Yamagata, T. Photon production in proton-proton collisions at 23.1 GeV, 2=9840
- Fidecaro, M., Finocchiaro, G., Gatti, G., Giacomelli, G., Middelkoop, W.C. and Yamagata, T. Photon production in proton-proton collisions at 23.1 GeV, 2=22506
- Fidecaro, M., Finocchiaro, G. and Giacomelli, G. Search for magnetic monopoles, 2=3293
- Fidecaro, M., Finocchiaro, G. and Giacomelli, G. Absorption of 10 and 13.5 GeV photons, 2=9814
- Fidecaro, M. See Fabiani, F., 2=20319
- Fidecaro, M. See Fabiani, F., 2=22491
- Fidone, I. Relation between Bremsstrahlung and friction in a plasma, 2=13557
- Fiebig, R. and Voelcker, H. Origin of ring currents in the region of the Van Allen radiation belt, 2=6957
- Fiebig, N.F. See Kane, W.R., 2=10119
- Fiedeldey, H. and Frahn, W.E. Complex potential model for low-energy neutron scattering, 2=3579
- Fiedeldey, H. and Frahn, W.E. P-wave neutron strength function, 2=22697
- Field, E.C., Tamarkin, P. and Fairbrother, E.M. An extension to v.l.f. reflection coefficients, 2=11802
- Field, F.H. See Dahler, J.S., 2=16569
- Field, G. See Razavy, M., 2=3451
- Field, G.B. Absorption by intergalactic hydrogen, 2=15297
- Field, G.B. and Partridge, R.B. Stimulated emission of the 3.04 cm fine-structure line of hydrogen in diffuse nebulae, 2=4856
- Field, G.J. and Watts, H. Distribution of pressure for flow of gas through porous media, 2=9297
- Field, L.M. See Boyd, G.D., 2=5341
- Fielder, G. Stresses in the moon, 2=4739
- Fielder, G. The contraction and expansion of the moon, 2=6987
- Fielder, G. Origin of the mare imbrrium, 2=9056
- Fielder, G. Lunar domes, 2=13103
- Fielder, G. Ray elements and secondary-impact craters on the Moon, 2=15307
- Fielder, G. The depths of small lunar craters, 2=21697
- Fielder, G. and Jordan, C. Selenological implications drawn from the distortions of craters in the Hipparchus region of the Moon, 2=9057
- Fielder, G. and Kiang, T. The segmental structure of wrinkle ridges and the lunar grid system, 2=15308
- Fielder, G. and Warner, B. Stress systems in the vicinity of lunar craters, 2=9058
- Fielder, G. See Warner, B., 2=17242
- Fieldhouse, P., Hughes, E.B. and Marsden, P.L. Multiple neutron production in an I.G.Y. neutron monitor, 2=13913
- Fields, T. See Deahl, J., 2=1712
- Fields, T.H. See McIlwain, R.L., 2=16190
- Fieschi, R. and Spinolo, G. Luminescence of KI under X-ray irradiation, 2=10617
- Figgis, B.N. The magnetic properties of transition metal ions in asymmetric ligand fields. II. Cubic T_2 terms, 2=4199
- Figgis, B.N. The magnetic properties of transition metal ions in asymmetric ligand fields. III. The behaviour of some t_{2g} complexes, 2=4200
- Figielski, T. Photostriction effect in germanium, 2=2214
- Figielski, T. and Wieckowska, Z. Variation of the injected carrier mobility with pressure in near-intrinsic germanium, 2=16702
- Figuera, A.S. See Bologna, G., 2=5610
- Fiks, V.B. The influence of a magnetic field on the electric transport of ions in liquid metals, 2=2730
- Fiks, V.B. The influence of a magnetic field on the electric transport of ions in liquid metals, 2=11387
- Fiks, V.B. Effect of a magnetic field on ionic conduction in semiconductors, 2=23293
- Filatova, T.M. See Demirkhanov, R.A., 2=9584
- Filby, J.D. and Martin, D.L. The electronic specific heat of silver, 2=18532
- Filip, A., Grancha, I. and Ionescu, E. On the activation of the cooling water in the first contour of the VVR-S reactor of the IAF (Institute of Atomic Physics) in Bucharest (Bucharest), 2=6047
- Filip, A. and Roşescu, T. Measurement of the flux around horizontal canals, in order to produce the optimum protection in the reactor V.V.R.-S, 2=6057
- Filip, A. and Roshesku [Roşescu], T. Measurements of fluxes near the horizontal channels of the VVR-S reactor for the selection of the best shield, 2=6049
- Filipczak, W. Nuclear reactor start-up simulator, 2=6032
- Filipkowski, A., Marquit, E., Skrzypczak, E. and Wroblewski, A. On Λ^0 hyperons produced in K^- interactions with emulsion nuclei, 2=16247
- Filipov, P.I. See Medvedev, M.N., 2=1485
- Filipovich, V.N. Theory of X-ray scattering in distorted polycrystals composed of three-dimensional crystal particles, 2=2375
- Filipovich, V.N. Theory of X-ray scattering in distorted polycrystals composed of two-dimensional crystal particles, 2=2376
- Filipovich, V.N. Theory of X-ray scattering in distorted polycrystals composed of one-dimensional crystal particles, 2=10834
- Filippas, T.A. See Eckhause, M., 2=13837
- Filippenko, L.G. Features of the ionization process in heavy atoms and ions, 2=22166
- Filippi, C. See Ely, P.P., 2=22613
- Filippi, C. See Ely, R.P., 2=18173
- Filippov, A.I. See Falomkin, I.V., 2=20381
- Filippov, A.I. See Zaimidoroga, O.A., 2=3369
- Filippov, I.G. The motion of a vortex below the surface of a liquid, 2=17423
- Filippov, I.I. See Butslav, M.M., 2=20305
- Filippov, L.P. Relative methods of measuring thermal properties of liquids and gases, 2=9418
- Filippov, L.P. See Pervushin, I.I., 2=1239
- Filippov, L.P. -See Pervushin, I.I., 2=7312
- Filippov, M. Effective magnetic permeability of a ferromagnetic-medium fluidized bed, 2=20104
- Filippov, M. Pressure drop and expansion of an air-magnetite fluidized system in a magnetic field, 2=20115
- Filippov, M. Fluidization of magnetites in a magnetic field, 2=20116
- Filippov, N.V. See Filippova, T.I., 2=198
- Filippov, Yu.E. See Kapitsa, M.L., 2=13586
- Filippov, Yu.F. Absorption of waves with finite amplitude in a conducting medium, 2=5460
- Filippova, G.P. and Ishkin, I.P. The viscosity of air nitrogen and argon at low temperatures and pressures to 150 atm, 2=5031
- Filippova, G.P. and Ishkin, I.P. Calculation of the viscosity of compressed gases by the similarity method, 2=9291
- Filippova, T.I., Filippov, N.V., Hurin, V.V. and Vinogradov, V.P. Measurement of the plasma electron temperature in a strong shock wave, 2=198
- Fillenbaum, S. and Wiesen, R. Contextual constraints and disruptions in reading with delayed auditory feedback, 2=7056
- Filov, R.A. See Perfilov, N.A., 2=508
- Filov, R.A. See Perfilov, N.A., 2=22858
- Filson, D.H. See Neighbours, J.R., 2=2941
- Filthuth, H. See Bartke, J., 2=13883
- Filz, R. See Yagoda, H., 2=13901
- Finagin, B.A. Degenerated vibrations and doublet splitting of eigenfrequencies of piezoradiators, 2=2809
- Finagin, B.A. Degenerated vibrations and doublet splitting of eigenfrequencies of piezoradiators, 2=7273
- Finch, R.H. See Queisser, H.J., 2=10404
- Findlay, A.W. See Landecker, K., 2=16762
- Fine, J. See Scheer, M.D., 2=6087
- Fine, J. See Scheer, M.D., 2=7463
- Fine, J. See Scheer, M.D., 2=17073
- Fine, M.E. See Makkay, R.W., 2=6714
- Fine, M.E. See Makkay, R.W., 2=10493
- Fineman, M.A. and Petrocelli, A.W. Electron impact study of CO using a Lozier apparatus, 2=1385
- Fineman, M.A. and Petrocelli, A.W. Molecular studies with a Lozier electron impact apparatus, 2=3788
- Finger, F.G. See Harris, M.F., 2=17129
- Fingerland, A. On practical calculations with reflection curves for perfect crystals, 2=14986
- Fingerland, A. See Bubáková, R., 2=21511
- Fink, R.W., Andersson, G. and Kantele, J. Nuclear spectroscopy of mass-separated neutron-deficient tellurium isotopes, 2=1851
- Fink, R.W. See Bramlitt, E.T., 2=3597
- Fink, R.W. See Kantele, J., 2=5606
- Fink, R.W. See Kantele, J., 2=13765
- Finke, B. See Wurtele, M.G., 2=8948
- Finkel', V.M. and Krotenok, P.I. The problem of plastic deformation in brittle fracture surfaces, 2=21442
- Finkel', V.M. and Kutkin, I.A. The fracture of high-strength hardened glass, 2=8747
- Finkel', V.M. and Kutkin, I.A. Reversibility of cracks in glass, 2=1286
- Finkel', V.M. and Kutkin, I.A. The frequency of high-strength hardened glass, 2=14907
- Finkel', V.M. and Kutkin, I.A. Reversibility of cracks in glass, 2=1900
- Finkel', V.M. and Kutkin, I.A. Investigation of the growth of cracks in dynamic fracture of glass, 2=21445
- Finkel', V.M. and Kutkin, I.A. Crack propagation in carbon steels, 2=23788
- Finkel', V.O. See Vasyutyn's'kyi, B.M., 2=23847

- Finkel'shtein, A.I. Optical study of the molecular structure of s-triazene derivatives. VII. Electronic spectra of the aqueous solutions of the cyameluric acid derivatives at different pH, 2=17466
- Finkel'shtein, B.N. and Khaik, Yu.L. Theory of defects arising in solids by atomic recoil from gamma-emission, 2=21007
- Finkel'shtein, B.N. and Khaik, Yu.L. Theory of defects arising in solids by atomic recoil from gamma-emission, 2=23166
- Finkel'shtein, B.N. See Malyuchkov, O.T., 2=14850
- Finkel'shtein, B.N. See Malyuchkov, O.T., 2=14858
- Finkel'shtein, B.N. See Verner, V.D., 2=8711
- Finkel'shtein, B.N. See Verner, V.D., 2=10737
- Finkelstein, L., Jauch, J.M., Schiminovich, S. and Speiser, D. Foundations of quaternion quantum mechanics, 2=9192
- Finkelstein, D., Jauch, J.M., Schiminovich, S. and Speiser, D. Some physical consequences of general Q-covariance, 2=22399
- Finkelstein, D. See Schmidt, G., 2=13571
- Finkelstein, R. and Ramsay, W. The strong couplings in a space with torsion, 2=9774
- Finkenrath, H. and Volkmann, M. Optical absorption and dispersion by conduction electrons in cadmium oxide films, 2=16811
- Finlay-Freundlich, E. General red-shift of the Fraunhofer lines, 2=11130
- Finn, M.C. See Lavine, M.C., 2=8777
- Finney, P.J., Major, J.V. and Parkhouse, P.G.J.T. The interactions of π -mesons with complex nuclei in the energy range 100-800 MeV. III. The interaction lengths and elastic scattering of 300 MeV π -mesons in G5 emulsion, 2=5717
- Finocchiaro, G. See Beneventano, M., 2=22558
- Finocchiaro, G. See Fabiani, F., 2=20319
- Finocchiaro, G. See Fabiani, F., 2=22491
- Finocchiaro, G. See Fidicaro, M., 2=3293
- Finocchiaro, G. See Fidicaro, M., 2=9814
- Finocchiaro, G. See Fidicaro, M., 2=9840
- Finocchiaro, G. See Fidicaro, M., 2=22506
- Finsen, W.S. The role of the interferometer in double-star astronomy, 2=9047
- Fintz, P. See Gorodetzky, S., 2=484
- Fintz, P. See Gorodetzky, S., 2=485
- Fintz, P. See Gorodetzky, S., 2=22840
- Finzi, R. See Beneventano, M., 2=22558
- Flocco, G. See Smullin, L.D., 2=21699
- Flocco, G. See Smullin, L.D., 2=22015
- Florentini, A. Optics in Italy, 2=13428
- Florini, E. See Abate, E., 2=5920
- Florini, E. See Bellini, G., 2=22573
- Florini, E. See Block, M.M., 2=9883
- Fiquet-Fayard, F. Remarks on multiple ionization of argon by electron impact from 0 to 500 volts, 2=22171
- Fireman, E.L. The Ehole meteorite, its acquisition and its radio-activity, 2=21708
- Fireman, E.L. and DeFelice, J. Tritium, argon 37, and argon 39 in the Bruderheim meteorite, 2=2529
- Fireman, E.L. and Fisher, D.E. Uranium in the Sikhote-Alin meteorite and its relation to the lead method of age determination, 2=4588
- Fireman, E.L. and Rowland, F.S. An additional measurement of the tritium content of atmospheric hydrogen of 1949, 2=4614
- Firk, F.W.K. and Lokan, K.H. Energy spectrum of photoneutrons from the reaction $O^{16}(\gamma, n)O^{15}$, 2=14078
- Firk, F.W.K., Slaughter, G.G. and Ginther, R.J. An improved Li^6 -loaded glass scintillator for neutron detection, 2=5687
- Firkowski, R., Gawin, J., Zawadzki, A. and Maze, R. The possible existence of photon initiated EAS, 2=12065
- Firor, J. and Zirin, H. Observations of five ionization stages of iron in the solar corona, 2=4782
- Firsov, E.I. See Vyazemskii, V.O., 2=1353
- Firsov, E.I. See Vyazemskii, V.O., 2=1367
- Firsov, O.B. Kinetics of exothermic reactions between molecules and molecular ions, 2=16570
- Firsov, Yu.A. and Gurevich, V.L. Theory of electric conductivity of semiconductors in a magnetic field. II, 2=4009
- Firsov, Yu.A. and Gurevich, V.L. Theory of electric conductivity of semiconductors in a magnetic field. II, 2=23301
- Firsov, Yu.A. See Gurevich, V.L., 2=188
- Firsov, Yu.A. See Gurevich, V.L., 2=564
- Firsov, Yu.A. See Gurevich, V.L., 2=11552
- Firsov, Yu.A. See Gurevich, V.L., 2=13502
- Firsov, Yu.A. See Gurevich, V.L., 2=21119
- Firsov, Yu.A. See Gurevich, V.L., 2=21202
- Firsov, Yu.A. See Gurevich, V.L., 2=21235
- Firsov, Yu.A. See Gurevich, V.L., 2=23542
- Firth, D.R. See Chretien, M., 2=22610
- Firth, I.M. and Bijl, D. Detection of spin magnetization variation in a two level maser oscillator, 2=3163
- Firth, K. See Cooper, P.N., 2=10179
- Firth, K. See Cooper, P.N., 2=16457
- Firth, K. See Rout, V.M., 2=5535
- Fisch, U. See Ruben, R.J., 2=7069
- Fischbach, D.B. The Zener relaxation and a new magnetic relaxation effect in Fe-rich Fe-Al alloys, 2=21401
- Fischbach, F.F. See Jones, L.M., 2=24001
- Fischer, A.G. and Mason, A.S. Properties of an As-S-Br glass, 2=14647
- Fischer, D.W. See Baun, W.L., 2=166
- Fischer, E.W. See Peterlin, A., 2=23801
- Fischer, F. Electroluminescence, 2=12635
- Fischer, G. The electrical resistivity of solid and liquid tri-iodides of antimony and bismuth, 2=3997
- Fischer, H. Spin-densities in the cyclohexadienyl radical, 2=18493
- Fischer, H. Spin densities in the cyclohexadienyl free radical, 2=20884
- Fischer, H. and Nillius, O. The calibration of I.R. spectrometers with the help of rotating sectors, 2=9392
- Fischer, H. and von Thuena, P. Nanosecond time response of the indium antimonide p.e.m. infrared detector, 2=15799
- Fischer, H. See Dunken, H., 2=5153
- Fischer-Hjalmar, I. Different MO approximations applied to aniline, 2=10275
- Fischer-Hjalmar, I. Potential curves for H_2^+ , 2=20806
- Fischer-Hjalmar, I. Note on some possible metastable states of H_2^+ , 2=3752
- Fischer, I. Parallax, of the moon in terms of a world geodetic system, 2=19278
- Fischer, J. Remarks on the use of units, 2=1039
- Fischer, J. and Zorn, G.T. Reduction of delay between particle passage and spark chamber spark, 2=18050
- Fischer, J. See Ciulli, L., 2=15490
- Fischer, J. See Fisher, Ya., 2=22602
- Fischer, K. See Budde, J., 2=7182
- Fischer, R. Energy distribution of electrons emitted in external field emission from semiconductors, 2=20016
- Fischer, W. See Elbel, M., 2=6094
- Fischer, W. See Elbel, M., 2=10211
- Fischler, A.S. See Turner, W.J., 2=23373
- Fischler, S. Correlation between maximum solid solubility and distribution coefficient for impurities in Ge and Si, 2=17054
- Fisenne, I.M. See Harley, J.H., 2=5515
- Fish, B.R. See Kariotis, F.G., 2=8936
- Fisher, C.M. See Baldassarre, F., 2=22562
- Fisher, C.M. See Evans, D., 2=22492
- Fisher, D.E. Cosmogenic rare gas ratios in iron meteorites, 2=4759
- Fisher, D.E. See Fireman, E.L., 2=4588
- Fisher, E.S. and Renken, C.J. Adiabatic elastic moduli of single crystal alpha zirconium, 2=4306
- Fisher, Ya. [Fisher, J. and Chulli, S. [Ciulli, S.]. Integral equation for $\pi\pi$ -scattering and problems related to convergence of the amplitude expansion, 2=22602
- Fisher, J. See Chulli, S., 2=22498
- Fisher, J.C. Particle-hole inversion in the Fermi surface: a symmetry operation for collective excitations, 2=3872
- Fisher, M.E. Statistical mechanics of dimers on a plane lattice, 2=1071
- Fisher, M.E. Solution of a combinatorial problem — intermediate statistics, 2=2587
- Fisher, M.E. On the theory of critical point density fluctuations, 2=5218
- Fisher, M.E. and Sykes, M.F. Antiferromagnetic susceptibilities of the simple cubic and body-centered cubic Ising lattices, 2=21345
- Fisher, M.E. See Bonner, J.C., 2=18928
- Fisher, M.E. See Sykes, M.F., 2=21344
- Fisher, M.E. See Temperley, H.N.V., 2=35
- Fisher, M.G. The measurement of information in practical photographic systems, 2=15752
- Fisher, P.S. See Salmon, G.L., 2=3565
- Fisher, P.S. See Newton, D., 2=3568
- Fisher, R.A. See Chon, H., 2=8889
- Fisher, R.D. The influence of residual stress on the magnetic characteristics of electrodeposited nickel and cobalt, 2=16916
- Fisher, S. See Babetski, Ya.S., 2=331
- Fisher, S. See Babetski, Ya.S., 2=22675
- Fisher, Ya. [Fisher, J.] and Chulli, S. [Ciulli, S.]. Integral equation for $\pi\pi$ -scattering and problems related to convergence of the amplitude expansion, 2=22602
- Fisher, S. See Babetski, Ya.S., 2=22675
- Fishman, E. A very high temperature infrared cell for pure liquids or solutions, 2=17625
- Fishman, F.J. and Petschek, H. Flow model for large radius-ratio magnetic annular shock-tube operation, 2=13363

- Fisk, H.E. and Prowse, D.J. The sign of the Σ^+ -hyperon nuclear potential, 2=1727
- Fiskin, J.M. See Sisco, W.B., 2=3032
- Fistul', V.I., Iglitsyn, M.I. and Omel'yanovskii, E.M. Mobility of electrons in germanium heavily doped with arsenic, 2=23336
- Fistul', V.I. and Omel'yanovskii, E.M. The electrical conductivity of germanium, strongly doped with phosphorus, 2=21133
- Fistul', V.I. and Omel'yanovskii, E.M. The electrical conductivity of germanium, strongly doped with phosphorus, 2=23338
- Fitch, J.L. See Patton, B.J., 2=6671
- Fitch, R.K. See Cotterhill, R.W., 2=2691
- Fitch, R.K. See Mee, C.H.B., 2=17882
- Fitch, V.L., Meyer, S.L. and Piroué, P.A. Particle production at large angles by 30 and 33 BeV protons incident on aluminum and beryllium, 2=14095
- Fitch, V.L., Piroué, P.A. and Perkins, R.B. Mass difference of neutral K-mesons, 2=5733
- Fitchen, D.B. See Neuman, C.H., 2=10408
- Fitchen, F. See Polk, C., 2=16066
- Fite, W.L., Smith, A.C.H. and Stebbings, R.F. Charge transfer in collisions involving symmetric and asymmetric resonance, 2=16492
- Fite, W.L. See Smith, J.N., Jr., 2=20876
- Fitts, D.D. Rate of cooling in a magnetic field, 2=125
- Fitzer, E., Gebauer, W. and Nedopil, E. The impurities in nuclearly pure graphite and their influence on the absorption cross-section for thermal neutrons, 2=12272
- Fitzgerald, T. and Truell, R. Radiation effects in natural quartz. Phonon-phonon interaction changes and annealing out of defects, 2=20987
- Fiutak, J. and Van Kranendonk, J. Impact theory of Raman line broadening, 2=20783
- Fiveiskii, Yu.D. Deceleration of antiprotons in matter, 2=13803
- Fivel, D.I. New formulation of dispersion relations for potential scattering, 2=3284
- Fixman, M. Viscosity of critical mixtures, 2=2681
- Fixman, M. Radius of gyration of polymer chains, 2=3803
- Fixman, M. Heat capacity of critical mixtures, 2=13325
- Fixman, M. Correlations at the critical point, 2=13326
- Fixman, M. Absorption and dispersion of sound in critical mixtures, 2=13336
- Fixman, M. Radius of gyration of polymer chains. II. Segment density and excluded volume effects, 2=16575
- Fixman, M. See Botch, W., 2=17419
- Fizzotti, C. See Craik, R.L., 2=17033
- Fjortoft, R. A numerical method of solving certain partial differential equations of second order, 2=17136
- Flack, F.C. and Johnson, J.E. The gamma radiation from $^{212}\text{Po}(\text{ThC}')$, 2=3534
- Flaks, I.P. The ionization of inert gases by singly-charged ions and atoms of neon and krypton, 2=155
- Flaks, I.P., Ogurtsov, G.N. and Fedorenko, N.V. Slow ions produced in gases upon passage of fast atom- and ion-beams, 2=154
- Flaks, I.P., Ogurtsov, G.N. and Fedorenko, N.V. Ionization in the collisions of Ne^{n+} with Xe atoms and of Xe^{n+} with Ne atoms ($n = 0, 1, 2, 3, 4$), 2=3718
- Flaks, I.P. See Ogurtsov, G.N., 2=15891
- Flamand, G. See Bouchiat, C., 2=11942
- Flamant, Y. See Barjon, R., 2=9866
- Flamant, Y. See Barjon, R., 2=18329
- Flamm, D. and Freund, P.G.O. Parity nonconservation induced by the universal Fermi interactions into the pion-nucleon vertex, 2=1717
- Flammersfeld, A. See Heckmann, P.H., 2=727
- Flammersfeld, A. See Kienzle, W.F., 2=726
- Flammersfeld, A. See Kilian, P., 2=18301
- Flammersfeld, A. See Langhoff, H., 2=1841
- Flammersfeld, A. See Langhoff, H., 2=1850
- Flanagan, J.L. and Bird, C.M. Minimum phase responses for the basilar membrane, 2=4897
- Flanders, P.J. and Doyle, W.D. Motor driven magnetometer for thin magnetic films, 2=20092
- Flanders, P.J. and Shtrikman, S. Experimental determination of the anisotropy distribution in ferromagnetic powders, 2=2276
- Flanders, P.J. and Shtrikman, S. Remanent torque studies in polycrystalline $\text{BaFe}_{12}\text{O}_{19}$, 2=12723
- Flaschen, S.S. See Gnaedinger, R.J., Jr., 2=21175
- Flautt, T.J. Simple r.f. phase detector for n.m.r. spectrometers, 2=9726
- Flavell, R.G. and Lane, J.A. The application of potential refractive index in tropospheric wave propagation, 2=5482
- Flayin, J.N. Thermo-elastic Rayleigh waves in a prestressed medium, 2=15678
- Flaxen, D.W. See Baguley, D.M.S., 2=14422
- Flechon, J. and Ormancey, G. Conductivity of nickel-phosphorus, 2=14497
- Fleck, J.A., Jr. The influence of pressure on boiling water reactor dynamic behavior at atmospheric pressure, 2=6010
- Fleck, P.L. See Abel, W.G., 2=9113
- Fleet, S.G. and Megaw, H.D. The crystal structure of yoderite, 2=1702
- Flegenheimer, J. and Marcus, Y. Nucleonics data sheet, No. 46 — Induced radioactivity. Specific activity after intermittent irradiation, 2=18273
- Fleischer, R.L. Solute "dislocations" and long range pinning of dislocations, 2=3918
- Fleischer, R.L. Solution hardening by tetragonal distortions: application to irradiation hardening in f.c.c. crystals, 2=21437
- Fleischmann, R. Sources of polarized ions (for protons and similar particles), 2=5641
- Fleischmann, R. See Vissendorff, H., 2=7639
- Fleisher, A. See Saltzman, B., 2=17139
- Fleishman, D.G. and Glazunov, V.V. Determination of the β -decay constant of K^{40} , 2=20544
- Flerov, G.N., Volkov, V.V., Pomorski, L. and Tys, Ya. Production of the nuclei N^{17} by bombardment of some elements with heavy ions, 2=3629
- Flerov, G.N. See Petrzhak, K.A., 2=8012
- Flerov, G.N. See Volkov, V.V., 2=12226
- Fletcher, G.C. Anharmonicity and the thermal expansion of solids, 2=3844
- Fletcher, H., Blackham, E.D. and Stratton, R. Quality of piano tones, 2=13413
- Fletcher, J.E. See Struble, R.A., 2=7
- Fletcher, J.L. Reflex response of middle-ear muscles: protection of the ear from noise, 2=13211
- Fletcher, N.H. Surface structure of water and ice, 2=5001
- Fletcher, W.E. See Swets, J.A., 2=17319
- Fletcher, W.H.W. See Medford, R.D., 2=1450
- Flietner, H. Surface-conditional corrections to the mobility for small band distortions, 2=2136
- Flietner, H. Properties of ordinary semiconductor surfaces, 2=10449
- Flinchbaugh, D.E. See Russek, A., 2=10197
- Flinn, P.A. and Maradudin, A.A. Distortion of crystals by point defects, 2=12429
- Flinn, P.A. See Maradudin, A.A., 2=568
- Flinn, P.A. See Maradudin, A.A., 2=569
- Flinn, P.A. See Maradudin, A.A., 2=10301
- Flinn, P.A. See Maradudin, A.A., 2=14366
- Flint, R.B. See Farnell, G.C., 2=602
- Flippen, R.B. See Bierstedt, P.E., 2=6677
- Flock, W.L. and Elliott, R.S. The radiation pattern of a microwave horn and a plasma layer, 2=13687
- Flodmark, S. Symmetry reduction of secular matrices for crystals, 2=6298
- Flores, J.M. Excitation function of the $\text{Al}^{27}(\text{d}, \text{p})\text{Al}^{28}$ reaction between 2.2 and 12.6 MeV, 2=18351
- Florides, P.S. Applications of Møller's theory on energy and its localization in general relativity, 2=2618
- Florides, P.S. The electromagnetic energy and the gravitational mass of a charged particle in general relativity, 2=2619
- Florides, P.S. and Sygne, J.L. Notes on the Schwarzschild line-element, 2=11263
- Florinskaya, V.A. and Pechenkina, R.S. Application of infrared spectroscopy to the study of polycrystalline substances, 2=4124
- Florkowski, T. Some bremsstrahlung sources in thickness gauges, 2=9227
- Florkowski, T. See Czubek, J., 2=3305
- Florov, G.N., Pomorski, L., Tys, J. and Volkov, V.V. Investigations of the transfer reactions in the bombardment of nuclei with heavy ions by means of delayed neutron detection, 2=10146
- Flory, P.J. On the morphology of the crystalline state in polymers, 2=23860
- Flory, P.J. See Pollack, S.C., 2=4504
- Flotow, H.E., Osborne, D.W. and Otto, K. Heat capacities and thermodynamic functions of YH_3 and YD_3 from 5° to 350° K and the hydrogen vibration frequencies, 2=6278
- Flournoy, J.M. Thermal decomposition of gaseous dimethylnitramine, 2=10976
- Flournoy, J.M. Thermal decomposition of gaseous 2,2-dinitropropane, 2=10977
- Flournoy, J.M., Baum, L.H. and Siegel, S. Disappearance of trapped hydrogen atoms in gamma-irradiated ice, 2=14479
- Flower, M. and March, N.H. Transitions to metallic states in ionic crystals, with particular reference to cesium iodide, 2=6761
- Flowers, B.H. Pairing correlations in nuclei, 2=1758
- Floyd, J.J. See Dugan, F.A., 2=16459
- Flubacher, P., Leadbetter, A.J. and Morrison, J.A. A low temperature adiabatic calorimeter for condensed substances. Thermodynamic properties of argon, 2=6269

- bacher, P. See Cupp, C.R., 2=21073
- It, J.M., Friedman, L., Boerboom, A.J.H. and Kistemaker, J. Isotopic fractionation of lithium in sputtering, 2=227
- ants, N.N. See Arifov, U.A., 2=13604
- ants, N.N. See Arifov, U.A., 2=17892
- are, W.H. and Gwinn, W.D. Electron distribution in the C-Cl bonds of CH_2Cl_2 and derivation of matrix elements off-diagonal in J for two quadrupolar nuclei in an asymmetric rotor, 2=6206
- are, W.H. and Howe, J.A. Microwave spectrum and quadrupole interaction in cis-1,2-dichloroethylene, 2=3741
- are, W.H., Narath, A. and Gwinn, W.D. Microwave spectrum, structure, quadrupole interaction, dipole moment, and bent C-Cl bonds in 1,1-dichlorocyclopropane, 2=1993
- are, W.H. See Howe, J.A., 2=6136
- nn, C.P. Vacancies and complexes in the noble metals, 2=3904
- nn, C.P. The correction of signals distorted by linear apparatus, 2=4907
- nn, C.P. Linde's law and the scattering power of associated point defects, 2=12419
- nn, C.P. and Seymour, E.F.W. The correction of magnetic and pure quadrupole resonance line shapes for instrumental broadening, 2=16081
- nn, E.R. and Bendt, P.J. Liquid hydrogen bubble chamber for low energy nuclear physics, 2=7802
- nn, K.F. See Engelkemeir, D.W., 2=14036
- as, J.H. Seasonal evolution of the fine structure of the dark areas of Mars, 2=19285
- ch, A. Theoretical and experimental mechanics. Vol. I. Statics and strength of materials, 2=15503
- ke, J. Freedom from coma and the isoplanatism condition, 2=91
- eraro, A. and Garabedian, H.L. Two group reactor kinetics, 2=22871
- lor, G. Activity calculations of samples irradiated at intermittent operation of the reactor, 2=20711
- lor, I. See Berkes, I., 2=11826
- lor, I. See Keszthelyi, L., 2=5518
- lor, I. See Keszthelyi, L., 2=5910
- lor, T. See Weissman, E., 2=9393
- erster, H. Von. See Von Foerster, H.
- J. Extinction coefficient at zero concentration, 2=11374
- gel, A. See Angelesku, D., 2=22375
- gel, V.O. and Alekseev, P.G. A new method for the simultaneous determination of the thermophysical characteristics of polymers, 2=17676
- gel, Ya.M. See Pilipenko, D.V., 2=14182
- tzik, L. and Lenz, K. Recent researches on the polarization of sky light, 2=877
- tzik, L. and Spänkuch, D. Characteristic anomalies in the polarization of sky-light on account of vertical vapour stratification, 2=8970
- k, M.V. The relation between the blue and green bands in the electroluminescence of ZnS:Cu phosphors, 2=6643
- r, M.V. Electroluminescence, 2=14757
- r, M.V. See Georgobiani, A.N., 2=6642
- r, M.V. See Vinokurov, L.A., 2=717
- r, N.V. See Bubnov, N.N., 2=6686
- r, V.A. Criticism of an attempt to disprove the uncertainty relation between time and energy, 2=15480
- cker, A.D. Time and space in the events, 2=2608
- di, J. Highly accurate stabilisation of magnetic fields in nuclear installations, 2=22295
- dvik, A. Two-dimensional mountain waves — a method for the rapid computation of lee wavelengths and vertical velocities, 2=21630
- dy, L.L. Antisymmetric functions and Slater determinants, 2=13237
- en, V.J. "Forbidden" transitions in the paramagnetic resonance of Mn^{++} in Al_2O_3 , 2=6690
- én, V.J. Crystalline electric fields in spinel-type crystals, 2=12645
- en, V.J. See Rado, G.T., 2=2124
- en, V.J. See Rado, G.T., 2=12665
- en, V.J. See Schnitzler, A.D., 2=12803
- ey, K.J., Clegg, A.B. and Salmon, G.L. Gamma-radiation from the medium energy proton bombardment of sodium, magnesium, aluminium, silicon, phosphorus and sulphur, 2=20615
- ey, K.J., Salmon, G.L. and Clegg, A.B. Gamma radiation from the bombardment of ^{16}O and ^{19}F nuclei with 150 MeV protons, 2=10109
- ey, K.J. See Austin, S.M., 2=1870
- ey, K.J. See Austin, S.M., 2=18318
- ey, K.J. See Clegg, A.B., 2=5802
- ey, K.J. See Newton, D., 2=3568
- ey, K.J. See Salmon, G.L., 2=3565
- ey, P.J. Stimulus orientation and retinal summation, 2=11221
- ey, W.T. On electrodeposited thallous oxide, 2=10935
- insbee, R.E. See Baadsgaard, H., 2=4755
- man, M. Infrared studies of NH_3 adsorption on chlorinated porous Vycor glass, 2=6858
- Folman, M. See Ron, A., 2=15100
- Fomenko, L.A. Magnetic spectrum of nickel-zinc ferrites at various temperatures, 2=8656
- Fomenko, L.A. The magnetic spectra of nickel-zinc ferrites at different temperatures, 2=23677
- Fomenko, L.N. See Kunin, V.Ya., 2=18647
- Fomenko, L.N. See Kunin, V.Ya., 2=21209
- Fomichev, E.N. See Kantor, P.B., 2=6277
- Fomichev, N.N. Application of the fast automatic BDSF-1 spectro-photometer for the investigation of crystals, 2=17613
- Fomichev, N.N. See Grum-Grzhimailo, S.V., 2=4129
- Fomichev, V.A. See Polikanov, S.M., 2=16442
- Fomichov, Ye.M. See Kantor, P.B., 2=18529
- Fomin, G.A. See Tolstoi, N.A., 2=23461
- Fomin, N.V. Theory of screening in the case of the many-valley electron energy spectrum, 2=2133
- Fomin, V.G., Ovodova, A.V., Bogorodskii, O.V. and Shil'stein, S.Sh. Some aspects of the crystallization of germanium-silicon alloys during zone melting, 2=2363
- Fomin, Yu. See Vernov, S.N., 2=20462
- Fomina, V.I. A study of induced conductivity in thin layers of Sb_2S_3 and Sb_2Se_3 , 2=639
- Fominenko, V.P. See Komar, A.P., 2=13618
- Fonda, L. Inelastic collisions and threshold effects, 2=3281
- Foner, S. and Hou, S.-L. Pulsed critical field measurements in magnetic systems, 2=12802
- Foner, S.N. and Hudson, R.L. Ionization and dissociation of hydrogen peroxide by electron impact, 2=15337
- Foner, S.N. and Hudson, R.L. Mass spectrometry of the HO_2 free radical, 2=15131
- Foner, S.N. See Jen, C.K., 2=14823
- Fong, P. Representation of the commutation relation, 2=2626
- Font, R. See Catalá, J., 2=1642
- Font, R. See Catalá, J., 2=3343
- Fontaine, R. and Pauthenet, R. Magnetic properties of the alloys Mn_2Ge_2 and Mn_3Ge_2 , 2=8604
- Fontan, J., Blanc, D., Bonnafous, M. and Bouville, A. Radon and thoron dosages in the atmosphere and their application to the study of radioactive equilibrium between these gases and their descendants, 2=4610
- Fontan, J., Blanc, D., Bonnafous, M. and Bouville, A. Method for the direct radon and thoron dosages in the atmosphere. Application to the study of the radioactive equilibrium between these gases and their descendants, 2=13011
- Fontan, J., Blanc, D. and Bouville, A. Use of a coincidence system in the selective estimation of atmospheric radon and thoron, 2=18274
- Fontana, J.R. and Pantell, R.H. Theoretical considerations on millimeter wave generation by optical frequency mixing, 2=20143
- Fontana, J.R., Pantell, R.H. and Smith, R.G. Parametric effects in a two-level electric-dipole system, 2=13674
- Fontana, P.R. Symmetric expansion of one- and two-center coulomb potentials, 2=147
- Fontana, P.R. Spin-orbit and spin-spin interactions in diatomic molecules. I. Fine structure of H_2 , 2=3762
- Fontana, P.R. Theory of long-range interatomic forces. III. First-order interaction energies in the coupled representation, 2=6109
- Föppel, L. Plane elastic stress in complex representation, 2=15514
- Forafontov, N.V., Shpinel, V.S. and Vasilev, Ts. Study of Ce^{144} decay scheme by coincidence method, 2=14022
- Forbes, F.F. See Hobbie, R.K., 2=14143
- Forbes, S.T. See Jones, R.V., 2=17406
- Force, R.C. La. See La Force, R.C.
- Forch, K. See Heumann, T., 2=7187
- Ford, G.W. Electromagnetic radiation from a source in a plasma, 2=1436
- Ford, K.W. Possible mechanism of very-high-energy resonances, 2=13723
- Ford, K.W. and Wills, J.G. Calculated properties of μ -mesonic atoms, 2=14229
- Ford, S.D. See Dugdale, R.A., 2=23782
- Ford, W.F. Level inversion in Li^6 , 2=20494
- Foreman, A.J.E. Anharmonic specific heat of solids, 2=14378
- Forester, D.W. See Cochran, L.W., 2=13381
- Forgeng, W.D. See Dragsdorf, R.D., 2=15044
- Forino, A., Fuschini, E., Maroni, C. and Veronesi, P. Parity conservation in high-energy pion photoproduction, 2=20386
- Forkel, W. An adaptable weighing apparatus for the investigation of thermal reactions, 2=853
- Forkman, B. See Johansson, S.A.E., 2=18315
- Forlani, F. and Gondi, P. Direct observation of lattice defects in silicon by means of transmission electron microscopy, 2=21043
- Forman, R. and Ghormley, J.A. Space-charge neutralization and negative resistance in thermionic diodes containing radioactive krypton, 2=22257

AUTHOR INDEX

- Forman, R. See Eckstein, B.H., 2=2448
 Formánková, H. See Kratochvíl, P., 2=2359
 Forrat, F. See Bertaut, E.F., 2=6814
 Forrat, F. See Bertaut, E.F., 2=12662
 Forrat, F. See Pao-Hsien Fang, 2=666
 Forrester, P.A. and Hempstead, C.F. Paramagnetic resonance of Tb^{3+} ions in $CaWO_4$ and CaF_2 , 2=12817
 Forsberg, H.G. See Westermarck, T., 2=7088
 Forsen, H.K. See Ware, A.A., 2=3045
 Forsling, W. Alpha radioactivities from nuclides in the atomic number region 80-83, 2=392
 Forsling, W. and Alväger, T. Mass number assignments and alpha activities of light polonium isotopes, 2=395
 Forst, G. See Boersch, H., 2=20049
 Forster, E.O. Electric conduction in liquid hydrocarbons. I. Benzene, 2=21922
 Forster, H.H. See Devins, D.W., 2=16404
 Forster, J. Ion-chamber systems, 2=12264
 Forster, L.S. and Dudley, D. The luminescence of fluorescein dyes, 2=15608
 Forsyth, J.B. and d'Alte da Veiga, L.M. The structure of the μ -phase Co_3Mo_8 , 2=15045
 Forsyth, P.A. On the association of radio reflections with optical aurora, 2=2514
 Forsyth, P.A. See Kelly, P.E., 2=917
 Forsyth, P.A. See Lyon, G.F., 2=17191
 Forsyth, P.D. See Barnard, A.C.L., 2=1795
 Forsyth, P.D. See Cassagnou, Y., 2=16408
 Forsyth, P.J.E., Stubbington, C.A. and Clark, D. Cleavage facets observed on fatigue-fracture surfaces in an aluminium alloy, 2=12869
 Fort, T., Jr. Adsorption and boundary friction on polymer surfaces, 2=21455
 Forte, B. On the stress-strain relation in the formal theory of anelasticity, 2=12846
 Fortini, A. Effect of surface recombination on the law of decrease of excess minority carriers in a semiconductor, 2=18665
 Forty, A.J. See Tubbs, M.R., 2=23222
 Forward, R.L. Antigravity, 2=13245
 Forzani, R. See Caldero, J.C., 2=11592
 Fossan, D.B. and Herskind, B. Rotational-state lifetimes, 2=20527
 Fossati, F. See Bollini, D., 2=20069
 Foster, A.D. Converting the G45, 16 mm aircraft gun camera for time lapse photography, 2=22073
 Foster, E.W. Measurement of transition probabilities in the visible spectra of OI and CI and estimation of vacuum ultra-violet radiation standards, 2=3704
 Foster, K.W. and Milnes, M.V. Diffusion of copper in polycrystalline silver selenide, 2=12459
 Foster, M.S., Weaver, D.L. and Voigt, A.F. Photoproduction of calcium-47, 2=7970
 Foster, M.R. See Roberts, E.M., 2=20804
 Fothergill, N.O. See Macpherson, J.D., 2=17557
 Foucher, R., Merins, J., de Pinho, A. and Valadares, M. The γ -rays emitted in the transition of thorium 234 (uranium X_1) to metastable protactinium 234 (uranium X_2), 2=22766
 Foucher, R. and De Pinho, A.G. Magnetic quadrupole (M_2) γ -transitions, 2=414
 Foucher, R. and De Pinho, A. Classes of magnetic quadrupole γ -transitions, 2=10069
 Fourdeux, A. and Bergehezan, A. Observation by transmission electron microscopy of stacking faults in a body-centred cubic metal: Niobium, 2=598
 Fourie, D.J. and van der Walt, C.M. Further work on the crystallization process in selenium, 2=21477
 Fourie, J.T., Herbstein, F.H. and Murphy, R.J. Non-crystalline excrescences from heated silica, 2=23907
 Fourie, J.T. and Murphy, R.J. Wide stacking faults in high purity copper crystals, 2=599
 Fournet, M. Kinetic measurement of temperatures, 2=11524
 Fourier, C. See Colin, Y., 2=18698
 Fousek, Ya. See Brzhezina, B., 2=21218
 Fousková, A. and Janoušek, V. Permittivity of Rochelle salt during switching, 2=18771
 Fousse, H. See Grange, J., 2=11372
 Fowkes, F.M. Ideal two-dimensional solutions. II. A new isotherm for soluble and "gaseous" monolayers, 2=9270
 Fowkes, F.M. Determination of interfacial tensions, contact angles, and dispersion forces in surfaces by assuming additivity of intermolecular interactions in surfaces, 2=11342
 Fowler, A.B. Photo-Hall effect in CdSe sintered photoconductors, 2=8409
 Fowler, E.C. See Brown, H.N., 2=12013
 Fowler, E.P. A new reactor period meter used for fast period protection, 2=20728
 Fowler, H.A. See Marton, L., 2=10366
 Fowler, J.L. and Campbell, E.C. Total neutron cross section of Pb^{208} , 2=20634
 Fowler, M. The left-hand cut and phase-equivalent potentials, 2=55
 Fowler, M. Introduction to momentum space integration techniques perturbation theory, 2=21823
 Fowler, P.H. See Duthie, J., 2=12102
 Fowler, R.G. Answer to comments by H.D. Weymann, 2=5045
 Fowler, R.G. Linearization of the equations for ambipolar diffusion, 2=22187
 Fowler, T.K. Theoretically stable and confined plasma, 2=5352
 Fowler, V.J. See Buhrer, C.F., 2=22067
 Fowler, V.J. See Conwell, E.M., 2=23314
 Fowler, V.J. See Zucker, J., 2=4024
 Fowler, W.A. Rutherford and nuclear cosmochronology, 2=2520
 Fowler, W.A. Experimental and theoretical results on nuclear reactions in stars. II, 2=4792
 Fowler, W.A. Nuclear clues to the early history of the solar system, 2=11106
 Fowler, W.A., Greenstein, J.L. and Hoyle, F. Nucleosynthesis during early history of the solar system, 2=11107
 Fowler, W.A. See Bardin, R.K., 2=18290
 Fowler, W.A. See Clayton, D.D., 2=2548
 Fowler, W.B. and Dexter, D.L. Critique of the Pekar theory of the F-center, 2=16669
 Fowler, W.B. See Brown, H.N., 2=12013
 Fowler, W.B. See Good, R.H., 2=317
 Fowler, W.B. See Good, R.H., 2=22628
 Fowles, G.R. Solution of the Schrödinger equation for the hydrogen atom in rectangular coordinates, 2=10195
 Fox, A.C. See Rand, M.H., 2=23172
 Fox, D.F. See Ainsworth, J.E., 2=2496
 Fox, D.W. See Bazley, N.W., 2=13236
 Fox, J.D. See Adams, H.S., 2=1878
 Fox, J.D. See Kane, W.R., 2=10119
 Fox, J.G. Experimental evidence for the second postulate of special relativity, 2=9161
 Fox, J.N. See Tanaka, T., 2=5054
 Fox, J.W. See Buckingham, R.A., 2=9292
 Fox, K., Hecht, K.T., Meredith, R.E. and Peters, C.W. Infrared absorption spectrum of CD_4 at 4500 cm^{-1} , 2=16544
 Fox, M.E. and Mulay, L.N. Simple method of growing small single crystals (10-300 mg), 2=6779
 Fox, P.G. See Den Besten, I.E., 2=10980
 Fox, R. Measurement of nuclear transitions with 10^{-20} sec half-lives and the scattering cross sections of unstable particles by proximal scattering, 2=3537
 Fox, R. and Ramsey, N.F. Low-energy proton production by 160 MeV protons, 2=5905
 Fox, R.J. and Borkowski, C.J. Silicon surface barrier detectors with high reverse breakdown voltages, 2=18024
 Fox, R.J. and Borkowski, C.J. Use of guard-ring silicon surface-barrier detectors in beta spectrometry, 2=22487
 Fox, W.E. Recent observations of Jupiter, 2=15315
 Fracassini, M., Hack, M. and Pasinetti, L.E. Project for a system for the automation of stellar quantitative spectrography, 2=11124
 Fracassini, M., Hack, M. and Pasinetti, L.E. Project for a system for the automation of stellar quantitative spectrography, 2=17297
 Frackowiak, M. See Douglas, A.E., 2=16520
 Fradkin, E.E. Isotopic shift of spectral lines and the compressibility of deformed nuclei, 2=13978
 Fradkin, E.E. See Kaliteevskii, N.I., 2=16298
 Fradkin, M.I. See Dragun, G.S., 2=17314
 Fradkin, M.I. See Ginzburg, V.L., 2=15266
 Fradkin, M.I. See Ginzburg, V.L., 2=19249
 Fradkin, M.I. See Kurnosova, L.V., 2=7917
 Fradkin, M.I. See Kurnosova, L.V., 2=9947
 Fradkin, M.I. See Kurnosova, L.V., 2=9948
 Fradkin, M.I. See Kurnosova, L.V., 2=11085
 Fradkin, M.I. See Kurnosova, L.V., 2=12090
 Fradkin, M.I. See Kurnosova, L.V., 2=16273
 Fradkin, M.I. See Kurnosova, L.V., 2=20475
 Fradkin, M.I. See Kurnosova, L.V., 2=21674
 Fradkin, M.I. See Veprik, Ya.M., 2=19360
 Fradkina, E.M. and Kozyukov, A.V. Turbulent flow of a conducting liquid under the action of electromagnetic forces, 2=3139
 Fradkov, A.B. Containers for storing and transporting liquid helium, 2=2945
 Fradkov, A.B. Helium and hydrogen cryostats without additional cooling by liquid nitrogen, 2=19792
 Fradkov, A.B. See Lotkova, E.N., 2=7484

- enkel,B.S. Possible solid-state effect on the degree of ionization obtained in a vacuum spark, 2=15900
- enkel,G.K. See Bernal,I., 2=23007
- enkel,L.E. Laminar flow in symmetrical channels with slightly curved walls. I. On the Jeffery-Hamel solutions for flow between plane walls, 2=9237
- ga,S. and Ransil,B.J. Studies in molecular structure. VI. Potential curve for the interaction of two hydrogen atoms in the LCAO MO SCF approximation, 2=2010
- ga,S. and Ransil,B.J. Studies in molecular structure. VII. Limited configuration interaction for selected first-row diatomics, 2=6196
- ga,S. and Ransil,B.J. Studies in molecular structure. VIII. He_2^{++} in the single- and many-configuration LCAO MO SCF approximation, 2=20810
- gstein,C.von. See von Fragstein,C.
- hn,W.E. See Fiedeldey,H., 2=3579
- hn,W.E. See Fiedeldey,H., 2=22697
- iman,B.S. See Bronshtein,I.M., 2=1492
- iman,B.S. See Bronshtein,I.M., 2=1493
- iman,B.S. See Bronshtein,I.M., 2=5376
- iman,B.S. See Bronshtein,I.M., 2=7656
- iman,B.S. See Bronshtein,I.M., 2=7657
- issard,J. and Imelik,B. The structure and calcination of silica gels, 2=19172
- it,Z. and Ondris,M. The spin-wave resonance and saturation magnetization of thin cobalt films, 2=18912
- it,Z. and Ondris,M. A note on ferromagnetic resonance in Gorter's normal field, 2=23694
- it,Z. See Andr  ,W., 2=10657
- it,Z. See Ondris,M., 2=10685
- na,J. See Rezanka,I., 2=9824
- na,J. See Rezanka,I., 2=20566
- nceschetti,M.O. See Colli,L., 2=22922
- ncschetti,S. On the structure of liquid ^4He from the elastic scattering of neutrons, 2=1324
- ncia,G.Torraldo Di. See Torraldo Di Francia,G.
- nick,E.U.,Savolainen,J.E. and Marshall,W.L. Electrical conductance cell assembly for use with aqueous solutions up to 800°C and 4000 bars, 2=4547
- nick,E.U. See Mangold,K., 2=17509
- nick,J.P. Beta-gamma phase transformation in solid He^3 , 2=7493
- nick,J.P. Beta-gamma phase transformation in solid He^3 , 2=15842
- nick,L.A. See O'Brien,B.J., 2=17200
- ncio,J.P. Modern methods of optical system control, 2=19685
- ncois,B. See Bel,A., 2=834
- ncois,P. See Julg,A., 2=22992
- ncombe,M.H. See Noreika,A.J., 2=12660
- nc  n,M. Interference microscopes based on polarization, 2=22054
- nk,A.G. See Grebenshikov,S.E., 2=1577
- nk,A.L.,Arakawa,E.T. and Birkhoff,R.D. Optical emission from irradiated foils. II. 2=14752
- nk,D. Statistics of the localized and nonlocalized spin deviations in the spin wave theory, 2=6659
- nk,D. and Meier,K. The statistics of spin-waves, 2=21305
- nk,L.A. Efficiency of a Geiger-M  ller tube for non-penetrating electrons, 2=16086
- nk,L.A. See O'Brien,B.J., 2=11087
- nk,M. and Herforth,L. Beta and gamma-ray dosimetry using the ultrasonic rays from irradiated crystal phosphors, 2=1631
- nk,R.B. Liquid scintillation counter design parameters, 2=17996
- nk,R.C. See Lee,R.W., 2=6366
- nk,V. Energy moment method applied to nuclear quadrupole splitting of nuclear magnetic resonance lines, 2=16936
- nk,W.M. Chew-Low formalism for two nucleon-meson systems, 2=7851
- nk,W.M. Convergence of perturbation expansions in cutoff meson theories, 2=9789
- nk,W.M. and Spriggs,T.E. Multiple scattering of low energy pions in deuterium, 2=13858
- nk,W.M. and Tubis,A. Integral equation for static nuclear potential, 2=7852
- nk,W.M. See Bialynicki-Birula,I., 2=3260
- nk,W.M. See Bialynicki-Birula,I., 2=9790
- nk-Kamenetskii,D.A. (p,n) and (p,2n) reactions and the origin of bypassed nuclei, 2=446
- nk-Kamenetskii,D.A. Kinetics of "neutronization" at super-high densities, 2=13976
- nk-Kamenetskii,D.A. The multiple formation of nucleon pairs and supernova outbursts, 2=15375
- nk-Kamenetskii,D.A. The multiple formation of nucleon pairs and supernova outbursts, 2=19331
- Frank-Kamenetskii,D.A. Multiple production of nucleon pairs by thermal photons in the open cosmological model, 2=20333
- Frank-Kamenetskii,D.A. Multiple production of nucleon pairs by thermal photons in the open cosmological model, 2=22500
- Frank-Kamenetskii,D.A. See Bartov,A.V., 2=22222
- Frank-Kamenetskii,D.A. See Borodin,A.V., 2=22223
- Frank-Kamenetskii,D.A. See Kovan,I.A., 2=19953
- Frank-Kamenetskii,D.A. See Kuznetsova,T.D., 2=19932
- Frank-Kamenetskii,D.A. See Zavoitskii,E.K., 2=3063
- Frank,G. and Huster,E. Propagation of the discharge in self-discharging counter tubes. III, 2=17983
- Frank,K.H. See Gobrecht,H., 2=9492
- Frankel,S.,Halpern,J.,Holloway,L.,Wales,W.,Yearlian,M.,Chamberlain,O., Lemonick,A. and Pipkin,F.M. New limon on the $e + \gamma$ decay mode of the muon, 2=13831
- Frankel,S. See Caspari,M.E., 2=12647
- Frankel,S. See Caspari,M.E., 2=20908
- Frankel,S.P. and Mysels,K.G. "Dimpling" during the approach of two interfaces, 2=9252
- Franken,P.A. Sound-induced vibrations of cylindrical vehicles, 2=9335
- Franken,P.A. See Bass,M., 2=9388
- Frankl,D.R. Effects of copper on fast surface states of etched germanium, 2=10469
- Frankl,D.R. Hysteresis in the large-signal field effect in semiconductor surfaces, 2=18667
- Frankl,D.R. See Levinger,B.W., 2=2147
- Franklin,J.,King,R.C. and Tuan,S.F. Possible theoretical interpretations of the excited hyperons, 2=1724
- Franklin,J.L. See Dahler,J.S., 2=16569
- Franklin,R.N. The plasma-sheath boundary at low pressures, 2=13558
- Frankowski,W.,Kmotek,E.,Mika,J.,Strupczewski,A., and Zmysłowski,A. Determination of the geometry of technological channels for the second Polish research reactor, 2=3652
- Franks,A. Symposium on the electron probe X-ray micro-analyser, 2=23925
- Franks,A. and Hale,K.F. Optical demonstration of Bragg's law, 2=7403
- Franks,J. and Keating,P.N. The measurements of defect states in CdS, 2=8207
- Frants,I. See Khulubei,Kh., 2=16403
- Frantsevich,I.N. and Shiyonovskaya,I.E. Investigation of the fine structure of deformed rhodium, 2=15109
- Frantsevich,I.N. and Shiyonovskaya,I.E. Investigation of the fine structure of deformed rhodium, 2=16664
- Frantsevich,I.N. See Kalinovich,D.F., 2=6372
- Frantsevich,I.N. See Smolin,M.D., 2=10407
- Frantz,J. See Hulubei,H., 2=14092
- Frantz,J. See Hulubei,H., 2=5903
- Fr  nz,K. and Riedl,A. Analytical extension of the aerial impedances $Z(\nu + j\omega)$ from the imaginary axis into the positive half-plane $\nu > 0$, 2=20155
- Frantz,W. Calculation of the mobility of hot electrons in many-valley semiconductors by means of iterative quadratures. I. Description of the iteration procedure, in particular for germanium, 2=2140
- Frantz,W. Non-observation of Stark ladders with Zener emission, 2=4051
- Franzak,E. and Bailyn,M. Multiphonon processes occurring in first-order perturbation theory, 2=16676
- Franzen,J. and Hebeda,E. The Schwarzschild index of Ilford Q plates for ions of medium mass, 2=19734
- Franzen,J. and Hintenberger,H. Polyatomic molecular ions in the high frequency spark between electrodes of the elements Be, C, Mg, Al, Ti, Fe and Cu, 2=9533
- Franzen,W. Generation of uniform magnetic fields by means of air-core coils, 2=20097
- Franzinetti,C. See Bartke,J., 2=13883
- Franzini,P. Tunnel diode nanosecond coincidence circuit, 2=1365
- Franzini,P. See Bardon,M., 2=13833
- Fraser,D.A. and Isaacs,G.G. Thermionic generators, 2=11601
- Fraser,J.S. and Schwartz,R.B. Spins of neutron resonances in Pu^{239} from scattering measurements, 2=7992
- Fraser,J.T. Some consequences of a linear vector theory of inertial fields, 2=4928
- Fraser,M. Apparatus for the rapid measurement of Seebeck coefficient, 2=11610
- Fraser,M.J.,Gold,R.E. and Mullins,W.W. Grain boundary mobility in bismuth, 2=4399
- Fraser,P.A. The scattering of low-energy ortho-positronium by helium atoms, 2=9829
- Fraser,P.A. See Smith,K., 2=3713
- Fraser,R.P. and Dombrowski,N. The selection of a photographic technique for the study of movement, 2=15764

- Frasson, E., Grubissich, C. and Panattoni, C. Automation of crystallographic computing: Programmes for electronic computers Elea 9000, 2=10855
- Frasson, E. See Panattoni, C., 2=10854
- Fraude, A. Theoretical study of the reactivity measurement of a reactor with a reflector using a pulsed neutron source, 2=14168
- Frauenfelder, H., Nagle, D.E., Taylor, R.D., Cochran, D.R.F. and Visscher, W.M. Elliptical polarization of Fe^{57} gamma rays, 2=12125
- Frauenfelder, H. See Blake, B., 2=22773
- Frauenfelder, R., Heer, W. and Heinrich, F. Nuclear resonance fluorescence of V^{51} and Cd^{111} , 2=7955
- Frautschi, S.C., Gell-Mann, M. and Zachariasen, F. Experimental consequences of the hypothesis of Regge poles, 2=16165
- Frautschi, S.C. See Chew, G.F., 2=3270
- Frautschi, S.C. See Chew, G.F., 2=11991
- Frautschi, S.C. See Chew, G.F., 2=7816
- Fray, S.J. See Johnson, F.A., 2=23572
- Frazer, B.C. and Brown, P.J. Antiferromagnetic structure of CrVO_4 and the anhydrous sulfates of divalent Fe, Ni, and Co, 2=6679
- Frazer, B.C. and Ueda, R. The disordered structure of NaNO_2 at 185°C , 2=10894
- Freck, D.V. and Wakefield, J. Gamma-ray spectrum obtained with a lithium-drifted p-i-n junction in germanium, 2=10073
- Freden, S.C. and White, R.S. Trapped proton and cosmic-ray albedo neutron fluxes, 2=9031
- Frederick, C.L. and Worlton, D.C. Ultrasonic thickness measurements with Lamb waves, 2=13300
- Frederick, S. See Conrad, H., 2=23747
- Fredericks, W.J. See Cook, C.J., 2=6394
- Fredericks, W.J. See Sancier, K.M., 2=18854
- Fredericks, W.J. See Sancier, K.M., 2=18855
- Fredericks, W.J. See Sancier, K.M., 2=18856
- Frederikse, H.P.R., Hosler, W.R. and Becker, J.H. Electronic conduction in rutile (TiO_2), 2=23413
- Frederikse, H.P.R. See Becker, J.H., 2=4011
- Fredga, K. Photographic measurements of the brightness of prominences, 2=4787
- Fredkin, D.R. See Suhl, H., 2=19812
- Fredkin, D.R. See Wannier, G.H., 2=10349
- Freed, D. See Mesler, R.B., 2=5995
- Freedman, A. A mechanism of acoustic echo formation, 2=13411
- Freedman, A. The high frequency echo structure of some simple body shapes, 2=13412
- Freedman, J.F. Stress effects on the magnetic properties of evaporated single-crystal nickel films, 2=12673
- Freedman, J.F. See Pomerantz, M., 2=12678
- Freeland, P.E. See Trumbore, F.A., 2=19102
- Freeman, A.J., Nesbet, R.K. and Watson, R.E. Two-electron Heisenberg exchange interaction between neighbouring atoms, 2=10294
- Freeman, A.J. and Watson, R.E. Compton incoherent scattering functions for ions of the first transition series, 2=14984
- Freeman, A.J. and Watson, R.E. Theoretical investigation of some magnetic and spectroscopic properties of rare-earth ions, 2=21295
- Freeman, A.J. See Blume, M., 2=12711
- Freeman, A.J. See Blume, M., 2=23675
- Freeman, A.J. See Pollara, L.Z., 2=4520
- Freeman, A.J. See Watson, R.E., 2=516
- Freeman, A.J. See Watson, R.E., 2=12646
- Freeman, D.E. See Illinger, K.H., 2=22945
- Freeman, G.R. Radiolysis of methylcyclohexane. I. Liquid phase, 2=8928
- Freeman, G.R. Radiolysis of methylcyclohexane. II. Liquid phase inhibition by benzene, 2=8929
- Freeman, I.M. Experimental deduction of the law of centripetal force, 2=13289
- Freeman, J.R., Kallmann, H.P. and Silver, M. Persistent internal polarization, 2=4089
- Freeman, J.W. Detection of an intense flux of low-energy protons or ions trapped in the inner radiation zone, 2=13060
- Freeman, M.P., Li, S.U. and Von Jaskowsky, W. Velocity of propagation and nature of luminosity fluctuations in a plasma jet, 2=19990
- Freeman, R. Spin decoupling of high resolution n.m.r. spectra of the type AKX_2 , 2=20864
- Freeman, R. and Whiffen, D.H. The effect of a second radiofrequency field on high resolution proton magnetic resonance spectra, 2=10284
- Freeman, R. See Anderson, W.A., 2=16555
- Freeman, R.M. Gamma-ray transitions in C^{11} from the $\text{B}^{10}(\text{d}, \text{n})\text{C}^{11}$ reaction, 2=20511
- Frei, E.H. See Aharoni, A., 2=16900
- Freidenfel'd, E. Zh. See Fritsberg, V.Ya., 2=14632
- Freidman, G.I. Reflection of electromagnetic waves in gyrotropic media from a magnetic field wave, 2=22347
- Freier, P.S. The measurement of the cutoff rigidity at Minneapolis using solar protons and α particles from July 10, 1959, flare, 2=22671
- Freier, P.S. See Biswas, S., 2=7913
- Freier, S., Greenshpan, M., Hillman, P. and Shechter, H. The anti-ferromagnetic Curie point in $\alpha\text{-Fe}_2\text{O}_3$, 2=23630
- Freihofer, J. See Palmer, T.M., 2=17923
- Freindl, L., Niewodniczański, H., Nurzyński, J., Slapa, M. and Strzalkowski, J. Elastic scattering of 13 MeV deuterons on some light nuclei, 2=
- Freise, E.J. Structure of graphite, 2=10784
- Freise, V. See Sauer, F., 2=17417
- Freiser, M.J. See Calhoun, B.A., 2=12716
- Freitag, E.H. The friction of solids, 2=17381
- Freitag, W. and Schellbach, G. Description and investigation results of an electronic ultrasonic image converter, 2=11477
- Freitas Mourao, R.R. de. See de Freitas Mourao, R.R.
- Fremlin, J.H. See Dyson, N.A., 2=5597
- French, B.R. See Dodd, P., 2=22508
- French, B.R. See Goldsack, S.J., 2=9888
- French, I.M. Simple device for digitalizing oscilloscope recordings on punched tape, 2=5263
- French, J.B. Direct interaction processes, 2=1853
- French, J.B. Nuclear models and nuclear data, 2=3457
- French, J.C. See Schafft, H.A., 2=14573
- Frenkel, A. Semi-classical description of high-energy electron scattering on heavy nuclei, 2=3557
- Frenkel, A. Phenomenological considerations on the $\pi\text{-}\pi$ interaction, 2=9895
- Frenkel, A. See Bozóki, G., 2=11981
- Frenkel, V.Ya. See Volchok, B.A., 2=10799
- Frenkin, A.R. See Kukin, V.D., 2=3275
- Frentzel, G. See Dähne, S., 2=862
- Frenzen, P. On the origin of certain symmetrical patterns of atmospheric convection, 2=15188
- Freon, A. Phase changes in the 27-day types of intensity variation of primary cosmic rays from January 1955 to January 1961, 2=
- Freon, A. and McCracken, K.G. A note on the vertical cutoff rigidity of cosmic rays in the geomagnetic field, 2=12100
- Fréon, A. See de Feiter, L.D., 2=5764
- Fréon, A. See McCracken, K.G., 2=16253
- Frère, R. A statistical theory of hot atom chemistry. II, 2=23971
- Frerichs, R. Superconductive films made by protected sputtering of tantalum or niobium, 2=17720
- Fretter, W.B. See Aggson, T., 2=11613
- Fretter, W.B. See Bellini, G., 2=22573
- Freudenthal, A.M. and Spillers, W.R. Solutions for the infinite layer and the half-space for quasi-static consolidating elastic and viscoelastic media, 2=19482
- Freudenthal, A.M. See Bieniek, M.P., 2=15518
- Freund, L. See Daune, M., 2=19557
- Freund, L. See Varoqui, R., 2=11359
- Freund, P.G.O. A composite model for the photon, 2=3297
- Freund, P.G.O. "Universality" and high energy total cross sections, 2=22448
- Freund, P.G.O. and Fujii, A. Inelastic $\Lambda\text{-p}$ scattering, 2=9927
- Freund, P.G.O. and Karplus, R. The analytic structure of scattering and reaction amplitudes in unphysical Riemann sheets, 2=22419
- Freund, P.G.O. and Kummer, W. The phases of the proton's electromagnetic form factors in the time-like region, 2=13793
- Freund, P.G.O., Morales, A., Ruegg, H. and Speiser, D. Experimental tests of higher symmetry schemes, 2=22421
- Freund, P.G.O., Ruegg, H., Speiser, D. and Morales, A. Meson-baryon scattering in higher symmetry schemes, 2=18144
- Freund, P.G.O. See Flamm, D., 2=1717
- Freundlich, J.J. See Duga, J.J., 2=8394
- Frevert, L. Branching ratios and maximum β^+ energy in the decay of Ag^{108} , 2=20555
- Frey, W.F., Hamilton, J.H. and Hultberg, S. Experimental studies of E_2 conversion coefficients, 2=10062
- Frey, W.F. See Hamilton, J.H., 2=20523
- Freyceon, J. A magnetometer for measuring the earth's field using nuclear paramagnetic resonance with dynamic nuclear polarization. II. Construction and use, 2=4690
- Freyceon, J. and Solomon, I. A magnetometer for measuring the earth's field using nuclear paramagnetic resonance with dynamic nuclear polarization. I. Theoretical background, 2=4689
- Freytag, E. and Schreiber, G. Problems in the growth from the melt of LiF single crystals for use in the short-wave ultraviolet, 2=14473
- Friauf, R. Correlation effects for diffusion in ionic crystals, 2=393
- Friauf, R.J. See Pretzel, F.E., 2=14473
- Friberg, R. See Berlin, S., 2=1241
- Frick, G. See Gorodetzky, S., 2=486

- cker, S.J., Ingalls, R.P., Mason, W.C., Stone, M.L. and Swift, D.W.
Computation and measurement of the fading rate of moon-
reflected u.h.f. signals, 2=4840
- dborg, P.Sh. See Eringis, K.K., 2=8058
- dkin, V.M. On the luminescence of charged polycrystalline ZnS
layers under the action of d.c. electric fields, 2=6644
- dkin, V.M. Iso-opacity in electrophotography, 2=17671
- dkin, V.M. Iso-opacity in electrophotography, 2=19732
- dkin, V.M. See Adirovich, E.I., 2=2212
- dkin, V.M. See Belavtseva, E.M., 2=12953
- dkin, V.M. See Belavtseva, E.M., 2=15116
- dlender, E. See Bozoki, G., 2=336
- dlender, E. See Bozoki, G., 2=22684
- dlender, E. Scattering of slow particles in nuclear emulsions, 2=445
- dlender, E. See Khulubei, Kh., 2=9884
- dmann, Ya.B. and Morozov, E.M. Use of the Hamilton—Ostrogradsky
principle for investigation of laws concerning the fracture of
solids, 2=21446
- dmann, Ya.B. and Morozov, E.M. Use of the Hamilton—Ostrogradsky
principle for investigation of laws concerning destruction of hard
substances, 2=23787
- idrikhov, S.A. See Bazhanova, H.P., 2=7653
- idrikhov, S.A. See Bazhanova, N.P., 2=1489
- idrikhov, S.A. See Bazhanova, N.P., 2=1498
- idrikhov, S.A. See Bazhanova, N.P., 2=7654
- le, W. and Maecker, H. Dynamics of reacting gases, 2=12958
- ied, B.D. See Culler, G.J., 2=15848
- ied, H.M. and Pursey, D.L. On the proof of parametric dispersion
relations, 2=264
- ied, Z. A note on non-linear effects in electrodynamics, 2=9767
- ied, Z. and Cha, M.H. Spectroscopy of $0 \leftrightarrow 0$ transitions, 2=18404
- iedberg, S.A., Cohen, A.F. and Schelleng, J.H. The specific heat of
 $\text{FeCl}_3 \cdot 4\text{H}_2\text{O}$ between 1.15° and 20°K , 2=23072
- iedel, J. See Asdente, M., 2=14407
- iedel, J. See Bosvieux, C., 2=12970
- iedel, J. See Leman, G., 2=3868
- iedel, J. See Rocher, Y.A., 2=7197
- iedewold, H. See Jacquemin, J., 2=12258
- iedlaender, F.J. See Elfant, R.F., 2=13638
- iedland, S.S., Ziemba, F.P., Olson, R.M. and DeLyser, H. Application of
nuclear semiconductor detectors for space spectrometry, 2=18198
- iedländer, E., Marcu, M. and Spîrchez, M. The angular and multiplicity
distribution of secondaries from 9 BeV proton collisions with light
nuclei, 2=5917
- iedländer, E. See Fridlender, E., 2=9884
- iedländer, E.M. On the interpretation of double-maximum angular
distributions in high-energy nucleon interactions, 2=7853
- iedländer, E.M. Peripheral collisions at accelerator energies and
the $\pi-\pi$ interaction, 2=16167
- iedländer, E.M., Gombosi, E., Marcu, M. and Spîrchez, M. Energy
spectrum of γ -rays from high energy nuclear collisions. Estimation
of photon energies, 2=11918
- iedländer, E.M., Marcu, M. and Spîrchez, M. The angular and multipli-
city distributions of secondaries from 9 GeV proton collisions with
light nuclei, 2=12196
- iedländer, E.M. See Balea, E., 2=18325
- iedländer, E.M. See Balea, E., 2=20479
- iedlander, F.G. On the radiation field of pulse solutions of the wave
equation, 2=17362
- iedlander, G. and Yaffe, L. Electron capture to positron ratios in the
decay of Cs^{125} and Cs^{137} , 2=22769
- iedlander, G. See Cumming, J.B., 2=10107
- iedlander, G. See Cumming, J.B., 2=18326
- iedlander, M.W. Primary cosmic-ray α -particles over North
America, 2=18200
- iedlander, S.K. Theoretical considerations for the particle size
spectrum of the stratospheric aerosol, 2=8965
- iedman, B. Propagation in a non-homogeneous medium, 2=7762
- iedman, H. N.R.L. equipment and planes, 2=13126
- iedman, H. Solar observations obtained from vertical
sounding, 2=13129
- iedman, H. See Byram, E.T., 2=15367
- iedman, H. See Chubb, T.A., 2=15248
- iedman, H. See Chubb, T.A., 2=15338
- iedman, H. See Chubb, T.A., 2=15339
- iedman, H. See Kreplin, R.W., 2=11072
- iedman, H. See Kreplin, R.W., 2=19314
- iedman, I. See Bainbridge, A.E., 2=2466
- iedman, L. and Irsa, A.P. Collision-induced dissociation of
 N_2O^+ , 2=9525
- iedman, L. See Fluit, J.M., 2=227
- iedman, R.M. See Sharp, R.D., 2=450
- iedmann, G. and Vidal, R. Modification to an inexpensive interfero-
meter, 2=17642
- Friedmann, J.I. See Kendal, H.W., 2=325
- Friedmann, M. See Eisenberg, Y., 2=319
- Friedrich, H. The luminescence of CdS single crystals, 2=6600
- Friedrich, H. The luminescence of single crystals of cadmium
sulphide, 2=12617
- Friedrich, K. and Herforth, L. Expulsion of light from crystal
phosphors by ultrasound for measuring ultraviolet light and
 β -radiation, 2=8556
- Frieman, E.A., Goldberger, M.L., Watson, K.M., Weinberg, S. and
Rosenbluth, M.N. Two-stream instability in finite beams, 2=5358
- Fries, D. See Citron, A., 2=13841
- Fries, D. See Citron, A., 2=20658
- Fries, R.J. Vaporization behavior of niobium carbide, 2=19782
- Friese, T. Portable pulse generator for testing purposes, 2=5287
- Friese, T. Automatic dead-time correction for radiation measuring
equipment, 2=13700
- Frieser, H. Limits and possibilities of the photographic
process, 2=1286
- Frieser, H., Graf, A. and Eschrich, D. Investigations on the temperature
dependence of spectral sensitization, hypersensitization and
desensitization of photographic layers, 2=9412
- Frigerio, G. See Colli, L., 2=22922
- Frigerio, G. See Colombo, R., 2=14926
- Frigerio, N.A. Fabricating thin neutron foils, 2=11966
- Frigge, K. and Pfeifer, H. A new method for the measurement of long
longitudinal relaxation times, 2=5501
- Friichtenicht, J.F. Two-million-volt electrostatic accelerator for
hypervelocity research, 2=7685
- Frikkee, E. and van den Handel, J. The magnetic behaviour of
azurite, 2=10639
- Frisby, H. See Bisson, A., 2=4517
- Frisch, D.H. See Wahlig, M.A., 2=11849
- Frisch, H.L. Time lag in transport theory, 2=2653
- Frisch, H.L. Locally Maxwellian solutions for a "positronium"
plasma, 2=15910
- Frisch, H.L., Hammersley, J.M. and Welsh, D.J.A. Monte Carlo estimates
of percolation probabilities for various lattices, 2=12447
- Frisch, H.L. See Brady, G.W., 2=9269
- Frisch, H.L. See Dransfeld, K., 2=8891
- Frisch, O.R. Time and relativity. I, 2=19401
- Frisch, O.R. Time and relativity. II, 2=19402
- Frisch-Ray, R. Experimental results in intermittent motion, 2=13295
- Frischmuth-Hoffmann, G. and Görlich, P. Temperature dependence of
efficiency ratios of polarized light for Cs_2Sb photocathodes, 2=5374
- Frish, S.E. and Bochkova, O.P. The inversion of the population of levels
of sodium in the glow discharge of the mixture of vapours of sodium
and mercury, 2=22912
- Frish, S.E. See Bochkova, O.P., 2=11627
- Frisk, A., Nilsson, S., Ronne, B.E. and Schneider, W. Interaction of
560 MeV negative π -mesons with emulsion nuclei, 2=1711
- Frith, R. Ozone in the earth's atmosphere, 2=24000
- Fritsberg, V. Polarization mechanism in solid solutions of strontium
titanate and bismuth titanate, 2=12568
- Fritsberg, V., Ya., Freidenfel'd, E. Zh. and Kruchan, Ya. Ya. Dielectric
properties and structure of PbTiO_3 — SrTiO_3 —" Bi_2TiO_3 " solid
solution, 2=14632
- Fritsch, A. Vibrating reed potentiometer for the measurement and
recording of the surface potentials of monomolecular films, 2=5251
- Fritz, B. Anion vacancies and interstitial ions in alkali-halide—
alkali-hydride mixed crystals, 2=14433
- Fritz, W. and Poltz, H. Absolute determination of the thermal conduct-
ivity of liquids. I. Critical experiment with a new parallel plate
apparatus, 2=15571
- Fritze, G. See Dusterhöft, H., 2=2113
- Fritze, K. Half-lives of Cs^{141} , Cs^{142} , and Cs^{143} , 2=18277
- Fritze, K. and Kennett, T.J. Decay measurements of Ba^{141} and
 Ba^{142} , 2=18291
- Fritze, K. See Kennett, T.J., 2=12206
- Fritze, K. See Prestwich, W.V., 2=20570
- Fritzsche, C. Surface and geometrical corrections for the measurement
of minority carrier lifetimes in semiconductors, 2=8347
- Fritzsche, H. Effect of uniaxial compression on impurity conduction in
n-type germanium, 2=8339
- Fritzsche, H. Effect of stress on the donor wave functions in
germanium, 2=8340
- Fritzsche, H. and Cuevas, M. Investigation of impurity conduction in
transmutation-doped germanium, 2=23320
- Fröhlich, D. The optical constants of LiF in the region of its infrared
eigen-vibrations, 2=23512
- Fröhlich, F. The determination of the concentration of anion vacancies
in NaCl crystals irradiated by X-rays, 2=8256
- Fröhlich, F. Enhanced F-centre formation in X-ray irradiated Ca-doped
KCl crystals, 2=16670

- Fröhner, F.H. Production and investigation of negative fission product ions, 2=22862
- Frodevaux, C. See Walstedt, R.E., 2=18967
- Frois, C. and Dimitrov, O. Complementary study of the recrystallization of zone-refined aluminium containing minute additions of copper and magnesium, 2=4391
- Froissart, M. Elimination of the inelastic cut in the N/D method, 2=1666
- Froissart, M. Complex angular momenta in potential scattering, 2=22423
- Frolov, A.P., Vereshchagin, L.F. and Rodionov, K.P. Investigation of the changes in the crystal lattice parameters of pentaerythritol under pressures up to 10 000 kg/cm², 2=21459
- Frolov, O.S. See Koshel', O.N., 2=6481
- Frolov, O.S. See Litovchenko, V.G., 2=21132
- Frolova, A.A. See Kozlov, P.V., 2=23802
- Fröman, A. Isotope effects and electronic energy in molecules, 2=8113
- Fröman, A. and Hall, G.G. The accuracy of atomic wave functions and their scale, 2=6083
- Fröman, A. and Löwdin, P.O. Virial theorem and cohesive energies of solids, particularly ionic crystals, 2=12362
- Fromm, H.J. Factors influencing microimage quality, 2=15763
- Fronsdal, C. Analyticity of Wightman functions, 2=267
- Fronsdal, C., Mahanthappa, K. and Norton, R. Integral representation for a scattering amplitude with complex singularities, 2=20272
- Fronsdal, C. See Behrends, R.E., 2=11876
- Fronteau, J. Calculation of the muon contamination of π -meson beams, 2=20404
- Fröome, K.D. Proposed harmonic generator or mixer for optical frequencies, 2=3159
- Fröome, K.D. Microwave harmonic generator capable of frequencies in excess of 600 Gc/s, 2=13553
- Fröome, K.D. and Bradsell, R.H. Distance measurement by means of a light ray modulated at a microwave frequency, 2=1101
- Frosch, C.J. and Thurmond, C.D. The pressure of Ga₂O over gallium-Ga₂O₃ mixtures, 2=15807
- Frosch, R., Huber, P. and Widder, F. An improvement of the coincidence method for the absolute determination of rates of radioactive decay, 2=22747
- Frosch, R.A. Comments on "long-range shallow-water transmission", by K.V. Mackenzie, 2=19655
- Frosch, R.A., Klerer, M. and Tyson, L. Long-range localization of small underwater charges, 2=2841
- Frösche, E. The theory of high-frequency transistors, 2=21179
- Frost, A.A. Three-dimensional effective electron-density function, 2=22876
- Frost, A.A. See Geller, M., 2=14315
- Frost, D.C., Mak, D. and McDowell, C.A. The photoionization of nitrogen dioxide, 2=15882
- Frost, K.J. and Rothe, E.D. Detector for low-energy gamma-ray astronomy experiment, 2=18096
- Frost, L.S. and Phelps, A.V. Rotational excitation and momentum transfer cross sections for electrons in H₂ and N₂ from transport coefficients, 2=20885
- Frost, N.E. Difference between high- and low-stress fatigue, 2=2336
- Frost, R.D., Purl, O.T. and Johnson, H.R. Electron guns for forming solid beams of high permeance and high convergence, 2=20027
- Frost, W.O. See Rorex, J.E., 2=24192
- Frota-Pessoa, E. and Margem, N. Angular distribution in $\pi \rightarrow \mu + \nu$ decay, 2=3373
- Frova, A. and Stella, A. Surface properties in semiconductors, 2=12505
- Fructus-Ricquebourg, J. See Curien, R., 2=659
- Frueh, A.J. Fourier projections of twinned crystals, 2=15007
- Frumkin, A.L. See Polivanov, K.M., 2=20088
- Fry, D.J.I. and Llewellyn, P.M. The double resonance of cobalt ions in magnesium oxide, 2=4278
- Fry, G.A. Farnsworth hue circles, 2=7079
- Fry, L.M. See Kuroda, P.K., 2=21639
- Fry, R.K. and Cardwell, A.B. Photoelectric properties of natural uranium and changes occurring at crystallographic transformations, 2=3072
- Fry, W. Present and future applications of ultrasonics in biomedicine, 2=15420
- Fry, W.F. See Camerini, U., 2=22624
- Fry, W.F. See Ely, P.P., 2=22613
- Fry, W.F. See Ely, R.P., 2=18173
- Fry, W.J. and Dunn, F. Ultrasonic intensity gain by composite transducers, 2=5103
- Frye, G. Remark on diffraction scattering, 2=21834
- Fu Tuan San. See San Fu Tuan.
- Fubini, A. See Brini, D., 2=6072
- Fubini, S. Vector mesons and possible violations of charge symmetry in strong interactions, 2=9784
- Fubini, S., Gourdin, M. and Martin, A. Some remarks about inelastic electron-deuteron scattering, 2=11931
- Fubini, S. See Amati, D., 2=13748
- Fubini, S. See Bertocchi, L., 2=9788
- Fubini, S. See Bertocchi, L., 2=18158
- Fubini, S. See Ceolin, C., 2=22431
- Fuchs, E. Magnetic structures in thin ferromagnetic films, investigated by electron microscope, 2=12784
- Fuchs, E. and Liesk, W. A device for magnetizing specimens in the electron microscope, 2=20102
- Fuchs, E. and Politycki, A. Magnetic regions in coarse crystalline nickel-iron films, 2=8640
- Fuchs, E. See Pfisterer, H., 2=14642
- Fuchs, H., Kosiek, R. and Meyer-Berkhout, U. Relative yields of some activities generated in cerium and silver by photonuclear reactions, 2=7971
- Fuchs, H. See Brix, P., 2=1866
- Fuchs, L.H. Occurrence of whitlockite in chondritic meteorites, 2=21710
- Fuchs, N.A., Stechkina, I.B. and Starosselskii, V.I. On the determination of particle size distribution in polydisperse aerosols by the diffusion method, 2=12985
- Fuchs, R. Ion-molecule reactions in paraffins, olefins and acetylenes, 2=8135
- Fucks, W. and Uhlenbusch, J. Magnetohydrodynamic theory of lubrication, 2=11768
- Fudge, A.J. See Wood, A.J., 2=21606
- Fueno, T. See Benson, S.W., 2=1310
- Fueno, T. See Ree, T.S., 2=2445
- Fuhrman, Z.A. See Damask, A.C., 2=2110
- Fujii, A. Bipionic decay of K', 2=315
- Fujii, A. Pionic decay of hyperons in the pole approximation, 2=1388
- Fujii, A. A doublet symmetry shared by strong and weak interactions, 2=13882
- Fujii, A. Beta decay of hyperons via K'-particle, 2=18184
- Fujii, A. and Hall, D.J. Muon capture and radiative pion capture in He³, 2=11970
- Fujii, A. See Freund, P.G.O., 2=9927
- Fujii, C.T., Carpenter, C.D. and Meussner, R.A. Simple recording spring balance, 2=7167
- Fujii, S. Note on the quasi-deuteron model for nuclear photo-disintegration, 2=20588
- Fujii, S. See Ikeda, K., 2=20619
- Fujii, T. See Duke, P.J., 2=22504
- Fujii, Y. Some consequences of nuclear forces due to pion-pion interaction, 2=1664
- Fujii, Y. Effective range theory of multichannel reactions in the chain approximation method, 2=13754
- Fujii, Y. and Kawaguchi, M. Effects of the γ - 3π interaction on the electromagnetic properties of deuteron, 2=1731
- Fujimori, H. See Takahashi, M., 2=16909
- Fujimoto, H. The structure of the isochromat near the short wavelength limit of the continuous X-ray spectrum of copper, 2=4159
- Fujimoto, M. On the internal flow and gravitational contraction of globules, 2=15391
- Fujimoto, Y. and Ogawa, S. Historical review of the theoretical investigation of new particles, 2=11910
- Fujimoto, Y. See Aizu, H., 2=22664
- Fujimoto, Y. See Akashi, M., 2=12083
- Fujimura, T. On the maze-like domain structure, 2=18906
- Fujimura, T. and Kamiyoshi, K. Dielectric anomalies in zinc sulfide and cadmium sulfide excited by light, 2=8460
- Fujimura, T. See Kamiyoshi, K., 2=17478
- Fujimura, T. See Kamiyoshi, K., 2=19576
- Fujinaga, A. and Hanasaka, T. Some experiments of the omegatron type mass spectrometer as a vacuum analyser, 2=22283
- Fujinaga, A. See Ryu, N., 2=17905
- Fujioka, M. See Yamazaki, T., 2=20571
- Fujisaki, H. Polygonization of ZnS crystals growing from vapor phase, 2=6777
- Fujisaki, H. See Bell, C.G., 2=4890
- Fujishiro, I. See Hukuo, N., 2=11522
- Fujishiro, R. See Nishimoto, K., 2=18470
- Fujishiro, S. On the extraordinary X-ray diffraction intensities of quenched TiC powder, 2=823
- Fujita, F.I. See Ikeda, K., 2=20619
- Fujita, H. and Gosting, L.J. A new procedure for calculating the four diffusion coefficients of three-component systems from Gouy diffusometer data, 2=1139
- Fujita, H. See Kimura, K., 2=15970
- Fujita, I. See Onaka, R., 2=2889
- Fujita, J., Kawai, M. and Tanifuji, M. Nuclear three-body forces, 2=5

- Ita, J., Martell, A.E. and Nakamoto, K. Infrared spectra of metal chelate compounds. VI. A normal coordinate treatment of oxalato metal complexes, 2=3745
- Ita, J., Martell, A.E. and Nakamoto, K. Infrared spectra of metal chelate compounds. VII. Normal coordinate treatments on 1 : 2 and 1 : 3 oxalato complexes, 2=3746
- Ita, J., Martell, A.E. and Nakamoto, K. Infrared spectra of metal chelate compounds. VIII. Infrared spectra of Co(III) carbonate complexes, 2=3747
- Ita, J.I. Conserved current hypothesis and the beta decay of RaE , 2=10047
- Ita, S. Quantum statistical diagram representation in the presence of Bose-Einstein degeneracy, 2=1078
- Ita, S. Binary collision expansion of quantum statistical pair propagator, 2=4959
- Ita, S. On the generalized Boltzmann equation of a quantum gas, 2=4969
- Ita, S. Equivalence between the two generalized master equations, 2=11296
- Ita, S. Theory of transport coefficients. II. Viscosity coefficients of quantum gases obeying the Boltzmann statistics, 2=9207
- Ita, S. and Abe, R. Theory of transport coefficients. I. General theory and electrical conductivity of electron-phonon system, 2=9206
- Ita, S. See Mitsuishi, A., 2=21252
- Itani, T., Ikeda, M. and Matsumoto, M. On the imbedding of the Schwarzschild space-time. I, 2=7134
- Itani, T., Ikeda, M. and Matsumoto, M. On the imbedding of the Schwarzschild space-time. II, 2=7135
- Itani, T., Ikeda, M. and Matsumoto, M. On the imbedding of the Schwarzschild space-time. III, 2=15473
- Iwara, H. An application of the modified Thomas-Fermi method to atoms and crystals, 2=8057
- Iwara, H. See Tatsumoto, E., 2=14771
- Iwara, K. Relativistic dynamical theory of electron diffraction, 2=2377
- Iwara, K. See Miyake, S., 2=4510
- Iwara, N. See Shoda, K., 2=20591
- Iwara, S. Fresnel conic mirror, 2=1258
- Iwara, S. Optical properties of conic surfaces. I. Reflecting cone, 2=5137
- Iwara, S. and Fujiwara, Y. Superfine particle magnetite, 2=10994
- Iwara, S. See Arata, Y., 2=14326
- Iwara, S. See Shimizu, H., 2=20870
- Iwara, T. See Nakagawa, S., 2=8746
- Iwara, Y. See Fujiwara, S., 2=10994
- Iwata, E. and Date, M. A new apparatus for measuring dynamic viscoelastic properties of polymers, 2=23729
- Kai, M., Kawamura, H., Imai, I. and Tomishima, K. Measurements of relaxation time in germanium by the cyclotron resonance, 2=23135
- Kai, M. See Kawamura, H., 2=3885
- Kai, M. See Kawamura, H., 2=16639
- Kai, T. New analytical formula for Dancoff correction for cylindrical fuel lattices, 2=6064
- Kai, Y. Comparison of flux ratio calculations in lattices by integral transport theory, 2=20704
- Katko, T. See Benda, F., 2=15971
- Keta, T. Paired-chamber type pile oscillator, 2=5465
- Keta, T. Application of the pile oscillator to large-neutron dose measurement, 2=14179
- Ks, M.Ya. See Palatnik, L.S., 2=8877
- Ks, M.Ya. See Palatnik, L.S., 2=23936
- Ks, M.Ya. See Palatnik, L.S., 2=23937
- Ks, N.A. Vertical distribution of particles suspended in a turbulent flow, 2=19472
- Kuda, K. See Nakamura, K., 2=2230
- Kuda, K. See Matsumoto, H., 2=10702
- Kuda, Y. Vibration of linear lattice containing impurities, 2=16593
- Kuda, Y. and Yoshida, K. Frequency spectrum of lattice with short range order, 2=16594
- Kuda, Y. See Shirai, S., 2=16995
- Kui, S., Hayakawa, S., Kajikawa, R. and Kikuchi, K. Helium discharge chamber, 2=3340
- Kui, S., Hayakawa, S., Nishimura, H. and Obayashi, H. Mechanism of the mirror-point loss, 2=13897
- Kui, S., Hayakawa, S., Nishimura, H. and Obayashi, H. Anisotropy of high energy cosmic rays in the galactic arm, 2=22665
- Kui, S. and Miyamoto, S. The discharge chamber and its characteristics, 2=5559
- Kunaga, K. See Kimura, K., 2=5898
- Kuroi, T. See Tanaka, K., 2=3989
- Kushima, E., Hayakawa, K. and Nimura, H. Intensity variations of X-ray transmitted diffraction depending on the direction of applied stress, 2=21503
- Fukushima, N. Morphology of magnetic storms, 2=13072
- Fukushima, N. See Nagata, T., 2=13069
- Fukushima, S. and Kodama, M. Solar modulation effect on the latitude dependence in cosmic ray intensity, 2=5768
- Fukushima, S., Kodama, M. and Muraishi, Y. Time variation of cosmic ray intensity in the antarctic region. II. Unusual increase, 2=9967
- Fukushima, S. See Kodama, M., 2=12044
- Fukutomi, T. Effect of infra-red illumination on grain boundaries in ice, 2=10809
- Fukuzawa, F. Isomeric cross-section ratios for 14 keV neutron reactions, 2=3590
- Fukuzawa, F. See Sakisaka, M., 2=244
- Fulbright, H.W. A fast neutron time-of-flight system for use with cyclotrons, 2=9499
- Fulbright, H.W. and Kohler, D. A sonic spark locator, 2=9759
- Fulford-Jones, R. See Hyde, F.W., 2=24214
- Fuller, C.S. and Doleiden, F.H. The ionization behavior of donors formed from oxygen in germanium, 2=2146
- Fuller, C.S. and Wolfstirn, K.B. Kinetics and equilibria involving copper and oxygen in germanium, 2=4016
- Fuller, C.S. and Wolfstirn, K.B. Electrical properties of Li in GaAs, 2=18598
- Fuller, C.S. and Wolfstirn, K.B. Diffusion, solubility, and electrical behavior of Li in GaAs single crystals, 2=18599
- Fuller, E.G. and Hayward, E. Calibration of a monitor for use in bremsstrahlung beams, 2=5616
- Fuller, E.G. and Hayward, E. The nuclear photoeffect in holmium and erbium, 2=10086
- Fuller, E.G. and Hayward, E. The photodisintegration of bismuth and the lead isotopes, 2=16384
- Fuller, H.W. and Sullivan, D.L. Magnetostatic interactions between thin magnetic films, 2=13634
- Fuller, P.J.A. and Price, J.H. Electrical conductivity of manganin and iron at high pressures, 2=8276
- Fuller, R.W. Dependence of neutron production in fission on rate of change of nuclear potential, 2=10151
- Fullwood, R. See Selove, W., 2=5539
- Fullwood, R.R. See Yeater, M.L., 2=6008
- Fulmer, C.B. Elastic scattering of protons by single isotopes, 2=3561
- Fulmer, C.B. See Goodman, C.D., 2=1885
- Fulmer, C.B. See Goodman, C.D., 2=1886
- Fulmer, C.B. See Goodman, C.D., 2=18322
- Fulmer, R.H. See Cohen, B.L., 2=10017
- Fulmer, R.H. See Cohen, B.L., 2=20487
- Fulton, T. See Feldman, G., 2=11865
- Fultz, S.C., Bramblett, R.L., Caldwell, J.T. and Kerr, N.A. Photoneutron cross-section measurements on gold using monochromatic photons, 2=18316
- Fultz, S.C. See Hatcher, C.R., 2=9828
- Fumi, F.G. and Tosi, M.P. On the Mie-Grüneisen and Hildebrand approximations to the equation of state of cubic solids, 2=14390
- Fumi, F.G. See Tosi, M.P., 2=14921
- Funabashi, W. Abrasive compounds for barrel finishing, 2=12871
- Funatogawa, Z. See Gondo, Y., 2=8602
- Funatogawa, Z. See Usami, S., 2=2277
- Funatogawa, Z. See Usami, S., 2=18933
- Funes, A.J. See Davies, R.G., 2=4461
- Funes, A.J. See Davies, R.G., 2=4462
- Fünfer, E. and Lehner, G. Plasma physics, 2=15907
- Fung, A.-I. See Esquivel, A.L., 2=17068
- Fung, F.C.W. See Kovaszny, L.S.G., 2=13668
- Fung, S.-Y. See Ely, R.P., 2=5747
- Funk, E.G., Jr. See Prask, H.J., 2=3491
- Funk, E.G., Jr. See Prask, H.J., 2=20558
- Funk, E.G., Jr. See Schwerdtfeger, C.F., 2=7946
- Funk, J. Radiative flux divergence in radiation fog, 2=21626
- Funk, J.P. Ribbon thermopile, 2=2928
- Funsten, H.O. Pulse shape discrimination in p-n junction detectors, 2=18020
- Funt, B.L. and Hetherington, A. The kinetics of quenching in liquid scintillators, 2=15607
- Funtikov, A.I. See Al'tshuler, L.V., 2=2759
- Funtikov, A.I. See Kormer, S.B., 2=14876
- Furduev, V.V. Ambiphonic reverberation, 2=5129
- Furet, J. and Garcia, A.L. Influence of xenon poisoning on the control and safety of high flux reactors, 2=14172
- Furlan, G. See Andreassi, G., 2=22393
- Furman, A.M. The theory of ionization in meteor trails. I. Kinetics of the variation of ionization parameters for meteoroids heated by motion in the earth's atmosphere, 2=903
- Furman, A.M. A theory of ionization of meteor trails. II. The role of ionization phenomena at the surface of a meteoroid in the ionization of the meteor trail, 2=904

- Furman, V.I. See Zakhar'ev, B.N., 2=3521
- Furmidge, C.G.L. Studies at phase interfaces. I. The sliding of liquid drops on solid surfaces and a theory for spray retention, 2=11343
- Fursenko, V.D. See Marchenko, A.I., 2=4061
- Fursenko, V.D. See Fedorus, H.A., 2=18740
- Furth, H.P. and Levine, M.A. Force-free coils and superconductors, 2=7524
- Furubayashi, B. See Teranishi, E., 2=12187
- Furui, S. See Tsuchida, T., 2=9900
- Furuichi, J. See Kuwahara, N., 2=14249
- Furuichi, J. See Kuwahara, N., 2=19556
- Furuichi, S. Dispersion theoretic treatment for nucleon-nucleon scattering at large impact parameter, 2=7854
- Furukawa, K. Structure of molten salts near the melting point, 2=17433
- Furukawa, K. The radial distribution curves of liquids by diffraction methods, 2=17438
- Furukawa, Y. Magnetoresistance in heavily doped n-type germanium, 2=16697
- Furuta, N. Effect of illumination on filamentary crystal growth of selenium, 2=10802
- Fuschini, E. See Forino, A., 2=20386
- Fushchych, V.I. See Kryvskiy, I.Y., 2=7879
- Fushimi, S. See Ikeda, T., 2=21475
- Füssel, J. See Witzmann, H., 2=8549
- Futama, H. Hysteresis and thermal studies on ferroelectric transitions in thiourea, 2=12566
- Futama, H. and Pepinsky, R. Optical activity in ferroelectric $\text{LiH}_2(\text{SeO}_3)_2$, 2=23523
- Futch, A.H. See Damm, C.C., 2=15912
- Futch, A.H., Jr. Ionization gauge calibrator for water vapor, 2=2795
- Fu Tuan San. See San Fu Tuan.
- Futrell, J.H. See Roquette, B.C., 2=19156
- Fydeler, P.J. See Bennett, J.V., 2=23970
- Gabanets, I. See Benda, F., 2=15971
- Gabathuler, E. See Anderson, R.L., 2=22625
- Gabathuler, E. See Lewis, G.M., 2=3378
- Gabbard, F. See Bass, R., 2=3599
- Gabe, I. See Magero, V., 2=6925
- Gabe, I. See Mageru, V., 2=8963
- Gabe, T. See Blararu, D., 2=7937
- Gabillard, R. and Ponchel, B. Observation of side bands due to modulation of the electron spin resonance frequency, 2=16079
- Gabla, L. The isotope shift effect in the optical radiation of radioactive nuclide ^{153}Eu , 2=12290
- Gabler, F. and Wurz, W. A direct method for the study of phase diagrams of metallic systems, 2=15055
- Gabos, Z. Gravitational self-action of a rotating rigid sphere, 2=7120
- Gabovich, M.D. and Kirichenko, G.S. Excitation of oscillations upon passage of a slow ion beam through a plasma, 2=17854
- Gabovich, M.D. and Mitropan, I.M. Observation of hydromagnetic plasma waves in a pulsed electrodeless discharge, 2=11684
- Gabovich, M.D., Pasechnik, L.L. and Lozovaya, E.A. Injection of high-density plasma in vacuum, 2=9575
- Gabovich, M.D. and Romanyuk, L.I. Effect of a magnetic field on the boundary of a penetrating plasma and on plasma focusing, 2=182
- Gabovych, M.D. and Romanyuk, L.I. Ejection of plasma from an electrodeless pulse discharge in vacuum, 2=9602
- Gabrichidze, Z.A. See Stekhanov, V.I., 2=6583
- Gabriel, J.R., Johnston, D.F. and Powell, M.J.D. A calculation of the ground-state splitting for Mn^{2+} ions in a cubic field, 2=553
- Gabriel, R. and Segar, A.M. Some transistor circuits for nuclear physics research, 2=5269
- Gabrielli, I. See Cernigoi, C., 2=1487
- Gabry, A. See Decaux, B., 2=4976
- Gabrysh, A.F., Eyring, H. and Ree, T.A. Formation of color centers in sapphire by solar radiation, 2=2102
- Gabrysh, A.F., Eyring, H., Ma, S.M. and Liang, K. Automatic rotational viscometer and high-pressure apparatus for the study of the non-Newtonian behavior of materials, 2=15539
- Gabrysh, A.F. See Woodbury, H.A., 2=10634
- Gabuda, S.P. See Mikhailov, G.M., 2=4284
- Gabunia, L.L. See Alekseeva, K.I., 2=20451
- Gachkovskii, V.F. Spectra of the universal fluorescence of polymers, 2=12632
- Gachegov, V.I. See Kotelnikov, N.V., 2=18910
- Gachok, V.P. Clothed operators and the commutativity condition, 2=16116
- Gadacz, H. See Reimer, L., 2=6851
- Gadd, G.E. Interactions between normal shock waves and turbulent boundary layers, 2=15630
- Gadioli, E. See Bassani, G., 2=20646
- Gadzhaliyev, M.M. See Amirkhanov, Kh.I., 2=8364
- Gadzhaliyev, M.M. See Amirkhanov, Kh.I., 2=14557
- Gaebler, J., La Pointe, M. and Hazen, W. Observation of air-shower cores near sea level, 2=12073
- Gaer, G. Listening through the moth ear, 2=15427
- Gagliardo, E. On the evaluation of a formula for the errors of a learning machine, 2=2591
- Gaidos, J.A. See Camerini, U., 2=22624
- Gaidukov, M.G. See Pavlov, V.A., 2=23760
- Gaidukov, Yu.P. See Alekseevskii, N.E., 2=3873
- Gaidukov, Yu.P. See Alekseevskii, N.E., 2=8190
- Gaidukov, Yu.P. See Alekseevskii, N.E., 2=23117
- Gaidukov, Yu.P. See Alekseevskii, N.E., 2=23119
- Gailar, N.M. See Herndon, J.A., 2=20808
- Gailar, N.M. See Herget, W.F., 2=20809
- Gaillard, J.M. See Danby, G., 2=20308
- Gaillard, J.M. See Eisler, F., 2=22568
- Gaillard, J.M. See Grard, F., 2=1715
- Gaillard, J.M. See Grard, F., 2=22513
- Gailloud, M. See Brown, H.N., 2=12013
- Gailloud, M. See Dahl-Jensen, E., 2=5553
- Gainar, E. and Gainar, I. Chemical effects associated with the radiation capture of thermal neutrons by dichromates, 2=21592
- Gainar, I. See Gainar, E., 2=21592
- Gaines, G.L., Jr. and Cannon, P. On the energetics of physically adsorbed films, with particular reference to the use of krypton for surface area measurement, 2=2429
- Gaines, G.L., Jr. See Cannon, P., 2=2430
- Gaines, J. See Barnes, G., 2=21954
- Gaines, W.M. See Davis, H.L., 2=20717
- Gainon, D. and Lacroix, R. Electron paramagnetic resonance of Fe^{3+} ion in Anatase, 2=12818
- Gaj, M. Resolution of two identical particles in the microscope for arbitrary phase difference between the particles and their surroundings, 2=9381
- Gaj, M. Contrast reduction in mirror objectives, 2=11468
- Gajewski, W., Pniewski, J., Pniewski, T., Sieminska, J., Soltan, M., Soltynski, K. and Suchorzewska, J. Double emission of ^6Li fragments in the interactions of 9 GeV protons with heavy emulsion nuclei, 2=14099
- Gajewski, W., Pniewski, J., Pniewski, T., Sieminska, J., Soltan, M., Soltynski, K. and Suchorzewska, J. Frequency of the emission of ^6Li , ^6B , and ^6Li fragments from interactions of 9 GeV protons with heavy emulsion nuclei, 2=20626
- Gal, J. Colard, J., 2=20201
- Gal, O., Pribicevic, S., Konstantinovic, S. and Draganic, I. Radiation dosimetry of the R.A. reactor at Vinca. Measurements by chemical dosimeters, 2=18372
- Galagali, R.J. Simultaneous occurrence of the corona pressure and Joshi effect in argon, 2=19914
- Galaktionov, A.I. See Voronkov, A.E., 2=18044
- Galaktionov, B.V. See Ovsyannikov, V.A., 2=5356
- Galanin, A.D. and Grashin, A.F. Calculation of the pion-nucleon amplitude by taking into account the π - π interaction, 2=22457
- Galanin, M.D. and Chizhikova, Z.A. Duration of the photo and radio-luminescence of anthracene and naphthalene crystals, 2=6628
- Galanin, M.D., Leontovich, A.M. and Chizhikova, Z.A. The coherence and directionality of a pulsed ruby optical maser, 2=22021
- Galasiewicz, Z. Calculation of the moments of inertia of nuclei by the method of approximate second quantization, 2=12118
- Galasiewicz, Z. On the wave function of the anomalous state of Fermi-system, 2=19803
- Galasso, F. and Darby, W. Ordering of the octahedrally coordinated cation position in the perovskite structure, 2=8145
- Galateanu, I. See Stoian, D., 2=6059
- Galavanov, V.V., Kartuzova, I.A. and Nasledov, D.N. Measurement of the diffusion length for nonequilibrium current carriers in InSb, 2=8
- Galavanov, V.V. See Mamaev, S., 2=10486
- Galavanov, V.V. See Vinogradova, K.I., 2=21151
- Galbraith, W., Sharp, P.H. and Sherwood, A.C. Recent work on spark chamber techniques, 2=9757
- Gal'chinskii, L.P. See Palatnik, L.S., 2=23370
- Gale, B. and Hale, K.F. The theory and operation of an electron-microscope goniometer stage, 2=14971
- Gale, N.H. See Calvert, J.M., 2=10142
- Gale, N.H. See Garg, J.B., 2=1919
- Gale, N.H. See Garg, J.B., 2=20669
- Gale, N.H. See Takayanagi, S., 2=3570
- Galeev, G.S. See Chechernikov, V.I., 2=23635
- Galejs, A. See Rose, P.H., 2=5387
- Galejs, A. See Wittkower, A.B., 2=11723
- Galejs, J. Terrestrial extremely low frequency noise spectrum in the presence of exponential ionospheric conductivity profiles, 2=1300

- alenko, P.P. See Akulov, N.S., 2=4320
- aliana, R. See Bougnot, G., 2=5395
- alil, U. See Kanter, M., 2=2978
- alindo, A. On a class of perturbations in quantum field theory, 2=22391
- alindo, A., Morales, A. and Nunez-Lagos, R. Superselection principle and pure states of n -identical particles, 2=11294
- alindo Tixaire, A. Scattering general analysis, 2=16153
- alitskii, V.M. See Vaks, V.G., 2=2952
- alitskii, V.M. See Vaks, V.G., 2=15498
- alkin, A.A. and Korolyuk, A.P. An apparatus for studying ultrasonic absorption in metals at low temperatures, 2=5123
- alkin, A.A. and Naberezhnykh, V.P. Paramagnetic resonance in metallic aluminium, 2=765
- alkin, A.A. See Bezuglyi, P.A., 2=8162
- alkin, G.N., Nolle, E.L. and Vavilov, V.S. Recombination levels in p-type silicon resulting from high-temperature heat treatment, 2=637
- alkin, G.N., Nolle, E.L. and Vavilov, V.S. Recombination levels in p-type silicon resulting from high-temperature heat treatment, 2=4025
- alkin, G.N. See Malovetskaya, V.M., 2=18689
- alkin, G.N. See Malovetskaya, V.M., 2=23363
- alkin, G.N. See Nolle, E.L., 2=4043
- alkin, G.N. See Vavilov, V.S., 2=23365
- alkin, L.N. and Kurbatov, L.N. Effect of oxygen on the photo-luminescence of lead sulphide films, 2=21266
- alkina, O.S., Chernikovs, L.A., Chzhan Kai-da [Chang K'ai-ta] and Kondorskii, E.I. Electric properties of thin nickel films at low temperatures, 2=3985
- alkina, T.I. See Rzanov, A.V., 2=23330
- all, C.D. See Burnhart, G., 2=5547
- all, C.D. See Kenney, V.P., 2=9892
- all, C.D. See Kenney, V.P., 2=11977
- all', L.N., Gall', R.N., Rutgaizer, Yu.S. and Shereshevskii, A.M. Three-filament ion sources, 2=20043
- all', L.N. See Kel'man, V.M., 2=11730
- all, R. Störmer's inner allowed regions and the radiation belts, 2=15268
- all, R. The secular variation of the geomagnetic field and the cut-off momenta, 2=15273
- all', R.N. See Gall', L.N., 2=20043
- allagher, C.C. See Combes, L.S., 2=22225
- allagher, C.J., Jr. Coupling of angular momenta in two-particle states in deformed even-even nuclei, 2=12112
- allagher, C.J., Jr. and Soloviev, V.G. Two-quasi-particle states in even-mass nuclei with deformed equilibrium shape, 2=18248
- allagher, C.J., Jr., Jorgensen, M. and Skilbreid, O. A measurement of β^- and EC branching ratios in the decay of 8.15-h Ta^{180} and a search for the β^- decay of Hf^{180m} , 2=16347
- allagher, C.J., Jr. and Nielsen, H.L. Decay of 2.1-hour Ta^{178} , 2=12153
- allagher, H.E. Gridled electron guns for high average power, 2=15956
- allagher, P.B. See Eshleman, V.R., 2=17307
- allant, R. Frequency of meteorite falls through the ages, 2=15325
- allaway, W.S. See Stewart, J.E., 2=17623
- allegos, E.J. See Kiser, R.W., 2=19896
- allet, R.M. See Jones, W.B., 2=15225
- alli, M. See Brini, D., 2=5770
- alli, M. See Brini, D., 2=9944
- allic, Y.La. See Le Gallic, Y.
- alily, I. and Ailam, G. (Volinez). On the vapor pressure of electrically charged droplets, 2=11538
- alily, I. See Ailam (Volinez), G., 2=11345
- allina, V. and Nata, P. On the three-body Green's function for S-states, 2=13739
- allmann, A. See Gorodetzky, S., 2=440
- allmann, A. See Gorodetzky, S., 2=484
- allmann, A. See Gorodetzky, S., 2=485
- allmann, A. See Gorodetzky, S., 2=486
- allmann, A. See Gorodetzky, S., 2=22840
- allo, C.F., Miller, R.C., Sutter, P.H. and Ure, R.W., Jr. Bipolar electronic thermal conductivity in semimetals, 2=23087
- allone, S. A method for investigating equilibrium configuration in the drop model, 2=5780
- allone, S. and Ghilardotti, G. Two methods of deriving the equilibrium shapes of a liquid drop nucleus, 2=20485
- allop, J.W., Dutt, T.L. and Gibson, H. The behaviour of a plasma under the influence of a standing electromagnetic wave in the absence of a constant magnetic field, 2=5339
- alot, Y. and Leng, M. Study of the heterogeneity of grafted copolymers by light scattering, 2=12937
- alloway, R.B. See Bradford, G., 2=1354
- alman, B.A. Some fundamental considerations for lifting vehicles in return from satellite orbit, 2=4868
- alonsky, A.I. See Brosi, A.R., 2=16348
- Gal'per, A.M. See Bannik, B.P., 2=3002
- Gal'perin, Ye.L. See Beletskii, M.S., 2=21529
- Galperin, Yu.I. The energy sources of the upper atmosphere, 2=19210
- Gal'perin, Yu.I. See Krasovskii, V.I., 2=9022
- Galstyan, D.A. See Tumanyan, V.A., 2=354
- Galt, J.K. and Spencer, E.G. Loss mechanisms in spinel ferrites, 2=21355
- Galus, Z. and Adams, R.N. Analysis of the e.p.r. spectrum of n, n' -tetramethylbenzidine positive ion, 2=23000
- Galushchka, A.P. See Konozenko, I.D., 2=3968
- Galushchka, A.P. See Konozenko, I.D., 2=8260
- Galzenati, E. and Pusterla, M. A coupled analysis of the $I = 3/2$, $J = 3/2$, P and D waves in pion-nucleon scattering, 2=7885
- Gamba, A., Gamberini, L., Palmieri, G. and Sanna, R. Further experiments with PAPA, 2=2588
- Gamba, A., Palmieri, G. and Sanna, R. Self-learning in PAPA, 2=2589
- Gamba, A. See Borsellino, A., 2=2590
- Gamberini, L. See Gamba, A., 2=2588
- Gambino, R.J. See Tauber, A., 2=14938
- Gamble, F. See Hilton, A.R., 2=18843
- Gammel, J.L. See Baker, G.A., Jr., 2=7832
- Gamo, I. Infrared absorption bands due to the SO_4^{--} ion in $\text{NiSO}_4 \cdot 7\text{H}_2\text{O}$, $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$, $\text{CoSO}_4 \cdot 7\text{H}_2\text{O}$ and $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$, 2=4155
- Gamow, G. Gravity, 2=15462
- Ganapol'skii, E.M. and Chernets, A.N. Excitation of hypersound in quartz, 2=7286
- Gandais, M. Study of the structure of thin metal films deposited on an amorphous support, by means of X-ray diffraction and electron microscopy and diffraction, 2=10950
- Gandais, M. Study of the structure of thin metal films deposited on an amorphous support, by means of X-ray diffraction and electron microscopy and diffraction, 2=10951
- Gandais, M. Study of the structure of thin metal films deposited on an amorphous support, by means of X-ray diffraction and electron microscopy and diffraction, 2=10952
- Gandais, M. See Croce, P., 2=6848
- Gandais, M. See Croce, P., 2=19035
- Gandelman, G.M. Quantum-mechanical derivation of the equation of state of iron, 2=20943
- Gander, R. Theoretical and practical principles of modern microscopy, 2=22008
- Gandhi, J.M. The stability of a gravitating cylinder in the presence of magnetic fields, 2=15997
- Gandhi, J.M. The modes of instability of an infinitely long gravitating cylinder in the presence of magnetic fields, 2=17932
- Gandhi, O.P. Generation and radiation of ultramicrowaves by optical mixing, 2=22018
- Gandolfi, A. See Brini, D., 2=5770
- Gandolfi, A. See Brini, D., 2=9944
- Gandolfi, A. See Brini, D., 2=11197
- Gandy, A. Absolute measurement of the activity of radionuclides by the beta-gamma coincidence method with high efficiency detectors. Study of instrumental coincidences, 2=5826
- Ganeev, A.S. and Izrailev, I.M. Photoelectric yield for soft X-rays, 2=208
- Ganesan, A.S. Raman spectroscopy, 2=13451
- Ganesan, S. Temperature variation of the Grüneisen parameter in magnesium oxide, 2=6290
- Ganesan, S. Thermal expansion of triglycine sulphate, 2=10335
- Ganesan, S. and Srinivasan, R. Lattice dynamics of calcium fluoride. I. Lyddane, Sachs, Teller formula, diffuse X-ray scattering, and specific heat, 2=3819
- Ganesan, S. and Srinivasan, R. Lattice dynamics of calcium fluoride. II. Thermal expansion of calcium fluoride, 2=3820
- Ganesan, S. and Srinivasan, R. On Houston's method of evaluating integrals over the Brillouin zone: normalization factor in a simple cubic lattice, 2=21496
- Gangopadhyay, A.K. and Chakravorty, A. Charge transfer spectra of some gold (III) complexes, 2=4144
- Gangrskii, Yu.P., Gusinskii, G.M. and Lemberg, I.Kh. Investigation of $\text{Bi}^{212} \rightarrow \text{Po}^{212}$ decay of means of $\alpha-\gamma$ and $\gamma-\gamma$ coincidences, 2=16359
- Gangrskii, Yu.P. and Lemberg, I.Kh. Coulomb excitation of second 2^+ levels in intermediate weight even-even nuclei, 2=13979
- Ganguli, S.M. See Balasubrahmanyam, V.K., 2=20448
- Ganguli, S.N., Kameswara Rao, N. and Swami, M.S. Observations on the probable core of an extensive air shower recorded in an emulsion stack, 2=12084
- Ganguly, S.C. and Mukherjee, B.C. Polarization of optical spectra of 1-12 benzperylene ($\text{C}_{22}\text{H}_{12}$), 2=6572
- Gani, M.S.J. See Anderson, J.R., 2=19120
- Ganichev, D.A. See Shul'man, A.R., 2=17878
- Ganley, W.P. See Roetling, P.G., 2=2868

- Gannus, V.K. See Roizen, L.I., 2=17707
- Gans, F. See Bombre, F., 2=23613
- Gans, P.J. See Wall, F.T., 2=23021
- Gantmakher, V.F. A method for measuring the electron momentum in a metal, 2=28554
- Gan'zhin, M.A. A method of extracting protons from a proton synchrotron, 2=1539
- Gaposchkin, S. Heavy eclipsing system at high latitude, 2=19318
- Gaposchkin, S. 223 variables in the Andromeda Nebula, 2=19338
- Gaposchkin, S. An eclipsing variable in the Andromeda Nebula (M31), 2=19339
- Garabedian, H.L. See Foderaro, A., 2=22871
- Garanderie, H. Payen de la. See Payen de la Garanderie, H.
- Garault, Y. General property of a wave propagated in vacuo with the velocity of light which can be used to deflect ultra-relativistic particles, 2=7731
- Garault, Y. Solutions of wave equation in cylindrical coordinates which are consistent for all values of phase velocity, 2=11779
- Garault, Y. Expressions for elementary electromagnetic waves of the EH type in terms of cylindrical coordinates, 2=17948
- Garault, Y. Electromagnetic waves of EH type in cartesian coordinates, 2=17949
- Garazha, V.I. See Barabashov, N.P., 2=24089
- Garbacz, R.J. Electromagnetic scattering from radially inhomogeneous spheres, 2=22339
- Garbaty, E.A. See Jones, W.H., Jr., 2=4287
- Garber, R.I. and Kirilov, V.S. Spectral distribution of the optical density of [annealed and] plastically deformed rock salt crystals, 2=18810
- Garber, R.I., Zalivadnyi, S.Ya. and Mikhailovskii, V.M. Changes in the microstructure of uranium as a result of thermal cycling. II, 2=21545
- Garbutt, D.A. See Bull, V.A., 2=22514
- Garchinskii, V. Theory of multiplication of the influence functions, 2=4935
- Garchinskii, V. Theory of multiplication of the influence functions, 2=11275
- García, A. See Aguilar, J., 2=3611
- García, A. See Catala, J., 2=3612
- García, A. See Catala, J., 2=5965
- García, A. See Catala, J., 2=8008
- García, A.L. See Furet, J., 2=14172
- García-Blanco, S. See Smith, P., 2=10896
- García Moliner, F. and Esteve Pastor, A. The calculation of chemisorption isotherms on a model semiconductor surface, 2=4543
- García-Munoz, M. See Allison, S.K., 2=2968
- García-Munoz, M. See Allison, S.K., 2=18427
- García Rodríguez, A. See Catala, J., 2=1925
- Garczynski, W. On the majorization problem in perturbation theory, 2=11880
- Gardener, M., Jones, D.G., Taylor, F.E. and Wolfendale, A.W. The momentum spectrum of cosmic ray muons near sea level in the momentum range 0.4-10 GeV/c, 2=20480
- Gardener, M. See Brooke, G., 2=20469
- Gardeur, R. Le. See Le Gardeur, R.
- Gardiner, G.W. Experimental microbarograph, 2=2462
- Gardiner, W.C., Jr. Observations of induction times in the acetylene-oxygen reaction, 2=4531
- Gardner, A.L., Barr, W.L., Kelly, R.L. and Oleson, N.L. Diagnostic measurements on a highly ionized, steady-state plasma, 2=17821
- Gardner, A.L. See Barr, W.L., 2=114
- Gardner, A.L. See Hall, L.S., 2=17820
- Gardner, C. Proton capture gamma rays from Si^{28} in the photonuclear giant resonance region, 2=1884
- Gardner, C.C. and Anderson, J.D. Gamma yield from the proton bombardment of tritium, 2=3419
- Gardner, C.H.F. Extensional waves in fluid-saturated porous cylinders, 2=2810
- Gardner, D.G. Trends in nuclear reaction cross-sections. I. The (n,p) reaction induced by 14 MeV neutrons, 2=5929
- Gardner, D.G. and Poularikas, A.D. Trends in nuclear reaction cross-sections. II. The effect of pairing energy δ values, 2=14109
- Gardner, D.G. See Bramlitt, E.T., 2=3597
- Gardner, D.G. See Kantele, J., 2=16419
- Gardner, E.F. See Rank, D.H., 2=17126
- Gardner, F.F. and Whiteoak, J.B. Polarization of 20 cm wavelength radiation from radio sources, 2=24178
- Gardner, G. and Coomes, E.A. Note on the torsion induced recrystallization of molybdenum and tungsten filaments, 2=8785
- Gardner, W.J. See Durig, J.R., 2=23536
- Gardner, W.L. See Billups, R.R., 2=9447
- Garelli, C.M., Marzari, Chiesa, A., Rinaudo, G. and Vigone, M. Interactions of 1.15 GeV/c K^- mesons in emulsion. III, 2=5737
- Gardner, M.E. Maxwell's solution of Kirchhoff's laws and the superposition theorem, 2=17742
- Gardner, M.E. See Jungerman, J.A., 2=13774
- Garelis, E. Treatment of annular voids in diffusion theory, 2=1387
- Garelis, E. Eigenvalues for the Wilkins equation, 2=20349
- Garelli, C.M. See Bellini, G., 2=22573
- Garelli, C.M. See Di Corato, M., 2=22627
- Garetta, D. See Chaminade, R., 2=1923
- Garforth, F.A. See Meacock, H.F., 2=15716
- Garfunkel, J.H. See Blue, M.D., 2=130
- Garfunkel, J.H. See Kruse, P.W., 2=10534
- Garg, J.B., Gale, N.H. and Calvert, J.M. Distorted wave effects in stripping, 2=1919
- Garg, J.B., Gale, N.H. and Calvert, J.M. Neutron-gamma angular correlation studies from the reaction $\text{Be}^9(d, n\gamma)\text{B}^{10}$, 2=20669
- Garg, J.B. See Calvert, J.M., 2=10142
- Garg, J.B. See Takayanagi, S., 2=3570
- Garifyanov, N.S., Fedotov, V.N. and Timerov, R.Kh. Measurement of spin-lattice relaxation times in supercooled solutions of Ti^{3+} by the continuous saturation method, 2=15617
- Garifyanov, N.S., Kozyrev, B.M., Timerov, R.Kh. and Usacheva, N.F. Electron paramagnetic resonance in concentrated aqueous solution of VO^{3+} , 2=61
- Garifyanov, N.S., Fedotov, V.N. and Timerov, R.Kh. Measurement of spin-lattice relaxation times in supercooled solutions of Ti^{3+} by the continuous saturation method, 2=17483
- Garifyanov, N.S., Kozyrev, B.M., Timerov, R.Kh. and Usacheva, N.F. Electron paramagnetic resonance in concentrated aqueous solution of VO^{3+} , 2=61
- Garifyanov, N.S., Kozyrev, B.M., Timerov, R.Kh. and Usacheva, N.F. Electron paramagnetic resonance in dilute vanadyl chloride solutions, 2=15621
- Garifyanov, N.S. See Avvakumov, V.I., 2=10706
- Garin, A. See Rosen, L., 2=16400
- Garing, J.S. and Howard, J.N. University research in infrared physics, 2=22032
- Garino-Canina, V. Some physical properties of pure and vitreous germanium oxide due to structural defects, 2=4020
- Garino Canina, V. and Priqueler, M. Diffusion of protons in $\text{SiO}_2 + \text{A}$ glass in an electrical field, 2=10410
- Garkusha, I.P. and Lyubov, B.Ya. The question of the mechanism of ferrite centre growth during isothermal decomposition of austenite, 2=23897
- Garland, C.W. and Park, K.C. Low temperature elastic contents of gallium arsenide, 2=18977
- Garland, C.W. and Wilt, J.R. Infrared spectra and dipole moments of $\text{Rh}_2(\text{CO})_4\text{Cl}_2$ and $\text{Rh}_2(\text{CO})_4\text{Br}_2$, 2=10234
- Garland, C.W. See Isaacs, L.L., 2=14380
- Garland, G.D. The upper mantle project, 2=21615
- Garlick, G.F.J. and Checinska, H. Recombination radiation and photoconduction efficiency in lead sulphide layers, 2=8240
- Garlick, G.F.J., Cunliffe, A. and Jones, M.N. Some effects observed in electron spin resonance of the diffusion of manganese into the calcium and strontium fluoride lattices, 2=10409
- Garn, P.D., Geith, G.R. and DeBala, S. Furnace mounting and control system for Ainsworth vacuum automatic recording balance, 2=
- Garnache, R. See Dreiner, R., 2=8767
- Garner, C.S. See Pearson, I.M., 2=4526
- Garner, E.L. See Shields, W.R., 2=14227
- Garofalo, R. and Wriedt, H.A. Density change in an austenitic stainless steel deformed in tension or compression, 2=23746
- Garofano, T. See Agnetta, G., 2=8522
- Garreta, H. See Chaminade, R., 2=494
- Garrett, C.G.B. Organic semiconductors, 2=23304
- Garrett, C.G.B., Kaiser, W. and Bond, W.L. Stimulated emission into optical whispering modes of spheres, 2=2244
- Garrett, D.L. See Detwiler, C.R., 2=2480
- Garrido, L.M. Action principle for classical mechanics, 2=2593
- Garrido, L.M. Approximate constancy of adiabatic invariants, 2=49
- Garrido, L.M. Relativistic quantum mechanics, 2=11277
- Garrido, L.M. and Sancho, F.J. Degree of approximate validity of the adiabatic invariance in quantum mechanics, 2=15484
- Garrigue, C. See Durivault, J., 2=11385
- Garrigue, H. Artificial radioactivity of the air and of precipitation, 2=4612
- Garrigue, H. Artificial radioactivity of the air and its precipitations, 2=15205
- Garriott, O.K. See de Mendonca, F., 2=13030
- Garrison, J.C. See Belinfante, F.J., 2=2624
- Garrison, J.D. and Roos, B.W. Fission-product capture cross sections, 2=5988
- Garron, J.P., Jacmart, J.C., Riou, M. and Ruhla, C. The (p, 2p) reaction of C^{12} at 155 MeV, 2=455

- arron, J.P., Jacmart, J.C., Riou, M. and Ruhla, C. Momentum distribution of protons in ^{12}C nucleus from p, 2p reaction at 155 MeV, 2=1893
- arron, J.P., Jacmart, J.C., Riou, M., Ruhla, C., Teillac, J., Caverzasio, C. and Strauch, K. Quasi-elastic interaction of 155 MeV protons with protons in Li^6 and Li^7 , 2=1895
- arron, J.P., Jacmart, J.C., Riou, M., Ruhla, C., Teillac, J. and Strauch, K. Study of the structure of light nuclei by (p, 2p) reactions at 155 MeV, 2=20625
- arron, J.P. See Ruhla, C., 2=20617
- arron, R. Photoelectric yield of thin films of aluminium, 2=5369
- arron, R. Optical scattering by thin metal films, 2=13455
- arron, R. Photoelectric yield and work function of thin metal films, 2=17867
- arron, R., Liberman, M. and Testard, D. Temperature variation of the work function of potassium, 2=22242
- arron, R. and Testard, D. Evidence and measurements on the effect of temperature on the work function of potassium, 2=1476
- arroni, A. See Facchini, A., 2=12244
- arrood, J.R. Methods of improving the sensitivity of the Bitter technique, 2=13649
- arscadden, A. and Emeleus, K.G. Notes on the effect of noise on Langmuir probe characteristics, 2=9598
- arscadden, A. and Emeleus, K.G. The dead space in plasma oscillators, 2=9605
- arscadden, A. and Gray, E.M. Spectroscopic detection of the onset of plasma oscillations in a gas discharge, 2=22233
- arscadden, A. See Emeleus, K.G., 2=17850
- arscadden, A. See Mahaffey, D.W., 2=2464
- arstang, R.H. Transition probabilities for permitted and forbidden lines of Si X, Fe XIV and Fe X, 2=14205
- arstang, R.H. Hyperfine structure and intercombination line intensities in the spectra of magnesium, zinc, cadmium, and mercury, 2=16480
- arstang, R.H. Two solar ultra-violet lines of neutral carbon, 2=19307
- arstang, R.H. Transition probabilities for forbidden lines of Fe II, 2=22904
- arstang, R.H. See Douglas, A.S., 2=10210
- arstone, J. and Nileshwar, V.B. Retardation of diffusion-controlled processes by deformation, 2=830
- arte, D. See Drescher, K., 2=7773
- artner, H. The uniaxial magnetic anisotropy of thin films of nickel and iron formed by cathode sputtering, 2=12780
- artner, W.W., Loscoe, C. and Mette, H. Photomagnetothermal effect in semiconductors, 2=14523
- artner, W.W. See Ahlstrom, E., 2=18754
- arton, W.R.S. and Codling, K. The absorption spectra of the alkaline earth metal vapours, 2=14190
- arton, W.R.S., Parkinson, W.H. and Reeves, E.M. The absorption spectrum of shock-excited barium, 2=22897
- arvey, G.T., Smith, A.M., Hiebert, J.C. and Steigert, F.E. Mutual excitation via a two-phonon surface interaction in $\text{C}^{12}(\text{C}^{12}, \text{C}^{12*})\text{C}^{12*}$, 2=5972
- arvin, D., Broida, H.P. and Kostkowski, H.J. Chemically induced vibrational excitation: hydroxyl radical emission in the 1-3 micron region produced by the $\text{H} + \text{O}_2$ atomic flame, 2=16513
- arvin, D. See Bass, A.M., 2=20821
- arvin, S.J. See Steinort, E., 2=12719
- arwin, R.L. See Charpak, G., 2=1700
- arwin, R.L. See Charpak, G., 2=3367
- arwin, R.L. See Charpak, G., 2=13832
- asc, C. and Baudeau, M. Different recrystallization processes in beryllium, 2=19032
- ascon, F. An action principle for relativistic mechanics, 2=7124
- ashmizade, F.M. and Khartsiev, V.E. Energy structure of complex semiconductors. The valence band spectrum of anisotropic compounds of SnS-type, 2=18710
- asiorowicz, S.G. See Case, K.M., 2=3255
- asior, S. See Wesolowski, J., 2=11042
- askell, C.S. See Barber, P.B., 2=9555
- aspar, E., Licaret, C. and Serban, D. Deactivation of water contaminated by radioactive isotopes, 2=4523
- aspar, R., Tamassy-Lentei, I. and Kruglyak, K. United-atom model for molecules of the type XH_n , 2=6200
- asson, D.B. Apparatus for the differential thermal analysis of compounds with high vapour pressure components, 2=7087
- asson, D.B., Holmes, P.J., Jennings, I.C., Marathe, B.R. and Parrott, J.E. The properties of ZnSnAs_2 and CdSnAs_2 , 2=23417
- ast, P.F. Formulas for thermal reactors with some resonance fission, 2=6011
- ast, R.C. See Amster, H.J., 2=5650
- ast, R.C. See Amster, H.J., 2=5681
- Gastebois, J., Jastrzebski, J., Picou, J.L., Quidort, J. and Schapira, J.P. (d, α) reactions in carbon 12, 2=487
- Gastebois, J. and Quidort, J. Evidence of the quadrupole moment of the nucleus of iron 57, 2=3468
- Gastebois, J. See Cotton, E., 2=351
- Gatecel, J. and Weill, G. Equipment for measuring the thermal conductivity of semiconductors. II. Angstrom method, 2=22074
- Gates, D.C., Kenney, R.W. and Swanson, W.P. Electron triplet production by high-energy photons in hydrogen, 2=5627
- Gates, J.W., Habell, K.J. and Jackson, A. The refractive index of materials from 0.2μ to 5μ , 2=96
- Gates, J.W. and King, R.J. Synthetic crystalline quartz for ultraviolet polarizers, 2=7411
- Gates, W.L. The stability properties and energy transformations of the two-layer model of variable static stability, 2=8960
- Gatos, H.C. Crystalline structure and surface reactivity, 2=21559
- Gatos, H.C., Lavine, M.C. and Warekois, E.P. Damages layers in the {111} surfaces of the III-V semiconductor compounds, 2=23764
- Gatos, H.C. See Banus, M.D., 2=17729
- Gatos, H.C. See Lavine, M.C., 2=8777
- Gatos, H.C. See Reed, T.B., 2=19815
- Gatos, H.C. See Warekois, E.P., 2=6791
- Gatti, E. and Svelto, V. Time resolution in scintillation counters, 2=9734
- Gatti, E. See Cavalleri, C., 2=22377
- Gatti, E. See De Martini, F., 2=15869
- Gatti, E. See Fabri, G., 2=20200
- Gatti, G. See Fidecaro, M., 2=9840
- Gatti, G. See Fidecaro, M., 2=22506
- Gatto, R. See Cabibbo, N., 2=275
- Gatto, R. See Cabibbo, N., 2=3259
- Gatto, R. See Zichichi, A., 2=9849
- Gatz, C., Smith, F.T. and Wise, H. Chemionization in three-body gas phase reactions, 2=151
- Gaunt, P. See Smith, J.H., 2=6820
- Gaus, H. The computation of the diffusion of radioactive gases. I, 2=15634
- Gaus, H. Calculation of the diffusion of radioactive gases. II, 2=19606
- Gaustad, J.E. and Spitzer, L., Jr. The far ultraviolet line spectrum of a B2 star, 2=4814
- Gautherin, G. See Becherer, R., 2=20038
- Gauthier, R. See Davoine, F., 2=10630
- Gautier, F. Influence of the form of the Fermi surface on the electron distribution around an impurity dissolved in copper, 2=10354
- Gautier, P., Lacoste, R., Meric, J. and Raynard, J. Analytical solution of the topography of the field of four conducting half-planes in an infinite dielectric medium, 2=11597
- Gautier, R. See Pauthier, M., 2=10585
- Gautron, R., Roch, J., Ptak, M. and Wippler, C. Electron paramagnetic resonance of γ -irradiated polyvinyl chloride, 2=775
- Gauvin, H. See Sebaoun, W., 2=7969
- Gaven, J.V., Stockmayer, W.H. and Waugh, J.S. Self-diffusion and impurity-controlled proton relaxation in liquid ethane, 2=21924
- Gavenda, J.D. and Deaton, B.C. Resonant absorption of ultrasound by open-orbit electrons in cadmium, 2=16601
- Gavin, P., Mandrin, C. and Vittoz, B. Calculation methods for heterogeneous media of neutron production. Application to a system of five plutonium-beryllium neutron sources in a graphite moderator, 2=6034
- Gavin, P., Mandrin, C. and Vittoz, B. Coupling of two heterogeneous neutron-multiplying media, 2=18388
- Gavis, J. and Koszman, I. Development of charge in low conductivity liquids flowing past surfaces: a theory of the phenomenon in tubes, 2=1164
- Gavrila, M. Relativistic L-shell photoeffect, 2=530
- Gavrilova, I.V. See Yurin, V.A., 2=14622
- Gavrilova, N.D. See Strukov, B.A., 2=14629
- Gavriluk, V.M. See Vedula, Yu.S., 2=15104
- Gavrin, P.P. See Borodin, A.V., 2=22223
- Gawehn, H. Calculation of the maximum contamination of evaporated metal films by the residual gases in the vacuum system, 2=10942
- Gawin, J. See Firkowski, R., 2=12065
- Gay, R. See Prat, T., 2=10920
- Gayley, R.I., Jr., Lynton, E.A. and Serin, B. Specific heats of tin alloys and their relation to the superconducting transition temperature, 2=10330
- Gaylord, E.W. See Kuhn, H.A., 2=21889
- Gazis, D.C. and Wallis, R.F. Surface vibrational modes in crystal lattices with complex interatomic interactions, 2=3824
- Gazis, D.C. See Wallis, R.F., 2=23047
- Gazzarrini, F. See Felcher, G.P., 2=3670
- Geballe, T.H., Matthias, B.T., Corenzwitz, E. and Hull, G.W., Jr. Superconductivity in molybdenum, 2=17726

- Geballe, T.H. See Hein, R.A., 2=17727
 Geballe, T.H. See Hulm, J.K., 2=1338
 Geballe, T.H. See Pollak, M., 2=23356
 Gebuhr, W. See Fitzer, E., 2=12272
 Gebbie, H.A., Delboulle, L. and Roland, G. The use of a Michelson interferometer to obtain infrared spectra of Venus, 2=13108
 Gebbie, H.A. See Austin, I.G., 2=4130
 Gebbie, H.A. See Plyler, E.K., 2=17685
 Ge'berg, A. Anisotropy of γ -radiation in the Mössbauer effect, 2=350
 Gebhardt, E., Seghezzi, H.D. and Dürrschnabel, W. Investigation of the zirconium-oxygen system. I. The electrical resistivity of oxygenated zirconium, 2=3983
 Gebhardt, E., Seghezzi, H.D. and Dürrschnabel, W. Investigation of the zirconium-oxygen system. II. Investigation of the kinetics of the reaction between zirconium and oxygen, and of the constitution of zirconium-oxygen systems, 2=4459
 Gebhardt, E., Seghezzi, H.D. and Dürrschnabel, W. Investigation of the zirconium-oxygen system. III. The recrystallization behaviour of zirconium wires, 2=4472
 Gebhardt, W. Interstitial ions as the operative defects in thermal conduction experiments on KCl and KBr single crystals, 2=21088
 Gebhardt, W. See Lüty, F., 2=23219
 Gebhart, J. See Menzel, E., 2=16802
 Gebhart, J.E. See Rushing, S.S., 2=21776
 Gebhart, J.E. See Steinfink, H., 2=12900
 Gedeonov, L.I. See Shvedov, V.P., 2=13010
 Gee, A. Electrochemiluminescence at a silicon anode in contact with an electrolyte, 2=4192
 Geffen, D.A. Reaction, $\pi^- + p \rightarrow e^+ + e^- + n$, as a means of measuring the electromagnetic form factor of the charged pion, 2=7883
 Geffen, D.A. See Brene, N., 2=7897
 Gegauff, C. See Cüer, P., 2=504
 Gegauff, C. See Pfohl, R., 2=505
 Geguzin, Ya.E. and Lifshits, I.M. The mechanism and kinetics of "healing" of an isolated pore in a crystalline body, 2=18566
 Geguzin, Ya.E. and Lifshits, I.M. The mechanism and kinetics of "healing" of an isolated pore in a crystalline body, 2=23148
 Geguzin, Ya.E. and Ovcharenko, N.N. A study of processes on the surfaces of monocrystals. III. The kinetics of closing-up of "prick" traces on rocksalt monocrystal surface, 2=2420
 Geguzin, Ya.E. and Ovcharenko, N.N. Application of the adsorption pump in metallographic investigations at high temperatures, 2=2784
 Geguzin, Ya.E. and Ovcharenko, N.N. Study of surface phenomena of single crystals. II. Mechanism and kinetics of the levelling of defects on the surface of crystals with considerable anisotropy of the coefficient of surface tension, 2=4484
 Geguzin, Ya.E. and Ovcharenko, N.N. Investigation of some physical processes occurring on crystal surfaces at high temperatures. VII. Role of viscous flow in smoothing irregularities of solid surfaces, 2=8874
 Geguzin, Ya.E. and Ovcharenko, N.N. Surface energy and processes on the surfaces of solid bodies, 2=12368
 Geguzin, Ya.E., Ovcharenko, N.N. and Paritskaya, L.N. Interactions of vacancies with grain boundaries, 2=3928
 Geguzin, Ya.E., Ovcharenko, N.N. and Paritskaya, L.N. Interactions of vacancies with grain boundaries, 2=8234
 Geguzin, Ya.E. and Paritskaya, L.N. The effect of expansion of localized porous regions in a crystalline body, 2=4354
 Geguzin, Ya.E. and Paritskaya, L.N. The effect of expansion of localized porous regions in a crystalline body, 2=12876
 Gehrels, E. See Pettengill, G.H., 2=13174
 Gehrels, T. Wavelength dependence of the polarization of the sunlit sky, 2=21636
 Gehrels, T. and Owings, D. Photometric studies of asteroids. IX. Additional light-curves, 2=15318
 Geick, R. The dispersion of sodium chloride in the region of its infrared eigen-vibration, 2=6541
 Geick, R. The absorption of various types of quartz glass in the spectral region 150 to 275 microns, 2=7341
 Geiger, G.H. See Makky, R.W., 2=6714
 Geiger, J. Angular dependence of the energy losses of medium fast electrons in antimony, 2=23142
 Geiger, J. See Boersch, H., 2=23143
 Geiger, J.S., Graham, R.L. and Ewan, G.T. The decay scheme of the > 30 -yr Ho^{166} isomer, 2=7939
 Geiger, J.S., Graham, R.L. and Ewan, G.T. The decay of Ce^{144} , 2=3523
 Geiger, J.S. See Ewan, G.T., 2=1801
 Geiger, J.S. See Ewan, G.T., 2=3481
 Geiger, J.S. See Graham, R.L., 2=1511
 Geiger, J.S. See Graham, R.L., 2=10019
 Geiger, J.S. See Graham, R.L., 2=15872
 Geiger, K.W. and Jarvis, C.J.D. Neutrons and gamma rays from Po^{210} - $\text{Bi}^{210}(\alpha, n)$ and Po^{210} - $\text{Bi}^{211}(\alpha, n)$ sources, 2=3620
 Geil, P.H. Folded molecules in lamellas crystallized from molten polymers, 2=8835
 Geith, G.R. See Garn, P.D., 2=11318
 Geilikman, B.T. and Kresin, V.Z. Thermal conductivity of pure superconductors and absorption of sound in superconductors, 2=141
 Geilikman, B.T. and Kresin, V.Z. Effect of anisotropy on the properties of superconductors, 2=1335
 Geisler, C.D. and Rosenblith, W.A. Average responses to clicks recorded from the human scalp, 2=4901
 Geisler, M. and Brunner, G. Contribution to the quantitative evaluation of gamma-scintillation spectrograms, 2=7845
 Geiss, J., Oeschger, H. and Signer, P. Radiation age of chondrites, 2=19874
 Geiss, J. See Eberhardt, P., 2=4750
 Geiss, J. See Herr, W., 2=4758
 Geist, D. and Grosse, P. Growth conditions for the Czochralski process, 2=8781
 Geist, D. See Römelt, G., 2=8600
 Gelard, J. Derivation of the finite difference equations for points on the edge of a distribution of surface charge. The stream function for bodies of revolution, 2=1375
 Gelard, J. Flux density in a cylindrical and uniform coil of finite length, 2=11749
 Gelard, J. Potential and flux of a uniform distribution of charge on a thin short cylindrical shell, 2=19874
 Gelato, G., Rosatelli, C. and Sinigaglia, G. The Italian Cross radio telescope. II. Preliminary design of the receiver, 2=11153
 Gelbard, E.M. and Davis, J.A. The behavior of extrapolation distances in die-away experiments, 2=18130
 Gel'berg, A. Anisotropy of γ -radiation in the Mössbauer effect, 2=22712
 Gel'berg, A. See Bedike, T., 2=22748
 Gel'berg, A. See Komsha, G., 2=17860
 Gelberg, A. and Iovan, M. Scintillation spectrometer with automatic counting, 2=7793
 Gelberg, A. See Bajeu, G., 2=7670
 Gel'd, P.V. and Gertman, Yu.M. The density of molten alloys of silicon with cobalt and nickel, 2=19543
 Gel'd, P.V. See Korshunov, V.A., 2=8299
 Geletsanu, I. See Stoyan, D., 2=6048
 Gel'fand, I.M., Graev, M.I., Zueva, N.M., Morozov, A.I. and Solov'ev, L.S. Magnetic surfaces if the three-path helical magnetic field excited by a crimped field, 2=20098
 Geller, M. Two-center, nonintegral, Slater-orbital calculations: integral formulation and application to the hydrogen molecule-ion, 2=14314
 Geller, M., Frost, A.A. and Lykos, P.G. Distortion of atomic orbitals: molecular orbitals. I. Polarization of the hydrogen atom in H_2^+ , 2=14315
 Geller, M. and Ludwig, O.G. On the use of nonintegral exponents in elliptical coordinate wave functions, with special reference to the hydrogen molecule-ion, 2=8117
 Geller, R. and Lucarain, M. Ionic oscillations in magnetic-field-free high-frequency plasmoids, 2=1465
 Geller, S. Parameter interaction in least squares structure refinement, 2=10842
 Geller, S. The crystal structure of $\text{Pd}_{17}\text{Se}_{15}$, 2=15026
 Gelles, R. A general-purpose infrared lens, 2=9366
 Gelli, D. A qualitative model for amplitude dependent dislocation damping, 2=10395
 Gelling, W.G. and Haanstra, J.H. A red electroluminescent ZnSe phosphor, 2=8594
 Gellings, P.J. Measures used in describing the damping of ultrasound, 2=7294
 Gellings, P.J. Damping of ultrasound in metals, carbon steels and nickel, 2=13418
 Gell-Mann, M. Symmetries of baryons and mesons, 2=3256
 Gell-Mann, M. Factorization of coupling due to Regge poles, 2=1327
 Gell-Mann, M. and Goldberger, M.L. Elementary particles of conventional field theory as Regge poles, 2=22447
 Gell-Mann, M., Sharp, D. and Wagner, W.G. Decay rates of neutral mesons, 2=11997
 Gell-Mann, M. See Frautschi, S.C., 2=16165
 Gell-Mann, M. See Udgaonkar, B.M., 2=13746
 Geller, S., Williams, H.J. and Sherwood, R.C. Substitution of Fe^{3+} ions in Sc_2O_3 and In_2O_3 , 2=4424
 Geller, S., Williams, H.J., Sherwood, R.C. and Espinosa, G.P. Substitution of divalent transition metal ions in yttrium iron garnet, 2=12698
 Gelsema, E.S. See Di Corato, M., 2=22627
 Gelsema, E.S. See Valckx, F.P.G., 2=10124
 Gemesy, T. See Bhattacharya, P.C., 2=12096
 Gemmell, D.S. and Jones, G.A. The $\text{T}(p, \gamma)\text{He}^4$ reaction, 2=13894
 Gemmell, D.S. See Dearnaley, G., 2=18252
 Gemmell, D.S. See Dearnaley, G., 2=18265

- Amperle, A., Rozsival, M. and Sestak, B. Electron microscope study of dislocations in slip bands of bent Fe-3.2% Si alloy single crystals, 2=21041
- An, M. Ya. and Petrov, Yu. I. The range in aluminium of 14.7 MeV protons, 2=3337
- Andell, J., Cotts, R. M. and Sienko, M. J. Magnetic-resonance studies of lithium vanadium bronze, 2=18963
- Andrin, R. Guiding of whistlers by the magnetic field, 2=4608
- Andrin, R. and Stefani, R. Recording and spectral analysis of very low frequency oscillations of the terrestrial magnetic field in the range 1 to 50 c/s, 2=13062
- Andron, M. F. and Jones, R. E. Superconductivity in the CuAl₂ (C16) crystal class, 2=13514
- Andzhoyan, G. V. See Kheifets, S. A., 2=5420
- Anerlov, N. A. See Mosev, S. A., 2=12350
- Anerlov, N. A. See Mosev, S. A., 2=14334
- Angenagel, H. Magnetic behaviour of Fe-Al single crystals. I. The influence of the degree of ordering on the magnetic properties. II. The influence of precipitation on the coercivity and remanence of Fe-Al crystals, 2=14770
- Angenagel, H. See Daniel-Szabo, J., 2=4333
- Anin, J., Radvanyi, P., Brissaud, I. and Detraz, C. Protons, deuterons, tritons and helium nuclei emitted by Au¹⁹⁷ under the action of 154 MeV protons, 2=453
- Anin, J. See Radvanyi, P., 2=1892
- Anin, J. See Radvanyi, P., 2=3571
- Anin, R. and Ribrag, M. Scattering cross-section for slow neutrons from hydrogen in metallic hydrides, 2=547
- Ankin, G. M. Free path of excitons in polar crystals, 2=10357
- Ankin, I. L. The K-effect and the spiral structure of the galaxy, 2=21743
- Ankin, V. N. and Fain, V. M. On the antiferromagnetic resonance line width, 2=4244
- Ankin, Ya. E. and Romyantsev, I. A. Allowing for apparatus distortion and the width of dispersion type inner levels in emission spectra, 2=15974
- Ankin, Ya. E. See Korsunskii, M. I., 2=12608
- Ankin, Ya. E. See Korsunskii, M. I., 2=14694
- Ankin, Ya. E. See Korsunskii, M. I., 2=14695
- Ankin, Ya. E. See Korsunskii, M. I., 2=16841
- Ankin, Ya. E. See Korsunskii, M. I., 2=21260
- Annes, P. G. de. See de Gennes, P. G.
- Ansollen, C. See Barloutaud, R., 2=22560
- Anthony, J. P. The calculation of damage flux for Wigner effect, 2=22865
- Antner, W., Lippolt, H. J. and Schaeffer, O. A. The potassium-argon age of a glass sample from the Nördlingen Ries, 2=11009
- Anty, R. See Theimer, O., 2=5330
- Anzel, L. See Bilz, H., 2=11812
- Anzel, L. See Happ, H., 2=7752
- Anzel, L. See Renk, K. F., 2=22051
- Anzel, L. See Séger, G., 2=18813
- Arge, D. W. and Messerle, H. K. Electrode phenomena in magneto-hydrodynamic power generation, 2=22322
- Arge, E. P. Electrical properties of active membranes, 2=21748
- Arge, G. T. See Gilbert, L. A., 2=24236
- Arge, R. See Berley, D., 2=22633
- Argescu, I. I. See Angelescu, D., 2=5557
- Argio, N. V. See Troitskaya, V. A., 2=19235
- Argiu, Z. See Balli, D., 2=20630
- Argobiani, A. N. Electroluminescence excitation process in ZnS, 2=8593
- Argobiani, A. N. and Fok, M. V. The phase of electroluminescence light pulses as a function of excitation voltage parameters, 2=6642
- Arp, D. V. Space-charge-limited tunnel emission into an insulating film, 2=23254
- Arp, D. V. and Barnes, C. W., Jr. The equivalent noise temperature of the tunnel cathode, 2=12532
- Aradin, C., Bilwes, R. and Magnac-Valette, D. Distance-energy curves for alpha-particles in aluminium, 2=5852
- Arard, V. B. Laboratory alkali metal vapour lamps for optical pumping experiments, 2=11479
- Arard, V. B. Atomic frequency standards using optical pumping of rubidium-87 and caesium-133 in gas cells, 2=16486
- Araseva, L. A. and Vavilov, V. V. The slowing down of neutrons in iron-water assemblies, 2=11955
- Arasimenko, V. I. Two-electron charge exchange of protons in helium during fast collisions, 2=159
- Arasimov, F. M. See Rassudova, G. N., 2=5187
- Arasimov, S. B. Dispersion relations for scattering of γ -quanta on nuclei, 2=20584
- Arasimov, S. B. Dispersion relations for scattering of γ -quanta on nuclei, 2=20586
- Gerasimova, N. G. and Startsev, G. P. Vacuum monochromator VM-70, 2=17629
- Gerasimova, N. M. and Rozental', I. L. Influence of the nuclear photo-effect on the primary cosmic ray spectrum, 2=22667
- Gerbatsch, R. See Ehrlich, G., 2=23984
- Gerbaux, X. See Poinot, P., 2=21249
- Gerber, E. A. Progress in the United States during the last three years on frequency and time interval standards and measurements, 2=15531
- Gerber, J. See Blades, J. D., 2=4494
- Gerchikov, D. S. See Kolotii, V. A., 2=10979
- Gerdanian, P. Non-stoichiometry of ferrous oxide (FeO), 2=16999
- Gerdanian, P. and Dode, M. Non-stoichiometry of the uranium oxides, 2=10776
- Gerdau, E. See Bodenstedt, E., 2=12136
- Gerdau, E. See Bodenstedt, E., 2=16300
- Gergely, G. On the range of energy propagation in phosphors, 2=6593
- Gergely, G. Space charge effects in ambipolar diffusion of carriers induced by electron bombardment in photoconducting insulator crystals, 2=10444
- Gerhardt, J. R., Tolbert, C. W. and Brunstein, S. A. Further studies of the back-scattering cross-sections of water drops and wet and dry ice spheres, 2=4597
- Gerhardt, J. R. See Stephens, J. J., 2=11026
- Gerhart, J. B. See Lieber, A. J., 2=12224
- Gerholm, T. R., El-Nesr, M. S., Bashandy, E. and Pettersson, B. G. A study of the E0 admixture and M1 penetration matrix element of the 333 keV $2^+ \rightarrow 2^+$ transition in Pt¹⁹⁶, 2=10060
- Gerholm, T. R., Othaz, R. and El-Nesr, M. S. Improved experimental methods for electron-gamma directional correlation measurements, 2=10032
- Gerholm, T. R. See El-Nesr, M. S., 2=3522
- Gericke, O. R. Ultrasonic methods for near-surface flaw detection, 2=4345
- Gericke, W. E. Measurement of the transition probability, halfwidth and shift of Al lines in thermally luminous plasmas, 2=178
- Gerischer, H. See Ertl, G., 2=6882
- Gerischer, H. See Hofmann-Perez, M., 2=6888
- Gerjuoy, E. Atomic scattering processes, 2=3717
- Gerjuoy, E. and Krall, N. A. Dispersion relations for electron scattering from atomic helium, 2=20753
- Gerkin, R. E. See Brandon, R. W., 2=21370
- Gerlach, E. Extended Fermi surfaces and electrical resistance, 2=6301
- Gerlach, W. and Stierstadt, K. Investigations on radioactive fallout and the activity of the air. VII, 2=21638
- Gerlich, D. Beat frequency bridge for large signal field effect, 2=11574
- Gerlich, D. Field effect measurements on high-resistivity p-type silicon, 2=23366
- Gerlich, D., Cullen, G. W. and Amick, J. A. The stabilization of germanium surfaces by ethylation. III. Electrical measurements, 2=8337
- Gerlich, D. See Amick, J. A., 2=8336
- Gerlich, D. See Cullen, G. W., 2=8335
- Germagnoli, E. See Cattaneo, F., 2=23206
- Germagnoli, E. See Damask, A. C., 2=2110
- Germagnoli, E. See Fabri, G., 2=9827
- Germanier, A. M. and Lacroix, R. Paramagnetic resonance of the Ni²⁺ ion in a MgO crystal subjected to uniaxial pressure, 2=10700
- Germann, R. W. See Dwight, K., 2=12732
- Germano, C. P. Supplement to: The electro-acoustic sensitivity of cylindrical ceramic tubes, by R. A. Langevin, 2=17548
- Germanova, K. See Marinov, M., 2=11833
- Germer, L. H. and MacRae, A. U. Nitrogen on nickel surfaces, 2=8894
- Germer, L. H. and MacRae, A. U. Surface reconstruction caused by adsorption, 2=21558
- Germer, L. H. and MacRae, A. U. Oxygen-nickel structures on the (110) face of clean nickel, 2=23921
- Germer, L. H. and MacRae, A. U. Adsorption of hydrogen on a (110) nickel surface, 2=23922
- Germer, L. H. See MacRae, A. U., 2=19127
- Gerold, V. See Baur, R., 2=15067
- Geronimus, Ya. L. On certain methods for formulating fields that have focussing properties, 2=22278
- Gerosa, G. Modes in rectangular guides loaded with magnetised ferrite, 2=22345
- Gerova, E. See Kasabov, I., 2=18685
- Gerrard, J. E., Appeldoorn, J. K. and Philippoff, W. Heating in capillary flow, 2=19523
- Gerrard, J. E., Hoch, M. and Meeks, F. R. Counterdiffusion of aluminum and arsenic in copper, 2=21058
- Gerritsen, A. N. and Damon, D. H. Problems arising in the measurement of small magnetic forces at low temperatures by the Faraday method, 2=7701
- Gerritsen, A. N. See Damon, D. H., 2=16890

- Gerritsen, A.N. See Das, S.B., 2-14489
- Gerritsen, H.J. Recent developments in maser devices and materials, 2-7733
- Gerritsen, H.J. and Sabisky, E.S. Paramagnetic resonance of Ni^{2+} and Ni^{3+} in TiO_2 , 2-8672
- Gerritsen, H.J. See Sabisky, E.S., 2-10558
- Gersch, H.A. and Berlin, T.H. Spherical lattice gas, 2-19460
- Gersch, H.U. Calculation of the surface area of the pole piece of a magnetic particle spectrometer, 2-5593
- Gersch, H.U. See Rudolph, W., 2-22654
- Gersdorf, R. Magnetostriction, 2-743
- Gershman, S.G., Smirnov, A.I. and Tuzhilkin, Yu.I. A transposing arrangement for generating the correlation function of infrasonic processes, 2-15702
- Gershberg, R.E. The expansion of H II regions and the formation of gravitationally stable protostars, 2-24135
- Gershenson, M. and Mikulyak, R.M. Light emission from forward biased p-n junctions in gallium phosphide, 2-23436
- Gershman, S.G., Smirnov, A.I. and Tuzhilkin, Yu.I. A transposing arrangement for generating the correlation function of infrasonic processes, 2-15702
- Gershtein, G.M. and Fedonin, G.K. Simulation device with vibrating charged probe for investigation of two-dimensional fields, 2-19823
- Gershtein, S.S. See Dzheleпов, V.P., 2-10231
- Gershtein, S.S. See Dzheleпов, V.P., 2-14231
- Gershuni, G.Z. and Zhukhovitskii, E.M. Convective instability spectrum of a conducting medium in a magnetic field, 2-13670
- Gersmann, H.R. and Swalen, J.D. Electron paramagnetic resonance spectra of copper complexes, 2-16549
- Gerson, N.C. and Gossard, W.H. Diurnal variation of sweeper activity, 2-13696
- Gerson, R. Piezoelectric and dielectric properties of lead titanate zirconate ceramics at low temperatures, 2-8474
- Gerstein, B.C., Jelinek, F.J. and Spedding, F.H., Correlation between heat capacity anomaly in Tb and magnetic transition in Tb_2O_3 , 2-21346
- Gerstein, B.C., Jennings, L.D. and Spedding, F.H. Thermal and magnetic study of crystal field splittings in thulium ethylsulfate, 2-23032
- Gerth, E. See Melcher, H., 2-9676
- Gerthsen, P. Thermoelectric applications of semiconductors, 2-5296
- Gerthsen, P. and Hårdt, K.H. Semiconducting properties of lantano-cobaltite, 2-23400
- Gertman, Yu.M. See Gel'd, P.V., 2-19543
- Gertsenshtein, M.E. Wave resonance of light and gravitational waves, 2-13
- Gertsenshtein, M.E. Wave resonance of light and gravitational waves, 2-21804
- Gertsenshtein, M.E. See Pustovoi, V.I., 2-7116
- Gertsiger, L.N. and Livshits, I.A. A highly sensitive selective amplifier, 2-22148
- Gervais, H. See Haymann, P., 2-11722
- Gervasio, V. See Facchini, A., 2-12244
- Geschwind, S., Kisliuk, P., Klein, M.P., Remeika, J.P. and Wood, D.L. Sharp-line fluorescence, electron paramagnetic resonance, and thermoluminescence of Mn^{2+} in $\alpha\text{-Al}_2\text{O}_3$, 2-14712
- Geschwind, S. and Remeika, J.P. Spin resonance of transition metal ions in corundum, 2-3811
- Geshkenbein, B.V. and Popov, V.S. Radiative corrections to β -decay, 2-398
- Geshkenbein, B.V. and Popov, V.S. Radiative corrections to β -decay, 2-22763
- Gesi, K. See Sato, Y., 2-2238
- Gessaroli, R. See Pevsner, A., 2-5719
- Gesser, H. See Zabolotny, E.R., 2-10972
- Gething, P.J.D. Relation between oblique and ground path-lengths in ionospheric propagation over a curved earth, 2-11806
- Getmantsev, G.G. See Benediktov, E.A., 2-9109
- Getmantsev, G.G. See Benediktov, E.A., 2-15397
- Getoff, N., Nishikawa, M. and Meindl, P. Thermal recovery of neutron irradiated potassium sulphate, 2-23225
- Gettemy, J.W. Magnetic daily variation at Koror, 2-17215
- Getty, R.R. and Polanyi, J.C. Prediction of internuclear separations and force constants in diatomic molecules, 2-6132
- Getty, W.D. See Smullin, L.D., 2-22204
- Gevers, R. On the kinematical theory of diffraction contrast of electron transmission microscope images of edge dislocations, 2-6348
- Gevers, R. On the kinematical theory of diffraction contrast of electron transmission microscope images of perfect dislocations of mixed type, 2-23194
- Gevers, R., Amelinckx, S. and Delavignette, P. A surface effect associated with dislocation ribbons, 2-5335
- Geyger, W.A. New type of flux-gate magnetometer, 2-13643
- Gfeller, C., Houtermans, F.G., Oeschger, H. and Schwarz, U. γ - γ coincidence measurements for nondestructive measurements the positron radiation and γ -active isotopes as contained in meteorites, 2-4751
- Gfeller, C. and Oeschger, H. Investigation of the limits of measures for weak activities, 2-22750
- Ghaffari, A. Analyticity and probability properties of one-dimensional Brownian motion, 2-4945
- Ghani, A. See Berman, S.M., 2-18178
- Ghani, A. See Evans, D., 2-22492
- Ghate, P.B. See Huntington, H.B., 2-18594
- Gheorghita-Oancea, C. and Teodorescu, G. Electrical conductivity of thin anthracene films, 2-6424
- Gheorghita-Oancea, C., Teodorescu, G. and Teodorescu, I. Electron diffraction study of thin layers of anthracene, 2-2441
- Gheorghiu, O.C. Study of a radiofrequency spectrograph with one turn circuit, 2-5498
- Gherghescu, A. See Ionescu, S., 2-21589
- Gherman, O. The polarization of electromagnetic waves at the boundary of two media, 2-5476
- Ghersini, G. See Cimino, A., 2-12548
- Ghesquiere, G. See Amaldi, U., 2-22516
- Ghigo, G. See Bernardini, C., 2-7690
- Ghika, G. See Corciovei, A., 2-16911
- Ghika, G. See Corciovei, A., 2-21087
- Ghilardotti, G. See Basso, P., 2-10190
- Ghilardotti, G. See Gallone, S., 2-20485
- Ghiorso, A. See Perlman, I., 2-18268
- Ghita, C. Application of Zeiss interference refractometer to the study of volatile liquids, 2-9376
- Ghita, C. See Giurgea, M., 2-9408
- Ghita, C. See Giurgea, M., 2-21909
- Ghita, L. See Giurgea, M., 2-9408
- Ghita, L. See Giurgea, M., 2-21909
- Ghormley, J.A. See Forman, R., 2-22257
- Ghose, A.M. Photoelectric cross-section of lead for C^{60} photons, 2-1112
- Ghosh, A. Response of the limiting layer (assumed laminar) and of unitary viscous force on a flat infinite plane due to current fluctuations, 2-46
- Ghosh, A. Response of the limiting layer [assumed laminar] and of unitary viscous force on a flat infinite plane due to current fluctuation (experimental study), 2-1112
- Ghosh, A. and Dutta, S.K. On the calculation of low-energy neutron scattering by a complex potential, 2-5647
- Ghosh, A.K. See Sen, S.N., 2-3011
- Ghosh, A.K. See Sen, S.N., 2-7581
- Ghosh, D.K. On the applicability of Debye's theory in the determination of the time of relaxation in the case of pure liquids, 2-7195
- Ghosh, S. Dielectric behavior of some bentonites, 2-18764
- Ghosh, S.K. Influence of oxygen on the electrical conductivity of chlor tellurium surfaces, 2-10436
- Ghosh, S.K. and Sinha, S.K. Calculation of nuclear magnetic shielding in hydrogen molecule, 2-6221
- Ghosh, S.N. and Khare, S.P. Secondary electron emissions from metal surface by high-energy ion and neutral atom bombardments, 2-6930
- Ghosh, S.N. and Sharma, K.D. The number of N_2 molecules in Earth's atmosphere from rocket data, 2-6930
- Ghosh, S.N., Sharma, A. and Nand, S. Controlled reaction between acetylene and nitrogen and methylene chloride, 2-4537
- Ghosh, S.N. and Srivastava, B.N. Exciting particles for auroral spectra, 2-2513
- Ghosh, S.N. and Srivastava, B.N. Number of N_2^+ , N^+ , N^{++} and O_2^+ , O^{++} ions produced by solar protons in the earth's atmosphere, 2-19241
- Ghosh, T. Note on the stresses in an elastic layer with varying modulus of elasticity, 2-1090
- Ghosh, T. Note on the stresses in a twisted circular cylinder with varying modulus of rigidity varying exponentially, 2-15513
- Ghosh, T.K. See Clarke, F.J.P., 2-3972
- Giachetti, A. See Davison, A., 2-8064
- Giacomelli, G. See Block, M.M., 2-9883
- Giacomelli, G. See Fabiani, F., 2-20319
- Giacomelli, G. See Fabiani, F., 2-22491
- Giacomelli, G. See Fidecaro, M., 2-3293
- Giacomelli, G. See Fidecaro, M., 2-9814
- Giacomelli, G. See Fidecaro, M., 2-9840
- Giacomelli, G. See Fidecaro, M., 2-22506
- Giacomelli, G. See Püschel, W., 2-22616
- Giacometti, G., Nordio, P.L. and Rigatti, G. Electronic structure and spectra of chloranil and of p-phenylenediamine, 2-8115
- Giacometti, G. See Favero, P., 2-16551
- Giacomo, P. See Sebire, N., 2-7379

- amati, C.C. and Reines, F. Experimental test of the conservation of nucleons, 2=13785
- annini, G. Electrical propulsion in space, 1=15415
- annini, M., Prosperi, D. and Sciuti, S. Nuclear resonance fluorescence in solid ^{60}Co sources, 2=5798
- annini, M., Prosperi, D. and Sciuti, S. Spins and parities of excited levels in ^{212}Po , 2=378
- annini, M., Prosperi, D. and Sciuti, S. Decay scheme of ^{211}Pb , 2=20549
- annini, M., Prosperi, D. and Sciuti, S. Intensity measurements of alpha groups from ^{211}Bi , ^{211}Po , ^{218}Rn and ^{223}Ra by means of solid state counter techniques, 2=22756
- ao, A. On the formation of the arms of the spiral galaxies, 2=7028
- aever, I., Hart, H.R., Jr and Megerle, K. Tunneling into superconductors at temperatures below 1°K , 2=11572
- alanello, G.C. See Di Capua, E., 2=18039
- aque, W.F., Lyon, D.N., Hornung, E.W. and Hopkins, T.E. Calorimetric determination of isothermal entropy changes in high magnetic fields at low temperatures $\text{CoSO}_4 \cdot 7\text{H}_2\text{O}$, 2=23069
- bbons, D.F. and Chirba, V.G. The effect of plastic deformation on the attenuation of acoustic waves in lithium fluoride crystals, 2=20927
- bbons, J.F. See Lauritzen, P.O., 2=8333
- bbons, J.H. See Bird, J.R., 2=18340
- bbons, J.H. See Macklin, R.L., 2=24082
- bbons, M.G., Laughridge, F.I., Nichols, J.R. and Krause, N.A. Transmission and scattering properties of a Nevada desert atmosphere under cloudy conditions, 2=2487
- bbons, P.E. On the design of a silicon junction radiation detector made by ion drift, 2=21166
- bbons, P.E. and Northrop, D.C. Semiconductor counters. II. Experiment, 2=18027
- bbons, P.E., Northrop, D.C. and Simpson, O. The scintillation phenomenon in anthracene. II. Scintillation pulse shape, 2=6637
- bbons, P.E. See Allen, J.W., 2=13453
- bbons, R. See Campbell, A.J., 2=14697
- bbs, D.C.C., Gibson, M. and Cooper, W.A. Long-term reactivity changes in irradiated thorium, 2=3673
- bbs, D.F. and Jarman, M. The permittivity of hydrostatically stressed dielectrics, 2=23494
- bbs, J.A. See Rapkin, E., 2=14009
- bbs, P. See Huber, R.J., 2=678
- bbs, P. See Huber, R.J., 2=2315
- bbs, P. See Seely, J.L., 2=18985
- bbs, W.R., Grtbleber, W. and Rossel, J. Calculations using Born approximation and distorted waves for the reactions $\text{Ne}^{20,22}(\text{d}, \text{n})\text{Na}^{21,23}$, 2=20663
- bbs, W.R. and Tobocman, W. Distortion effects in deuteron stripping reactions with low Q values, 2=481
- bbs, W.R. See Tobocman, W., 2=12217
- bert, R. See Villiermaux, J., 2=22967
- bson, A. and Mason, D.W. Energy loss processes in Zeta, 2=7628
- bson, A.F., Granville, J.W. and Paige, E.G.S. A study of energy-loss processes in germanium at high electric fields using microwave techniques, 2=2199
- bson, A.F., Krüger, F.A. and Burgess, R.E. [Eds.]. Progress in semiconductors, 2=14513
- bson, H. See Gallop, J.W., 2=5339
- bson, J.W. See Hein, R.A., 2=17727
- bson, M. See Gibbs, D.C.C., 2=3673
- bson, W.A. See Cohen, J., 2=15438
- bson, W.M. See Baldassarre, F., 2=22562
- dal, G. See Ely, R.P., 2=5747
- ddings, J.C. and Hyung Kyu Shin. Departure from the steady state in chain reactions with two or more radicals, 2=4533
- ddings, J.C. and LaChapelle, E. The formation rate of depth hoar, 2=19194
- ddings, J.C. and Seager, S.L. Rapid diffusional analysis by chromatographic methods, 2=4580
- e, H. Matrix representation of polarization states of light, 2=15751
- elisse, P.J. See Plendl, J.N., 2=4348
- enapp, H. Effective cross-sections of the collision processes $\text{K}-\text{Cl}_2$ and $\text{K}-\text{HI}$, 2=532
- ese, C. See Elder, F.A., 2=17781
- ese, C. See Roellig, L.O., 2=17451
- ese, C.F. and Maier, W.B., II. Ion-molecule reactions studied with mass analysis of primary ion beam, 2=3798
- ese, R.H., de Bary, E., Bullrich, K. and Vinnemann, C.D. Tables of scattering functions $i(\phi)$, $i(\phi)$ and the scattering cross-section $K(\alpha, m)$ of homogeneous spheres according to Mie's theory, 2=22061
- ese, R.H. and Siedentopf, H. Optical properties of models of interplanetary matter, 2=11105
- Giess, E.A. Growth of single-crystal MgGa_2O_4 spinel from molten $\text{PbO}-\text{PbF}_2$ solutions, 2=16984
- Gifford, F.A. The vertical variation of atmospheric eddy energy dissipation, 2=19196
- Gifford, W.E. See McMahon, H.O., 2=5224
- Giffkins, R.C. Some studies of grain-boundary sliding, 2=18995
- Gigas, G.G. See Devins, D.W., 2=16404
- Giger, G.A. Solid scintillators. Some aspects of governing principles, research and achievements, 2=6633
- Giguere, P.A. See Amako, Y., 2=10274
- Giguere, P.A. See Savoie, R., 2=16527
- Gil, F. Braganca. See Braganca Gil, F.
- Gil, G. See Catala, J., 2=5965
- Gilat, J. See Cheifetz, E., 2=18341
- Gilbert, A. and Owen, W.S. Diffusionless transformation in iron-nickel, iron-chromium and iron-silicon alloys, 2=8840
- Gilbert, C. Dirac's cosmology, 2=940
- Gilbert, F. and Laster, S.J. Experimental investigation of PL modes in a single layer, 2=11441
- Gilbert, F. and Laster, S.J. Excitation and propagation of pulses on an interface, 2=11443
- Gilbert, J. and Goutille, R. The perturbative role of electro-osmosis in electrophoresis, 2=15147
- Gilbert, L. and Hobbs, G.R. Measurement of the surface conductivity of mineral grains, 2=21111
- Gilbert, L.A. and George, G.T. Electrical resistance of oxide films formed on the roll of a corona discharge roll-type separator, 2=24236
- Gilbert, T.L. Inverse overlap matrix for periodic arrays of atoms, 2=3804
- Gilbert, W. See Boulware, D.G., 2=13728
- Gilbody, H.B. See Islam, M., 2=13539
- Gilboy, W.B. See Batchelor, R., 2=5524
- Gilboy, W.B. See Towle, J.H., 2=14107
- Gilde, F.J. Overlap integrals using Slater functions which contain non-integral effective principal quantum numbers, 2=10271
- Giles, J.C. See Bichard, J.W., 2=23557
- Giles, J.C. See Colbow, K., 2=23556
- Gilewicz, J. Milne problem with the first order anisotropic scattering of neutrons, 2=13811
- Gilinskii, I.A. See Kazantsev, A.P., 2=202
- Gilinskii, I.A. See Kazantsev, A.P., 2=22235
- Gilinsky, V. See DuBois, D.F., 2=20001
- Gilkerson, W.R. The dielectric constant and conductance of ion pairs; an extension of Onsager's field effect to relaxation of ion pairs in an alternating field, 2=17094
- Gill, E.K. See Colwell, J.H., 2=14379
- Gill, J.C. Spin-lattice relaxation of chromium ions in ruby, 2=4275
- Gill, P.S. A survey of new particles, 2=20242
- Gill, P.S. See Bhaskara Rao, A., 2=5760
- Gill, P.S. See Lekh Vir Sud, 2=12094
- Gill, P.S. See Mangal, S.K., 2=20647
- Gill, P.S. See Sharma, A.P., 2=16103
- Gillam, E. and Phillips, M. The positive ion bombardment of evaporated single crystal gold films, 2=2426
- Gilles, J.M., Hatwell, H., Offergeld, G. and van Cakenberghe, J. Photoconductivity in indium sulfide, 2=12547
- Gilles, P.W. See Leitner, J.M., 2=2936
- Gillespie, A.B. Electronic instruments and techniques for plasma physics research in the United Kingdom, 2=7538
- Gillespie, A.S., Jr and Hill, W.W. Sensitivities for activation analysis with 14-MeV neutrons, 2=4572
- Gillespie, L.F. See Hook, A.B., 2=103
- Gillespie, R.J. and Robinson, E.A. The Raman spectra of liquid sulphur trioxide and solutions of sulphur trioxide in inert solvents, 2=1154
- Gillespie, T. The distribution of particles in a dilute stirred suspension, 2=15166
- Gillespie, T. and Wiley, R.M. On the determination of London-van der Waals constants from suspension and emulsion viscosity and surface energy data, 2=21596
- Gillet, M. Defects of growth in thin single-crystal metal films, 2=6352
- Gillet, V. and Nguyen Vinh Mau. The collective states of O^{16} and C^{12} , 2=3486
- Gillet, V. and Vinh Mau, N. Particle-hole description of the O^{16} spectrum and effective nuclear forces, 2=13995
- Gillett, B.A. See Barber, D.J., 2=14957
- Gilletta, F. Determination of the elastic compliances and piezoelectric moduli of glycine sulphate, 2=4104
- Gillham, E.J. Recent investigations in absolute radiometry, 2=19767
- Gilli, P.V. Gas-cooled power reactors, 2=12241
- Gilliam, O.R. See Wylie, D.W., 2=4266

- Gilliland, J.W., Jr and Yockey, H.P. Thermoluminescence studies of the gamma-ray irradiated ferroelectrics Rochelle salt and guanidine aluminum sulfate hexahydrate, 2=14759
- Gillis, J. and Kaufman, B. The stability of a rotating viscous jet, 2=13314
- Gillod, J. Note on a recording apparatus giving the indices of diffusion of a material diffused by reflection or by transmission, 2=11504
- Gillson, J.L., Jr and Darnell, F.J. Electroluminescence in zinc sulfide, 2=4193
- Gilman, J.J. Fracture in solids, 2=14906
- Gilman, J.J. Debris mechanism of strain-hardening, 2=21010
- Gilman, J.A. See Wetsbrook, J.H., 2=14884
- Gilmore, R. See Batty, C.J., 2=22517
- Gilroy, J. Practical aspects of a scintillation spectrometer system for use at high altitudes, 2=18093
- Gil'varg, A.B. and Kolesov, G.V. Use of the electrooptical effect in crystals for high-speed shutters, 2=22007
- Gil'varg, A.B. See Belyaev, L.M., 2=9937
- Ginat, M. See Boisshot, A., 2=13176
- Ginfilis, L.M. Absolute spectrophotometry of the continuous spectrum of the counter glow, 2=21659
- Gindilis, L.M. and Pariiskii, N.N. The intensity of the principal emission lines of the night sky in the region of the gegenschein, 2=912
- Gindin, I.A., Kozinets, V.V. and Starodubov, Ya.D. Comparison of the structural changes in nickel, resulting from deformation at 4.2 and 300° K followed by creep [testing], 2=16960
- Gindin, I.A., Kozinets, V.V. and Starodubov, Ya.D. Comparison of the structural changes in nickel, resulting from deformation at 4.2 and 300° K followed by creep [testing], 2=18998
- Gindin, I.A., Lazarev, B.G. and Starodubov, Ya.D. Low temperature metallography of lithium, 2=21543
- Gindin, I.A., Starodubov, Ya.D. and Vasyutinskii, B.M. Plasticity and brittleness of cast molybdenum at 4.2-700° K. I, 2=8725
- Ginsin, I.A., Starodubov, Ya.D. and Vasyutinskii, B.M. Ductility and embrittlement of cast molybdenum at temperatures of from 4.2 to 700° K. I, 2=23754
- Gindin, I.A., Starodubov, Ya.D. and Vasyutinskii, B.M. Metallographic investigation of [cast] molybdenum [99.95%] deformed in tension at temperatures of from 4.2° to 700° K. II, 2=23755
- Gindin, I.A., Starodubov, Ya.D. and Azhazha, V.M. Increase of creep resistance in nickel by preliminary low temperature deformation at 4.2° K, 2=16959
- Gindin, I.A., Starodubov, Ya.D. and Azhazha, V.M. Increase of creep resistance in nickel by preliminary low temperature deformation at 4.2° K, 2=21432
- Gindler, J.E. See Huizenga, J.R., 2=14150
- Ginell, R. Meaning of the Tait coefficients and the structure of liquids, 2=1131
- Gingrich, N.S. and Tompson, C.W. Atomic distribution in liquid argon near the triple point, 2=13319
- Ginsberg, D.M. Experimental foundations of the B.C.S. theory of superconductivity, 2=13504
- Ginsberg, D.M. Upper limit for quasi-particle recombination time in a superconductor, 2=15845
- Ginsberg, D.M. and Leslie, J.D. Far-infrared absorption in a lead-thallium superconducting alloy, 2=7511
- Ginsberg, D.M. See Rupprecht, G., 2=13462
- Ginsberg, D.M. See Schrieffer, J.R., 2=15846
- Ginzburg, V.L. and Zheleznyakov, V.V. On the mechanisms of sporadic solar radio emission, 2=2558
- Ginzburg, V.L. and Zheleznyakov, V.V. Noncoherent mechanisms of sporadic solar radio emission in the case of a magnetoactive coronal plasma, 2=1007
- Ginsburg, V.L. See Benediktov, E.A., 2=9109
- Ginsburg, V.L. See Benediktov, E.A., 2=15397
- Ginther, R.J. See Firk, F.W.K., 2=5687
- Gintsburg, M.A. The generation of plasma waves by solar corpuscular streams, 2=884
- Gintsburg, M.A. Electromagnetic radiation from solar corpuscular streams, 2=6932
- Ginzburg, E.Kh. See Lyagin, I.V., 2=22649
- Ginzburg, I.P. On possible methods of solving boundary layer problems in the presence of dissociation and diffusion, 2=15623
- Ginzburg, N.I. See Brandt, N.B., 2=7842
- Ginzburg, N.I. See Brandt, N.B., 2=9483
- Ginzburg, V.L. Radio astronomy and the origin of cosmic rays, 2=2567
- Ginzburg, V.L. Quantization of the magnetic flux for a superconducting cylinder, 2=7505
- Ginzburg, V.L. On the role of the spatial dispersion of dielectric permittivity in crystal optics, 2=23509
- Ginzburg, V.L. and Fain, V.M. Contribution to the theory of ferro- and antiferromagnetism, 2=732
- Ginzburg, V.L. and Fain, V.M. The magnetic properties of paramagnetic "fluids" of the molecular chain type, 2=8142
- Ginzburg, V.L. and Glukhovetskaya, N.P. The dependence of spectral line intensities on the effective ionization potential of the arc, 2=18400
- Ginzburg, V.L. and Gurevich, A.V. Non-linear effects in a plasma in changing electromagnetic field, 2=203
- Ginzburg, V.L. and Syrovatsky, S.I. Origin of cosmic rays, 2=20473
- Ginzburg, V.L., Kurnosova, L.V., Logachev, V.I., Razorenov, L.A., Sirotkin, I.A. and Fradkin, M.I. Study of the intensity of charged particles during the flight of the second and third space-ships, 2=19249
- Ginzburg, V.L., Kurnosova, L.Y., Logachev, V.I., Razorenov, L.A. and Fradkin, M.I. Observation of the radiation anomalies at the altitudes of 200-300 km, 2=15266
- Ginzburg, V.L., Rukhadze, A.A. and Silin, V.P. Electrodynamics of crystals and the theory of excitons, 2=2067
- Ginzburg, V.L., Rukhadze, A.A. and Silin, V.P. The electrodynamics of crystals and the theory of excitons, 2=14414
- Ginzburg, V.L., Zheleznyakov, V.V. and Eidman, V.Ya. The radiation of electromagnetic waves and the instability of electrons moving super-light velocity in a medium, 2=7847
- Ginzburg, V.L. See Agranovich, V.M., 2=586
- Giocelli, M. See Corno, S., 2=12245
- Giordano, R. See Schiffer, G., 2=20656
- Giordmaine, J.A. Mixing of light beams in crystals, 2=9389
- Giorgadze, N.P. See Bulshvili, L.L., 2=10717
- Giorgi, A.L., Szklarz, E.G., Storms, E.K., Bowman, A.L. and Matthias, E. Effect of composition on the superconducting transition temperature of tantalum carbide and niobium carbide, 2=2962
- Gioumousis, G. and Swalen, J.D. Intensity sum rule for n.m.r., 2=1
- Giovanelli, R.G. The calculation of spectral line profiles with non-coherent scattering, 2=22035
- Giralt, G. See Clot, J., 2=22154
- Girard, M. Study of light scattering by a cylindrical mono-crystal of NaCl, 2=12584
- Girardeau, M. Variational method for quantum statistics of interacting particles, 2=2644
- Girardeau, M. Ground state of the charged Bose gas, 2=19470
- Giraud, A. Characteristics of the moon's surface layer: an analysis of its radio emission, 2=4839
- Girdhar, H.L. See Rastogi, R.P., 2=21896
- Gires, F. and Mayer, G. Measurements on the excited absorption spectrum of ruby for optical maser operation, 2=8507
- Gires, F. and Mayer, G. Influence of various optical excitation processes on the populations of energy levels of the ions Cr³⁺ in ruby, 2=10586
- Girdhar, H.L. See Rastogi, R.P., 2=6233
- Giriat, W., Migula, Z. and Sikorski, A. The preparation and electrical and optical properties of cadmium antimonide, 2=4033
- Girieg, U. See Brini, D., 2=9944
- Girifalco, L.A. See Oliver, P.R., 2=20997
- Giroux, G. Theory of carrier recombination through multiple levels, 2=23284
- Girshl, P. See Andreev, E.M., 2=18041
- Gitterman, M.Sh. A certain mechanism for absorption of energy by anisotropic bodies, 2=22307
- Gitterman, M.Sh., Krol', L.Ya., Medvedev, V.A., Orlova, M.P. and Pado, Impurity band conduction in n-type GaAs, 2=18704
- Gitterman, M.Sh., Krol', L.Ya., Medvedev, V.A., Orlova, M.P. and Pado, Impurity band conduction in n-type GaAs, 2=23391
- Gits, I.D. On polarization in coronal streamers, 2=969
- Gitsee, L. Study of light scattering in the system water-dioxane, 2=13345
- Gitsu, D.V., Ivanov, G.A. and Popov, A.M. Thermoelectromotive force of bismuth and bismuth-tellurium alloys, 2=14590
- Gitsu, D.V., Ivanov, G.A. and Popov, A.M. Thermoelectromotive force of bismuth and bismuth-tellurium alloys, 2=18755
- Gittleman, J.I. See Cherry, W.H., 2=1333
- Giu Dang Do. See Do Dang Giu.
- Giuliano, C.R. See McConnell, H.M., 2=6892
- Giurgea, M., Ghita, L. and Ghita, C. Evaluation of the Rayleigh constant in binary mixtures of liquids, 2=9408
- Giurgea, M., Ghita, C. and Ghita, L. Molecular scattering of light by certain binary liquid mixtures, 2=21909
- Giuseppetti, G. See Cola, M., 2=21526
- Giusto, M.B. See Lewis, C.H., 2=7091
- Givens, M.P. Noise in wave-interaction experiments, 2=5179
- Givens, M.P. See Milgram, A., 2=8523
- Gjessing, D.T. On the scattering of electromagnetic waves by non-isotropic inhomogeneities in the atmosphere, 2=11796
- Gjonnes, J. The dynamic potentials in electron diffraction, 2=1498
- Gladikh, N.T. See Palatnik, L.S., 2=1308

- Gladkikh, N.T. See Palatnik, L.S., 2=4449
 Gladkikh, N.T. See Palatnik, L.S., 2=7468
 Gladkikh, N.T. See Palatnik, L.S., 2=8366
 Gladkikh, N.T. See Palatnik, L.S., 2=8843
 Gladkikh, N.T. See Palatnik, L.S., 2=15811
 Gladkikh, N.T. See Palatnik, L.S., 2=17696
 Gladkikh, N.T. See Palatnik, L.S., 2=17697
 Gladkikh, N.T. See Palatnik, L.S., 2=21155
 Gladun, C. See Donth, E., 2=15767
 Gladyshevskii, E.I., Kripyakevich, P.I., Teslyuk, M.Yu., Zarechnyuk, O.S. and Kuz'ma, Yu.B. Crystal structures of some intermetallic compounds, 2=4466
 Gladyshevskii, E.I. See Kripyakevich, P.I., 2=4437
 Glagolev, V.V. See Barashenkov, V.S., 2=1869
 Glagolev, V.V. See Ciulli, I., 2=22574
 Glagolev, Ya.A. Measurement of temperature of the air by means of the rotating wire resistance thermometer, 2=21625
 Glahe, H.C. See Jain, P.L., 2=283
 Glansdorff, P. The thickness of shock waves by the two-fluid model theory extended to rarefied gases, 2=2751
 Glansdorff, P. Solution of the Boltzmann equations for strong shock waves by the two-fluid model, 2=9303
 Glansdorff, P., Prigogine, I. and Hays, D.F. Variational properties of a viscous liquid at a nonuniform temperature, 2=5006
 Glants, G. See Teodoresku, I., 2=12959
 Glanz, G. See Nachman, M., 2=8931
 Glarum, S.H. and Snyder, L.C. Electron spin resonance of the phenanthrene negative ion, 2=14322
 Glas, J.E. Micro X-ray diffraction camera for studies of orientation textures and single microcrystals, 2=4501
 Glaser, D.A. Nobel Lecture 1960. Elementary particles and bubble chambers, 2=9754
 Glaser, D.A. See Roe, B.P., 2=3399
 Glaser, M. See Melcher, H., 2=9676
 Glaser, P.E., Merra, S., Sepetowski, W.K., Comstock, D.F. and Emslie, A.G. Radiation imaging technique for thermal conductivity measurement above 1000°C, 2=2907
 Glashow, S.L. Is isotopic spin a good quantum number for the new isobars? 2=9810
 Glashow, S.L. Decays of very unstable particles, 2=22464
 Glashow, S.L. and Sakurai, J.J. The 27-fold way and other ways: symmetries of mesons—baryon resonances, 2=18145
 Glashow, S.L. See Baker, M., 2=20409
 Glashow, S.L. See Coleman, S., 2=5570
 Glasko, V.B. and Mironov, A.G. Screening of the Coulomb potential in nondegenerate semiconductors, 2=18655
 Glasko, V.B. See Bonch-Bruевич, V.L., 2=18656
 Glasner, A. and Ben-Dor, L. Formation of additive V centers in disks prepared from powdered alkali halides, 2=14477
 Glasner, A., Rejoan, A. and Reissfeld, R. Diffusion of thallous ions in potassium bromide measured by the spectrophotometric method, 2=10412
 Glass, A.J. See Kahn, D., 2=23468
 Glass, T.J. See Davis, H.L., 2=20717
 Glasser, M.L. Electron structure of metallic silver, 2=18553
 Glatzel, E. New method for automatic correction of optical systems with electronic digital computers, 2=7333
 Glauberman, A.E. and Stasyuk, I.V. The theory of elementary excitations in systems with a spin-open background, 2=10293
 Glauberman, A.Yu. and Muzychuk, A.M. The many-electron theory of liquid semiconductors, 2=7198
 Glauche, E. See Haubenreisser, W., 2=2294
 Glauche, W. See Haubenreisser, W., 2=14815
 Gaudemans, P.W.M. and Endt, P.M. Gamma-ray branching of energy levels in ^{24}Mg from the $^{23}\text{Na}(p, \gamma)^{24}\text{Mg}$ reaction, 2=5912
 Glaume, J. Influence of lunar tides on the emission of the 5577 Å green line of oxygen, 2=17176
 Glaume, J. See Barbier, D., 2=2510
 Glaume, J. See Barbier, D., 2=15244
 Glazkov, A.A. See Val'dner, O.A., 2=20068
 Glazkov, N.P. A multichannel-pulse analyser, 2=2973
 Glazkov, V.A. See Mikheev, N.B., 2=5209
 Glazov, V.M. and Chizhevskaya, S.N. Investigation of the electron conductivity of germanium and A^{111}Sb compounds in the region of the melting point and in the liquid phase, 2=4014
 Glazov, V.M. and Chizhevskaya, S.N. Investigation of the electron conductivity of germanium and A^{111}Sb compounds in the region of the melting point and in the liquid phase, 2=6448
 Glazov, V.M. and Chizhevskaya, S.N. Investigation of some physical properties of gallium and indium arsenides in the melting region and in liquid state, 2=21918
 Glazunov, V.V. See Fleishman, D.G., 2=20544
 Gleason, G.I., Gruverman, I.J. and Need, J.L. Practical production yields of radionuclides with 17 and 21 MeV protons, 2=20530
 Glebskii, Yu.V. Coding by means of finite automata, 2=4915
 Gledhill, R.J. Particle-size distribution determination by turbidimetry, 2=10991
 Gleissberg, W. Investigation on three eighty-year cycles of solar activity, 2=19309
 Gleit, C.E. and Coryell, C.D. Decay of Cd^{119} and In^{119} isomers, 2=1800
 Glencross, W.M. See Allan, H.R., 2=13927
 Glendenin, L.E. See Engelkeir, D.W., 2=14036
 Glendenning, N.K. The two-nucleon stripping reaction, 2=3615
 Glendenning, N.K. Note on an isomeric state of Po^{212} , 2=18269
 Glendenning, N.K. and Kramer, G. Scalar nucleon form factor $F_1^n + F_1^p$, 2=9832
 Glendenning, N.K. and Kramer, G. Nucleon—nucleon triplet—even potentials, 2=13787
 Glendenning, N.K., Nilsson, S.G. and Sawicki, J. The giant E1 resonance for deformed nuclei, 2=1798
 Glendenning, N.K. See Nilsson, S.G., 2=16383
 Glenn, J.H., Jr and O'Keefe, J.A. The Mercury-Atlas-6 space flight, 2=24193
 Gleyvod, R. See Baumgartner, E., 2=20632
 Gleyvod, R. See Huber, P., 2=20631
 Gliberman, A.Ya. See Zaitseva, A.K., 2=4076
 Glick, A., Lipkin, H.J. and Meshkov, N. Many-body perturbation methods in a soluble model, 2=1767
 Glick, A.J. Linear response function of a many-fermion system, 2=4960
 Glick, A.L. A method of calibration of laser energy output, 2=22020
 Glick, R.E. On the diamagnetic susceptibility of gases, 2=1209
 Glick, R.E. Exact nuclear magnetic resonance shielding constants for hydride, helium, lithium (I), oxygen (VI), 2=1970
 Glicken, M. Eötvös corrections for a moving gravity meter, 2=21608
 Glicksman, M. Instabilities of a cylindrical electron—hole plasma in a magnetic field, 2=2069
 Glicksman, M. See Ancker-Johnson, B., 2=2166
 Gliki, N.V., Eliseev, A.A. and Marchenko, N.M. The transformation of [water] droplets of clouds into ice crystals, 2=15809
 Gliki, N.V., Eliseev, A.A. and Marchenko, N.M. The transformation of [water] droplets of clouds into ice crystals, 2=19775
 Glincuk, K.D. See Miselyuk, E.G., 2=23321
 Glodyanu, A. and Chobanu, G. The calculation of space charge and distribution of potential in semiconducting wires, 2=6446
 Gloersen, P. See Gorowitz, B., 2=3056
 Glotov, V.P. Coherent scattering of plane of spherical waves in deep water layers containing discrete centres of non-uniformity, 2=11458
 Glotov, V.P. Coherent scattering of plane and of spherical waves in deep water layers containing discrete centres of non-uniformity, 2=17458
 Glotov, V.P., Kolobaev, P.A. and Neumin, G.G. Investigation of the scattering of sound by bubbles generated by an artificial wind in sea water and the statistical distribution of bubble sizes, 2=15690
 Glover, R.E., III. High-frequency behavior of very thin superconducting films and changes in critical temperature produced by electrostatic charging, 2=2963
 Glover, R.N., Purser, K.H. and Weigold, E. A counter telescope system for fast neutron studies, 2=3358
 Glover, R.N. and Weigold, E. Some reaction cross sections for copper and nickel from 13.9 to 14.9 MeV neutron energy, 2=5936
 Glover, R.N. See Ophel, T.R., 2=16406
 Glover, R.N. See Watt, D.E., 2=5843
 Glover, R.N. See Weigold, E., 2=12205
 Glozman, I.A. See Bronnikova, E.G., 2=17946
 Glukhovetskaya, N.P. See Ginzburg, V.L., 2=18400
 Glushkov, E.S. See Ponomarev-Stepnoi, N.N., 2=18377
 Glushkov, E.S. See Ponomarev-Stepnoi, N.N., 2=18378
 Glutsyuk, A.M. See Kontorovich, V.M., 2=72
 Gnaedinger, R.J., Jr, Flaschen, S.S., Hall, M.A. and Richez, E.J. Selection of germanium transistor parameters by control of moisture at low levels within the device encapsulation, 2=21175
 Gnedich, A.V., Kriukova, L.N., Murav'eva, V.V. and Shumshurov, V.I. Investigation of electron focusing in a spiral-orbit spectrometer, 2=1512
 Gnedin, Yu.N. Electromagnetic transitions in deformed nuclei, 2=18295
 Gobat, A.R., Lamorte, M.F. and McIver, G.W. Characteristics of high-conversion-efficiency gallium-arsenide solar cells, 2=11603
 Gobbi, A. See Busch, G., 2=16711
 Gobbi, B. and Pixley, R.E. $(p' - \gamma)$ angular correlation measurements in Fe^{58} , 2=5902
 Gobbi, B. and Pixley, R.E. (p', γ) angular correlation measurements, 2=20614

- Gobbi, B. See Pixley, R.E., 2=20501
- Gobeli, G.W. and Allen, F.G. Direct and indirect excitation processes in photoelectric emission from silicon, 2=17871
- Gobeli, G.W. See Allen, F.G., 2=17872
- Gobert, G. Application of gas bearings to gyroscopes, 2=11317
- Gobert, J. Fundamental inequality in the theory of elasticity, 2=13285
- Gobrecht, H., Franke, K.H., Niemeck, F. and Boeters, K.E. Alternating current apparatus for measurement of the Hall effect and of the electrical conductivity of high resistance semiconducting layers, 2=9492
- Gobrecht, H., Gumlich, H.E., Nelkowski, H. and Lacmann, K. Enhancement of X-ray luminescence by electric fields and infrared radiation, 2=14736
- Gobrecht, H., Gumlich, H.E. and zum Bruch, J. Influence of temperature on electrocathodoluminescence, 2=23611
- Gobrecht, H., Nelkowski, H. and Albrecht, P. The crystal structure of the zinc sulphides, 2=6810
- Gobrecht, H., Reiter, H.J. and Tausend, A. Contact potential measurements on layers of pure and chlorine-doped selenium, 2=8374
- Gobrecht, H., Tausend, A. and Bach, I. Faraday effect in selenium amorphous films, 2=4122
- Gobrecht, H., Tausend, A. and Picht, W. The diffusion length of charge carriers in selenium single crystals, 2=23406
- Gobrecht, H., Tausend, A. and Schmidt, H. The electrical behaviour of grain boundaries in selenium, 2=23407
- Gobrecht, R. The aperture defects of electrostatic immersion lenses with accelerating and retarding characteristics, 2=9632
- Godart, M. Spherically symmetric solutions of Einstein equations of unified field theory, 2=2622
- Godart, O. The exchange coefficient in atmosphere diffusion, 2=6908
- Godart, O. The statistics of wind, 2=6911
- Godbole, E.W. See Kebarle, P., 2=2999
- Goddard, J. Stability of the e.m.f. of cells under continuous low-drain conditions, 2=12969
- Goddard, J. and Baravian, G. Influence of voltage on the deionization time of a T.R. tube, 2=13548
- Goddard, J., Harker, H.J. and Wilman, H. The surface reorientation caused by unidirectional abrasion on the face-centred cubic metals, 2=21453
- Güddecke, H. and Bittel, H. Thermal relaxation in current-bearing wires and its dependence on the surrounding medium, 2=14398
- Godfredsen, E.A. See Davis, R.J., 2=4712
- Godl, B. Computer program for pitch extraction, 2=21755
- Godoli, G. Areas and positions of calcium plages in 1961 according to observations made at the Arcetri Solar Tower, 2=7002
- Godoli, G. The character figures of Ca bright flocculi and H α bright and dark flocculi for the year 1960, 2=11122
- Godson, W.L. The representation and analysis of vertical distributions of ozone, 2=21624
- Godt, K.J. New half-life determination of the tungsten isotope W¹⁸¹ using fallout and laboratory samples, 2=7940
- Goebel, C.J. See Sakita, B., 2=20435
- Goebel, K. See Brix, P., 2=14230
- Goedecke, G.H. and Brown, E. Variational principle for potential scattering, 2=9799
- Goel, P.S. and Kohman, T.P. Cosmogenic carbon-14 meteorites and terrestrial ages of "finds" and craters, 2=17118
- Goertzel, G. See Sternglass, A.J., 2=3646
- Goetz, A. and Preining, O. Contribution to the study of atmospheric aerosols, 2=4568
- Goetz, A. and Preining, O. Determination of the size distribution of an aerosol by means of the Goetz aerosol-spectrometer, 2=6897
- Goetz, H. and Breiffelder, E. The oscillatory behaviour of an ultrasonic quartz crystal, 2=7274
- Goetzberger, A. Impurity-induced pipes through diffused layers in silicon, 2=18603
- Goetzberger, A. Investigation of crystal imperfections by means of avalanche breakdown patterns of very thin diffused junctions in silicon, 2=23145
- Goetzberger, A. and Stephens, C. Voltage dependence of microplasma density in p-n junctions in silicon, 2=2183
- Goetzberger, A. and Stephens, C. Cross sections and ohmic resistance of diffusion pipes in silicon, 2=18604
- Goetzberger, A. See McDonald, B., 2=8384
- Goetze, G. and Kanter, H. A high gain image intensifier system with fast shutter action for application in high energy physics, 2=2903
- Goetze, G.W. and Taylor, A. Direct viewing and rapid photographic recording of X-ray diffraction patterns, 2=8810
- Goetze, G.W. See Sternglass, E.J., 2=18008
- Goffaux, R. Luminescence waves in electroluminescent cells, 2=12634
- Goffaux, R. Traps in silicon carbide grains, 2=14563
- Gofman, B. See Kukurs, O., 2=19498
- Gofman, Iu.V., Nemets, O.F. and Tokarevskii, V.V. The spectra of neutrons scattered by oxygen, antimony and chromium, 2=5924
- Gofman, Yu.V. and Nemets, O.F. Elastic scattering of deuterons. III, 2=14132
- Gofman, Yu.V. and Nemets, O.F. Inelastic scattering of deuterons on Si, Ti and Fe nuclei, 2=14134
- Gofman, Yu.V., Nemets, O.F. and Stryuk, Yu.S. Inelastic scattering of 13.6 MeV deuterons on nickel isotopes, 2=14127
- Gogarty, W.B. See Bailey, H.R., 2=19547
- Gogate, D.V. See Edkie, R.G., 2=5199
- Gogosov, V.V. Interaction of rotating discontinuities, 2=3143
- Gogosov, V.V. Interaction of rotating discontinuities, 2=9695
- Gogosov, V.V. Disruption of a non-progressive magnetohydrodynamic shock wave, 2=11777
- Gogosov, V.V. Disruption of a non-progressive magnetohydrodynamic shock wave, 2=13666
- Gogosov, V.V. Resolution of an arbitrary discontinuity in magnetohydrodynamics, 2=16000
- Gogosov, V.V. Interactions of magnetohydrodynamic waves, 2=17943
- Gogosov, V.V. Interaction of magnetohydrodynamic waves with contact and vortex discontinuities, 2=20117
- Goh, T. See Hakura, Y., 2=17224
- Gohmann, E.J., Jr. See Schwartz, M., 2=9357
- Göhre, H. See Mayer, H., 2=17698
- Goishi, W. See Bonner, N.A., 2=16341
- Gokhale, B.G. and Nigam, A.N. Quadrupole and forbidden lines in L-emission spectrum of osmium 76. II. α and β regions, 2=1229
- Gokhale, B.G. and Srivastava, K.S. Quadrupole and forbidden lines in L-emission spectrum of osmium 76. I. β and γ regions, 2=1229
- Gokhale, G.S. See Balasubrahmanyam, V.K., 2=20448
- Gokhfel'd, I. See Meiman, N., 2=20379
- Goland, A.N. See Kelsch, J.J., 2=10426
- Goland, A.N. See Dugan, F.A., 2=16459
- Golant, V.E., Orlov, N.I. and Pakhomov, L.P. Production of a dense plasma in a discharge with a thermionic cathode in a magnetic field, 2=7605
- Golant, V.E. and Zhilinskii, A.P. Experimental investigation of diffusion decay of a plasma in a magnetic field. II, 2=22220
- Golashvili, T.V. The effect of the resonance absorber on the absorption of decelerated neutrons by a nucleus with a smoothly varying absorption cross-section, 2=14108
- Golay, M. Note on the effect of band-pass width in the determination of the atmospheric extinction coefficient, 2=6969
- Golay, M.J.E. Note on the possibility of a parabolic Fabry-Perot interferometer, 2=7384
- Golay, M.J.E. Comment on coherence, 2=20136
- Gold, A. Calculation of excitation energies in "tightly bound" solids, 2=2065
- Gold, A. Construction of orthogonalized LCAO wave functions for the F center from endor data, 2=2104
- Gold, A. and Knox, R.S. Line shape of ultraviolet absorption in crystalline rare gases, 2=16826
- Gold, A. See Celli, V., 2=14538
- Gold, L. Relativistic non-linear theory of plasma oscillations, 2=199
- Gold, L. Observation of photovoltaic oscillations in semiconductors, 2=21187
- Gold, L. Contribution of an oriented magnetic field to the electrical breakdown of a many-valley semiconductor, 2=23276
- Gold, R.E. See Fraser, M.J., 2=4399
- Gold, T. The arrow of time, 2=13241
- Gold, T. The propagation of solar particles to the earth, 2=13918
- Gold, T. Interchange and rotation of the earth field lines, 2=15210
- Gold, T. The problem of the abundance of the hydrogen molecule, 2=17234
- Gold, T. Emission from the sun, and transmission of radiation through the interplanetary space, 2=17276
- Gold, T. and Hoyle, F. Cosmic rays and radio waves as manifestation of a hot universe, 2=2523
- Goldanskii, V.I. and Kagan, Yu.M. On the thermochemical action of ionizing radiation, 2=4559
- Gol'danskii, V.I. and Peker, L.K. On some problems of isomerism of atomic nuclei, 2=7928
- Gol'danskii, V.I. See Bryukhanov, V.A., 2=10930
- Goldbaum, G.C. and White, J.F. Effects of vehicle cost on design and sizing of multi-stage rockets, 2=4875
- Goldberg, E. See Kerlee, D.D., 2=18362
- Goldberg, I. and Landovitz, L.F. Existence of a stable neutral meson, 2=5697
- Goldberg, L. Solar experiments — U.S. plans, 2=13122
- Goldberg, M. Relative intensities of X-rays of the L spectrum of heavy elements excited by electronic bombardment, 2=6588
- Goldberg, M. See Bertanza, L., 2=22652
- Goldberg, N. See Matcovich, T.J., 2=12801

- Goldberg, P. See Halpin, A.T., 2=8591
- Gol'dberg, Z.A. Finite amplitude waves in magnetohydrodynamics, 2=7724
- Goldberger, M.L. and Watson, K.M. Concerning the notion of "time interval" in S-matrix theory, 2=19436
- Goldberger, M.L. See Blankenbecler, R., 2=11891
- Goldberger, M.L. See Blankenbecler, R., 2=20286
- Goldberger, M.L. See Frieman, E.A., 2=5358
- Goldberger, M.L. See Gell-Mann, M., 2=22447
- Golde, H. Kinematic electron bunching by sinusoidal travelling and standing waves in short extended interaction regions, 2=5380
- Goldenberg, J. See Daniels, J.M., 2=12179
- Goldenberg, J. See Moscati, G., 2=12233
- Golden, D.M. and Crawford, B., Jr. Absolute Raman intensities. I. Method for molecules in the gas phase, 2=8097
- Golden, S.A. Approximate spectral absorption coefficients for pure rotational transitions in diatomic molecules, 2=20791
- Goldenberg, H.M. See Kleppner, D., 2=6102
- Goldenberg, H.M. See Kleppner, D., 2=11785
- Goldenberg, J. See Moscati, G., 2=1694
- Gol'dfarb, B.M. and Il'ina, E.V. Determination of the mean time spent by the atoms, and of the diffusion coefficient in the plasma of the arc discharge, 2=7585
- Gol'dfarb, L.J.B. Polarization effects in nuclear reactions, 2=1858
- Gol'dfarb, L.J.B. and Bromley, D.A. Polarized targets as direct reaction mechanism probes, 2=20582
- Gol'dfarb, T.D. Infrared spectrum and structure of germyl cyanide, 2=20833
- Goldfinger, P. See Johnston, H.S., 2=19159
- Goldhaber, G. See Slater, W., 2=3403
- Goldhaber, S., Chinowsky, W., Goldhaber, G., Lee, W., O'Halloran, T., Stubbs, T.F., Pierrou, G.M., Stork, D.H. and Ticho, H.K. K^+ - p interaction from 140 to 642 MeV/c, 2=22635
- Goldhaber, S. See Slater, W., 2=3403
- Goldhammer, P. Doublet splitting in the 1 p shell due to tensor interaction, 2=3475
- Goldhammer, P. and Vaulk, H.S. Photodisintegration of helium, 2=18195
- Goldheim, D.L. See Westwood, A.R.C., 2=8229
- Goldheim, D.L. See Westwood, A.R.C., 2=12886
- Gol'din, L.L. See Vladimirovskii, V.V., 2=20081
- Goldman, A. See Buchet, G., 2=19928
- Goldman, A. See Goldman, M., 2=3016
- Gol'dman, A.G. An oscillographic study of a new type of electroluminescence of black carborundum (type III emission), 2=23619
- Goldman, A.J., Goertzel, G. and Menkes, S.B. Reactor-calculation short cuts. Reflected-sphere criticality, 2=3646
- Goldman, D., Piza, A.F.T. and Silva, E. ^{38}K -isomeric state formation by (γ, n) reaction, 2=16382
- Goldman, M. and Goldman, A. Arc formation in high vacuum, 2=3016
- Goldman, M. See Buchet, G., 2=19912
- Goldman, M. See Buchet, G., 2=19928
- Gol'dman, O.G., Dudnyk, V.P. and Proskura, O.I. The frequency characteristics of the brightness of electroluminescent cells with zinc-sulphide powder electroluminescent phosphors, 2=18881
- Goldman, R.G. Electronic acoustic image converter, 2=9345
- Goldman, S. Sideband interpretation of optical information and the diffraction patterns of unsymmetrical pupil functions, 2=19669
- Goldobin, A.N., Lezheiko, L.V. and Sharnopol'skaya, E.T. The piezoresistive effect in tellurium, 2=4105
- Goldobin, A.N., Lezheiko, L.V. and Sharnopol'skaya, E.T. The piezoresistive effect in tellurium, 2=8473
- Goldring, G. Experiments using ultra-fast pulse techniques, 2=5815
- Goldring, G., Loebenstein, H.M. and Barloutaud, R. Branching ratios and magnetic dipole transition probabilities in odd-A rotational nuclei, 2=20514
- Goldring, G. and Rosner, B. Branching ratio of electromagnetic transition to the first excited 0^+ state in O^{16} , 2=16326
- Goldring, G. and Vager, Z. Gyromagnetic ratios of the 2^+ states in even tungsten isotopes, 2=18244
- Goldring, G. See Birk, M., 2=19011
- Goldsack, D. See Sivertz, C., 2=6234
- Goldsack, S.J., Riddiford, L., Tallini, B., French, B.R., Neale, W.W., Borbury, J.R., Skillicorn, I.O., Davies, W.T., Derrick, M., Mulvey, J.H. and Radojicic, D. Meson production by 16 GeV π^- -mesons in hydrogen, 2=9888
- Goldsack, S.J. See Culwick, B.B., 2=5543
- Goldschmidt-Clermont, Y. See Bartke, J., 2=13883
- Goldschmidt-Clermont, Y. See Loria, A., 2=1714
- Goldschmidt, H.J. Effects of impurities in bismuth telluride, 2=23161
- Goldschmidt, H.J. See Delves, R.T., 2=640
- Goldschmidt, H.J. See Drabble, J.R., 2=3852
- Goldsmith, M. and Cantwell, R.M. Few group calculations of thermal neutron transport, 2=5659
- Goldsmith, M. See Cantwell, M., 2=12252
- Goldsmith, N. See Newman, R.L., 2=4377
- Goldstein, B. and Dropkin, J.J. Infrared sensitivity of the ZnS:Cu:Co phosphor, 2=12627
- Goldstein, H. and Certain, J. Some calculations on the age of neutrons in D_2O , 2=5672
- Goldstein, H.L. See Ollom, J.F., 2=6685
- Goldstein, H.W., Walsh, P.N. and White, D. Rare earths. I. Vaporization of La_2O_3 and Nd_2O_3 : dissociation energies of gaseous LaO and NdO , 2=1315
- Goldstein, H.W. See White, D., 2=1316
- Goldstein, J.H. and Reddy, G.S. Empirical method for estimating diamagnetic anisotropy effects in N.M.R. spectroscopy, based upon the use of C^{13} -H coupling constants, 2=13698
- Goldstein, J.H. See Hobgood, R.T., 2=3782
- Goldstein, J.H. See Howe, J.A., 2=6209
- Goldstein, J.H. See Reddy, G.S., 2=16561
- Goldstein, L. On the thermodynamic phase diagrams of helium three, 2=1331
- Goldstein, L. See Narasinga Rao, K.V., 2=5340
- Goldstein, M.H., Jr. See Peake, W.T., 2=13212
- Goldstein, M.H., Jr. See Peake, W.T., 2=13213
- Goldstein, R. and Cohen, E.R. Theory of resonance absorption of neutrons, 2=16202
- Goldstein, S.J., Jr. Observations of sixty discrete sources at 1423 Mc, 2=11166
- Goldstein, Y. and Grover, N.B. A thermal shutter phenomena in field-effect measurements, 2=22129
- Goldstein, Y., Grover, N.B., Many, A. and Greene, R.F. Improved representation of calculated surface mobilities in semiconductors. II. Majority carriers, 2=2135
- Goldstein, Y. See Grover, N.B., 2=2134
- Goldstein, Y. See Many, A., 2=23329
- Goldstone, J., Salam, A. and Weinberg, S. Broken symmetries, 2=18053
- Goldsztub, S. See Boscher, J., 2=23818
- Goldzahl, L. See Citron, A., 2=5703
- Goldzahl, L. See Citron, A., 2=20658
- Golebiewski, A. and Zalewski, K. Correlation of some reactivity criteria of the resonance theory and the simple L.C.A.O. M.O. method, 2=6198
- Golebiewski, A. See Coulson, C.A., 2=6190
- Golebiewski, A. See Coulson, C.A., 2=6213
- Golecki, J. On a certain form of solution of the equations of dynamic theory of elasticity, 2=10734
- Goles, G.G. and Anders, E. On the geochemical character of iodine in meteorites, 2=4754
- Goletskaya, A.D., Kutasov, V.A. and Popova, E.A. The production and investigation of thermoelectric materials of the Bi-Sb-Te system, 2=4079
- Goletskaya, A.D., Kutasov, V.A. and Popova, E.A. The production and investigation of thermoelectric materials of the Bi-Sb-Te system, 2=8449
- Gol'fand, Yu.A. Quantum field theory in constant curvature p-space, 2=20220
- Golik, A.Z., Klassen, I.F. and Kuchak, G.M. Velocity of ultrasound in certain zinc and cadmium amalgams, 2=7210
- Golikova, O.A., Moizhes, B.Ya. and Stil'bans, L.S. The dependence of hole mobility in germanium on concentration and temperature, 2=2144
- Golikova, O.A., Moizhes, B.Ya. and Stil'bans, L.S. The dependence of hole mobility in germanium on concentration and temperature, 2=8327
- Golikova, O.A. and Stil'bans, L.S. An investigation of the dependence of Hall coefficient on magnetic field and temperature in p-type germanium, 2=8328
- Golikova, O.A. See Vinogradova, M.N., 2=23312
- Gollnow, H. A photoelectric setting device for a measuring microscope, 2=11484
- Gololobov, E.M. See Sirota, N.N., 2=14399
- Gololobov, E.M. See Sirota, N.N., 2=23843
- Golomb, D., Watanabe, K. and Marmo, F.F. Absorption coefficients of sulfur dioxide in the vacuum ultraviolet, 2=6179
- Goloskie, R. and Strauch, K. Measurement of proton inelastic cross-sections between 77 MeV and 133 MeV, 2=5919
- Golovanivskii, K.S. and Kuzovnikov, A.A. Effect of an inhomogeneous R.F. electric field on the plasma in the positive column, 2=1408
- Golovanivskii, K.S. and Kuzovnikov, A.A. The effect of compression of the positive column of a gas discharge by an inhomogeneous high frequency field, 2=7578
- Golovanov, L.B. See Vovenko, A.S., 2=13855
- Golovanova, O.V., Klimin, A.I. and Mostovskii, A.A. Photosensitive layers of lead oxide, 2=2192

- Golovanova, O.V., Klimin, A.I. and Mostovskii, A.A. Photosensitive layers of lead oxide, 2=8438
- Golovastikov, N.I. Crystal structure of beryllonite NaBePO_4 , 2=12914
- Golovastikov, N.I. Crystal structure of beryllonite NaBePO_4 , 2=17021
- Golovin, B.M., Dzhelepov, V.P., Katyshev, Yu.V., Konon, A.D. and Medved', S.V. Apparatus with a ring target for studying the scattering of high-energy neutrons at low angles, 2=3361
- Golovin, B.M., Dzhelepov, V.P. and Zul'karneev, R.Ya. Correlation between the normal polarization components in elastic pp-scattering at 650 MeV. I, 2=22518
- Golovin, I.N., Artemenkov, L.I., Bogdanov, G.F., Panov, D.A., Pistunovich, V.I. and Semashko, N.N. Work with the experimental thermonuclear system Ogra, 2=7632
- Golovina, L.A. The magnitude equation due to coma of an astrograph objective, 2=24070
- Golovnya, V.Ya. and Moldovanov, V.P. The making of targets from highly oxidizing elements, 2=19113
- Golovnya, V.Ya., Klucharev, A.P. and Shilyaev, B.A. Elastic scattering of 5.45 MeV protons on zirconium nuclei $[\text{Zr}^{90,91}]$, 2=444
- Golovnya, V.Ya., Klucharev, A.P. and Shilyaev, B.A. Elastic scattering of 5.45 MeV protons on zirconium nuclei $[\text{Zr}^{90,91}]$, 2=22804
- Golson, J.C. See Abt, H.A., 2=19327
- Golub, S.I. and Orlovskaya, N.O. Dependence of the intensity of luminescence of silver halides on the intensity of excitation, 2=18866
- Golub, S.I. and Orlovskaya, N.A. Effect of different gases on the formation of luminescence centres in silver halide, 2=23600
- Golub, S.I. See Belous, V.M., 2=16850
- Golub, S.I. See Belous, V.M., 2=18865
- Golubetsva, L.I. See Kats, M.L., 2=14710
- Golubits, V.V. Some characteristics of zinc sulphide-selenide sublimation screens, 2=21281
- Golubev, A.S. Reflection of plane waves from a cylindrical defect, 2=5097
- Golyamina, I.P. and Romanenko, E.V. An arrangement for determining the elastic constants of solid bodies, 2=2310
- Golyanov, V.M. See Pravdyuk, N.F., 2=19131
- Golyanov, V.M. See Pravdyuk, N.F., 2=23765
- Golyshkin, V.I. See Barchuk, I.F., 2=14170
- Gombás, P. Correlation energy and correlation potential of an electron gas, 2=590
- Gombás, P. Derivation of the fundamental equation of the statistical theory of atoms, 2=10194
- Gombás, P. and Kisdi, D. Theory of the nuclear molecule consisting of two C^{12} nuclei, 2=9988
- Gomberg, H.J. See Kammash, T., 2=5993
- Gombosi, E. See Bozóki, G., 2=1981
- Gombosi, E. See Friedländer, E.M., 2=11918
- Gómez, L.R. See Sistiaga, J.M., 2=10907
- Gomez, R. See Diebold, R., 2=1709
- Gomez, R. See Talman, R.M., 2=20389
- Gomi, Y. See Odani, Y., 2=6669
- Gomoyunova, M.V. The role of reflected electrons in secondary electron emission, 2=3078
- Gonchar, V.Yu. See Antuf'ev, Yu.P., 2=16320
- Gonchar, V.Yu. See Val'ter, A.K., 2=13997
- Goncharenko, A.M. See Grum-Grzhimailo, S.V., 2=4129
- Gonda, S. See Mikoshiba, N., 2=21141
- Gondal, D. See Mustelier, J.P., 2=18626
- Gondi, P. and Scacciati, G. Improvements in the purification of germanium by zone melting, 2=812
- Gondi, P., Valdré, U. and Grilli, A. Work hardening and recovery phenomena in aluminium, 2=796
- Gondi, P. See Forlani, F., 2=21043
- Gondó, Y. Domain structure in single-crystal thin films of iron, 2=21325
- Gondó, Y. and Konno, H. A torsion pendulum magnetometer used for thin films, 2=17922
- Gondó, Y., Konno, H. and Funatogawa, Z. Spontaneous magnetization in thin films of nickel, 2=8602
- Gonella, J.R. and Robrieux, B. Transformation of thin calcium fluoride films, 2=8882
- Goñi, J. See Tanarro, A., 2=10182
- Goñi, J. See Tanarro, A., 2=18386
- Gonser, U. and Lücke, K. The use of Van De Graaff accelerators for high intensity neutron irradiation of metals, 2=5404
- Gonsior, B. Thermal diffusion plant for working up low tritium concentrations, 2=8071
- Gontkovskaya, V.T. and Chebotarev, G.A. The motion of the space probe Lunik III, 2=1026
- Gontkovskaya, V.T. and Chebotarev, G.A. Estimations of the lunar and solar perturbations of Lunik III, 2=24188
- González, L., Trier, A. and van Loef, J.J. Excitation function of the reaction $\text{Ti}^{44}(\text{n}, \text{p})\text{Sc}^{43}$ at neutron energies between 2.0 and 3.6 MeV, 2=10123
- Gonze, A. See Deconinck, G., 2=465
- Good, R.H., Matsen, R.P., Muller, F., Piccioni, O., Powell, W.M., White, H.S., Fowler, W.B. and Birge, R.W. Regeneration of neutral K mesons and their mass difference, 2=317
- Good, R.H., Matsen, R.P., Muller, F., Piccioni, O., Powell, W.M., White, H.S., Fowler, W.B. and Birge, R.W. Regeneration of neutral K mesons and their mass difference, 2=22628
- Good, R.H. and Pauli, E. Sign of the K_1 - K_2 mass difference, 2=13875
- Good, R.H., Jr. Classical equations of motion for a polarized particle in an electromagnetic field, 2=9685
- Good, R.H., Jr. Connection between displacement operators and integrals of motion for photons, 2=13724
- Good, R.H., Jr. and Rose, M.E. Relation between Foldy-Wouthuysen and Lorentz transformations, 2=16122
- Good, R.H., Jr. See Rice, M.H., 2=6089
- Good, W.D. See Scott, D.W., 2=3732
- Good, W.M. See Bird, J.R., 2=18340
- Goodall, M.C. Foundations of relativistic quantum mechanics, 2=218
- Goodchild, J.C. See Wright, P., 2=4463
- Goodenough, J.B. Cation-cation three-membered ring formation, 2=12691
- Goodfellow, H. See Weale, J.W., 2=3671
- Goodfellow, T.L. See Caffyn, J.E., 2=14443
- Goodfellow, T.L. See Caffyn, J.E., 2=18582
- Goodings, D.A. Magnitude of exchange interactions in gadolinium, 2=21287
- Goodjohn, A.J. See Joanou, G.D., 2=16203
- Goodman, A.M. A method for the measurement of short minority carrier diffusion lengths in semiconductors, 2=2131
- Goodman, B. See Bassani, F., 2=20957
- Goodman, B.B. The magnetic behavior of superconductors of negative surface energy, 2=7501
- Goodman, B.B. The thermodynamic properties of superconducting V_3Ga , 2=17732
- Goodman, B.B. See Bonfiglioli, G., 2=17730
- Goodman, B.B. See Dreyfus, B., 2=2051
- Goodman, C.D. and Ball, J.B. A system for detecting and processing energy spectra for several types of charged particles simultaneously, 2=9729
- Goodman, C.D., Ball, J.B. and Fulmer, C.B. Pickup reaction studies of neutron bound states: Fe^{54} and Co^{59} , 2=1885
- Goodman, C.D., Ball, J.B. and Fulmer, C.B. Pickup reaction evidence for deformation of Fe^{56} , Fe^{57} and Fe^{58} , 2=1886
- Goodman, C.D., Ball, J.B. and Fulmer, C.B. Single-particle neutron bound states in iron isotopes and in cobalt studied with (p,d) reactions, 2=18322
- Goodman, C.D., O'Kelley, G.O. and Bromley, D.A. A 20 000-channel pulse-height analyser with two-coordinate address, 2=9496
- Goodman, C.D. See Ball, J.B., 2=1756
- Goodman, C.H.L. Ionic-covalent bonding in crystals, 2=6244
- Goodman, F.O. The dynamics of simple cubic lattices. I. Application to the theory of thermal accommodation coefficients, 2=23043
- Goodman, J.F. See Corkill, J.M., 2=2696
- Goodman, L., Nöldeke, G. and Walther, H. Sign of the hyperfine structure splitting of the $3d^5, 4s^2 \text{ } ^6\text{S}_{5/2}$ ground state of Mn^{55} , 2=8061
- Goodman, L. See Chowdhury, M., 2=4186
- Goodman, L. See Hoyland, J.R., 2=2011
- Goodman, L. See Hoyland, J.R., 2=2012
- Goodman, L. See Krishna, V.G., 2=14265
- Goodman, L. See Krishna, V.G., 2=20857
- Goodman, L. See Silvestri, A.J., 2=2015
- Goodman, L.S., Kopfermann, H. and Schlüpman, K. Rotational quantum number and hyperfine structure constants for the groundstate of the Ho^{165} I-spectrum, 2=14194
- Goodman, R.R. and Duykers, L.R.B. Calculations of convergent zones in a sound channel, 2=17552
- Goodman, R.R. and Stern, R. Reflection and transmission of sound by elastic spherical shells, 2=7296
- Goodrich, G.W. and Wiley, W.C. Continuous channel electron multiplier, 2=20197
- Goodrich, M. See Hakeem, M.A., 2=10045
- Goodspeed, F.D. See Ingalls, R.B., 2=17681
- Goodwin, D.W. The noise power spectrum of p-type indium antimonide, 2=8432
- Goodwin, E.T. See Bradfield, G., 2=1232
- Goodwin, R.D., Diller, D.E., Roder, H.M. and Weber, L.A. The densities of saturated liquid hydrogen, 2=7191
- Goodwin, R.D. See Weber, L.A., 2=15805
- Goody, R.M. A note on the regular model of an absorption band, 2=6948
- Goodyear, C.C. and von Engel, A. Dissociation and ionization of hydrogen in high-frequency discharges, 2=10285

- Goodyear, J., Duffin, W.J. and Steigmann, G.A. The unit cell of $\alpha\text{-Ga}_2\text{S}_3$, 2=10872
- Gool, W. van. See van Gool, W.
- Gossens, W.J.A. and Meyer, H.J.G. Simple basic concepts of the physics of semiconductors, 2=4000
- Gopalakrishna, R. Diamagnetic behaviour of binary liquid mixtures, 2=15615
- Gopalan, K. and Rajagopal, E.S. An instantaneous pulse frequency meter for random pulses, 2=5281
- Gopasyuk, S.I. Variations of the magnetic field and sunspot configurations during solar flares — a determination of the total energy of flares, 2=975
- Gorak, Z. On the origin of some satellites in X-ray spectra, 2=14210
- Gorbachev, A.A. See Krinchik, G.S., 2=8486
- Gorbachev, A.A. See Krinchik, G.S., 2=23533
- Gorbacheva, N.A. and Osiko, V.V. Concerning the valence of Sn and Mn activators in crystal phosphors, 2=14727
- Gorbacheva, N.A., Gugel', B.M., Konstantinova-Shlezinger, M.A., Lapir, E.S. and Rutshtein, T.G. Phosphate luminophors for fluorescent lamps with improved colour characteristics, 2=14713
- Gorban', A.N. and Sokolov, V.A. The effect of the electric field on the radical-recombination luminescence of the phosphor ZnS, CdS-Cu , 2=21272
- Gorban', A.N. See Sokolov, V.A., 2=7452
- Gorban', A.N. See Sokolov, V.A., 2=23585
- Gorban', I.S., Gritsenko, Yu.I. and Rud'ko, S.N. Photoluminescence and carrier recombination in cuprous oxide crystals, 2=10615
- Gorban', I.S. and Rud'ko, S.M. Absorption spectra and photoluminescence of HgI_2 crystals, 2=18836
- Gorban', I.S. and Rudko, S.N. The absorption and photoluminescence spectra of HgI_2 crystals, 2=23587
- Gorban', I.S., Rudko, S.N. and Shishlovskii, O.A. Independence of the quantum emission of the i.r. luminescence of Cu_2O on wavelength for the case of excitation in the exciton region of the absorption spectrum, 2=6601
- Gorban', I.S., Rud'ko, S.N. and Shishlovskii, A.A. Luminescence of semiconductor crystals with excitation in the discrete structure region of the absorption spectrum, 2=14718
- Gorban', I.S. and Timofeev, V.B. Complex refraction in monocrystals of cuprous oxide, 2=6545
- Gorban', I.S. and Timofeev, V.B. Complex refraction in monocrystals of cuprous oxide, 2=8482
- Gorban', I.S. and Timofeev, V.B. Spectrum of exciton-phonon absorption in Cu_2O crystals, 2=10581
- Gorban', I.S. and Timofeev, V.B. Spectrum of exciton-phonon absorption in Cu_2O crystals, 2=14659
- Gorban', N.Ya. and Shaikevich, I.A. Phase relations for the p- and s-components of a reflected light wave determined by the Fresnel equations, 2=11473
- Gorbatskii, V.G. The luminosity of the long-period variables, 2=24143
- Gorbatskii, V.G. Dynamics of the envelopes of novae, 2=24148
- Gorbis, Z.R. and Bakhtiozin, R.A. Investigation of the convective thermal efficiency of a gas-graphite suspension in conditions of internal flow in vertical channels, 2=19587
- Gorbunov, A.N. and Osipova, V.A. Photodisintegration of oxygen, 2=20593
- Gorbunov, A.N., Dubrovina, V.A., Osipova, V.A., Silaeva, V.S. and Cherenkov, P.A. Investigation of the photoeffect on light nuclei, 2=14077
- Gorbunov, I.M. The absorption of hypersound in dielectrics when a temperature gradient is present, 2=12375
- Gorbunov, N.S. See Izvekov, V.I., 2=6369
- Gorbunov, V.I. Investigation of the structure of irreversible alloys of the Fe-Ni system, 2=23864
- Gorbunov, V.I. and Livshits, B.G. Investigation of the structure of irreversible alloys on the system Fe-Co-V. I. Alloys with high vanadium content, 2=21532
- Gorbunov, V.I. and Livshits, B.G. Investigation of the structure of irreversible alloys on the system Fe-Co-V. II. Alloys with low vanadium content, 2=21533
- Gorchakov, E.G. See Vernov, S.N., 2=12089
- Gorchakov, E.V. Location in space of the outer radiation belt of the earth and the auroral zone, 2=11083
- Gorchakov, E.V. Disposition of the inner radiation belt and the earth's magnetic field, 2=17207
- Gorchakov, E.V. Outer radiation belt and auroras, 2=17208
- Gorchakov, E.V. Location in space of the outer radiation belt of the earth and the auroral zone, 2=21673
- Gorchakov, E.V. and Bazilevskaya, G.A. Measurement of the charged particle flux after the chromospheric flare of July 7, 1958, 2=11129
- Gorchakov, E.V. and Bazilevskaya, G.A. Measurement of the charged particle flux after the chromospheric flare of July 7, 1958, 2=20474
- Gorchakov, E.V. See Vernov, S.N., 2=16256
- Gordadze, G.S. Dissociation in sensitized photochemical reactions, 2=4552
- Gordeev, G.V. The nonstationary rotation of a plasma in a magnetic field, 2=181
- Gordeev, G.V. Concerning internal breakdown in nonpolar semiconductors, 2=2138
- Gordeev, G.V. Concerning internal breakdown in nonpolar semiconductors, 2=8321
- Gordeev, G.V. The effect of a strong field on a p-n junction, 2=16738
- Gordeev, I.V. Resonance theory of nuclear reactions induced by neutrons with energies below 5 MeV, 2=14110
- Gordeev, I.V. Parametric analysis of the cross-sections for fission of the nuclei U^{235} and U^{233} by neutrons in the resonance region, 2=20686
- Gorden, R., Jr. See Ausloos, P., 2=2453
- Gordienko, A.G. See Afanas'ev, A.P., 2=5432
- Gordon, A.H. Elements of dynamic meteorology, 2=6906
- Gordon, A.S. Reactions of CF_3 radicals with perfluoroacetone, 2=6880
- Gordon, A.S., Smith, S.R. and Drew, C.M. Photolysis of mixtures of cyclobutane and acetone- d_6 . Reactions of the cyclobutyl radical, 2=4551
- Gordon, A.S. See Heller, C.A., 2=14335
- Gordon, C.N. An alternative deduction from the Michelson-Morley experiment, 2=21806
- Gordon, E.I. See Le Craw, R.C., 2=12688
- Gordon, F. See Damm, C.C., 2=15912
- Gordon, G.E. See Thomas, T.D., 2=14141
- Gordon, I.M. Supernova outbursts and the origin of cosmic rays, 2=5757
- Gordon, K.F., Singh, T. and Weissman, E.Y. Boiling heat transfer between immiscible liquids, 2=5203
- Gordon, M.A. Riometer observations during a solar eclipse, 2=1004
- Gordon, M.M. See Blosser, H.G., 2=5418
- Gordon, P. See Pope, M., 2=14579
- Gordon, R.B. The study of the interaction between point defects and dislocations through internal friction experiments, 2=21012
- Gordon, R.B. See Abowitz, G., 2=15585
- Gordon, R.B. See Abowitz, G., 2=17446
- Gordon, R.B. See Bauer, C.L., 2=10421
- Gordon, R.B. See Bauer, C.L., 2=6331
- Gordon, R.B. See Koss, D.A., 2=21035
- Gordon, R.G. Magnetic susceptibility measurements of small samples, 2=20093
- Gordon, R.G. See Musher, J.I., 2=18486
- Gordon, S. See Jonathan, N., 2=14328
- Gordon, S. See McBride, B.J., 2=1207
- Gordon, W.L. See Joseph, A.S., 2=10641
- Gordon, W.L. See Stark, R.W., 2=14409
- Gordus, A.A. and Hsiung Chi-hua. Failure to bond rupture and nuclear recoil following (n, γ) activation, 2=6130
- Gordus, A.A. See Hsiung Chi-hua, 2=6129
- Gordus, A.A. See Rack, E.P., 2=4564
- Gordy, W. See Bouldin, W.V., 2=20917
- Gordy, W. See Cipolline, E., 2=16550
- Gordy, W. See Lontz, R.J., 2=23707
- Gordy, W. See Narasimha Rao, D.V.G.L., 2=6691
- Gordy, W. See Rexroad, H.N., 2=3791
- Gordy, W. See Rusk, J.R., 2=18449
- Gorelik, S.S. The activation energy of recrystallization and assessment of the recrystallization tendencies of metals and alloys, 2=21553
- Gorge, C. See Bianchi, G., 2=9865
- Gorgé, V. The electron absorption of positive μ -mesons, 2=9885
- Gorgé, V. See Cvijanovich, G.B., 2=5638
- Gorgolewski, S., Hanasz, J., Iwaniszewski, H. and Turlo, Z. Log-periodic-aerial-interferometer for radioastronomy, 2=13156
- Gorichev, P.A., Lozhkin, O.V. and Perfilov, N.A. Charge distributions of fragments in nuclear disintegrations, 2=448
- Gorichev, P.A., Lozhkin, O.V. and Perfilov, N.A. Charge distributions of fragments in nuclear disintegrations, 2=22814
- Gorichev, P.A., Lozhkin, O.V., Perfilov, G.A. and Yakovlev, Yu.P. Some features of multiple production of fragments by 9 BeV protons, 2=22860
- Gorid'ko, N.Ya., Kuz'menko, P.P. and Novikov, N.N. Changes in the mechanical properties of germanium on changing the concentration of current carriers, 2=8757
- Gorid'ko, N.Ya., Kuz'menko, P.P. and Novikov, N.N. Changes in the mechanical properties of germanium on changing the concentration of current carriers, 2=14910
- Gorina, Yu.I., Kashtanova, A.M., Maksimova, G.V. and Skanavi, G.I. Preparation of monocrystals of strontium titanate and some data on their dielectric properties, 2=4097
- Gorini, I. and Sartori, S. Quartz thermometer, 2=19756

- Goritchev, P.A., Darovskikh, V.F., Lozhkin, O.V., Obukhov, A.I., Perfilov, N.A. and Jakovlev, U.P. Investigation of light fragmentation products and peculiarities of nuclear fission at high energies of incident particles, 2=14151
- Gor'kov, L.P. Concerning the forces acting on a small particle in an acoustic field in an ideal fluid, 2=1238
- Gor'kov, L.P. Concerning the forces acting on a small particle in an acoustic field in an ideal fluid, 2=7302
- Gor'kov, L.P. and Pitaevskii, L.P. Transition of liquid He^3 to the superfluid state, 2=9473
- Gor'kov, L.P. See Abrikosov, A.A., 2=13503
- Gor'kov, L.P. See Bychkov, Yu.A., 2=6303
- Gorkun, Yu.I. and Tolpygo, K.B. The theory of transport phenomena in semiconductors of the p-type Ge, 2=4015
- Gorkun, Yu.I. and Tolpygo, K.B. The theory of transport phenomena in semiconductors of the type P-Ge, 2=8326
- Görlich, P. [Ed.]. Optics and spectroscopy of all wavelengths, 2=17579
- Görlich, P. and Karras, H. Electrolytic colouring of strontium fluoride crystals, 2=21078
- Görlich, P., Karras, H. and Lehmann, R. The optical properties of alkaline earth halides of fluor spar type. I, 2=4110
- Görlich, P., Karras, H. and Lehmann, R. The optical properties of alkaline earth halides of fluor spar type. II, 2=4111
- Görlich, P., Krohs, A. and Pohl, H.J. Electron-optical conditions at Venetian blind type dynodes and their effects in photo-multipliers, 2=5375
- Görlich, P., Karras, H., Köthe, A. and Kühne, K. Thermoluminescence measurements on CaF_2 crystals, 2=2264
- Görlich, P. See Eckardt, A., 2=22254
- Görlich, P. See Frischmuth-Hoffmann, G., 2=5374
- Gorlov, G.V. See Brovchenko, V.G., 2=20368
- Gorman, D. See Montgomery, D., 2=1462
- Gorman, D. See Montgomery, D., 2=15937
- Gorman, D. See Montgomery, D., 2=20000
- Gorman, J.K. and Nardella, W.R. Hydrogen permeation through metals, 2=12457
- Gorman, L.A. See Weissmann, S., 2=23930
- Gorn, L.S., Ol'dekop, L.G. and Khazanov, B.I. A reversible dekatron scaling circuit, 2=17753
- Gorn, L.S. See Bogdanov, A.A., 2=17754
- Gornick, F. and Mandelkern, L. Effect of noncrystallizable components on the crystallization kinetics of polymers, 2=6771
- Gorobchenko, V.D. See Samoilov, B.N., 2=399
- Gorobchenko, V.D. See Samoilov, B.N., 2=4219
- Gorodetskii, S.M. See Kosman, M.S., 2=8275
- Gorodetskii, S.M. See Kosman, M.S., 2=10431
- Gorodetzky, S., Beck, F., Knipper, A., Manquenouille, R. and Richert, R. Plane polarization of γ -rays emitted by Ac^{211} , 2=12174
- Gorodetzky, S., Fintz, P. and Gallmann, A. Excitation functions and angular distributions in the reaction $\text{N}^{14}(\text{d}, \text{p})\text{N}^{15}$, 2=22840
- Gorodetzky, S., Frick, G. and Gallmann, A. Study of transitions in the reaction $\text{C}^{12}(\text{d}, \text{p})\text{C}^{13}$ using an internal pair spectrometer, 2=486
- Gorodetzky, S., Gallmann, A., Fintz, P. and Bassompierre, G. Angular distribution of protons and p- γ angular correlation in the reactions $\text{B}^{11}(\text{d}, \text{p})\text{B}^{12}$, 2=484
- Gorodetzky, S., Gallmann, A., Fintz, P. and Bassompierre, G. Proton spectra for the reaction $\text{C}^{12}(\text{d}, \text{p})\text{C}^{13}$ and a study of the 5.51 and 6.10 MeV levels of C^{13} , 2=485
- Gorodetzky, S., Manquenouille, R., Richert, R. and Knipper, A. Lifetimes of the excited levels 362 keV of Tb^{159} and 570 keV of Pb^{207} , 2=382
- Gorodetzky, S., Mennrath, P., Chevallier, P., Scheibling, F. and Sutter, G. Electromagnetic transitions 6.92 MeV \rightarrow 6.13 MeV and 7.12 MeV \rightarrow 6.13 MeV in O^{16} , 2=13996
- Gorodetzky, S., Mennrath, P., Chevallier, P., Scheibling, F. and Sutter, G. Electromagnetic transitions 6.92 MeV \rightarrow 6.06 MeV and 7.12 MeV \rightarrow 6.06 MeV in O^{16} , 2=16327
- Gorodetzky, S., Mennrath, P., Benensson, W., Chevallier, P., Scheibling, F. and Sutter, G. 8.88 MeV \rightarrow 6.06 MeV electromagnetic transitions in O^{16} , 2=20522
- Gorodetzky, S., Muller, T., Port, M. and Zichichi, A. Experimental observation of some regularities in μ^+ repolarisation, 2=22552
- Gorodetzky, S., Muser, A., Zen, J. and Armbruster, R. A fast shaping circuit with adjustable threshold using tunnel diodes, 2=5283
- Gorodetzky, S., Muser, A., Zen, J. and Armbruster, R. Coincidence circuit using tunnel diodes, 2=9502
- Gorodetzky, S., Port, M. and Graff, J. Low noise linear preamplifier for a junction detector, 2=13520
- Gorodetzky, S., Richert, R., Manquenouille, R. and Knipper, A. Half-life of the second excited level at 418 keV in Al^{26} , 2=365
- Gorodetzky, S., Scheibling, F., Chevallier, P., Mennrath, P. and Sutter, G. Multiplicity of the 2.14 MeV transition in B^{11} , 2=13980
- Gorodetzky, S., Sutter, G., Armbruster, R., Chevallier, P., Mennrath, P., Scheibling, F. and Yoccoz, J. A search for two-photon de-excitation in monopole transitions in O^{16} , Ca^{40} and Zr^{90} , 2=376
- Gorodetzky, S., Ullman, J., Bergdolt, G. and Gallmann, A. Degree of polarization of protons of about 5 MeV elastically scattered from C^{12} , 2=440
- Gorodinskii, G.M. and Kochevanov, V.A. An automatic pulse counter, 2=1361
- Gorodinskii, G.M. See Baranovskii, V.I., 2=14010
- Gorodyskii, V.A., Romanov, Yu.F., Sorokina, A.V. and Yakunin, M.I. Electrocapillary method of constructing thin layers of radioactive substances on organic films, 2=1829
- Gorokhov, L.N. The new calculation methods in mass-spectrometric studies with the double effusion chamber, and the thermodynamic properties of lithium iodide, 2=13373
- Goroshkov, G.V., Grebenskii, B.S., Khormushko, S.P. and Tsvetkov, O.S. Dispersed fast neutron detector, 2=16206
- Gorowitz, B., Moses, K. and Gloersen, P. Experimental investigations of plasma accelerators for space vehicle guidance and propulsion, 2=3056
- Gorshanova, A.F. and Damburg, R.Ya. Account of strong coupling in electron collisions with hydrogen atoms, 2=20752
- Gorshkov, G.V. and Kodiukov, V.M. Attenuation of γ -radiation from three-dimensional sources in iron and lead, 2=11922
- Gorshkov, G.V., Zyabkin, V.A. and Tsvetkov, O.S. The neutron yield from the (α, n) reaction in Be, B, C, O, F, Mg, Al, Si, and granite induced by the α -particles from polonium, 2=20677
- Gorshkov, V.G. Theory of relativistic coulomb scattering. I, 2=224
- Gorshkov, V.K. and Anikina, M.P. The fine-structure in the fission yield curve for ^{235}U , 2=3635
- Gorskaya, L.G. See Belova, A.P., 2=2126
- Górski, L. Some problems of applying thin sodium iodide crystals in gamma-ray spectrometry within the energy range 15-100 keV, 2=5614
- Górski, L. See Czubek, J., 2=3305
- Górski, L. Mechanical effect of X-rays in crystals, 2=799
- Gorter, C.J. Fifty years superconductivity, 2=2950
- Gorter, C.J. Note on the superconductivity of alloys, 2=15849
- Gorter, C.J. Applications of electron spin resonance, 2=16082
- Gorter, C.J. On the partial persistence of superconductivity at very high magnetic fields and current densities, 2=19808
- Gorter, C.J. See Locher, P.R., 2=4273
- Gorter, C.J. See Locher, P.R., 2=21381
- Gorter, C.J. See van der Lugt, W., 2=6711
- Goryachev, B.I. See Bogdankevich, O.V., 2=16387
- Goryachev, B.N. A statistical method of separating nuclear reaction yields with different multiplicities, 2=14070
- Goryaga, A.N., Lin' Chzhan-da [Lin Chang-Ta]. On the low temperature magnetic transformation in lithium ferrite-chromites, 2=23681
- Goryaga, A.N. See Belov, K.P., 2=623
- Goryunova, N.A. Some problems concerning the formation of semi-conducting tetrahedral phases, 2=23414
- Goryunova, N.A., Mamaev, S. and Prochukhan, V.D. Certain properties of the semiconductor CdSnAs_2 , an electronic analogue of indium arsenide, 2=14548
- Gorzhevskaya, E.G. See Adamovich, M.I., 2=304
- Gorzhevskaya, E.G. See Adamovich, M.I., 2=5713
- Gosar, P. On the application of the photo-magneto-mechanical effect in P-N junctions, 2=6483
- Gosar, P. On the comparison between Zener breakdown and residual resistance, 2=23275
- Goshen, S. See Pazy, A., 2=6028
- Gosling, D.S. See Davies, A.E., 2=16710
- Gossard, A.C., Jaccarino, V. and Remeika, J.P. NMR in domains and walls in ferromagnetic CrBr_3 , 2=12685
- Gossard, A.C., Portis, A.M. and Sandle, W.J. Nuclear magnetic resonance in ferromagnetic Fe^{57} , 2=785
- Gossard, E.E. Vertical flux of energy into the lower ionosphere from internal gravity waves generated in the troposphere, 2=8995
- Gossard, E.E. The reflection of microwaves by a refractive layer perturbed by waves, 2=16029
- Gossard, W.H. See Gerson, N.C., 2=13696
- Gosse, J. See Barriol, R., 2=23068
- Gosser, R.B. See Bolef, D.I., 2=10699
- Gosser, R.B. See Bolef, D.I., 2=15708
- Gossick, B.R. The dipole mode of minority carrier diffusion, with reference to disordered regions induced in semiconductors by pile irradiation, 2=23287
- Gössman, G. Calculation of the total cross-section for the scattering of sub-thermal neutrons by water and ice according to a crystal model, 2=22527
- Gosting, L.J. See Fujita, H., 2=1139

- Joswami, A. Growth of halide layers on copper single crystals, 2=19060
 Joswami, A. and Pal, M.K. On the collective quadrupole state of C^{12} , 2=16301
 Joswami, K.N. See Patel, A.R., 2=8774
 Joswami, K.N. See Patel, A.R., 2=10786
 Kotlib, Yu. Ya. The kinetics of cooperative processes. The temperature dependence of relaxation properties of the simplest cooperative systems (the Ising model), 2=10643
 Kotlib, Yu. Ya. and Ptitsyn, O.B. A theory of the annealing of glasses as a cooperative process, 2=8868
 Kotlib, Yu. Ya. and Ptitsyn, O.B. A theory of the annealing of glasses as a cooperative process, 2=10925
 Kotlib, Yu. Ya. and Salikhov, K.M. Diffusion theory of potential barrier penetration in a variable external field, 2=21856
 Koto, K. See Kojima, H., 2=14779
 Koto, M., Kuwahara, K. and Tatsumoto, E. Anisotropy induced by magnetic annealing in nickel films, 2=8641
 Koto, S. Form factor and its isoscalar part of the nucleons, 2=9830
 Koté, T. On the interaction of elementary particles in view of the extended particle model. I, 2=11915
 Koté, T. On the interaction of elementary particles in view of the extended particle model. II. Covariant formulation, 2=20284
 Kotoh, H. See Nakai, K., 2=20643
 Kotoh, K. Stability of a flow between two rotating cylinders in the presence of a circular magnetic field, 2=17936
 Kotoh, M. Several problems in high vacuum technique and the background of the ultra high vacuum mass spectrometer, 2=17904
 Kotoh, M. Ultra high vacuum mass spectrometer. II. Behaviour of Getter ion pump and ionization gauge under static operations, 2=20054
 Kotow, K., Lobkowitz, F. and Heer, E. Depolarization parameter in proton-proton scattering at 213 MeV, 2=20338
 Gott, C.T. See Maki, A.G., 2=14251
 Gott, Yu. V. and Tel'kovskii, V.G. Thin-foil technique for determining ion energy in a high-temperature plasma, 2=9601
 Gottal, P. De. See De Gottal, P.
 Gottenberg, W.G. and Christensen, R.M. Comments on damping of shaker-excited beams calculated solely from displacement amplitude measurements, 2=17531
 Gottfried, K. and Picman, L. Sound propagation in a dilute Fermi gas at zero temperature, 2=4961
 Gotthard, H. See Politycki, A., 2=14793
 Gottlieb, B. See Sarabhai, V., 2=12035
 Gottlieb, I. and Tomozei, C. A new system of dimensions, 2=7106
 Gottlieb, P. and Suhl, H. Saturation of ferrimagnetic resonance with parallel pumping, 2=10688
 Gottlieb, P. See Kikuchi, R., 2=1077
 Gottstein, K. See Cester, R., 2=3409
 Goubau, G. Some characteristics of electromagnetic wave beams, 2=7730
 Goudmand, P. See Guenebaut, H., 2=10250
 Goudmand, P. See Pannetier, G., 2=20818
 Goudot, A. Study of bioactivators using the method of ligand fields, 2=6191
 Goudsmit, P.F.A. See Bleeker, E.J., 2=5864
 Goudsmit, P.F.A. See Lark, N.L., 2=16330
 Goudsmit, P.F.A. See Wapstra, A.H., 2=12168
 Goudswaard, B. See Bots, G.J.C., 2=12384
 Gough, V.E. See Barson, C.W., 2=7152
 Goulard, R. The coupling of radiation and convection in detached shock layers, 2=9300
 Gould, E.S. See Hopkins, T.E., 2=17060
 Gould, G. See Jacobs, S., 2=6101
 Gould, G. See Rabinowitz, P., 2=7385
 Gould, G. See Rabinowitz, P., 2=20139
 Gould, P. The (p,d) reaction at medium energies, 2=16407
 Gould, R.W. See Boyd, G.D., 2=5341
 Gould, R.W. See Vandenplas, P.E.M., 2=17836
 Goulding, F.S. and Hansen, W.L. Leakage current in semiconductor junction radiation detectors and its influence on energy-resolution characteristics, 2=6479
 Goulding, F.S. See Alexander, T.K., 2=5278
 Goulanos, K. See Danby, G., 2=20308
 Gourary, B.S. and Fein, A.E. Theory of localized electronic states at point imperfections, 2=3874
 Goureaux, M. On the use of extensometry for the study of the structure of metallic films, 2=10934
 Gourdin, M. Inelastic form factors, 2=5894
 Gourdin, M. and Rimpault, M. A parity related to K^* -meson spin and associated $\Lambda^0 K^0$ production, 2=12011
 Gourdin, M. See Fubini, S., 2=11931
 Gourdin, M. See Warbutron, A.E.A., 2=3375
 Gourdon, C. Study of the trajectories of ions in a magnetic mirror configuration. I. Possibility of temporary capture by a magnetic configuration of a charged particle coming from outside, 2=17848
 Gourdon, C. See Leroux, B., 2=19988
 Goureaux, C., Lanier, B. and Cadoret, R. Influence of the texture of thin films of nickel on their extensometric properties, 2=14494
 Goureaux, G. See Colombani, A., 2=6415
 Goussu, O. See Alitti, J., 2=16229
 Goussu, O. See Alitti, J., 2=18156
 Gout, C., Pradal, F. and Simon, R. Characteristic energy losses of electrons in copper, silver and gold, 2=12411
 Gouterman, M. Radiationless transitions: a semiclassical model, 2=14663
 Gouterman, M. and Wagnière, G. Dynamic aspects of bond alteration in cyclic polyenes, 2=8121
 Gouterman, M. See Hoffmann, R., 2=14311
 Goutille, R. See Gilbert, J., 2=15147
 Goutte, R. See Bernard, R., 2=842
 Goux, C. Evaluation of the grain boundary energy in pure metals, 2=6789
 Goux, C. Evaluation of the grain boundary energy in pure metals, 2=6790
 Gouzou, J. Examination of a new criterion of plasticity which is valid for a homogeneous semi-isotropic material, such as a steel, 2=16953
 Gove, H.E. Experimental evidence for direct interactions, 2=1857
 Gove, H.E. Current experimentation with the tandem accelerator at the Chalk River laboratories, 2=5401
 Gove, H.E., Litherland, A.E. and Clark, M.A. Production of neon in stars, 2=997
 Gove, H.E., Litherland, A.E. and Clark, M.A. A 2^- assignment for the 4.97 MeV level in Ne^{20} , 2=1808
 Gove, H.E., Litherland, A.E. and Clark, M.A. Alpha-gamma angular correlations in the reaction $C^{12}(C^{12}, \alpha)Ne^{20}$, 2=1933
 Gove, H.E., Litherland, A.E. and Clark, M.A. Alpha-gamma angular correlations in the reaction $C^{12}(C^{12}, \alpha)Ne^{20}$, 2=3623
 Gove, H.E., Litherland, A.E. and Ferguson, A.J. Study of the properties of the 4.97 MeV level in Ne^{20} using the $F^{19}(p, \gamma)Ne^{20}$ reaction, 2=1814
 Gove, H.E. See Clark, M.A., 2=1811
 Gove, H.E. See Litherland, A.E., 2=1810
 Gove, H.E. See Litherland, A.E., 2=1812
 Gove, N.B. and Nakasima, R. On the reaction cross-sections with 14 MeV neutrons, 2=466
 Govindaswamy, S. See Suryanarayana, C.V., 2=4981
 Govorkov, A.B. On the statistical spread of the impulse amplitude in a fast neutron impulse reactor, 2=22869
 Govorkov, B.B., Denisov, S.P. and Minarik, E.V. Elastic photoproduction of π^0 -mesons on carbon at an energy of 155 MeV, 2=13847
 Govorkov, V.G. and Papkov, V.S. Effect of annealing on the density of dislocations and the compression curves of germanium mono-crystals, 2=21031
 Govorkov, V.G. See Regel', V.R., 2=1100
 Govorov, A.M., Li Ga En, Osetinskii, G.M., Salatskii, V.I. and Sizov, I.V. Alpha-particle spectra and the differential cross-sections of the reaction $H^3(t, 2n)He^4$ at an angle of 90° , 2=22659
 Gowariker, S. See Chapman, K.R., 2=3108
 Goyal, D.P. See Bhowmik, B., 2=1726
 Goyal, D.P. See Bhowmik, B., 2=5742
 Goyal, D.P. See Bhowmik, B., 2=18188
 Grabari, V. See Bedike, T., 2=22748
 Grabovskii, M.A. See Brodskaya, S.Yu., 2=18902
 Grabowski, Z., Thun, J.E. and Lindström, B. Internal conversion coefficients of the transitions in Tm^{169} , 2=20561
 Grabowski, Z., Thun, J.E., El-Nesr, M.S. and Hamilton, W.D. A search for nuclear structure effects in Tm^{169} , 2=7953
 Grabowski, Z. See Hamilton, W.D., 2=3527
 Grabowski, Z. See Thun, J.E., 2=3459
 Grabowski, Z. See Thun, J.E., 2=3524
 Grace, M.A., Johnson, C.E., Scurlock, R.G. and Taylor, R.T. Nuclear alignment of cerium isotopes, 2=22731
 Gradshtain, E. See Chupakhin, M.S., 2=9650
 Graeffe, G. and Nurmia, M. The use of thick sources in alpha spectrometry, 2=5836
 Graef Fernandez, C. The gradient of Birkoff's gravitational field, 2=2607
 Graev, M.I. See Gel'fand, I.M., 2=20098
 Graf, A. See Frieser, H., 2=9412
 Graf, K.A. and Bachynski, M.P. Electromagnetic waves in a bounded anisotropic plasma, 2=17834
 Graf, P. Magnetic properties of the rare earth metals praseodymium and samarium, 2=8606

- Graf, P., Hügli, H. and Tempus, P. Production of radioisotopes, 2=20535
- Graff, J. See Gorodetzky, S., 2=13520
- Graff, K. Optical densities and thicknesses of evaporated carbon films, 2=2890
- Graff, K. See Müllenstedt, G., 2=10795
- Graff, K. See Speidel, R., 2=21562
- Graff, T. The influence of inhibitory processes on vision, 2=2581
- Graft, R.D. See Aukerman, L.W., 2=21005
- Graham, C. See King, J.W., 2=9005
- Graham, C.D., Jr. Magnetocrystalline anisotropy of gadolinium, 2=23652
- Graham, C.D., Jr. See Lommel, J.M., 2=12676
- Graham, C.R., Levialdi, A. and Waissmann, D. Electrical properties of certain ferroelectric capacitors, 2=19881
- Graham, D. See Peart, R.F., 2=14463
- Graham, J. and Scaife, D.E. Ligand field for chromic ions on the corundum lattice, 2=10298
- Graham, R.A. Technique for studying piezoelectricity under transient high stress conditions, 2=1374
- Graham, R.A. Dielectric anomaly in quartz for high transient stress and field, 2=12574
- Graham, R.L., Brown, F., Ewan, G.T. and Uhler, J. The K-LL Auger spectrum of ^{133}Cs , 2=1846
- Graham, R.L., Ewan, G.T. and Geiger, J.S. A one-meter-radius iron-free double-focusing $\pi\sqrt{2}$ spectrometer for β -ray spectroscopy with a precision of $1:10^5$, 2=1511
- Graham, R.L., Geiger, J.S., Bell, R.E. and Barton, R. A simple and accurate method for calibrating nanosecond time-to-pulse-height converters, 2=15872
- Graham, R.L., Geiger, J.S., Naumann, R.A. and Prospero, J.M. Evidence for a 789.99 keV level in Os^{188} , 2=10019
- Graham, R.L. See Ewan, G.T., 2=1801
- Graham, R.L. See Ewan, G.T., 2=3481
- Graham, R.L. See Geiger, J.S., 2=3523
- Graham, R.L. See Geiger, J.S., 2=7939
- Graham, T.P. See Barnes, R.G., 2=12832
- Grahn, R. Valence bond treatment of the H_2O^+ ion, 2=3765
- Grahn, R. Stability of the hydroxium ion, H_2O_4^+ , studied by theoretical methods, 2=3766
- Grahn, R. Note on the magnetic resonance of the hydrated proton, 2=3783
- Graiff, F. The tensor character of Einstein's action, 2=9172
- Grainger, J.F. and Ring, J. Anomalous Fraunhofer lines profiles, 2=17177
- Grainger, L. See McIntosh, A.B., 2=10188
- Gram, P.A.M. See Kendall, H.W., 2=325
- Gramenitskii, I.M., Dremin, I.M. and Chernavskii, D.S. π -p-interaction at an energy of 7 BeV, 2=22586
- Gramenitskii, I.M. See Vishky, T., 2=22512
- Gramenitskii, I.M. See Vishky, T., 2=1684
- Grammatikati, V.S., Margulis, U.Ya. and Khrushchev, V.G. Dose field of a source, 2=6053
- Gran, B.E. See Prosen, R.J., 2=12674
- Granatkin, B.V. See Antonov, A.V., 2=18126
- Granato, A.V. and Stern, R. Dislocation damping in copper at kilocycle and megacycle per second frequencies, 2=20930
- Granato, A.V. See Stern, R.M., 2=21014
- Granato, A.V. See Teutonico, L.J., 2=21020
- Grancha, I. See Filip, A., 2=6047
- Grand, Y. Le. See Le Grand, Y.
- Grandjean, C. Study of germanium by transparency in infrared light; double refraction of silicon and germanium, 2=8483
- Grandmontagne, R. Initial values for the analogue calculation of wave functions and numerical calculation of Laguerre polynomials, 2=6205
- Grandmontagne, R. Potential and wave functions of diatomic molecules outside the classical case, 2=18430
- Graneau, P. A re-examination of the relationship between self- and mutual inductance, 2=5446
- Graneau, P. The measurement of electrical conductivity in metals research, 2=19824
- Graneau, P. and Swann, S.A. Induced currents in a moving cylindrical shell, 2=3134
- Graner, G. Expansion of molecular dipole moments as a function of the coordinates of symmetry. II, 2=537
- Granet, P. Study of Σ^+ hyperons produced by collisions of 1035 MeV π^+ mesons with protons, 2=20433
- Grange, J., Albiser, G. and Fosse, H. Experimental study of refractivities. Valence reflectivities, 2=11372
- Granier, C. The terminology of methods of geochemical prospecting, 2=15178
- Grannis, P.D. Electrostatic erosion mechanisms on the moon, 2=4736
- Granovskii, V.G. Thermodynamics of solid solutions with ferro-electric properties, 2=16785
- Granovskii, V.L. See Fedoseeva, L.A., 2=1426
- Granovskii, V.L. See Urazakov, E.I., 2=3040
- Granovskii, V.L. See Vasil'eva, I.A., 2=1394
- Granquist, W.T. See Hollingsworth, C.A., 2=7183
- Granquist, W.T. See Hollingsworth, C.A., 2=11506
- Grant, D.M. See Barfield, M., 2=3784
- Grant, D.M. See Barfield, M., 2=14301
- Grant, R.W. See Shirley, D.A., 2=20498
- Granville, J.W. See Gibson, A.F., 2=2199
- Granzow, K.D. Fall of small particles through the upper atmosphere: an analytic treatment, 2=4623
- Granzow, K.D. and McClure, G.W. High-voltage glow discharges in D_2 gas. III. Starting potential theory, 2=9549
- Granzow, K.D. See McClure, G.W., 2=3014
- Grard, F. The phenomenon of internal ionization by β -emission treated as a case of rapid perturbation, 2=22758
- Grard, F., Macleod, G., Montanet, L., Cresti, M., Barloutaud, R., Choquet, C., Gaillard, J.M., Heughebaert, J., Leveque, A., Lehmann, P., Meyer, J. and Revel, D. π^- -proton scattering at 516, 616, 710, 887 and 1085 MeV, 2=1715
- Grard, F., Macleod, G.R., Montanet, L., Cresti, M., Barloutaud, R., Choquet, C., Gaillard, J.M., Heughebaert, J., Leveque, A., Lehmann, P., Meyer, J. and Revel, D. Proton scattering in the energy region 500-1100 MeV, 2=22513
- Grard, F. and Smith, G.A. Study of the reaction $\pi^+ + p \rightarrow \Sigma^+ + K^+$ near threshold, 2=18159
- Grard, F. See Crawford, F.S., Jr., 2=22650
- Grard, F. See Loria, A., 2=1714
- Grasberger, W.H. See Colgate, S.A., 2=13145
- Grashin, A.F. Solution of the dispersion method linear equations in the two-particle approximation, 2=20278
- Grashin, A.F. and Shalamov, Ya.Ya. Spin of the ρ -meson, 2=13870
- Grashin, A.F. and Mel'nikov, V.N. The effect of $\pi\pi$ -interaction in nucleon electromagnetic form factors, 2=18060
- Grashin, A.F. See Galanin, A.D., 2=22457
- Grashin, A.F. See Kuznetsov, Ye.V., 2=22636
- Grashin, A.F. See Kuznetsov, E.V., 2=22637
- Grashin, A.F. See Shalamov, Ya.Ya., 2=20395
- Grässler, H. and Tesch, K. Detection efficiency of a plastic scintillator for neutrons in the energy range of 1 to 14 MeV, 2=3359
- Grassmann, P. See McFadden, P.W., 2=15814
- Grasso, F. See Cattaneo, F., 2=23206
- Grauby, A. See Bourrier, J., 2=5851
- Graudinya, L., Kostochkin, O., Petrzhak, K. and Sorokina, A. Gamma-rays produced by 2.95 MeV inelastic neutron scattering on Al^{27} , 2=22819
- Graudyn', L. See Adamov, V., 2=10111
- Graudynya, L.Ya., Kostochkin, O.I., Petrzhak, K.A. and Sorokina, A.V. Gamma-rays produced in inelastic scattering of 2.95 MeV neutrons on Ta^{181} nuclei, 2=10114
- Graue, A. and Erdal, A. A time-of-flight spectrometer for fast neutrons, 2=13817
- Graven, W.M. Absorption spectra of anodic tantalum oxide films, 2=698
- Graves, W.E. Measured slowing down distribution at the indium resonance from a line source of fission neutrons in heavy water, 2=11956
- Graveson, R.T. See Meth, I.M., 2=22138
- Gravitt, J.C. and Waldow, P. Note on gravitational red shift, 2=9162
- Gray, B.F. Use of projection operators in perturbation theory, 2=4933
- Gray, B.F. Application of Rayleigh-Schrödinger perturbation theory to the hydrogen atom, 2=12282
- Gray, E.P. and Kerr, D.E. The diffusion equation with a quadratic loss term applied to electron-ion volume recombination in a plasma, 2=7592
- Gray, E.M. See Garscadden, A., 2=22233
- Gray, H.B. and Ballhausen, C.J. On the optical spectra of some transition metal pentacyanonitrosyl complexes, 2=6570
- Gray, J., Jr. See Rothman, S.J., 2=3948
- Gray, J., Jr. See Rothman, S.J., 2=14467
- Gray, K.W. See Clough, S., 2=8682
- Gray, L. See Bertanza, L., 2=22652
- Gray, P. Linear dissipative processes in liquids, 2=9256
- Gray, P. and Wright, P.G. A comparison of experimental and theoretical values of the thermal conductivity of binary mixtures of nitrogen and hydrogen, 2=11425
- Gray, P. See Wright, P.G., 2=7251
- Grea, J. See Bastard, C., 2=5715
- Grebemshchikov, R.G. See Lazarev, A.N., 2=8834

- Grebenikov, E.A. See Aksenov, E.P., 2=11180
 Grebenikov, E.A. See Aksenov, E.P., 2=21746
 Grebennik, I.P. See Pines, B.Ya., 2=8900
 Grebenshchikov, S.E., Raizer, M.D., Rukhadze, A.A. and Frank, A.G. Reflection and refraction of shock waves in magneto-hydrodynamics, 2=1577
 Grebenskii, B.S., Timofeeva, T.V., Khormushshko, S.P. and Tsvetkov, O.S. On enhancing the efficiency of a scintillation type slow neutron detector, 2=16205
 Grebenskii, B.S. See Goroshkov, G.V., 2=16206
 Grebinnik, V.G. See Blokhintseva, T.D., 2=16227
 Grecescu, M. See Ciorascu, F., 2=20084
 Grechaniuk, L.A., Fainberg, E.A. and Zertsalova, I.N. Electrical conductivity of sodium-lead-silicate glasses containing iron oxide, 2=18648
 Grechishkin, V.S. and Ainbinder, N.E. Quadrupole effects in the nuclear resonance spectrum of single urea and sodium thiosulphate crystals, 2=2309
 Grechishkin, V.S. and Ainbinder, N.E. Relative intensities of nuclear resonance lines in single crystals in the presence of magnetic and quadrupolar interactions, 2=10717
 Grechishkin, V.S. and Soifer, G.B. Study of orientational melting processes in certain crystals by nuclear quadrupole resonance, 2=791
 Grechishkin, V.S. and Soifer, G.B. Study of orientational melting processes in certain crystals by nuclear quadrupole resonance, 2=8688
 Grechishkin, V.S., Svetlov, Yu.G. and Soifer, G.B. Change in the multiplet structure of the nuclear quadrupole resonance spectrum of solid CCl_4 , 2=790
 Grechishkin, V.S., Svetlov, Yu.G. and Soifer, G.B. Change in the multiplet structure of the nuclear quadrupole resonance spectrum of solid CCl_4 , 2=4295
 Grechko, L.G. and Ovander, L.N. Some features of Raman scattering in piezoelectric crystals, 2=12606
 Grechko, L.G. and Ovander, L.N. Some features of Raman scattering in piezoelectric crystals, 2=14691
 Grechukhin, D.P. Two-quantum transitions of atomic nuclei, 2=14041
 Grechushnikov, B.N. Circular quartz, polarizers, 2=17654
 Grechushnikov, B.N. Determination of the true contour of a spectral distribution from observation with the aid of Fourier series, 2=19706
 Greco, F.P. Del. See Del Greco, F.P.
 Greco, D. See Corciovei, A., 2=6323
 Greco, D. See Corciovei, A., 2=8209
 Greco, D. See Corciovei, A., 2=21087
 Greebe, C.A.A.J. and Knippenberg, W.F. Grown p-n junctions in silicon carbide. II, 2=8386
 Green, A.E. Thermoelastic stresses in initially stressed bodies, 2=4324
 Green, A.M. Velocity dependent nuclear forces and their effect in nuclear matter, 2=1755
 Green, A.M. The effect of velocity-dependent forces in nuclear matter, 2=13966
 Green, A.M. Velocity dependent nuclear forces and their effect in nuclear matter, 2=16283
 Green, A.P. and Sawkill, J. Plastic anisotropy and fracture in beryllium, 2=4343
 Green, B.A., Jr. Size effect in electrical resistivity of alloys, 2=11386
 Green, B.C. See Mitchell, F.W., 2=8125
 Green, C.H. Glass, 2=15074
 Green, D.M. and Sewall, S.T. Effects of background noise on auditory detection of noise bursts, 2=24203
 Green, D.M. See Kryter, K.D., 2=24204
 Green, D.M. See Swets, J.A., 2=4896
 Green, D.M. See Swets, J.A., 2=17319
 Green, J.A. Optical method for resolving the Fourier component of a signal periodic or periodic in time, 2=17600
 Green, J.A. and Parkinson, W.C. Polarization of protons in $\text{Be}^9(\text{d,p})\text{Be}^{10}$, 2=18350
 Green, J.J. and Schlömann, E. Susceptibility of ferromagnets in a strong r.f. magnetic field applied parallel to the d.c. field, 2=6661
 Green, J.J. and Schlömann, E. Investigations of spin-wave interactions by the parallel pumping technique, 2=12742
 Green, J.J. See Maguire, E.A., 2=14806
 Green, J.J. See Saunders, J.H., 2=12746
 Green, J.L. See Bowles, K.L., 2=16075
 Green, J.M. See Johnson, J.L., 2=15998
 Green, J.R. Energy balance in extensive air showers, 2=3431
 Green, J.R. and Baucus, J.R. Electron-photon energies in extensive air showers, 2=9955
 Green, J.R. and Laniewski, D.D. Zenith angle distribution of extensive air showers, 2=9957
 Green, J.W., Poland, D.E. and Margrave, J.L. Erratum: Thermodynamic properties of unipositive gaseous elemental ions, 2=7561
 Green, L. Reactor-coolant properties, 2=3666
 Green, L.G. See Gunn, S.R., 2=2714
 Green, L.G. See Gunn, S.R., 2=2715
 Green, L.G. See Gunn, S.R., 2=10973
 Green, L.L., Stephens, G.A. and Willmott, J.C. The ${}^7\text{Li}(\alpha, \gamma){}^{11}\text{B}$ reaction, 2=10144
 Green, L.L. See Baart, E.E., 2=5915
 Green, L.L. See Braben, D.W., 2=1820
 Green, L.L. See Braben, D.W., 2=14091
 Green, M. and Cosslett, V.E. The efficiency of production of characteristic X-radiation in thick targets of a pure element, 2=3124
 Green, M. and Liberman, I.A. The interaction of oxygen with various clean germanium surfaces, 2=23918
 Green, M. and Maxwell, K.H. The adsorption of chlorine on clean germanium surfaces, 2=2434
 Green, M. and Seiwatz, R. Model for the (100) surfaces of silicon and germanium, 2=23911
 Green, M., Swinkels, A.J. and Bockris, J.O'M. Apparatus for measuring adsorption from solution on solid metal electrodes, 2=4499
 Green, R.B. See Peters, L., Jr., 2=3170
 Green, R. Thermoelectric currents in meteorites, 2=11118
 Green, R.M. and McNeill, K.G. Short communications on the calibration of [NaI crystal] whole body counters, 2=15421
 Green, R.M. See McNeill, K.G., 2=1628
 Green, T.S. See Adams, B., 2=3636
 Greenaway, D.L. Fundamental reflectivity of GaAs at low temperature, 2=21226
 Greenaway, D.L. See Cardona, M., 2=6539
 Greenberg, I.N. See Ryan, F.M., 2=8451
 Greenberg, O.W. Generalized free fields and models of local field theory, 2=1647
 Greenberg, O.W. Two folk lemmas on the expansion of the S matrix or the out field in normal ordered in fields, 2=3277
 Greenberg, O.W. Heisenberg fields which vanish on domains of momentum space, 2=22382
 Greenberg, O.W. and Low, F.E. Limit on high-energy cross section from analyticity in Lehmann ellipses, 2=1656
 Greenberg, O.W. See Sen, H.K., 2=3033
 Greenberger, D.M. and Margolis, B. Behaviour of nucleon-nucleon singlet phase shifts, 2=279
 Greene, E.F. See Patterson, W.L., Jr., 2=6879
 Greene, G. See Chrzanoski, P., 2=4595
 Greene, G. See Chrzanoski, P., 2=13078
 Greene, J.F.P.H. Diamond physics, 2=20897
 Greene, J.M. and Johnson, J.L. Stability criterion for arbitrary hydromagnetic equilibria, 2=5459
 Greene, J.M. and Johnson, J.L. Stability criterion for arbitrary hydromagnetic equilibria, 2=11769
 Greene, J.M., Johnson, J.L., Kruskal, M.D. and Wilets, L. Equilibrium and stability of helical hydromagnetic systems, 2=20128
 Greene, R.F. Energy dependent bulk relaxation time and surface transport, 2=16692
 Greene, R.F. See Goldstein, Y., 2=2135
 Greener, E.H. and Hirthe, W.M. Electrical conductivity of non-stoichiometric $\alpha\text{-Nb}_2\text{O}_5$, 2=18709
 Greener, E.H., Hirthe, W.M. and Angino, E. Thermoluminescence of thorium, 2=8596
 Greenfield, I.G. See Takamura, J., 2=8216
 Greenhow, J.S. Head echoes from meteor trials, 2=4846
 Greenhow, J.S. and Hall, J.E. The height variation of the ambipolar diffusion coefficient for meteor trials, 2=4657
 Greenhow, J.S. and Neufeld, E.L. Winds in the upper atmosphere, 2=2498
 Greenhow, J.S., Sutcliffe, H.K. and Watkins, C.D. Radar observations of meteor echoes at a frequency of 1300 Mc/s, 2=13178
 Greening, J.R. See Scott, P.B., 2=3195
 Greenland, K.W. See Wright, W.D., 2=13426
 Greenlees, G.W. and Jarvis, O.N. A direct measurement of the proton total reaction cross-section for copper at 9.3 MeV, 2=5908
 Greenlees, G.W. See Robbins, A.B., 2=1875
 Greenman, C.V. Magneto-ionic duct propagation time (whistler mode) versus geomagnetic latitude at 4 kc, 2=22349
 Greenough, G.B. See Bell, J.C., 2=1947
 Greenspan, H.P. Similarity solution for a cylindrical shock-magnetic field interaction, 2=7241
 Greenspan, M. See Freier, S., 2=22630

- Greenstadt, E.W. Magnetic storms in interplanetary space as observed by Pioneer V, 2=4730
- Greenstadt, E.W. and Moreton, G.E. A comparison of solar flare incidence with magnetic transients observed in the near-by interplanetary region by Pioneer 5, 2=24125
- Greenstein, J.L. Radio sources containing peculiar ellipticals, 2=13187
- Greenstein, J.L. and Arpigny, C. The visual region of the spectrum of Comet mrkos (1957d) at high resolution, 2=15322
- Greenstein, J.L. See Fowler, W.A., 2=11107
- Greenwood, D.A. Electrical conduction in a one-dimensional disordered potential, 2=14485
- Greenwood, D.A. A note on the theory of thermal conduction in metals, 2=16617
- Greenwood, G.W. The effects of neutron irradiation on γ -uranium and some fissile alloys of cubic crystal structure, 2=16672
- Greenwood, G.W. Observations on uranium irradiated in the α and subsequently in the γ -phase and its implications in assessing volume increases in irradiated fissile material, 2=21085
- Greenwood, G.W. and Boltax, A. The role of fission gas re-solution during post irradiation heat treatment, 2=12270
- Gregor, L.V. The heat capacity of cuprous oxide from 2.8 to 21°K, 2=23071
- Gregorig, R. Technically advantageous procedure in the use of a heat exchanger in vaporization and condensation, 2=15772
- Gregory, A.G., Sherwood, T.R. and Titterton, E.W. The excitation function of the $\text{Li}^7(\gamma, p)\text{He}^6$ reaction, 2=14076
- Gregory, A.G., Symons, G.D. and Treacy, P.B. Spin alignment of deuterons elastically scattered from carbon, 2=22837
- Gregory, C. Equation of motion in five space, 2=4929
- Gregory, C. Einstein, Infeld, and Hoffman problem of motion in five space, 2=9149
- Gregory, D.A. See Sharpless, N.E., 2=12578
- Gregory, N.W. See Tracy, J.W., 2=10871
- Gregory, N.W. See Tracy, J.W., 2=15023
- Gregory, N.W. See Tracy, J.W., 2=15025
- Greguss, P. and Erdelyi, I. New aspects in the physical mechanism for sonic processing, 2=7292
- Greider, K.R. Nuclear single-particle wavefunctions, 2=20486
- Greifer, A.P. See Lessoff, H., 2=12692
- Greiner, C. Magnetic elementary-domain data on coarse-grained and single-crystal samples of composition 50% Ni-50% Fe, 2=8634
- Greiner, E.S., Gutowski, J.A. and Ellis, W.C. Preparation of silicon ribbons, 2=806
- Greiner, W. See Faessler, A., 2=16294
- Greiner, W. See Faessler, A., 2=22704
- Greiner, J.D., Shanks, H.R. and Wallace, D.C. Magnetic susceptibility of the cubic sodium tungsten bronzes, 2=4207
- Greiner, W. and Marschall, H. An estimate of the contribution due to a nonspherical symmetric meson state to the polarization of the nucleus, 2=6116
- Greisen, K. See Bennett, S., 2=12070
- Greisen, K. See Delvaile, J., 2=12062
- Greisen, K. See Pak, W., 2=5771
- Greisen, K. See Bennett, S., 2=1747
- Grekov, A.P. See Nagornaya, L.L., 2=1160
- Grenacs, L. See Creutz, E., 2=12145
- Grenacs, L. See Deutsch, J.P., 2=407
- Grenacs, L. See Deutsch, J.P., 2=408
- Grenacs, L. See Deutsch, J.P., 2=5859
- Grenacs, L. See Lipnik, P., 2=7943
- Grenall, A. Electron microscope observations of fast neutron damage in gold films, 2=6321
- Grenall, A. See Brinkman, J.A., 2=6322
- Grenat, H., Herman, L. and Hepner, G. Experimental study of the influence of the average electron energy on the spectral composition of N_2 in the laboratory and in aurorae, 2=6149
- Grenat, H. See Herman, L., 2=20878
- Grenier-Besson, M.L. and Amat, G. Rotation spectrum of molecules with C_{3v} symmetry in an excited vibrational state $v_t = 1$, 2=6141
- Grenier-Besson, M.L., Amat, G. and Nielsen, H.H. Higher-order rotation-vibration energies of polyatomic molecules. VI, 2=20779
- Grey, J., Jacobs, P.F. and Sherman, M.P. Calorimetric probe for the measurement of extremely high temperatures, 2=17680
- Greyber, H.D. See Klein, M.M., 2=3034
- Griazev, V.M. See Klimentov, V.B., 2=6054
- Gribanov, S.A. See Kuznetsov, V.D., 2=23776
- Gribaumont, A. Transfer nuclear reactions, 2=22778
- Gribkov, V.I., Zhevandrov, N.D. and Khan-Magometova, Sh.D. Polarization of the luminescence of molecular crystals in different regions of the spectrum, 2=16868
- Gribkov, V.I. See Khan-Magometova, Sh.D., 2=16864
- Gribkov, V.I. See Zhevandrov, N.D., 2=10614
- Gribkovskii, V.P. and Stepanov, B.I. On agreement between the classical and quantum theories of the interaction of light with harmonic oscillators, 2=14702
- Gribkovskii, V.P. See Stepanov, B.I., 2=16507
- Gribnikov, Z.S. The distribution function of charge carriers in ideal p-n junctions, 2=8380
- Gribnikov, Z.S. The distribution function of charge carriers in ideal p-n junctions, 2=10502
- Gribov, L.A. A new derivation of expressions for internal vibrational coordinates in terms of atomic displacements in polyatomic molecules, 2=1982
- Gribov, L.A. Theory of infrared absorption band intensities of complex molecules containing several identical groups, 2=6152
- Gribov, L.A. and Popov, E.M. Electro-optical parameters of polyatomic molecules and their calculation from experimental data on intensities and polarizations in infrared absorption spectra, 2=22942
- Gribov, V.N. Theory of reactions involving the formation of three particles near the threshold decay, 2=316
- Gribov, V.N. Partial waves with complex orbital momenta and the asymptotic behavior of the scattering amplitude, 2=3272
- Gribov, V.N. Analytic properties of partial wave amplitudes and the asymptotic behaviour of the scattering amplitude, 2=16175
- Gribov, V.N. A possible asymptotic behaviour of elastic scattering, 2=22453
- Gribov, V.N., Danilov, G.S. and Dyatlov, I.T. Analytical properties of a square diagram with non-decaying masses, 2=22424
- Gribov, V.N. and Dyatlov, I.T. Contribution of three-particle states to the spectral function equation, 2=16176
- Gribov, V.N., Ioffe, B.L., Pomeranchuk, I.Ya. and Rudik, A.P. Some consequences of the hypothesis of the moving poles for processes at high energies, 2=20264
- Gribov, V.N. and Pomeranchuk, I.Ya. Complex angular momenta and the relation between the cross-sections for different processes at high energies, 2=16173
- Gribov, V.N. and Pomeranchuk, I.Ya. Asymptotic behaviour of annihilation and elastic scattering processes at high energies, 2=16179
- Gribov, V.N. and Pomeranchuk, I.Ya. Spin structure of the meson-nucleon and nucleon-nucleon scattering amplitudes at high energies, 2=16189
- Gribov, V.N. and Pomeranchuk, I.Ya. Some properties of the high-energy elastic scattering amplitude, 2=20271
- Gribov, V.N. and Pomeranchuk, I.Ya. Regge poles and Landau singularities, 2=22446
- Gribov, V.N. and Pomeranchuk, I.Ya. Limitation of velocity of decrease of amplitudes in various processes, 2=22451
- Gribov, V.N., Danilov, G.S. and Dyatlov, I.T. Analytic properties of the square diagram with decay masses, 2=269
- Gribov, V.N. and Dyatlov, I.T. Analytic continuation of the three-particle unitarity condition. Simplest diagrams, 2=7833
- Gribov, V.N. See Anisovich, V.V., 2=7888
- Gribov, V.N. See Ansel'm, A.A., 2=22456
- Gribov, V.N., Kolkunov, V.A., Okun', L.B. and Shekhter, V.M. A covariant deduction of the Weizsäcker-Williams formula, 2=338
- Gridnev, K.A. See Belozerskii, G.N., 2=8586
- Gridnev, K.A. See Vyazemskii, V.O., 2=22360
- Gridnev, V.N. and Nechiporenko, V.G. Phase transformation during electric heating of manganese-vandium steels, 2=6827
- Gridnyev, V.N. and Yefimov, O.I. Interferometric investigation of ferrite grain boundaries, 2=8233
- Grieco, M.J. See Miller, K.J., 2=10807
- Grieco, M.J. See Miller, K.J., 2=19061
- Griem, H.R., Baranger, M., Kolb, A.C. and Oertel, G. Stark broadening of neutral helium lines in a plasma, 2=3698
- Griem, H.R., Kolb, A.C. and Shen, K.Y. Stark profile calculations for the $\text{H}\beta$ line of hydrogen, 2=3696
- Griem, H.R. and Shen, C.S. Application of a dispersion relation to the electron impact widths and shifts of isolated spectral lines from neutral atoms, 2=33699
- Griem, H.R. See Berg, H.F., 2=3700
- Griem, H.R. See Bronfin, B.R., 2=5134
- Griffin, E.E. and Alford, W.P. Measurement of the polarization of 7-8 MeV protons inelastically scattered from the first excited states of Ni^{58} and Ti^{48} , 2=18320
- Griffin, H.C. See Pierson, W.R., 2=20539
- Griffin, J.J. Fission fragment angular distributions by exact power series, 2=18370
- Griffing, G.W. Influence of interference scattering on the scattering of slow neutrons by gaseous methane, 2=18475
- Griffing, V. See DeCarlo, V., 2=16512
- Griffing, V. See Ruffa, A.R., 2=8905

- riffing, V. See Scheel, N., 2=8118
- riffith, H.O. See McConnell, H.M., 2=16634
- riffith, J.S. Group theory and aromatic molecules, 2=3757
- riffith, J.S. Critique of the method of the split p-orbital, 2=10268
- riffith, T.C. See Cairns, D.J., 2=3224
- riffiths, D. Robust helical spring microbalance, 2=233
- riffiths, D. See Calder, R.S., 2=15021
- riffiths, D.J. See Daniels, J.M., 2=23037
- riffiths, D.J. See Daniels, J.M., 2=23687
- riffiths, G.M., Larson, E.A. and Robertson, L.P. The capture of protons by deuterons, 2=9848
- riffiths, J.E. See Edelson, D., 2=22178
- riffiths, J.H.E. See Thornley, J.H.M., 2=6248
- riffiths, J.H.E. See Windsor, C.G., 2=20832
- riffiths, L.B. The arcing behaviour of metals in contact with a low energy hydrogen plasma, 2=3020
- riffiths, L.B. The effect of irradiation and post irradiation annealing on the electrical resistivity of uranium monocarbide, 2=6414
- riffiths, L.B. Effect of oxygen on the temperature coefficient of resistivity of uranium monocarbide, 2=8307
- riffiths, L.B. Uranium carbide — potential fast reactor fuel, 2=12271
- riffiths, L.B. Quenching vacancies in uranium monocarbide, 2=23159
- riffiths, R.B. Theory of magnetic exchange—lattice relaxation in two organic free radicals, 2=549
- riffiths, R.J., Knight, K.M., Candy, C.J. and Cole, A.J. Mass discrimination with plastic scintillators, 2=20189
- riffy, T.A. and Biedenharn, L.C. Nuclear resonance effects in Coulomb excitation, 2=12130
- riffy, T.A. and Biedenharn, L.C. A note on the angular distribution of inelastically scattered particles in Coulomb excitation, 2=20580
- rigoletto, A. See Di Corato, M., 2=22627
- rigor'ev, E.P. and Avotina, M.P. Comparison of the theory of nonaxial nuclei with experiment, 2=13953
- rigor'ev, E.P., Larionov, O.D., Nikitin, M.K., Sakharov, S.L. and Sergeev, V.O. Determination of the periods of Dy¹⁵⁹, Ho^{160m}, Tm¹⁶⁸ and Lu¹⁷⁵, 2=14012
- rigor'ev, E.P., Larionov, O.V., Nikitin, M.K., Sakharov, S.L. and Sergeev, V.O. Gamma-spectra of the tantalum activity formed by proton bombardment of tantalum, 2=14065
- rigor'ev, E.P., Sakharov, S.L. and Sergeev, V.O. Gamma spectra of the isotopes in the Lanthanum fraction from spallation of tantalum, 2=14060
- rigor'ev, E.P. and Zolotavin, A.V. Determination of the magnet pole form by considering the end effect, 2=1558
- rigor'ev, N.N. and Kulyupin, Yu.A. Deterioration of a phosphor during electroluminescence, 2=729
- rigor'ev, N.N. and Kulyupin, Yu.A. Some results of an investigation of the deterioration of phosphors during electroluminescence, 2=14755
- rigor'ev, O.I. See Biryukov, E.I., 2=16371
- rigor'ev, O.I. See Biryukov, E.I., 2=18299
- rigor'eva, L.I. See Chechkin, V.V., 2=9573
- rigorov, N.L., Rapoport, I.D., Murzin, V.S. and Sabin, F.D. A 49-channel pulse-amplitude analyser with large dynamic range, 2=5288
- rigorov, N.L., Tretyakova, C.A., Shestopierov, V.J., Babayan, C.P., Bayadtsyan, N.G., Buja, Z., Łoskiewicz, J., Massalski, J. and Oles, A. Integral spectrum of ionisation pulse caused by nuclear active particles of cosmic radiation at mountain altitudes, 2=16254
- rigorov, N.L., Zhuravlev, D.A., Kondrat'eva, M.A., Rapoport, I.D. and Savenko, I.A. Searches for antimatter in cosmic rays and in space, 2=19276
- rigorov, N.L. See Babetski, Ya.S., 2=331
- rigorov, N.L. See Babetski, Ya.S., 2=22675
- rigorov, N.L. See Vernov, S.N., 2=12087
- rigorovich, R. [Grigorovici] and Croitoru, N. [Croitoru]. Hall constant for thin films of silver, 2=6423
- Grigorovici, R., Croitoru, N. and Dévényi, A. A study of vacuum evaporated lead films. I. Thermal coefficient of electrical resistance, 2=6469
- Grigorovici, R., Croitoru, N. and Dévényi, A. Experiments on vacuum-evaporated lead films. I. Temperature coefficient of electrical resistance, 2=8281
- Grigorovici, R., Croitoru, N. and Dévényi, A. The electrical conductivity and the structure of thin layers of silver, 2=8283
- Grigorovici, R., Croitoru, N. and Dévényi, A. Photoresistance in PbS, 2=18749
- Grigorovici, R., Croitoru, N. and Marinescu, N. The width of the forbidden energy gap in degenerate p-germanium, 2=12518
- Grigorovic, R., Croitoru, N. and Marinescu, N. Width of the forbidden zone in p-type degenerate Ge, 2=18682
- Grigorovic, R., Croitoru, N. and Nicoladide, L. Study of vacuum-evaporated lead films. II. Hall constant, 2=6470
- Grigorovici, R., Croitoru, N. and Nicolaide, L. Experiments on vacuum-evaporated lead films. II. The Hall constants, 2=8282
- Grigorovici, R. and Dévényi, A. Electrical properties of evaporated cadmium layers, 2=10438
- Grigorovici, R. and Dévényi, A. Electrical properties of cadmium films deposited by evaporation, 2=18635
- Grigorovici, R., Dévényi, A. and Botilá, T. The number of free electrons in aluminium, 2=16620
- Grigorovici, R., Dévényi, A. and Botilá, T. Determination of the concentration of free electrons in aluminium, 2=20979
- Grigorovici, R., Dévényi, A. and Mănăila, R. The electrical conductivity of metallic films or irregular thickness, 2=16681
- Grigorovici, R. See Grigorovich, R.
- Grigoryan, E.V., Kantardzhyan, L.T. and Chirkinyan, S.S. Investigation of the luminescence of ionic forms of uranin and fluorescein, 2=15606
- Grigor'iev, V.M. Investigation of the separation of krypton isotopes in a non-packing rectification column, 2=10228
- Grigson, C.W.B. High-speed direct-recording system for electron diffraction, 2=2440
- Grigson, C.W.B. On scanning electron diffraction, 2=14968
- Griio [Grillot], É., Gross, E.F., Bansi-Griio [Bancie-Grillot], M. and Novikov, B.V. Variation in the shape of spectral dependence of photosensitivity in pure CdS crystals, 2=10527
- Griio, É. See Gross, E.F., 2=6571
- Grikitt, I.A., Makarenko, V.S. and Fal'kevich, E.S. Investigation of the effect of the structure of metallic magnesium on the results of a spectrographic determination of the iron contained in it, 2=19173
- Grilli, A. See Gondi, P., 2=796
- Grillot, E. and Bancie-Grillot, M. New investigations on exciton fluorescence in pure CdS, 2=8559
- Grillot, E. See Bancie-Grillot, M., 2=6621
- Grillot, E. See Bancie-Grillot, M., 2=10622
- Grillot, É. See Griio, É.
- Grilly, E.R. The vapour pressure of solid and liquid neon, 2=15804
- Grimberg, W. See Schliephake, R.W., 2=868
- Grimberg, W. See Schliephake, R.W., 2=8806
- Grimeland, B., Messelt, S. and Sund, L. Influence of the moderator size on the slowing down of (D,D) neutrons in paraffin wax, 2=18131
- Grimeland, B. See Børresen, S., 2=20363
- Grimes, W.R. See Cannon, M.C., 2=6856
- Grimley, T.B. Polymer dimensions in solutions of finite concentrations, 2=6242
- Grimley, T.B. The normal mode frequencies of chemisorbed atoms and molecules, 2=14248
- Grimmeiss, H.G., Kichio, W. and Koelmans, H. p-n-junction photo-voltaic effect in zinc-doped GaP, 2=21199
- Grimmeiss, H.G. and Memming, R. P-N photovoltaic effect in cadmium sulfide, 2=14582
- Grin', A.V. See Shmatov, V.T., 2=23736
- Grin, G.A., Joseph, C., Alder, J.C. and Vaucher, B. A simple time-amplitude converting circuit, 2=7536
- Grin, G.A. See Vaucher, B., 2=20375
- Grin', Yu.T. Nonadiabatic corrections to the rotational spectrum of atomic nuclei, 2=361
- Grin', Yu.T. Effect of rotation on pair correlation in nuclei, 2=22702
- Grin', Yu.T. Nonadiabatic corrections to the rotational spectrum of atomic nuclei, 2=22725
- Grin, Yu.T. and Pavlichenkov, I.M. The collective gyromagnetic ratio for odd atomic nuclei, 2=22710
- Grinberg, A.A. The current-voltage characteristics of a p-n junction in the forward direction, 2=12535
- Grinberg, A.A. The current-voltage characteristics of a p-n junction in the forward direction, 2=14566
- Grinberg, A.A. and Ryvkin, S.M. A monopolar non-stationary photo-magnetic effect, 2=4073
- Grinberg, A.A. See Arkadyeva, E.N., 2=23453
- Grinberg, A.P. See Andreev, D.S., 2=13982
- Grinberg, A.P. See Andreev, D.S., 2=18267
- Grinberg, B. and Le Gallic, Y. Basic characteristics of a laboratory designed for measuring very low activities, 2=5820
- Grinberg, B. See Le Gallic, Y., 2=5825
- Grinberg, B.A. and Orlov, A.N. Microscopic calculation of the distribution of atoms in a dislocation, 2=8215
- Grinberg, B.A. and Orlov, A.N. Microscopic analysis of the arrangement of atoms in a dislocation, 2=21025
- Grinberg, D.K.de. See de Grinberg, D.K.
- Grinberg, D.Krashapolsky de. See Krashapolsky, D.
- Grinberg, G.A. Steady flow of a conducting liquid along a rectangular tube which has two conductivity and two insulating walls and is situated in an external magnetic field, 2=5452

- Grinberg, G.A. Steady flow of a conducting liquid along a rectangular tube which has two conductivity and two insulating walls and is situated in an external magnetic field, 2=9696
- Grinberg, G.A. and Kuritsyn, V.N. Diffraction of a plane electromagnetic wave by an ideally conducting plane ring and the electrostatic problem for such a ring, 2=9712
- Grinev, V.S., Rau, O.I. and Svishechev, G.M. On the automatic treatment of absorption spectra of additive multicomponent mixtures, 2=6900
- Gringauz, K.I. Rocket measurements of the electron density in the ionosphere using a v.h.f. dispersion interferometer, 2=13019
- Gringauz, K.I., Bezrukikh, V.V. and Ozerov, V.D. Results of measurements of positive-ion concentration in the ionosphere employing ion traps on Sputnik III, 2=8988
- Gringauz, K.I., Bezrukikh, V.V., Ozerov, V.D. and Rybchinskii, R.E. Study of interplanetary ionized gas high-energy electrons and corpuscular radiation of the sun, employing three-electrode charged particle traps on the second Soviet space rocket, 2=9070
- Gringauz, K.I., Bezrukikh, V.V., Ozerov, V.D. and Rybchinskii, R.E. Study of interplanetary ionized gas, high-energy electrons and corpuscular radiation of the sun, employing three-electrode charged-particle traps on the second Soviet space rocket, 2=15301
- Gringauz, K.I., Kurt, V.G., Moroz, V.I. and Shklovskii, I.S. Results of observations of charged particles observed out to $R = 100\,000$ km, with the aid of charged-particle traps on Soviet space rockets, 2=918
- Gringauz, K.I., Kurt, V.G., Moroz, V.I. and Shklovskii, I.S. Ionized gas and fast electrons in the vicinity of the earth and in interplanetary space, 2=9030
- Gringauz, K.I. and Rudakov, V.A. Measurements of electron concentration in the ionosphere up to altitudes of 420-470 km, carried out during the International Geophysical Year by means of radio-wave transmissions from the geophysical rockets of the Academy of Sciences USSR, 2=8999
- Gringauz, K.I., Rudakov, V.A. and Kaporskii, A.V. Apparatus for rocket measurements of the free-electron concentration in the ionosphere, 2=8998
- Gringauz, K.I., Rudakov, V.A. and Kaporskii, A.V. Apparatus for rocket measurements of the free-electron concentration in the ionosphere, 2=17153
- Grisaru, M.T. See Federbush, P.G., 2=11986
- Grishae, I.A. and Shenderovich, A.M. Errors due to the "dead" time of counters operating in conjunction with pulsed sources, 2=22368
- Grishechkina, S.P. See Shotov, A.P., 2=21161
- Grishin, A.F. See Ainutdinov, M.S., 2=18167
- Grishin, A.F. See Shalamov, Ya.Ya., 2=13857
- Grishin, S.F. See Borovik, E.S., 2=1557
- Grishin, V.G. See Aripov, R.A., 2=1718
- Grishin, V.G. See Bannik, B.P., 2=3602
- Grishin, V.K. See Volodichev, N.N., 2=17919
- Gritchenko, Z.G. See Shvedov, V.P., 2=13010
- Gritsenko, Yu.I. See Gorban', I.S., 2=10615
- Gritsyna, V.T. See Remaev, V.V., 2=10018
- Gritsyuk, Yu.N. See Apalin, V.F., 2=20693
- Grittin, G.V. See Pretzel, F.E., 2=14473
- Griveson, P. See Alcock, C.B., 2=10908
- Grivet, P. and Bassompierre, A. Nuclear quadrupole resonance, 2=14859
- Gröbner, W. See Cap, F., 2=24075
- Grodzins, L. The uniform behaviour of electric quadrupole transition probabilities from first 2^+ states in even-even nuclei, 2=20503
- Grodzins, L., Bauer, R.W. and Wilson, H.H. The nuclear magnetic moment of the $158\text{ keV } 5/2^-$ state of Hg^{199} , 2=1775
- Grodzins, L., Bauer, R.W. and Wilson, H.H. Nuclear magnetic moment of the $158\text{ keV } 5^-$ state of Hg^{199} , 2=1776
- Grodzins, L. See Weiss, H., 2=22467
- Grohmann, K. See Boersch, H., 2=1505
- Grohmann, K. See Boersch, H., 2=15962
- Grohmann, K. See Boersch, H., 2=22262
- Gromov, K. See Džhelepov, B.S., 2=5865
- Gromov, K. See Džhelepov, B.S., 2=5866
- Gromov, K. See Džhelepov, B.S., 2=5867
- Gromov, K.Ya., Džhelepov, B.S., Dmitriev, A.G., Morozov, V.A. and Yakovlev, K.I. Conversion electrons and gamma-rays from Tm^{165} , 2=14049
- Gromov, K.Ya. See Abdurazakov, A.A., 2=5857
- Gromov, K.Ya. See Abdurazakov, A.A., 2=14025
- Gromov, K.Ya. See Abdurazakov, A.A., 2=18302
- Gromov, K.Ya. See Baranov, V.I., 2=14053
- Gromov, K.Ya. See Basina, A.S., 2=14050
- Gromov, Yu.K. and Reshetnikov, A.M. Inspection of electron-gun points on an EM-3 electron microscope, 2=20031
- Grona, L.Ya. See Bobyr', V.V., 2=461
- Grona, L.Ya. See Bobyr', V.V., 2=7988
- Grona, L.Ya. See Bobyr', V.V., 2=22822
- Grona, L.Ya. See Strizhak, V.I., 2=7989
- Grona, A.R. Current-induced marker motion in copper, 2=2096
- Grona, A.R. See Huntington, H.B., 2=2095
- Grønvald, F., Kjekshus, A. and Raaum, F. The crystal structure of Ti_3Te_4 , 2=15041
- Grønvald, F. and Rost, E. The crystal structures of Pd_4Se and Pd_4S , 2=10880
- Grønvald, F. See Westrum, E.F., Jr., 2=10329
- Groot, S.R.de. See de Groot, S.R.
- Grosh, R.J. See Viskanta, R., 2=19742
- Grosh, R.J. See Viskanta, R., 2=22075
- Groshev, L.V. and Demidov, A.M. M1 transitions from highly-excited states, 2=3476
- Groshev, L.V., Demidov, A.M., Ivanov, V.A., Lutsenko, V.N. and Pelekhov, V.I. Energy levels of Gd^{155} and Gd^{156} , 2=5799
- Groshev, L.V., Demidov, A.M., Ivanov, V.A., Lutsenko, V.N. and Pelekhov, V.I. Energy levels of Gd^{155} and Gd^{156} , 2=7930
- Groshev, L.V., Demidov, A.M. and Lutsenko, V.N. Gamma radiation from the $\text{Cl}^{35}(n, \gamma)\text{Cl}^{36}$ reaction, 2=14113
- Groshev, L.V., Demidov, A.M., Lutsenko, V.N. and Malov, A.F. Magnetic gamma-spectrometer with high resolution, 2=13766
- Grosjean, P.V. Principles of semi-metric geometry, 2=13258
- Grosjean, P.V. The principles of semi-metric geometry, with some applications. II, 2=19416
- Grosman, M. See Nikitine, S., 2=2105
- Grosman, M. See Nikitine, S., 2=23555
- Gross, B. and de Moraes, R.J. Gamma irradiation effects on electrets, 2=12573
- Gross, B. and de Moraes, R.J. Polarization of the electret, 2=18781
- Gross, D. See Bucher, E., 2=7495
- Gross, E.F. Optical and magneto-optical effects in semiconductor crystals, 2=2216
- Gross, E.F. Effect of recoil on momentum and energy of the photon during exciton formation and annihilation, 2=8191
- Gross, E.F. and Chzhan Guan'-in' [Chang Kuan-yin]. New exciton series of lines in the blue and violet regions of the spectrum of cuprous oxide crystals, 2=12582
- Gross, E.F. and Chzhan Guan'-in' [Chang Kuan-yin]. New exciton series of lines in the blue and violet regions of the spectrum of cuprous oxide crystals, 2=14654
- Gross, E.F. and Chzhan Guan-in [Chang Kuang-yin]. Excitons in reflection spectrum of crystals of cuprous oxide in the ultraviolet region, 2=16808
- Gross, E.F. and Chzhan Guan-in [Chang Kuang-yin]. Excitons in reflection spectrum of crystals of cuprous oxide in the ultraviolet region, 2=21232
- Gross, E.F., Kaplyanskii, A.A. and Agekyan, V.T. Influence of unidirectional deformation on the spectrum of direct and indirect excitation of the ground state of excitons in a Cu_2O crystal, 2=20972
- Gross, E.F., Kaplyanskii, A.A., Agekyan, V.T. and Bulyanitsa, D.S. Polarization of the yellow exciton series in the spectrum of Cu_2O on deformation of the crystals, 2=21245
- Gross, E.F., Lider, K.F. and Novikov, B.V. Spectral studies of the photoconductivity curves of CdS crystals at temperatures of 77 and 4°K in the absorption edge region, 2=23455
- Gross, E.F., Zakharchenya, B.P. and Sibilev, A.I. The Zeeman effect in indirect excitons in a cuprous oxide crystal, 2=20971
- Gross, E.F., Bansi-Griio, M. [Bancie-Grillot], Griio, E. [Grillot] and Rasbirin, B.S. Effect of mechanical treatment on the absorption spectrum of cadmium sulphide crystals at low temperature, 2=6
- Gross, E.F., Lider, K.F. and Novikov, B.V. Spectral studies of the photoconductivity curves of CdS crystals at temperatures of 77 and 4°K in the absorption edge region, 2=18738
- Gross, E.F., Kalyuzhnaya, G.K. and Nedzvetskii, D.S. Fine structure of the absorption spectrum of gallium phosphide monocrystals, 2=10600
- Gross, E.F. and Kreingol'd, F.I. The infrared absorption spectrum of silver oxide, 2=701
- Gross, E.F. and Kreingol's, F.I. Optical and photoelectric properties of mercury sulphide in the region of its fundamental absorption edge, 2=12583
- Gross, E.F. and Kreingol'd, F.I. Optical and photoelectric properties of mercury sulphide in the region of its fundamental absorption edge, 2=14655
- Gross, E.F. and Novikov, B.V. The fine structure of the spectral curves of photoconductivity and luminescence excitation and its correlation to the exciton absorption spectrum, 2=8400
- Gross, E.F. and Razbirin, B.S. Fine structure of the exciton absorption lines of cadmium sulphide monocrystals, 2=12586
- Gross, E.F. and Razbirin, B.S. Fine structure of the exciton absorption lines of cadmium sulphide monocrystals, 2=14671

- Gross, E.F., Razbirin, B.S. and Savarov, V.I. The Stark effect on the exciton levels of crystal of cadmium sulphide, 2=4138
- Gross, E.F., Razbirin, B.S. and Savarov, V.I. The Stark effect on the exciton levels of a crystal of cadmium sulphide, 2=10597
- Gross, E.F., Razbirin, B.S. and Shekhmamet'ev, R.I. Spectral distribution of excitation of edge luminescence in CdS crystals, 2=12616
- Gross, E.F., Razbirin, B.S. and Shekhmamet'ev, R.I. Spectral distribution of excitation of edge luminescence in CdS crystals, 2=14715
- Gross, E.F. and Suslina, L.G. Investigation of the absorption and luminescence of ZnS and ZnSe single crystals, 2=14672
- Gross, E.F., Suslina, L.G. and Kon'kov, P.A. Exciton spectrum of hexagonal ZnSe monocrystals, 2=18827
- Gross, E.F., Zakarchenya, B.P. and Razbirin, B.S. Magneto-optical phenomena in the absorption spectrum of crystalline CdS, 2=4120
- Gross, E.F., Zakarchenya, B.P. and Razbirin, B.S. Magneto-optical phenomena in the absorption spectrum of crystalline CdS, 2=8487
- Gross, E.F., Zakarchenya, B.P. and Sibilev, A.I. The Zeeman effect in indirect excitons in a cuprous oxide crystal, 2=18556
- Gross, E.F. and Yakobson, M.A. Investigation of the luminescence of CdS single crystals at low temperatures, 2=14716
- Gross, E.F., Zhilich, A.G., Zakarchenya, B.P. and Varfalomeev, A.V. Magneto-optical investigations of quadrupole exciton transition in a Cu_2O crystal, 2=684
- Gross, E.F. See Griio [Grillot], É., 2=10527
- Gross, E.P. Motion of foreign bodies in Boson systems, 2=19463
- Gross, E.P. Particle-like solutions in field theory, 2=20221
- Gross, F. Photoluminescence in crystalline quartz containing silver, 2=14725
- Gross, M.J. and Millar, W. Observations with a small theta-pinch, 2=1442
- Grosse, A.V., Cahill, J.A. and Kirshenbaum, A.D. Density of liquid uranium, 2=2700
- Grosse, A.V. See McGonigal, P.J., 2=15572
- Grosse, P. See Geist, D., 2=8781
- Grossetête, B. See Bishop, G.R., 2=10087
- Grossi, M.D., Strom, K.M. and Strom, S.E. Ionospheric focusing of cosmic radio sources, 2=19345
- Grosskreutz, J.C. Fatigue crack propagation in aluminum single crystals, 2=12868
- Grosskreutz, J.C. Autoradiography of fatigue fracture in aluminum, 2=19015
- Grossman, L.M. See de Ladonchamps, J.R.L., 2=7861
- Grossmann, A. and Tai Tsun Wu. Schrödinger scattering amplitude. III, 2=19439
- Grossmann, S. On quantum-mechanical ergodicity conditions in connection with averaging methods, 2=13269
- Grossmann-Doerth, U. Build-up and quasi-stationary state of a high-power toroidal pinch discharge in hydrogen, 2=7622
- Grosso, R.P. See McCubbin, T.K., Jr, 2=17609
- Grossweiner, L.I. Flash photolysis, 2=15155
- Grossweiner, L.I. See Costikas, A., 2=12470
- Grossweiner, L.I. See Norman, S.L., 2=2347
- Grosu, X. and Sandulovici, R. Contribution to the study of spontaneous voltage oscillations of a luminescent discharge in oxygen as a function of the length of the positive column, 2=7590
- Grosul, V.P. See Teplyakov, P.O., 2=18877
- Groszkowski, J. Pulse-compression thermal vacuum-gauge, 2=19635
- Grote, C., Klabuhn, J., Klugow, J., Krekcer, U., Kundt, U., Lanis, K. and Meier, H.W. Inelastic π^- -nucleon interactions at 7 GeV with small multiplicities, 2=16222
- Grote, C., Klabuhn, J., Krekcer, U., Kundt, U., Lanis, K. and Meier, H.W. Experimental results on the inelastic pion-nucleon interactions at 7 GeV and the formation of isobaric states, 2=16223
- Grote, C., Klabuhn, J., Krekcer, U., Kundt, U., Lanis, K. and Meier, H.W. Inelastic π^- -nucleon interactions at 7.5 GeV in the emulsion, 2=16224
- Grote, C., Klugow, J., Krekcer, U. and Lanis, K. Inelastic π^- -nucleon interactions at 6.8 GeV in the bubble chamber, 2=16225
- Groth, R. and Kauer, E. Absorption by free charge carriers in α -SiC crystals, 2=2240
- Groth, R. and Memming, R. Absorption by free charge-carriers in CdS, 2=2159
- Groth, R. and Weiss, K. Band gap of β - and α -AgI, 2=23544
- Grotowski, K.A. See Robbins, A.B., 2=1875
- Grounes, M. and Myers, H.P. Irradiation effects in strain-aged pressure vessel steel, 2=6824
- Groutzeilles, M., Mirand, P. and Saulnier, A. Direct electron microscopy and micro-diffraction study of the ω -phase in titanium alloys, 2=4440
- Grover, J.N. See Herbst, L.J., 2=17750
- Grover, J.R. Nuclear reactions of tantalum with 5.7-GeV protons, 2=12195
- Grover, J.R. Effects of angular momentum and gamma-ray emission on excitation functions, 2=20581
- Grover, N.B., Goldstein, Y. and Many, A. Improved representation of calculated surface mobilities in semiconductors. I. Minority carriers, 2=2134
- Grover, N.B. See Goldstein, Y., 2=2135
- Grover, N.B. See Goldstein, Y., 2=22129
- Grover, N.B. See Many, A., 2=23329
- Groves, G.V. Methods of calculating atmospheric densities from satellite orbit data, 2=4626
- Groves, G.W. and Kelly, A. Climb of dislocations in magnesium oxide, 2=3919
- Groves, G.W. and Kelly, A. Interstitial dislocation loops in magnesium oxide, 2=8221
- Grube, R.H. A method for obtaining the transfer functions of space filters by differential superposition, 2=11476
- Gruber, H.E. See King, W.L., 2=13219
- Gruber, J.B. and Conway, J.G. Absorption spectrum and Zeeman effect of Am^{3+} in LaCl_3 , 2=2232
- Gruber, J.B. See Conway, J.G., 2=2248
- Grubin, C. Vector representation of rigid body rotation, 2=13297
- Grubissich, C. See Grasson, E., 2=10855
- Grubnikov, Z.S. Current carriers in p-n junctions, 2=2181
- Gruden, M. Some properties of harmonic bivectors and their application to the theory of electromagnetic waves, 2=1578
- Grüebler, W. and Rossel, J. Study of the stripping reactions $\text{Ne}^{20,22}(\text{d}, \text{n})\text{Na}^{21,23}$ by collimated recoil-proton spectrometer, 2=1922
- Grüebler, W. and Rossel, J. A study of $\text{Ne}^{20}(\text{d}, \text{n})\text{Na}^{21}$ and $\text{Ne}^{22}(\text{d}, \text{n})\text{Na}^{23}$ stripping reactions, 2=10137
- Grüebler, W. See Gibbs, W.R., 2=20663
- Gruen, D.M. See Selig, H., 2=16889
- Gruenberg, E.L. Data processing and information transmission for space, 2=16058
- Gruhn, C.R. See Bodansky, D., 2=12223
- Gruich, D.D. See Arifov, U.A., 2=15949
- Gruich, D.D. See Arifov, U.A., 2=17875
- Grumăzescu, M. See Bădăraș, E., 2=5113
- Grum-Grzhimailo, S.V., Bondarenko, K.P. and Klimusheva, G.V. An attachment for the SF-4 quartz photoelectric spectrophotometer for the investigation of absorption of light by crystals, 2=1267
- Grum-Grzhimailo, S.V., Fomichev, N.N., Fedorov, F.I. and Goncharenko, A.M. Surfaces of light absorption of blue topaz, 2=4129
- Grun, A.E. The effective resonance integral for gold foils, 2=9869
- Grun, J.B. and Nikitine, S. Influence of external and internal electric fields on the excitonic absorption spectrum of Cu_2O , 2=12599
- Grun, J.B., Sieskind, M. and Nikitine, S. Spectrophotometric study of the continuous spectra of Cu_2O at various temperatures, 2=4145
- Grun, J.B., Sieskind, M. and Nikitine, S. Study of the absorption and reflection of cuprite at very low temperatures in the visible short wavelengths, 2=8494
- Grun, J.B. See Nikitine, S., 2=697
- Grun, J.B. See Nikitine, S., 2=2105
- Grun, J.B. See Nikitine, S., 2=23555
- Grun, J.B. See Sieskind, M., 2=6565
- Grunberg, G. Simple pulsation method for an electrostatic [ion] accelerator with an r.f. ion source, 2=5396
- Grunditz, Y. See Parker, W.C., 2=4545
- Grung, B. See Bløtkejaer, K., 2=17883
- Gruschka, H.D. See Zimmermann, Z.H., 2=5258
- Grushevskaya, D.A. See Andreeva, N.A., 2=14614
- Grushinskii, N.P. and Sagitov, M.U. Some considerations on the gravitational field of the moon, 2=1694
- Grushko, Yu.S. See Murin, A.N., 2=604
- Grushko, Yu.S. See Murin, A.N., 2=3938
- Gruverman, I.J. See Gleason, G.I., 2=20530
- Gruz, E.A. See Starinin, K.V., 2=1645
- Gruzensky, P.M. and Scott, A.B. Ionic conductivity of KCl containing sulfate ions, 2=8297
- Gryder, J.W. Effect of inert salts on equilibrium and rate constants for ionic reactions, 2=19135
- Grynberg, M. and Koba, Z. Four pion wave functions, 2=16177
- Gryvnak, D.A. and Shaw, J.H. Study of the total absorption near 4.7μ by two samples of CO as their total pressures and CO concentrations were independently varied, 2=11428

- Gschneidner, K.A., Jr., Elliott, R.O. and McDonald, R.R. Effects of alloying additions on the $\alpha = \gamma$ transformation of cerium. II. Effects of scandium, thorium and plutonium additions, 2=23878
- Gschneidner, K.A., Jr., Elliott, R.O. and McDonald, R.R. Effects of alloying additions on the $\alpha = \gamma$ transformation of cerium. III. Effects of yttrium and rare earth additions, 2=23879
- Gschneidner, K.A., Jr., Elliott, R.O. and McDonald, R.R. Effects of alloying additions on the $\gamma = \alpha$ transformation of cerium. I. Pure cerium, 2=17041
- Gschneidner, K.A., Jr. See Roof, R.B., Jr., 2=10832
- Gspann, J. See Becker, E.W., 2=7239
- Gu Shu-chzhao [Ku Shu-chao]. See Shaskol'skaya, M.P., 2=6333
- Gu Shu-chzhao [Ku Shu-chao]. See Shaskol'skaya, M.P., 2=6334
- Gualdi, C. Proton energy spectra in the Drell model of double photoproduction, 2=13795
- Guan Bei'Yan' [Kuang Wei-yen]. Investigation of the temperature discontinuity at the boundary between a solid body and superfluid helium, 2=15838
- Guan' Din-khua [Kuan Ting-hua]. Diffraction of a cylindrical surface wave on the end of a semi-infinite thin-walled elastic tube, 2=2813
- Guan' Din-khua [Kuan Ting-hua]. On the theory of acoustic surface-wave excitation, 2=5100
- Guan' Din-khua [Kuan Ting-hua]. Diffraction of a cylindrical surface wave on the end of a semi-infinite thin-walled elastic tube, 2=7276
- Guarnieri, A. See Mirri, A.M., 2=18467
- Guba, A.I. The problem of the energy and angular distributions of secondary electrons in secondary electron emission, 2=22255
- Gubanov, A.I. Band theory for partially ordered systems, 2=10347
- Gubanov, A.I. Electron spectra in one-dimensional and three-dimensional models of liquids, 2=19535
- Gubanov, A.I. and Chevychelov, A.D. On the theory of tensile strength of solid polymers, 2=16964
- Gubanov, A.I. and Chevychelov, A.D. On the theory of tensile strength of solid polymers, 2=19003
- Gubanov, A.I. and Pushkarev, O.E. The Hartmann problem in magneto plasma dynamics, 2=3042
- Gubkin, A.A. See Al'tshuler, L.V., 2=2759
- Gubkin, A.H. and Mil'shina, E.A. The role of the remanent polarization in the electret effect, 2=8471
- Gubkin, A.H. and Mil'shina, E.A. The role of the remanent polarization in the electret effect, 2=10565
- Gubkin, A.N. and Matsonashvili, B.N. On the problem of the physical nature of the electret effect in carnauba wax, 2=18782
- Gubkin, A.N. and Matsonashvili, B.N. On the problem of the physical nature of the electret effect in carnauba wax, 2=23507
- Gubkin, A.N., Mitronina, V.S., Sergienko, V.F. and Subbotin, M.I. Methods of measuring the charge of electrets, 2=1373
- Gubkin, A.N., Sergienko, V.F. and Trofimenko, N.M. On the theory of vibration data transmitters with electrets, 2=17765
- Gubkin, A.N. See Adirovich, E.I., 2=23424
- Gubler, M., Reiss, C. and Benoit, H. Description of an apparatus for the scattering of light which can work at high temperatures, 2=7407
- Gubner, E. See Brebrick, R.F., 2=2168
- Gubner, E. See Brebrick, R.F., 2=6468
- Gudzenko, L.I. The velocity of Brownian particles near stable dynamic equilibrium, 2=4946
- Guénault, A.M. and MacDonald, D.K.C. A note on thermoelectric power and inelastic scattering, 2=654
- Guénault, A.M. and MacDonald, D.K.C. Intermediate statistics, 2=21842
- Guenebaut, H. and Goudmand, P. Reactions of active nitrogen with the products of the dissociation of ammonia in the electric discharge, 2=10250
- Guenin, M. and Stueckelberg, E.C.G. Antilinear field operators (fields of the 2nd kind), 2=7138
- Guenin, M. See Stueckelberg, E.C.G., 2=2628
- Guenin, M. See Stueckelberg, E.C.G., 2=2629
- Guenin, M. See Stueckelberg, E.C.G., 2=22379
- Guentert, O.J. See Bekebrede, W.R., 2=19081
- Guentert, O.J. See Mozzi, R.L., 2=4356
- Guentert, O.J. X-ray study of pyrolytic graphites, 2=19123
- Guenther, R.A. See Lounasmaa, O.V., 2=12388
- Guentner, W.S. See Hardwick, T.J., 2=5392
- Guérillot, C.R. Substitution and reactivity. II. General studies, 2=21581
- Guérin, P. Spectrophotometric study of the reflectivity of the centre of the Martian disk in opposition, 2=9061
- Guérin, P. Spectrophotometric study of the reflectivity of the centre of the Martian disk at opposition, and the nature of the violet layer, 2=15316
- Guerinot, R. See Le Bas, J., 2=8289
- Guernsey, R.L. Kinetic equation for a completely ionized gas, 2=7564
- Guéron, M. Hyperfine interaction of conduction electrons in the semiconductor InSb, 2=10488
- Guernsey, R.L. Kinetic theory of quantum plasmas, 2=19459
- Guerriero, L. See Chretien, M., 2=22610
- Guess, A.W. Poynting-Robertson effect for a spherical source of radiation, 2=15291
- Guest, G. and Simon, A. Instability in low pressure plasma diffusion experiments, 2=7595
- Guest, G. and Simon, A. Instability in low-pressure plasma diffusion experiments, 2=11653
- Gugan, D. See Dugdale, J.S., 2=2085
- Gugan, D. See Dugdale, J.S., 2=6411
- Gugel', B.M. See Gorbacheva, N.A., 2=14713
- Gugelot, P.C. See Gardner, C., 2=1884
- Guggenheim, E.A. The definition of entropy in classical thermodynamics, 2=11546
- Guggenheim, E.A. and McGlashan, M.L. Approximation relating to strictly regular mixtures, 2=21841
- Guggenheim, E.A., McGlashan, M.L. and Prue, J.E. The repulsive energy in sodium chloride and potassium chloride crystals, 2=2039
- Guggenheim, J., Hulliger, F. and Müller, J. PdTe₂, a superconductor with CdI₂-structure, 2=5241
- Guggenheimer, K.M. Fundamental length, fine structure constant and cosmological number, 2=11102
- Gugliotta, F. See Vratny, F., 2=6578
- Guha, B.K. See Singh, B., 2=20754
- Guibé, L. Quadrupole resonances of nitrogen, 2=14861
- Guidini, J., Jeudon, A., Manus, C. and Sinda, T. Reactions produced by the passage of a beam of molecular hydrogen ions across an ionized region, 2=13532
- Guidoni, P. See Di Capua, E., 2=18039
- Guile, A.E. See Slacker, P.E., 2=13551
- Guildner, L.A. Thermal conductivity of gases. I. The coaxial cylinder cell, 2=19743
- Guildner, L.A. Thermal conductivity of gases. II. Thermal conductivity of carbon dioxide near the critical point, 2=21948
- Guillaud, C. See Bernard, R., 2=842
- Guillaume, C. Forbidden lines of OI and NII in type B stars, 2=17922
- Guillaume, C. Benoit a la. See Benoit a la Guillaume, C.
- Guillon, H. See Amram, Y., 2=10115
- Guillot, J.C. and Héno, Y. The scattering of π^+ -mesons on protons in the non-local Heitler-Arnous theory, 2=11989
- Guinier, A. See Lambert, M., 2=20988
- Guinier, A. See Levelut, A.M., 2=19122
- Guinn, V.P. See Otvos, J.W., 2=5891
- Guion, J. See Abraham, M., 2=19776
- Guiraldeng, P. Influence of impurities and of the sintered structure on the diffusion coefficients in the body and at the grain boundaries of iron grains in nickel, 2=12462
- Guiraldeng, P., Aucouturier, M., Cizeron, G. and Lacombe, P. Comparison of the phenomena of volume self-diffusion and grain boundary diffusion in sintered and massive iron, 2=6368
- Guisset, J. See Lefebvre, C., 2=574
- Guizonnier, R. Electrical conductivity of humid insulating liquids in the case of electrical fields of the order of a few volts per centimetre, 2=58
- Guldasmashvili, A.I. See Chkuaseli, D.V., 2=17788
- Gul'ko, A.D. On measuring the degree of polarization of neutrons, 2=18124
- Gulko, A.D. See Abov, Y.G., 2=14031
- Gullikson, C.W. See Ferguson, W.S., 2=15732
- Gullon, E. White dwarf stars, 2=19335
- Gulmanelli, P. See Cirelli, R., 2=22657
- Gulyaev, Yu.V. On the theory of carrier recombination at edge dislocations in semiconductors, 2=18663
- Gulyaev, Yu.V. On the theory of carrier recombination at edge dislocation in semiconductors, 2=23291
- Gülzow, H.J. Deformation processes on polished surfaces of NaCl crystals at high temperatures, 2=4323
- Guman, V.N. Interaction with the surface in nuclei containing a nucleon in excess of a closed shell, 2=22703
- Guman, V.N., Kharitonov, Yu.I., Sliv, L.A. and Sogomonova, G.A. Pairing forces and pair correlations in Pb²⁰⁸, Pb²¹⁰ and Po²¹⁰, 2=1759
- Gumenyuk, V.S. and Lebedev, V.V. Investigation of the thermal and electrical conductivity of tungsten and graphite at high temperatures, 2=20953
- Gumenyuk, V.S. A vacuum contact dilatometer, 2=19495
- Gumenyuk, V.S. and Lebedev, V.V. Investigation of thermal and electrical conductivities of tungsten and graphite at high temperatures, 2=8182
- Gumlich, H.E. See Gobrecht, H., 2=14736
- Gumlich, H.E. See Gobrecht, H., 2=23611

- Gunn, J.B. Some properties of parametric systems with great depth of modulation. I. Theory, 2=20138
- Gunn, J.B. See Erlbach, E., 2=12516
- Gunn, S.R. Cooling unit for low-temperatures thermostats, 2=19758
- Gunn, S.R. and Green, L.G. Apparent molar volumes of salts and metals in liquid ammonia at 0°, 2=2714
- Gunn, S.R. and Green, L.G. Heats of solution of alkali metals in liquid ammonia at 25°, 2=2715
- Gunn, S.R. and Green, L.G. Heat of formation of deuterated diborane, 2=10973
- Gunnink, R. and Stoner, A.W. Decay studies of the even-even isotopes, Er^{172} and Dy^{186} , 2=10074
- Gunnvald, P. A photoelectric setting device attached to an Abbe comparator, 2=13299
- Gunnvald, P. and Minnhagen, L. On the spectrum of neutral boron, BI , 2=14191
- Gunson, J. Proof of a conjecture by Dyson in the statistical theory of energy levels, 2=19444
- Günther, K.G. Investigations on the direct conversion of energy with a Cs-diode, 2=7660
- Günther, K.G. New methods of directly converting heat into electrical energy, 2=9518
- Günther, M. Relativistic Lee model, 2=3242
- Günther, M. Erratum: Relativistic Lee model, 2=16113
- Günther, N. Attempted establishment of an exact theory of visible space, 2=1036
- Günther, N. New knowledge on the extent of the visual space, 2=13220
- Günther-Mohr, G.R. See Widmer, H., 2=2093
- Guntton, R.C. and Inn, R.C.Y. Rates of electron removal by recombination, attachment, and ambipolar diffusion in nitric oxide plasmas, 2=3030
- Guo Zhong-heng. A contribution to the theory of variated states of finite strain, 2=19476
- Gupta, A.S. Shear flow of a viscous infinitely electrically conducting fluid past a porous flat plate in the presence of a transverse magnetic field, 2=5448
- Gupta, D. and Weinig, S. Interactions between interstitial and substitutional solutes in an h.c.p. lattice, 2=21002
- Gupta, D.P. Some problems on stresses around curvilinear holes in thin elastic plates, 2=15508
- Gupta, J.B. and Nath, N. Inelastic neutron scattering cross-sections in lead isotopes, 2=1896
- Gupta, K.K. See Banerjee, B., 2=1804
- Gupta, K.K. See Banerjee, B., 2=7931
- Gupta, K.P. See Cheng, C.H., 2=16609
- Gupta, R. See Joshi, S.K., 2=12378
- Gupta, R.C. See Pradhan, B.P., 2=6513
- Gupta, R.K., Pramila, G.C. and Raghavan, R.S. On the decay of $\text{Te}^{110\text{m}}$ and Te^{110} , 2=14061
- Gupta, R.K. See Jha, S., 2=16373
- Gupta, R.P. Proton magnetic resonance study of sodium glutamate and benzyl glutamate, 2=12838
- Gupta, S.L. and Saha, N.K. Spark counter as a fast pulse generator, 2=5509
- Gupta, S.N. Relativistic Schrödinger's equation for the two-nucleon system, 2=280
- Gupta, S.L. and Saha, N.K. Spark counter as a light pulser for photo-tube testing, 2=13702
- Gupta, S.N. Conformal transformations and space travel, 2=7040
- Gupta, S.N. See Anderson, R.L., 2=20273
- Gupta, S.N. Sen. See Sen Gupta, S.N.
- Gupta, U.C., Sahani, M.G. and Srivastava, P.K. Internal conversion coefficients of Au^{198} , Hg^{203} , Cs^{137} and Cr^{51} using a CsI(tl) scintillation spectrometer, 2=10065
- Gupta, V. Hypercharge independence at high energies, 2=18088
- Gupta, V. See Biswas, S.N., 2=13862
- Gupta, V.D. An expression for orientation in cellulose fibres, 2=15082
- Gupta, V.D. See Tobolsky, A.V., 2=12357
- Gupta, V. See Biswas, S.N., 2=1725
- Gupta, V.D. See Tobolsky, A.V., 2=4482
- Gupta, V.D. See Tobolsky, A.V., 2=10929
- Gupta, V.D. A Markoff chain model for crystalline polymers, 2=12358
- Guretskaya, Z.I. See Bundel', A.A., 2=10621
- Guretskaya, Z.I. See Bundel', A.A., 2=14734
- Gur'ev, A.V. The influence of a local microheterogeneous deformation of a real polycrystalline alloy in the deformation of the whole specimen in the elastic field, 2=23752
- Gur'ev, M.V., Tikhomirov, M.V. and Tunitskii, N.N. Dissociation of large molecules under electron impact, 2=18489
- Gurevič, L.E., Ipatova, I.P. and Urickij, Z.I. The optical effects in semiconductors in the infrared region with and without a magnetic field, 2=23525
- Gurevich, A.G. and Starobinets, S.S. Instability thresholds during ferromagnetic resonance in yttrium garnet monocrystals, 2=10687
- Gurevich, A.G. See Men' Syan'-chzhen', 2=18936
- Gurevich, A.V. Peculiarities of the behaviour of multicharged ions in a plasma, 2=176
- Gurevich, A.V. Perturbations in the ionosphere due to travelling bodies, 2=8991
- Gurevich, A.V. Perturbations in the ionosphere due to travelling bodies, 2=19218
- Gurevich, A.V. See Ginzburg, V.L., 2=203
- Gurevich, D.B. See Belousova, I.M., 2=1411
- Gurevich, D.B. See Belousova, I.M., 2=17811
- Gurevich, I.I. and Nemirovskii, P.E. "Metallic" reflection of neutrons, 2=294
- Gurevich, I.I. and Nemirovskii, P.E. "Metallic" reflection of neutrons, 2=22533
- Gurevich, L.E. and Efros, A.L. Effect of mutual dragging of electrons and phonons on the transverse electrical conductivity in a strong magnetic field, 2=3987
- Gurevich, L.E. and Ioffe, V.I. Phenomenon of current instability in semiconductors, 2=23295
- Gurevich, L.E. and Nedlin, G.M. Quantum kinetic equation in the presence of mutual entrainment of electrons and phonons, 2=655
- Gurevich, L.E. and Nedlin, L.M. Thermoelectric power of semiconductors in a quantizing magnetic field taking into account the drag of electrons by phonons, 2=4078
- Gurevich, L.E. and Nedlin, L.M. Thermoelectric power of semiconductors in a quantizing magnetic field taking into account the drag of electrons by phonons, 2=6505
- Gurevich, V.L. Avalanche formation of excitons in semiconductors, 2=18664
- Gurevich, V.L. The theory of absorption of sound in piezoelectrics, 2=23055
- Gurevich, V.L. Avalanche formation of excitons in semiconductors, 2=23292
- Gurevich, V.L. and Firsov, Yu.A. Theory of plasma diffusion in a magnetic field, 2=188
- Gurevich, V.L., Firsov, Yu.A. and Efros, A.L. A new type of magneto-resistance oscillations in semiconductors and semimetals, 2=21119
- Gurevich, V.L. and Firsov, Yu.A. The theory of excitation of electrons by phonons in rhombohedral semiconductors, 2=21202
- Gurevich, V.L., Lang, I.G. and Firsov, Yu.A. On the role of optical phonons in the absorption of infrared by free carriers in semiconductors, 2=21235
- Gurevich, V.L., Lang, I.G. and Firsov, Yu.A. On the role of optical phonons in the absorption of infrared by free carriers in semiconductors, 2=23542
- Gurevich, V.L., Larkin, A.I. and Firsov, Yu.A. Concerning the possibility of superconductivity in semiconductors, 2=11552
- Gurevich, V.L., Larkin, A.I. and Firsov, Yu.A. Concerning the possibility of superconductivity in semiconductors, 2=13502
- Gurevich, V.L., Skobov, V.G. and Firsov, Yu.A. Giant quantum oscillations in the acoustical absorption by a metal in a magnetic field, 2=564
- Gurevich, V.L. See Firsov, Yu.A., 2=23301
- Gurevich, V.M. and Rez, I.S. Possibility of controlling the conductivity of lead metaniobate by doping, 2=16685
- Gurevich, V.M. and Zheludev, I.S. A study of the phase transition of a triglycine sulphate monocrystal at the Curie point by measuring the electrical conductivity, 2=6521
- Gurevich, V.M. and Zheludev, I.S. Ferroelectric properties of triglycine sulphate single crystals in the 0.01 to 50 c/s frequency range, 2=14624
- Gurevich, V.M., Zheludev, I.S. and Rez, I.S. [Ferroelectric] behaviour of triglycine sulphate crystals at very low frequencies [0.01-50 c/s], 2=668
- Gurevich, V.L. See Firsov, Yu.A., 2=4009
- Gurgenishvili, G.E. See Rashba, E.I., 2=21234
- Gurin, Yu.L., Korolev, A.M. and Konstatinov, B.D. Magnetic and quadrupole moments of weakly deformed nuclei, 2=13971
- Gurevich, Yu.Ya. See Levich, V.G., 2=13316
- Gurko, O.V. Determination of visibility conditions of space rockets, 2=9124
- Gurko, O.V. See Yatsunskii, I.M., 2=9126
- Gurm, H.S. Radial oscillation of an infinite cylinder with a magnetic field parallel to its axis: two particular models, 2=9691
- Gurney, I.D.C. See Bolton, H.C., 2=16585
- Guro, G.M. Characteristic times of electronic processes in semiconductors, 2=8313
- Guro, G.M. Effect of impact recombination on the decay of nonequilibrium carrier density in semiconductors, 2=23294
- Gurov, K.P. Theory of the diffusion mobility and of electrical transport in metals and metallic solid solutions, 2=8272

- Gurov, K.P. The theory of diffusion mobility and electron transfer in metals and metallic [binary] solid solutions, 2=23097
- Gurov, K.P. See Miller, Yu.G., 2=3950
- Gürsey, F. See Feinberg, G., 2=265
- Gurshtein, A.A. Calculation of the effect of temperature on the determination of the screw value of the eyepiece micrometer of the zenith telescope ZT-180 by the method of wide-scale pairs, 2=24072
- Gursky, J. See Britt, H.C., 2=14152
- Gurtler, C.A. Radiation measurements in the slot between the Van Allen belts to an altitude of 1415 kilometers, 2=11086
- Gurvich, A.M. Concerning the influence of flux on the optical properties of zinc sulphide phosphors, 2=23603
- Gurvich, A.M. and Katomina, R.V. Selection of phosphor coatings for X-ray screens, 2=14735
- Gurzadyan, G.A. The influence of magnetic fields on the shape of planetary nebulae, 2=24159
- Gurzhi, R.N. See Azbel', M.Ya., 2=16680
- Gusak, G.M. See Prishival'ko, A.P., 2=9365
- Gusakow, M. Contribution to the study of some (p,pn) reactions at medium energies, 2=14093
- Gusakow, M., Albouy, G. and Poffe, N. Excitation functions for (p,pn) reactions, 2=1881
- Gusakow, M., Albouy, G., Poffe, N. and Riehl, C. (p,pn) reactions at medium energies, 2=456
- Gusakow, M. See Albouy, G., 2=1882
- Gusakow, M. See Poffe, N., 2=457
- Guseinov, A.G. and Nikolaev, M.N. Angular distributions of fast neutrons scattered by light nuclei, 2=13806
- Guseinov, G.D., Akhundov, G.A. and Abdullaev, G.B. Electrical and thermoelectric properties of TlSe single crystals, 2=18712
- Guseinov, G.D., Akhundov, G.A. and Abdullaev, G.B. Electrical and thermoelectric properties of TlSe single crystals, 2=23410
- Guseinov, R.E. The applicability of the theory of strong explosions to chromospheric flares, 2=24123
- Gusev, V.M., Guseva, M.I., Elistratov, N.P. and Ikonnikov, D.S. The problem of the introduction of fast deuterium ions into metals, 2=13606
- Gusev, Yu.K. See Berlovich, E.E., 2=13989
- Gusev, Yu.K. See Berlovich, E.Ye., 2=22765
- Guseva, M.I. See Gusev, V.M., 2=13606
- Guseva, V.V. See Dobrotin, N.A., 2=13786
- Gush, H.P. and Van Kranendonk, J. Calculation of the structure of the $S_1(0)$ and $S_1(0) + S_1(0)$ lines in the infrared spectrum of solid hydrogen, 2=23575
- Gush, H.P. See van Kranendonk, J., 2=15017
- Gusika, P.L. See Vulis, L.A., 2=5461
- Gusika, P.L. See Vulis, L.A., 2=5462
- Gusinskii, G.M. See Andreev, D.S., 2=13982
- Gusinskii, G.M. See Gangrskii, Yu.P., 2=16359
- Gus'kova, I.L. See Vlasov, A.Ya., 2=8643
- Gus'kov, Yu.K. and Zvonarev, A.V. Thermocouple system for measurement of large neutron fluxes, 2=3364
- Gus'kov, Iu.K. and Zvonarev, A.V. A measurement of the electrical resistance of boiling nitrogen undergoing irradiation in a reactor, 2=6051
- Gus'kov, Yu.K., Zvonarev, A.V. and Klichkova, V.P. Investigation of the e.m.f. developed when a system of semiconductors containing uranium is irradiated in a reactor, 2=6485
- Gusliyenko, Y.A. and Chornyi, V.H. X-ray determination of the size of mosaic blocks during the aging of coarsely crystalline alloy EI-437 [Ni-Cr with Ti, Al and C], 2=8853
- Guss, D.E. See Davies, L.R., 2=16259
- Guss, D.E. See Fichtel, C.E., 2=12029
- Gussmann, E.A. Observations on the Eddington-Barbier approximation solution of radiation transfer, 2=15502
- Gustafson, H. See Killpatrick, J., 2=19701
- Gustafson, T. Angular distribution of photo-protons from deformed nuclei, 2=3551
- Gustafsson, G. and Hultqvist, B. An automatic photometer for auroral observations, 2=6951
- Gustafsson, G. See Hultqvist, B., 2=4678
- Gustafsson, S. and Lundén, A. Thermal diffusion in binary mixtures of melts of salts. I. LiNO_3 - AgNO_3 , 2=21902
- Gustafsson, S. See Suter, T., 2=3528
- Gustard, B. See Blackman, M., 2=8633
- Gus'ynin, V.I. and Tal'roze, V.L. Quenching radioluminescence by bromides in dioxane solutions of terphenyl, 2=14750
- Guthrod, F. Quantum theoretical treatment of the reaction of the radiation of relativistic electrons in axially symmetric magnetic fields, 2=13659
- Gutdeutsch, R. Multiple insertion of elastic waves in a layer, 2=21965
- Guth, E. New class of classical uncertainty relations giving uncertainty for long and certainty for short times, 2=11289
- Guthöhrlein, G., Kopfermann, H., Nöldeke, G. and Steudel, A. Nuclear moments and relative isotope shift of Os^{187} , 2=1779
- Guthrie, G.B. and McCullough, J.P. Some observations on phase transformations in molecular crystals, 2=8764
- Guthrie, G.B. See Scott, D.W., 2=15822
- Gutjahr, H. Gudden-Pohl effect in a zinc cadmium sulphide phosphor, 2=12628
- Gutjahr, H. See Matossi, F., 2=10633
- Gutkin, A.A. and Nasledov, D.N. Dependence of the long wavelength edge of the photoeffect in GaAs p-n junctions on an electric field, 2=18746
- Gutkin, A.A. and Nasledov, D.N. Dependence of the long-wavelength edge of the photoeffect in GaAs p-n junctions on an electric field, 2=23463
- Gutkin, A.M. See Volarovich, M.P., 2=15164
- Gutmacher, R.G. See Conway, J.G., 2=2248
- Gutman, A.M. Vector coupling in X-ray spectra, 2=6589
- Gutmann, F. On the temperature dependence of the permittivity of dielectrics, 2=6512
- Gutmann, F. and Netschey, A. Electrical properties of chlorpromazine, 2=14552
- Gutmann, J. See Baldinger, E., 2=9744
- Gutnick, M. Reply to the preceding discussion, 2=11014
- Gutowski, J.A. See Greiner, E.S., 2=806
- Gutowski, R. The problem of the solidification front in liquids, 2=19773
- Gutowsky, H.S., Belford, G.G. and McMahon, P.E. N.M.R. studies of conformational equilibria in substituted ethanes, 2=16562
- Gutowsky, H.S. and Juan, C. Electron coupling of nuclear spins. VI. Relative signs of $J_{\text{gem}}^{\text{HH}}$, and J_{g}^{HH} , J_{t}^{HH} in (2,2) Metacyclophane, 2=16563
- Gutowsky, H.S., Mochel, V.D. and Somers, B.G. Electron coupling of nuclear spins. V. Vibrational effects in CHX groups, 2=8086
- Gutowsky, H.S. See Coogan, C.K., 2=2097
- Gutowsky, H.S. See Porte, A.L., 2=10725
- Gutowsky, H.S. See Porte, A.L., 2=10726
- Gutsche, E. Effect of high pressure on the lattice ground absorption edge of cadmium sulphide single crystals, 2=2225
- Gutsche, E. The influence of high pressure on the refractive index of cadmium sulphide, 2=4117
- Gutsche, G. See Holmgren, H.D., 2=3630
- Gutsche, G.D., Holmgren, H.D., Cameron, L.M. and Johnston, R.L. Differential cross-sections for tritium-induced reactions on C^{12} , 2=3631
- Gutshabash, S.D. Radiation diffusion in an anisotropic medium adjoining a reflecting surface, 2=19202
- Gutsunaev, Ts.I. Focusing of a relativistic electron beam in an accelerator with a moving magnetic field, 2=216
- Güttinger, W. and Swieca, J.A. Quantum field theories at small distances, 2=5576
- Guttmann, A. Absolute infrared intensity measurements on nitrogen dioxide and dinitrogen tetroxide, 2=12328
- Guttmann, A. and Penner, S.S. Experimental determination of the heat of dissociation of $\text{N}_2\text{O}_4 \rightarrow 2\text{NO}_2$ from the temperature dependence of absolute infrared intensities, 2=2027
- Guttmann, L. See Abrahams, S.C., 2=21350
- Guttmann, N. A mapping of binaural click lateralizations, 2=4893
- Gutwin, O.A. See Shahan, V.T., 2=13629
- Gutzwiller, M.C. Note on the elementary methods in quantum statistics with an application to the Curie temperature of an alloy, 2=2645
- Gutzwiller, M.C. Fermion ensembles of maximum entropy, 2=7146
- Guy, J., Sales, A. and Didry, J.R. Calculation of integrals of the form, 2=12342
- Guy, J. See Cabaret, F., 2=6222
- Guy, J. See Cabaret, F., 2=23002
- Guy, J. See Didry, J.R., 2=10272
- Guy, J. See Sales, A., 2=20764
- Guy, R. On the integral form of the equation of evolution for a physical system and its solutions, 2=1041
- Guyen Dinh Tuong. See Guyen Van Dong, T., 2=6453
- Guyen Van Dong, N., Koch, L. and Guyen Dinh Tuong. Disordered regions induced in n-type germanium by fast neutrons at liquid-nitrogen temperature, 2=6453
- Guzhovskii, B.Ya. See Serov, V.I., 2=18360
- Gvozdev, B.A. See Donets, E.D., 2=22855
- Gvozdev, B.A. See Perel'g'in, V.P., 2=16443
- Gvozdev, V.S., Rusinov, L.I. and Khazov, Yu.L. Investigation of the level diagram of W^{183} , 2=16335
- Gvozdev, V.S. See Borovikov, A.V., 2=20315

- ozdeva, L.G. The refraction of detonation waves incident on the boundary between two gas mixtures, 2=11406
- in, R. and Magnuson, D.W. Determination of Eta by comparison of η for U^{235} and Pu^{239} with η for U^{235} in a flux trap critical assembly, 2=10154
- in, R. and Magnuson, D.W. The measurement of Eta and other nuclear properties of U^{235} and U^{235} in critical aqueous solutions, 2=10155
- in, R. and Murray, R.B. Studies of the scintillation response of $CaI(Tl)$, 2=18002
- inn, W.D. See Flygare, W.H., 2=1993
- inn, W.D. See Flygare, W.H., 2=6206
- inn, W.D. See Narath, A., 2=3176
- inn, W.D. See Tolles, W.M., 2=6125
- ftopoulos, E.P. Applications of geometric theory to nonlinear reactor dynamics, 2=6020
- ftopoulos, E.P. See Balcomb, J.D., 2=6027
- ftopoulos, E.P. and Devooght, J. On the range of validity of nonlinear reactor dynamics, 2=6025
- ftopoulos, E.P. and Levine, J.D. Work function variation of metals coated by metallic films, 2=1474
- gax, S. Superconducting d.c. amplifier for helium temperatures, 2=5245
- orey, G.L. The effect of modal interaction in the xenon instability problem, 2=20703
- orgy, E.M. and Treves, D. Anisotropy in rolled permalloy tape, 2=12702
- orgy, E.M. See Nesbitt, E.A., 2=12734
- ulai, Z. Short remarks on the crystal growth forms, 2=8787
- ulai, Z., Hartmann, E. and Jeszenszky, B. Strength measurements on NaCl whiskers, 2=2368
- unsburg, K.E. See Kats, M.L., 2=14710
- owski, O. Mobility of ions in liquid dielectrics, 2=15612
- acke, G. Surface segregation of copper in bismuth telluride, 2=10484
- acke, G. See Birkholz, U., 2=12550
- ag, R. The mathematical structure of the Bardeen-Cooper-Schrieffer model, 2=17723
- ag, R. and Schroer, B. Postulates of quantum field theory, 2=9184
- aland, A. and Eberhardt, W.H. Electronic spectrum of decaborane, 2=14300
- astra, J.H. and Haas, C. Infrared spectrum of an acceptor in ZnTe, 2=21251
- anstra, J.H. See Gelling, W.G., 2=8594
- ar, D.ter. See ter Haar, D.
- as, C. Vibrational spectra of crystals, 2=2146
- as, C. Infrared absorption in heavily doped n-type germanium, 2=8534
- as, C. and Corbey, M.M.G. Measurement and analysis of the infrared reflection spectrum of semiconducting SnS, 2=2217
- as, C. See Albers, W., 2=14940
- as, C. See Haanstra, J.H., 2=21251
- as, C.W. See Matcovich, T.J., 2=12801
- as, F.A. See De Borde, A.H., 2=194
- as, R. See Kienle, P., 2=22732
- ase, G. and Korinth, E. High temperature chamber for X-ray fine structure investigations with a counting goniometer, 2=8807
- asén, P. Plastic deformation of germanium and InSb, 2=10754
- asen, P. See Alexander, H., 2=2330
- asen, P. See Burbach, J., 2=16948
- asen, P. See Mordike, B.L., 2=8731
- asen, P. See Peissker, E., 2=23189
- ba, M. See Mihul, C., 2=7221
- baru, J.M. See Depaux, B., 2=3333
- bib, E.E. and Krause, L. Precision pantograph for use with an X-Y plotter, 2=9233
- bell, K.J. See Gates, J.W., 2=96
- berlandt, R. See Vojta, G., 2=11293
- braken, L. Electron-microscope study of a cobalt-base alloy, 2=2395
- ch, R.J., Brau, M.J. and Burkhalter, T.S. Continuous casting of thermoelectric materials, 2=2416
- chiya, Y. See Morita, S., 2=489
- ck, M. On the average chromatic sensitivity curve of photographic emulsions, 2=19676
- ckaylo, M. and Feldman, C. Dielectric anomaly in ZnS films, 2=23493
- erland, D. See Schultz, G.V., 2=16830
- erman, W.L. Secondary flow about a sphere rotating in a viscous liquid inside a coaxially rotating spherical container, 2=15546
- ck, M. See Botto, P., 2=17287
- Hack, M. See Fracassini, M., 2=11124
- Hack, M. See Fracassini, M., 2=17297
- Hack, M.N. Interference effects of radiofrequency fields in resonance radiation, 2=520
- Hackenbroich, H. Theory of nuclear rotations. I, 2=5782
- Hackenbroich, H. Theory of nuclear rotation. II, 2=5783
- Hackenbroich, H. Theory of nuclear rotation. III, 2=5784
- Häcker, W. See Bross, H., 2=656
- Hadden, R.J.B. and Kirk, A. Leakage within glass-fibre reinforced epoxy resin laminates, 2=1218
- Hadden, S.T. and Simha, R. Equation of state for liquid alkylated ring hydrocarbons, 2=7199
- Haddow, J.B. and Johnson, W. Indenting with pyramids. II. Experimental, 2=14882
- Haddrell, V.J. See Harris, J.E., 2=19098
- Hadinec, I., Jenšovský, L., Líněk, A. and Synček, V. On configuration of complex bis-periodate-copper (III) anion, 2=824
- Hadinec, I. and Líněk, A. Unit cell and space group of $H_3Na_3K Cu(IO_6)_2 \cdot 14H_2O$, 2=825
- Hadines, I. and Líněk, A. Basic lattice parameters of $Na_7H_4[Mn(IO_6)_3] \cdot 17H_2O$, 2=23856
- Hadjioannou, F., Phillips, R.J.N. and Rarita, W. Regge pole model for high-energy p-p and p-p scattering, 2=339
- Hadjioannou, F.T. Coherent photoproduction of π^0 from deuterium, 2=5708
- Hadland, J. Microsecond events photographed with new camera, 2=17667
- Hadley, C.P. and Christensen, R.W. Solid-state X-ray image intensifier, 2=9669
- Hadley, D.W. See Cundy, D.C., 2=5716
- Hadni, A. See Cabannes, F., 2=22231
- Hadni, A. See Janot, C., 2=11471
- Hadni, A. See Munier, J.M., 2=22058
- Hadni, A. See Poinot, P., 2=21249
- Haeblerli, W. See Striebel, H.R., 2=22528
- Haefner, R.A. On the use of metal-oil diffusion pumps when operating with discharge tubes sensitive to hydrocarbons, 2=2788
- Haef, A.V. See Buddenhagen, D.A., 2=13448
- Haefner, H. See Eder, F.X., 2=4312
- Haegi, M. See Maisonnier, C., 2=17895
- Haenni, H.P. See Bass, R., 2=3599
- Haerendel, G. A possible correction to the spectrum of geomagnetically trapped protons, 2=13061
- Haering, R.R. See Dumke, W.P., 2=14560
- Haering, R.R. See Dumke, W.P., 2=15683
- Haering, R.R. See Esaki, L., 2=14571
- Haering, R.R. See Miller, P.B., 2=23138
- Haessner, F. Rolling texture of cubic face-centred nickel-cobalt alloys, 2=15054
- Haeusler, C. See Nguyen-Van-Thanh, 2=18463
- Haeusler, J. Resistance and the field of a rectangular Hall plate, 23251
- Häfele, H.G. Optical constants of quartz in the infrared and their temperature dependence. I, 2=18788
- Hafner, E.M. and Bilaniuk, O.M. Analog display of Ptolemaic and Copernican orbits, 2=19373
- Hafner, S. See Brun, E., 2=10297
- Haering, R.R. See Brodie, D.E., 2=12629
- Hagasi, K. See Matsumoto, A., 2=11378
- Hage, W. and Cameron, I.R. An iterative solution of the kinetic reactor equations for rod-drop experiments, 2=10176
- Hagebb, E. See Andersson, G., 2=14024
- Hagedorn, R. Production of antideuteron, light nuclei and hyperfragments in high-energy pp-collisions, 2=20334
- Hagedorn, R. Antimatter, 2=22458
- Hagedorn, R. See V.Behr, J., 2=7962
- Hagemann, R. Mass spectrometric study of the suboxide of sulphur S_2O , 2=23958
- Hagenow, K.U.von. See von Hagenow, K.U.
- Hagfors, T. On the forward scattering of radio waves in the lower ionosphere, 2=16076
- Hagihara, S., Miyashita, K., Yoshie, T., Ohno, E. and Mogi, M. Three neutron diffractometers, 2=11963
- Haglund, M. and Touchard, J. Nature of excited states of Co^{58} , 2=368
- Hagopian, V. See Selove, W., 2=22578
- Hagstedt, M. See Brosset, C., 2=849
- Hahn, B. The fracture of liquids under stress due to ionizing particles, 2=2699
- Hahn, B. See Peacock, R.N., 2=8002
- Hahn, B. See Rieppe, G., 2=2697
- Hahn, D. and Lertes, K. Trap production and luminescence mechanism in tungstate phosphors, 2=21268

- Hahn, E. Theory of the electrostatic velocity filter, 2=15958
 Hahn, E.L. See Walstedt, R.E., 2=18967
 Hahn, F.S. See Cranberg, L., 2=5407
 Hahn, G.T. A model for yielding with special reference to the yield-point phenomena of iron and related b.c.c. metals, 2=16952
 Hahn, H. Effect of anharmonicity on thermal X-ray scattering in crystals, 2=21575
 Hahn, R.L. and Miller, J.M. Reactions of alpha particles with tin-124, 2=1930
 Hahn, S. Nonlinear theory for a generator with a long line excited by a negative resistance, 2=5262
 Hahn, W.C., Jr and Muan, A. Activity measurements in oxide solid solutions: the systems NiO-MgO and NiO-MnO in the temperature interval 1100-1300°C, 2=2414
 Hahnemann, H.W. Exact solution of the complete equation of motion and the energy equation for the laminar flow along two-dimensional wedges, 2=15551
 Haimson, J. Some aspects of electron beam optics and X-ray production with the linear accelerator, 2=11732
 Hain, K. and Tutter, M. Transition of microwaves through a plane plasma slab, 2=7613
 Haine, E. See König, H.L., 2=9072
 Haine, E. See König, H.L., 2=11034
 Hains, F.D. and Price, J.F. Effect of a flexible wall on the stability of Poiseuille flow, 2=7175
 Haisman, D.R. See Corkhill, J.M., 2=2696
 Haisty, R.W., Mehal, E.W. and Stratton, R. Preparation and characterization of high resistivity GaAs, 2=23392
 Haines, E.L. See Sikkeland, T., 2=5984
 Haissinsky, P. Electronic theory of catalysis on semiconductors, 2=15143
 Hájek, Z. and Eckertová, L. The construction of a stable field-effect cathode, 2=15944
 Hajos, A. Colour discrimination without colour vision, 2=11466
 Hake, H.W. See Weintraub, D.J., 2=24216
 Hake, R.R., Berlincourt, T.G. and Leslie, D.H. High-field superconductivity in some b.c.c. Ti-Mo and Nb-Zr alloys, 2=7519
 Hake, R.R., Leslie, D.H. and Berlincourt, T.G. Electrical resistivity, Hall effect and superconductivity of some b.c.c. titanium-molybdenum alloys, 2=2115
 Hake, R.R., Leslie, D.H. and Berlincourt, T.G. Low-temperature resistivity minima and negative magnetoresistivities in some dilute superconducting Ti alloys, 2=15854
 Hake, R.R. See Berlincourt, T.G., 2=18641
 Hakeem, M.A. and Goodrich, M. Internal bremsstrahlung from P^{32} and Y^{90} , 2=10045
 Hakim, S.S. and Higham, J.B. An experimental determination of the excess pressure produced in a liquid dielectric by an electric field, 2=17479
 Halkin, O.O. and Matyash, I.V. Study of nuclear magnetic relaxation of adsorbed gases by the spin echo method, 2=18485
 Hakki, B.W. and Coleman, P.D. Cerenkov radiation in a dielectric tube waveguide, 2=3171
 Hakura, Y. Development of ionospheric and geomagnetic storms caused by solar corpuscular emissions. I. Polar cap blackout and auroral zone blackout, 2=4699
 Hakura, Y. and Goh, T. Unusual solar-terrestrial events in July, 1959, 2=17224
 Hakura, Y. See Obayashi, T., 2=8996
 Hakura, Y., Nagai, M. and Sano, Y. Development of ionospheric and geomagnetic storms caused by solar corpuscular emissions. II. Polar blackout, storm Es, and geomagnetic storms, 2=4700
 Hakura, Y. See Obayashi, T., 2=3429
 Halaunbrenner, J. and Sukiennik, P. On the end of the motion of solids on an elastic base, 2=11309
 Halden, F.A. See Sedlacek, R., 2=8743
 Halder, A.K. See Edels, H., 2=9552
 Hale, K.F. See Gale, B., 2=14971
 Hale, J.K. and Stokes, A.P. Some physical solutions of Dirac-type equations, 2=543
 Hale, K.F. See Franks, A., 2=7403
 Haley, G.D., Jr. See Fender, B.E.F., 2=11413
 Half, A.H. See Reid, A.F., 2=7166
 Halford, D. Electron-nuclear double resonance, nuclear moments, and $\langle \sigma^2 \rangle$ of neodymium-143 (III) and neodymium-145 (III) in lanthanum trichloride, 2=23714
 Halford, R.S. See Blanc, J., 2=14684
 Halim, A. Dependence of L_0 on sunspots for atmospheric ozone measurements, 2=11010
 Halim, A. See Ahmed, S.J., 2=2497
 Hall, D. See Williams, P.P., 2=10817
 Hall, D. See Hefferlin, R., 2=18228
 Hall, D.A. and Atkins, W.W. New technique for measuring the velocity of high-speed objects, 2=2670
 Hall, D.J. See Fujii, A., 2=11970
 Hall, F.F., Jr and Stanley, C.V. Infrared satellite radiometry, 2=1
 Hall, G.G. The coupling between electromagnetic waves and excitation waves in a molecular crystal, 2=23028
 Hall, G.G. and Hardisson, A. Ring currents and their effects in aromatic molecules, 2=16539
 Hall, G.G. and Rees, D. Energies of some isoelectronic series of ions, 2=9530
 Hall, G.G. and Rees, D. Scaling of the Platt electrostatic model of diatomic hydrides, 2=16510
 Hall, G.G. See Fröman, A., 2=6083
 Hall, G.L. Ionized impurity scattering in semiconductors, 2=2329
 Hall, H.E. See Boyle, A.J.F., 2=18512
 Hall, I. See Bearpark, K., 2=18321
 Hall, J.A. See Barber, C.R., 2=9437
 Hall, J.E. See Greenhow, J.S., 2=4657
 Hall, J.G. See Eschenroeder, A.Q., 2=11395
 Hall, J.J. Large-strain dependence of the acceptor binding energy in germanium, 2=23343
 Hall, J.L. and Schumacher, R.T. Electron spin resonance of hydrolyzed atoms in CaF_2 , 2=21364
 Hall, J.L. See Schumacher, R.T., 2=3815
 Hall, L.S. Harrison-Thompson generalization of Bohm's sheath condition, 2=19939
 Hall, L.S. and Gardner, A.L. Highly ionized, steady-state plasma system, 2=17820
 Hall, R.F. Inert-gas clean-up in the hot-cathode discharge, 2=95
 Hall, R.N. Current gain in metal-insulator tunnel triodes, 2=1052
 Hall, R.N. Observation of polarons and phonons during tunneling in semiconductor junctions, 2=23418
 Hall, R.O.A. The thermal expansion of silicon, 2=14386
 Hall, R.S., Scott, S.A. and Walker, J. Neutron diffusion in small volumes of water: pulsed source measurements, 2=5656
 Hall, T.C. See Millea, M.F., 2=16712
 Hall, T.P.P., Hayes, W. and Williams, F.I.B. Paramagnetic resonance of manganese, 2=772
 Hall, W.F. See Hildenbrand, D.L., 2=15806
 Hall, W.S. See McWilliams, P., 2=2592
 Hall, W.S. See Miller, D.W., 2=10140
 Hallam, H.E. and Ray, T.C. Infrared solvent shifts and molecular interactions. II. Carbon-halogen diodes, 2=20788
 Halland, M.G. Thermal conductivity of several optical maser materials, 2=23086
 Hallden, N.A. See Harley, J.H., 2=5515
 Hallén, E. Exact solution of the antenna equation, 2=7754
 Halliday, I. See Millman, P.M., 2=4757
 Halliday, J.S. See Chescoe, D., 2=8881
 Hallock, H.B. Optics in the Orbiting Astronomical Observatory, 2=17714
 Halsall, M.J. See Edwards, S.F., 2=17714
 Halperin, A., Braner, A.A., Schlesinger, M. and Kristianpoller, N. Coloration and thermal bleaching of color centres in alkali-halide crystals, 2=23216
 Halperin, A. See Nahum, J., 2=14719
 Halpern, F.R. Acnodes for pion-nucleon scattering, 2=7887
 Halpern, F.R. Some examples of canonical transformations in quantum mechanics, 2=11278
 Halpern, F.R. Singularities of the five-point function in perturbation theory, 2=20274
 Halpern, I. See Bodansky, D., 2=12223
 Halpern, J. See Frankel, S., 2=13831
 Hapler, L. On the role of gravitational fields in some elementary particle processes, 2=22392
 Halpern, O. See Dickinson, W.C., 2=9853
 Halpin, A.T. and Goldberg, P. Effects of interaction among particles in electroluminescent layers, 2=8591
 Halsey, G.D., Jr. Gas adsorption near the bulk critical temperature, 2=8888
 Halsey, G.D., Jr. See Lovejoy, R.W., 2=6161
 Halsey, G.D., Jr. See Sams, J.R., Jr., 2=6854
 Halsted, R.E., Apple, E.F., Prener, J.S. and Piper, W.W. Two-step excitation in CdS and ZnS, 2=23593
 Halsted, R.E., Lorenz, M.R. and Segall, B. Band edge emission properties of CdTe, 2=8573
 Haltrich, S. See Ciorăscu, F., 2=20084
 Haltrich, S. See Iliescu, C., 2=22294
 Haltrich, S. See Stoicovici, E., 2=22288
 Halverson, F. Comments of potassium superoxide structure, 2=1
 Ham, F.S. Energy bands of alkali metals. I. Calculated bands, 2=23112

- n, F.S. and Segall, B. Energy bands in periodic lattices — Green's function method, 2=2060
- n, F.S. See Ludwig, G.W., 2=21367
- n, L.B., Biggs, F. and Cathey, E.H., Jr. Fractional and multiple judgments of loudness, 2=21759
- n, N.S. and Walsh, A. Potassium and rubidium Raman lamps, 2=7368
- n, R.K. The determination of dislocation densities in thin films, 2=2082
- n, R.K. On the loss of dislocations during the preparation of a thin film, 2=23187
- n, R.K. and Sharpe, N.G. A systematic error in the determination of dislocation densities in thin films, 2=2083
- n, R.K. and Broom, T. The mechanism of fatigue softening, 2=6757
- n, R.K. See Faulkner, E.A., 2=6349
- na, M. and Tanaka, S. Relativistic quantum field theory of unstable particle, 2=5568
- na, F.R. Streaklines in a perturbed shear flow, 2=13312
- na, Y., Osada, J. and Taketani, M. Ghost scatterings, 2=20270
- nada, H. See Sugata, E., 2=11706
- nada, T. and Johnston, I.D. Hard core and shape parameter in the effective range expansion, 2=3330
- nada, T. and Johnston, I.D. A potential model representation of two-nucleon data below 315 MeV, 2=13780
- nada, T. and Salpeter, E.E. Models for zero-temperature stars, 2=9088
- maguchi, C. See Inuishi, Y., 2=12544
- maguchi, Y., Kunitomi, N., Komura, S. and Sakamoto, M. Electrical resistivity of UFe and UMN, 2=12497
- maker, R.W. and Quinn, H.F. Structure in the excess current region of gallium arsenide tunnel diodes, 2=18720
- mäkinen, R.M.K. and Laurikainen, K.V. Electric and magnetic dipole transitions in deuteron photodisintegration in the medium energy range, 2=13891
- namoto, A.S. See Miles, D.O., 2=11340
- namoto, I. and Arima, A. Properties of Fe^{57} and the proton-neutron interaction, 2=22707
- namura, S. On the relation between the moving striation and the plasma parameters in a glow discharge, 2=7579
- namura, S. See Oyasato, M., 2=7571
- mann, A.K. See Bilaniuk, O.M., 2=5286
- nhlin, D.J. and Karasz, F.E. Temperature controller for use in calorimetry, 2=2924
- nburger, E.W. and Reber, L.H. Study of the $\text{K}^{39}(\text{d}, \text{d}')$ reaction, 2=22842
- nburger, E.W. See Cohen, B.L., 2=1824
- nburger, E.W. See Landim, E., 2=18136
- neen-Anttila, K.A. The information content of astronomical multicolour photometry, 2=4710
- neka, H.F. Theory of magnetic properties of molecules with particular emphasis on the hydrogen molecule, 2=14238
- neka, H.F. Theory of magnetic rotation spectra, 2=14259
- neka, H.F. Note on the theory of singlet-triplet transitions, 2=18448
- neka, H.F. Calculation of magnetic susceptibilities of diatomic molecules. I. General theory, 2=20793
- neka, H.F. Angular distribution of intensity and polarization in the triplet-singlet emission of benzene, 2=20843
- nelin, A. A contribution to the experimental study of the discharge of zinc ions on a monocrystalline zinc cathode, 2=15145
- nerlinck, A. See Jacobs, G., 2=14432
- nes, G.E. See Lockyer, R., 2=23980
- hilton, D. See Bouchez, R., 2=12133
- hilton, D.R. See Bennett, A.I., 2=21486
- hilton, J., Menotti, P., Spearman, T.D. and Woolcock, W.S. Low energy pion-nucleon scattering and pion-pion interactions, 2=22596
- hilton, J., Spearman, T.D. and Woolcock, W.S. s-wave pion-nucleon scattering and pion-pion interactions, 2=5723
- hilton, J.H., Hultberg, S. and Frey, W.F. Relative gamma-ray intensity measurements in the decay of Ir^{192} , 2=20523
- hilton, J.H., Stockendal, R.V., Camp, D.C., Langer, L.M. and Smith, D.R. The shape of the intense Au^{198} beta spectrum and the K conversion coefficient of the 412-keV transition, 2=20550
- hilton, J.H. See Baird, Q.L., 2=20314
- hilton, J.H. See Frey, W.F., 2=10062
- hilton, J.H. See Pettersson, B.G., 2=18296
- hilton, R.L. and Crosser, O.K. Thermal conductivity of heterogeneous two-component systems, 2=19747
- hilton, T.D.S. Photofluorescence decay times of organic phosphors, 2=720
- hilton, W.C. On the least-squares plane through a set of points, 2=6803
- Hamilton, W.C. and Petrie, M. Confirmation of disorder in solid nitrous oxide by neutron diffraction, 2=4358
- Hamilton, W.D. The lifetime of the 673 keV level in Xe^{132} , 2=386
- Hamilton, W.D. The lifetime of the 638 KeV level in ^{131}Xe , 2=387
- Hamilton, W.D., Grabowski, Z. and Thun, J.E. Angular correlation and resonant scattering in ^{117}Sn , 2=3527
- Hamilton, W.D. See Gradowski, Z., 2=7953
- Hamilton, W.D. See Thun, J.E., 2=20547
- Hamilton, W.M. See Rosenberg, N.W., 2=8982
- Hamilton, W.D. See Thun, J.E., 2=3524
- Hamisch, H. A continuous secondary electron multiplier, 2=17881
- Hamisch, H. Energy flux through the shadow boundary behind a diffracting half-plane, 2=19726
- Hamisch, H. See Boersch, H., 2=1505
- Hamisch, H. See Boersch, H., 2=9559
- Hamisch, H. See Boersch, H., 2=15962
- Hamisch, H. See Boersch, H., 2=22262
- Hamman, J. See Mirels, H., 2=1182
- Hammel, E.F., Jr and Keller, W.E. Fountain pressure measurements in liquid He II , 2=1330
- Hammel, J.E. See Baker, D.A., 2=1455
- Hammel, J.E. See Baker, D.A., 2=1456
- Hammel, J.E. See Baker, D.A., 2=17823
- Hammerling, P. See Kivel, B., 2=2757
- Hammersley, J.M. See Frisch, H.L., 2=12447
- Hammond, G.L. See Lalos, G.T., 2=13450
- Hammond, J.A. See Coop, W.H., 2=16849
- Hamon, J. See Terrien, J., 2=15742
- Hampson, R.F., Jr and Walker, R.F. Vapor pressures of platinum, iridium, and rhodium, 2=5216
- Hampson, R.F. and Walker, R.F. The vapor pressure of palladium, 2=15808
- Hamrick, P. See Shields, H., 2=18946
- Hanafy, Z. See Yousef, Y.L., 2=4086
- Hanai, T. Dielectric theory on the interfacial polarization for two-phase mixtures, 2=17102
- Hanamura, E., Inui, T. and Toyozawa, Y. Cyclotron resonance of hot electrons in pure germanium, 2=16638
- Hanasaka, T. See Fujinaga, A., 2=22283
- Hanasz, J. See Gorgolewski, S., 2=13156
- Hanauer, S.H., Dabbs, J.W.T., Roberts, L.D. and Parker, G.W. Angular distribution of alpha particles emitted by oriented Np^{237} nuclei, 2=393
- Hanbury Braun, R. See Braun, R. Hanbury.
- Hand, C.W. Short u.v. emission from acetylene flames, 2=16535
- Hand, C.W. and Kistiakowsky, G.B. Ionization accompanying the acetylene-oxygen reaction in shock waves, 2=23959
- Hand, G.L. and Levine, M.A. New approach to force-free magnetic fields, 2=20096
- Hand, L.N., Miller, D.G. and Wilson, R. Alternative nucleon form factors, 2=13782
- Handel, J. van den. See van den Handel, J.
- Handel, P. Relaxation of slow surface states in semiconductors, 2=10448
- Handel, P. The slow surface states relaxation in semiconductors, 2=10450
- Handge, P. See Machnig, O., 2=8027
- Handler, G.S. See Townsend, J.R., 2=16502
- Handler, P. Surface conductivity of cleaved silicon surfaces, 2=12522
- Handler, P. See Landwehr, G., 2=18677
- Hands, E. See Morris, J.C., 2=5118
- Handscorn, D.C. The Monte Carlo method in quantum statistical mechanics, 2=21843
- Handtmann, D. See Brözel, R., 2=15566
- Handtmann, D. See Brözel, R., 2=17435
- Handtmann, D. See Brözel, R., 2=17436
- Handy, R.M. Electrode effects on aluminum oxide tunnel junctions, 2=14545
- Hane, M. Restless harmonic oscillator, 2=4909
- Hanel, R.A. and Wark, D.Q. Tiros II radiation experiment and its physical significance, 2=1029
- Hanel, R.A. and Stroud, W.G. The Tiros II radiation experiment, 2=8950
- Hanel, R.A. See Banteen, W.R., 2=2574
- Haneman, D. Structure and absorption and characteristics of clean (111) and (111) surfaces of gallium antimonide, 2=23908
- Hängánut, M. and Peculea, M. Long distances indication manometer for high pressures, 2=2673
- Hangos, I. The composition and some properties of adsorbed binder films on micro-crystalline fluorescent screens, 2=6616
- Hanke, I. Faults in single crystals of yttrium-iron and gadolinium-iron garnets. I. Etching agents for garnets: observations on faults in faces with low indices, 2=23814

- Hanke, I. Faults in single crystals of yttrium-iron and gadolinium-iron garnets. II. Determining the orientation of YIG single crystal spheres from etch patterns, 2=23815
- Hanke, I. and Burger, H. Dislocations in manganese-ferrite single crystals. I. Data on dislocations on low-index surfaces and the effects of various etching agents, 2=10401
- Hanke, I. and Burger, H. Dislocations in manganese ferrite single crystals. II. Edge and screw dislocations; distribution of dislocations over the crystal diameter, 2=18590
- Hanke, I. See Burger, H., 2=10394
- Hanks, R.V. See Ishihara, A., 2=2679
- Hanle, W. See Bräunlich, P., 2=2265
- Hanlon, J.E. See Wolf, J.D., 2=2285
- Hann, R. See Brun, E., 2=18961
- Hanna, G.C., Primeau, D.B. and Tunnicliffe, P.R. Thermal neutron cross sections and the resonance integrals of the reactions $O^{17}(n,\alpha)C^{14}$, $A^{36}(n,\alpha)S^{33}$, and $N^{14}(n,p)C^{13}$, 2=1902
- Hanna, J. See St. Romain, F.A., 2=14137
- Hanna, M.W. E.S.R. study of the triphenylphosphine anion, 2=20863
- Hanna, M.W. and Altman, L.J. Hyperfine interactions in X-irradiated magnesium phosphite hexahydrate, 2=10701
- Hanna, M.W., McLachlan, A.D., Dearman, H.H. and McConnell, H.M. Radiation damage in organic crystals. III. Long polyene radicals, 2=18495
- Hanna, S.S. See Dearnaley, G., 2=18252
- Hannay, N.B. Mass spectrographic analysis of solids, 2=4581
- Hanneman, R.E., Ogilvie, R.E. and Modrzejewski, A. Kossel line studies of irradiated nickel crystals, 2=10429
- Hannibal, W.D. An electrolytic etching-method for observation of the special arrangement of dislocations of the surface of silicon-iron, 2=12444
- Hans, H.S. See Khurana, C.S., 2=3585
- Hans, H.S. See Mohindra, R.K., 2=13800
- Hansbury, E. See Kerr, V.N., 2=12124
- Hänsch, H.J. See Böer, K.W., 2=2158
- Hänsch, H.J. See Böer, K.W., 2=2263
- Hänsel, H. Electron-optical field distribution using imaging properties data, 2=7665
- Hansen, D.R. See Kelly, P.E., 2=917
- Hansen, J. and Larsen, T. The electric field at the ground plane near a disk-loaded monopole, 2=16040
- Hansen, K., Hornig, D.F., Levitt, B., Linzer, M. and Myers, B.F. The thickness of shock and detonation fronts and rotational relaxation at high temperatures, 2=2753
- Hansen, L.F. and Albert, R.D. Statistical theory predictions for 5 to 11 MeV (p,n) and (p,p') nuclear reactions in V^{51} , Co^{59} , Cu^{63} , Cu^{65} , and Rh^{103} , 2=22813
- Hansen, L.F., Jopson, R.C., Mark, H. and Swift, C.D. $Ta^{181}(p,n)W^{181}$ and $Au^{197}(p,n)Hg^{197}$ excitation functions between 4 and 13 MeV, 2=7984
- Hansen, L.K. and Mackenzie, K.R. Initiating and maintaining a discharge by a transfer mechanism, 2=15906
- Hansen, N.E. See Hatcher, C.R., 2=9828
- Hansen, N.J. Encapsulated surface barrier particle detectors. Some methods and techniques, 2=18025
- Hansen, N.J. See Alväger, T., 2=16096
- Hansen, N.R. See Jordan, B., 2=7631
- Hansen, O. and Nathan, O. Collective character of the 2.23 MeV 3^{-} state in Sn^{116} , 2=1823
- Hansen, O. and Nathan, O. Nuclear alignment produced by (α, α') processes in even nuclei, 2=20674
- Hansen, P.G., Nielsen, H.L. and Wilsky, K. Highly excited states in Sn^{116} populated in the decay of 54 min In^{116} , 2=5807
- Hansen, P.G. and Wilsky, K. High energy gamma rays in the decay of La^{140} , 2=7957
- Hansen, R.S. Thermodynamics of interfaces between condensed phases, 2=10969
- Hansen, R.S. See Arthur, J.R., Jr., 2=15099
- Hansen, W.L. See Goulding, F.S., 2=6479
- Hansen, H. See Schwed, P., 2=3424
- Hanson, H.P. Experimental f values and electron diffraction amplitudes for bromine, 2=6218
- Hanson, H.P. See Almenningen, A., 2=22953
- Hanson, N.R. Are wave mechanics and matrix mechanics equivalent theories? 2=1062
- Hanson, W.B. Upper-atmosphere helium ions, 2=6929
- Hanson, W.B. and Johnson, F.S. Electron temperatures in the ionosphere, 2=15222
- Hanson, W.B. See Dessler, A.J., 2=4695
- Hanson, W.B. See Dessler, A.J., 2=6950
- Hanson, W.B. See Dessler, A.J., 2=13076
- Hanson, W.B. See Sharp, G.W., 2=15207
- Hanszen, K.J. Developments in the production of microfilms, 2=11
- Hantzsch, E. Theories of cathode drop, 2=206
- Hantzsch, E. Cathode fall theories, 2=9546
- Happ, H. and Genzel, L. Interference modulation with monochromatic millimetre waves, 2=7752
- Happ, H., Hofmann, H.W., Lux, E. and Seger, G. Dispersion measurements on CsBr and CaF_2 in the far infrared and millimetre wave regions, 2=8537
- Happel, R.J., Jr. See Edwards, P.L., 2=6786
- Happel, R.J., Jr. See Edwards, P.L., 2=6787
- Haq, K.E. Overshoot in photoconductivity of lead oxide, 2=18748
- Haq, K.E. See Bigelow, J.E., 2=23466
- Haque. See Ali, M.I., 2=18166
- Hara, O. and Takeda, H. The Sakata model and the K_s^+ decays, 2=
- Hara, T. See Tanaka, K., 2=2157
- Hara, Y. Dispersion relations in nucleon-nucleon scattering and resonances in many-pion system, 2=3332
- Hara, Y. Note on the dispersion relations in nucleon-nucleon scattering and resonances in many-pion system, 2=13791
- Hara, Y. The hypothesis of Regge poles and polarisation produced in high energy NN scattering, 2=22496
- Hara, Y., Nagashima, Y. and Singh, G.P. On the full symmetry in Sakata model, 2=16130
- Harada, J. and Kashiwase, Y. Atomic scattering factor for electron of atoms with aspherical charge distribution, 2=15009
- Harada, K. Alpha-particle reduced widths in heavy nuclei, 2=34998
- Harada, K. Alpha-cluster and nuclear surface, 2=14017
- Harada, K. See Sugie, A., 2=9981
- Harade, T. See Yadaka, H., 2=18700
- Haradome, M. On the relation between tristimulus values of color color temperature of Planckian radiation, 2=2859
- Harai, Y. Study of the Fechner color with a cathode-ray tube, 2=11
- Haraldson, S. Rapid geomagnetic fluctuations, 2=2516
- Harang, L. Drift of the E-layer during geomagnetic storms, 2=177
- Harang, L. A study of the auroral OI feature at 8446 Å, 2=19242
- Harang, L. and Malmjör, K. Drift measurements of the E-layer at Kjeller and Tromsø during the International Geophysical Year 1957-58, 2=4646
- Harang, L. and Omholt, A. Luminosity curves of high aurorae, 2=4
- Harang, L. and Tröim, J. Investigation of auroral echoes. II, 2=40
- Haranath, P.B.V. and Sivaramamurthy, V. Emission band spectrum of SeO_2 molecule, 2=8103
- Harbeke, G. See Cardona, M., 2=14679
- Harbeke, G. See Fatuzzo, E., 2=21214
- Harbottle, G. See Veljković, S., 2=859
- Harburn, G., Kitchingman, W.J. and Edmunds, I.G. Conference on imperfections in crystals, London, November 1961, 2=14425
- Harder, D. See Kretschko, J., 2=20026
- Härdtl, K.H. See Gerthsen, P., 2=23400
- Harburn, G. and Taylor, C.A. Optical Fourier synthesis for non-centrosymmetric projections of crystal structures, 2=15008
- Harder, H. See Borgwaldt, H., 2=8024
- Hardie, G. See Salisbury, S.R., 2=16405
- Hardie, G. See Silverstein, E.A., 2=493
- Harding, G.O. and Wilks, J. The absorption of sound in dilute solutions of 3He in liquid helium II, 2=17715
- Harding, W.R. See Hilsum, C., 2=7455
- Hardisson, A. See Hall, G.G., 2=16539
- Hardwick, D. and Tegart, W.J. McG. Structural changes during the deformation of copper, aluminium and nickel at high temperatures and high strain rates, 2=2320
- Hardwick, E.R. See Mosher, H.S., 2=19160
- Hardwick, R. and Mosher, H.S. Identity of chemical and photochemical species from gamma-(2,4-dinitrobenzyl) pyridine, 2=8925
- Hardwick, R. See Hiraoka, H., 2=10974
- Hardwick, R. See Hiraoka, H., 2=15133
- Hardwick, T.J. and Guentner, W.S. Design and performance characteristics of an X-ray target for electron accelerators, 2=5392
- Hardy, A. Crystal structures of two allotropic forms of barium manganate. New ABO_3 structure, 2=10889
- Hardy, J., Jr., Klein, D. and Smith, G.G. The resonance fission integrals of U^{235} , Pu^{239} , and Pu^{241} , 2=5979
- Hardy, J., Jr., Smith, G.G., Mitchell, J.A. and Klein, D. Measurement of the Dancoff correction, 2=8000
- Hardy, J. See Smith, G.G., 2=5945
- Hardy, J., Jr. See Smith, G., 2=3601
- Hardy, J.R. Lattice dynamics of alkali halide crystals in relation to specific heat data, 2=6250
- Hardy, J.R. The effect of ionic polarization on the lattice distortion produced by a substitutional K^+ ion in NaCl, 2=10377
- Hardy, J.R. The effect of optical mode-phonons on the absorption spectra of shallow impurity centres, 2=14689

- dy, J.R. See Ingalls, R.B., 2=17681
 dy, R.W.D. See Wilson, H.W., 2=5389
 e, A.W., Alfant, S., Rough, F.A. and Sinizer, D.I. Further results of irradiation of uranium carbide, 2=6065
 e, F.K. See Boville, B.W., 2=4592
 gital, C. See Szabo, J., 2=9694
 greaves, J.K. The behaviour of the lower ionosphere near sunrise, 2=4644
 greaves, J.K. and Millard, D. The accuracy of four-probe resistivity measurements on silicon, 2=10479
 greaves, J.K. and Roberts, R. The propagation of very-low-frequency radio waves over distances up to 2000 km, 2=16070
 greaves, M.E. See Clarebrough, L.M., 2=6338
 greaves, M.K. Optical rotatory dispersion: its nature and origin, 2=22063
 greaves, W.A. See Boyd, G.D., 2=14667
 grove, C.K. and Martin, W.M. Short-lived isomeric states of polonium, 2=18266
 grove, L.E. and Hiedemann, E.A. Diffraction of wide and narrow light beams by distorted finite-amplitude progressive ultrasonic waves in water, 2=2897
 grove, L.E., Hiedemann, E.A. and Mertens, R. Diffraction of light by two spatially separated parallel ultrasonic waves of different frequency, 2=9406
 riharan, P. and Sen, D. Effects of partial coherence in two-beam interference, 2=1273
 riharan, P. and Sen, D. Three-beam interferometer for diffusion measurement, 2=7386
 riharan, P. and Sen, D. Interferometric measurements of the aberrations of microscope objectives, 2=9368
 riharan, P.S. The use of the Bellani spherical pyranometer for the measurement of total solar radiation, 2=11024
 riharan, T.A. Application of the Urey-Bradley and the orbital valency force fields to some tetrahedral ions, 2=3722
 riharan, T.A. Amplitude of thermal vibrations in PCl_5 , AsCl_5 and SbCl_5 molecules, 2=8083
 rker, H.J. See Goddard, J., 2=21453
 rker, K.J. Electrode design for axially symmetric electron guns, 2=11710
 kness, A.L. See Horrocks, D.L., 2=5833
 kness, A.L. See Rothman, S.J., 2=3948
 kness, A.L. See Rothman, S.J., 2=14467
 rridger, D.G. and Anderson, D.L. Computation of surface wave dispersion for multilayered anisotropic media, 2=11444
 lan, R.A. See Sheline, R.K., 2=5801
 le, J.H., Hallden, N.A. and Fisenne, I.M. Beta scintillation counting with thin plastic phosphors, 2=5515
 ley, T.P. and Tyras, G. Transmission of electromagnetic waves through an ionized layer in the presence of a strong magnetic field, 2=5487
 ling, O.K. Eu^{140} decay, 2=1844
 low, F.H. See Duff, R.E., 2=9310
 low, F.H. See Evans, M.W., 2=13361
 m, R. See Schwarzschild, M., 2=19324
 rman, G.G. and Higier, T. Some properties of dirty contacts on semiconductors and resistivity measurements by a two-terminal method, 2=14529
 rman, G.G., Higier, T. and Meyer, O.L. Some electrical properties of the porous graphite contact on p-type silicon, 2=14544
 rman, T.C. and Honig, J.M. Galvano-thermodynamic effects in degenerate semiconductors and semimetals with nonparabolic band shapes. II. General theory, 2=18666
 rman, T.C., Strauss, A.J., Dickey, D.H., Dresselhaus, M.S., Wright, G.B. and Mavroides, J.G. Low electron effective masses and energy gap in $\text{Cd}_x\text{Hg}_{1-x}\text{Te}$, 2=4034
 rman, T.C. See Wright, G.B., 2=8368
 rmer, D.S. See Brewer, H.R., 2=1956
 rmer, D.S. See Hooper, J.W., 2=9529
 rmony, M.D. and Myers, R.J. Infrared spectrum and thermodynamic functions of the NF_2 radical, 2=20883
 rnsen, D.M. and Holm, K. Measurement of the longitudinal polarization of beta-rays from $\text{RaE}(\text{Bi}^{210})$ and Sb^{124} by means of Möller scattering, 2=3507
 rnik, E. See Many, A., 2=23329
 rper, D.J. Direct method of measurement of losses in small samples of soft magnetic materials, 2=3127
 rper, J.D., Jr. See Johler, J.R., 2=16072
 rper, M.H., Jr. Optical instrumentation for TIROS, 2=11200
 rper, W.J. Some effects of the electric contact in films of electroluminescent $\text{ZnS}:\text{Cu}:\text{Cl}$, 2=8592
 rper, W.R. Neutron "flux", 2=1687
 rper, W.R. Electrification following the contact of solids, 2=22150
 Harrah, L.A. See Radell, J., 2=8088
 Harrard, M. See Jost, F., 2=18465
 Harrick, N.J. Optical spectrum of the semiconductor surface states from frustrated total internal reflections, 2=6575
 Harrick, N.J. Semiconductor type and local doping determined through the use of infrared radiation, 2=8312
 Harrick, N.J. Use of frustrated total internal reflection to measure film thickness and surface reliefs, 2=19493
 Harrick, N.J. Two-carrier model and theory for the metal-to-semiconductor contact, 2=23422
 Harrington, D.R. Intermediate meson contributions to hyperon decays, 2=320
 Harrington, D.R. Two-particle approximation for the three-pion amplitude, 2=20394
 Harrington, J.M. See Bailey, D.K., 2=12031
 Harrington, R.E. See Kubin, R.F., 2=21586
 Harrington, R.F. Small resonant scatterers and their use for field measurements, 2=17735
 Harris, A.B. and Meyer, H. Calorimetric determination of energy levels in rare-earth and yttrium-iron garnets, 2=16629
 Harris, A.K. See Daniels, F.B., 2=6933
 Harris, C.K. See Vonnegut, B., 2=8974
 Harris, D.E. The radio spectrum of supernova remnants, 2=13183
 Harris, E.G. On a plasma sheath separating regions of oppositely directed magnetic field, 2=7618
 Harris, E.G. Rayleigh-Taylor instabilities of a collapsing cylindrical shell in a magnetic field, 2=20127
 Harris, E.S. See Littmann, M.F., 2=12706
 Harris, F.B., Jr and Tanner, R.L. A method for the determination of lower ionosphere properties by means of field measurements on spherics, 2=15232
 Harris, F.S., Jr. See Barnett, J.D., 2=13458
 Harris, G.I. and Seagondollar, L.W. Properties of excited state of P^{31} . I. Gamma-ray spectra and decay schemes, 2=22742
 Harris, G.I. See Rangan, L.K., 2=20620
 Harris, G.M. Attractive two-body interactions in partially ionized plasmas, 2=5332
 Harris, I. and Priester, W. Time-dependent structure of the upper atmosphere, 2=24027
 Harris, I. See Davis, A.H., 2=4628
 Harris, J.D. See Bowman, J.J., 2=15446
 Harris, J.E. and Partridge, P.G. Creep-deformation of a magnesium-aluminum alloy, 2=18996
 Harris, J.E., Haddrell, V.J. and Rickards, G.A. Metallographic examination of intergranular creep cavities in two magnesium alloys, 2=19098
 Harris, K.K. and Price, W.E. A thin plastic radiation dosimeter, 2=7798
 Harris, L. and Piper, J. Transmittance and reflectance of aluminium oxide films in the far infrared, 2=4153
 Harris, L.A., Potter, R.A. and Yakel, H.L. Preliminary observations of mixed oxide compounds containing BeO , 2=17020
 Harris, L.B. See Meleka, A.H., 2=21428
 Harris, M.F., Finger, F.G. and Teweles, S. Diurnal variation of wind, pressure, and temperature in the troposphere and stratosphere over the Azores, 2=17129
 Harris, R.W. See Jones, C.M., 2=20673
 Harris, S.J. See Bray, H.J., 2=2403
 Harris, S.M. Quantum mechanical calculation of Mössbauer transmission, 2=349
 Harris, W.J. Device for shadowcasting and making thin films for electron microscopy, 2=23943
 Harrison, C.W., Jr. Scattering error in radio interferometer, 2=16026
 Harrison, D.E. and Tiller, W.A. Study of the growth mechanism and twin habits of $\text{Ba}_2\text{TiP}_2\text{O}_9$, 2=19039
 Harrison, E.R. The effect of particle streams on transverse hydro-magnetic waves, 2=1567
 Harrison, E.R. Acceleration of electrons in plasmas, 2=7603
 Harrison, E.R. Stability of longitudinal electrostatic oscillations in plasmas of finite dimensions, 2=7633
 Harrison, E.R. Determination of the nature of the earth's distant magnetic field, 2=11089
 Harrison, E.R. The earth's distant magnetic field, 2=15262
 Harrison, E.R. An experiment to determine the nature of the earth's distant magnetic field, 2=15271
 Harrison, E.R. Ion oscillations in multistream plasmas, 2=17853
 Harrison, F.W. and Curtis, B.J. A modification of the X-ray powder diffraction method for determining end member ratios in solid solutions and its application to the Wurtzite system, 2=12908
 Harrison, G.R. and Hodges, L.R., Jr. Temperature stable microwave hybrid garnets, 2=12747
 Harrison, H. Total collision cross-sections for scattering of thermal beams of hydrogen, hydrogen atoms, and helium by hydrogen and helium, 2=23017

AUTHOR INDEX

- Harrison, J.A. See Vujnović, V., 2=17895
- Harrison, J.W. A mercury computer programme for the correction of X-ray diffraction line shapes, 2=23831
- Harrison, L.G. Influence of dislocations on diffusion kinetics in solids with particular reference to the alkali halides, 2=6382
- Harrison, M.J. Collective excitation of degenerate plasmas in solids, 2=20977
- Harrison, P.G. Experimental investigation of the effect of irradiation intensity on the production of F centers in NaCl, 2=18616
- Hart, A.B. Evershed-type lines at the solar limb, 2=24115
- Hart, E.L., Louttit, R.I. and Morris, T.W. ω -meson production in proton-proton interaction at 2.85 BeV, 2=22607
- Hart, E.L. See Bertanza, L., 2=22652
- Harrison, S.E. See Heilmeier, G.H., 2=16730
- Harrison, W.A. Band structure and Fermi surface of zinc, 2=10352
- Harrison, W.A. and Webb, M.B., [Eds]. The Fermi surface, 2=2064
- Harrold, S.P. See Corkill, J.M., 2=2696
- Harrower, G.A. Design of radio telescopes for extragalactic surveys, 2=7033
- Harrowell, R.V. Thermionic conversion of heat to electricity, 2=1379
- Hart, H. Thickness measurements by means of radiation, 2=15527
- Hart, E.J. See Anderson, A.R., 2=6894
- Hart, E.L., Louttit, R.I., Luers, D., Morris, T.W., Willis, W.J. and Yamamoto, S.S. Multiple meson production in proton-proton collisions at 2.85 BeV, 2=9889
- Hart, H.R., Jr. See Giaever, I., 2=11572
- Hart, J. See Birks, J.B., [Ed], 2=17764
- Hart, J. See Birks, J.B., [Ed.], 2=22153
- Hart, J.'T. See 'T.Hart, J.
- Hart, P.A.H. Partition effects in transverse electron beam waves, 2=17886
- Hart, P.A.H. and Weber, C. Paramagnetic-amplifier electron gun, 2=9628
- Hart, P.J. Plasma acceleration with coaxial electrodes, 2=1457
- Hart, W. See Cundy, D.C., 2=5716
- Harte, K.J. See Smith, D.O., 2=10661
- Harte, R.A. Receptor elements of the human retina as semi-conductors, 2=1034
- Hartelius, C.C. See Kouvel, J.S., 2=12733
- Harten, H.U. Inversion layers in silicon at the boundary with an electrolyte, 2=16713
- Harten, H.U. and Polder, D. Influence of a surface space-charge layer on the motion of recombining carriers, 2=23261
- Harth, W. See Schäff, F., 2=20025
- Harting, D. See Culligan, G., 2=22928
- Harting, D. See Fabiani, F., 2=20319
- Harting, D. See Fabiani, F., 2=22491
- Hartka, T.J. See Thomsen, J.S., 2=1320
- Hartke, J.L. Drift mobilities of electrons and holes and space-charge-limited currents in amorphous selenium films, 2=6472
- Hartl, M. See Knoll, M., 2=3495
- Hartland, A. See Lipsicas, M., 2=11431
- Hartman, W.J. and Decker, M.T. Mutual interference between surface and satellite communication systems, 2=4882
- Hartmann-Boutron, F. See de Gennes, P.G., 2=6704
- Hartmann-Boutron, F. See de Gennes, P.G., 2=12829
- Hartmann, E. See Gyulai, Z., 2=2368
- Hartmann, H. Orientated deposition of organic luminescent and dye-stuff materials in crystals, with special reference to lead, cadmium and barium trihydrated acetates, 2=6815
- Hartmann, H. Growth and polytypical phenomena of synthetic zinc sulphide crystals, 2=14942
- Hartmann, H. Luminescence found in zinc sulphide crystals in dependence on the crystallographic properties, 2=16859
- Hartmann-Boutron, F. See de Gennes, P.G., 2=21353
- Hartman, R.L. Energy dependence of indirect optical absorption in semiconductors, 2=18804
- Hartmann, H. and Treptow, H. The growth of ZnS single crystals from vapour phase, 2=811
- Hartmann, H. and Treptow, H. The dependence of the habit of ZnS single crystals on the growth conditions, 2=8788
- Hartmann, H. See Ortman, H., 2=6622
- Hartmann, P. and Pauty, M. Construction of an electronic camera for the study of photoelectric emission from opaque objects, 2=13590
- Hartmann, P. See Brun, E., 2=4298
- Hartmann, P. Abnormal effect of the polarization of light on the photoelectric emission of solids, 2=7648
- Hartmann, P. See Pauty, M., 2=7647
- Hartmann, R.J. and Macherach, E. A simple photo-relay mechanism for point-by-point recording of X-ray diffraction lines, 2=21500
- Hartnett, J.P. A survey of thermal accommodation coefficients, 2=5068
- Hartnett, J.P. See Koh, J.C.Y., 2=2675
- Hartt, J.K. and Carr, E.F. Dielectric studies of the polymer polyvinyl acetate in the molten state, 2=17476
- Hartunian, R.A. and Varwig, R.L. On thin-film heat-transfer measurements in shock tubes and shock tunnels, 2=5049
- Hartz, T.R. Radio-noise measurements on the passage of solar particles through the corona, 2=4834
- Hartz, T.R. and Vogan, E.L. A synopsis of riometer observations on the polar cap events of November 1960, 2=12025
- Hartz, T.R. See Ortner, J., 2=15284
- Harumi, K. See Nomura, Y., 2=5094
- Harvey, B.G. See Cerny, J., 2=3616
- Harvey, B.G. See Morton, J.R., III, 2=14138
- Harvey, B.G. See Morton, J.R., III, 2=22854
- Harvey, G.A. See Covington, A.E., 2=13170
- Harvey, W.W. Hole injection during reduction of ferricyanide at a germanium electrode, 2=4017
- Harwit, M. Can gravitational forces alone account for galaxy formation in a steady state universe. II. Bondi-Gold universes, 2=4719
- Harwit, M. and Hoyle, F. Plasma dynamics in comets. II. Influences magnetic fields, 2=15320
- Harwit, M. See Hoyle, F., 2=15319
- Harwit, M. See Hoyle, F., 2=24163
- Hasai, H. See Ryu, N., 2=17905
- Hase, W. See Betzl, M., 2=19075
- Haseda, T. See Miedema, A.R., 2=6282
- Hasegawa, H. Heavy primary cosmic rays over Japan, 2=9949
- Hasegawa, H. Some studies on the criteria to determine the absolute maximum bending moment in a beam, 2=19474
- Hasegawa, A. and Yamashita, J. Density matrix approach to a simple hot electron problem, 2=16689
- Hasegawa, H. and Howard, R.E. Optical absorption spectrum of hydrogenic atoms in a strong magnetic field, 2=8062
- Hasegawa, H. and Ito, K. Isotropic abundance of carbon in primary cosmic rays, 2=18203
- Hasegawa, H., Matano, T., Miura, I., Oda, M., Shibata, S., Tanashashi, G. and Tanaka, Y. Arrival direction of extensive air showers, 2=18207
- Hasegawa, H., Matano, T., Muira, I., Oda, M., Tanahashi, G., Tanaka, Y., Higashi, S., Kitamura, T., Mishima, Y., Miyamoto, S., Shibata, K. and Watase, Y. Anisotropy of extensive air showers, 2=13929
- Hasegawa, H. and Ito, K. Isotropic abundance of carbon in primary cosmic rays, 2=1744
- Hasegawa, H. See Oda, M., 2=22666
- Hasegawa, H. See Oda, M., 2=17301
- Hasegawa, H. See Miura, I., 2=22672
- Hasegawa, K. Meson-theoretical interactions in heavy nuclei, 2=12105
- Hasegawa, K. See Makishima, S., 2=14714
- Hasegawa, S. See Aizu, H., 2=22664
- Hasegawa, S. See Akashi, M., 2=12083
- Hasegawa, T. See Takemoto, S., 2=725
- Haser, L. See Dossin, F., 2=6994
- Hasegawa, K. See Okamoto, K., 2=20583
- Hasegawa, K. See Shiokawa, T., 2=20291
- Hashi, T. See Matsuura, M., 2=21387
- Hashi, T. See Yasuoka, H., 2=18962
- Hashimoto, H., Howie, A. and Whelan, M.J. Anomalous electron absorption effects in metal foils: theory and comparison with experiment, 2=19126
- Hashimoto, H. and Mannami, H. Dynamical theory of electron diffraction for the electron microscopic image of crystal lattice III. Out-of-focus image of single crystal, 2=14991
- Hashimoto, K. and Kitagawa, K. Some barium getter problems on the vacuum tubes, 2=68
- Hashimoto, K. See Mori, R., 2=644
- Hashimoto, Y. See Yagi, K., 2=16397
- Hashimoto, Y. See Yamazaki, T., 2=20571
- Hashin, Z. and Shtrikman, S. A variational approach to the theory of the effective magnetic permeability of multiphase materials, 2=22299
- Hashizume, A. See Yamazaki, T., 2=20571
- Hashmi, S.Z.R. An ion vacuum gauge, 2=11434
- Hasiguti, R.R. The role of dynamic crowdions in the process of radiation damage in face centred cubic metals, 2=23144
- Hasiguti, R.R. and Igata, N. Effect of thermal cycling on the swelling of uranium, 2=23884
- Hasiguti, R.R., Igata, N. and Kamoshita, G. Internal friction peaks in cold worked metals, 2=21407
- Hasiguti, R.R., Matsuura, E. and Matsui, K. Magneto-resistance of γ -irradiated n-type silicon, 2=23357
- Hasiguti, R.R., Minami, K. and Yonemitsu, H. Electrical resistivity and defect energy levels in reduced titanium dioxide at low temperatures, 2=2175

- iguti, R.R. See Kimura, H., 2=15066
- kell, R.E. and Holt, E.H. Study of electromagnetic wave polarization in magneto-plasmas by a matrix method of crystal optics, 2=11669
- lam, C.G.T., Davies, J.G. and Large, M.I. A system of digital analysis for radio astronomy using a fully steerable telescope, 2=24166
- lam, C.G.T. See Large, M.I., 2=4854
- lam, C.G.T. See Large, M.I., 2=4855
- lett, J.W. See Mann, H.M., 2=22364
- lett, R.W.G. The back-scattering of acoustic waves in water by an obstacle. I. Design of a scale model and investigation of its validity, 2=9341
- lett, R.W.G. The back-scattering of acoustic waves in water by an obstacle. II. Determination of the reflectivities of solids using small specimens, 2=9342
- lett, R.W.G. Determination of the acoustic back-scattering patterns and cross-sections of fish, 2=15691
- ls, G. See Cox, J.T., 2=19678
- ls, M. and Hennis, B.W. Infrared lattice reflection spectra of compound semiconductors, 2=18844
- ls, W.P.A., Poullis, N.J. and Borleffs, J.J.W. Nuclear spin relaxation in solid and liquid hydrogen, 2=780
- lsmann, K. Total reflection of a spherical compression front at the boundary plane of two elastic media, 2=19644
- lserjian, G. and Ishimaru, A. Currents induced on the surface of a conducting circular cylinder by a slot, 2=16010
- lssit, A. A computer program to solve the multigroup diffusion equations, 2=20715
- lssler, F.L. and Peck, R.A., Jr. Neutron-induced reactions in third and fourth shell nuclei, 2=3598
- lssner, A. and Bergner, D. Determination of grain boundary diffusion coefficients by means of radioactive isotopes by measuring the integral residual activity, 2=18593
- lssner, A. See Lange, W., 2=3947
- te, G.R. and Barnett, C.F. Plasma potential measurements using an ion beam probe, 2=9595
- son, D. See Yaron, I., 2=15788
- ler, H.G. and Weber, G. Stern-Gerlach experiment with neutrons, 2=18115
- te, G.R. See Barnett, C.F., 2=15929
- ted, J.B. and Chong, A.Y.J. Electron capture processes for multiply charged ions, 2=17791
- ted, J.B. and Lee, A.R. The near-adiabatic criterion in charge transfer collisions, 2=9531
- ted, J.B. See Islam, M., 2=13539
- ted, J.B. See Lee, A.R., 2=10224
- tings, J. See Elliott, N., 2=10891
- tings, J.M. See Corliss, L.M., 2=12669
- tings, R.B. and Shih, Y.Y. Experiments with an electrically operated Kundt tube, 2=13414
- zko, S.E. See Wenick, J.H., 2=735
- zko, S.E. See Wernick, J.H., 2=17042
- na, N. and Tanaka, I. Chemical processes subsequent to $n-\pi^*$ and $\pi-\pi^*$ transitions of pyridine N-oxide and 2-Picoline N-oxide, 2=15156
- anaka, T., Hayakawa, S., Nishimura, S., Takayanagi, K. and Unno, W. Energy spectrum of suprathermal particles and formation of star clusters in interstellar space, 2=13148
- anaka, T. See Yoshida, S., 2=17159
- ch, A.J. and Butler, J.W. Experimental analogue study of containment of dense plasmas in resonant-cavity fields, 2=5347
- ch, S.E. Emittance measurements on infrared windows exhibiting wavelength dependent diffuse transmittance, 2=22084
- cher, A.P. See Merten, U., 2=17050
- cher, C.R. Positronium formation in the halogen derivatives of benzene, 2=3324
- cher, C.R., Bramblett, R.L., Hansen, N.E. and Fultz, S.C. Width of photon line produced by positron annihilation at 15 MeV, 2=9828
- chett, J.L. See Sancier, K.M., 2=18855
- oyama, G.M. See Sasaki, W., 2=23395
- sukade, S. and Schnitzer, H.J. Resonance model for photoproduction of K mesons on nucleons, 2=22626
- sukade, S. See Nakamura, S., 2=12004
- ta, Y. See Sato, M., 2=19905
- tersley, P.M. See Astbury, A., 2=1701
- ton, A.P. and Turton, J.S. Heat transfer in the thermal entry length with laminar flow between parallel walls at unequal temperatures, 2=15778
- ton, C.J. and Marsden, P.L. Cosmic ray threshold rigidities during the magnetic storm of November 12, 1960, 2=22688
- tori, S. Dichroism in the N_2 band of KCl crystals, 2=18620
- tori, S. See Matsuoka, S., 2=17487
- Hatwell, H. and Votava, E. Preferential nucleation of chromium carbide on twin dislocations in stainless alloys of the 18/8 type, 2=2408
- Hatwell, H. See Gilles, J.M., 2=12547
- Haubenreisser, W. Theory of electron transport in a stoichiometer Fe_3O_4 (magnetite) crystal above the transition point at $119.4^\circ K$, 2=2129
- Haubenreisser, W., Linzen, D. and Glauche, E. Orientation dependence of the critical microwave field-strength at subsidiary resonance in manganese-magnesium-cobalt ferrite single crystals, 2=2294
- Haubenreisser, W., Linzen, D. and Glauche, W. Directional dependence of the critical microwave field strength for subsidiary absorption in a manganese-magnesium-cobalt ferrite single crystal, 2=14815
- Haubert, A. Eclipse of 15 February, 1961 and the behaviour of the ionosphere above Garchy (Nièvre), 2=11050
- Haubold, K. Simple model for the evolution towards equilibrium in the strong coupling case, 2=21854
- Haug, A. See Andersen, S.L., 2=20612
- Haul, R., Dümbs, G. and Just, D. Determination of self-diffusion coefficients in solids through isotope exchange with gases, 2=14456
- Haul, R. and Just, D. Disorder and oxygen transport in cadmium oxide, 2=3953
- Haupt, G.W. See Judd, D.B., 2=15718
- Haupt, G.W. See Judd, D.B., 2=15719
- Haupt, H. Relative positions of wide double stars (from observations made with the normal astrophysics of the Vienna University Observatory). First list, 2=19322
- Haupt, J. and Müller-Warmuth, W. A very-high-stability magnetic current regulator using power transistors, 2=11576
- Haupt, J. and Müller-Warmuth, W. Measurement of the nuclear magnetic resonance relaxation times of liquids in weak magnetic fields. T_2 in organic solvents, 2=17484
- Hauptman, A., Kleinberger, R., Okuzumi, H., Perio, P. and Tournarie, M. Periodic antiphases with non-integral periods, 2=10835
- Hauptman, H. and Karle, J. The calculation of phases from the Patterson function, 2=15002
- Hauptman, H. See Karle, J., 2=6805
- Hauptman, H. See Karle, J., 2=10839
- Hauptman, H. See Karle, J., 2=10840
- Hauptman, Z. The growth of crystals by the chemical transport of material. I. A new method of preparing magnetite single crystals, 2=10798
- Haurwitz, B. Wave formations in noctilucent clouds, 2=4598
- Haurwitz, B. Comments on tidal winds in the high atmosphere, 2=4624
- Haurwitz, M.W. See Warwick, C.S., 2=17277
- Haus, H.A. Alternating-current generation with moving conducting fluids, 2=16008
- Haus, H.A. See Vanwormhoudt, M., 2=17772
- Hauser, H. Disturbances outside the pupil in optical transmission theory, 2=5143
- Hauser, H. The limit of linear transformation with partially coherent illumination, 2=93
- Hauser, H. Optical transmission with partially coherent illumination. I. Limits of the linear transmission, 2=9369
- Hauser, H. Optical transmission with partially coherent illumination. II. Transmission theory of multistage imaging systems, 2=9370
- Hauser, H. See Oetinger, R., 2=2579
- Hauser, I., Engelhardt, H., Krecker, U. and Lanius, K. Investigation of distortions in NIKFI-R emulsions. I. Effect of the fixing process, 2=13715
- Hauser, I., Engelhardt, H., Krecker, U. and Lanius, K. Investigation of distortions in NIKFI-R emulsions. II. Effect of drying conditions, 2=20210
- Hauser, I. and Malhot, R.J. A method of computing phase shifts and normalizations of continuum-state Dirac wave functions, 2=20236
- Hauser, J.J. Anisotropy in the superconductivity of deformed Re single crystals, 2=22121
- Hauser, J.J. and Buehler, E. Effect of plastic deformation and annealing temperature on superconducting properties, 2=2960
- Hauser, J.J. and Chalmers, B. The plastic deformation of bcc crystals of f.c.c. metals, 2=6730
- Hauser, J.H. and Helfand, E. Critical field of thin superconducting shapes, 2=19811
- Hauser, O. See Zerzsche, A., 2=6744
- Hauser, U. Concerning resonance scattering of gamma rays and level widths in Hf^{177} , 2=14071
- Hauser, U., Runge, K. and Knissel, G. Measurements of E1 transition probabilities in several deformed odd-mass nuclei as a study of single particle motion, 2=1843
- Häuser, W., Schilling, J. and Zöllner, H. The geometrical optics approximation to the contrast transfer function as a criterion for aberration correction, 2=21995
- Häusler, E. and Müller, K.H. An optical procedure for the measurement of very fast surface deformations on solid bodies, 2=19690

AUTHOR INDEX

- Hausser, K.H. Paramagnetic relaxation in liquids, 2=11389
 Hausser, K.H. High resolution electron spin resonance in 1,3-bis(diphenylene)-allyl, 2=11390
 Hausser, K.H. Electron spin resonance of dibenzene vanadium (0), 2=12343
 Hausser, K.H. and Reinbold, F. Investigations of the Overhauser effect in solutions of free radicals by means of a coil waveguide. [Wendelleitung], 2=9290
 Hausser, K.H. and Reinbold, F. Dynamical polarization in a three-spin system, 2=23011
 Hüssler, G. See Lange, W., 2=18632
 Haussühl, S. See Engelhardt, W.V., 2=21469
 Hautecler, S., Konstantinovic, J., Cribier, D. and Jacrot, B. The energy states of Fe^{2+} in ferrous chloride by inelastic scattering of neutrons, 2=12397
 Hautecler, S. See Stiller, H., 2=5002
 Hautot, A. and Thiry, H. Measurement of the resolving power of a photographic emulsion as a relationship of the object raster contrast, 2=15754
 Havens, W.W., Jr. See Rush, J.J., 2=6249
 Havens, W.W., Jr. See Rush, J.J., 2=18460
 Havens, W.W., Jr. See Safford, G.J., 2=7866
 Haviland, J.K. See Lavin, M.L., 2=7426
 Havrilyuk, V.M. and Medvedev, V.K. Adsorption of carbon monoxide on tungsten, 2=8895
 Havrilyuk, V.M. and Medvedev, V.K. Electron emission of barium-coated tungsten, in an oxygen environment, 2=9617
 Hawkes, P.W. and Cosslett, V.E. Electronic simulation of the effect of lens aberrations on electron beam cross sections, 2=13598
 Hawkins, A.F., Hawkins, G.S. and Stienon, F.M. Meteor trail widths, 2=11116
 Hawkins, G.S. The nature of the red-shift, 2=11101
 Hawkins, G.S. Expansion of the universe, 2=17230
 Hawkins, G.S. Radar determination of meteor orbits, 2=17306
 Hawkins, G.S. See Cook, A.F., 2=11116
 Hawkins, T.D. See Moss, T.S., 2=8495
 Haworth, W.A. A shorter method of calculating Lennard-Jones (12-6) potential parameters from gas viscosity data, 2=3795
 Haworth, W.A., Nourse, H.M.E. and Raw, C.J.G. High temperature gas viscosities. III. $\text{NO}-\text{N}_2\text{O}$ mixtures, 2=21936
 Hawley, R. Markings on copper electrodes after electrical breakdown in vacuum, 2=9553
 Hawthorne, E.I. See Baldwin, K.M., 2=4885
 Hay, D.H. See Brewer, H.R., 2=1956
 Hay, D.R. and Pemberton, E.V. On the eddy transfer of water vapor above an outdoor surface, 2=24004
 Hay, D.R. and Reid, W.M. Radar angels in the lower troposphere, 2=3173
 Hay, E.J. Electromagnetism for schools, based on M.K.S.A. units, 2=20105
 Hay, H.J. See Lawrence, L.G., 2=16410
 Hayakawa, K. See Fukushima, E., 2=21503
 Hayakawa, S. On the origin of cosmic rays, 2=20464
 Hayakawa, S. On high energy cosmic photons originating in intergalactic space, 2=20482
 Hayakawa, S. Effect of solar cosmic rays on the meteorite radioactivity, 2=21709
 Hayakawa, S. Radiation belt, 2=24054
 Hayakawa, S. and Ikushima, H. Radiation damages on BaTiO_3 single crystal, 2=23155
 Hayakawa, S. See Fukui, S., 2=3340
 Hayakawa, S. See Fukui, S., 2=13897
 Hayakawa, S. See Fukui, S., 2=22665
 Hayakawa, S. See Hatanka, T., 2=13148
 Hayakawa, T. Microanalysis of cosmogenic nuclides in iron meteorites, 2=19290
 Hayakawa, T., Hinterberger, H. and Wänke, H. The abundances of the helium and neon isotopes produced by the cosmic radiation in some iron meteorites, 2=951
 Hayart, R. Finite deformations of an elastic solid. Several possible forms of potential giving agreement with (1) experimental results at high pressures (2) linear elasticity, 2=14879
 Hayart, R. Extension of the Murnaghan formulae concerning finite deformation of an elastic solid, 2=15511
 Hayashi, C. Stellar evolution in early phases of gravitational contraction, 2=15372
 Hayashi, C. and Cameron, R.C. The evolution of massive stars. III. Hydrogen exhaustion through the onset of carbon burning, 2=19317
 Hayashi, C. and Hoshi, R. The outer envelope of giant stars with surface convection zone, 2=15371
 Hayashi, C., Jugaku, J. and Nishida, M. Models of massive stars in helium-burning stage, 2=987
 Hayashi, C., Nishida, M. and Sugimoto, D. Evolution of a star with intermediate mass after hydrogen burning, 2=15363
 Hayashi, C. See Sakashita, S., 2=4798
 Hayashi, K. See Kubota, K., 2=4126
 Hayashi, Y. See Kawamura, H., 2=3885
 Hayashi, Y. See Kawamura, H., 2=16639
 Hayashibe, S. See Sugiyama, K., 2=10009
 Hayashida, T. Crystal structure of triclinic form of n-octadecane, 2=10900
 Hayasi, N. On similar solutions of the unsteady quasi-two-dimensional incompressible laminar boundary-layer equations, 2=1106
 Hayasi, N. On semi-similar solutions of the unsteady quasi-two-dimensional incompressible laminar boundary-layer equations, 2=4991
 Hayasi, N. On the approximate solution of the unsteady quasi-two-dimensional incompressible laminar boundary-layer equations, 2=4992
 Hayasi, T. The K- and $L_{II,III}$ -absorption spectrum of aluminium, 2=4160
 Hayasi, T., Kiyono, S. and Sugiura, C. The X-ray K-absorption spectra of potassium and chlorine contained in KCl, 2=10610
 Hayasi, T. and Sagawa, T. The absorption spectrum of metallic aluminium in the wavelength range of the $Al\ L_{II,III}$ -emission band, 2=4162
 Hayek, K. See Bachmann, L., 2=12954
 Hayek, K. See Bachmann, L., 2=15119
 Hayek, K. See Bachmann, L., 2=15120
 Hayes, F.N. See Kerr, V.N., 2=3208
 Hayes, F.N. See Kerr, V.N., 2=11214
 Hayes, M. and Rivlin, R.S. A note on the secular equation for Rayleigh waves, 2=15679
 Hayes, R.E. and Roberts, A.R.V. A control system for the evaporation of silicon monoxide insulating films, 2=17521
 Hayes, R.E., Roberts, A.R.V. and Alsford, R.W. Self-chopping ionization gauges, 2=15661
 Hayes, W. Effect of ionizing radiations on alkali halides containing divalent impurities, 2=3976
 Hayes, W. and Twidell, J.W. The self-trapped hole in CaF_2 , 2=1661
 Hayes, W. See Hall, T.P.P., 2=772
 Hayman, P.J. and Wolfendale, A.W. The momentum spectrum of cosmic ray muons near sea level in the momentum range 5-1000 GeV/c, 2=20481
 Hayman, P.J. and Wolfendale, A.W. Charge ratio of high-energy cosmic ray muons, 2=22695
 Hayman, P.J. See Brooke, G., 2=20466
 Haymann, P. and Gervais, H. An ionic etching unit, 2=11722
 Haymann, P., Maruyama, S. and Trillat, J.J. Study of the oxidation of nickel by secondary electron emission, 2=11700
 Haymann, P. and Waldburger, C. Study of pseudo periods produced during the selective etching of silver by argon ions of low energy, 2=6764
 Haymes, R.C., Reidy, W.P. and Korff, S.A. The cosmic-ray neutron density at high altitudes, 2=13896
 Haymes, R.C. See Reidy, W.P., 2=9973
 Haynes, J.R., Lax, M. and Flood, W.F. The role of excitons in recombination radiation from silicon, 2=23358
 Haynes, S.K. See Baird, Q.L., 2=20314
 Hayon, E. Effect of solute concentration on the recombination of H and OH in γ -irradiated aqueous solutions, 2=2446
 Hayward, A.T.J. The use of the McLeod gauge with gas-vapour mixtures, 2=15659
 Hayward, E. See Fuller, E.G., 2=16384
 Hays, D.F. See Glansdorff, P., 2=5006
 Hays, L.E. See Bolling, G.F., 2=8718
 Hayward, E. See Fuller, E.G., 2=5616
 Hayward, E. See Fuller, E.G., 2=10086
 Hayward, R. Binocular vision with different color filters before the two eyes, 2=7084
 Hayward, R.W. On the determination of disintegration rates by the coincidence method using high efficiency detectors, 2=7781
 Hazard, C. The method of lunar occultations and its application to a survey of the radio source C_{212} , 2=24182
 Hazard, C. See Brown, R.H., 2=4859
 Hazard, C. See Davies, R.D., 2=24176
 Hazekamp, R., Migchelsen, T. and Vos, A. Refinement of the structure of metastable phosphonitrilic chloride, $(\text{PNCl}_2)_4$, 2=15031
 Hazelby, D. See Shaw, D., 2=16665
 Hazelden, D.W. See Delves, R.T., 2=640
 Hazen, W. See Gaebler, J., 2=12073
 Hazen, W. See Suga, K., 2=12066
 Hazif, R.le. See le Hazif, R.

- zoni, Y. A several-stable-states circuit using tunnel diodes, 2=2976
- zoni, Y. A tunnel diode univibrator and pulse height discriminator, 2=2975
- zoni, Y. See Nifenecker, H., 2=464
- ad, A.K. and Thomson, P.F. On the method of Eshelby, Frank and Nabarro for calculating the equilibrium positions of dislocations, 8223
- ading, J. The nonsingular embedding of transition processes within a more general framework of coupled variables, 2=5492
- ald, C. and Thompson, H.W. Intermolecular forces and solvent effects. III, 2=15598
- aly, J.H. See Uphoff, H.L., 2=21109
- ap, B.R. Application of the Bethe--Peierls method to a metamagnetic, FeCl_2 , 2=16919
- ap, B.R. See Elliott, R.J., 2=2292
- aps, H.S. Waveform of finite amplitude derived from equations of hydrodynamics, 2=9248
- arn, A.C. and Leader, E. Fixed-angle dispersion relations for nucleon Compton scattering. I, 2=11917
- arn, A.G. The absorption of ozone in the ultra-violet and visible regions of the spectrum, 2=542
- arn, A.G., Jones, B.B. and Ramsden, S.A. The variation with time of the profiles of spectral lines emitted from a high-current toroidal discharge, 2=7620
- arst, J.E. and Stockmayer, W.H. Sedimentation constants of broken chains and wormlike coils, 2=23973
- asell, E.L. See Wilson, R.B., 2=6381
- asell, L. See Mrosewicz, B., 2=2179
- astie, R. and Martin, D.H. Collision-induced absorption of submillimeter radiation by non-polar atmospheric gases, 2=2775
- ath, A.W. Photography of the planet Venus, 2=24100
- ath, E.G. The composition of the gold-silicon eutectic, 2=4450
- ath, R.L. Digital analysis of pulse-height spectra, 2=18034
- ath, R.L. Recent developments in scintillation spectrometry, 2=17991
- ath, R.L. See Passell, T.O., 2=5941
- ath, R.L. See Reich, C.W., 2=16369
- avens, O.S. and Miller, R.F. Measurement of Faraday rotation in single-crystal nickel films, 2=8489
- avens, O.S. See Allen, L., 2=22901
- obard, D.F. Consecutive amplitude analyses for simultaneous pulses, 2=19848
- ward, F.W. Comparison of subjective and objective measurements of fixation disparity, 2=13225
- oda, E. See Franzen, J., 2=19734
- el, L.C., Jr. Impurities and nuclear spin relaxation in aluminum, 2=23712
- er, G. The Lehmann-Källen theorem and Minkowski geometry, 2=2630
- er, H. See Bonrath, H., 2=8580
- ert, G.R. and Nicholls, R.W. Intensity measurements in emission on 29 bands of the O_2 Schumann--Runge system, 2=543
- ht, C.E. Lennard-Jones pseudo single component potential for binary fluid mixtures, 2=19512
- ht, K.T. and Satchler, G.R. Asymmetric rotator model of odd-mass nuclei, 2=12109
- ht, K.T. See Fox, K., 2=16544
- ht, K.T. See Weeks, W.T., 2=6142
- cker, M.H.L. Studies of nasal consonants with an articulatory speech synthesizer, 2=7061
- ckingbottom, R. and Linnett, J.W. Structure of vanadium dioxide, 2=15029
- ckl, M. Measurements of absorption coefficients on plates, 2=13392
- ckman, H.H. and Armstrong, A.H. Energy spectrum of geomagnetically trapped protons, 2=17202
- ckman, H.H. See Barbaro-Galieri, A., 2=20434
- ckmann, O. On the possible influence of a general rotation on the expansion of the universe, 2=9050
- ckmann, P.H., Sander, W. and Flammersfeld, A. Scintillation anisotropy of anthracene at low temperatures, 2=727
- ckmann, P.H., Sander, W. and Flammersfeld, A. Scintillation anisotropy of anthracene at low temperatures. II, 2=18879
- berg, K. and Iwasaki, M. Effect of temperature on the structure of gaseous molecules. Molecular structure of PCl_3 at 300° and 505°K, 2=6122
- berg, K. and Iwasaki, M. The effect of temperature on the structure of gaseous molecules, 2=22955
- berg, K. See Iwasaki, M., 2=6123
- berg, K. See Iwasaki, M., 2=14233
- de, D.W.O. Observations in the southern hemisphere of ultraviolet light from celestial objects, 2=13149
- de, D.W.O. Studies of the ultraviolet emission from the night sky, 2=15288
- Hedgcock, F.T. Magnetic susceptibility and galvanomagnetic properties of tellurium, selenium and Te-Se alloys, 2=23631
- Hedgcock, F.T. See Collings, E.W., 2=14763
- Hedgcock, F.T. and Muir, W.B. Thermoelectric effects in Mg-Zn and Al containing traces of Mn, 2=6510
- Hedgcock, F.T. and Muir, W.B. de Haas van Alphen effect in zinc manganese alloys, 2=12643
- Hedger, H.J. See Baldock, P., 2=12923
- Hedley, J.A. and Ashworth, D.R. Imperfections in natural graphite, 2=3925
- Hedman, L.E. Spherulitic crystallization in amorphous selenium, 2=6780
- Hedman, L.E. and Mattuck, R.D. Effect of heat treatment and plastic deformation on the paramagnetic susceptibility of Cu-Ni alloys, 2=18891
- Hedvall, J.A. See Sandford, F., 2=12612
- Hedvall, P. Properties of a plasma created by an electron beam, 2=17817
- Heeger, A.J., Portis, A.M., Teaney, D.T. and Witt, G. Double resonance and nuclear cooling in an antiferromagnet, 2=2305
- Heel, A.C.S. Van. See Van Heel, A.C.S.
- Heer, E. See Gotow, K., 2=20338
- Heer, J. See Cheroff, G., 2=8399
- Heer, J.de. See de Heer, J.
- Heer, W. See Frauenfelder, R., 2=7955
- Heertje, I. and Aten, A.H.W., Jr. Activation cross-sections of fast neutron detectors, 2=16209
- Hefferlin, R. Improved determination of source temperature from relative spectrum line intensities, 2=11521
- Hefferlin, R. Semi-empirical investigations on the nature of the f-value, 2=18393
- Hefferlin, R. and Hall, D. A "Bohr-Sommerfeld" nucleus, 2=18228
- Heffernan, K.J. See Bigg, E.K., 2=11020
- Hegde, M.S. See Bhide, V.G., 2=21220
- Hegde, S. See Tawde, N.R., 3=12323
- Hegel, U. See Brix, P., 2=14230
- Hehenkamp, T. Sensitive pyrometer with high relative reproducibility, 2=7445
- Heicklen, J. Relations among vibrational frequencies of isotopically substituted molecules and the determination of force constant, 2=6131
- Heicklen, J. See Johnston, H.S., 2=10964
- Heidelberg, R.F. See Curl, R.F., Jr. 2=20829
- Heidelberg, R.F. See Tolles, W.M., 2=20831
- Heidenreich, R.D. Attenuation of fast electrons in crystals and anomalous transmission, 2=15122
- Heidenreich, R.D. See Walsh, W.M., Jr., 2=8647
- Heidmann, J. Observation of Messier 82 at 1430 Mc/s, 2=24181
- Heijenbrok, M.G.J. Aee Aten, A.H.W., Jr., 2=5611
- Heijne, L. Photoconductive properties of lead oxide layers, 2=6501
- Heijne, L. Contact influence on the photoconductivity of lead oxide, 2=8412
- Heijningen, R.J.J. van. See van Heijningen, R.J.J.
- Heikes, R.R. See Miller, R.C., 2=14589
- Heikes, R.R. See Takei, W.J., 2=8603
- Heikkilä, K.E. See Hultqvist, B., 2=6960
- Heikkilä, W.J. and Penstone, S.R. Rocket measurements of auroral radio absorption, 2=4639
- Heiland, G. Photoconductivity of zinc oxide as a surface phenomenon, 2=8415
- Heilmeyer, G.H., Warfield, G. and Harison, S.E. Measurement of the Hall effect in metal-free phthalocyanine crystals, 2=16730
- Heims, S.P. and Jaynes, E.T. Theory of gyromagnetic effects and some related magnetic phenomena, 2=23629
- Hein, R.A., Gibson, J.W., Matthias, B.T., Geballe, T.H. and Corenzwit, E. Superconductivity of iridium, 2=17727
- Heine, K. See Herr, W., 2=21006
- Heine, S. and Roppert, J. Treatment of the problem of unsmeared low angle X-ray scattering curves with an electronic computer, 2=17008
- Heine, V. On the transport equation for electrons in solids, 2=23100
- Heine, V. See Austin, B.J., 2=16464
- Heineken, F.W., Bruin, M. and Bruin, F. Effect of the solvent on the ESR spectrum of a free radical, 2=20881
- Heineken, F.W., Bruin, M. and Bruin, F. E.S.R. investigation of some thiazine and oxazine dye radicals, 2=23008
- Heineken, F.W. See Bruin, F., 2=23010
- Heineken, F.W. See Bruin, F., 2=15619
- Heineken, F.W. See Bruin, M., 2=16552
- Heineken, F.W. See Zahlan, A., 2=20862
- Heinemann, A. Infrared spectrum of arsonium ions, 2=8095

- Heinen, C. See Abrahamson, D.E., 2=22351
- Heiniger, F. See Bucher, E., 2=2961
- Heiniger, F. See Bucher, E., 2=5237
- Heinrich, F. and Hofmann, A. Focusing characteristics of a spectrometer field of the form $\tau^{-1} \sin^{-1} \theta$, 2=22297
- Heinrich, F. and Tanner, F. (n,t) processes in medium-weight nuclei, 2=5933
- Heinrich, F. See Frauenfelder, R., 2=7955
- Heinrich, R.R. See Stupiegia, D.C., 2=5946
- Heins, A.E. Fuction-theoretic aspects of diffraction theory, 2=7741
- Heins, R.W. See Rose, W., 2=9249
- Heintze, J. See Citron, A., 2=5703
- Heintze, J. See Citron, A., 2=13841
- Heintze, J. See Citron, A., 2=20658
- Heinz, J.M. See Bell, C.G., 2=4890
- Heinz, O. See Cook, C.J., 2=17897
- Heinz, W. and Silber, L. D.c. effects in ferromagnetic resonance in thin ferrite films, 2=12809
- Heinzinger, K., Klemm, A. and Waldmann, L. The thermal conductivity of gaseous paraortho-hydrogen mixtures at 20°K, 2=7254
- Heise, B.H. Precision determination of the lattice constant by the Kossel line technique, 2=6794
- Heise, B.H. Determination of the orientation of metal grains by a new Kossel line technique, 2=6863
- Heisen, A. Determination of the refractive indices of some fluoride evaporated and carbon films, 2=682
- Heisen, A. Simple procedure for determining the refractive index of thin, weakly absorbing films, 2=2870
- Heisen, A. Interference effects in two multilayer wedge-shaped dielectric films bounded by silver films, 2=5178
- Heisenberg, W. Present position of the non-linear spinor theory of elementary particles, 2=9768
- Heisenberg, W. See Duerr, H.P., 2=9911
- Heisenberg, W. See Durr, H.P., 2=22645
- Heiskanen, W.A. Is the earth a triaxial ellipsoid?, 2=6901
- Heisler, L.H. The anomalous ionospheric stratification F1/.5, 2=17171
- Heisler, L.H. and Whitehead, J.D. The interpretation of F2 critical frequency measurements, 2=900
- Heisler, L.H. and Whitehead, J.D. The phase speed of atravelling disturbance in the F region of the ionosphere and its comparison with group velocity, 2=4647
- Heisler, L.H. and Whitehead, J.D. Rapid variations in the sporadic-E region, 2=24037
- Heisler, L.H. and Wilson, L.D. A new versatile ionospheric recorder, 2=2502
- Heisler, L.H. and Wilson, L.D. Design of panoramic ionospheric recorders, 2=6940
- Heitland, H.H. Design of a high-speed valve, 2=1178
- Heitzmann, M. and Wagner, S. Resonance energies for proton capture III. Phosphorus and chlorine, 2=7983
- Hejzmanek, H. Method of analytical solution for the energy dependent neutron transport problem, 2=7864
- Helbing, R. See Berkling, K., 2=6238
- Held, G. See Saran, G.S., 2=3167
- Helfand, E. See Hauser, J.J., 2=19811
- Helfrich, W. and Mark, P. Space charge limited currents in anthracene as a method for the determination of the mobility of defect electrons, 2=8353
- Helfrich, W. and Mark, P. Detection of the space charge in space-charge-limited defect electron currents in anthracene, 2=16715
- Helfrich, W. See Mark, P., 2=2130
- Helfrich, W. See Silver, M., 2=23259
- Hellawell, A. See Brandreth, M., 2=23886
- Hellawell, A. See Dean, F.V., 2=9460
- Hellenthal, W. Spontaneous magnetization of little particles, calculated according to an extended molecular field theory, 2=14774
- Heller, A. Structural requirements of organic liquid scintillators, 2=1157
- Heller, A. Organic liquid scintillators. III. On the quantum yield of fluorescence and the quenching of fluorescence by oxygen, 2=13347
- Heller, A. Computation of efficiencies of organic liquid scintillators, 2=17471
- Heller, A. and Katz, D. Scintillation properties of 9-vinyanthracene, 2=1158
- Heller, C. Electron spin resonance and internal rotation of the methyl group in the $\text{CH}_3\text{C}(\text{COOH})_2$ radical, 2=2299
- Heller, C. and Cole, T. Electron magnetic resonance of an oriented allyl-type free radical, 2=18491
- Heller, C.A. and Gordon, A.S. Unimolecular decomposition of vibrationally excited ethane and ethyl radicals, 2=14335
- Heller, G.S. See Stickler, J.J., 2=12807
- Heller, G.S. See Stickler, J.J., 2=23137
- Heller, M.W. and Danielson, G.C. Seebeck effect in Mg_2Si single crystals, 2=16761
- Heller, M.W. and Danielson, G.C. Electrical properties of Mg_2Si single crystals, 2=23404
- Heller, W., Bhatnagar, H.L. and Nakagaki, M. Theoretical investigation on the light scattering of spheres. XIII. The "wavelength expansion" of differential turbidity spectra, 2=7404
- Heller, W.R. See Kumamoto, J., 2=14664
- Helliwell, J.B. and Pack, D.C. Magneto-gas-dynamic shock waves in gas with variable conductivity, 2=16006
- Helliwell, R.A. Exospheric electron density variations deduced from whistlers, 2=883
- Helliwell, R.A. Very low-frequency discrete emissions received at conjugate points, 2=21657
- Helliwell, R.A. See Lokken, J.E., 2=4692
- Helliwell, R.A. See Mlodnosky, R.F., 2=19258
- Hellman, B. See Tove, P.A., 2=1260
- Hellman, O. A proposed elementary particle theory based on interclassical fields, 2=1651
- Hellman, O. A proposed elementary particle theory based on interclassical fields, 2=20230
- Hellsten, A. See Sher, R., 2=5937
- Hellsten, A. See Tassan, S., 2=5938
- Hellstrand, E., Lindahl, G. and Lundgren, G. Studies of the effective and resonance absorption cross sections for zircaloy 2 and zirconium, 2=6035
- Hellstrand, E. and Lundgren, G. The resonance integral for uranium metal and oxide, 2=12203
- Hellstrand, E. and Weitman, J. The resonance integral of thorium metal rods, 2=5944
- Hellwarth, R.W. See Feynman, R.P., 2=18557
- Hellwarth, R.W. See McClung, F.J., 2=8511
- Hellwege, K.H., Horstik, G., Hüfner, S. and Lämmermann, H. The $^6\text{H}_2 \rightarrow ^6\text{F}_2$ transition in crystalline samarium ethyl sulphate, 2=2241
- Hellwege, K.H., Horstik, G., Hüfner, S. and Lämmermann, H. Spectroscopic and electron terms of crystalline dysprosium sesquioxide in the photographic infrared region, 2=4156
- Hellwege, K.H., Hüfner, S. and Kuse, D. Analysis of the transitions $^5\text{I}_8 \rightarrow ^5\text{I}_6$ and $^5\text{I}_8 \rightarrow ^5\text{I}_4$ in crystalline holmium ethyl sulphate, 2=1111
- Hellwege, K.H., Kwan, S.H., Lange, H., Rummel, W., Schembs, W. and Schneider, B. Magnetic susceptibility of some rare earth double nitrates, 2=16893
- Hellwege, K.H., Pfeffer, W. and Thiel, H.J. Specific heat of $\text{Gd}(\text{NO}_3)_3 \cdot 6\text{H}_2\text{O}$ at temperatures between 1.3°K and 220°K, 2=20936
- Hellwege, K.H., Schembs, W. and Schneider, B. Magnetic properties of praseodymium ethyl sulphate, 2=16892
- Hellwege, K.H. See Bonrath, H., 2=8580
- Hellwig, H. See Boersch, H., 2=23143
- Helm, F.H. Experiments with neutron scintillators made of lithium fluoride, zinc sulfide and lucite, 2=16211
- Helmer, J.C. and Jepsen, R.L. Electrical characteristics of a Penning discharge, 2=5309
- Helmy, E., Melkanoff, M.A., Prowse, D.J. and Stork, D.H. Optical mass analysis of 260-MeV K^+ meson elastic scattering, 2=16243
- Heltemes, E.C. and Swenson, C.A. Specific heat of solid He^3 , 2=2911
- Hély, J. Moving radiating particles in general relativity, 2=2614
- Hély, J. New generalization of the Schwarzschild metric, 2=19407
- Hemenway, C.L. and Soberman, R.K. Studies of micrometeorites obtained from a recoverable sounding rocket, 2=17264
- Hemkar, M.P. and Joshi, S.K. Vibrational spectrum and specific heat of lithium, 2=16592
- Hemkar, M.P. See Joshi, S.K., 2=14371
- Hemmat, N. and MacDonald, A.L. Nomograph technique for doping determination in germanium and silicon crystal growing, 2=1011
- Hemmendinger, H. See Ingle, G.W. 2=19674
- Hemmer, P.C. Deviation from $I(I+1)$ dependence in nuclear rotation spectra, 2=12108
- Hemmer, P.C. Gamma emission from nuclei in crystals, 2=18515
- Hempel, H.P., Lauckner, H. and Thumann, H. Influence of thallium conductivity of halogen-doped selenium, 2=16731
- Hempel, K.A. Ferrimagnetic resonance in polycrystalline magnetite and hard ferrites, 2=12812
- Hempel, K.A. On the ferrimagnetic resonance of polycrystalline ferrite with hexagonal anisotropy, 2=23696
- Hempstead, C.F. See Forrester, P.A., 2=12817
- Hemptinne, M.de. See de Hemptinne, M.
- Hencky, H. Euclid or Riemann? An inquiry into the foundations of rheology, 2=9242
- Hendee, C.F. See Wiley, W.C., 2=18009
- Hendel, A. See Suga, K., 2=12066
- Hendel, H.W. and Reboul, T.T. Adiabatic acceleration of ions by electrons, 2=7569

- Anderson, B. and Raynor, G.V. The effective valencies of transition metals in solid solution in gold and silver alloys, 2=12935
- Anderson, B. and Raynor, G.V. Lattice spacings relationships in the ternary system gold+tin+cadmium, 2=17037
- Anderson, B. and Raynor, G.V. Lattice spacings in silver-rich solid solutions in the silver+tin+manganese system, 2=21537
- Anderson, D. Hole theory of liquids and dense gases. I. Equation of state, 2=19536
- Anderson, D., Eyring, H. and Felix, D. The significant structure theory of liquid hydrogen in its various ortho-para and isotopic forms, 2=19534
- Anderson, J. See Johnson, A.E., 2=14890
- Anderson, M.C. Vibrational relaxation in nitrogen and other gases, 2=8079
- Anderson, M.C. and Donnelly, G.J. Acoustic resonance tube for high pressures and low f/p , 2=13417
- Andriks, C., Jr. Charged droplet experiments, 2=11346
- Andrickson, A.A. Solute segregation to stacking faults, 2=21048
- Andrickson, A.A. See Tardiff, G.E., 2=14888
- Andrie, D.L. See McDaniels, D.K., 2=9938
- Andrie, D.L. See McDaniels, D.K., 2=22850
- Andry, A.W. On the analyticity of partial wave amplitudes for unstable particles in perturbation theory, 2=1663
- Andry, A.W. Pion-nucleon scattering up to medium energies, 2=20400
- Andrey, W.M. Avalanche transistor circuits, 2=1368
- Anglin, A. Mass spectrometric observations on reactions of excited ions in carbon disulfide and some aromatic compounds, 2=8912
- Anglin, A. Mass spectrometric observation of persistent ion-molecule complexes of acrylonitrile and of benzene, 2=8913
- Anglin, A. and Muccini, G.A. Mass spectrometric observation of electron and proton transfer reactions between positive ions and neutral molecules, 2=19901
- Anglin, F. See Prigogine, I., 2=9687
- Anglin, F. See Prigogine, I., 2=20109
- Anglin, H.K. Electroluminescent devices, 2=2260
- Angel, O. Investigation of the remanence properties of magnetic single-domain collectives, 2=4224
- Angel, O. Remanence properties and hardness distribution of deformable permanent magnets, 2=14773
- Angel, O. Observations on groups of magnetic domains, 2=21314
- Angel, O. See Rassmann, G., 2=2281
- Angel, O. See Rassmann, G., 2=12762
- Angel, R.L. See Smith, H.L., 2=5982
- Angles, W. Ionization and acceleration of condensed molecular beams, 2=2032
- Angley, E.J. and Cropper, W.H. High-pressure and temperature radiation chemistry research, 2=12978
- Angley, E.M. and Jacobsohn, B.A. Suggested quantum numbers for bosons of mass $\approx 4m\pi$, 2=20407
- Angley, E.M. See Madsen, V.A., 2=14073
- Angne, W. Analogue procedure for determining the magnetic field strength of permanent magnets, in particular for focussing travelling-field tubes, 2=17924
- Angne, H.L. Indium antimonide transistors, 2=10515
- Angnel, J.W. See Andrew, E.R., 2=10724
- Anguin, J. A precision resonance spectrometer for observing weak field nuclear resonance in liquids, 2=1612
- Angnessy, J. See Aubert, B., 2=18187
- Angnessy, J. See Aubert, B., 2=22647
- Angnessy, J. See Di Corato, M., 2=22627
- Angning, H. Recombination and "minus" continua of chlorine atoms, 2=22902
- Angning, J.C.M. and de Waard, C. Spin densities in aromatics containing nitrogen: E.S.R. spectrum of the pyrazine negative ion, 2=3777
- Angning, J.C.M. and De Waard, C. Many-electron calculation of the spin densities in the mononegative ions of γ , γ -dipyridil and pyrazine, 2=22995
- Angning, J.C.M. See De Wijn, H.W., 2=14828
- Ango, Y. See Guillot, J.C., 2=11989
- Angon, M. The dynamic evolution of the globular clusters, 2=7018
- Angri, V. See Berley, D., 2=22633
- Angriksen, T. E.S.R. studies on the formation of sulfur radicals in irradiated cysteine, glutathione, and djenkolic acid, 2=6231
- Angrikson, H. See Seppi, E.J., 2=20292
- Angrion, W. See Eckart, F., 2=16801
- Angry, J. Cohesive energy and equation of state of iron at high pressure, 2=551
- Angry, J.C. See Arthur, J.S., 2=13202
- Angry, K. See DeSaussure, G., 2=6036
- Angry, L. See Castaing, R., 2=22270
- Angry, L.A. See Bieniek, M.P., 2=15518
- Angry, W.G. See Calvert, L.D., 2=23863
- Henschke, E.B. Threshold energies in mechanical collision theories of cathode sputtering, 2=11725
- Hennis, B.W. See Hass, M., 2=18844
- Hepner, G. Contribution to the study of the emission infrared of atomic and molecular spectra in the spectral region 1-3 μ , 2=3703
- Hepner, G. See Grenat, H., 2=6149
- Hepner, W.A. The inhomogeneous Lorentz group and the conformal group, 2=22405
- Hepp, K., Jost, R., Ruelle, D. and Steinmann, O. Necessary restriction on Wightman functions, 2=7141
- Hepp, K. See Araki, H., 2=16108
- Hepp, K. See Jost, R., 2=7137
- Hepp, V. See Engelmann, R., 2=18250
- Heppner, J.P., Ness, N.F., Skillman, T.L. and Searce, C.S. Magnetic field measurements with the Explorer X satellite, 2=13064
- Heppner, J.P. See Cain, J.C., 2=17145
- Heppner, J.P. See Ness, N.F., 2=13080
- Herb, R.G. See Walters, W.L., 2=449
- Herb, R.G. See Walters, W.L., 2=10106
- Herber, R.H. See Wertheim, G.K., 2=14355
- Herber, R.H. See Wertheim, G.K., 2=20909
- Herbert, D.N. See Perkin, J.L., 2=10148
- Herbert, J.D. See Medford, R.D., 2=1450
- Herbert, J.D. See Wright, J.K., 2=5350
- Herbig, G.H. Spectral classification of faint members of the Hyades and Pleiades and the dating problem in galactic clusters, 2=15387
- Herbst, L.J. and Grover, J.N. A test jig for measuring transistor current gain in the range 30-300 Mc/s, 2=17750
- Herbststein, F.H. Methods of measuring Debye temperatures and comparison of results for some cubic crystals, 2=3842
- Herbststein, F.H. See Fourie, J.T., 2=23907
- Hercher, M. Relationship between the near field characteristics of a ruby laser and its optical quality, 2=22013
- Herda, E. See Strunz, H., 2=8825
- Hereford, F.L. See Topp, S.V., 2=5526
- Hérenghuel, J. See Lelong, P., 2=4515
- Hereward, H.G. High-power r.f. separators, 2=20079
- Herforth, L. See Frank, M., 2=1631
- Herforth, L. See Friedrich, K., 2=8556
- Herget, P. On the variation of arbitrary vectorial constants, 2=6975
- Herget, W.F., Deeds, W.E., Gailar, N.M., Lovell, R.J. and Nielsen, A.H. Infrared spectrum of hydrogen fluoride: line positions and line shapes. II. Treatment of data and results, 2=20809
- Herget, W.F. See Herndon, J.A., 2=20808
- Herglotz, H.K. An X-ray method for the determination of faults in the structure of single crystals, 2=14426
- Herglotz, H.K. Semi-quantitative assessment of the perfection of silicon single crystals, 2=17004
- Herglotz, H.K. and Zinsmeister, G. Debye-Scherrer photographs with long-wavelength X-rays, 2=17005
- Herliard-Dubreuilh, L. See Brachet, C., 2=20140
- Héricy, J.Le. See Le Héricy, J.
- Heritage, J.L., Fay, W.J. and Bowen, E.D. Evidence that meteor trails produce a field-aligned scatter signal at V.H.F., 2=11803
- Herling, G.H. See Nishida, Y., 2=1855
- Herlofson, N. Particle diffusion in the radiation belts, 2=15269
- Herman, B.M. Infra-red absorption, scattering, and total attenuation cross-sections for water spheres, 2=11502
- Herman, B.M. and Battan, L.J. Calculations of Mie back-scattering of microwaves from ice spheres, 2=2478
- Herman, B.M. See Battan, L.J., 2=1603
- Herman, F. and Skillman, S. Theoretical investigation of the energy band structure of semiconductors, 2=23265
- Herman, F. See Braunstein, R., 2=2153
- Herman, F. See Williams, R.C., 2=23130
- Herman, J.R. Solar-flare effects on 2.5 and 5.0 Mc/s atmospheric radio noise, 2=4605
- Herman, J.R. Reliability of atmospheric radio noise predictions, 2=6918
- Herman, J.R. Polar-cap and auroral-zone absorption effects on 2.5- and 5.0- megacycles per second atmospheric radio noise, 2=21645
- Herman, L., Akriche, J. and Grenat, H. Continuous absorption and phosphorescence spectra associated with the dissociation of SO_2 and the recombination of SO and O, 2=20878
- Herman, L. and Herman, R. Rotational structure of the 4925 Å band system of the XeN molecule, 2=6168
- Herman, L. See Grenat, H., 2=6149
- Herman, R. and Duval, M. Line contours in B- and Be-stars, 2=4812
- Herman, R. See Benedict, W.S., 2=3727
- Herman, R. See de Vries, C., 2=13805
- Herman, R. See de Vries, C., 2=22523
- Herman, R. See Herman, L., 2=6168
- Herman, V.L. See Usikov, O.Ya., 2=9713

- Herman, Z. See Čermák, V., 2=161
- Hermann, W. See Reimer, L., 2=23946
- Herminjard, J. See Bonanomi, J., 2=7172
- Hermes, G. See Becherer, G., 2=8870
- Hernández, J. and Sistiaga, J.M. The tensile properties of niobium, commercially pure at low temperatures, 2=10767
- Hernández, J. See Sistiaga, J.M., 2=10907
- Hernandez, G.J. and Duncan, A.B.F. Vacuum ultraviolet absorption spectra of 1, 4-dioxane and 1, 3-dioxane, 2=8104
- Herndon, J.A., Deeds, W.E., Gailar, N.M., Herget, W.F., Lovell, R.J. and Nielsen, A.H. Infrared spectrum of hydrogen fluoride line positions and line shapes. I. Experimental details, 2=20808
- Herndon, J.R. See Hopkins, T.E., 2=17060
- Herndon, R.C. See Tang, Y.C., 2=16290
- Hernqvist, K.G. Energy conversion techniques, 2=15880
- Herpin, A. Weak ferromagnetism in the molecular field approximation, 2=733
- Herr, W., Heine, K. and Schmidt, G.B. Thermal annealing of nuclear recoil defects in neutron-irradiated, crystalline Ir(IV) and Os(IV) hexagonal complexes, 2=21006
- Herr, W., Hoffmeister, W., Hirt, B., Geiss, J. and Houtermans, F.G. Attempt to date iron meteorites by the rhenium-osmium method, 2=4758
- Herr, W. and Schmidt, G.B. Breaking of chemical binding in bromo-complexes of the noble metals as a result of the isomeric change in the Br^{80} nucleus, 2=17101
- Herr, W. See Feitknecht, J., 2=24106
- Herr, W. See Hirt, B., 2=20541
- Herr, W. See Schmidt, G., 2=852
- Herranz, J. Intensity of the ν_2 infrared band of methane, 2=1995
- Herranz, J. See Fernández Biarge, J., 2=6155
- Herring, C. The current state of transport theory, 2=23270
- Herriott, D.R. Optical properties of a continuous helium-neon optical maser, 2=1263
- Herriott, D.R. See Rigrod, W.W., 2=7346
- Herrlander, C.J. Coincidence studies on the decays of Bi^{208} and Bi^{209} , 2=1797
- Herrlander, C.J. and Slätis, H. A beta-beta coincidence spectrometer of the intermediate image focusing type, 2=1678
- Herrlander, C.J. See Bergström, I., 2=3482
- Herrmann, K.H. A Hall measuring arrangement for routine measurements, 2=15864
- Herrmann, R. and Lang, W. Study of atomizing chambers for emission and absorption flame photometry, 2=11003
- Herrmann, R. See Lang, W., 2=21601
- Herron, J.T. Rate of the reaction $\text{NO} + \text{N}$, 2=2443
- Herschcraft, A. and Corbett, J.D. Crystal structure of bismuth monochloride, 2=8826
- Herse, M. See Boulil, Y., 2=11044
- Hersh, H.N. See Konitzer, J., 2=6399
- Hersh, L.S. See Kleppa, O.J., 2=2710
- Hersh, S.H. Multichannel, multicolour oscilloscope, 2=17740
- Hershberger, W.D. and Petroff, I. Magnetic effects in a plasma column irradiated with microwaves, 2=3035
- Hershberger, W.D. See Battocletti, J.H., 2=17803
- Hershenvov, B. See Caulton, M., 2=7662
- Herskind, B. See Fossan, D.B., 2=20527
- Herskovitz, S.B. See Taylor, R.L., 2=5497
- Herszberg, B. See Kellershohn, C., 2=20564
- Hertsriken, S.D. Processing experimental data on self-diffusion in metals and alloys, 2=6361
- Hertsriken, S.D. and Revo, A.L. Determination of the diffusion parameters of zinc in aluminium using the labelled atom method, 2=6380
- Hertsriken, S.D. and Revo, A.L. Investigation of the effect of small admixtures of lead and antimony on the parameters of the bulk and boundary diffusion of these admixtures into copper, 2=12451
- Hertsriken, S.D. and Slyusar, B.P. Determination of allotropic transformation heat in titanium, zirconium and the alloy Ti-6.5% Cr, 2=21548
- Hertzriken, S.D., Dekjtyar, I.Ya., Mikhalekov, V.S. and Fal'chenko, V.M. Study of electrical transfer in steels by the method of inert tags, 2=6413
- Hertzriken, S.D., Larikov, L.N. and Slyusar, B.F. Determination of the latent energy of deformation in copper, copper-zinc alloys and Armco iron by the calorimetric method, 2=8733
- Hertzriken, S.D., Novikov, M.M. and Horid'ko, M.Ya. Determination of the density of dislocations formed during deformation of Armco iron and magnesium, 2=6344
- Hervé, J. and Aubrun, J.N. A theoretical study of the influence of an external magnetic field on the nuclear resonance of powdered metallic cobalt, 2=12831
- Hervé, J. See Aubrun, J.N., 2=18959
- Herz, A.J. See Baldassarre, F., 2=22562
- Herz, A.J. See Bellini, G., 2=22573
- Herzberg, G. The ionization potential of CH_2 , 2=548
- Herzberg, G., Monfils, A. and Rosen, B. Molecular spectra in the far ultra-violet: introductory report, 2=14284
- Herzberger, M. Problems of geometrical optics, 2=1247
- Herzberger, M. and Salzberg, C.D. Refractive indices of infrared optical materials and color correction of infrared lenses, 2=7344
- Herzberg, A. and Mandl, F. Vibrational excitation of molecules by resonance scattering of electrons, 2=22948
- Herzfeld, C.M. Proposed explanation of luminous particles observed in Glenn orbital flight, 2=24194
- Herzfeld, K.F. On the theory of energy exchange in liquids by isolated binary encounters, 2=17442
- Herzog, E. See Messenger, C., 2=17051
- Hesketh, R.V. The formation of dislocation loops in copper during neutron irradiation, 2=12437
- Hesketh, R.V. Strain relaxation by irradiation, 2=23768
- Hess, E.H. Shadows and depth perception, 2=17323
- Hess, G. See Lau, E., 2=22071
- Hess, H., Kischel, K., Morgenroth, H., Rademacher, K. and Seliger, K. Spark investigations in T-shaped discharge tubes, 2=1405
- Hess, H. and Wantosch, H. Coupling between capture cross-sections: energetic position of traps in CdS, 2=4195
- Hess, H. See Seliger, K., 2=9587
- Hess, H.A. See Aarons, J., 2=4618
- Hess, W.N. and Killeen, J. Spatial distribution of electrons from neutron decay in the outer radiation belt, 2=4685
- Hess, W.N. and Poirier, J.A. Energy spectrum of electrons in the radiation belt, 2=17210
- Hess, W.N. See Lingenfelter, R.E., 2=19284
- Hessel, A., Markuvitz, N. and Shmoys, J. Scattering and guided waves at an interface between air and a compressible plasma, 2=11666
- Hessler, V.P. Earth-current activity at College, Alaska, July 1959, 2=870
- Hessler, V.P. Characteristics of telluric current at land and sea stations, 2=17117
- Hetherington, A. See Funt, B.L., 2=15607
- Hetherington, J.H. and Ravenhall, D.G. Scattering of low energy K^+ mesons by nuclei, 2=12214
- Heubel, J. and Devrainne, P. Method of determination of the critical dimension of a parent crystal of potassium nitrate in a super-saturated solution, 2=4373
- Heubel, J. See Devrainne, P., 2=21488
- Heuer, K. Paramagnetic electron resonance in polycrystalline substances with rhombic symmetry, 2=10694
- Heughebaert, J. See Barloutaud, R., 2=5711
- Heughebaert, J. See Barloutaud, R., 2=9893
- Heughebaert, J. See Barloutaud, R., 2=16231
- Heughebaert, J. See Barloutaud, R., 2=22560
- Heughebaert, J. See Grard, F., 2=1715
- Heughebaert, J. See Grard, F., 2=22513
- Heumann, F.K. Sealed solid method for zone melting decomposable compounds, 2=11228
- Heumann, T. and Forch, K. Two phenomena in the spreading of mercury on gold surfaces, 2=7187
- Heurtley, J.C. See Bilaniuk, O.M., 2=5286
- Heusch, C.A. and Springer, T. Investigation on the inelastic moderation of fast neutrons, 2=5675
- Hevesi, J. See Ketskeméty, I., 2=13346
- Hewish, A. Extrapolation of the number-flux density relation of radio stars by Scheuer's statistical method, 2=2569
- Hewitt, F.J. Radio facilities in South Africa for tracking satellites: interplanetary research vehicles, 2=24191
- Hewitt, G.F. and Lovegrove, P.C. The application of the light absorption technique to continuous film thickness recording in annular two-phase flow, 2=21888
- Hewitt, J. See Bilby, B.A., 2=14908
- Hewitt, R.R. and Taylor, T.T. Nuclear quadrupole resonance and the electric field gradient in metallic indium, 2=4296
- Hexner, P.E., Radford, L.E. and Beams, J.W. Achievement of sedimentation equilibrium, 2=4521
- Hexter, R.M. Vibrational excitons. II. Degenerate vibrations, 2=1111
- Hexter, R.M. Evaluation of lattice sums in the calculation of crystal spectra, 2=23030
- Hey, A.W. See O'Neill, J.S., 2=4480
- Heydenburg, N.P. See Adams, H.S., 2=1878
- Heylen, A.E.D. Calculated electron mobility in nitrogen, oxygen and air for $0.1 \leq E/p \leq 100 \text{ V cm}^{-1} \text{ mmHg}^{-1}$, 2=7562
- Heylen, A.E.D. Bakeable ionization chamber, 2=7788

- n, A., Joseph, C. and Loude, J.F. Method of analysis of a beam of ions, 2=17896
- man, M. See Jérémie, H., 2=9932
- mann, F.F., Osmon, P.E., Veit, J.J. and Williams, W.F. Measurements of quenching of ortho-positronium in gases, 2=277
- , A.N.J. Electron microscope observations on the structure of calcite in avian egg shell, 2=19132
- ne, L. and Höfgen, H. Apparatus for measuring electrical resistance during irradiation in a reactor, 2=15873
- wood, D.R. See Alexander, T.K., 2=5274
- o, K. See Maeda, K., 2=19207
- erd, F.H. An analysis of the positions of the earth's magnetic pole in the geological past, 2=11096
- s, A.R. Lunar arrays of small craters, 2=11109
- , T. and Ishikawa, K. High-temperature observation of nickel cathode by using Muller-type microscope, 2=17864
- , T. and Ishikawa, K. Study of point cathode by using Müller-type microscope, 2=17865
- , T. and Yada, K. Study on evaporation method for electron-microscopy, 2=4512
- ernell, F.S., Auten, B.H. and Sakiotis, N.G. Nonlinear effects in ferrite-filled reduced-size waveguide, 2=13683
- man, B.S., Sabine, T.M. and Coyle, R.A. X-ray diffraction studies of irradiated beryllium oxide, 2=21516
- man, G.D. A miniature fast fission counter, 2=5990
- man, G.D. and Leng, W.B. The calculation of effective cutoff energies in cadmium, samarium and gadolinium, 2=11958
- smott, T.W. Low-frequency negative resistance in thin anodic oxide films, 2=21108
- s, J.M. See Ruby, S.L., 2=3471
- s, W.T. See Brewer, L., 2=2028
- lgo, A. Study of the vibrations of C≡N in nitriles, 2=18471
- lgo, A., Pastor, J. and Serratos, J.M. Effect of polarization in the distribution of energy diffracted by gratings, 2=22056
- en, N.J. See Ehrenberg, W., 2=18652
- , R., Price, N.H. and Shatford, P.A. The design, construction, instrumentation and performance of the A.E.R.E. 8×2in. shock tube, 2=19602
- ert, J.C. See Garvey, G.T., 2=5972
- emann, E.A. and Zankel, K.L. The study of ultrasonic waveform by optical methods, 2=2822
- emann, E.A. See Adler, L., 2=9275
- emann, E.A. See Hargrove, L.E., 2=2897
- emann, E.A. See Hargrove, L.E., 2=9406
- emann, E.A. See Lester, W.W., 2=7307
- , E. A model of the coronal condensation, 2=13134
- , E. See Suemoto, Z., 2=13135
- , E. See Suemoto, Z., 2=19304
- te, M. Upper limit to the surface energy of brittle bodies, 2=2333
- en, N.C. See Duke, P.J., 2=22504
- Zuy Pham. See Pham Zuy Hien
- onymus, H. and Weiss, H. Galvanomagnetic properties of InSb at high magnetic fields, 2=16727
- el, B. and Meyerhoff, K. Preparation of thin silicon single-crystal films by cathode bombardment, 2=841
- iki, H. See Arikawa, T., 2=20056
- shi, I. See Atoda, T., 2=10867
- shi, S. Cosmic ray hard showers below ground, 2=9953
- shi, S., Kitamura, T., Mishima, Y., Miyamoto, S., Oshio, T., Shibata, H. and Watase, Y. Extraordinary high-energy nuclear interactions of μ -mesons, 2=3436
- shi, S., Kitamura, T., Mishima, Y., Miyamoto, S., Shibata, H. and Watase, Y. Arrival directions of the multiple penetrating particles, 2=20457
- shi, S. See Hasegawa, H., 2=13929
- oy, R.F. See Lauriente, M., 2=19764
- on, W.T. See Hight, R.Jr., 2=19167
- gins, C.S. See Shain, C.A., 2=4852
- gins, J. Theory of irreversible processes. I. Parameters of smallness, 2=19446
- gins, K. See Abou-Hadid, L., 2=3418
- gins, P.R.B. and Roberts, A.C. Damage in stainless steel due to fission fragments, 2=613
- inson, G.R. A model experiment in elasto-hydrodynamic lubrication, 2=15559
- gs, L.A. Asymmetry of solar line profiles, 2=17275
- gs, L.A. See Rollett, J.S., 2=2877
- am, J.B. See Hakim, S.S., 2=17479
- land, V.L. See DeWire, J.W., 2=1671
- nt, Jr., Higdon, W.T., Darley, H.C.H. and Schmidt, P.W. Small angle X-ray scattering from montmorillonite clay suspensions. II, 2=19167
- er, T. See Harman, G.G., 2=14529
- Higler, T. See Harman, G.G., 2=14544
- Higinbotham, W.A. Instrumentation for use with BeV accelerators, 2=7682
- Higuchi, J. Theoretical calculation of isotropic h.f.s. of the free NH_2 radical, 2=3767
- Hihara, T. See Tsujimura, A., 2=18964
- Hihara, T. See Masumoto, K., 2=23686
- Hiida, K. Charge structure of the nucleon, 2=20342
- Hiida, K. Elastic nucleon-nucleon scattering at high energies and small angles, 2=20604
- Hiida, K., Soga, M. and Tanaka, K. Total cross sections at high energies, 2=20576
- Hijikata, K., Lin, C.C. and Baird, J.C. Electronic structure and hyperfine coupling constants for NO_2 and related molecules, 2=8110
- Hijmans, J. and Holleman, T. Influence of the excluded-volume effect on the average square length of a normal alkane-type chain, 2=2034
- Hijmans, J. See Holleman, T., 2=15569
- Hikata, A., Chick, B., Elbaum, C. and Truell, R. Ultrasonic attenuation and velocity data on aluminium single crystals as a function of deformation and orientation, 2=21436
- Hikosaka, T. High altitude red aurora and low energy protons in the Van Allen belt, 2=17188
- Hikosaka, T. and Yano, K. Low latitude red aurora and low energy protons in Van Allen belt, 2=13048
- Hilbert, F. See Balarin, M., 2=1523
- Hilczner, B. Effect of neutron irradiation on the ferroelectric properties of barium titanate ceramics, 2=10559
- Hildebrand, J.H. and Archer, G. Evidence concerning liquid structure, 2=7193
- Hildebrand, K. An alignment telescope of which the direction of the pointing axis is defined by the normal to a fixed surface, 2=7349
- Hildebrand, R.H. Observation of μ^- capture in liquid hydrogen, 2=7877
- Hildebrandt, A.F., Barth, C.A. and Booth, F.B. Atom concentration measurements using electron paramagnetic resonance, 2=3792
- Hildebrandt, A.F., Elleman, D.D., Whitmore, F.C. and Simpkins, R. Some experimental consequences of flux conservation within multiply-connected superconductors, 2=15850
- Hildebrandt, A.F., Wahlquist, H. and Elleman, D.D. Configurations of superconducting shells required for near critical uniform magnetic fields, 2=11556
- Hildebrandt, M. See Vassiliev, A., 2=750
- Hildebrandt, M. See Vassiliev, A., 2=6675
- Hildenbrand, D.L. and Hall, W.F. The vapor pressure and heat of sublimation of gold, 2=15806
- Hileman, A.R. See Wagner, C.F., 2=11033
- Hiley, B.J. See Domb, C., 2=16579
- Hill, A.E. See Bass, M., 2=9388
- Hill, B.J. Photographing tracks in a diffusion cloud chamber, 2=20206
- Hill, B.J. See Baker, G.A.Jr., 2=7832
- Hill, B.J. See Daly, R.A., 2=10498
- Hill, C.R. A method of alpha particle spectroscopy for materials of very low specific activity, 2=5829
- Hill, D.A. See Cool, R.L., 2=20430
- Hill, D.A. See Porter, N.A., 2=20461
- Hill, D.A. See Wahlig, M.A., 2=11849
- Hill, D.W., Hook, J.R. and Mable, S.E.R. A compact cathode-ray tube gas chromatograph, 2=11001
- Hill, E.R. See Mills, B.Y., 2=4858
- Hill, G.E. Polar cap and auroral zone absorption events during the first six months of the I.G.Y., 2=15227
- Hill, G.J. Variation of the dielectric constant of the alkali halides with pressure, 2=14603
- Hill, J.S., Meyer, H. and Milner, J.H. Thermal and magnetic properties of nickel-zinc fluosilicate, 2=10650
- Hill, M.J.C. AWRE apparatus for work on preferred orientation in uranium, 2=23831
- Hill, M.N. and Mason, C.S. Diurnal variation of the earth's magnetic field at sea, 2=24058
- Hill, M.P. and Pethica, B.A. Effect of chemisorbed nitrogen on the work function of tungsten, 2=15942
- Hill, N.A. The variation of tensile and bend properties in a beryllium sheet, 2=12845
- Hill, N.A. and Jones, J.W.S. The crystallographic dependence of low load indentation hardness in beryllium, 2=4347
- Hill, R. Acceleration waves in solids, 2=6717
- Hill, R. Constitutive laws and waves in rigid/plastic solids, 2=10741
- Hill, R. Uniqueness criteria and extremum principles in self-adjoint problems of continuum mechanics, 2=19483
- Hill, R.D. Pion resonant states, 2=11975
- Hill, R.F. and Rouze, S.R. Emission characteristics of a Philips impregnated cathode, 2=11691

AUTHOR INDEX

- Hill, R.J. The adsorption of water on tungsten, 2=8897
 Hill, R.J. See Dunn, P.D., 2=19886
 Hill, R.M. and Battrick, J.R. An investigation into the production of optical gratings by the evaporation technique, 2=2871
 Hill, R.M. and Bruce, C.F. Limiting precision in a scanning optical interferometer, 2=19719
 Hill, R.M. See Bruce, C.F., 2=22022
 Hill, R.N. See Margenau, H., 2=2633
 Hill, R.S. and Armstrong, C. Aerodynamic sound in tube banks, 2=2816
 Hill, T.L. Thermodynamics of small systems, 2=17702
 Hill, W.W. See Gillespie, A.S.Jr., 2=4572
 Hille, M. and Stranski, I.N. Influence of "co-solutes" on the growth form and the dendrite orientation of sodium chloride, 2=8789
 Hilleary, D.T. See Dreyfus, M.G., 2=15194
 Hiller, L.A.Jr. and Brink, I.J. Automatically controlled isothermal-adiabatic calorimeter, 2=7449
 Hillier, R.R. See Evans, D.E., 2=9977
 Hillion, P. Quantum theory of the nonrelativistic rotator and experimental particles of zero strangeness, 2=11872
 Hillion, P. Theory of elementary particles, 2=22394
 Hillion, P. Quantum theory of the relativistic rotator, 2=22401
 Hillion, P. and Vigier, J.P. Casual interpretation of the non-linear Heisenberg equation, 2=28
 Hillion, P. and Vigier, J.P. Interaction theory in a new isobaric spin space, 2=3261
 Hillion, P. and Vigier, J.P. Gauge invariance in a theory of elementary particles invariant under the group R_3 , 2=9769
 Hillion, P. and Vigier, J.P. Waves associated with the internal structure of a particle, 2=11858
 Hillion, P. and Vigier, J.P. The equations of waves associated with the structure of bosons, 2=11859
 Hillion, P. and Vigier, J.P. The equations of waves associated with the structure of fermions, 2=11860
 Hillion, P. and Vigier, J.P. An extension of Utiyama's formalism, 2=15477
 Hillion, P. and Vigier, J.P. A second extension of the Utiyama formalism, 2=19421
 Hillman, M. Formation cross sections for Ca^{47} using 14.5 MeV neutrons, 2=20645
 Hillman, P. See Freier, S., 2=23630
 Hillmann, H. See Keller, H., 2=12767
 Hillson, P.J. Literature review of the Herschel effect, 2=15758
 Hilsch, P. Behaviour of superconductors in contact with normal conductors, 2=11553
 Hilsch, P. and Hilsch, R. The behaviour of superconductors in contact with normal conductors, 2=9485
 Hilsch, R., Korn, D. and v. Minnigerode, G. Magnetic evidence on the superconductivity of evaporated metal films, 2=13515
 Hilsch, R. See Hilsch, P., 2=9485
 Hilsch, R. See Berthold, G., 2=10584
 Hilsum, C. and Harding, W.R. The theory of thermal imaging and its application to the absorption-edge image-tube, 2=7455
 Hilsum, C. and Holeman, B. Carrier lifetime in GaAs, 2=23389
 Hilsum, C. See Holeman, B.R., 2=8395
 Hilt, B. See Busch, G., 2=573
 Hilton, A.R. and Gamble, F. Infrared absorption of disks made from crushed silicon, 2=18843
 Hilton, P.L. See Levee, R.D., 2=990
 Hilton, W.F. Techniques of flow visualization, 2=17414
 Hilyard, N.C. and Ferrard, H.G. Birefringence induced by acoustic waves in polystyrene solutions, 2=13339
 Hincks, E.P. See Anderson, H.L., 2=22830
 Hincks, E.P. See Johnson, C.S., 2=10230
 Hindman, J.C. Nuclear magnetic resonance effects in aqueous solutions of 1-1 electrolytes, 2=7230
 Hinds, B.M. See Eccleshall, D., 2=12140
 Hinds, B.M. See Eccleshall, D., 2=22740
 Hinds, S., Marchant, H. and Middleton, R. Some energy levels of F^{21} and Na^{25} , 2=12135
 Hinds, S. and Middleton, R. Some energy level determinations of O^{18} , O^{20} , F^{21} and Na^{25} , 2=1816
 Hinds, S., Middleton, R. and Litherland, A.E. Further evidence for the (2I+1) rule in the $\text{Al}^{27}(\text{d}, \alpha)\text{Mg}^{25}$ reaction, 2=1913
 Hinds, S., Middleton, R. and Pullen, D.J. AD.W.B.A. analysis of stripping using-measured optical model parameters, 2=16430
 Hinds, S. See Middleton, R., 2=14131
 Hinds, S. See Pullen, D.J., 2=18232
 Hine, E.J. See Weissler, A., 2=2817
 Hines, A.P. and Ross, J.S. Isotope shift in the spectrum of osmium, 2=16482
 Hines, C.O. Ionospheric disturbances at auroral latitudes, 2=13028
 Hines, C.O. See Axford, W.I., 2=889
 Hines, C.O. See Axford, W.I., 2=15270
 Hines, C.O. See Axford, W.I., 2=19239
 Hines, J.J. See Rothman, S.J., 2=14467
 Hines, K.C. and Pollard, J.P. Slowing down of neutrons in beryllium including the effects of the (n, 2n) and (n, α) reactions, 2=1011
 Hink, W. Response of a NaI:Tl scintillation crystal in the energy region of the K and L-absorption edges of iodine (33.2 and 5.2 keV respectively) for X-rays, 2=22480
 Hink, W. Asymmetry of the pulse-height distribution in a scintillation spectrometer for monoenergetic X-rays, 2=22481
 Hink, W. See Schwartz, K., 2=22292
 Hinkley, P.L. See Simms, D.L., 2=11535
 Hinnov, E. and Hirschberg, J.G. Electron-ion recombination of dense plasmas, 2=3029
 Hinotani, K. A study on nuclear-active component in extensive air showers at mountain altitude, 2=5761
 Hinotani, K. See Miyake, S., 2=12071
 Hinrichs, C.K., Moyer, B.J., Poirier, J.A. and Ogden, P.M. Charge-exchange production of antineutrons and their annihilation in hydrogen, 2=18142
 Hinrichsen, H.P. See Engelhardt, W., 2=9250
 Hinsch, H. Ultrasonic absorption and dispersion in the chloride vapours of elements of the fourth group, 2=2772
 Hintenberger, H., König, H. and Wanke, H. Primordial inert gases meteorite Breitscheid, 2=15326
 Hintenberger, H. See Franzen, J., 2=9533
 Hintenberger, H. See Hayakawa, T., 2=951
 Hintenberger, H. See König, H., 2=6999
 Hintenberger, H. See König, H., 2=15327
 Hintenberger, H. See Voshage, H., 2=2532
 Hintenberger, H. See Walther, V., 2=22280
 Hinteregger, H.E. Monochromator measurements of Lyman series emissions of solar H and He⁺, 2=15335
 Hinteregger, H.E. and Watanabe, K. Photoionization rates in the E₁ F regions, II, 2=24036
 Hinteregger, H.E. See Watanabe, K., 2=13035
 Hinton, R. See Cohen, J.B., 2=21023
 Hintz, E. Magnetic field measurements during the fast magnetic compression of a preheated deuterium plasma and their relevance, 2=11655
 Hintz, E. See Beerwald, H., 2=15909
 Hintz, E. See Bogen, P., 2=11676
 Hinze, J. and Jaffe, H.H. Electronegativity. I. Orbital electronegativity of neutral atoms, 2=10960
 Hippel, A.Von See Von Hippel, A.
 Hirahara, E. See Yadaka, H., 2=18700
 Hirai, A. Temperature dependence of spin-lattice relaxation times of Cl^{35} in pure quadrupole resonance, 2=8695
 Hirai, A. and Kawai, T. N.M.R. pulse apparatus and its application to the investigation of internal motion of high polymer (polypropylene), 2=11814
 Hirai, A. See Kawai, T., 2=4290
 Hirai, A. See Matsuura, M., 2=21387
 Hirai, A. See Yasuoka, H., 2=18962
 Hirai, M. and Ueta, M. A new absorption band (L_4) associated with the centre, 2=12600
 Hirai, M. and Ueta, M. F'-type new bands associated with R, M and centres in alkali halide crystals, 2=21081
 Hirai, M. See Ueta, M., 2=23221
 Hiraki, A. and Suita, T. Annealing of quenched-in defects in Ge crystals (dislocation density 10^4 - 10^5 etch-pits/cm²), 2=12424
 Hiraki, H., Oneda, S. and Umezawa, H. Strangeness violating weak interactions and the spin of K^* , 2=12000
 Hiraki, H. See Hori, S., 2=13869
 Hirano, K., Agarwala, R.P. and Cohen, M. Diffusion of iron, nickel and cobalt in aluminium, 2=21057
 Hirano, K., Agarwala, R.P., Averbach, B.L. and Cohen, M. Diffusion of cobalt-nickel alloys, 2=23202
 Hirao, K. See Miyazaki, S., 2=17154
 Hirao, Y. Gamma rays from the proton bombardment of sulphur: the O^+ second excited state of S^{32} , 2=451
 Hirao, Y. See Wakatsuki, T., 2=3567
 Hiraoka, H. and Hardwick, R. Dissociation of halogens in shock waves, 2=10974
 Hiraoka, H. and Hardwick, R. Thermal decomposition of nitril chloride in shock waves, 2=15133
 Hirabayashi, M. and Weissmann, S. Study of CuAuI by transmission electron microscopy, 2=6829
 Hirata, M. See Makishima, S., 2=715
 Hirata, Y. See Takemoto, S., 2=7873
 Hirayama, C. and Berg, D. Dielectric properties of glasses in the TiO_2 - Na_2O - SiO_2

- yama, T. See Suemoto, Z., 2=13135
- ike, E. Effect of the bond polarization on the I-I-coupling in hydrocarbons, 2=6208
- ike, E. Effect of bond polarization on I-I coupling in hydrocarbon molecules, 2=14316
- ike, K. Variational study of the ground state of a Bose-Einstein fluid, 2=11297
- ika, K. Determination of impurities in some non-ferrous metals by fluorescent X-ray spectroscopy, 2=16648
- ika, K. On the preparation of calibration curves for X-ray fluorescent analysis of tin-lead, antimony-lead, antimony-tin, and tin-antimony-lead alloy, 2=17035
- ika, K. Application of the calibration (absorption parameter) method to X-ray fluorescent analysis of tin-lead, antimony-lead, tin-antimony, and tin-antimony-lead alloy, and analysis of actual samples, 2=17036
- ine, T., Miura, S. and Susuoka, T. Diffusion of nickel in silver, 2=3942
- ine, T. See Kamigaki, K., 2=3832
- ino, M. On the theory of cross relaxation in maser materials. II. Harmonic spin coupling, 2=16814
- ose, T. Mechanics of ultrasonic cavitation and cavitation intensity from the viewpoint of polymer degradation, 2=9278
- ota, E. Rotational isomerism and microwave spectroscopy. I. The microwave spectrum of normal propyl fluoride, 2=18473
- ota, N. and Weissman, S.I. Spin-spin interaction in dimers of free radicals, 2=23012
- ich, E.H. Vacuum measurements by means of alternating gas discharges, 2=2796
- ich, E.H. Low pressure intermittent gas discharges, 2=13547
- sch, H. Photographic emulsion grains with cores. I. Evidence for the presence of cores, 2=13468
- sch, H. Photographic emulsion grains with cores. II. The identification of trapped iodine, complementary to print-out silver. The mechanism of its formation and regression, 2=13469
- sch, P.B. Extended jogs in dislocations in face-centred cubic metals, 2=6337
- sch, P.B. See Bailey, J.E., 2=8856
- sch, P.B. See Segall, R.L., 2=6335
- sch, P.B. See Thornton, P.R., 2=6735
- sch, P.B. See Wolf, W.P., 2=12750
- sch, P.R. Electron microscope studies of defects in crystals, 2=23193
- schberg, J.G. and Palladino, R.W. Deviations from kinetic equilibrium in a stellarator plasma, 2=1454
- schberg, J.G. See Hinno, E., 2=3029
- schel, L.R. and Libelo, L.F. N.m.r. signal dependence on fluid velocity, 2=13354
- schfelder, J.O. and Coulson, C.A. Hypervirial theorems applied to molecular quantum mechanics, 2=6210
- schfelder, J.O. See Konowalow, D.A., 2=1976
- schfelder, J.O. See Secrest, D., 2=19428
- sch, A.J. and Knetch, R.W. On the mean temporal variations of electron density at a fixed height in the F-region, 2=9003
- shfeld, A.T., Leupold, H.A. and Boorse, H.A. Superconducting and normal specific heats of niobium, 2=19817
- shfield, A.T. See Schooley, J.F., 2=29568
- shfield, J.L., Bekefi, G. and Brown, S.C. Reply to comments of L.Oster, 2=7597
- shfield, J.L. and Weenink, M.P.H. Comments on "plasma as a microwave amplifier" by S.Rand, 2=7607
- shfield, M.A. See Jaffe, J.H., 2=3743
- sl, P. See Andrejev, E.M., 2=3229
- st, W.P. The nature of the lunar "Rays", 2=13104
- , B., Tilton, G., Herr, W. and Hoffmeister, W. The half-life of Re^{187} , 2=20541
- , B. See Herr, W., 2=4758
- , C.W. See Duff, R.E., 2=9310
- , J.P. Climb-barrier to dislocation glide in f.c.c. crystals, 2=16657
- , J.P. See Winterbottom, W.L., 2=19607
- he, W.M. See Greener, E.H., 2=8596
- he, W.M. See Greener, E.H., 2=18709
- le, P.W. See Cavanaugh, W.J., 2=9355
- take, K. See Etoh, K., 2=1888
- tal, B. Luminous efficiency of a thermal light source, 2=7451
- ka, S. See Nonaka, I., 2=498
- hcock, H.C. See Aron, P.R., 2=15851
- chfeld, W. and Houghton, J.T. Radiative transfer in the lower stratosphere due to the 9-6 micron band of ozone, 2=2484
- erman, R.L. See Mueller, M.H., 2=10833
- on, E.L., Kahlbau, J.V. and Mikeska, E.E. Resonant side-branch acoustic filters for liquid piping systems, 2=13408
- ars, S. Some remarks on time and energy as conjugate variables, 2=17392
- Hla Shew, Smith, F.M. and Barkas, W.H. Decay of neutral pions, 2=3374
- Hlauber, A.Yu. and Muzychuk, O.M. Theory of transfer processes in liquid semiconductors, 2=19541
- Hlauber, A.Yu. See Stasyuk, I.V., 2=8322
- Hlauber, A.Yu. See Tyablikov, S.V., 2=19540
- Hlinchuk, K.D. and Tkach, N.M. Extraction of Ni, Ag and Fe impurities from germanium, 2=7092
- Hlynchuk, K.D., Lytovchenko, N.M. and Miselyuk, O.H. Measurement of the recombination rate of excess charge carriers in germanium by modulation of the impurity photoconductivity, 2=21144
- Hlynchuk, K.D. and Lytovchenko, P.H. Kinetics of precipitation of Fe, Co, Ni and Ag impurities from germanium, 2=19099
- Hnatowicz, V. See Brabec, V., 2=7951
- Ho Hung-Ta and Probst, R.F. The compressible viscous layer in rarefied hypersonic flow, 2=2743
- Ho, S.C. See Tsai, H.S., 2=20372
- Hoag, A.A. Cooled-emulsion experiments, 2=6972
- Hoang, T.F. See Bellini, G., 2=22573
- Hoare, F.E. and Moody, D.E. Digitized two-dial potentiometer, 2=11579
- Hoare, F.E. See Yates, B., 2=7466
- Hoare, M. Systems of oscillators with statistical energy exchange in collisions, 2=3679
- Hobart, R. and Celli, V. A solution to the Frenkel-Kontorova dislocation model, 2=2081
- Hobbie, R.K. and Forbes, F.F. Differential cross sections for the reactions $\text{C}^{12}(\text{Li}^6, \alpha)\text{N}^{14}$ and $\text{C}^{12}(\text{Li}^7, \alpha)\text{N}^{15}$, 2=14143
- Hobbie, R.K., Lewis, C.W. and Blair, J.M. Differential cross-sections of the $\text{Be}^9(\text{Li}^7, \alpha)\text{B}^{12}$ and $\text{Be}^9(\text{Li}^6, \alpha)\text{B}^{11}$ reactions, 2=503
- Hobbs, L.C.W. See Barnfield, R.W., 2=11734
- Hobbs, D.W. The strength of rectangular blocks of Barnsley hard coal crushed parallel to the bedding planes, 2=19008
- Hobbs, G.R. See Gilbert, L., 2=21111
- Hobden, M.V. Direct optical transitions from the split-off valence band to the conduction band in germanium, 2=16810
- Hobgood, R.T., Goldstein, J.H. and Reddy, G.S. Proton magnetic resonance spectra of vinylmethylsilanes, 2=3782
- Hobson, J.P. The pumping of nitrogen by a Bayard-Alpert ionization gauge in an ultra-high-vacuum system, 2=5080
- Hobstetter, J.N. and Renton, C.A. Point defects in p-type germanium as introduced by deformation, quenching, and electron bombardment, 2=6449
- Hocart, R. and Thrierr, A. On the domains of separation in solid solutions produced in the KCl-KBr system by compression of crystalline powders at ordinary temperatures, 2=12897
- Hocart, R. and Thrierr, A. Kinetics of K(Cl, Br) dominant solid solutions formed initially by compression of crystalline powders, at room temperature, 2=23799
- Hocart, R. See Bernard, M., 2=10892
- Hocart, R. See Thrierr, A., 2=17052
- Hoch, M. and Johnston, H.L. A high temperature drop calorimeter. The heat capacities of tantalum and tungsten between 1000° and 3000°K, 2=2925
- Hoch, M. See Gerrard, J.E., 2=21058
- Hochanadel, C.J. Evidence for "thermal spikes" in the alpha-particle radiolysis of nitrate crystals, 2=12425
- Hochstim, A.R. Electron concentration in closed form for high temperature air and air with additives, 2=3005
- Hochstrasser, R.M. Mixed dimer emission from pyrene crystals containing perylene, 2=8584
- Hochstrasser, R.M. Absorption spectrum of phenazine single crystals at 77° and 4·2°K in the region of the $n \rightarrow \pi^*$ transition, 2=10601
- Hochstrasser, R.M. The luminescence of organic molecular crystals, 2=23608
- Hochstrasser, R.M. and Lower, S.K. Polarization of the spectra of crystalline azobenzene and mixed crystals of azobenzene in stilbene at 77° and 4·2°K in the region of the lowest $n \rightarrow \pi^*$ transition, 2=18816
- Hock, A. and Schmeer, H. An instrument for measuring the atmospheric ion concentration without a distorting field and an impulse register for the direct recording of wind velocity, 2=21622
- Hock, F. [comment by]. Interferometric length measurements on long parallel endstandards, 2=7394
- Hockenbury, R.W. See Yeater, M.L., 2=6008
- Hocking, L.M. The flow of a conducting fluid past a magnetized cylinder at high magnetic Reynolds numbers, 2=5450
- Hodam, F. Two dimensional microphotometric evaluation of photographic images, 2=22070
- Hodara, H. and Cohn, G.I. Wave propagation in magneto-plasma slabs, 2=22332
- Hodge, N. and Sowden, R.G. Neutron-shield materials, 2=3668
- Hodge, P.W. Distribution of stars in the Leo II Dwarf galaxy, 2=9104

AUTHOR INDEX

- Hodge, P.W. See Brandt, J.C., 2=4731
Hodge, P.W. See Wright, F.W., 2=24002
Hodges, H.L. See Kuroda, P.K., 2=21639
Hodges, L.R., Jr. See Harrison, G.R., 2=12747
Hodgetts, G.B. A method of measuring the thermal conductivity of wire coatings, 2=17672
Hodgson, B. See Macklen, E.D., 2=8285
Hodgson, J.H. and Langill, F.E. Bibliography of seismology January-June, 1961, 2=21614
Hodgson, J.H. and Langill, F.E. Bibliography of seismology, 2=23993
Hodgson, J.N. The optical properties of liquid indium, cadmium, bismuth and antimony, 2=5019
Hodgson, P.E. 2=1769
Hodgson, P.E. The radial variation of the absorbing part of the nuclear optical potential, 2=22701
Hodgson, P.E. See Buck, B., 2=5961
Hodgson, P.E. See Rook, J.R., 2=3605
Hódi, E. See Bencze, 2=22004
Hoekstra, W. See Brill, A., 2=8567
Hoelker, R. and Silber, R. The bi-elliptical transfer between co-planar circular orbits, 2=11189
Hoesterey, D.C. Photocarrier generation in anthracene, 2=4059
Hoesterey, D.C. Effect of dielectric breakdown on the charging of ZnO xerographic layers, 2=6529
Hofacker, L. See Bingel, W.A., 2=6217
Hofer, H. See Cvijanovich, G.B., 2=5638
Hofer, L.J.E. and Toor, E.W. Magnetic balance for ferromagnetism, 2=11748
Hoff, R.T.De. See De Hoff, R.T.
Hoffer, A. Discussion of paper by W.Barclay Kamb, "The thermodynamic theory of nonhydrostatically stressed solids, 2=6720
Hoffer, T.E. A laboratory investigation of droplet freezing, 2=8966
Hoffer, T.E. and Braham, R.R., Jr. A laboratory study of atmospheric ice particles, 2=15191
Hoffleit, D. Twelve variable stars in Sagittarius, 2=13138
Hoffman, A.A.J. See Horton, C.W., 2=15274
Hoffman, A.A.J. See Horton, C.W., 2=15275
Hoffman, C.S. Comparison of monocular and binocular colour matching, 2=25815
Hoffman, C.W.W. See Opinsky, A.J., 2=6861
Hoffman, G.R. See Turner, J.A., 2=1213
Hoffman, J.G. The fluctuation dissipation theorem, 2=17773
Hoffman, J.M. See Narahari Rao, K., 2=6163
Hoffman, K. and Seiwert, R. Light sources for stimulating resonance fluorescence, 2=13447
Hoffman, L. See Amaldi, E., 2=22461
Hoffman, M.V. See Sarver, J.F., 2=4177
Hoffman, M.Z. and Porter, G. Radiationless conversion from the triplet state, 2=15610
Hoffman, R.A. Observations of the Van Allen radiation regions during August and September 1959. II. The Capetown anomaly and the shape of the outer belt, 2=4686
Hoffman, R.A., Arnoldy, R.L. and Winckler, J.R., Observations of the Van Allen radiation regions during August and September 1959. III. The Inner Belt, 2=6958
Hoffman, R.W. See Yelon, A., 2=8624
Hoffman, W.C. An approximate full wave solution for low frequency electromagnetic waves in an unbounded magneto-ionic medium, 2=16073
Hoffman, H. Saturation magnetization and anisotropy field strength in thin iron films, 2=8642
Hoffman, H. and Jaenicke, W. Reaction kinetic measurements with saw-tooth shaped current impulses, 2=6876
Hoffmann, H.J. See Falkenhagen, H., 2=13352
Hoffmann, H.J. See Unbehauen, R., 2=7737
Hoffmann, L. and Combe, J.C. Use of a 200 kilogauss pulsed magnetic field for momentum measurements of high-energy particles in nuclear emulsions, 2=17713
Hoffmann, L. and Combe, J.C. Use of 200 kilogauss pulsed magnetic field for bending high energy particles in nuclear emulsions, 2=18045
Hoffmann, L. See Citron, A., 2=6043
Hoffmann, R. and Gouterman, M. Theory of polyhedral molecules. II. A crystal field model, 2=14311
Hoffmann, R. and Lipscomb, W.N. Theory of polyhedral molecules. I. Physical factorizations of the secular equation, 2=14310
Hoffmann, R. and Lipscomb, W.N. Theory of polyhedral molecules. III. Population analysis and reactivities for the carboranes, 2=16526
Hoffmann, R. and Lipscomb, W.N. Sequential substitution reactions on $B_{10}H_{10}^{-2}$ and $B_{12}H_{12}^{-2}$, 2=19134
Hoffmann, T.A. The theory of melting, 2=6291
Hoffmann, W., Rauls, W. and Vogt, J. Embrittlement of steel by an external hydrogen atmosphere at room temperature, 2=19009
Hoffmeister, C. Intergalactic absorption cloud, 2=13098
Hoffmeister, W. See Feitknecht, J., 2=24106
Hoffmeister, W. See Herr, W., 2=4758
Hoffmeister, W. See Hirt, B., 2=20541
Höfgen, H. See Heyne, L., 2=15873
Hofker, W.K. Detection of radiation p-n transitions in semiconductors, 2=3216
Hofmann, A. See Heinrich, F., 2=22297
Hofmann, C. Measurement of decentration of single lenses with spherical surfaces, with special reference to the new definition such decentration, 2=7321
Hofmann, C. Centring aberrations and decentring measurements, Hofmann, C. Definition and measurement of the decentring of spherical singlet lenses, 2=7326
Hofmann, H.W. See Happ, H., 2=8537
Hofmann, J.A. See Sagalyn, P.L., 2=14845
Hofmann, K.D. On the interaction between gravitational and electromagnetic fields according to the general theory of relativity, 2=7132
Hofmann, K.D. On the gravitational effect of a source-free Poynting energy flow, 2=19412
Hofmann-Perez, M. and Gerischer, H. The problem of charge distribution at the surface of germanium electrodes in aqueous electrolytic solutions, 2=6888
Hofstadter, R. Structure of nuclei and nucleons, 2=18224
Hofstadter, R. Electron scattering and its application to the structure of nuclei and nucleons, 2=20600
Hofstadter, R. See Bumiller, F., 2=2282
Hofstadter, R. See de Vries, C., 2=13805
Hofstadter, R. See de Vries, C., 2=22523
Högaasen-Feldman, J. A study of some approximations of the pair force, 2=1761
Hogan, C.L. Ferrites, 2=14803
Hogan, W.T. See Fay, J.A., 2=20131
Hogarth, C.A. International conference on the physics of semiconductors, Exeter, July, 1962, 2=23260
Hogarth, C.A. See Blitz, J., 2=23054
Hogarth, J.E. Cosmological considerations of the absorber theory of radiation, 2=13095
Høgasen, H. The Cini-Touschek transformation for Dirac particles in external fields, 2=18063
Høgasen, H. The Eriksen transformation in the case of particles with spin 0 and 1, 2=18073
Högborg, L. and Vogel, K. Experiments with electrodeless generation and acceleration of plasma rings, 2=3053
Hogg, B.G. See Kerr, D.P., 2=15158
Hogg, B.G. See Naqvi, S.I.H., 2=22776
Hogg, B.G. See Sen, S.K., 2=16368
Hogg, H.S. The role of star clusters in our understanding of the Galaxy, 2=4829
Hogg, W.R. The photoproduction of charged pions from deuterium, 2=20385
Hogg, W.R. See Bellamy, E.H., 2=13845
Hogg, W.R. See Lewis, G.M., 2=3378
Hoh, F.C. Screw instability of a plasma column, 2=1434
Hoh, F.C. Low-temperature plasma diffusion in a magnetic field, 2=22208
Hohenemser, C. See Yaqub, M., 2=19819
Höhle, R., Suschke, E. and Zimmermann, W. Semiautomatic measuring equipment for gamma-activity comparison in ionization chambers, 2=20205
Höhn, K. See Asselmeyer, F., 2=7171
Hohne, M. The simplest vacancy dipoles in silver halides containing divalent anion impurities, 2=14598
Hohne, M. Alteration of vacancy dipoles in silver halides containing divalent anion impurities, 2=14599
Høiland, E. Discussion of a hyperbolic equation relating to inertial and gravitational fluid oscillations, 2=15557
Hoisington, R.W. See Nassibian, G., 2=1532
Hojvat, N.L. See Dewar, M.J.S., 2=2009
Holcomb, D.F. and Pedersen, B. Interpair nuclear magnetic relaxation in hydrated crystals, 2=16934
Holcomb, D.F. See Ohlsen, W.D., 2=14471
Holden, A.N., Hoyt, E.W., Cummings, W.V. and Zimmerman, D.L. Radiation damage to boron-containing control materials, 2=1574
Hölder, E. Continuum-magneto-gasdynamics: the stationary rotational symmetric flow of a completely conducting plasma, 2=1574
Holdridge, D.B. See Muhleman, D.O., 2=13175
Holeman, B. See Hilsum, C., 2=23389
Holeman, B.R. and Hilsum, C. Photoconductivity in semi-insulating gallium arsenide, 2=8395

- Linna, H.I., Lyashenko, L.V. and Sheinkman, M.K. The spectral dependence of the field effect in CdS and CdSe single crystals, 2=6496
- Maday, W.G. and Moravek, P.H. Selection rules for $\bar{N}\bar{N}$ annihilation into integral isospin mesons, 2=13792
- Maday, W.G. and Moravek, P.H. Does a generalized Pauli exclusion principle apply to nucleons and antinucleons? 2=22495
- Maday, W.G. and Roos, C.E. Lepton conservation using isotopic displacement, 2=13753
- Land, A.C. The effects of atmospheric refraction on angles measured from a satellite, 2=4600
- Land, B.W. Energy extremes for an electron in a periodic field, 2=20960
- Land, D.H. See Armstrong, B.H., 2=9318
- Land, L. and Putner, T. Annealing of residual stress in silicon monoxide films, 2=838
- Land, M.G. Low temperature thermal conductivity of silicon, 2=23083
- Land, M.G. and Paul, W. Effect of pressure on the energy levels of impurities in semiconductors. I. Arsenic, indium and aluminum in silicon, 2=23353
- Land, M.G. and Paul, W. Effect of pressure on the energy levels of impurities in semiconductors. III. Gold in germanium, 2=23355
- Land, M.G. and Rubin, L.G. Apparatus for the measurement of thermal conductivity in the range 1-7 to 300°K, 2=19745
- Land, R.E. The design of bunching magnets, 2=3107
- Länder, E.F. The geometric equation of dislocation dynamics, 2=6330
- Länder, J.M. See Hultberg, S., 2=1848
- Länder, J.M. See Kim, Y.E., 2=10027
- Länder, J.M. See Valentin, 2=10015
- Länder, J.M. See Valentin, J., 2=10016
- Las, J.M. The fluorescence spectrum of naphthalene vapor in the 3100A region, 2=20856
- Las, J.M. See Bancroft, J.L., 2=10257
- Lleman, T. and Hijmans, J. A principle of corresponding states for thermodynamic excess functions of binary mixtures of chain molecules, 2=15569
- Lleman, T. See Hijmans, J., 2=2034
- Llenber, J.L. and Dows, D.A. Absolute infrared intensities in crystalline benzene, 2=23576
- Llenger, H.B. Molecular chaos and the Boltzmann equation, 2=17373
- Llingsworth, C.A. and Granquist, W.T. Concerning relaxation of plane laminar flow, 2=7183
- Llingsworth, C.A. and Granquist, W.T. Theory of measurement of flow birefringence by use of the Sénarmont compensator, 2=11506
- Lllo, M. See Arkosi, K., 2=4493
- Lloway, A.F. and Campbell, E.M. Scattering of Co^{60} gamma rays of concrete, 2=20534
- Lloway, H. Enthalpy of formation of oxygen vacancies in barium oxide, 2=14431
- Lloway, L. See Frankel, S., 2=13831
- Lloway, W.W., Jr. The calculation of nuclear magnetic moments of $^2\text{S}_{1/2}$ -atoms from hyperfine structure data, 2=9995
- Lloway, W.W., Jr., Lüscher, E. and Novick, R. Hyperfine structure of atomic nitrogen, 14202
- Lly, F.E. and Johnson, R.G. Composition of radiation trapped in the geomagnetic field at altitudes up to 1000 kilometers, 2=11088
- Lm, E. Specific friction force in a graphite brush contact as a function of the temperature in the contact spots, 2=2339
- Lm, K. See Harmsen, D.M., 2=3507
- Lm, M.W. See Eichhorn, E.L., 10862
- Lmberg, E. On the dynamics of the Virgo cluster, 7024
- Lmberg, N.E. See Bäckström, G., 2=20313
- Lmboe, J. On the behaviour of symmetric waves in stratified shear layers, 2=21629
- Lmen, J.O. See Prosen, R.J., 2=12674
- Lmes, D.K. See Robinson, M.T., 2=6039
- Lmes, E.L. and Winegard, W.C. The effect of solute atoms on grain boundary migration in pure metals, 2=804
- Lmes, J.R. and Hoover, M.E. Isotope shift in the first spectrum of silicon (Si I), 2=6097
- Lmes, P.J., Jennings, I.C. and Parrott, J.E. Precipitation phenomena in In_2Te_3 , 2=10917
- Lmes, J.R., Kivelson, D. and Drinkard, W.C. Proton magnetic resonance spectrum of H_2O , 2=16558
- Lmes, P.J. See Gasson, D.B., 2=23417
- Lmes, R. and Tempest, W. The excitation of the vibrational modes of ethylene in homo-molecular collisions, 2=61476
- Lmes, W.T. Axisymmetric vibrations of a conical shell supporting a mass, 2=9334
- lmgren, H.D. and Cameron, L.M. The $^6\text{Li}(t,d)^7\text{Li}$ and $^{10}\text{B}(t,d)^{11}\text{B}$ reactions, 2=1932
- Holmgren, H.D., Cameron, L.M. and Gutsche, G. The $^{12}\text{C}(t,\alpha)^{11}\text{B}$ reaction, 2=3630
- Holmgren, H.D. See Gutsche, G.D., 2=3631
- Holmgren, H.D. See Wolicki, E.A., 2=1928
- Holmryd, S., Larsson, K.E. and Otnes, K. A neutron time-of-flight spectrometer with a semi-monochromatizing chopper, 2=5691
- Holonyak, N., Jr., Ing, S.W., Jr., Thomas, R.C. and Bevacqua, S.F. Double injection with negative resistance in semi-insulators, 2=18726
- Holshouser, D.F., Von Foerster, H. and Clark, G.L. Microwave modulation of light using the Kerr effect, 2=87
- Holt, B.D. Nonelectrical liquid nitrogen level controller, 2=11227
- Holt, D.B. The variation with torsional strain of the Barrett anomalous aftereffect, 2=23748
- Holt, E.H. See Haskell, R.E., 2=11669
- Holt, M. See Berger, S.A., 2=9306
- Holt, O. and Omholt, A., Auroral luminosity and absorption of cosmic radio noise, 2=17185
- Holt, O. See Ortner, J., 2=15284
- Holt, R.B. See Bills, D.G., 2=1448
- Holte, J.E. and Lambert, R.F. Synthesis of a stepped structure for a prescribed reflection coefficient, 2=15685
- Holtebekk, T., Level structure of ^{32}P from $^{31}\text{P}(d,p)^{32}\text{P}$ reactions, 2=22739
- Holtebekk, T. See Andersen, S.L., 2=20612
- Holter, O. Note on the Poynting vector in a plasma, 2=22198
- Holton, G. On the recent past of physics, 2=1
- Holton, W.C. and Blum, H. Paramagnetic resonance of F centres in alkali halides, 2=3960
- Holtsmark, T.W., Langeland, T., Refsdal, I.N. and Ore, A. A large water prism ultraviolet monochromator, 2=13452
- Holtzman, W. The application of the Verwey and Overbeek theory to the stability of Kaolinite-water systems, 2=12983
- Holuj, F., Daams, H. and Kalra, S.N. High resolution ammonia (N^{14}H_3) maser, 2=16019
- Holyk, O.Z. and Cholpan, P.P. Molecular structure and physical properties of certain polysiloxanes. II. Structure and physical properties of isoviscous polysiloxanes, 2=11350
- Holyk, O.Z. and Cholpan, P.P. Molecular structure and physical properties of certain polysiloxanes. III. Viscosity compressibility and structure of liquid cyclic polysiloxanes, 2=11351
- Holyk, O.Z. and Cholpan, P.P. Density and short-range coordination of certain liquids, 2=21893
- Holyk, O.Z. and Cholpan, P.P. Molecular structure and physical properties of certain siloxanes. IV. Density of two-component solutions of liquid siloxanes, 2=21906
- Holyk, O.Z. and Cholpan, P.P. Molecular structure and physical properties of certain siloxanes. V. Surface tension and intermolecular interaction of liquid siloxanes, 2=23016
- Holyshkin, V.I. See Barchuk, I.F., 2=18104
- Halzapfel, L. See Bayley, R.T., 2=6602
- Holzhauser, W. A low frequency generator, 2=22132
- Holzmüller, W. and Altenburg, K. The physics of plastics, 2=23023
- Homer, R.J., McFarlane, W.K., O'Dell, A.W., Sacharidis, E.J. and Eaton, G.H. Angular dependence of polarization in p-p elastic scattering at 970 MeV, 9844
- Homma, S. See Takemoto, S., 2=725
- Hon, J.F. Nuclear magnetic resonance study of the diffusion of hydrogen in zirconium hydride, 2=6367
- Honcharov, K.S. See V'yuhov, P.N., 2=5823
- Honcia, G. and Krebs, K. Highly refracting substances for dielectric mirror systems, 2=1251
- Honcia, G. and Krebs, K. Evaporation behaviour and optical properties of some dielectric substances, 2=2421
- Honcia, G. and Krebs, K. Dielectric interference filter for the ultraviolet spectral region 3000-2400 Å, 2=11493
- Honda, H. See Stauffer, H., 2=4756
- Honda, M., Umemoto, S. and Arnold, J.R. Radioactive species produced by cosmic rays in Bruderheim and other stone meteorites, 2=2528
- Honda, M. See Arnold, J.R., 2=2527
- Honda, M. See Rama, 2=2460
- Honda, M. See Rama, 2=2493
- Honda, M. See Stauffer, H., 2=24105
- Honda, T. and Ui, H. The heavy-particle-stripping reaction in (α, p) reactions. I. The $\text{C}^{12}(\alpha, p)\text{N}^{15}$ (ground state) reaction, 2=16434
- Honda, T. and Ui, H. The heavy-particle-stripping reaction in (α, p) reactions. II. The $\text{Li}(\alpha, p)\text{Be}$ and the $\text{F}(\alpha, p)\text{Ne}$ reactions, 2=16435
- Hone, D. Transport properties of liquid He^4 , 2=7491
- Hone, D. $\mu=0$ pairing in superconductors, 2=13509
- Honeck, H.G. See Chernick, J., 2=18379
- Hones, E.W.Jr. See Cline, T.L., 2=18105
- Honeycombe, R.W.K. The effect of temperature and alloying additions on the deformation of metal crystals, 2=8732
- Honeycombe, R.W.K. See Aitchison, I., 2=23883

- Honeycombe, R.W.K. See Beevers, C.J., 2-6750
 Honeycombe, R.W.K. See Beevers, C.J., 2-23785
 Honeycombe, R.W.K. See Brindley, B.J., 2-23749
 Honeycombe, R.W.K. See Johnson, R.H., 2-4439
 Honeycombe, R.W.K. See Johnson, R.H., 2-4474
 Honeycombe, R.W.K. See van Aswegen, J.S.T. 2-10403
 Hong Tuan Duong. See Duong Hong Tuan
 Honig, A. Rate of electron transfer from neutral shallow donors to neutral shallow acceptors in n-type silicon at liquid helium temperatures, 2-23361
 Honig, A. See Abkowitz, M., 2-16083
 Honig, A. See Levitt, R.S., 2-8421
 Honig, J.M. See Harman, T.C., 2-18666
 Honjo, G., Kodera, S., Isobe, E., Tanaka, M., Takagi, M. and Kitamura, N. Streak pattern of electron diffraction from single crystal films, 2-23939
 Honjo, G. See Miyake, S., 2-4510
 Honjo, G. See Tanaka, M., 2-23938
 Hönl, H. and Dehnen, H. The question of the relative nature of rotation, 2-9175
 Hönl, H. See Dehnen, H., 2-521
 Honrath-Barkhausen, M. and Rin, F.H. Rapid analysis of γ radiation from air and rainwater with the impulse spectroscopy, 2-11926
 Honzawa, T. See Sekido, Y., 2-12069
 Hood, C.V. and Thurston, M.O. Floating-zone refining of boron using electron beam melting, 2-10800
 Hood, R.F. See Biggerstaff, J.A., 2-20667
 Hoodless, I.M. and Morrison, J.A. Ionic transport and the crystallographic transition in cesium chloride, 2-12449
 Hoogenboom, A.M. Gas target for the multiple-gap, broad-range spectrograph, 2-1632
 Hoogenboom, A.M., A gas target for use with the multi-gap broad-range spectrograph, 2-9752
 Hoogenboom, A.M., Kashy, E. and Buechner, W.W. Stripping analysis of the (d,p) angular distributions from the $\text{Cl}^{35}(\text{d,p})\text{Cl}^{36}$ and the $\text{Cl}^{37}(\text{d,p})\text{Cl}^{36}$ reactions, 2-22841
 Hoogenboom, A.M. See Brenner, M.W., 2-18270
 Hoogenboom, A.M. See Kashy, E., 2-1796
 Hook, A.B., Gillespie, L.F. and Mastrup, F. Energy-recording microdensitometer, 2-103
 Hook, J.F. Generalization of a method of potentials for the vector wave equation of elasticity for inhomogeneous media, 2-7281
 Hook, J.F. Contributions to a theory of separability of the vector wave equation of elasticity for inhomogeneous media, 2-17541
 Hook, J.L. Some observations of ionospheric absorption at geomagnetic conjugate stations in the auroral zone, 2-6939
 Hook, J.R. See Hill, D.W., 2-11001
 Hook, R.E. See Adair, A.M., 2-21420
 Hooker, W.J. Testing time and contact-zone phenomena in shock-tube flows, 2-1187
 Hoop, A.T.De. See De Hoop, A.T.,
 Hooper, E.B.Jr. See Bekefi, G., 2-22237
 Hooper, G.D. See Falk, R.B., 2-2284
 Hooper, G.W. See Bockris, J.O'M., 2-15573
 Hooper, J.W., Harmer, D.S., Martin, D.W. and McDaniel, E.W. Comparison of electron and proton ionization data with the Born approximation predictions, 2-9529
 Hooton, B.W. See Dearnaley, G., 2-18265
 Hoover, D.B. and Washburn, J. Tensile behaviour of lithium fluoride, 2-2317
 Hoover, M.E. See Holmes, J.R., 2-6097
 Hoover, W. See De Rocco, A.G., 2-7248
 Hoover, W.G. and De Rocco, A.G. Sixth and seventh virial coefficients for the parallel hard-cube model, 2-17378
 Hoover, W.G. and Poirier, J.C. Determination of virial coefficients from the potential of mean force, 2-21852
 Hope, E.R. Confirmation of outer atmospheric asymmetry postulated to explain the false zodiacal light, 2-4658
 Hopfield, J.J. Classical explanation of the anomalous magneto-resistance of bismuth, 2-21105
 Hopfield, J.J. and Thomas, D.G. Magneto-optic absorption spectrum of CdS, 2-23527
 Hopfield, J.J. See Balkanski, M., 2-16806
 Hopfield, J.J. See Dietz, R.E., 2-16861
 Hopfield, J.J. On the energy dependence of the absorption constant and photocinductivity near a direct band gap, 2-8496
 Hopfield, J.J. See Thomas, D.G., 2-2068
 Hopkins, B.J. Work function of uranium carbide, 2-11685
 Hopkins, B.J. and Ross, K.J. The work function of zirconium carbide, 2-7637
 Hopkins, H.H. 21st Thomas Young oration. The application of frequency response techniques in optics, 2-11486
 Hopkins, H.W.K., Davison, M., Lyons, L., Breare, J.M., Roaf, D. and Shaw, D.F. A 12 cm liquid deuterium bubble chamber, 2-5541
 Hopkins, J.C. and Diven, B.C. Neutron capture to fission ratios in U^{233} , U^{235} , Pu^{239} , 2-8016
 Hopkins, J.W. See Jones, R.N., 2-10255
 Hopkins, R.C. See Rigden, J.S., 2-2020
 Hopkins, R.E. Third-order and fifth-order analysis of the triplet, 2-7329
 Hopkins, R.E. Re-evaluation of the problem of optical design, 2-2198
 Hopkins, R.E. and Spencer, G. Creative thinking and computing machines in optical design, 2-2865
 Hopkins, T.E., Pasternak, R.A., Gould, E.S. and Herndon, J.R. X-ray diffraction study of arsenic trisulfide-iodine glasses, 2-17060
 Hopkins, T.E. See Giauque, W.F., 2-23069
 Hopmann, J. The accuracy of dynamical parallaxes: system constants for six long-period double stars, 2-11138
 Hopmann, J. "Encountering stars" (Double-stars in hyperbolic orbits), 2-11143
 Hopmann, J. Positional measurements for 140 double stars, 2-19321
 Hoppe, R. and Dahne, W. Crystal structure of SnF_4 and PbF_4 , 2-21511
 Hoppe, W. New way to improve the resolving power of the electron microscope, 2-7667
 Hoppe, W. Phase determination by squaring electron density in the 2A to 1.5A resolution region, 2-10850
 Hoppe, W. and Berkl, E. A punched-card controlled X-ray diffractometer for automatic measurements of single-crystal diffraction intensities, 2-23836
 Hopes, D.D. See Schooley, J.F., 2-20568
 Hoppmann, W.H., II. and Miller, C.E. Flexural vibration of shallow orthotropic spherical shells, 2-17535
 Hora, H. Variation of the absorption of silicon evaporated layers after bombardment with 75 keV electrons, 2-8258
 Hora, H. Changes in silicon during intense bombardment with 50 to 100 keV electrons, 2-10483
 Hora, H. Analytical proof of the uniqueness of a new spectral measurement procedure, 2-19711
 Horak, J.A. and Rhude, H.V. Irradiation growth of zirconium-plutonium alloys, 2-3975
 Horani, M. and Leach, S. The electronic excitation of a molecular stream: apparatus, use as a spectral source and for the study of trapped radicals, 2-8138
 Horbatenko, M.F. Interaction of an electron beam with a plasma, 2-10000
 Hordiyenko, A.H., Vil'yams, A.P. [Williams], Afanas'yev, M.H. and Sydorenko, L.I. Remote-controlled long-line proton magnetometer for a wide range [2-13 kOe] of magnetic fields, 2-9675
 Hordiyenko, A.H. See Afanas'yev, N.H., 2-5434
 Horen, D.J. See Hultberg, S., 2-1848
 Horen, D.J. See Kim, Y.E., 10027
 Horen, D.J. See Valentin, J., 2-10015
 Horen, D.J. See Valentin, J., 2-10016
 Horeva, A.E. See Nikitina, O.I., 2-23982
 Hovi, M. Statistical aspects of fracture in concrete II. Statistical relationship between fracture and creep properties of Portland cement mortar in bending, 2-6740
 Hori, J. Long-time behaviour of a random lattice, 2-10317
 Hori, S. An approach to a relativistic strong coupling theory, 2-9780
 Hori, S., Oneda, S., Chiba, S. and Hiraki, H. Spin of $\eta(\zeta)$ -meson and decay modes of η - and ω -meson, 2-13869
 Hori, S. See Oneda, S., 2-22623
 Horid'ko, M.Ya. See Hertzriken, S.D., 2-6344
 Horie, H. See Sugie, A., 2-9981
 Horie, K. See Etoh, K., 2-1888
 Horie, T. See Iwai, T., 2-21050
 Hörl, E.M. Structure and structure imperfections of solid β -oxygen, 2-21509
 Hörl, E.M. and Suddeth, J.A. Characteristic electron energy loss measurements at low temperatures, 2-1514
 Horkun, Yu.I. Theory of the effect of the surface on galvanomagnetic phenomena in semiconductors, 2-8319
 Horkun, Yu.I. Theory of the field effect, 2-8320
 Horn, A. See Cedarlund, R., 2-5696
 Horn, F.H. Barium titanate crystals grown from the melt, 2-12888
 F.H. Horn. Preparation of single-crystal cobalt ferrites from the melt, 2-21479
 Horn, G. See Altenbrugg, K., 2-7181
 Hornbogen, E. The role of strain energy during precipitation of copper and gold from alpha iron, 2-15063
 Hornbogen, E. See Leslie, W.C., 2-23846
 Horner, P. Thermoelectric power of gallium, 2-5027
 Hornig, D.F. See Hansen, K., 2-2753
 Hornig, D.F. See Levitt, B., 2-1184
 Hornig, D.F. See Savitsky, G.B., 2-14683

- rnig,D.F. See Schiffer,J., 2=16834
 rnig,D.F. See Schultz,J.W., 2=5021
 rnig,D.F. See Somorjai,R.L., 2=14351
 rning,S.C. Natural constants, 2=21780
 rnung,E.W. See Giaque,W.F., 2=23069
 rnung,H. See Boer,K.W., 2=596
 rnung,H. See Thiessen,K., 2=23344
 rnyak,W.F. See Ayres,R., 2=5787
 rodets'ky,D.O. and Korniyev,O.M., Apparatus for the visual obser-
 vation of slow-electron diffraction, 2=11720
 rrocks,D.L. and Harkness,A.L. Half-life of nickel-63, 2=5833
 rrocks,J.K. and McLaughlin,E. Transport properties of binary
 regular solutions, 2=21905
 rsfield,A., Morton,J.R., Rowlands,J.R. and Whiffen,D.H. The
 electron spin resonance spectra of $\text{CH}(\text{SO}_3)_2$ and $\text{N}(\text{SO}_3)_2$, 2=16566
 rsfield,A., Morton,J.R. and Whiffen,D.H. Electron spin resonance
 ans structure of the ionic radical, PO_3^- , 2=2017
 rsfield,A., Morton,J.R. and Whiffen,D.H. Electron spin resonance
 spectra of the free radical $(\text{CH}_3)_2\text{C COOH}$, 2=6219
 rsfield,A. See Chantry,G.W., 2=16565
 rsmann,G. See Roest,R., 2=2019
 rst,R.R., Anderson,J.H. and Milligan,D.E. Paramagnetic centres
 in potassium azide irradiated at low temperature, 2=16931
 rstik,G. See Hellwege,K.H., 2=2241
 rstik,G. See Hellwege,K.H., 2=4156
 rstmann,M. and Meyer,G. Measurement of the intensities of
 electrons scattered elastically by polycrystalline films of
 aluminium, 2=10820
 rton,C.W. and Hoffman,A.A.J. Magnetotelluric fields in the
 frequency range 0.03 to 7 cycles per kiloseconds. I Power
 spectra, 2=15274
 rton,C.W. and Hoffman,A.A.J. Magnetotelluric fields in the
 frequency range 0.03 to 7 cycles per kilosecond. II. Geophysical
 interpretation, 2=15275
 rvai,R. See Ketskeméty,I., 2=1156
 rvai,R. See Ketskeméty,I., 2=13346
 rváth,T. See Turchányi,G., 2=14961
 rwath,J.A. and Mondolfo,L.F. Dendritic growth, 2=23817
 rwitz,G. and Callen,H.B. Diagrammatic expansion for the Ising
 model with arbitrary spin and range of interaction, 2=2037
 rzeliski,J. See Corfield,M.G., 2=1161
 rzel,S. The phase diagram of the ternary system Bi-Ca-Mg
 including a correction to the border system Bi-CA, 2=21538
 rsemann,R. See Bonar,R., 2=9371
 rshi,R. See Hayashi,C., 2=15271
 shino,M. See Ohta,K., 2=18919
 shino,R. Proton magnetic resonance in $(\text{glycine})_3\text{H}_2\text{SO}_4$, 2=6710
 shizaki,N., I.Lin. and Machida,S. Nonstatic one-boson-exchange
 potentials, 2=3287
 shizaki,N. and Machida,S. Two-nucleon potential with full
 recoil. II, 2=11938
 shizaki,N., Otsuki,S., Watari,W. and Yonezawa,M. Nuclear forces
 and bosons, 2=16151
 sler,W.R. See Frederikse,H.P.R., 2=23413
 soi,A. See Yamaguchi,T., 2=4479
 soya,S. See Kuriyama,M., 2=17017
 ssain,A., Votruba,M.F., Wataghin,W. and Evans,D. On the
 behaviour of the multiple scattering constant,K, for nuclear
 emulsions, at large cell sizes, 2=5554
 ssain,A. See Ali,M.I., 2=18177
 ssain,A. See Baldassarye,F., 22562
 ssain,A. See Evans,D., 2=22492
 ssenlopp,I.A. See Scott,D.W., 2=3702
 ssenlopp,I.A. See Scott,D.W., 2=15822
 ssenlop,I.A. See Scott,D.W., 2=20847
 ste,J. See De Soete,D., 20290
 stettler,H.U. See Morse,F.A., 2=18497
 stettler,H.U. See Schneider,H., 2=19977
 tellier,M.N. and Kahane,A. Variation of the birefringence of ice as
 a function of temperature, 2=8481
 tta,K., See Magari,S., 2=7678
 ttel,H.C. Radiation as a diffusion process, 2=11531
 tter,O. and Tjøtta,S. On the internal electromagnetic energy in
 a plasma, 2=9565
 u,S.L. See Foner,S., 2=12802
 ugen,J.T. Rotational energy levels of a linear triatomic molecule
 in a $^2\Pi$ electronic state, 2=3724
 ugen,J.T. The rotational energy levels of diatomic molecules in
 $^2\Sigma$ electronic states, 2=12317
 ugen,J.T. Vibronic and rotational energy levels of a linear
 triatomic molecule in a $^2\Pi$ electronic state, 2=12319
 ugen,J.T. Fermi resonance in linear triatomic molecules in Π
 electronic states, 2=18436
 Hougen,J.T. Classification of rotational energy levels for symmetric-
 top molecules, 2=22935
 Hougen,J.T. See Leroi,G., 2=14274
 Houghton,A. Specific heat and spin susceptibility of dilute
 alloys, 2=2052
 Houghton,G. Differential equations for the behaviour of
 suspensions, 2=4565
 Houghton,G. An analysis of vapor void profiles in heated
 channels, 2=11516
 Houghton,J.T. See Dobson,G.M.B., 2=11013
 Houghton,J.T. See Hitschfeld,W., 2=2484
 Houghton,J.T. See Seeley,J.S., 2=8951
 Hour,i,A. See Benoit,R., 2=7766
 House,A.S. See Bell,C.G., 4890
 House,D.C. The divergence equation as related to severe thunder-
 storm forecasting, 2=11018
 House,L.L. See Athay,R.G., 2=15353
 Houtermans,F.G. See Debrunner,H., 2=18209
 Houterman,F.G. See Gfeller,C., 2=4751
 Houtermans,F.G. See Herr,W., 2=4758
 Houtermans,H. and Miguel,M. 4π - ρ - γ coincidence counting for the
 calibration of nuclides with complex decay schemes, 2=14011
 Houziaux,L. Forbidden nitrogen I lines in the infrared solar
 spectrum, 2=4768
 Houziaux,L. Stark effect for the higher lines of hydrogen, 2=4810
 Houziaux,L. Stark and Doppler broadening for high Balmer and
 Paschen lines. I. The absorption coefficient, 2=6091
 Houziaux,L. Measurement and spectral distribution of the energy
 received from stars, 2=21730
 Hove,J.E. See Carniglia,S.C., 2=3845
 Hove,L. Van. See Van Hove,L.
 Hovi,V. and Aurela,A. On the origin of the north-south asymmetry of
 cosmic rays in high altitudes, 2=9971
 Hovi,V., Mansikka,K. and Mäkelä,M. On the rate of solidification of
 a pure substance in the case of cylindrically symmetrical heat
 flow, 2=19772
 Hovi,V., Mäntysalo,E. and Ketolainen,P. On the Gyulai-Hartly effect
 in single crystals of potassium iodide at temperatures between
 77° and 297°K, 2=4067
 Hovi,V. and Niemelä,L. Measurements of the mean beta disintegration
 energies of P^{32} and Pm^{147} at low temperatures, 2=18282
 Hovis,W.A., Jr. Time-resolved spectra of rare-earth ions, 2=14204
 Howard,B.B., Linder,B. and Emerson,M.T. Effect of dispersion
 interaction on nuclear magnetic resonance shifts, 2=3789
 Howard,B.B. See Jumper,C.F., 2=2703
 Howard,J.N. See Garing,J.S., 2=22032
 Howard,R. Preliminary solar magnetograph observations with small
 apertures, 2=19294
 Howard,R. See Curzon,F.L., 2=1444
 Howard,R. See Curzon,F.L., 2=22196
 Howard,R.A. See Osborne,W.Z., 2=10001
 Howard,R.E. and Manning,J.R. Theory of thermal diffusion in dilute
 alloys, 2=6359
 Howard,R.E. See Boswarva,I.M., 2=18797
 Howard,R.E. See Boyle,W.S., 2=2231
 Howard,R.E. See Hasegawa,H., 2=8062
 Howard,R.J. See Barrow,A.W., 2=5538
 Howard,R.L. See Lowe,I.J., 2=5496
 Howard,R.L. See Peterson,L.E., 2=4707
 Howarth,L.E. See Crowell,C.R., 2=22251
 Howarth,L.E., See Kaiser,W., 2=21236
 Howarth,L.E. See Spitzer,W.G., 2=14643
 Howe,D.A., Langer,L.M. and Wortman,D. Search for a $\frac{3}{2}^+$ level at
 1.5 MeV in Y^{89} , 2=22746
 Howe,F.A. See Muggleton,A.H.F., 2=4488
 Howe,F.A. See Muggleton,A.H.F., 2=4492
 Howe,J.A. and Flygare,W.H. Strong field stark effect, 2=6136
 Howe,J.A., Muirhead,J.S. and Goldstein,J.H. Simple molecular orbital
 theory of the dichloroethylenes, 2=6209
 Howe,J.A. See Flygare,W.H., 2=3741
 Howe,L.L. See Douglas,A.E., 2=6167
 Howe,L.M., Whitton,J.L. and McGurn,J.F. Observation of dislocation
 movement and interaction in zirconium by transmission electron
 microscopy, 2=21039
 Howe,J.A. See Muirhead,J.S., 2=14290
 Howe,L.M., Jervis,R.E. and Eastwood,T.A. The development of a
 dilute aluminum-gold alloy for thermal and resonance neutron
 flux measurements, 2=7871
 Howerton,H.K. See Price,J.M., 2=17469
 Howes,J.E., Jr. See Elleman,T.S., 2=4577
 Howes,J.E., Jr. See Townley,C.W., 2=4577
 Howes,V.R. A strength-area relationship for diamond, 2=16967
 Howes,V.R. The graphitization of diamond, 2=21460

- Howgate, D.W. Dissociation of the hydroxyl radical in an r.f. discharge, 2=2029
- Howie, A. A possible explanation of the results of the preceding note regarding scattering of electrons by stacking faults in lithium, 2=2086
- Howie, A. and Whelan, M.J. Diffraction contrast of electron microscope images of crystal lattice defects. III. Results and experimental confirmation of the dynamical theory of dislocation image contrast, 2=14447
- Howie, A. See Hashimoto, H., 2=19126
- Howl, D.A. and Davis, A.F. An apparatus for the determination of total hemispherical emissivities of metals, 2=11532
- Howl, D.A. and Davis, A.F. The emissivities of various niobium surfaces in the temperature range 500-1100°C, 2=11533
- Howlett, B.W., Leach, J.S.Li, Ticknor, L.B. and Bever, M.B. Liquid metal solution calorimeter, 2=15796
- Hoyer, G.A. See Erwin, A.R., 2=20391
- Hoyland, J.R. and Goodman, L. Charge distributions in positive ions and ionization energies of conjugated hydrocarbons, 2=2011
- Hoyland, J.R. and Goodman, L. Charge distribution in negative ions and the electron affinities of conjugated hydrocarbons, 2=2012
- Hoyland, J.R. and Lampe, F.W. Single-centre single-determinant calculation of the relative energies of CH_3^+ , CH_3 , CH_4 , and CH_5^+ . The proton affinity of methane, 2=20850
- Hoyle, F. The relation of radio astronomy to cosmology, 2=2522
- Hoyle, F. Stellar models and evolution: Introductory report, 2=2542
- Hoyle, F. Concluding lecture—mechanisms of solar and cosmic emission. Part VI, 2=2568
- Hoyle, F. and Harwit, M. Plasma dynamics in comets. I. Plasma instability, 2=15319
- Hoyle, F. and Harwit, M. On the fate of intergalactic bridges, 2=24163
- Hoyle, F. and Narlikar, J.V. On the counting of radio sources in the steady-state cosmology, 2=2555
- Hoyle, F. and Narlikar, J.V. The steady state model and the ages of galaxies, 2=15296
- Hoyle, F. See Fowler, W.A., 2=11107
- Hoyle, F. See Gold, T., 2=2523
- Hoyle, F. See Harwit, M., 15320
- Hoyt, E.W. See Holden, A.N., 18625
- Hrishayev, I.O., Parlah, O.M., Sikora, D.I., Shkoda-Ul'yanov, V.O. and Shramenko, B.I. Determination of the basic characteristics of photonuclear reactions for a number of chemical elements and the possibilities of their practical application, 2=18317
- Hrivnák, L. Determination of energy gap width in some semiconductors, 2=6431
- Hrom, V.S. See Kuz'menko, P.P., 2=6365
- Hroshev, I.M. See Kucherenko, Ye.T., 2=22275
- Hroshev, I.N. See Korchev'y, Yu.P., 2=19887
- Hruby, A. Spiral etch pits on dislocation free germanium single crystals, 2=4371
- Hruska, K. An attempt at a phenomenological interpretation of the influence of a polarizing field on piezoelectric resonators, 2=16796
- Hryniewicz, A.Z. See Bozek, E., 2=10013
- Hryniewicz, A.Z. See Bozek, E., 2=14002
- Hryniewicz, A.Z. See Bozek, E., 2=20557
- Hsiao, C.C. and Yang, J.W. Effect of initial straining and γ irradiation on strength of polyethylene, 2=21438
- Hsieh, D.Y. and Plesset, M.S. Reply to comments of P.W.Smith, Jr., 2=9277
- Hsieh, P.C. See Young, O.B., 2=5759
- Hsieh, S.-H. Research of p-p scattering at 10 MeV by the dispersion relation, 2=16194
- Hsien Ding-chang. See Syan 'Din-chan, 2=22554
- Hsien Ting-ch'ang. See Syan 'Din-chan, 2=22466
- Hsui Yen-sheng. See Syui Yan'-shen, 2=17945
- Hsin-min Kuan. See Din, G.U., 2=1926
- Hsin Yang Yeh. Measurability of gravitational field strengths, 2=7122
- Hsiung Chi-hua. and Gordus, A.A. Momentum transfer to an atom in a molecule: internal excitation and bond dissociation, 2=6129
- Hsu Yun-ch'ang. See Syui Yin-chan, 2=22581
- Hsuang-ming, L. See Egorov, L.B., 2=22548
- Hsiung Chi-hua. See Gordus, A.A., 2=6130
- Hsu Bay-Sung. Distribution of depression in paper surface: a method of determination, 2=7160
- Hu Shih-ke. See Khu Shi-ke, 2=22554
- Hu Shih-Ko and Wang Yung. A plausible model of Λ -particle production in high-energy π -collision, 2=9925
- Hu Shih-ko'. See Khu Shi-ke, 2=7884
- Hu Shih-ko. See Khu Shi-ke, 2=22555
- Huang, J. and Kovacs, J. Final state interaction in kaon production, 2=13878
- Huang, S.-S. Velocity modification of an astronomical body for capture by the earth, 2=13093
- Huang, S.-S. The problem of nitrogen peroxide in the atmospheres of planets, 2=13111
- Huang, S.-S. Preliminary study of orbits of interest for moon probes, 2=17311
- Huang, S.-S. A stellar model of mixed opacity and its variations with the mass, chemical compositions, opacity coefficients, and energy-generation coefficient, 2=19325
- Huang Tsu-chan. See Khuan tszu-chzhan', 2=7884
- Hubbard, E.C. See Cohen, C.J., 2=6974
- Hubbard, E.L. Nuclear particle spectrometers for satellites and space probes, 2=17981
- Hubbard, E.L. See Tuzzolino, A.J., 2=2195
- Huber, K.P. The Rydberg series in the NO molecule absorption spectrum, 2=3735
- Huber, P., Durisch, J., Gleyvod, R. and Baumgartner, E. Measurement of the polarization strength of oxygen for d,d-neutrons of 2.5-3 MeV energy, 2=20631
- Huber, P., Lewandowski, Z., Plattner, R., Poppelbaum, C. and Wagner, I. Inelastic scattering of 14.7 MeV neutrons by U^{238} , 2=5925
- Huber, P., Lewandowski, Z., Plattner, R., Poppelbaum, C. and Wagner, A. A time-of-flight spectrometer for fast neutrons, 2=9867
- Huber, P. See Baumgartner, E., 2=20632
- Huber, P. See Frosch, R., 2=22747
- Huber, P. See Hunzinger, W., 2=20633
- Huper, P. See Lewandowski, Z., 2=5645
- Huper, P. See Niklaus, P., 2=3583
- Huber, P. See Schaller, L., 2=5304
- Huber, P. See Striebel, H.R., 2=22528
- Huber, P. See Wagner, R., 2=7672
- Huber, P. See Wagner, R., 2=19845
- Huber, P.W. Experiments with plasmas produced by alkali-metal-seeded cyanogen-oxygen flames for study of electromagnetic wave propagation at the Langley Research Centre, 2=3036
- Huber, R.J., Baker, G.S. and Gibbs, P. Damping effects of thin surface films, 2=678
- Huber, R.J., Baker, G.S. and Gibbs, P. High-temperature kilocycle internal friction in Al_2O_3 single crystals, 2=2315
- Huber, W. Simon, G. and Kuhn, H. Analogy methods and analogue computation in the handling of the π -electron correlation. I, 2=18442
- Huberman, M.N. Partial ionic stopping power and the energy expended in electron capture and loss collisions of protons in hydrogen gas. II, 2=18428
- Hubig, W. On physical geometry, 2=17349
- Hubli, S.S. and Badkas, D.J. A new impulse peak voltmeter, 2=15866
- Hubner, K. and Shockley, W. Transmitted phonon drag measurements in silicon, 2=23053
- Hucher, M. Study of faults emerging at the surface of cleavage of sodium chloride, shown by condensation of gold under vacuum, 2=16994
- Hudda, F.G. See Ehrlich, G., 2=6885
- Hudda, F.G. See Ehrlich, G., 2=17072
- Hudimoto, B. An approximate method for calculating turbulent boundary layer in incompressible fluids, 2=21881
- Hudis, J. See Cumming, J.B., 2=18326
- Hudoklin, A. See Cvelbar, F., 2=16181
- Hudson, B., Westmacott, K.H. and Makin, M.J. Dislocation loops and irradiation growth in alpha uranium, 2=8222
- Hudson, J.A. Love waves in a heterogeneous medium, 2=11446
- Hudson, J.A. The total internal reflection of SH waves, 2=15176
- Hudson, J.B. Nucleation of zinc on glass, 2=6781
- Hudson, J.F.P. Landau damping for non-Maxwellian distributions, 2=3059
- Hudson, R.L. See Foner, S.N., 2=13537
- Hudson, R.L. See Foner, S.N., 2=15131
- Hudson, R.P. Cryogenics and nuclear physics, 2=1617
- Hudson, R.P. and Mangum, B.W. Spin-lattice relaxation in two rare earth double nitrates, 2=14836
- Hudson, W. See Ruben, R.J., 2=7069
- Hudspeth, E.L. See Nelson, J.W., 2=3574
- Hudyryna, L.L. See Nikitina, O.I., 2=23982
- Hue, J. Wave-functions of potassium ferricyanide, 2=18509
- Hue, J. Spin-lattice relaxation in $\text{K}_3\text{Fe}(\text{CN})_6$, 2=23067
- Huet, P. See Colombani, A., 2=10440
- Huet, P. See Colombani, A., 2=12495
- Huetz, J. See Huetz-Aubert, M., 2=1197
- Huetz, J. See Huetz-Aubert, M., 2=15648
- Huetz, J. See Huetz-Aubert, M., 2=19621
- Huetz-Aubert, M. Dang Ngoc Minh and Huetz, J. General expressions for the vibrational relaxation time of a diatomic gas when excited states are taken into account, 2=1197

- etz-Aubert, M., Dang Ngoc Minh. and Huetz, J. Establishing the general relaxation equation for the molecular vibrations of a diatomic gas, taking account of excited states, 2=15648
- etz-Auber, M., Dang Ngoc Minh and Huetz, J. Physical meaning of the general equations and of the relaxation time of vibration for a diatomic gas, 2=19621
- ff, R.W. Decay rate of bound muons, 2=1974
- ff, R.W. See Culler, G.J., 2=15848
- ffaker, R.M. See Adams, E.W., 2=15324
- ffine, C.L. See Williams, J.M., 2=6379
- ffington, J.D. Method for the measurement of surface microtopography; experiments with gelatine models, 2=4483
- ffman, F. Open circuit voltages in the cesium diode, 2=209
- ffman, R.E., Tanaka, Y. and Larrabee, J.C. New vacuum-ultraviolet emission continua of helium produced in high-pressure discharges, 2=16473
- ffstutler, M.C. See Thomas, G., 2=8836
- ffner, S. Electronic levels of promethium-3, 2=8060
- ffner, S. Electron terms of the trivalent erbium ion up to 40 000 cm⁻¹, 2=14680
- ffnagel, F., Klages, G. and Knobloch, P. Absorption measurements in the microwave region on diphenyl, 2=11382
- ffner, S. On the crystal field splitting in the ethyl sulphates of some rare earths, 2=20906
- ffner, S. See Hellwege, K.H., 2=2241
- ffner, S. See Hellwege, K.H., 2=4156
- ffner, S. See Hellwege, K.H., 12605
- ffenin, P. Absorption of π -mesons by nuclei, 2=10130
- ffgentobler, E. See Joyet, G., 2=9817
- ffgentobler, E. See Peacock, R.N., 2=8002
- ffgins, C.M. and Cannon, P. Diamonds containing controllable impurity concentrations, 2=18943
- ffgins, R.A. See Klein, M.J., 2=6817
- ffgins, R.A. See Klein, M.J., 2=8230
- ffgins, R.A. See Neumann, L., 2=11229
- ffghes, A.J. and Lawson, A.W. Cylindrical approximation and the α - β quartz transition, 2=14918
- ffghes, A.J. See Callaway, J., 2=23024
- ffghes, D.G. See Andrew, E.R., 2=10724
- ffghes, E.B., Marsden, P.L., Meyer, M.A. and Wolfendale, A.W. Neutron production in lead by cosmic ray protons, 2=14100
- ffghes, E.B. See Fieldhouse, P., 2=13913
- ffghes, E.E. Purification and vapor pressure of nitric oxide, 2=132
- ffghes, E.E. See Mann, W.B., 2=5831
- ffghes, E.E.G., Syers, K. and Thomas, J.M. Illumination system for micrography of opaque objects, 2=19691
- ffghes, E.E.G. and Thomas, J.M. Topography of oxidized graphite crystals, 2=12884
- ffghes, F. and Allard, J.G. Electron paramagnetic resonance in irradiated CsCl, 2=4253
- ffghes, J.B. A generalized Hamiltonian dynamics for relativistic particles with spin, I, 2=3253
- ffghes, J.B. A generalized Hamiltonian dynamics for relativistic particles with spin, II, 2=3254
- ffghes, J.M. See Cook, G.E., 2=15414
- ffghes, J.P. See Rothman, S.J., 2=3948
- ffghes, J.V. and Nomicos, G.N. Trajectories for continuously applied propulsive thrust, 2=11187
- ffghes, O.H. See Branwood, A., 2=14512
- ffghes, R.W. See Collins, S.C., 2=5214
- ffghes, T.P. A new method for the determination of plasma electron temperature and density from Thomson scattering of an optical maser beam, 2=15926
- ffghes, V.A. Radio wave scattering from the lunar surface, 2=1009
- ffghes, V.A. Discussion of paper by Daniels, "A theory of radar reflections from the Moon and planets", 2=11154
- ffghes, V.W. See Ziocik, K., 2=18169
- ffghes, W.F. See Elco, R.A., 2=16009
- ffghes, W.F. See Kuhn, H.A., 2=21889
- ffghes, W.F. See Young, F.J., 2=11761
- ffghmark, G.A. A statistical analysis of nucleate-pool-boiling data, 2=15816
- ffgill, J. The measurements of random radio frequency fields by the use of short electric and magnetic dipoles, 2=9111
- ffgill, H. See Graf, P., 2=20535
- ffgo, J.A. See Phillips, V.A., 2=19129
- ffguenin, R. and Rivier, D. Hall effect in dilute Ni-Fe alloys at low temperatures, 2=6420
- ffiskamp, W.J. See Miedema, A.R., 2=6282
- ffizenga, J.R., Chaudhry, R. and Vandenbosch, R. Helium-ion-induced fission of Bi, Pb, Tl, and Au, 2=10156
- ffizenga, J.R., Clarke, K.M., Gindler, J.E. and Vandenbosch, R. Photo-fission cross sections of several nuclei with mono-energetic gamma rays, 2=14150
- ffizenga, J.R. and Igo, G. Theoretical reaction cross-section for alpha particles with an optical model, 2=5966
- ffizenga, J.R. and Vandenbosch, R. Photoexcitation of the isomeric states of Cd¹¹¹ and In¹¹⁵ with mono-energetic gamma rays, 2=13984
- ffizenga, J.R., Vandenbosch, R. and Warhanek, H. Reaction cross sections of U²³³ and U²³⁵ with 18-43 MeV helium ions, 2=1937
- ffizenga, J.R. See Chaudhry, R., 2=10157
- ffizenga, J.R. See Vandenbosch, R., 2=510
- ffizenga, J.R. See Vandenbosch, R., 2=16445
- ffizenga, J.R. See Wing, J., 2=22812
- ffukuo, N., Kozuka, T., Fujishiro, I. and Yoshida, M. Measurement of brightness temperature by a photomultiplier, 2=11522
- ffulbert, J.A. See Butcher, P.N., 2=8377
- ffuldt, L. and Staflin, T. Infrared absorption of free carriers in silicon, 2=23574
- ffulet, E.K. See Conway, J.G., 2=2248
- ffulet, E.K. See Conway, J.G., 2=12288
- ffull, A. Van. See Van Hull, A.,
- ffull, A.W. Cathode spot, 2=13554
- ffull, A.W. The Bertele arc, 2=22194
- ffull, D. The initiation of slip at the tip of a deformation twin in α -iron, 2=8214
- ffull, D. The role of twinning in the fracture of body-centred cubic metals, 2=19037
- ffull, D. Spontaneous transformation of metastable β -brass in thin foils, 2=23869
- ffull, G.W., Jr. See Geballe, T.H., 2=17726
- ffull, M.H. Jr., McDonald, F.A., Ruppel, H.M. and Breit, G. Significance of neutron-proton polarization measurements in the 20 MeV energy range, 2=18121
- ffull, M.H. Jr. See Lassila, K.E., 2=11895
- ffullinger, F. New sulvanite-type semiconducting compounds, 2=6813
- ffulliger, F. Semiconducting compounds with the skutterudite structure, 2=8358
- ffulliger, F. See Guggenheim, J., 2=5241
- ffulm, J.K., Blaughner, R.D., Geballe and Matthias, B.T. Superconductivity of niobium-molybdenum alloys below 1°K, 2=1338
- ffulm, J.K. See Blaughner, R.D., 2=2958
- ffulm, J.K. See Blaughner, R.D., 2=7520
- ffulm, J.K. See Blaughner, R.D., 2=7522
- ffulme, K.F. Indium antimonide tunnel diodes, 2=2177
- ffulm, K.F. and Mullin, J.B. Indium antimonide - A review of its preparation properties and device applications, 2=21154
- ffulm, K.F. See Butcher, P.N., 2=8377
- ffulmston, N.J. Plastic-carbon replication for electron microscopy, 2=23944
- ffulst, d'. See d' Hulst,
- ffulst, H.C. van de. See van de Hulst, H.C.
- ffult, J. See Odqvist, F.K.G., 2=4342
- ffult, J. Mechanics of a beam subject to primary creep, 2=10759
- ffultberg, S., Horen, D.J. and Hollander, J.M. Measurements of internal conversion coefficients, 2=1848
- ffultberg, S., Nagel, B. and Olsson, P. Relativistic differential and total K-shell photoelectric cross-sections and photo-electron polarizations, 2=3709
- ffultberg, S. See Frey, W.F., 2=10062
- ffultberg, S. See Hamilton, J.H., 2=20523
- ffultgren, R. See Day, G.F., 2=23867
- ffultgren, R. See Roy, P., 2=2402
- ffulthén, L. See Rudberg, E., 2=19361
- ffultqvist, B. On the orientation of auroral arcs, 2=4669
- ffultqvist, B. Circular symmetry in the geomagnetic plane for auroral phenomena, 2=9018
- ffultqvist, B. On auroral isochasms and the orientation of auroral arcs, 2=13042
- ffultqvist, B., Egeland, A. and Gustafsson, G. A morning discontinuity in the orientation of quiet auroral arcs, 2=4678
- ffultqvist, B., Thunberg, A., Lindell, S. and Heikkilä, K.E. An automatic digital recording and reducing system for geomagnetic standard data, 2=6960
- ffultqvist, B. See Aarons, J., 2=4618
- ffultqvist, B. See Egeland, A., 2=19243
- ffultqvist, B. See Gustafsson, G., 2=6951
- ffultqvist, B. See Liszka, L., 2=7047
- ffultqvist, B. See Ortnier, J., 2=15284
- ffultqvist, B. See Plotzer, G., 2=9023
- ffultsch, R.A. and Barnes, R.G. Pressure dependence of self-diffusion in lithium and sodium, 2=10415

- Hulubei, H., Martalogu, N., Frantz, J., Ivascu, M., Scintei, N., Berinde, A. and Neamu, I. $S^{32}(p, p')$ angular correlations from 5-7 to 6-34 MeV, 2=14092
- Hulubei, H., Martalogu, N., Ivascu, M., Besliu, C., Berinde, A., Neamu, I. and Franz, J. Angular distribution of 6-2 MeV protons elastically and inelastically scattered by S^{32} , 2=5903
- Hulubei, H. See Khulubei, Kh., 2=9884
- Humberston, J.W. Low-energy elastic scattering of neutrons by deuterons, 2=1690
- Humblet, J. Analytic properties of the cross-section for elastic scattering of nuclear particles, 2=5591
- Hume-Rother, W. The theory of the alloys of copper, 2=4432
- Hummel, F.A. See Sarver, J.F., 2=4177
- Hummel, J.P. See Dyal, P., 2=20598
- Hummer, D.G. and Seaton, M.J., The ultra-violet radiation of the central stars of planetary nebulae, 2=17295
- Humphrey, W.E. and Ross, R.R. Low-energy interactions of K^- mesons in hydrogen, 2=18181
- Humphrey, W.E. See Byers, N., 2=12008
- Hung Cheng. Meromorphic property of the S matrix in the complex plane of angular momentum, 2=17366
- Hung Cheng and Nuñez-Lagos, R. The uniqueness of the analytic continuation of partial wave amplitude in the complex plane of the angular momentum, 2=22430
- Hungar, K. and Larenz, R.W. Critical remarks on the theory of pressure broadening of spectral lines, 2=2875
- Hungar, M. See Fedders, H., 2=10535
- Hu Ning. See Ning Hu.
- Hunt, A.G. See Wright, J.K., 2=5350
- Hunt, A.J. See Torok, E.J., 2=23664
- Hunt, A.L. See Damm, C.C., 2=15912
- Hunt, J.P. and Dodgen, H.W. Exchange rates of NH_3 between aqueous NH_4OH and copper and nickel ammine complexes, 2=4525
- Hunt, F.V. Role of time integration in the discrimination of frequency response patterns, 2=4900
- Hunt, T.K. See Mercereau, J.E., 2=13513
- Hunt, M.D. and Smith, R.W. Macromosaic structures in dilute tin alloys, 2=23862
- Hunten, D.M. Transmission functions for twilight studies, 2=11073
- Hunten, D.M. See Lytle, E.A., 2=24045
- Hunten, D.M. See Sullivan, H.M., 2=17179
- Hunten, D.M. See Sullivan, H.M., 2=24028
- Hunter, A.N., Legge, R. and Matsukawa, E. Measurements of acoustic attenuation and velocity in sand, 2=73
- Hunter, A.N. and Jones, T.B. The Debye effect in electrolytes and colloids, 2=23965
- Hunter, H.W. and Trent, P.T. Observations on narrow showers of mesons below ground, 2=9952
- Hunter, W. See Parkin, D.W., 2=11121
- Hunter, W.R. High reflectance coatings for the extreme ultra-violet, 2=17641
- Huntington, H.B. and Gbate, P.B. New technique for calculating correlations for vacancy diffusion, 2=18594
- Huntington, H.B. and Grone, A.R. Current-induced marker motion in gold wires, 2=2095
- Huntington, H.B. and Johnson, R.A. Image force influence on the relaxation strength of point defects, 2=20990
- Huntington, H.B. See Reinitz, K., 2=10389
- Hunziker, W. Regularity properties in scattering amplitude in case of potential scattering, 2=3276
- Hunzinger, W. and Huber, P. Differential reaction cross-section of oxygen-16 for neutrons in the MeV energy region, 2=20633
- Hüper, R. Interpretability of a quantum theory of indefinite metric, 2=17363
- Hurd, C.M. The Dember and photoelectromagnetic effects in semi-insulating gallium arsenide, 2=4075
- Hurd, F.K. and Mullins, J.C. Aerosol size distribution from ion mobility, 2=8935
- Hurd, J.D. See Branwood, A., 2=14512
- Hurd, R.A., On the possibility of intrinsic loss occurring at the edges of ferrites, 2=20146
- Hurd, R.M., Schmid, G.M. and Snively, E.S., Jr. Electrostatic fields: their effect on the surface tension of aqueous salt solutions, 2=11347
- Hurley, A.C. Potential energy curves for doubly positive diatomic ions. II. predicted states and transitions of N_2^{2+} ; O_2^{2+} , and NO^{2+} , 2=20816
- Hurley, A.C. Virial theorem for polyatomic molecules, 2=23014
- Hurley, A.C. See Coulson, C.A., 2=20772
- Hurlbut, F.C. See Stein, R.P., 2=3093
- Hurle, D.T.J. Mechanisms of growth of metal single crystals from the melt, 2=14958
- Hurle, D.T.J., Jones, O. and Mullin, J.B. Growth of semiconducting compounds from non-stoichiometric melts, 2=14959
- Hurley, A.C. See Carroll, P.K., 2=3734
- Hurle, D.T.J. See Bardsley, W., 2=10382
- Hurley, A.C. Equivalence of Rydberg-Klein-Rees and simplified Dunham potentials, 2=10273
- Hurley, J. Analysis of the transition region between a plasma and its confining magnetic field, 2=1437
- Hurs'ka, A.P. See Karal'nik, S.M., 2=18853
- Hurst, G.S., O'Kelly, L.B. and Stockdale, J.A. Quasi-trapping of low-energy electrons in water vapour, 2=22170
- Hurst, R.P., Karplus, M. and Das, T.P. Magnetic properties of hydrofluoride. II. Susceptibility, 2=20807
- Hurst, R.P. See Sidwell, T.W., 2=18394
- Huruhata, M. and Kitamura, M. A new photoelectric photometer with electronic refrigerator, 2=11098
- Huruhata, M. See Takahashi, C., 2=15364
- Hurwicz, H. See Spindler, R.J., 2=2909
- Hurwitz, H. See Sanfeld, A., 2=12973
- Hurwitz, H., Jr. See Auer, P.L., 2=9578
- Hu Shih - k'o. See Khu Shi - ke.
- Husain, T. Single crystal gamma-ray scintillation spectrometer, 2=13763
- Husain, T. Three crystal gamma-ray scintillation pair spectrometer, 2=13763
- Husain, T. Energy levels of C^{12} from $Be^9(\alpha, n\gamma)C^{12}$ reaction, 2=16310
- Husain, T. Energy levels of C^{14} from $C^{13}(p, \gamma)N^{14}$ reaction, 2=16323
- Huschilt, J. See Anderson, R.L., 2=20273
- Husing, W.H. See Penner, C.J., 2=7163
- Hussain, M. See Astbury, A., 2=1701
- Hussain, M. See Astbury, A., 2=1702
- Huster, E. See Franke, G., 2=17983
- Hustin-Breton, M. See Bouny, A., 2=4796
- Hutchin, W.H. See Bonner, N.A., 2=16341
- Hutchins, D.L. and Newton, J.C. Preliminary studies of cathode spot behaviour on thin films electrodes, 2=13552
- Hutchinson, G.W. Changing instrumentation of high energy physics, 2=3188
- Hutchinson, G.W. A comment in address systems for two-dimensional pulse analysis, 2=9497
- Hutchinson, C.A., Jr. Tung Tsang and Weinstock, B. Magnetic susceptibility of neptunium hexafluoride in uranium hexafluoride, 2=1888
- Hutchison, J.R.C.A., See Brandon, R.W., 2=21370
- Hutchison, M.M. and Bullen, F.P. Solute-dislocation interaction in copper-antimony solid solutions, 2=23165
- Hutchison, M.M. and Louat, N. On the temperature dependence of the yield strength in iron, 2=10756
- Hutchison, M.M. See Bullen, F.P., 2=23771
- Hutchinson, R.I. See Presland, A.E.B., 2=16998
- Hutchison, T.S. and McBride, S.L. Recovery of cold-worked aluminium at low temperatures, 2=23773
- Hutchison, T.S., McBride, S.L. and Rogers, D.H. Dislocation pinning in aluminum at low temperatures, 2=21017
- Hutchison, T.S. and Rogers, D.H. Ultrasonic damping at kilocycle frequencies in aluminum at low temperatures, 2=8708
- Hutson, A.R., McFee, J.H. and White, D.L. Ultrasonic amplification in CdS, 2=3833
- Hutson, A.R. and White, D.L. Elastic wave propagation in piezoelectric semiconductors, 2=1220
- Hüttner, W. See Zell, W., 2=8096
- Hutton, R. The solar and lunar daily variations of earth currents near the magnetic equator, 2=21676
- Hutton, R. Equatorial micropulsations and ionospheric disturbance currents, 2=24033
- Hutton, V.R. Equatorial micropulsations, 2=15279
- Huus, T. Coulomb excitation, 2=5794
- Huu Xuong Nguyen. See Nguyen Huu Xuong.
- Huxtable, G.B. See Bowen, P.H., 2=1691
- Huxtable, G.B. See Bowen, P.H., 2=7987
- Huxtable, G.B. See Bowen, P.H., 2=13810
- Huybrechts, M. Application of the maximum likelihood method to the estimation of angles between charged particle trajectories in bubble chamber, 2=7799
- Huybrechts, M. Application of the maximum likelihood method to the estimation of the magnetic curvature of charged particle trajectories in bubble chamber, 2=7800
- Huyghe, J. and Mondin, H. Heat transfer on admixture of liquid and gas by forced turbulent convection with slight vaporization of the liquid phase, 2=1292
- Huyghe, J. and Mondin, H. Heat transfer by a liquid film and mist with slight vaporization of the liquid phase, 2=1293
- Huyghe, J. and Mondin, H. and Villeneuve, J. Heat transfer on admixture of liquid and gas by forced turbulent convection with slight vaporization of the liquid phase, 2=1291
- Huynh, V.D. See Bianchi, G., 2=9865
- Huynh, V.D. See Corge, C., 2=295

- ynkh, V.D. See Corge, C., 2=388
 ynkh, V.D. See Corge, C., 2=415
 ynkh, V.D. See Corge, C., 2=416
 zimura, R., Ato, Y. and Oishi, M. Effects of electron bombardment on germanium. II. Effects of local irradiation and subsequent heating, 2=10463
 zinaga, S. Variational calculation of ethylene, 2=3772
 zinaga, S. Self-consistent field theory for electrons in solids, 2=12394
 zita, H. See Camerini, U., 2=22624
 zita, H. See Ely, R.P., 2=18173
 zita, H. See Ely, P.P., 2=22613
 va, R.C. and Feldman, D. Interpretation of the pion-hyperon resonances, 2=11978
 rams, B.D. See Backenstoss, G., 2=22549
 wang, C.F., Nordby, D.H., Suwa, S. and Williams, J.H. Polarization in proton-He⁺ scattering at 38 MeV, 2=10843
 bl, A. and Marsh, E. Structure factor and least-squares calculation for orthorhombic systems with anisotropic vibrations, 2=10843
 de, F.J. and Roberts, H.J. Minority carrier lifetime in the base regions of transistors, 2=4055
 de, F.J., Roberts, H.J. and Buckingham, B.E. Excess high-frequency noise in junction transistors, 2=6480
 de, F.W. and Fulford-Jones, R. An investigation into the use of colour filters in visual observation, 2=24214
 de, G.M. See Pettengill, G.H., 2=13174
 de, J.S. and Brown, H.W. E.P.R. Study of tetracene positive ion, 2=18477
 lleraa, E.A. On the practical solution of the relativistic one-electron equation. II, 2=1064
 lleraa, E.A. The representation of spinors, 2=11870
 rman, L.G. Scattering of photons by protons, 2=7855
 chuk, K.D., Lytovchenko, N.M. and Miselyuk, O.H. Investigation of the recombination of charge carriers in germanium, doped with impurities. III. Germanium doped with Ag and Au, 2=18683
 nds, R.J. Time variations of the electronic component of the cosmic radiation, 2=9974
 ysell, R.E. See Ozarow, V., 2=23408
 ung Kyu Shin. See Giddings, J.C., 2=4533
 odo, T. Backscattering of gamma rays, 2=7841
 i, G., Quercia, I.F. and Turrisi, E. Positrons annihilation in water and ice with an external magnetic field, 2=13776
 ndelli, A. The magnetic susceptibility of some semimetallic compounds of samarium and gadolinium, 2=8605
 niello, L. and Burr, A. Effect of some rare-earth elements on the h.c.p.-b.c.c. transformation of zirconium, 2=21546
 mini, A.A. See Lavine, J.M., 2=18724
 rygin, P.I. See Bekkerman, I.M., 2=1739
 strebov, S.S. Magnetic-field automatic scanning in the mass spectrometer MS-2M, 2=1525
 ele, W.E. See Eckert, E.R.G., 2=7424
 ers, J.A. Remarks on potential peak shapes and on the direction of light atoms in the presence of heavy atoms, 2=819
 ers, J.A. Remarks on electron density peak shapes, 2=820
 ers, J.A. Effects of bonding on electron diffraction values of bond distances involving hydrogen atoms in solids, 2=10824
 ers, J.A. Current status of electron scattering factor calculations, 2=22915
 ers, J.A. and Swalen, J.D. Paramagnetic resonance line shapes and magnetic parameters of polycrystalline substances, 2=21359
 ers, J.A. See Snyder, R.G., 2=6203
 ers, J.A. See Swalen, J.D., 2=12308
 ers, J.A. See Swalen, J.D., 2=16528
 ragimov, M.K., Subbotin, V.I. and Ushakov, P.A., Investigation of heat transfer for turbulent flow of heavy liquid metals in tubes, 2=19740
 ragimov, M.K. See Subbotin, V.I., 15769
 ragimov, N.I. and Kuliev, A.A. Electrical transport of thallium in polycrystalline selenium, 2=18611
 ragimov, S.S., Lyashenko, V.S. and Zavyalov, A.I. An investigation of the structure and properties of several steels and other metals after irradiation with fast neutron, 2=12489
 ragimov, Sh.Sh. The effect of fast neutrons on certain properties of iron-carbon alloys, 2=23767
 ragimov, Sh.Sh. See Boronin, I.M., 2=10430
 ki, S., 2=2262
 imaru, S., Pines, D. and Rostoker, N., Observation of critical fluctuations associated with plasma-wave instabilities, 2=11683
 imiya, T. See Miyazaki, S., 2=17154
 imescu, A. See Agirbiceanu, I., 2=8102
 imiya, T. See Dote, T., 2=6942
 inose, H. and Kuczynski, G.C. Role of grain boundaries in sintering, 2=8872
 ichtchenko, G. See Consoli, T., 2=19958
 ichtchenko, G. See Consoli, T., 2=1418
 ida, M. and Maki, K., On vertical representation of Bethe-Salpeter amplitudes, 2=3266
 iddings, C.K. See Feynman, R.P., 2=18557
 iddings, G.M. See Bonner, N.A., 2=16341
 iernetti, G. See Cernigoi, C., 2=1487
 igata, N. See Hasiguti, R.R., 2=21407
 igata, N. See Hasiguti, R.R., 2=23884
 Igi, K. π -N scattering lengths and singularities in the complex J plane, 2=20402
 Igi, K. and Miyamoto, Y. Resonance in the K- π system, 2=5734
 Igi, K. and Shimoda, H. Kaon-nucleon dispersion relation and the hyperon excited states, 2=1668
 Iglitsyn, M.I. See Fistul', V.I., 2=23336
 Ignaczak, J. and Nowacki, W. The plane dynamic problem of thermoelasticity, 2=13287
 Ignat, M. Recent research on the structure of elementary particles, 2=11906
 Ignatchenko, V.A. Spontaneous magnetization of thin ferromagnetic films, 2=742
 Ignatchenko, V.A. See Kirenskii, L.V., 2=741
 Ignatchenko, V.A. See Kirenskii, L.V., 2=14817
 Ignatenko, A.E., Kupstov, A.B., Li, S.-M., Petrascu, M.G., Yegorov, L.B. and Zhuravlev, G.V. Spin dependence of weak interaction in the process $\mu^- + p \rightarrow n + \nu$, 2=14232
 Ignatenko, A.E., Petrascu, M.G. and Chultem, D. Electronic activation of mesic atoms, 2=14228
 Ignatenko, A.E., Petrashku, M.G. and Chultem, D. Electronic activation of mesic atoms, 2=22930
 Ignatenko, A.E. See Egorov, L.B., 2=22548
 Ignatenko, V.P. Principles of formation and focusing of intense beams of charged particles, 2=7664
 Ignatenko, V.P. The electrostatic focusing of intense beams of charged particles in cylindrical-cathode systems, 2=15965
 Ignatenko, V.P. Calculating the electrical conductivity of alkali metal and copper vapours, 2=21949
 Ignatenko, V.P. Production of convergent ribbon beams of charged particles with high current densities, 2=22277
 Ignat'ev, K.G., Kirpichnikov, I.V. and Sukhoruchkin, S.I. A neutron spectrometer with a "pulsed" cyclotron beam, 2=1696
 Ignat'eva, I.V. See Lur'e, M.S., 2=16789
 Ignatkov, V.D. and Kosenko, V.E. Diffusion of tellurium in germanium, 2=21063
 Ignatov, A.A. See Yurova, L.N., 2=18127
 Igo, G., Lorenz, W. and Schmidt-Rohr, U. Elastic scattering of 11-8 MeV deuterons from several elements, 2=478
 Igo, G., Lorenz, W. and Schmidt-Rohr, U. Elastic scattering of 11-8 MeV deuterons from several elements, 2=10132
 Iguchi, K. Exciton processes in molecular crystals. I. Vibrationally perturbed excitons, 2=23122
 Ihara, C. Nambu model for elementary particles and the composite model for pion, 2=1703
 Iida, S. Mechanism of disaccommodation in ferrites, 2=6673
 Iida, S. See Siratori, K., 2=23079
 Iida, S. See Van Uitert, L.G., 2=21264
 Iijima, K. See Kato, H., 2=13528
 Iijima, T. See Morino, Y., 2=10267
 Iijima, T. See Morino, Y., 2=22954
 Inuma, T.A. and Burch, P.R.J. The γ -ray performance of a large volume plastic scintillator, 2=20294
 Iitaka, Y. and Nowacki, W. A redetermination of the crystal structure of galenobismuthite, PbBi₂S₄, 2=15035
 Izima, S. and Kikuchi, M. Preparation of gallium phosphide crystals and their etch pattern, 2=809
 Iizuka, J., $K\pi$ resonance effect to the form factors in the Kl_3 decays, 2=3398
 Iizuka, J. A remark on the anomalous magnetic moment of the hyperons, 2=20426
 Iizuka, J. and Ohme, R. Model of pionic hyperon decay, 2=9923
 Ikaunieks, Ya. Statistical relations of the titanium long period variable stars, 2=21718
 Ikaunieks, Ya. Period-luminosity relation of the titanium long-period variable stars, 2=21719
 Ikeda, I. Precise determination of wavelength with an ultrasonic interferometer, 2=7308
 Ikeda, K. Generalized theory of condensing systems, 2=131
 Ikeda, K., Marumori, T. and Takada, K. First 0^+ state in O^{16} , 2=20520
 Ikeda, K., Fujii, S. and Fujita, F.I. On resonance peaks in the (p, n) reactions, 2=20619
 Ikeda, K. See Yosida, T., 2=15810
 Ikeda, M. and Boynton, R.M. Effect of test-flash duration upon the spectral sensitivity of the eye, 2=13223

- Ikeda, M. and Miyachi, Y. On the static and spherically symmetric solutions of the Yang-Mills field, 2=11852
- Ikeda, M., Ogawa, S. and Ohnuki, Y. The full symmetry theory of the Sakata model, 2=11911
- Ikeda, M. See Fujitani, T., 2=7134
- Ikeda, M. See Fujitani, T., 2=7135
- Ikeda, M. See Fujitani, T., 2=15473
- Ikeda, T. and Fushimi, S. Preliminary study on the growth of lead zirconate-titanate crystals, 2=21475
- Ikeda, T., Tanaka, Y. and Toyoda, H. Piezoelectric properties of triglycine sulphate, 2=6531
- Ikeda, T., Tanaka, Y. and Toyoda, H. Piezoelectric properties of triglycine sulphate, 2=23508
- Ikegami, H. and Udagawa, T. Structure of Sn^{120} and the effect of the pairing correlation on the reduction of E2 transition in Sn^{118} and Sn^{120} , 2=384
- Ikegami, H., Yamazaki, T., Sakai, M. and Sugiyama, K. New level scheme of Pt^{186} , 2=10022
- Ikegami, H. See Kimura, K., 2=15970
- Ikegami, H. See Miyazaki, S., 2=17154
- Ikegami, H. See Sakai, M., 2=20567
- Ikegami, H. See Yamazaki, T., 2=5855
- Ikegami, H. See Yamazaki, T., 2=20571
- Ikegami, S., Ueda, I. and Ise, Y. Optical absorption and electrical conductivity of reduced BaTiO_3 single crystal, 2=2224
- Ikegami, S., Ueda, I., Kizaka, S., Mitsuishi, A. and Yoshinaga, H. Far infrared reflectivity of BaTiO_3 , 2=23515
- Ikegami, S. See Ogiwara, H., 2=18775
- Ikenoue, K. Rotational structure of the band spectrum of S_2 molecule. II, 2=6154
- Ikonnikov, D. S. See Gusev, V. M., 2=13606
- Ikuhima, A. and Suzuki, T. Internal friction of LiF at low temperatures, 2=8709
- Ikuhima, H. See Hayakawa, S., 2=23155
- Ilakovac, K., Kuo, L. G., Petravic, M. and Slaus, I. Attempt to determine the n-n scattering length from the reaction $\text{D}(n, p)2n$, 2=1689
- Ilakovac, K., Kuo, L. G., Petravic, M. and Slaus, I. An attempt to determine the n-n scattering length from the reaction $\text{D}(n, p)2n$, 2=1729
- Ilakovac, K., Kuo, L. G., Petravic, M., Slaus, I. and Tomas, P. Deuteron angular distributions from the reaction $\text{V}^{51}(n, d)\text{Ti}^{50}$ at 14.4 MeV, 2=1900
- Ilakovac, K. See Cerineo, M., 2=1693
- Ilakovic, K., Kuo, L. G., Petravic, M., Slaus, I. and Thomas, P. Proton spectra from the reaction $\text{D}(n, p)2n$ at 14.4 MeV, 2=1728
- Il'enko, B. P. and Zykov, V. G. An experimental determination of the region of magnetic surfaces bounded by a separatrix, 2=19972
- Iles, P. A. The present status of silicon solar cells, 2=11602
- Iles, P. A. and Leibenhaut, B. Diffusant impurity-concentration profiles in thin layers on silicon, 2=23208
- Ilias, D. See Anastasiades, M., 2=11052
- Iliasavskii, Yu. V. The piezoresistance effect in PbTe and PbSe , 2=21225
- Ilic, R. P. See Jovanovic, D. T., 2=7681
- Iliescu, C., Leibovici, I. and Haltrich, S. On the accuracy of the magnetic field index measurements with search coils, 2=22294
- Iliescu, C. See Ciorascu, F., 2=20084
- Iliescu, C. C. Magnetic field distribution generated by pole face windings of nuclear instrument magnets, 2=11755
- Iliescu, C. C. Study of typical values of the magnetic fields used in nuclear apparatus with strong or weak focusing, 2=22284
- Iliescu, N. A. See Bally, D., 2=7698
- Iliescu, N. See Bally, D., 2=14698
- Iliescu, N. See Bally, D., 2=23583
- I Lin. See Hoshizaki, N., 2=3287
- Il'in, N. P. Universal X-ray spectrograph for investigation of the chemical composition in microvolumes, 2=17110
- Il'in, R. N. and Solov'ev, E. S. Ionization of argon by nitrogen and oxygen ions, 2=11617
- Il'in, R. N. See Afrosimov, V. V., 2=153
- Il'in, R. N. See Solov'ev, E. S., 2=13540
- Il'in, V. E. Dislocation etch figures in InSb , 2=18580
- Il'in, V. E. Dislocation etch figures in InSb , 2=21030
- Il'in, V. V. See Berlovich, E. E., 2=13989
- Il'in, V. V. See Berlovich, E. E., 2=13990
- Il'ina, E. V. See Gol'dfarb, B. M., 2=7585
- Il'ina, M. A. and Kurova, I. A. Effect of unilateral compression on the electric properties of p-type Ge at low temperatures, 2=634
- Il'ina, M. A. and Kurova, I. A. Effect of unilateral compression on the electric properties of p-type Ge at low temperatures, 2=23346
- Il'ina, V. A., Kritskaya, V. K. and Kurdyumov, G. V. Investigation of the intensity of X-ray reflections from cold-deformed metals, 2=23931
- Illinger, K. H. Dispersion and absorption of microwave in gases and liquids, 2=19626
- Il'inskaya, T. A. See Bak, M. A., 2=1939
- Il'inskii, A. I. See Palatnik, L. A., 2=6745
- Il'inskii, A. I. See Palatnik, L. S., 2=8876
- Ilisavskii, Yu. V. The piezoresistance effect in p-type Bi_2Te_3 , 2=4028
- Ilisavskii, Yu. V. Elastic constants of Bi_2Te_3 at 300°K, 2=8702
- Ilisavskii, Yu. V. Elastic constants of Bi_2Te_3 at 300°K, 2=10733
- Ilisavskii, Yu. V. Effect of uniaxial deformation on the electrical conductivity of bismuth telluride and bismuth selenide, 2=16716
- Ilisavskii, Yu. V. Effect of uniaxial deformation on the electrical conductivity of bismuth telluride and bismuth selenide, 2=18695
- Ilisavskii, Yu. V. The piezoresistance effect in PbTe and PbSe , 2=18
- Ilisavskii, Yu. V. and Yakhkind, E. Z. Piezoresistance effect in n-type PbS , 2=23403
- Illinger, K. H. Erratum and addendum: atomic polarization. IV. Temperature dependence of the vibrational polarization of gases, 2=8073
- Illinger, K. H. and Freeman, D. E. Temperature dependence of infrared and Raman intensities, 2=22945
- Ilyin, V. V. See Berlovich, E. E., 2=22765
- Il'yinskii, O. I. See Palatnik, L. S., 2=19021
- Imai, I. Experimental study of exciton absorption in PbI_2 , 2=8518
- Imai, I. See Fukai, M., 2=23135
- Imai, N. Aggregation of polyelectrolytes in solutions, 2=7049
- Imai, T., Kamata, K., Kawasaki, S., Murakami, K. and Ogita, N. On the altitude variation of extensive air showers in the upper half of the atmosphere, 2=13919
- Imai, T., Kamata, K., Kawasaki, S., Murakami, K. and Takeuchi, H. The altitude variation of air showers, 2=3433
- Imai, T., Kamata, K., Kawasaki, S. and Murakami, K. F.M. chamber applied to zenith angle detection of air shower particles, 2=3434
- Imai, Y. and Kumazawa, M. Study of sintering process of titanium carbide by measuring the change in electrical resistivity, 2=684
- Imai, Y. and Miyazaki, T. Study on A_3 transformation of dispersion-strengthened iron, 2=23868
- Imamura, G. See Ryu, N., 2=17905
- Imamutdinov, F. S. Fine structure and hyperfine structure of paramagnetic resonance rotation, 2=14830
- Imangulova, N. I. See Sytaya, E. P., 2=17862
- Imangulova, N. I. See Sytaya, E. P., 2=20012
- Imas, Ya. A. Detection of illumination pulses by a bolometer, 2=285
- Imelik, B. See Fraissard, J., 2=19172
- Imhof, W. L., Johnson, R. G., Vaughn, F. J. and Walt, M. Cross sections for the $\text{B}^{11}(n, \gamma)\text{B}^{12}$ reaction, 2=5935
- Imre, K. Oscillations in a relativistic plasma, 2=9606
- Imre, L., Fábri, G. and Dézsi, I. New method for producing RaD -standards, 2=12150
- Imrie, K. S. Simple peak voltmeter for nanosecond pulses, 2=115822
- Imshennik, V. S. On the thermal conductivity of plasma, 2=5329
- Imshennik, V. S. Structure of shock waves in a high temperature dense plasma, 2=7601
- Imshennik, V. S. and Morozov, Yu. I. Instability of a beam of charged particles in an electron plasma, 2=11649
- Imura, T., Weissmann, S. and Slade, J. J., Jr. A study of age-hardening of Al-3-85% Cu by the divergent X-ray beam method, 2=19094
- In Seb Do. See Do In Seb.
- In' Shi-duan' [Yin Shih-tuan] and Regel', A. R. The effect of the defect of tellurium films on the magnitude of the ratio between the mobilities for electrons and holes, 2=2172
- In' Shi-duan' [Yin Shih-tuan] and Regel', A. R. Special features of the electrical properties of tellurium films containing selenium impurity, 2=2173
- In' Shi-duan' [Yin Shih-tuan] and Regel', A. R. Electric properties of amorphous tellurium films and the effect of impurities on the conditions of their crystallization, 2=8284
- In' Shi-duan' [Yin Shih-tuan] and Regel', A. R. Electric properties of amorphous tellurium films and the effect of impurities on the conditions of their crystallization, 2=14500
- Inaba, H. and Siegman, A. E. Microwave photomixing of optical maser outputs with a PIN-junction photodiode, 2=22016
- Inada, T. See Macklin, R. L., 2=24082
- Indenbaum, G. V., Novikov, I. I. and Popov, D. N. Channels and macroscopic etch figures in single crystals of pure aluminium, 2=1284
- Indenbaum, G. V., Novikov, I. I. and Popov, D. N. Channels and macroscopic etch figures in single crystals of pure aluminium, 2=190
- Indenbaum, G. V. See Zelikman, A. N., 2=4422
- Indenbom, V. L. On fracture criteria in dislocation theories of strength, 2=10769
- Indenbom, V. L. Thermodynamic theory of ferroelectricity, 2=1677
- Indenbom, V. L., Nikitenko, V. I. and Milevskii, L. S. Observations of internal stresses around dislocations in silicon, 2=6725
- Indenbom, V. L., Nikitenko, V. I. and Milevskii, L. S. Optical polarization analysis of the dislocation structure in a crystal, 2=12431

- denbom, V.L., Nikitenko, V.I. and Milevskii, L.S. Optical polarization analysis of the dislocation structure in a crystal, 2=4441
- denbom, V.L. and Orlov, A.N. Physical theory of plasticity and strength, 2=18993
- ndmathi, S. See Bhamathi, G., 2=1654
- der Smitten, F.J. and Lange, H. Investigations into the magnetic behaviour of thin layers of γ -Fe₂O₃ under the influence of fields or short duration, 2=12761
- ndreas, G. Magnetometer based on the phenomena of nuclear magnetic resonance, 2=7703
- ndreas, G. and Oganessian, Y. Acceleration of multi-charged ions in a cyclotron of 120 cm polar diameter (Y-120), 2=7687
- ndreas, G. and Oganessian, Yu.Ts. Acceleration of heavy ions with the U-120" 120 c, m cyclotron, 2=7688
- ndreas, G.I. and Oganessian, Yu.Ts. Adjusting a cyclotron for acceleration of multicharged ions, 2=11738
- ndumathi, S. See Bhamathi, G., 2=5745
- ndumathi, S. See Bhamathi, G., 2=13884
- ndumathi, S. See Ramakrishnan, A., 2=3244
- ndumathi, S. See Ramakrishnan, A., 2=5744
- nfeld, E. See Demianski, M., 2=11260
- nfeld, L. Is Planck's constant a constant in a gravitational field?, 2=17341
- ng, S.W., Jr., Morrison, R.E. and Sandor, J.E. Gas permeation study and imperfection detection of thermally grown and deposited thin silicon dioxide films, 2=10943
- ng, S.W., Jr. See Holonyak, N., Jr., 2=18726
- ngalls, R.B., Goodspeed, F.D. and Hardy, J.R. Temperature control of irradiations in a Co-60 hollow cylinder source, 2=17681
- ngalls, R.P., James, J.C. and Stone, M.L. A study of u.h.f. space communication through an aurora using the moon as a reflector, 2=11809
- ngalls, R.P. See Fricker, S.J., 2=4840
- ngarden, R.S. and Urbanik, K. Quantum informational thermodynamics, 2=11291
- ngelstam, E. International Commission for Optics: Nomenclature for Fourier transforms of spread functions, 2=92
- ngelstam, E. Nomenclature for Fourier-transformed and light-distribution functions, 2=5147
- ngelstam, E. Nonlinear transfer terms for optical and photographic image formation. Some attempts at a theoretical and experimental treatment, 2=13436
- ngraham, M. See Elder, F.A., 2=17781
- ngle, G.W., Stockton, F.D. and Hemmendinger, H. Analytic comparison of colour-difference equations, 2=19674
- nglis, D.R. Nuclear models, threshold states and rearrangement energy, 2=5781
- nglis, D.R. Heavy-particle stripping and the structure of Li⁶, 2=14142
- nglis, D.R. Nuclear models and surfaces, 2=20489
- ngold, J.H. Thermionic properties of HfC, 2=3070
- ngraham, R.L. Theory of the potential well produced by multipacting electrons. I. Very low-pressure regime, 2=1400
- ngraham, R.L. Stochastic Lorentz observers and the divergences in quantum field theory, 2=16110
- ngraham, R.L. Relativistic invariance and the tacit uniqueness postulate in quantum field theory, 2=22388
- ngram, D.J.E. Electron spin resonance underlying principles and practical applications, 2=20175
- ngram, D.J.E. See Smith, M.J.A., 2=16933
- ngram, G.R. See Adams, R.O., 2=11418
- ngram, P. and Jerrard, H.G. Theories of the dielectric properties of macromolecular solutions, 2=1162
- man, D. A glass-contained reference electrode for molten nitrate solvents, 2=17095
- an, E.C.Y. Further comments on the origin of the D-region, 2=11060
- an, E.C.Y. See Gunton, R.C., 2=3030
- nas Ali, M. On the radio-frequency system of a 30 MeV microtron. II, 2=1541
- no, T. Diffraction intensity by a bounded radial distribution function, 2=22958
- no, S., Watanabe, D. and Ogawa, S. Epitaxial growth of metals on rocksalt faces cloven in vacuum, 2=16996
- no, T. Studies on the radial distribution analysis in diffraction methods. III. Extrapolation of intensity data to small scattering angle, 2=2439
- okuma, T. The magnetic properties of iron-germanium alloys, 2=10651
- okuti, M. Note on Magee-Funabashi's theory of excitation migration, 2=13281
- opin, Ye.V. Stripping of alpha particles from Be⁹, C¹² and O¹⁶ nuclei, 2=8011
- opin, Ye.V. and Berezhnoi, Yu.A. Effect of smearing out of nucleus boundaries on diffraction scattering, 2=20578
- opin, Ye.V. and Tishchenko, B.I. Deformation of light nuclei, 2=12103
- Inoue, M. Landau levels and cyclotron resonance in graphite, 2=16640
- Inoue, M., Teramoto, I. and Takayanagi, S. Etch pits and polarity in CdTe crystals, 2=19044
- Inoue, T. On the generalized Nilsson diagram, 2=5795
- Inoue, T. See Sugiyama, A., 2=16287
- Inoue, Y. See Teranishi, E., 2=12187
- Inskeep, C.N. Considerations in the development and use of very thin diffused-junction counters suitable for $\Delta E/\Delta x$ detection, 18018
- Inui, T. See Hanamura, E., 2=16638
- Inuishi, Y., Kotani, K. and Tsurumi, I. Surface field effect and noise in Ge grain boundary, 2=2145
- Inuishi, Y., Shirafuji, J. and Hamaguchi, C. Effects of crystal imperfections on photoconduction of CdS single crystals, 2=12544
- Inuishi, Y. and Sung, Y. Electric conduction and breakdown in γ -ray irradiated KCl single crystals, 2=12572
- Inuishi, Y. and Sung, Y.K. Photoconduction of γ -ray irradiated KCl single crystals at higher electric field, 2=4066
- Inuishi, Y., Uematsu, S. and Shirafuji, J. X-ray pulse induced photoconductivity in CdS single crystal, 2=12543
- Inuishi, Y. See Chong, P., 2=9288
- Inuishi, Y. See Chong, P., 2=11384
- Inuishi, Y. See Edagawa, H., 2=21164
- Inuishi, Y. See Kubo, U., 2=9600
- Inuishi, Y. See Matsuura, K., 2=18691
- Inuishi, Y. See Matsuura, K., 2=23223
- Iodko, M.G., Romanov, V.A. and Tuchkevich, V.V. Relative intensities of Lu¹⁶⁹ and Lu¹⁷¹ conversion electrons, 2=16364
- Iodko, M.G. See Tuchkevich, V.V., 2=16366
- Ioffe, B.L. Violation of the $\Delta Q = \Delta S$ rule in leptonic decays of K-mesons and behaviour of weak interactions of high energies, 2=18179
- Ioffe, B.L. See Gribov, V.N., 2=20264
- Ioffe, S.B. and Drichko, N.M. A birefringent filter for astrophysical studies of the sun in the k line of ionized calcium, 2=928
- Ioffe, V.A., Leonov, A.I. and Yanchevskaya, I.S. Nature of the high permittivity of cerium aluminates with perovskite structure, 2=21207
- Ioffe, V.A. and Yanchevskaya, I.S. Resonant dielectric loss in aluminium silicates, 2=21208
- Ioffe, V.A. and Zonn, Z.N. Glasses with high dielectric permeability, 2=4084
- Ioffe, V.I. See Gurevich, L.E., 2=23295
- Iogansen, L.V. Resonance diffraction of waves in lamellar inhomogeneous media, 2=117
- Iogansen, L.V. On the role of dimensional limitations of total reflection resonance filters, 2=7380
- Iogansen, L.V. Totally reflecting resonance filter of limited size. I, 2=15738
- Iolin, E.M. See Damburg, R.Ya., 2=18411
- Iomtev, M.B. See Tsekanskaya, Yu.V., 2=17502
- Ionescu, G. Calculation of gamma-doses received by moving bodies, 2=5827
- Ionescu, T.V. The activation potential of negative molecular ions (H₂⁻), 2=157
- Ionescu, T.V. Absorption and emission of energy by the negative ions of molecular hydrogen and oxygen, 2=5306
- Ionescu, S. and Gherghescu, A. Study of the processes [occurring] at the metal-solution interface in the system Cd/Cd²⁺, by means of Cd¹¹⁵ as tracer, 2=21589
- Ionescu-Bujor, C. Optical transformations, 2=11467
- Ionescu-Pallas, N.J. Calculation of effective quantum numbers of heavy atoms, 2=6085
- Ionescu-Pallas, N.J. Contributions to the statistical theory of heavy nuclei, 2=12113
- Ionescu-Pallas, N.J. Relativistic developments of hyperfine structure, 2=18399
- Ionescu-Pallas, N.Zh. Selective filling of Zeeman levels in atoms of alkali metals, 2=1962
- Ionescu, E. See Filip, A., 2=6047
- Ionides, P.A. General equivalence theorem in vector field theory, 2=1649
- Ionita, G. Relativistic metrics of toroidal systems, 2=7714
- Ionov, N.I. See Zandberg, E.Ya., 2=3086
- Iordanishvili, E.K. and Trakhtbrot, V.N. Thermoelectric properties of Bi₂Te₃-Bi₂Se₃ in the temperature range 77-630°K, 2=18756
- Iordanskii, S.V. Electron plasma oscillations between two electrodes, 2=7634
- Iordanishvili, E.K. and Trakhtbrot, B.M. Thermoelectric properties of Bi₂Te₃-Bi₂Se₃ in the temperature range 77-630°K, 2=16763
- Iorgulescu, A. and Oncescu, M. Radioactivity fall-out in 1960 in Bucharest, 2=7936
- Iorgulescu, A. See Blanaru, D., 2=7937
- Iorgulescu, S. See Bally, D., 2=7698
- Iori, I. See Bassani, G., 2=20646
- Iori, I. See Colli, L., 2=20650

- Iori, I. See Colli, L., 2-14117
- Iorulesku, Sh. See Balli, D., 2-14698
- Iosifescu, B. See Comsa, G., 2-7262
- Iosifescu, B. See Comsa, G., 2-7264
- Iosifescu, B. See Komasa, G., 2-17860
- Iosifescu, M. α - γ angular correlation for the favour α transitions, 2-12155
- Iosilevskii, Ya. A. See Kagan, Yu., 2-8156
- Iouleas, P. G. See Anastasiades, M., 2-11052
- Iova, I. See Badareu, E., 2-1407
- Iovan, M. See Gelberg, A., 2-7793
- Ipatkin, I. S., Stepanov, B. M. and Shatsukevich, A. F. Recording of an X-ray pulse by an electron multiplier, 2-7697
- Ipatova, I. P. and Kazarinov, R. F. The Faraday effect for excitons, 2-589
- Ipatova, I. P. and Kazarinov, R. F. The Faraday effect for excitons, 2-23125
- Ipatova, I. P. See Gurevic, L. E., 2-23525
- Irani, K. S., Sinha, A. P. B. and Biswas, A. B. Effect of temperature on the structure of manganites, 2-14923
- Irani, R. R. and Ames, D. P. Size of irregular particles, 2-1099
- Iredale, P. The non-proportional response of NaI(Tl) crystals to γ -rays, 2-5519
- Iredale, P. The effect of the non-proportional response of NaI(Tl) crystals to electrons on the resolution for γ -rays, 2-5520
- Ireland, J. G. On the synchrotron radiation from the disk of the galaxy, 2-1016
- Ireland, J. V. See Islam, M., 2-13539
- Ireland, W. and Mawdsley, J. Radio echoes from field-aligned ionization at the magnetic equator, 2-20164
- Iribarne, J. V. See Cohan, N. V., 2-14597
- Iribarne, J. V. See De Pena, R. G., 2-23101
- Irie, T. See Ono, T., 2-18759
- Irish, D. E. See Walrafen, G. E., 2-19562
- Irkhin, Yu. P. Theory of the X-ray K-absorption spectra of transition metals, 2-8542
- Irkhin, Yu. P. Theory of the X-ray k-absorption spectra in transition metals, 2-23580
- Irkhin, Yu. P. and Shavrov, V. G. Contribution to the theory of the spontaneous Hall effect in ferromagnetics, 2-14505
- Irekhin, Yu. P. See Shepeleva, I. M., 2-8543
- Irmay, S. Exact linearization of steady flow equations of ideal fluids, 2-15550
- Irmer, J. and Stipits, P. The drift mobility and lifetime of photoelectrons in AgBr at room temperature, 2-4070
- Irons, H. See Riel, G. K., 2-9510
- Irons, H. R. All-magnetic logic elements using strained permalloy wire, 2-13639
- Irsa, A. P. See Friedman, L., 2-9525
- Irvine, J. W., Jr. See Bowen, L. H., 2-20671
- Irvine, T. F., Jr. See Eckert, E. R. G., 2-7424
- Irving, B. A. The chemical polishing of germanium, 2-8780
- Isaac, E. D. See Bates, L. F., 2-10656
- Isaacs, G. L. See Fraser, D. A., 2-11601
- Isaacs, L. L. and Garland, C. W. Heat capacity of crystalline polyethylene from 1.8°K to 5.3°K, 2-14380
- Isabelle, D. B. and Bishop, G. R. Excitation of O^{16} by the inelastic scattering of electrons, 2-432
- Isabelle, D. B. See Bishop, G. R., 2-20531
- Isaenko, V. I. See Egorova, V. F., 2-23185
- Isaenko, V. I. See Varyukov, M. P., 2-19716
- Isaev, B. M. See Bregadae, Iu. J., 2-18033
- Isaev, F. K. See Khalikov, A. Kh., 2-23601
- Isakov, A. I. Non-stationary elastic slowing down of neutrons in graphite and iron, 2-471
- Isakov, A. I. Non-stationary elastic slowing down of neutrons in graphite and iron, 2-22827
- Isakovich, M. A. A resonance device of solid material for the focusing of ultrasound, 2-21982
- Isakovich, M. A. and Roi, N. A. An acoustic method for the measurement of the mechanical parameters of meteorites, 2-13119
- Ise, N. Second virial coefficient of polyelectrolytes, I, 2-17456
- Ise, Y. See Ikegami, S., 2-2224
- Isenberg, C. See Domb, C., 2-12381
- Iserebant, C. See Robbrecht, G., 2-12390
- Iserebant, C. See Robbrecht, G., 2-12391
- Ishi, Z. Observations of dislocation images in Ge by anomalous transmission method, 2-16659
- Ishida, K., Shimokawa, J. and Yamamoto, Y. Effect of the surface diffusion on the separation efficiency, 2-7238
- Ishida, R. Ionization of alkali elements in flame, 2-3002
- Ishida, S. and Nakazawa, K. Pion-pion interaction: resonances corresponding to ρ and ω -particles, 2-9912
- Ishiguro, K. See Sasaki, T., 2-18787
- Ishiguro, M. and Sugioka, E. Dichroism in additive coloured KCl:OH, 2-10419
- Ishiguro, Y. and Ushita, T. Characteristics of the special spark-gap possessing protruding needle, 2-9543
- Ishihara, T. Lattice thermal conductivity in AgSbTe₂-SnTe as deduced from the calculation of electronic thermal conductivity, 2-18538
- Ishihara, T. and Yasuno, M. Remarks on interacting many-fermion system, 2-1669
- Ishii, T. See Ueta, M., 2-23221
- Ishikawa, H. and Noyes, W. A., Jr. Photosensitization by benzene vapour biacetyl. The triplet state of benzene, 2-20844
- Ishikawa, K. See Hibi, T., 2-17864
- Ishikawa, K. See Hibi, T., 2-17865
- Ishikawa, M. See Miya, K., 2-9721
- Ishikawa, T. See Nagai, K., 2-10895
- Ishimaru, A. See Dobrott, D., 2-7770
- Ishimaru, A. See Hasslerjian, G., 2-16010
- Ishimatsu, T., Nakashima, T., Kato, N. and Morita, S. 90°-excitation functions for the $N^{14}(d, \alpha)C^{12}$ ground-state and first excited state reactions, 2-20664
- Ishimatsu, T. See Maki, T., 2-20665
- Ishimatsu, T. See Morita, S., 2-489
- Ishiwari, R. Elastic and inelastic scattering of protons by Be⁹ in the energy region from 6.1 to 7.3 MeV, 2-5899
- Ishiwari, R. See Kimura, K., 2-5898
- Ishiwari, R. See Kimura, K., 2-15970
- Ishizuka, T. See Shoda, K., 2-12180
- Ishizuka, T. See Shoda, K., 2-12181
- Ishizuka, T. See Shoda, K., 2-16381
- Ishkin, I. P. See Filippova, G. P., 2-5031
- Ishkin, I. P. See Filippova, G. P., 2-9291
- Ishlinskii, A. Yu. and Barenblatt, G. I. The impact of an elastoplastic on a rigid barrier, 2-21858
- Ishmukhametov, B. Kh. See Vlasov, K. B., 2-23642
- Ishmukhametov, B. Kh. See Vlasov, K. B., 2-8598
- Ishu, H. and Nakayama, K. A serious error caused by mercury vapour stream in the measurement with McLeod gauge in the cold trap system. (Effect of the diffusion of nitrogen in the mercury vapour), 2-11433
- Ishihara, A. and Hanks, R. V. Statistical theory of dielectric fluids, 2-11433
- Isirikyan, A. A. and Kiselev, A. V. Adsorption isotherms of nitrogen, benzene, and n-hexane and the heats of adsorption of benzene and n-hexane on graphitized carbon blacks. II. Adsorption on graphitized channel blacks, 2-10944
- Isirikyan, A. A. and Kiselev, A. V. Adsorption isotherms of nitrogen, benzene and n-hexane and the heats of adsorption of benzene and n-hexane on graphitized carbon blacks. III. The thermodynamic characteristics of adsorption equilibria, 2-10945
- Iskra, B. D. See Samoilovich, A. G., 2-6440
- Iskra, V. D. See Samoilovich, A. G., 2-3893
- Iskra, V. D. See Samoilovich, A. G., 2-8202
- Iskra, B. D. See Samoilovich, A. G., 2-10454
- Islam, M., Hasted, J. B., Gilbody, H. B. and Ireland, J. V. Charge transfer reactions of doubly charged ions, 2-13539
- Islam, M. M. Low energy K^{-} -p scattering and $\bar{K}N$ bound states, 2-13539
- Ismail, A. Z. M., Kenyon, I. R., Key, A. W., Lokanathan, S. and Prakash, Y. The τ -decay of a helium hypernucleus, 2-18247
- Ismail, L. See Chackett, K. F., 2-20623
- Ismailzade, I. G. X-ray diffraction studies of some new ferroelectric with laminar structure, 2-17026
- Iso, C. Selection rules imposed by the symmetrical Sakata model, 2-20245
- Iso, C. Two-neutrino hypothesis and lepton-baryon symmetry, 2-20245
- Iso, C. See Barshay, S., 2-9914
- Isobe, E. See Honjo, G., 2-23939
- Ispiryan, K. A. See Alikhanyan, A. I., 2-3295
- Israel, G. Determination of the atmospheric pressure from a Véron rocket, 2-6928
- Israëli, G. and Vassy, A. Mesospheric temperatures obtained by measurement of rockets: relationship with ozone, 2-11012
- Israel, W. and Trollope, R. New possibilities for a unified field theory, 2-27
- Isles, G. L. See Dixon-Lewis, G., 2-7352
- Israëli, H. Comparability of radioactivity measurements, 2-8978
- Issendorff, H. v. See v. Issendorff, H., 2-14504
- Issi, J. P. See Luyckx, A., 2-14504
- Issi, J. P. See Luyckx, A., 2-14506
- Istomin, V. G. Investigation of the composition of the Earth's atmosphere on geophysical rockets 1957-1959, 2-8981
- Istomin, V. G. Some results of positive-ion mass spectrum measurements on Sputnik III, 2-8987

- omin, V.G. Variation in positive-ion concentration with altitude from data of mass-spectrometry measurements on the third satellite, 2=8989
- omin, V.G. Rocket and satellite studies of the ionic composition of the earth's atmosphere, 2=13021
- omin, V.G. Investigation of the composition of the earth's atmosphere on geophysical rockets 1957-1959, 2=15214
- omin, V.G. Absolute concentrations of the ion components of the earth's atmosphere at heights between 100 and 200 km, 2=19222
- omin, V.G. Ions of extra-terrestrial origin in the earth's atmosphere, 2=19223
- omina, A.G. and Keirim-Markus, I.B. Maximum permissible fluxes of intermediate energy neutrons and their measurements, 2=13204
- upov, V.A., Agranovskaya, A.I. and Khuchua, N.P. Some physical properties of ferroelectric lead ferroniobate and ferrotantalate, 2=18769
- upov, V.A. See Smolenskii, G.A., 2=2206
- okura, M. See Toyoda, H., 2=16793
- omi, K. See Nakamura, S., 2=1658
- o, A. and Ono, K. Multipolarity of coulomb excitation of As^{75} and Pt^{198} , 2=10008
- o, A. See Ono, K., 2=16918
- o, D., Ragusa, S. and Zimerman, A.H. On the universality of weak interactions, 2=9780
- o, K. Stellar synthesis of the proton-rich heavy elements, 2=6983
- o, K. See Hasegawa, H., 2=1744
- o, K. See Hasegawa, H., 2=18203
- o, K. See Shinoda, K., 2=2431
- o, N. See Miyake, S., 2=12071
- o, R. See Okabe, S., 2=1503
- o, S. See Miyajima, S., 2=195
- o, R. See Mizushima, T., 2=21901
- o, R. See Wada, Y., 2=6732
- o, S. The existence and the uniqueness of regular solution of non-stationary Navier-Stokes equation, 2=21869
- o, T. See Morino, Y., 2=22957
- oh, H. See Ogata, H., 2=10099
- oh, J., Kusaka, R. and Saito, Y. Nuclear magnetic resonance studies of ammonium halides. I. Proton magnetic resonance in single crystals of ammonium chloride and ammonium bromide, 2=10719
- oh, J. and Yamagata, Y. Nuclear magnetic resonance experiments on ammonium halides. II. Halogen nuclear magnetic resonance, 2=10720
- oh, J. See Asayama, K., 2=18957
- oh, K. See Miyagawa, I., 2=14821
- oh, N. and Suita, T. Bleaching of F-centres and formation of complex centres in gamma-irradiated KCl at room temperature, 2=10420
- oh, N. and Suita, T. Effects of impurities on the photoelectric properties of silver chloride crystals, 2=23473
- oh, N. See Akasaka, K., 2=12638
- oh, R. Roles of the hydrogen bond system in biologically important molecules, 2=7049
- okevich, E.S. Electric resistance of cerium at low temperatures and high pressures, 2=14490
- terbeek, A. Van. See Van Iiterbeek, A.,
- ner, W.B., III and Kraus, C.J. Superconducting computers, 2=15859
- ner, W.B., III. See Quinn, D.J., III., 2=11562
- zhaki, R.F. and Alexander, P. The effect of polonium alpha rays on the physical properties of polyethylene and of polymethyl methacrylate, 2=4478
- akin, B.A. See Suetin, P.E., 2=65
- anchenko, A.M. and Kibal'chich, G.A. A pulse amplitude analyser with automatic recording, 2=1359
- anchik, I.I. Macroscopic theory of ferroelectrics, 2=8466
- anchik, I.I. Macroscopic theory of ferroelectrics, 2=14639
- anchukov, N.S. See Blinder, S.M., 2=3778
- anchuk, V.I. See Vsekhsvyatskii, S.K., 2=24118
- anenko, D. and Startsev, A. The classification of the elementary particles, 2=7834
- anenko, D. See Brodskii, A.M., 2=14
- anenko, D. See Brodskii, A.M., 2=15463
- anov, A.A., L'ytina, V.M., Matalin, L.A. and Chubarov, S.I. Millimicro-second time-amplitude converter, 2=19859
- anov, A.G. and Novikov, S.A. Rarefaction shock waves in iron and steel, 2=2758
- anov, A.G., Novikov, S.A. and Tarasov, Yu.I. Spalling in iron and steel, due to rarefaction shock waves, 2=12865
- anov, A.G., Novikov, S.A. and Tarasov, Yu.I. Spalling in iron and steel, due to rarefaction shock waves, 2=14904
- anov, A.P. Study of scattering of light in objects subject to fading, 2=11501
- anov, B.I. See Zagorodnov, O.G., 2=5342
- Ivanov, E. See Macovei, M., 2=20078
- Ivanov, E. See Martalogu, N., 2=5808
- Ivanov, E. See Martalogu, N., 2=5809
- Ivanov, G.A. See Gitsu, D.V., 2=14590
- Ivanov, G.A. See Gitsu, D.V., 2=18755
- Ivanov, G.K. The problem of the scattering of neutrons by molecules, 2=12304
- Ivanov, I.G. See Pines, B.Ya., 2=21059
- Ivanov, M.A. See Efremov, A.I., 2=19298
- Ivanov, N.P. Luminescence efficiency of chlorophyll in different solvents, 2=15602
- Ivanov, O.S. and Virgiliev, Yu.S. The decomposition of the γ -uranium base solid solutions as revealed by X-ray investigations, 2=21555
- Ivanov, R.B., Popov, A.I. and Sorokin, P.V. An improved sensing head for an autodyne nuclear magnetometer, 2=17926
- Ivanov, R.B. See Dzhelepov, B.S., 2=3503
- Ivanov, R.B. See Dzhelepov, B.S., 2=14015
- Ivanov, R.D. See Spivak, G.V., 2=15094
- Ivanov, R.D. See Spivak, G.V., 2=21320
- Ivanov, R.N. See Kukavadze, G.M., 2=8885
- Ivanov, T.F. Determination of periodic motions of conservative systems with one degree of freedom, 2=11436
- Ivanov, T.F. Determination of periodic motions of conservative systems with one degree of freedom, 2=17522
- Ivanov, V.A. See Groshev, L.V., 2=5799
- Ivanov, V.A. See Groshev, L.V., 2=7930
- Ivanov, V.E., Shapoval, B.I. and Amonenko, V.M. Investigation of phase transformations in zirconium, and beryllium using the method of internal friction, 2=8844
- Ivanov, V.E., Shapoval, B.I. and Amonenko, V.M. Investigation of phase transformations in zirconium, and beryllium by the internal friction method, 2=21544
- Ivanov, V.E. See Vereshchagin, L.F., 2=2690
- Ivanov, V.E. See Verkhorobin, L.F., 2=23205
- Ivanov, V.G. See Davidenkov, N.N., 2=20939
- Ivanov, V.I. The spatial distribution of ions in a liquid, 2=1165
- Ivanov, V.I. and Osipov, K.A. A study of the kinetics of recovery of thermoelectric power in cold-deformed iron, 2=8452
- Ivanov, V.I. and Osipov, K.A. Investigation of the kinetics of recovery of the thermoelectromotive force in cold-deformed iron, 2=23485
- Ivanov, V.M. See Vvedenskii, V.T., 2=19839
- Ivanov, V.P. and Sidorenko, V.V. Choice of parameters for pulsed supply of gas-discharge counters, 2=20180
- Ivanov, V.P. See Sidorenko, V.V., 2=20301
- Ivanov, V.V. Chromospheric line profiles, 2=980
- Ivanov, Yu.L. and R'vkin, S.M. Optical charge exchange in impurity centres and the kinetics of impurity photoconductivity, 2=21193
- Ivanov-Kholodnyi, G.S. and Nikol'skii, G.M. Ultraviolet solar radiation and the transition layer between the chromosphere and the corona, 2=978
- Ivanov-Kholodnyi, G.S. and Nikol'skii, G.M. A prediction of solar line emission in the extreme ultraviolet, 2=24117
- Ivanov-Omskii, V.I. and Kolomiets, B.T. Thermomagnetic effects in n-type gallium antimonide and its alloys with indium antimonide, 2=10487
- Ivanov-Omskii, V.I. and Kolomiets, B.T. The mobility of charge carriers and the effective mass of electrons in alloys in indium and gallium antimonide, 2=14559
- Ivanov-Omskii, V.I. and Kolomiets, B.T. Thermomagnetic effects in n-type gallium antimonide and its alloys with indium antimonide, 2=8360
- Ivanov-Omskii, V.I. and Kolomiets, B.T. The mobility of charge carriers and the effective mass of electrons in alloys in indium and gallium antimonide, 2=12530
- Ivanov-Omskii, V.I. and Kolomiets, B.T. and Chzhou-Khuan [Chou-Huang]. The mobility and effective mass of holes in gallium antimonide, [2=18703]
- Ivanova, I.V. See Efendiev, G.A., 2=12879
- Ivanova, I.V. See Efendiev, G.A., 2=19027
- Ivanova, N.K. See Nikitina, O.I., 2=23982
- Ivanova, V.V. See Solov'ev, S.P., 2=3813
- Ivanova, V.V. See Solov'ev, S.P., 2=16774
- Ivanovsky, M.N. See Subbiton, V.I., 2=15769
- Ivanter, I.G. $K^+ \rightarrow \pi^+ + \pi^0 + e^+ + e^-$, 2=22618
- Ivanter, I.G. Determination of the $K^+ \rightarrow 2\pi + \gamma$ decay amplitude from the dispersion equations and unitarity conditions, 2=22619
- Ivantsov, V.G. See Esel'son, B.N., 2=13498
- Ivan'yskii, P.H. Differential cross-section of (d, p) reactions on Ni isotopes, 2=10139
- Ivan'yskii, P.H. See Pasichnyk, M.V., 2=10138
- Ivascu, M. See Hulubei, H., 2=5903
- Ivascu, M. See Hulubei, H., 2=14092
- Ivascu, M. See Martalogu, N., 2=7794

- Ivascu, M. See Martalogu, N., 2=20635
- Ivash, E.V. Conversion-electron angular correlations for stripping reactions, 2=5956
- Ivash, E.V. and Sweet, R.F. Mass anisotropy and planetary motion, 2=4742
- Ivashku, M. See Khulubei, Kh., 2=16403
- Iveronova, V.I. and Katsnel'son, A.A. Dimensional effect in X-ray diffractograms of polycrystals, 2=8821
- Iveronova, V.I. and Katsnel'son, A.A. Size effect in X-ray photographs of polycrystals, 2=21505
- Ivkov, V.P. See Beresnev, B.I., 2=21775
- Ivlev, D.D. Mathematical description of the behavior of an elastic isotropic solid by means of a piecewise linear potential, 2=17385
- Ivlev, D.D. and Martynova, T.N. On the calculation of compressibility in the theory of ideally plastic media, 2=21861
- Ivlev, D.D. See Ershov, L.V., 2=1091
- Ivlev, V.F. and Prokopenko, V.S. Nucleation and the Barkhausen effect in ferromagnetic films, 2=14783
- Ivory, J.E. Rapid method for measuring Seebeck coefficient as ΔT approaches zero, 2=23490
- Iwai, A. See Otsu, J., 2=13007
- Iwai, T. and Horie, T. An effect of heat treatment on WO_3 single crystal II. Green stripes, 2=21050
- Iwamoto, F. and Sawada, K. Stability of the plane wave Hartree-Fock ground state, 2=11304
- Iwaniszewski, H. See Gorgolewski, S., 2=13156
- Iwao, S. A theory of hyperfragments. II. Mesic decay of hyperfragments, 2=5792
- Iwao, S. On the interaction of the pion and cascade particle, 2=7895
- Iwao, S. Preliminary determination of $\Sigma - \Lambda$ parity using poleology, 2=9929
- Iwao, S. A comment on the $\Sigma - \Lambda$ parity and resolution between the bound state model and the isobar model of Y^* , 2=12009
- Iwao, S. K-N scattering in the Mandelstam representation. I. Analyticity of the amplitude and the effect of baryon pole on $K^- + p \rightarrow Y + \pi$ reaction, 2=20420
- Iwao, S. A theory of hyperfragments. III. $N\Lambda - N\Sigma$ exchange forces and π^+ -mesic decay, 2=20499
- Iwao, S. and Leitner, J. The pion spectrum in radiative hyperon decay, 2=3407
- Iwasaki, H. Studies on the system $(1-x)\text{NaNbO}_3 \cdot x\text{KTaO}_3$, 2=14919
- Iwasaki, M. and Hedberg, K. Potential constants of PCl_3 from amplitudes of vibration and normal vibration frequencies, 2=6123
- Iwasaki, M. and Hedberg, K. Centrifugal distortion of bond distances and bond angles, 2=14233
- Iwasaki, M. See Hedberg, K., 2=6122
- Iwasaki, M. See Hedberg, K., 2=22955
- Iwata, G. See Arikawa, T., 2=20056
- Iwata, M., Iwata, T. and Yamamoto, M. Several experiments on the memory effect in $\alpha\text{-Fe}_2\text{O}_3$, 2=2280
- Iwata, M. See Tabata, S., 2=6850
- Iwata, T. Correlation of the magnetically induced directional order with the AB_2 -type superlattice, 2=8850
- Iwata, T. Concentration dependence of the magnetically induced directional order in face-centered cubic non-ideal solid solutions, 2=8858
- Iwata, T. See Iwata, M., 2=2280
- Iwinski, J. Thin foil thickness gauges MGB-1, 2=15528
- Iyengar, K.S. See Bansigier, K.G., 2=12580
- Iyengar, K.T.S.R. and Chandrashekhara, K. On the theory of the indentation test for the measurement of tensile strength of brittle materials, 2=21857
- Iyengar, K.V.K. and Peck, R.A., Jr. Elastic scattering of polarized 2.8 MeV neutrons, 2=3582
- Iyengar, P.K., Dasannacharya, B.A., Vijayaraghavan, P.R. and Roy, A.P. Neutron diffraction study of antiferromagnetism in FeSn_2 , 2=8660
- Iyengar, R.S. Burst-type signal from small-field aurora, 2=21669
- Iyengar, R.S. and Shepherd, G.G. Observations of auroral luminosity fluctuations, 2=4667
- Izbicki, H. Treatment of isotope preparation by graph theory, 2=5928
- Izmailov, S.V. Theory of secondary electron emission from metals under the action of fast-moving ions or neutral atoms, 2=1491
- Izmailov, S.V. Theory of secondary electron emission from metals under the action of fast-moving ions or neutral atoms, 2=7655
- Izmailov, S.V. and P'yanov, I.I. Production of tritium in collisions of fast protons with heavy nuclei, 2=447
- Izmailov, S.V. and P'yanov, I.I. Production of tritium in collisions of fast protons with heavy nuclei, 2=22815
- Izotov, V.P. See Kolomoitsev, F.I., 2=14737
- Izrailev, I.M. and Kolutukhin, V.A. Production of ultra-soft X-rays of high intensity, 2=17920
- Izrailev, I.M. See Ganeev, A.S., 2=208
- Iztykson, C., Jacob, M., Pham, F. and Alles, W. Decay of the ω and η mesons, 2=13868
- Izumi, K. See Tanaka, K., 2=6313
- Izumo, K. Partial equilibrium model for nuclear reactions, 2=5880
- Izumo, K. See Kawai, M., 2=12185
- Izyumov, Yu.A. Magnetic scattering of slow neutrons in dilute alloys of transition metals with simple metals, 2=12787
- Izyumov, Yu.A. Magnetic scattering of slow neutrons in dilute alloys of transition metals with simple metals, 2=14797
- Izyumov, Yu.A. Theory of the magnetic scattering of slow neutrons in crystals, 2=21332
- Izyumov, Yu.A. The scattering of polarized neutrons by a helical magnetic structure, 2=21335
- Izyumov, Yu.A. Different methods in the theory of ferromagnetic resonance, 2=21351
- Izyumov, Yu.A. The spin-wave theory of magnetic resonance absorption in an antiferromagnetic metal, 2=21357
- Izyumov, Yu.A. and Noskova, L.M. The effective magnetic moment of a transition metal atom in a dilute alloy with a simple metal, 2=12754
- Izyumov, Yu.A. and Noskova, L.M. The effective magnetic moment of a transition metal atom in a dilute alloy with a simple metal, 2=14760
- Izvekov, V.I., Gorbunov, N.S. and Babad-Zakhryapin, A.A. Diffusion of iron in titanium dioxide, 2=6369
- Izvozchikov, V.A., 2=4065
- Izvozchikov, V.A. Sorption processes on photoconductive lead oxide, 2=8439
- Izvozchikov, V.A. Nature of photoactive centres in lead oxide, 2=109
- Izyumov, Yu.A. Time formalism in the Born approximation of the theory of scattering of neutrons in matter, 2=7858
- Izyumov, Yu.A. Spin-wave theory of magnetic resonance absorption in an antiferromagnetic metal, 2=8664
- Izyumov, Yu.A. and Malyeev, S.V. On scattering of polarized neutrons in ferromagnetic and antiferromagnetic substances, 2=4231
- Izyumova, T.G. See Skrotskii, G.V., 2=8068
- Iz'yurov, A.V. An instrument for measuring the instability of a high voltage, 2=17736
- Jabiol, M.A. See Alitti, J., 2=16229
- Jabiol, M.A. See Alitti, J., 2=18156
- Jabotinsky, E. A mathematical model for turbulent flow, 2=15554
- Jacchia, L.G. Irregularities in atmospheric densities deduced from satellite observations, 2=02465
- Jaccarino, V. See Gossard, A.C. 2=12685
- Jacchia, L.G. A working model for the upper atmosphere, 2=04619
- Jacchia, L.G. and Whipple, F.L. Precision orbits of 413 photographic meteors, 2=6996
- Jaccodine, R.J. Use of modified free energy theorems to predict equilibrium growing and etching shapes, 2=16983
- Jack, W. See Robertson, J.C. 2=02257
- Jacka, F. See Cole, K.D., 2=02511
- Jacka, A. See Bond, F.R. 2=19234
- Jacklyn, R.M. The apparent sidereal and anti-sidereal and anti-sidereal daily variations of cosmic ray intensity, 2=16277
- Jacklyn, R.M. See Fenton, A.G. 2=03447
- Jackson, A. See Gates, J.W. 0=96
- Jackson, B.D. See Lieb, D.P. 2=14568
- Jackson, D.F. Comparison between cluster and shell models for ^6Li , 2=9987
- Jackson, D.F. The scattering of high energy neutrons from Li^6 , 2=16
- Jackson, D.F. See Elton, L.R.B., 2=16415
- Jackson, D.M., Newkirk, J.B. and Urban, M.J. Method for evaluating the quality of an epitaxial overgrowth layer of silicon on a single-crystal silicon seed, 2=14965
- Jackson, E.A. See Astheimer, R.W., 2=1028
- Jackson, G. and Livingston, R. Unimolecular decay of the triplet state of anthracene in fluid and viscous media, 2=01159
- Jackson, H.E. Direct observation of resonant p-wave neutron capture, 2=20653
- Jackson, H.E. and Bollinger, L.M. Isotopic identification of neutron resonances of Cd, Sb, Os, and Pt from capture gamma-ray spectra, 2=469
- Jackson, H.E. and Lynn, J.E. Resonant absorption of neutrons by crystals, 2=18520
- Jackson, H.L.W. See Power, G., 2=17741
- Jackson, J.A. See Lewis, W.B., 2=05029
- Jackson, J.D. On the equivalence of different treatments of two-body final-state interactions, 2=20269
- Jackson, J.D. and Kane, G.L. Final state enhancement factors, 2=119
- Jackson, J.E. Some multivariate statistical techniques used in color matching data - addenda and errata, 2=13434

- Jackson, J.E. and Bauer, S.J. Rocket measurement of a daytime electron-density profile up to 620 kilometers, 2=11063
- Jackson, J.E., Fassett, D.W., Riley, E.C. and Sutton, W.L. An evaluation of the variability in audiometric procedures, 2=7063
- Jackson, J.E., Whale, H.A. and Bauer, S.J. Local ionospheric disturbance created by a burning rocket, 2=19217
- Jackson, J.E. See Bauer, S.J., 2=19216
- Jackson, J.L., Levine, D.B. and Piccirelli, R.A. Plasma with net charge, 2=05334
- Jackson, J.L. See Lifson, S., 2=13331
- Jackson, K.A. The nucleation of dislocation loops from vacancies, 2=23186
- Jackson, K.A. See Blakely, J.M., 2=19059
- Jackson, P.L. Use of a large thermocouple junction to locate temperature disturbances, 2=9524
- Jackson, R. See Pierce, L., 2=03737
- Jackson, R.S. The performance of acoustic hoods at low frequencies, 2=19664
- Jackson, W.M. and McNesby, J.R. Thermal isomerization of isopropyl-1, 1,1-d, radicals, 2=14236
- Jacmart, J.C. See Garron, J.P., 2=20265
- Jacmart, J.C. See Garron, J.P., 2=455
- Jacmart, J.C. See Garron, J.P., 2=01893
- Jacmart, J.C. See Garron, J.P., 2=01895
- Jacmart, J.C. See Ruhla, C., 2=20617
- Jacob, G. and Maris, T.A.J. Quasi-free electron-proton scattering, 2=10089
- Jacob, G. and Maris, T.A.J. Quasi-free electron-proton scattering. II, 2=10090
- Jacob, G. See Berggren, T., 2=14089
- Jacob, M., Mahoux, G. and Omnes, R. $\pi\pi$ interaction in final state processes, 2=9896
- Jacob, M., Mahoux, G. and Omnes, R. Some results on $\pi\pi$ interaction phase shifts, 2=22594
- Jacob, M. See Izykson, C., 2=13868
- Jacob, M. See Varoqui, R., 2=11359
- Jacobi, N. See Jaffe, J.H., 2=01255
- Jacobs, A.J. See Katz, G., 2=15051
- Jacobs, B.E. See Smith, W.V., 2=16564
- Jacobs, E. See Robbrecht, G., 2=12390
- Jacobs, E. See Robbrecht, G., 2=12391
- Jacobs, G., Vandewiele, L.G. and Hamerlinck, A. Mobility of bromine vacancies in KBr single crystals, 2=14432
- Jacobs, G.D. See Schwendeman, R.H., 2=6126
- Jacobs, G.D. See Schwendeman, R.H., 2=6151
- Jacobs, J.A. Characteristics of geomagnetic pulsations, 2=13085
- Jacobs, J.A. and Jolley, E.J. Geomagnetic micropulsations with periods 0.3-3 sec (Pearls), 2=19268
- Jacobs, J.A. and Watanabe, T. Propagation of Hydromagnetic waves in the lower exosphere and the origin of short period geomagnetic pulsations, 2=17197
- Jacobs, J.A. See Nishida, A., 2=9036
- Jacobs, J.A. See Nishida, A., 2=13070
- Jacobs, J.A. See Westphal, K.O., 2=15261
- Jacobs, P.F. See Grey, J., 2=17680
- Jacobs, P.W.M. and Papazian, H.A. Photochemical behavior of alkali halide crystals containing OH^- and SO_4^{2-} ions, 2=19161
- Jacobs, P.W.M. See Allnatt, A.R., 2=02112
- Jacobs, P.W.M. See Allnatt, A.R., 2=8300
- Jacobs, P.W.M. See Allnatt, A.R., 2=8455
- Jacobs, S., Gould, G. and Rabinowitz, P. Coherent light amplification in optically pumped Cs vapor, 2=6101
- Jacobs, S. See Rabinowitz, P., 2=20139
- Jacobs, S.F. See Rabinowitz, P., 2=7385
- Jacobsen, E.H. Microwave ultrasonics, 2=19649
- Jacobsen, T. Notes on a simple microphotographic method for measurements of "jets", 2=11844
- Jacobsohn, B.A. See Henley, E.M., 2=20407
- Jacobson, M.J. Space-time correlation in spherical and circular noise fields, 2=17549
- Jacobson, R.L. See Mueller, R.K., 2=14453
- Jacox, M.E. Solid-state vibrational spectra of ethylene and ethylene- d_4 , 2=02237
- Jacox, M.E. See Milligan, D.E., 2=15157
- Jacquemin, J., Friedewold, H. and Cooper, W.M. Subcritical experiments for FRJ-1 (Merlin-Jülich reactor), 2=12258
- Jacquemin, A. and Kessler, P. Branching rates of the different decay modes of the mu-meson, 2=5700
- Jacquesson, J. Relation between the deformation by shock waves stronger than 130 kbar and the $\alpha \rightarrow \gamma$ phase transformation in iron, 2=02322
- Jacquesson, J. Micrographic appearance of ferritic metals subjected to shock-wave pressures exceeding 130 kbar, 2=15057
- Jacquet, P.A. and Weaver, C.W. Micrographic observation of dislocations in chromium, 2=3922
- Jacquinet, P. Fourier spectroscopy, 2=22029
- Jacquinet, P. See Chabbal, R., 2=7382
- Jacquinet, P. See Amat, G., 2=13427
- Jacrot, B. See Cribier, D., 2=20922
- Jacrot, B. See Hautecler, S., 2=12397
- Jaek, I.V. See Luscik, C.B., 2=23211
- Jaekel, R. and Peperle, W. Dependence of evaporation coefficients on the partial pressure over the evaporating crystal face, 2=7477
- Jaenicke, W. and Albert, L. Latent charge photographs in the electron microscope using non-light sensitive films, 2=17670
- Jaenicke, W. and Lorenz, B. The half-tone process and characteristic curve of electrophotography, 2=11512
- Jaenicke, W. See Hoffmann, H., 6876
- Jaetsch, K. See Ehrlich, G., 2=23984
- Jaffe, A.M. and Kim, Y.S. Complex angular momentum in two-channel problems, 2=20276
- Jaffe, H.H. See Hinze, J., 2=10960
- Jaffé, H.H. See Whitehead, M.A. 2=6226
- Jaffe, J.H., Kimel, S. and Hirshfield, M.A. Refraction spectrum of gases in the infrared intensities and widths of lines in the 2--0 band of HCl, 2=3743
- Jaffe, J.H., Landau, A. and Ben-Reuven, A. Temperature dependence of pressure-induced shifts of HCl lines due to xenon, 2=12320
- Jaffe, J.H., Meiron, J. and Jacobi, N. Instrumental corrections in measurements of gas dispersion. A three-slit problem, 2=1255
- Jaffe, P.M. On the theory of electroluminescence deterioration, 2=2261
- Jaggi, R.K. Wave motion in a plasma with anisotropic pressure, 2=19961
- Jager, C.de. See de Jager, C.,
- Jäger, G. and Otto, W. Drift velocities of ions and electrons in argon and hydrogen, 2=22172
- Jäger, F.W. and Pflug, K. Methods for determining the intensity decrement at the solar limb during a total eclipse, 2=11127
- Jäger, H. See Kronmüller, H., 2=14898
- Jaggi, R.K. Loss of particles in a pinched discharge in an axial magnetic field, 2=197
- Jaggi, R.K. On magnetohydrodynamic stability of a self-gravitating plasma, 2=11657
- Jaggi, R.K. Wave motion in a two-component plasma with anisotropic pressure, 2=15920
- Jaggi, R.K. See Tidman, D.A., 2=19247
- Jahn, P. See Daniel, H., 2=13773
- Jahn, H. Pion-nucleon processes above the first maximum according to the strong-coupling method, 2=11984
- Jahn, P. New developments in field emission electron microscopy, 2=1510
- Jahne, E. See Böer, K.W., 2=4099
- Jáidar, A., López, G., Mazari, M. and Domínguez, R. Determination of excitation energies of light and nuclei intermediate through (d,p) and (d, α) reaction, 2=5800
- Jáidar, A. See Tejera, A., 2=5881
- Jain, A. and Tewary, V.K. Electron effects on alpha decay and thermonuclear reactions, 2=5838
- Jain, A.C. On the nature of the boundary layer near the leading edge of a flat plate with uniform suction, 2=1108
- Jain, A.C. Görtler's new series method for steady laminar boundary layer flows with suction, 2=4989
- Jain, A.L. and Koenig, S.H. Electrons and holes in bismuth, 2=16631
- Jain, A.P. See Chrien, R.E., 2=3581
- Jain, D.C. and Sah, P. A method for obtaining the vibrational wave functions appropriate to the true potential energy curves of diatomic molecules, 2=18433
- Jain, D.C. and Sah, P. Perturbation in the $\text{B}^3\Pi_g$ state of the C_2 molecule, 2=22961
- Jain, D.C. See Singh, N.L., 2=544
- Jain, D.C. See Singh, N.L., 2=6181
- Jain, D.C. See Singh, N.L., 2=10238
- Jain, D.C. See Singh, N.L., 2=12316
- Jain, M.K. On the slow steady rotation of a sphere in a visco-elastic liquid, 2=15544
- Jain, M.K. See Agarwal, J.P., 2=13671
- Jain, P.C. Isotropic temperature fluctuations in isotropic turbulence, 2=21880
- Jain, P.C. See Bhowmik, B., 2=18190
- Jain, P.L. Nucleon-nucleon interactions at energies greater than 10^{12} eV, 2=3328
- Jain, P.L. Energetic electromagnetic cascade produced in a high energy nucleon-nucleon interaction, 2=5762
- Jain, P.L. Meson-nucleon interaction in the (10^{10} to 10^{12}) eV energy range, 2=13826

- Jain, P.L. Analysis of an alpha-particle interaction of energy $\sim 10^{12}$ eV per nucleon, 2=14140
- Jain, P.L., Glahe, H.A., Srivastava, G.N. and Bharadwaj, P.D. Interaction of protons from Brookhaven alternate gradient-synchrotron with nuclear emulsion, 2=283
- Jain, R.D. and Lawande, S.V. The effect of Bragg cutoff on the diffusion of thermal neutrons in a semi-infinite slab of beryllium, 2=7859
- Jain, R.K. See Kapur, J.N., 2=11773
- Jain, S.C. and Sootha, G.D. Effect of F-centres on the electrical conductivity of potassium chloride, 2=12500
- Jainski, P. Reduction of contrast sensitivity due to glare from different kinds of light, 2=7082
- Jaklevic, R.C. and Juenker, D.W. Field dependence of photoelectric emission from molybdenum, 2=7643
- Jakovlev, U.P. See Goritchev, P.A., 2=14151
- Jakubiszyn, S., Nikliborc, J., Wolniewicz, H. and Szaynok, A. Electrification of the dust of NaCl and KCl whiskers, 2=14645
- James, C.G. and Meneley, D.A. An investigation of the flux distribution in a branched thermal column, 2=16448
- James, C.G. and Till, C.E. The determination of the effectiveness of nuclear reactor control rods by means of exponential experiments, 2=18380
- James, D.W. See Janz, G.J., 2=1265
- James, G.W. See Kaye, B.H., 2=17401
- James, J.C. See Abel, W.G., 2=9113
- James, J.C. See Ingalls, R.P., 2=11809
- James, L.H. and Carter, G. The wall potential in low pressure diode ion pumps, 2=2786
- James, L.H. and Carter, G. Bombardment induced re-emission of ionically pumped inert gas from a glass surface, 2=3091
- James, L.H. See Carter, G., 2=21957
- James, M.F. See Codd, J., 2=20708
- James, P.W. The correlation analysis of the fading of radio signals received from satellites, 2=11055
- James, T.C. See Leroy, G.E., 2=14274
- James, W.G.G. Experimental hyperfragment binding energies, 2=22715
- James, W.J. See Straumanis, M.E., 2=6811
- Jamieson, J.A. Inference of two-dimensional Wiener spectra from one-dimensional measurements, 2=7361
- Jamieson, J.C. and Lawson, A.W. X-ray diffraction studies in the 100 kilobar pressure range, 2=8811
- Jamil, A.K. See Bradley, R.S., 2=14511
- Jamnik, D. See Miklavzic, U., 2=11921
- Jan, J.P. Effective electronic mass tensor, electrical conductivity, and Hall effect for spherical energy surfaces, 2=14484
- Jan, R.V. See v. Jan. R.,
- Janarek, F.J. See Mann, H.M., 2=18021
- Janarek, F.J. See Mann, H.M., 2=22364
- Jancel, R. and Kahan, T. Relations between the various solutions of Boltzmann's integro-differential equation, 2=13368
- Jancel, R. and Kahan, T. The role of eigenfunctions of the linear Maxwellian operator in the solution of Boltzmann's equation, 2=19614
- Jander, J. See Bärnighausen, H., 2=17018
- Jänecke, J. The lowest $T = O$ states in the odd $N = Z$ nuclei with $A > 40$, 2=7925
- Jänecke, J. See Jung, H., 2=1486
- Janeschitz-Kriegl, H. See Van Kuik-Van Meerten, E., 2=11505
- Janik, J. See Janik, J.A., 2=292
- Janik, J.A., Janik, J., Krasnikki, S., Maniowski, F., Murasik, A., Rzany, H., Szkutula, Sciesinski, J. and Wanic, A. Scattering of thermal neutrons in the molecules [of gases] containing hydrogen [molecules], 2=292
- Jannelli, S. and Mezzanares, F. Diffraction scattering of 4.5 GeV π mesons in emulsions, 2=18345
- Jannelli, S. See Emma, V., 2=423
- Janner, A. The master equation for the interference term and the approach to equilibrium in quantum many-body systems, 2=7144
- Jánosssy, L. A hydrodynamical model of quantum mechanics, 2=19431
- Jánosssy, L., Náray, Z. and Varga, P. Experimental investigation of the correlation of coherent light beams, 2=11461
- Jánosssy, L. and Rupp, E. The determination of parameters characterizing the absorption of nuclear-active cosmic ray particles, 2=9972
- Jánosssy, L. See Bozoki, G., 2=18123
- Janot, C. and Hadni, A. Background Infrared Reflection on the "Echelette" System, 2=11471
- Janouch, F. and Winternitz, P. Angular distribution of gamma quanta in the capture of polarized μ -mesons by atomic nuclei, 2=16422
- Janousek, V. See Fousková, A., 2=18771
- Janovec, V. See Dvorak, V., 2=20918
- Jansen, B. A rapid and accurate method for measuring the thickness of diffused layers in silicon and germanium, 2=12941
- Jansen, J.F.W. See Lark, N.L., 2=16330
- Jansen, J.F.W. See Wapstra, A.H., 2=12168
- Jansen, L. Systematic analysis of many-body interactions in molecular solids, 2=10295
- Jäntschi, O. Apparent resistance and reverse characteristic of silicon p-n junctions with a surface inversion layer, 2=18719
- Janz, G.J. Mikawa, Y. and James, D.W. Light source, excitation, and high temperature cell assembly for Raman spectroscopy, 2=12655
- Jarczyk, L., Knoepfel, H., Lang, J., Müller, R. and Wölfl, W. The nuclear reactor as a high intensity source for discrete gamma rays up to 11 MeV, 2=5612
- Jarczyk, L., Lang, J., Müller, R. and Wölfl, W. Investigation of the reaction $\text{Bi}^{209}(n, \gamma)\text{Bi}^{210}$ by a γ - γ coincidence method, 2=3591
- Jarczyk, L., Lang, J., Müller, R. and Wölfl, W. (n, γ) spectra and cross-sections for Li, Be and C, 2=5939
- Jarczyk, L., Lang, J., Müller, R. and Wölfl, W. Photogain and response function of some crystal scintillators for γ -rays of energy up to 11 MeV, 2=7795
- Jarczyk, L., Lang, J., Müller, R. and Wölfl, W. Investigation of the reaction $\text{Bi}^{209}(n, \gamma)\text{Bi}^{210}$ with a gamma-gamma coincidence method, 2=12212
- Jarka, R. See Konitzer, J., 2=6399
- Jarman, M. See Gibbs, D.F., 2=23494
- Jarmie, N. Concerning the existence of rare light nuclei, 2=12117
- Jarnagin, R.C. See Silver, M., 2=14578
- Jarnagin, R.C. See Silver, M., 2=23259
- Jarrett, H.S. See Bierstedt, P.E., 2=6677
- Jarry, G. See Perrot, M., 2=7553
- Jarvis, C.J.D. See Geiger, K.W., 2=3620
- Jarvis, N.L. The effect of monomolecular films on surface temperature and convective motion at the water/air interface, 2=22096
- Jarvis, N.L. and Kagarise, R.E. Determination of the surface temperature of water during evaporation studies. A comparison of thermistor with infrared radiometer measurements, 2=22095
- Jarvis, O.N. See Greenlees, G.W., 2=5908
- Jarvis, R.J. See Carter, C., 2=3664
- Jarvis, T. Thermionic conversion-state of the art, 2=11606
- Jasani, B.M. See Barton, J.C., 2=16092
- Jaschek, C. and Jaschek, M. Note on the random fragmentation in star formation, 2=4822
- Jaschek, M. See Jaschek, C., 2=4822
- Jaseja, T.S. and Anderson, R.S. Electron spin resonance study of radiation damage in single crystals of urea compounds, 2=2106
- Jaseja, T.S. and Anderson, R.S. Electron spin resonance study of α -irradiated single crystals of dl-isovaline, 2=8126
- Jaseja, T.S. and Anderson, R.S. Electron spin resonance study of radiation damage in single crystals of dl-aspartic acid, 2=14482
- Jasinski, A. See Ambrozy, B., 2=1821
- Jaskiewics, A. and Konwent, H. Dipole array of ferroelectrically active A-ions in ABO_3 substances, 2=2211
- Jason, A.C. and Lees, A. An automatic timer for determinations of D_2O concentrations in water by measurements on drops falling in o-fluorotoluene, 2=11231
- Jastram, P.S. See Wood, G.T., 2=14030
- Jastrow, R. The exploration of the Moon, 2=15309
- Jastrow, R. and Bryant, R. Variations in the orbit of the echo satellite, 2=9116
- Jastrzebski, J. and Kilcher, P. Transitions in the odd-odd nuclei Au^{190} and Au^{192} , 2=409
- Jastrzebski, J. and Kilcher, P. Mean life of the first excited states of the nuclei of gold 192, 193 and 195, and of mercury 195, 2=10012
- Jastrzebski, J. See Gastebos, J., 2=487
- Jastrzebski, J. See Vergnes, M., 2=369
- Jaszczyn, P. The influence of irradiation by fast neutrons on the ZnS:Mn phosphor, 2=2252
- Jaszczyn, P. The extinction and enhancement of the luminescence of ZnS-Mn by infrared irradiation, 2=8560
- Jauch, J.M. Symmetries in classical and modern physics, 2=4903
- Jauch, J.M. and Misra, B. Supersymmetries and essential observables, 2=2627
- Jauch, J.M. and Misra, B. Supersymmetries and essential observables, 2=15482
- Jauch, J.M. See Finkelstein, D., 2=9192
- Jauch, J.M. See Finkelstein, D., 2=22399
- Jauhri, G.S. See Sakseena, B.D., 2=14289
- Jaumann, J. See Breuer, W., 2=23655
- Jaumann, J. See Dietz, G., 2=12379
- Jauncey, D.L. See Campbell, M.J., 2=12079
- Javan, A., Ballik, E.A. and Bond, W.L. Frequency characteristics of a continuous-wave He-Ne optical maser, 2=5155
- Javelas, R. See Bernard, R., 2=842

- avornicky, J. Remarks on the analysis of birefringence in photoplasticity, 2=10576
- ayaraman, A. See Kennedy, G.C., 2=11544
- ayaraman, A. See Newton, R.C., 2=17688
- aycock, M.J. and Parfitt, G.D. Errors involved in using the Rayleigh equation for interpretation of light-scattering data beyond its normally accepted limits, 2=13460
- aynes, E.T. See Helms, S.P., 2=23629
- eannet, E. See Urech, S., 2=3592
- edlicka, M. Fatigue of Sb-Cs photocathodes, 2=15945
- efferies, J.T. and Orrall, F.Q. On the interpretation of prominence spectra. IV. The Balmer and Paschen continua in a quiet prominence, 2=4784
- efferies, J.T. and Orrall, F.Q. On the interpretation of prominence spectra. V. The emission lines in quiescent prominences, 2=4785
- efferies, J.T., Pecker, C.W. and Thomas, R.N. The structure of regions of coronal-line emission, 2=17280
- efferts, K.B. See Dehmelt, H.G., 2=6229
- efferys, W.H., III. Relative positions and proper motions in the region of M37, 2=24154
- effress, L.A. Absolute pitch, 2=17318
- effress, L.A. and Blodgett, H.C. Effect of switching earphone channels upon the precision of centering, 2=24207
- effress, L.A., Blodgett, H.C. and Deatherage, B.H. Effect of interaural correlation on the precision of centering a noise, 2=21760
- effress, L.A., Blodgett, H.C. and Deatherage, B.H. Masking and interaural phase. II. 167 cycles, 2=24201
- effress, L.A. See Blodgett, H.C., 2=21756
- effress, L.A. See Diercks, K.J., 2=17321
- effress, L.A. See Tobias, J.V., 2=21754
- effrey, J.W. and Murty, T.S. X-ray analysis of parallel growth and disorder in silicon carbide crystals, 2=14943
- effries, C.D. See Ruby, R.H., 2=14839
- effries, C.D. See Schmugge, T.J., 2=23722
- effries, C.D. See Scott, P.L., 2=14838
- efimenko, O. Demonstration of the electric fields of current-carrying conductors, 2=1561
- egaden, G., Voinchet, J. and Rocquet, P. Rapid and accurate experimental determination of the anisotropy and plasticity of deep-drawing sheets, 2=21429
- elinek, F.J. See Gerstein, B.C., 2=21346
- elly, D.H. Polar cap absorption events identified from h.f. vertical ionosonde data, 2=11800
- elly, D.H. and Collins, C. Some observations of polar-cap absorption in the northern and southern hemispheres, 2=17158
- elly, J.V. Cerenkov radiation: its origin, properties and applications, 2=22477
- ellinek, H.H.G. Plastic deformation of thick-walled snow-ice cylinders under hydrostatic pressure, 2=23757
- ellinek, H.H.G. Ice adhesion, 2=23798
- eltsch, E. Matrix formulation of the two-group theory for neutron diffusion, 2=6001
- en, C.K., Bowers, V.A., Cochran, E.L. and Foner, S.N. Electron spin resonance of alkali atoms in inert-gas matrices, 2=14823
- en, M. and Lide, D.R., Jr. Molecular structure of chloroform, 2=16542
- enc, F. See Read, S.M., 2=18451
- enkins, E.B. See Beard, D.B., 2=24056
- enkins, E.W. See Cool, R.L., 2=20430
- enkins, E.W. See Baker, W.F., 2=20627
- enkins, G.M. Analysis of the stress-strain relationships in reactor grade graphite, 2=4316
- enkins, G.M. The effect of irradiation on strain in stressed graphite, 2=23742
- enkins, K.R. See Webb, W.L., 2=4627
- enkin, J.G. See Earwaker, L.G., 2=22754
- enkins, J.M. See Tiren, L.I., 2=20721
- enkins, L.F. Summary of the parallaxes of ninety-one stars from plates obtained with the Yale 26-inch telescope, 2=11135
- enkins, R.J. See Rudkin, R.L., 2=2906
- enkins, R.O. and Trodden, W.G. Evaporation from barium nickel matrix cathodes, 2=3068
- enkins, W.D. and Willard, W.A. Creep of cold-drawn nickel, copper, 70 percent nickel-30 percent copper, and 30 percent nickel-70 percent copper alloys, 2=10760
- enkins, W.J. See Cathey, L., 2=18196
- enks, G.J. See Andrew, E.R., 2=21385
- ennings, I.C. See Gasson, D.B., 2=23417
- ennings, I.C. See Holmes, P.J., 2=10917
- ennings, L.D. See Gerstein, B.C., 2=23032
- ennings, R.E. The microtron, 2=17917
- ennings, R.E. Cerenkov radiation, 2=20303
- ennings, R.E. and Rand, R.E. Elimination of the dead space between channels in a Hutchinson-Scarrott pulse height analyser, 2=9501
- Jensen, C.E. See Christiansen, J.A., 2=858
- Jensen, E. Distribution of elements over the surface of a magnetic star, 2=15376
- Jensen, E. See Ringnes, T.S., 2=2536
- Jensen, H.A. See Lesk, I.A., 2=8378
- Jensen, H.W. See Vogt, K.J., 2=12147
- Jensen, J.W. See Schwaneke, A.E., 2=12737
- Jensen, V.O. See Wandel, C.F., 2=19992
- Jensovsky, L. See Hadinec, I., 2=824
- Jeppesen, M.A. and Barlow, R.B., Jr. Determination of particle size of colloidal gold from absorption spectra, 2=4571
- Jepsen, D.W. and ter Haar, D. A derivation of the hydrodynamic equations from the equations of motion of collective coordinates, 2=1104
- Jepsen, D.W. and Wallis, R.F. Effect of quartic anharmonicity on the infrared absorption of alkali halide crystals, 2=8532
- Jepsen, R.L. Magnetically confined cold-cathode gas discharges at low pressures, 2=1401
- Jepsen, R.L. Harmonic generation and frequency mixing in ferromagnetic insulators, 2=3154
- Jepsen, R.L. See Helmer, J.C., 2=5309
- Jentzsch, J. See Bogenschütz, A.F., 2=21864
- Jephcott, D.F. Magnetohydrodynamic waves, 2=22315
- Jerde, D.A. See Johnson, R.R., 2=19941
- Jérémie, H., Heyman, M. and Kahane, J. Energy spectrum of neutrons emitted in the reaction $d(n, 2n)p$ at 14 MeV, 2=9932
- Jeronymo, J.M.F. and Lerner, E. A study of the $Na^{23}(d, n)Mg^{24}$ reaction with nuclear emulsions, 2=12215
- Jeronymo, J.M.F. See Ballini, R., 2=9874
- Jeronymo, J.M.F. See Cassagnou, Y., 2=452
- Jeronymo, J.M.F. See Cassagnou, Y., 2=1887
- Jeronymo, J.M.F. See Cassagnou, Y., 2=16408
- Jerrard, H.G. and Sellen, D.B. A new apparatus for light scattering studies, 2=15746
- Jerrard, H.G. See Hilyard, N.C., 2=13339
- Jerrard, H.G. See Ingram, P., 2=1162
- Jervis, R.E. See Howe, L.M., 2=7871
- Jeshke, D. See Draisback, H.C., 2=23923
- Jessel, M. Scanning operators and the generalization of Huygens' principle, 2=21786
- Jessen, K.H. See Dodt, E., 2=1033
- Jesson, J.P. and Thompson, H.W. Intensities of Raman vibration bands. I, 2=15596
- Jeszczysky, B. and Kiss, J. New measurements of conductivity of deformed rock salt crystals, 2=8302
- Jeszczysky, B. See Gyulai, Z., 2=2368
- Jeudon, A. See Guidini, J., 2=13532
- Jha, S., Gupta, R.K., Devare, H.G. and Pramila, G.C. The decay of ^{147}Eu and ^{148}Eu , 2=16373
- Jha, S., Segman, R. and Lang, G. On the 22 keV state of Sm^{149} , 2=22744
- Jin, Y.S. Analytic properties of Kaon-pion scattering amplitude, 2=20421
- Jirlow, K. See Dahlberg, R., 2=7994
- Jnanananda, S. See Raju, M.R., 2=16186
- Jnanananda, S. See Raju, M.R., 2=16346
- Jnanananda, S. See Rama Rao, J., 2=4431
- Joachain, C. Variational scattering by a non-local potential, 2=21829
- Joachain, C. and Wantiez, N. Application of the improved Born-Oppenheimer method to the three-charge problem, 2=16577
- Joanou, G.D., Goodjohn, A.J. and Wikner, N.F. Moments calculations of the Fermi age in moderators and moderator-metal mixtures, 2=16203
- Jobert, G. Nonhydrostatic stresses in a gravitating planet, 2=17260
- Jobert, G. Models for the density distribution in the terrestrial planets, 2=19282
- Jobert, G. See Blum, P.A., 2=21607
- Jobes, F.C. See McIntyre, J.A., 2=9748
- Jobes, M. See Dodd, P., 2=22508
- Jobes, M. See Doran, G.A., 2=5544
- Jochmann, H. The theoretical distortion basis of the perspective photograph of a small part of the earth's surface and its application to the orientation problem in photogrammetry, 2=9361
- Joekle, R. See Mecke, R., 2=17769
- Joekle, R. See Mecke, R., 2=17771
- Joenk, R.J. Theory of exchange resonance in antiferromagnetic $\text{CuCl}_2 \cdot 2\text{H}_2\text{O}$, 2=10691
- Joffe, A.F., Moyzes, B.Ya. and Stilbans, L.S. Unresolved problems of thermoelectricity, 2=23483
- Johanson, A.E. and Jones, A.V. Variations with height and form of N_2 rotational temperatures in aurora, 2=4674
- Johannesson, J.K. The preparation of thin films of V. Y. N. S. resin for 4π beta-counting, 2=18030
- Johansson, C.H. The deformation mechanism in linear compression of Plexiglas, 2=12848

- Johansson, C.H. Heat pulses at initiation of liquid explosives, 2=12964
- Johansson, C.H. and Sjölin, T. The initiation of P. E. T. N. and T. N. T. by shock waves from aluminium, 2=10978
- Johansson, E. and Jonsson, E. Measurements of neutron spectra with a fast chopper, 2=18137
- Johansson, E. See Dahlberg, R., 2=7994
- Johansson, I. Spectra of the alkali metals in the lead-sulphide region, 2=1991
- Johansson, I. A scanning grating spectrograph with a lead-sulphide detector. II. The method of wavelength determination, 2=2880
- Johansson, I. and Starfelt, N. A scanning grating spectrograph with a lead-sulphide detector. I. The experimental equipment, 2=2879
- Johansson, N. See Sjögren, B., 2=3487
- Johansson, S.A.E. and Forkman, B. Photodisintegration of calcium, 2=18315
- Johansson, T. The dependence of the bubble density for an ionizing particle on the temperature and pressure in a bubble chamber. II. Comparison between theories and experimental results, 2=249
- Johansson, T. See Alfredsson, B., 2=248
- Johler, J.R. On the analysis of LF ionospheric radio propagation phenomena, 2=5485
- Johler, J.R. Magneto-ionic propagation phenomena in low- and very-low-radiofrequency waves reflected by the ionosphere, 2=7771
- Johler, J.R. Propagation of the low-frequency radio signal, 2=11807
- Johler, J.R. and Harper, J.D., Jr. Reflection and transmission of radio waves at a continuously stratified plasma with arbitrary magnetic induction, 2=16072
- Johler, J.R. and Lilley, C.M. Ground-conductivity determinations at low radio frequencies by an analysis of the sferic signatures of thunderstorms, 2=2459
- Johler, J.R. See Walters, L.C., 2=16036
- John, H.F. See Faust, J.W., Jr., 2=19053
- John, W. and Martin, F.V. Measurement of the polarization of photoneutrons from deuterium, 2=323
- John, W. and Prosser, J.M. Photodisintegration cross section of beryllium near threshold, 2=16386
- Johns, D.H. and Alexander, O.R. Magnetic domains complicate backscatter technique, 2=745
- Johns, J.W.C. The absorption spectrum of BO_2 , 2=2004
- Johns, M.W. See Artna, A., 2=1838
- Johnson, A.A. The ductile-brittle transition in body-centred cubic transition metals, 2=6749
- Johnson, A.A. See Peacock, D.E., 2=23151
- Johnson, A.A. See Wronski, A.S., 2=6752
- Johnson, A.E., Henderson, J. and Khan, B. Creep of a solid metallic bar or thick-walled tube of circular section, at elevated temperatures, when subject to various combinations of uniform bending moment, torque and axial load, 2=14890
- Johnson, B.L. Charge transfer scattering in high-velocity neutral particle production, 2=6111
- Johnson, C.C. An investigation of the magnetic transverse waves on an electron beam, 2=17884
- Johnson, C.E., Marshall, W. and Perlow, G.J. Electric quadrupole moment of the 14.4 keV state of Fe^{57} , 2=12123
- Johnson, C.E. See Grace, M.A., 2=22731
- Johnson, C.E., Jr. Single-domain magnetization curves for the general ellipsoid, 2=16904
- Johnson, C.E., Jr. See Brown, W.F., Jr., 2=21308
- Johnson, C.H.J. An exact solution to a problem in heat transfer, 2=124
- Johnson, C.H.J. Heat transfer and mass transfer from the sphere at low Reynolds numbers, 2=17674
- Johnson, C.M.P. See Beall, E.F., 2=11992
- Johnson, C.S., Hincks, E.P. and Anderson, H.L. μ -mesonic X-rays in the iron region, 2=10230
- Johnson, C.S. See Anderson, H.L., 2=22830
- Johnson, C.S., Jr. and Waugh, J.S. Nuclear relaxation in gases: mixtures of methane and oxygen, 2=1210
- Johnson, C.S., Jr. and Waugh, J.S. Nuclear relaxation in adulterated hydrogen, 2=14332
- Johnson, C.Y. Aeronomic parameters from mass spectrometry, 2=881
- Johnson, D.A. See DiDomenico, M., Jr., 2=12563
- Johnson, E. Consequences of leptonic isospin, 2=20251
- Johnson, F.A., Fray, S.J. and Jones, R.H. Lattice absorption bands in indium antimonide, 2=23572
- Johnson, F.S. See Beard, D.B., 2=4871
- Johnson, F.S. See Hanson, W.B., 2=15222
- Johnson, G.W. The solubility of krypton in liquid cadmium and indium, 2=52
- Johnson, G.W. Measurements of the room temperature thermoelectric parameters of lead telluride, 2=14592
- Johnson, H.L. Infrared stellar photometry, 2=4709
- Johnson, H.L. See Borgman, J., 2=11144
- Johnson, H.L. and Svolopoulos, S.N. Galactic rotation determined from radial velocities and photometric distances of galactic clusters, 2=4823
- Johnson, H.R. The equilibrium of sodium (NaI) in the solar atmosphere, 2=2533
- Johnson, H.R. The singlet-to-triplet intensity ratio of neutral helium in the solar chromosphere, 2=4771
- Johnson, H.R. The equilibrium of Na I in the solar photosphere, 2=9074
- Johnson, H.R. See Frost, R.D., 2=20027
- Johnson, I. See Cafasso, F.A., 2=19551
- Johnson, J.C. See Eldridge, R.G., 2=15198
- Johnson, J.E. See Flack, F.C., 2=3534
- Johnson, J.L., Greene, J.M. and Weimer, K.E. Hydromagnetic stability of toroidal equilibria with an externally imposed rotational transform, 2=15998
- Johnson, J.L. See Greene, J.M., 2=5459
- Johnson, J.L. See Greene, J.M., 2=11769
- Johnson, J.L. See Greene, J.M., 2=20128
- Johnson, K. Canonical commutation relations for vector fields, 2=99
- Johnson, K., Klippert, T. and Ramler, W.J. A non-intercepting accelerator beam position sensor, 2=9656
- Johnson, K.E. and Piper, T.S. Spectra of Co^{2+} and Ni^{2+} in molten and solid sulphate media, 2=17463
- Johnson, K.M. Variation of dielectric constant with voltage in ferroelectrics and its application to parametric devices, 2=18777
- Johnson, L.F. Optical maser characteristics of Nd^{3+} in CaF_2 , 2=860
- Johnson, L.F. Continuous operation of the CaF_2 : Dy^{+2} optical maser, 2=23549
- Johnson, L.F., Boyd, G.D., Nassau, K. and Soden, R.R. Continuous operation of a solid state optical maser, 2=12588
- Johnson, L.F. and Soden, R.R. Optical maser characteristics of Nd^{3+} in SrMoO_4 , 2=8509
- Johnson, M. Problems of cosmic ray sources in astronomical situations, 2=3428
- Johnson, N.R. See Eichler, E., 2=16321
- Johnson, N.R. See Robinson, R.L., 2=22767
- Johnson, P.C., Stein, B.A. and Davis, R.S. Temperature dependence of shock-induced phase transformations in iron, 2=6821
- Johnson, P.D. See Segall, B., 2=23700
- Johnson, P.S. Cerenkov radiation spectra for a cold magnetoactive plasma, 2=7594
- Johnson, P.V. See Balakrishna, S., 2=12988
- Johnson, Q.C. See Sands, D.E., 2=21517
- Johnson, R.A. and Brown, E. Point defects in copper, 2=16642
- Johnson, R.A. See Huntington, H.B., 2=20990
- Johnson, R.C. The effects of spin-orbit distortion in deuteron stripping reactions, 2=16428
- Johnson, R.C., Weatherly, T.L. and Williams, Q. Dipole moment of CClF_3 , 2=3721
- Johnson, R.C., Williams, Q. and Weatherly, T.L. Centrifugal stretching of CClF_3 and some other symmetric tops, 2=8089
- Johnson, R.G. See Chase, L.F., Jr., 2=18349
- Johnson, R.G. See Holly, F.E., 2=11088
- Johnson, R.G. See Imhof, W.L., 2=5935
- Johnson, R.H. and Honeycombe, R.W.K. The structure and heat treatment of some thorium-zirconium alloys, 2=4439
- Johnson, R.H. and Honeycombe, R.W.K. The solid solubility of zirconium in α -thorium, 2=4474
- Johnson, R.H. See Aitchison, I., 2=23883
- Johnson, R.R. and Jerde, D.A. Instability of a plasma column in a longitudinal magnetic field, 2=19941
- Johnson, R.S. See Adler, S.B., 2=22337
- Johnson, R.T., Jr. See Dragsdorf, R.D., 2=6332
- Johnson, S. See Lewis, C.H., 2=7091
- Johnson, S. See Rudd, D.W., 2=10411
- Johnson, T.R. and Martin, J.J. Benzene in water is simple reliable gamma dosimeter, 2=5533
- Johnson, W. and Mellor, P.B. Elastic-plastic behaviour of thick-wall spheres of non-work-hardening material subject to a steady-state radial temperature gradient, 2=15517
- Johnson, W. See Haddow, J.B., 2=14882
- Johnson, W. See Mahrenholtz, O., 2=15515
- Johnson, W.B. See Auerbach, L.B., 2=20393
- Johnson, W.B. See Wiegand, C.E., 2=11662
- Johnson, W.C., Jr. See Sinanoglu, O., 2=13371
- Johnson, W.P. and Miller, D.W. (d,p) polarization measurements of excited-state reactions, 2=488
- Johnson, W.P. See Miller, D.W., 2=1917
- Johnson, W.R., Carroll, C.O. and Mullin, C.J. Radiative corrections to the Coulomb scattering asymmetry function, 2=11285

- anston, W.R. and Deck, R.T. Continuum Coulomb wave-function, 2=9193
- anston, W.R., O'Connell, R.F. and Mullin, C.J. Coulomb field effects on the decay of bound polarized muons, 2=536
- anston, W.R. and Rozics, J.D. Bremsstrahlung from polarized electrons, 2=22475
- anston, D.F. See Gabriel, J.R., 2=553
- anston, D.R. and Cole, R.H. Dielectric constants of imperfect gases. II. Carbon dioxide and ethylene, 2=2780
- anston, H.L. See Hoch, M., 2=2925
- anston, H.L. See Rubin, T., 2=10339
- anston, H.L. See Rubin, T., 2=16610
- anston, H.S. and Goldfinger, P. Theoretical interpretation of reactions occurring in photochlorination, 2=19159
- anston, H.S. and Hecklen, J. Tunnelling corrections for unsymmetrical Eckart potential energy barriers, 2=10964
- anston, H.S. and Tschuikow-Roux, E. Hydrogen-deuterium kinetic isotope effect at very high temperature, 2=4532
- anston, H.S. See Sharp, T.E., 2=23955
- anston, I.D. See Hamada, T., 2=3330
- anston, I.D. See Hamada, T., 2=13780
- anston, L.H. See Durig, J.R., 2=23536
- anston, R.L. See Gutsche, G.D., 2=3631
- anston, R.L. See Wolicki, E.A., 2=1928
- anston, R.R. The nucleon-nucleus second-order optical potential, 2=18227
- anston, R.R. and Watson, K.M. The second-order optical potential for pion-nucleus scattering, 2=1905
- anston, T.F. Comment on "Sound-speed measurements utilizing the bathyscaph Trieste", 2=21618
- anston, T.L., Stokes, R.J. and Li, C.H. Crack nucleation in magnesium oxide Bi-crystals under compression, 2=6754
- anston, T.L. See Stokes, R.J., 2=2335
- anston, T.W. Waves in warm quiescent plasmas, 2=19963
- anston, T.W. See Shkarofsky, I.P., 2=3007
- anston, W.D. The role of selenium vapor pressure in the formation of silver doped manganese selenide, 2=19086
- anston, W.G. Effect of impurities on the flow stress of LiF crystals, 2=14883
- anston, W.G. Yield points and delay times in single crystals, 2=18994
- anston, W.G. See Nadeau, J.S., 2=2329
- anston, W.H. See Wolf, C.J., 2=3511
- anston, W.H. See Vestal, M., 2=23951
- ly, E.J. See Jacobs, J.A., 2=19268
- ly, M. Application of rheoturbidity to the measurement of interaction energies between particles in solution, 2=19168
- nathan, N., Gordon, S. and Dailey, B.P. Chemical shifts and ring currents in condensed ring hydrocarbons, 2=14328
- ncher, A.K. The physics of the tunnel diode, 2=4048
- nes, A. See Creutz, E., 2=12145
- nes, A.C. See Tunnick, D.D., 2=105
- nes, A.V. See Johanson, A.E., 2=4674
- nes, A.V. See Montbriand, L.E., 2=24048
- nes, A.V. See Noxon, J.F., 2=4661
- nes, A.V. See Shemansky, D.E., 2=913
- nes, A.V. See Tinsley, B.A., 2=11070
- nes, B.B. A method for obtaining accurate half-intensity widths of spectral lines photographed in the vacuum ultraviolet, 2=15734
- nes, B.B. See Fawcett, B.C., 2=1201
- nes, B.B. See Hearn, A.G., 2=7620
- nes, B.D., Sanjeevaiah, B., Zakrzewski, J., Csejthey-Barth, M., Lagnaux, J.B., Sacton, J., Beniston, M.J., Burhop, E.H.S. and Davis, D.H. Production of hyperfragments from the interactions of 800-MeV/c K⁺ mesons with emulsion nuclei, 2=16241
- nes, B.D., Sanjeevaiah, B., Zakrzewski, J., Csejthey-Barth, M., Lagnaux, J.P., Sacton, J., Beniston, M.J., Burhop, E.H.S. and Davis, D.H. On the production of hyperfragments from the interactions of 800 MeV/c K⁺ mesons with emulsion nuclei, 2=22834
- nes, B.D. See Sacton, J., 2=10128
- nes, C. and Jordan, D.W. Time lags in the transmission of pressure disturbances along long lengths of small bore tubing, 2=17492
- nes, C.K. and Brown, C.S. The growth rate dependence of the internal friction of synthetic quartz, 2=10740
- nes, C.M., Phillips, G.C., Harris, R.W. and Beckner, E.H. The scattering of alpha particles from C¹², 2=20673
- nes, D. See Anderson, R.L., 2=22625
- nes, D.A. and Jones, R.V. Growth of cadmium fluoride crystals from the melt, 2=6767
- nes, D.E. The microwave temperature of Venus, 2=4747
- nes, D.E.A. The suitability of materials used for the measurement of the half-value thickness for X-ray beams, 2=5422
- Jones, D.G., Taylor, F.E. and Wolfendale, A.W. The Durham cosmic ray spectrograph. II. The electronic and automatic recording systems, 2=20470
- Jones, D.G. See Gardener, M., 2=20480
- Jones, E., Edelman, S. and Sizemore, K.S. Errata: Calibration of vibration pickups at large amplitudes, 2=9348
- Jones, E. and Jones, F.Llewellyn. Theory of secondary emission of electrons in hydrogen, 2=17880
- Jones, E.D. Zeeman modulator for nuclear quadrupole resonance spectroscopy, 2=20176
- Jones, E.D. and Uehling, E.A. Nuclear quadrupole resonance of As⁷⁵ in Na₂HAsO₄·7H₂O, 2=8690
- Jones, E.D. and Uehling, E.A. Nuclear magnetic resonance of arsenic and antimony in liquid AsF₃ and SbCl₃, 2=11391
- Jones, E.D. See Bjorkstam, J.L., 2=18971
- Jones, E.P. and Williams, D.L. The anisotropy of the nuclear magnetic resonance in white tin, 2=14854
- Jones, E.P. See Bloom, M., 2=14847
- Jones, F.Llewellyn. See Davies, D.K., 2=19898
- Jones, F.Llewellyn. See Jones, E., 2=17880
- Jones, G. and Warren, J.B. The lifetimes of positrons in metals, 2=593
- Jones, G.A. See Gemmell, D.S., 2=13894
- Jones, G.A. See Dearnaley, G., 2=18265
- Jones, H.M. See Shapiro, I.I., 2=4865
- Jones, J.P. Effect of a uniform flow on elastic waves in a porous, saturated elastic solid, 2=21966
- Jones, J.R. A boundary-layer in a non-Newtonian fluid, 2=11334
- Jones, J.W. See Caldwell, D.O., 2=22611
- Jones, J.W.S. See Hill, N.A., 2=4347
- Jones, J.W.S. See Williams, J., 2=6351
- Jones, L.M., Fischbach, F.F. and Peterson, J.W. Satellite measurements of atmospheric structure by refraction, 2=24001
- Jones, L.H. Cyanide stretching vibrations of [Co(CN)₆]³⁻ ion dissolved in solid KCl or NaCl, 2=8516
- Jones, L.H. Vibrational spectrum and structure of single crystals of K₃Co(CN)₆, 2=8530
- Jones, L.H. A resonance interaction valence force field for octahedral M(XY)₆ molecules, 2=10235
- Jones, L.H. Vibrational spectrum and force constants for molybdenum hexacarbonyl, 2=14245
- Jones, L.H. A molecular-orbital approach to the development of vibrational potential functions: CO force constant and stretch-stretch interaction constants for metal hexacarbonyls, 2=20775
- Jones, L.H. See McDowell, R.S., 2=16530
- Jones, L.H. See McDowell, R.S., 2=22980
- Jones, L.H. See Narahari Rao, K., 2=6163
- Jones, L.W. and Perl, M.L. An image intensifier-scintillator device for determination of profiles and images of weak beams of ionizing particles or X-rays, 2=3204
- Jones, L.W. See Peck, C.C., 2=13844
- Jones, M.N. See Garlick, G.F.J., 2=10409
- Jones, O. See Hurle, D.T.J., 2=14959
- Jones, O.C. See Sanders, C.L., 2=15715
- Jones, P. See Shaw, D., 2=16665
- Jones, P.G. See Parker, J.B., 2=5653
- Jones, R. Surface wave technique for measuring the elastic properties and thickness of rods: theoretical development, 2=4301
- Jones, R.A. See Behrndt, K.H., 2=1307
- Jones, R.C. Information capacity of a beam of light, 2=11459
- Jones, R.C. Ultimate performance of polarizers for visible light, 2=13463
- Jones, R.C. Immersed radiation detectors, 2=22087
- Jones, R.C. See Brown, H.W., 2=23006
- Jones, R.E. See Chang, G.K., 2=7510
- Jones, R.E. See Chang, G.K., 2=16615
- Jones, R.E. See Gendron, M.F., 2=13514
- Jones, R.E. See Toxen, A.M., 2=11561
- Jones, R.H. See Johnson, F.A., 2=23572
- Jones, R.N., Seshadri, K.S. and Hopkins, J.W. The objective evaluation of the positions of infrared absorption maxima, 2=10255
- Jones, R.V. Sub-acoustic waves from large explosions, 2=8980
- Jones, R.V. Some uses of elasticity in instrument design, 2=11234
- Jones, R.V. and Forbes, S.T. A microbarograph, 2=17406
- Jones, R.V. and Pollard, J.H. The scintillation properties of cadmium fluoride, 2=6635
- Jones, R.V. See Jones, D.A., 2=6767
- Jones, T.B. See Hunter, A.N., 2=23965
- Jones, T.H. The nonproportional response of a NaI(Tl) crystal to diffracted X-rays, 2=12621
- Jones, W., March, N.H. and Sampanthar, S. The energy and the Dirac density matrix of a non-uniform electron gas, 2=20978

- Jones, W.B. and Gallet, R.M. Representation of diurnal and geographic variations of ionospheric data by numerical methods, 2=15225
- Jones, W.H., Jr., Garbaty, E.A. and Barnes, R.G. Nuclear magnetic resonance in metal tungsten bronzes, 2=4287
- Jones, W.H. Jr. and Milford, F.J. Knight shift and quadrupole interaction in Tc metal, 2=6707
- Jones, W.H., Jr. See Barnes, R.G., 2=4294
- Jones, W.J.D. See Andrade, E.N. da C., 2=19000
- Jones, W.M. See Rout, V.M., 2=5535
- Jones, W.M. See Rout, V.M., 2=16427
- Jones, W.M. See Rout, V.M., 2=22843
- Jong, M.de. See de Jong, M.,
- Jongejans, B. The elastic scattering and absorption of 5.7 GeV/c π^+ on emulsion nuclei, 2=22593
- Jongenburger, P. The influence of plastic deformation on the transverse magnetoresistance of polycrystalline copper, silver and gold, 2=2122
- Jongerius, H.M. Measurements of optical excitation functions of the mercury atom (excitation by electrons), 2=14221
- Jongenburger, P. See Druyvesteyn, W.F., 2=18982
- Jonker, C.C. See Rethmeier, J., 2=5270
- Jonker, G.H. Energy levels of impurities in transition metal oxides, 2=23308
- Jonkman, R.M. See Beenakker, J.J.M., 2=19611
- Jonscher, A.K. Physics of semiconductor switching devices, 2=16746
- Jonsson, E. See Johansson, E., 2=18137
- Jonsson, I. See Aurivillius, B., 2=23855
- Joos, P. See Ruyssen, R., 2=15168
- Jopson, R.C., Mark, H. and Swift, C.D. Production of characteristic X-rays by low-energy protons, 2=20757
- Jopson, R.C. See Hansen, L.F., 2=7984
- Jorand, M. Contributions to the study of effects influencing the displacement towards the red of solar absorption spectra, 2=15329
- Jorba, J.P. Perez y. See Perez y Jorba, J.P.,
- Jordan, A.G. See Lade, R.W., 2=21165
- Jordan, B., Payne, R.M., Pope, R.A. and Hansen, N.R. Scintillation counter observations of the X-ray emission in Sceptre IIIA, 2=7631
- Jordan, C. See Fielder, G., 2=9057
- Jordan, D.P. and Leppert, G. Pressure drop and vapor volume with subcooled nucleate boiling, 2=19781
- Jordan, D.W. and Evans, I. Approximate theoretical solutions to the problem of an elastic square with rigid indenters, 2=2665
- Jordan, D.W. See Jones, C., 2=17492
- Jordan, E.C. and King, R.W.P. Advances in the field of antennas and propagation since World War II. I. Antennas, 2=16049.
- Jordan, E.D. See Kaufmann, J.F., 2=3643
- Jordan, H.L. Methods for the production of high density, high temperature plasma by magnetic compression under controlled initial conditions, 2=9566
- Jordan, P., Ehlers, J. and Kundt, W. Exact solutions of the field equations of general relativity, 2=7127
- Jordan, P. and Kundt, W. Exact solutions of the field equations of general relativity. III. Geometrodynamics in the null case, 2=7129
- Jordan, P., Ehlers, J. and Sachs, R.K. Exact solutions of the field equations of general relativity. II. Contributions to the theory of pure gravitational radiation, 2=7128
- Jordan, P.C.H. and Longuet-Higgins, H.C. The lower electronic levels of the radicals CH, CH₂, CH₃, NH, NH₂, BH, BH₂ and BH₃, 2=12336
- Jordan, T.F. The quantum-mechanical scattering problem, 2=13264
- Jordan, T.F. The quantum-mechanical scattering problem. II. Multi-channel scattering, 2=13265
- Jordan, T.F., Pinsky, M.A. and Sudarshan, E.C.G. Dynamical mappings of density operators in quantum mechanics. II. Time-dependent mappings, 2=21816
- Jordan, T.F. and Sudarshan, E.C.G. Dynamical mappings of density operators in quantum mechanics, 2=30
- Jordan, T.F. and Sudarshan, E.C.G. Lie group dynamical formalism and the relation between quantum mechanics and classical mechanics, 2=1066
- Jordan, T.F. and Sudarshan, E.C.G. Reduction of operator rings and the irreducibility axiom in quantum field theory, 2=20218
- Jorgensen, C.K. Relevant and irrelevant symmetry components. Are the Bloch energy bands the best one-electron functions? 2=23102
- Jorgensen, C.K. and Brinen, J.S. Far ultra-violet absorption bands of osmium (IV), iridium (IV), platinum (IV) hexahalides, 2=22981
- Jorgenson, G.V. and Will, E. Improved ion drag pump, 2=2785
- Jorgensen, M., Nielsen, O.B. and Sidenius, G. Three-particle excitation in Lu¹⁷¹, 2=20516
- Jorgensen, M. See Gallagher, C.J., Jr., 2=16347
- Jorgensen, P.J. Effect of an electric field on silicon oxidation, 2=19143
- Jorgensen, T.S. and Ungstrup, E. Direct observation of correlation between aurorae and hiss in Greenland, 2=17193
- Jortner, J. Dielectric medium effects on loosely bound electrons, 2=15582
- Jortner, J. and Coulson, C.A. Environmental effects on atomic energy levels, 2=1955
- Jortner, J. and Sokolov, U. Absorption spectra of oxygen and nitric oxide in solution, 2=5020
- Jortner, J. and Treinin, A. Intensities of the absorption bands of halide ions in solution, 2=19564
- Joseph, A.S. and Gordon, W.L. Low-field de Haas-van Alphen effect in zinc, 2=10641
- Joseph, C. See Grin, G.A., 2=7536
- Joseph, C. See Heym, A., 2=17896
- Joseph, C. See Vaucher, B., 2=20375
- Joseph, D.W. Coordinate covariance and the particle spectrum, 2=20375
- Josephson, B., Jr. and Strandberg, M.W.P. The effect of color center on the nuclear spin-lattice relaxation time in lithium fluoride, 2=10710
- Josey, A.D. See Eaton, D.R., 2=18466
- Joshi, B.R. and Lewis, G.M. Determination of the Fierz interference term from the K-capture/ β^+ ratio for the pure Gamow-Teller decay of ⁵⁸Co, 2=3519
- Joshi, K.C. Emission spectrum of CuSe molecule in the visible region, 2=10258
- Joshi, K.M. and Saxena, S.C. Comments on the viscosity of polar gases, 2=5032
- Joshi, R.K. See Saxena, S.C., 2=21937
- Joshi, R.V. Ultra-violet and visible thermal glows of KCl(Tl) phosphors, 2=8595
- Joshi, S.B. See Chiplonkar, V.T., 2=22191
- Joshi, S.K. On the quasi-crystalline model of water, 2=1135
- Joshi, S.K. On the Θ values of the temperature dependence of the Laue-Bragg scattering, 2=3843
- Joshi, S.K. Θ -values in the electrical resistance of metals, 2=3971
- Joshi, S.K. and Gupta, R. Dispersion of phonons in silver chloride, 2=12378
- Joshi, S.K. and Hemkar, M.P. Vibrational spectrum of sodium, 2=12399
- Joshi, S.K. and Kashyap, B.M.S. Electrical and thermal resistivities and the fermi surface of monovalent metals, 2=12399
- Joshi, S.K. See Hemkar, M.P., 2=16592
- Josserand, P. See Dupin, P., 2=1606
- Jost, F. and Harrand, M. Effect of the relative position of two C = C bonds on the Raman spectrum, 2=18465
- Jost, K.H. Structure of potassium polyphosphate (KPO₃)_x, 2=17023
- Jost, R. and Hepp, K. Matrix elements of the translation operator, 2=7137
- Jost, R. See Hepp, K., 2=7141
- Jouquet, G. and Rappeneau, J. Mechanical properties of irradiated graphite: modification of the hardness after radiation and annealing, 2=23766
- Jousset-Dubien, M. Diamagnetic susceptibilities at high frequencies, 2=15980
- Jouty, R. and Regis, R. Resistance to oxidation of iron whiskers, 2=18057
- Jouvet, B. Use of the infinities of the characteristic photon energy for determining the asymptotic form of its canonical propagator, 2=18057
- Jouy, A.D. See Audran, R., 2=7414
- Jovanovic, D.T. and Ilc, R.P. A condenser-type accelerator beam-current integrator without relay use, 2=7681
- Jovanovich, J.V. See Standing, K.G., 2=11920
- Jovic, D.M. See Zivanovic, M.D., 2=3356
- Jowitt, R. See McCracken, A.K., 2=22540
- Joyce, B.A. A pulse staining method for delineating N-N⁺ and P-P junctions in silicon, 2=18717
- Joyce, B.D. and Baldrey, J.A. Selective epitaxial deposition of silicon, 2=21494
- Joyce, P.L. See Andreade, J.H., 2=21907
- Joyet, G., Hugentobler, E. and Myszyrowicz, A. Air-equivalent material for γ -ray dosimetry from 10 keV to 50 MeV, 2=9817
- Joyner, P.A. See Nicholas, M.E., 2=1126
- Joyner, P.A. See Olsen, D.A., 2=15560
- Jozefowicz, E.T. Absolute measurements of beta activities in liquid scintillators, 2=1826
- Józefowicz, E.T. Half-life of sodium-24, 2=5850
- Józefowicz, E.T. See Mikke, K., 2=296
- Juan, C. See Gutowsky, H.S., 2=16563
- Judd, B.R. Low-lying levels in certain actinide atoms, 2=3685
- Judd, B.R. Double-tensor operators for configurations of equivalent electrons, 2=14186
- Judd, B.R. Optical absorption intensities of rare-earth ions, 2=1818
- Judd, B.R. and Marquet, L.C. Energy levels of Er II, 2=10201
- Judd, D.B. Maxwell and modern colorimetry, 2=1244
- Judd, D.B., Chamberlin, G.J. and Haupt, G.W. The ideal Lovibond color system, 2=15718

- d, D.B., Chamberlin, G.J. and Haupt, G.W. Ideal Lovibond color system, 2=15719
- d, D.B. See Keegan, H.J., 2=17582
- d, F.V.H. Theory for correlating attenuation data for cylindrical passages, 2=17560
- eker, D.W. See Jaklevic, R.C., 2=7643
- aku, J. See Hayashi, C., 2=987
- lard, A. and Boulblil, C. Spectrum of internal conversion electrons of the decay of $\text{Tb}^{161} \rightarrow \text{Dy}^{161}$, 2=20562
- lard, A. and Moussa, A. Study of Auger L electrons following the autoionization of Po, 2=413
- es, J.D. Stability of the sharp pinch and unpinch with finite conductivity, 2=1440
- g, A., Francois, P. and Murre, R. Investigation of the electronic structure of naphthalene by a modified L.C.A.O. method, 2=22992
- lan, F.A. and Riviere, A.C. Suggested new method of injection into two tandem accelerators, 2=17907
- ien, J., Corge, C., Vinh-Dinh, Huynh, Morgenstern, J. and Netter, F. Detailed properties of neutron absorption resonances for some medium weight nuclei, 2=18332
- ien, J., Vinh-Dinh Huynh, Morgenstern, J. and Netters, F. Multidimensional analysis of radiation emitted during the resonant capture of neutron in various nuclei, 2=18333
- ien, J. See Bianchi, G., 2=9865
- ien, J. See Corge, C., 2=18334
- ien, J. See Corge, C., 2=295
- ien, J. See Corge, C., 2=388
- ien, J. See Corge, C., 2=415
- ien, J. See Corge, C., 2=416
- l, E.V. An investigation of near-field radiation patterns measured with large antennas, 2=22323
- mp, C.F., Emerson, M.T. and Howard, B.B. Self-association constant of chloroform from N.M.R. chemical shifts, 2=2703
- re, R.K. See Wilcox, J.D., 2=2693
- g, B., Andersson, G. and Stenström, T. The internal decays of $\text{Pb}^{197\text{m}}$ and $\text{Pb}^{199\text{m}}$, 2=18305
- g, B. and Svedberg, J. Levels in ^{200}Hg , populated in the decays of TI^{195} (1.2 h) and $\text{Hg}^{195\text{m}}$ (40 h), 2=373
- g, B. and Svedberg, J. Nuclear spectroscopy on $^{201}\text{TI}^{197}$ sources, 2=412
- g, B. See Arbman, E., 2=2991
- g, B. See Svedberg, J., 2=411
- g, H., Panussi, P. and Jäneck, J. Reversible gain variations of photomultipliers by different counting rates, 2=1486
- g Wang. See Wang Jung.
- ge, C.E. Note on the exchange rate between the northern and southern atmosphere, 2=17137
- ge, C.E., Oldenberg, O. and Wasson, J.T. On the origin of the sodium present in the upper atmosphere, 2=13018
- ge, C.E. See Chagnon, C.W., 2=8964
- ge, C.E. See Wasson, J.T., 2=15181
- german, J.A., Gardner, M.E., Patten, C.G. and Peek, N.F. A precision solenoidal beta ray spectrometer, 2=13774
- ghähnel, G. Experiments with photoelements. III. The temperature dependence of some properties of photoelements, 2=1484
- gk, G. and Thiessen, K. The spectral dependence of the p-n photoeffect in silicon carbide, 2=4069
- gk, G. See Eckart, F., 2=21140
- gk, G. See Thiessen, K., 2=10539
- kes, J. and Salpeter, E.W. Line widths in photographic spectro-photometry. II. The optical line profile, 2=22024
- od, A., Sängner, R. and Thams, J.C. Direct recording of the spectrum of small atmospheric ions, 2=23999
- en, J.A.de. See de Juren, J.A.
- etschke, H.J. See Coren, R.L., 2=12777
- ic, M. See Stanojevic, D., 2=22839
- ic, M.K. Determination of α -radioactivity in the atmosphere by means of photonuclear plates, 2=5830
- ic, M.K. See Stanojevic, D.M., 2=3606
- isson, J. and Oakes, R.J. Flux trapping, 2=22114
- sa, A.S. See Tanaka, Y., 2=13535
- st, D. See Haul, R., 2=3953
- st, D. See Haul, R., 2=14456
- st, K. and Krause, K. Spherically symmetric models in relativistic and Newtonian cosmology, 2=19273
- sti, E. The thermoelectric behaviour of Zn-Cd-Sb, 2=23487
- sti, E. and Schneider, G. Thermo-electric power and electrical conductivity of ZnSb at low temperatures, 2=657
- sti, E. See Emeljanenko, O.V., 2=4042
- sti, E. Advanced energy conversion, 2=9517
- stusson, W.M. Transformation kinetics of gamma-phase uranium-molybdenum-niobium alloys, 2=4453
- Jutzi, W. Inhomogeneous lines with variable loss angle of the characteristic admittance along their length, 2=11789
- Jutzi, W. Circuit measures at the output of short, continuously inhomogeneous attenuating lines, 2=17963
- Kabalkina, S.S. and Vereshchagin, L.F. An X-ray investigation of the effect of hydrostatic pressures up to 18 000 kg/cm² on the structure of lead titanate, 2=12915
- Kabalkina, S.S. and Vereshchagin, L.F. An X-ray investigation of the effect of hydrostatic pressures up to 18 000 kg/cm² on the structure of lead titanate, 2=21522
- Kabanov, A.N. and Kushnir, Yu.M. Some applications of universal electrostatic analyser of electron velocities at 75 kV, 2=1513
- Kabin, S.P. See Volodin, V.P., 2=21392
- Kabir, P.K. The spin of the μ -meson, 2=5702
- Kachanov, L.M. On the solution of problems of non-stationary creep, 2=14892
- Kachinskii, V.N. Transverse potential difference in tin which is even with respect to magnetic field, 2=624
- Kachinskii, V.N. Transverse potential difference in tin which is even with respect to magnetic field, 2=23252
- Kachkacheva, M.M., Dryabchuk, A.A., Rusakov, L.Z. and Smazhevskaya, E.G. High-temperature piezoelectric accelerometer sensing elements, 2=14618
- Kachlishvili, Z.S. The elastic scattering of a non-localised exciton on U-centres, 2=8257
- Kachlishvili, Z.S. The elastic scattering of a nonlocalized exciton by impurity centres, 2=10358
- Kachlishvili, Z.S. Interaction of a nonlocalized exciton with an F'-centre, 2=18555
- Kachlishvili, Z.S. See Tsertsvadze, A.A., 2=20899
- Kacner, A. Heat conduction equations for thin plates, 2=13474
- Kacser, C. See Barton, G., 2=313
- Kacser, C. See Barton, G., 2=13835
- Kaczér, J. Domain configurations of the uniaxial infinite cylinder, 2=14776
- Kaczkowski, Z. Effect of heat-treatment on Q-factor of Ni-span C-type alloys, 2=12844
- Kaczmarek, E. Evaluation of certain integrals in optics of the solid state, 2=10574
- Kadanoff, L.P. See Ambegaokar, V., 2=2953
- Kaddoura, A. See Duthie, J., 2=12102
- Kaderka, M. Dielectric losses of NaCl crystals with Ca admixture irradiated with X-rays, 2=660
- Kaderka, M. The influence of the OH⁻ radical on the dielectric losses in NaCl crystals, 2=12558
- Kadikov, G.M. See Andrejev, E.M., 2=3229
- Kadomtsev, B.B. Turbulent convection of a plasma in a magnetic field, 2=15913
- Kadomtsev, B.B. Turbulent loss of particles from a discharge in a strong magnetic field, 2=15932
- Kadomtsev, B.B. Convection of the plasma of a positive column in a magnetic field, 2=17833
- Kadyk, J.A. See Brown, J.L., 2=5730
- Kadyk, J.A. See Brown, J.L., 2=20417
- Kadyk, J.A. See Roe, B.P., 2=3399
- Kadykov, G.M. See Andreev, E.M., 2=18041
- Kadykova, G.N. and Sosnin, V.V. Cubic texture of a 0.01-0.05 mm thick transformer-steel sheet, 2=8852
- Kadykova, G.N. and Sosnin, V.V. Cube texture in transformer steel strip 0.01-0.05 mm thick, 2=23928
- Kadyševich, A.E. Present state and future development of the optical pyrometry of flames, 2=19750
- Kadyševskii, V.G. On the theory of quantization of space-time, 2=5561
- Kafalas, J.A. See Banus, M.D., 2=17729
- Kaftanov, V.S. See Alikhanov, A.I., 2=11969
- Kaftanov, V.S. See Babaev, A.I., 2=18147
- Kagan, A.S. and Umanskii, Ya.S. The dependence of the X-ray temperature factor on the lattice vibration, 2=2379
- Kagan, A.S. and Umanskii, Ya.S. The dependence of the X-ray temperature factor on the lattice vibration spectrum, 2=6801
- Kagan, G.I. See Popov, E.M., 2=16548
- Kagan, Yu. The anisotropy of the Mössbauer effect, 2=2043
- Kagan, Yu. The anisotropy of the Mössbauer effect, 2=10309
- Kagan, Yu. Inelastic scattering of slow neutrons on arbitrary crystals and the general problem of reconstruction of the phonon spectrum, 2=16603
- Kagan, Yu. On the particular role of the optical branch in the Mössbauer effect, 2=23045
- Kagan, Yu. and Afanas'ev, A.M. Contribution to the kinetic theory of gases with rotational degrees of freedom, 2=2767

- Kagan, Yu. and Iosilevskii, Ya. A. The Mössbauer effect for an impurity nucleus in a crystal, 2=8156
- Kagan, Yu. and Maslov, V. A. The Mössbauer effect in mono- and diatomic cubic lattices, 0=556
- Kagan, Yu. See Zhdanov, V., 2=15635
- Kagan, Yu. M. and Koretskii, Ya. P. A direct method of measuring the mean lifetime of excited ionic levels, 2=8066
- Kagan, Yu. M. and Lyagushchenko, R. I. Electron energy distribution function in the positive column of a neon discharge, 2=168
- Kagan, Yu. M. and Lyagushchenko, R. I. Electron velocity distribution, excitation, and ionization in the positive column of a neon discharge, 2=19909
- Kagan, Yu. M., Perel', V. I. and Chaika, M. P. Theory of optical signal amplification by a medium with negative absorption, 2=17602
- Kagan, Yu. M. See Goldanskii, V. I., 2=4559
- Kagan, Yu. M. See Zakharova, V. M., 2=1395
- Kagan, Yu. M. See Zakharova, V. M., 2=15901
- Kaganov, M. A., Lisker, I. S. and Chudnovsky, A. F. The velocity method of determining the heat conduction of semiconductor materials, 2=5197
- Kaganov, M. A. and Mushkin, I. G. A semiconductor thermoanemometer with temperature compensation, 2=19590
- Kaganov, M. I. Inelastic scattering of particles and the Cherenkov radiation, 2=20312
- Kaganov, M. I., Kucherov, R. Ya. and Rikenglaz, L. E. Kinetic theory of a low-pressure plasma converter, 2=11707
- Kaganov, M. I. and Tsukernik, V. M. High-frequency susceptibility tensor of an uniaxial antiferromagnetic crystal in a longitudinal magnetic field, 2=756
- Kaganov, M. I. and Tsukernik, V. M. High-frequency susceptibility [tensor] of an uniaxial antiferromagnetic crystal in a longitudinal magnetic field, 2=23691
- Kaganov, M. I. See Agranovich, V. M., 2=20974
- Kaganov, M. I. See Aleksandrov, B. N., 2=2114
- Kaganov, M. I. See Aleksandrov, B. N., 2=23240
- Kaganovskii, A. Ya. See Mikhailov, N. N., 2=7446
- Kaganovskii, A. Ya. See Mikhailov, N. N., 2=19754
- Kaganskii, M. G. See Vasilenko, S. S., 2=18303
- Kaganskii, M. G. See Vasilenko, S. S., 2=20318
- Kagarise, R. E. See Jarvis, N. L., 2=22095
- Kageyama, M. See Teranishi, E., 2=12187
- Kagle, B. J. See Taylor, A., 2=2349
- Kahalas, S. L., See Ek, F., 2=7599
- Kahan, T. See Jancel, R., 2=13368
- Kahan, T. See Jancel, R., 2=19614
- Kahan, W. Detection of the microwave ν_{27} -line of molecular oxygen produced in the high atmosphere, 2=21640
- Kahana, S. Ratio of long to short range forces in finite nuclei, 2=9979
- Kahane, A. See Hotellier, M. N., 2=8481
- Kahane, J. See Jeremie, H., 2=9932
- Kahl, G. D. See Sedney, R., 2=2749
- Kahlbau, J. V. See Hixson, E. L., 2=13408
- Kahle, H. G. and Kalbfleisch, H. Spectra, Zeeman effect and electron terms of trivalent terbium in crystalline salts, 2=6574
- Kähler, E. The Dirac equation, 2=13725
- Kahler, E. The crystal structure of dolerophanite $\text{Cu}_2\text{O}(\text{SO}_4)$, an example of 5-coordinated copper, 2=21523
- Kahn, A. B. Large-scale atmospheric spectra at 200 mb, 2=17130
- Kahn, D. and Glass, A. J. Photocapacitance effects in additively colored alkali halide crystals, 2=23468
- Kahn, F. D. Sound waves trapped in the solar atmosphere. II, 2=15331
- Kahn, F. D. and Menon, T. K. Evolution of gaseous nebulae, 2=4832
- Kahn, H. L. Multiplication and division using silicon diodes, 2=7112
- Kahn, W. See Bergstein, L., 2=22019
- Kahng, D. A hot electron transistor, 2=21176
- Kahng, D. See Smith, G. E., 2=21171
- Kahrstedt, A. Elementary principles of trajectory construction, 2=9059
- Kai, K. Some characteristics of type I burst, 2=19348
- Kai, K. See Morimoto, M., 2=2561
- Kai, K. See Morimoto, M., 2=13161
- Kaifu, Y. See Mataga, N., 2=19568
- Kaijara, M. See Price, J. M., 2=17469
- Kaine, D. See Vincent, C. H., 2=17748
- Kaine, D. See Vincent, C. H., 2=20169
- Kaiser, H. Measurement of the unperturbed angular correlation of successive nuclear radiations in thin evaporated films, 2=7934
- Kaiser, H. The nuclear quadrupole interaction of excited nuclear states in thin metal foils, 2=12138
- Kaiser, H. J. See Barashenkov, V. S., 2=9778
- Kaiser, R. H. See Kaiser, W., 2=21236
- Kaiser, T. R. The determination of the incident flux of radio-meteors, 2=4848
- Kaiser, W. Electrical and optical investigations of the donor formation in oxygen-doped germanium, 2=14534
- Kaiser, W. Electrical and optical properties of oxygen in silicon germanium, 2=23352
- Kaiser, W. and Keck, M. J. Scattering losses in optical maser crystals, 2=8496
- Kaiser, W., Spitzer, W. G., Kaiser, R. H. and Howarth, L. E. Infrared properties of CaF_2 , SrF_2 , and BaF_2 , 2=21236
- Kaiser, W. See Garrett, C. G. B., 2=2244
- Kaiser, W. See Wood, D. L., 2=14717
- Kaiser, W. C., Baker, S. I., MacKay, A. J. and Sherman, I. S. Response NaI(Tl) to X-rays and low-energy gamma rays, 2=18000
- Kaitmazov, S. D. and Prokhorov, A. M. Cavities for observing elect paramagnetic resonance at low temperatures, 2=1611
- Kaiyoh, H. See Nakada, I., 2=6494
- Kajikawa, R. See Fukui, S., 2=3340
- Kakigi, S. See Nakamura, T., 2=5913
- Kakigi, S. See Yanabu, T., 2=8007
- Kakigi, S. See Yanabu, T., 2=16425
- Kakinoki, J. and Komura, Y. Comments on Allegra's paper "A simplified formula for the calculation of the X-ray intensity diffracted by a monodimensionally disordered structure", 2=
- Kakushadze, T. I. The role of group transitions in the production of certain satellites. I, 2=580
- Kakushadze, T. I. Electron heat capacity in transition metals and alloys. II, 2=581
- Kakushadze, T. I. Effect of group transition on magnetic properties transition metals. III, 2=582
- Kakushadze, T. I. Group transitions in crystalline phosphors, 2=2
- Kakuta, C. The magnetic torque on the impulsive change of the rotation of the earth, 2=15180
- Kakutani, T. Hydromagnetic flow over a plane wall with uniform suction, 2=7725
- Kalab, B. and Broda, E. Unpurified carbon dioxide as a filling gas counters, 2=16085
- Kalaba, R. See Bellman, R., 2=9
- Kalashnikov, S. G. See Alexeeva, V. G., 2=8398
- Kalashnikov, S. G. See Karpova, I. V., 2=18675
- Kalashnikov, S. G. See Karpova, I. V., 2=21131
- Kalashnikov, S. G. See Kurova, I. A., 2=21194
- Kalashnikov, S. G. See Morozov, A. I., 2=6456
- Kalashnikov, S. G. See Morozov, A. I., 2=10467
- Kalashnikov, V. P. See Zyrjanov, P. S., 2=187
- Kalashnikov, Ya. A. See Bilevich, A. V., 2=17490
- Kalashnikov, S. G. Recombination on impurity centres in germanium and silicon, 2=23348
- Kalbfleisch, G. R. Two-parameter statistical model, 2=18069
- Kalbfleisch, G. R. See Alexander, G., 2=20427
- Kalbfleisch, G. R. See Button, J., 2=13802
- Kalbfleisch, H. See Kahle, H. G., 2=6574
- Kalckar, J. See Cutkosky, R. E., 2=13827
- Käld, L. See Simons, L., 2=14059
- Käld, L. See Simons, L., 2=1842
- Kaliamin, A. V., Levenberg, I. Iu. and Yakovlev, V. A. Positron activity of neutron-deficient isotopes of lutetium, ytterbium and holmium, 2=3520
- Kalibjian, R. See Wouters, L. F., 2=22253
- Kalikhevich, N. S. The diurnal term in time service observations, 2=14133
- Kalinin, S. P. See Vlasov, N. A., 2=14133
- Kalinin, V. M. See Dunaev, F. N., 2=23672
- Kalinkin, I. P., Sergeeva, L. A., Aleskovskii, V. B. and Strakhov, L. P. Obtaining single crystal layers of cadmium selenide, 2=4380
- Kalinkin, I. P., Sergeeva, L. A., Aleskovskii, V. B. and Strakhov, L. P. Obtaining single crystal layers of cadmium selenide, 2=6768
- Kalinkin, L. F., Melioranskii, A. S. and Estulin, I. V. Cascade γ -quanta in the $\text{Rh}^{103}(n, \gamma)\text{Rh}^{104}$ reaction, 2=16420
- Kalinkina, I. N. See Borovik-Romanov, A. S., 2=4237
- Kalinovich, D. F., Kovenskii, I. I. and Smolin, M. D. Diffusion and electrical transport of chromium in molybdenum, 2=8241
- Kalinovich, D. F., Kovenskii, I. I. and Smolin, M. D. The question of defining partial rates of electrical transport with the aid of labelled atoms, 2=21054
- Kalinovich, D. F., Kovenskii, I. I. and Smolin, M. D. Diffusion and the electrolytic transport of chromium in molybdenum, 2=23201
- Kalinovich, D. F., Kovenskii, I. I., Smolin, M. D. and Frantsevich, I. N. Diffusion of nickel in nickel-molybdenum alloy in an electric field, 2=6372
- Kalinyak, A. A. and Kamionko, L. A. Microphotometric analysis of emission flare in the central peak of Alphonsus on the spectrum of November 3, 1958, 2=13102
- Kalinyak, A. A. and Kamionko, L. A. Microphotometric analysis of emission flare in the central peak of Alphonsus on the spectrum of November 3, 1958, 2=17240

- Iski, S. Plane shock waves in solids with perfect electric conductivity in a magnetic field, 2=5047
- Iski, S. The Cauchy problem for a perfect conductor, isotropic and transversally isotropic, in a magnetic field, 2=5442
- Iski, S. The Cauchy problem for a real, isotropic elastic conductor in a magnetic field, 2=5443
- Iski, S. The Cauchy problem for an elastic dielectric in magnetic field, 2=5444
- Iski, S. Rayleigh waves between perfectly conducting fluid and solid body in a magnetic field, 2=17938
- Iski, S. and Nowacki, W. Excitation of mechanical-electromagnetic waves induced by a thermal shock, 2=11439
- Iski, S. and Nowacki, W. Combined elastic and electromagnetic waves produced by thermal shock in the case of a medium of finite electrical conductivity, 2=19645
- Iski, S., Pfochowski, Z. and Rogula, D. The asymmetry of the stress tensor and the angular momentum conservation for a combined mechanical and electromagnetic field in a continuous medium, 2=21800
- Iski, S. and Rogula, D.R. Rayleigh's electric waves on cylindrical surfaces in magnetic fields, 2=7279
- Iteevskii, N.I., Chaika, M.P., Pacheva, I.Kh. and Fradkin, E.E. Nuclear moments of odd gadolinium isotopes, 2=16298
- Itsin, N.S. Class of exact solutions of Einstein's gravitational equations in vacuum and of the Riemannian equations $R_{iklm} = 0$, 2=4925
- Itsin, N.S. Expanding galactic systems and a new application of Einstein's general theory of relativity, 2=6980
- Izitsin, N.St. An exact derivation of the time independent Schrödinger equation for the theory of stability of motion in classical mechanics, 2=7115
- Imann, H., Rennert, J. and Sidran, M. Infrared photography using persistent internal polarization in phosphor plates, 2=9414
- Imann, H. See Brown, F.H., 2=2253
- Imann, H.P. and Pope, M. Theory of hole injection and conductivity in organic materials, 2=14521
- Imann, H.P. See Freeman, J.R., 2=4089
- Imann, H.P. See Mark, P., 2=21184
- Imann, H.P. See Pope, M., 2=14579
- Iloghjan, A. On the dynamical instability of several groups of galaxies, 2=9099
- Iran, G. Liouville equation in relativistic dynamics, 2=11274
- Iran, G. and Ron, A. Interaction of a test particle with a plasma. II. Energy loss of the test particle, 2=3027
- Iran, O.F. and Decius, J.C. Absolute infrared intensities of the CS_2 fundamentals in CCl_4 solution and of the Fermi 768-797 cm^{-1} doublet of CCl_4 in cyclohexane solution, 2=1153
- Irykov, A.A. See Safronov, B.G., 2=15939
- Irykova, S. See Shestopalov, V.P., 2=240
- Irykova, S.S. On the problem of matching plasma waveguides, 2=20149
- Iryks, J. See Von Hippel, A., 2=14359
- Irogeropoulos, T.E. See Brown, H.N., 2=12013
- Irogeropoulos, T.E. See Samios, N.P., 2=20392
- Ira, S.N. See Holuj, F., 2=16019
- Ishoven, J. An aqueous homogeneous zero-energy suspension reactor. IV. The measurement of the colloid chemical stability of suspensions, 2=12268
- Itwasser, K. See Schuhmann, H., 2=21549
- Iugin, B.A. and Mikhailov, I.G. A new ultrasonic method for measuring the elastic properties of solids at high temperatures, 2=4299
- Iugin, K.S. See Belou, I.P., 2=3218
- Ivius, M. Information on the hyperfine structure splitting of the 8-42 keV γ -ray of Tm^{169} from the Mössbauer effect in Tm_2O_3 , 2=12367
- Ivius, M., Kienle, P., Böckmann, K. and Eicher, H. Hyperfine structure splitting of recoilless γ -lines. II. The 8-42 keV level in Tm^{169} , 2=5811
- Ivius, M., Zahn, U., Kienle, P. and Eicher, H. Hyperfine structure of the 14-4 keV state of Fe^{57} , bound in various iron carbonyls, 2=18245
- Iyamin, A.V. See Belyaev, B.N., 2=7985
- Iyuzhnaya, G.K. See Gross, E.F., 2=10600
- Iz, L.I. Flux reversal in ferrite cores under the effect of a transverse field, 2=13637
- Izachi, K. and Watanabe, M. A consideration on brittle fracture of pearlite-free iron, 2=23786
- Izachi, K. See Watanabe, M., 2=10770
- Izal, A.N. The pion-nucleon coupling constant, 2=13850
- Izuta, K. Zenith angle distribution of extensive air showers at 8500 m above sea level, 2=5765
- Izuta, K. See Imai, T., 2=3433
- Izuta, K. See Imai, T., 2=3434
- Kamata, K. See Imai, T., 2=13919
- Kamb, W.B. The glide direction in ice, 2=795
- Kamb, W.B. Author's reply to discussions of the paper "The thermodynamic theory of nonhydrostatically stressed solids", 2=6722
- Kambe, R. See Makishima, S., 2=715
- Kambersky, V. See Andrä, W., 2=10657
- Kambersky, V. See Málek, Z., 2=4228
- Kambersky, V. See Schüppel, W., 2=23667
- Kamburov, Kh. Method of determining the long-term activity in atmospheric aerosols by changing the half-value period of Thorium-B, 2=6922
- Kamefuchi, S. and Takahashi, Y. A generalization of field quantization and statistics, 2=17371
- Kamefuchi, S., O'Raifeartaigh, L. and Salam, A. Change of variables and equivalence theorems in quantum field theories, 2=3240
- Kamel, R. and Attia, E.A. Annealing spectrum of cold-worked silver, 2=4335
- Kamenetskaya, D.S. See Aptekar', I.L., 2=12924
- Kameswara Rao, N. See Balasubrahmanyam, V.K., 2=20448
- Kameswara Rao, N. See Ganguli, S.N., 2=12084
- Kamigaichi, T. See Masumoto, K., 2=23686
- Kamigaichi, T. See Tatsumoto, E., 2=14771
- Kamigaki, K. and Hirone, T. Ultrasonic attenuation in Al and Al-Cu alloys at low temperatures, 2=3832
- Kaminishi, T. and Kojima, C. Production of nuclear isomers. I. Production of nuclear isomers with bremsstrahlung, 2=18271
- Kaminskii, D.L. See Vasilenko, S.S., 2=18303
- Kaminskii, D.L. See Vasilenko, S.S., 2=20318
- Kaminskii, M.G. Some problems of the theory of the galvanometer when used in phosphorescent measurements, 2=2873
- Kaminsky, M. Sputtering experiments in the Rutherford collision region, 2=13609
- Kaminsky, M. See Chupka, W.A., 2=2030
- Kamionko, L.A. See Kalinyak, A.A., 2=13102
- Kamionko, L.A. See Kalinyak, A.A., 2=17240
- Kamitsubo, H. Coulomb excitation of As^{75} , 2=10007
- Kamiya, K. and Yoshihara, K. Effect of gas pressure on the sensitivity of pneumatic cell, 2=2932
- Kamiya, Y. Solar magnetic cloud producing cosmic-ray storm, magnetic storm and type IV solar radio outburst, 2=12037
- Kamiya, Y. Solar magnetic cloud producing cosmic-ray storm, magnetic storm and type IV solar radio outburst, 2=20478
- Kamiya, Y., Sagisaka, S., Ueno, H., Kato, S. and Sekido, Y. Directional and momentum dependence of the positive excess of the cosmic-ray mesons, 2=12076
- Kamiya, Y. See Sekido, Y., 2=12067
- Kamiyama, H. Morphology of ionospheric storms, 2=13037
- Kamiyama, H. The ionospheric storm at middle latitudes, 2=6943
- Kamiyoshi, K. and Fujimura, T. Dielectric absorption of some alcohols, 2=17478
- Kamiyoshi, K. and Fujimura, T. Microwave absorption of a mixture of two polar liquids, 2=19576
- Kamiyoshi, K. See Fujimura, T., 2=8460
- Kamke, D. and Kramer, P. Energy loss and range of alpha-particles in boron in the energy range 0.2-5.3 MeV, 2=16249
- Kamke, D. See Dehnhard, D., 2=1833
- Kamke, D. See Dehnhard, D., 2=10038
- Kamm, G.N. and Bohm, H.V. Instrumentation for ultrasonic attenuation studies, 2=21983
- Kammash, T. and Gombert, H.J. Interaction of radiation and matter, a part of the nuclear engineering curriculum, 2=5993
- Kammer, E.W. See Smith, R.J., 2=14488
- Kammerer, O.F. See Kelsch, J.J., 2=10426
- Kamochkin, B.A. and Tovchigrechko, S.S. A photoelectric device for a printing chronograph, 2=21866
- Kamoldinov, M.G. and Reikhrudel', E.M. Photoconductivity and quantum yield in germanium under the action of X-rays, 2=4064
- Kamoshita, G. See Haseguti, R.R., 2=21407
- Kamp, P. van de. See van de Kamp, P.
- Kamyshova, L.N. Effect of doping with chromic oxide on some dielectric piezoelectric properties of borium titanate, 2=16791
- Kan, S.V. See Kirenskii, L.V., 2=21321
- Kan, S.V. See Kirenskii, L.V., 2=21322
- Kan, Ya.S. and Polyakov, L.M. A method of measuring tangential stresses in a medium transmitting high pressure, 2=17408
- Kan, Ya.S. and Polyakov, L.M. A method of measuring tangential stresses in a medium transmitting high pressure, 2=19508
- Kanamori, J. See Date, M., 2=6418
- Kanamori, J. See Portis, A.M., 2=14762
- Kanamori, J. See Portis, A.M., 2=14843
- Kanaris, A.D. See Edwards, S.F., 2=16220
- Kanavets, V.P., Levigov, I.I. and Morozov, B.V. Limiting values of the p scattering amplitude, 2=22601

- Kanavets, V.P. See Pershin, I.I., 2=3227
- Kanaya, K. and Kawakatsu, H. Electro-static stigmators used in correcting second and third order astigmatism in the electron microscope, 2=11717
- Kanaya, S. and Yokoi, H. The bearing of WWV signals, Washington, D.C., observed at Tokyo, 2=3174
- Kanayama, M. Temperature distribution and its changes in a solid bombarded by a beam of charged particles. I, 2=16619
- Kanazawa, A. See Sugawara, M., 2=16166
- Kanazawa, H. On the plasma oscillations in metal foils, 2=6305
- Kanazawa, T. See Miyake, Y., 2=6924
- Kanda, E. See Ueki, K., 2=3841
- Kandiah, K. High speed intermediate storage systems, 2=9494
- Kandya, V.V. See Kantor, P.B., 2=18529
- Kandya, V.V. See Lazareva, L.S., 2=8173
- Kandya, V.V. See Lazareva, L.S., 2=23074
- Kane, E.O. Spectral moments and continuum perturbation theory, 2=2596
- Kane, E.O. Report on the symposium on electronic tunnelling in solids, Philadelphia, 1961, 2=12412
- Kane, E.O. Theory of photoelectric emission from semiconductors, 2=17870
- Kane, E.O. Multiphonon processes in tunneling, 2=23279
- Kane, G.L. See Jackson, J.D., 2=11940
- Kane, J.V. See El-Wahab, M.A., 2=13706
- Kane, J.V. See Lowe, J., 2=13981
- Kane, P.P. Nonconservative nature of electric fields in d.c. networks containing sources of e.m.f., 2=11600
- Kane, R.P. Some characteristics of the daily variation of cosmic-ray intensity, 2=13908
- Kane, R.P. Relationship between primary cosmic rays and their secondary components, 2=16258
- Kane, R.P. Solar and terrestrial relationships of daily variation of cosmic rays during the I.G.Y., 2=22685
- Kane, W.E. See Walters, W.L., 2=449
- Kane, W.E. See Walters, W.L., 2=10106
- Kane, W.R., Fiebigler, N.F. and Fox, J.D. Coincidence studies of the thermal neutron capture gamma rays of chromium, 2=10119
- Kaneda, E. See Nagata, T., 2=4672
- Kaneda, E. See Nagata, T., 2=15250
- Kaneda, E. See Tohmatsu, T., 2=11076
- Kaneda, S. See Sugata, E., 2=11715
- Kaneda, S. See Sugata, E., 2=11716
- Kaneko, M. See Krigbaum, W.R., 2=2035
- Kaneko, M. See Kuwahara, N., 2=14249
- Kaneko, M. See Kuwahara, N., 2=19556
- Kaneko, S. Viscosity coefficient of a plasma in a magnetic field, 2=9576
- Kaneko, S. See Arikawa, T., 2=20056
- Kaneko, S. See Takayanagi, K., 2=6148
- Kaneko, T. See Miyake, S., 2=12071
- Kaneko, Y. Single and double ionization of Na, K and Mg by electron impact, 2=1392
- Kanellakos, D.P., Chan, K.L. and Villard, O.G., Jr. On the altitude at which some solar-flare-induced ionization is released, 2=17161
- Kanellakos, D.P. and Villard, O.G., Jr. Ionospheric disturbances associated with the solar flare of September 28, 1961, 2=19219
- Kanellakos, D.P. See Chan, K.L., 2=19262
- Kanematsu, K. Covalent bond and spin scheme in the intermetallic compound with B₈ type, 2=6833
- Kanematsu, K., Yasukochi, K. and Ohoyama, T. Magnetic property of (Co, Ni)_{1-x}Ge, 2=16891
- Kaner, E.A. Theory of acoustic cyclotron resonance in metals, 2=20983
- Kaner, E.A. and Nabutovskii, B.M. Effect of a slightly non-uniform magnetic field on resonance phenomena in metals, 2=18560
- Kaner, E.A. and Yakovenko, V.M. The theory of transition radiation, 2=9588
- Kaner, E.A. See Bass, F.G., 2=6921
- Kanetsyan, A.R. See Tumanyan, V.A., 2=354
- Kanev, A.N. See Uflyand, Ya.S., 2=22319
- Kanevskii, I.N. A simple method for the visualization of ultrasonic fields and streams, 2=15696
- Kang, G. See Flitzer, L., 2=7042
- Kang, Y.W., Kwak, N., Schneps, J. and Smith, P.A. π^+ decay of a $^4\text{He}_\Lambda$ hyperfragment, 2=7909
- Kankelwitz, B., Krug, W. and Lau, E. Contrast controlling photographic images by colour developing, 2=7415
- Kankelwitz, B., Krug, W. and Lau, E. Determining the contrast of photographic images by multicolour development, 2=22072
- Kanki, T. Subtraction in the Chew-Mandelstam equation and determination of the low-energy scattering amplitude, 2=3274
- Kannan, K.K. See Viswamitra, M.A., 2=14975
- Kannewurf, C.R. and Cashman, R.J. Optical absorption and photoconductivity in germanium selenide, 2=8520
- Kanno, M. Departures from LTE in the higher levels of H, 2=477
- Kanno, M. See De Jager, C., 2=4803
- Kanno, T. World-wide distribution of diurnal variation of the neutron intensity of cosmic rays, 2=340
- Kanno, T. and Murakami, K. On the world-wide distribution of the variation of the cosmic-ray neutron intensity and its variation, 2=12046
- Kano, T. See Okada, T., 2=8801
- Kano, Y. Equations governing the propagation of second order correlations in non-stationary electromagnetic fields, 2=9683
- Kanskaya, L.M. See Ryskin, A.Ya., 2=10599
- Kantardzhyan, L.T. See Adamov, V.S., 2=9284
- Kantardzhyan, L.T. See Grigoryan, E.V., 2=15606
- Kantele, J. and Fink, R.W. Coincidence summing and non-linearity studies with a two-crystal scintillation gamma spectrometer, 2=5606
- Kantele, J. and Fink, R.W. An integral-bias summing spectrometer gamma-gamma coincidence and angular correlation studies, 2=13765
- Kantele, J. and Gardner, D.G. Some activation cross sections for 14.7 MeV neutrons, 2=16419
- Kantele, J. See Fink, R.W., 2=1851
- Kanter, H. and Sternglass, E.J. Interpretation of range measurements for kilovolt electrons in solids, 2=12409
- Kanter, H. See Goetze, G., 2=2903
- Kanter, M. and Galil, U. Simple tunnel diode coincidence circuit for liquid scintillation counting, 2=2978
- Kantor, G. See Klobuchar, J., 2=6937
- Kantor, K. Interferometric length measurements on long parallel end standards, 2=7394
- Kantor, K. See Bakos, J., 2=1277
- Kantor, K. See Bakos, J., 2=7388
- Kantor, K. See Bakos, J., 2=11233
- Kantor, K. See Bakos, J., 2=11489
- Kantor, K. See Bakos, J., 2=11490
- Kantor, P.B., Kisel', A.M. and Fomichev, E.N. Enthalpy and heat capacity measurements of silicon from 1200 to 1900°K, 2=627
- Kantor, P.B., Lazareva, L.S., Kandya, V.V. and Fomichev, Ye.M. Experimental measurements of enthalpy, temperature and heat melting of $\alpha\text{-Al}_2\text{O}_3$ from 1200° to 2500°K, 2=18529
- Kantor, P.B. See Lazareva, L.S., 2=8173
- Kantor, P.B. See Lazareva, L.S., 2=23074
- Kantor, R.H. See Buffler, C.R., 2=2293
- Kantor, R.H. See Roger, R.M., 2=1553
- Kantor, W. Direct first-order experiment on the propagation of light from a moving source, 2=19666
- Kantrowitz, A.R., Brogan, T.R., Rosa, R.J. and Louis, J.F. The magneto-hydrodynamic power generator-basic principles, state of the art and areas of application, 2=11607
- Kantürk, J. and Suk, K. Absorption and dispersion of NaCl:Ni [and NaCl: Cd] crystals, 2=23564
- Kantz, A.D. See Pierce, C.B., 2=23428
- Kanunov, M.A. and Sokovishin, V.A. A laboratory vacuum manipulator, 2=1217
- Kanwal, R.P. and Truesdell, C. Fluid and magnetic distortion carried by magnetosonic waves, 2=9698
- Kanzaki, H., Kido, K. and Ninomiya, T. Ionic conduction in zone-refracted KCl, 2=3981
- Kanzaki, H., Ninomiya, T. and Kido, K. Photoconductivity in zone-refracted KCl, 2=8423
- Känzig, W. Parelaticity, a mechanical analog of paramagnetism, 2=14362
- Känzig, W. Trapped holes in alkali halides, 2=23103
- Kao, K.C. A new electrode system for the measurement of surface resistance, 2=11578
- Kao, S.-K. Nonlinear oscillations of a particle in a long wave in a rotating, viscous fluid, 2=13317
- Kao, S.-K. Large-scale turbulent diffusion in a rotating fluid with applications to the atmosphere, 2=17415
- Kapany, N.S. Fiber optics, 2=15720
- Kapitsa, M.L., Nemchenok, R.L. and Filippov, Yu.E. Spectral characteristics of the system W-BaO in polarized light, 2=13586
- Kapitsa, P.L. and Danilov, I.B. Expansion engine for liquefaction of helium, 2=133
- Kapitsa, S.P., Bykov, V.P. and Melekhin, V.N. An efficient large current microtron, 2=22289
- Kapitsa, S.P. and Vainshtein, L.A. Radiation of electron bunches in a microtron, 2=13617
- Kaplan, B.L. See Evdokimov, G.S., 2=15673
- Kaplan, D.E. Paramagnetic resonance spectrometer for the measurement of relaxation times, 2=11812

- lan, D.E., Browne, M.E. and Cowen, J.A. Pulsed X-band E.P.R. spectrometer, 2=3177
- lan, H. Effect of an impurity layer on surface waves, 2=6267
- lan, H. Remarks on force-constant models for lattice dynamics, 2=8150
- lan, I.G. The transformation permutation group matrix and construction of the coordinate wave function of a multishell configuration, 2=21827
- lan, I.G. Coordinate [fractional] parentage coefficients for a configuration consisting of several shells, 2=22696
- lan, J., Barth, C.A. and Schade, W.J. N_2 , O_2 , and NO afterglows, and the far ultraviolet spectra of the nightglow and aurorae, 2=15252
- lan, J.I. Oscillations of the Knight shift, 2=18958
- lan, J.I. and Zier, R. Model for transient oscillations in a three-level optical maser, 2=16020
- lan, L.D. A new interpretation of the structure and CO_2 content of the Venus atmosphere, 2=6991
- lan, L.D. The spectroscopy as a tool for atmospheric sounding by satellites, 2=8954
- lan, M. and Coryell, C.D. Yields of krypton isotopes from the deuteron and alpha bombardment of heavy nuclei, 2=1938
- lan, M. and Shirley, D.A. Identification of a spin 5 state in Cr^{52} , 2=22708
- lan, M. See Kleppa, O.J., 2=2716
- lan, M. See Shirley, D.A., 2=20498
- lan, S. The property of finality and the analysis of problems in reactor space-time kinetics by various modal expansions, 2=6005
- lan, S. Some new methods of flux synthesis, 2=14164
- lan, S. and Klimishin, I.A. Some notes on the emission of light by shock waves under cosmic conditions, 2=62
- lan, S. and Sivers, V.N. The general problem of the scattering of light in a one-dimensional medium with a moving boundary, 2=118
- lan, T.A. See Menyuk, N., 2=21341
- lon, M.F. Isotopic composition, 2=20456
- lon, M.F. See Appa Rao, M.V.K., 2=20453
- lyanski, A.A. and Przhvuskii, A.K. Piezospectroscopic effect in ruby crystals, 2=10578
- lyanski, A.A. and Przhvuskii, A.K. Piezospectroscopic effect in ruby crystals, 2=14669
- lyanski, A.A. Piezospectroscopic effect in anisotropic centres in cubic crystals, 2=16847
- lyanskii, A.A., Moskvina, N.A. and Przhvuskii, A.K. Band splitting in the luminescence spectra of anisotropic centres in LiF and CaF_2 :Eu crystals subjected to oriented deformation, 2=712
- lyanskii, A.A. See Feofilov, P.P., 2=18785
- lyanskii, A.A. See Feofilov, P.P., 2=21242
- lyanskii, A.A. See Gross, E.F., 2=21245
- lyanskii, A.A. See Gross, E.F., 2=20972
- lyanskii, A.A. The study of oriented strain effect on the optical spectra of crystals, 2=23559
- orskii, A.V. See Gringauz, K.I., 2=8998
- orskii, A.V. See Gringauz, K.I., 2=17153
- orskii, L.M. and Sventitskii, M.S. Some investigations of a low-voltage discharge in vacuum, 2=17801
- p, R.O. See Swart, E.R., 2=15464
- riellian, Z.A. See Wada, J.Y., 2=11678
- tel'tsev, A.M. See Sergeev, G.Ia., 2=12927
- ur, J.N. On the existence and uniqueness of flows behind three-dimensional curved shocks, 2=11405
- ur, J.N. On construction of three-dimensional solutions of magnetogasdynamics from two-dimensional solutions of gasdynamics and magnetogasdynamics, 2=16007
- ur, J.N. On the two-dimensional jets of an incompressible pseudoplastic fluid, 2=21882
- ur, J.N. On steady rotational flows of ideal gases for which velocity magnitude is constant along streamlines, 2=21927
- ur, J.N. and Jain, R.K. Hydromagnetic turbulent flow between parallel plates, 2=11773
- ustinskii, A.F. On the theory of isomorphism, 2=2370
- uy, E. Configuration interaction for wave-functions constructed from orthogonal many-electron group orbitals, 2=8054
- uy, E. Derivation of "almost" orthogonal two-electron orbitals, 2=10270
- uy, E. On a localized group model for N-electron systems, 2=19461
- K.C. Fallacies in Dirac method of linearising the relativistic Hamiltonian, 2=16125
- K.C. and Bhattacharyya, A.K. Theory of alpha disintegration, 2=3498
- achentsev, I.D. Intergalactic absorption, 2=24158
- achun, A.M., Kuz'min, A.D. and Salomonovich, A.E. Observations of some discrete radio sources on a wavelength of 3-2 cm, 2=1017
- Karachun, A.M., Kuz'min, A.D. and Salomonovich, A.E. A study of some electric parameters of the aerial of the FIAN SSSR 22 metre radio-telescope, 2=1018
- Karadeniz, C. Sampling and track measurements in fast neutron spectroscopy using emulsion techniques, 2=16105
- Karagaplov, Yu.A. See Zhilich, A.G., 2=3876
- Karagezyan, A.G. Thermal conductivity and electrical resistivity of α -titanium and the titanium alloys T3, T4, VT5, T6 and T8 in a wide range of temperatures, 2=20952
- Karagezyan, A.G. See Mikryukov, V.E., 2=12393
- Karakushan, E.I. and Stafeev, V.I. Large-area magnetodiodes, 2=10513
- Karal'nik, S.M., Hurs'ka, A.P. and Dobrovol'skiy, V.D. Study of the characteristic absorption of X-rays by germanium in alloys with aluminium, 2=18853
- Karal'nik, S.M., Nikolayeva, L.H., Morkina, A.S. and Buyanov, V.I. A study of the characteristic absorption of zinc and copper in their alloys with aluminium and magnesium, 2=6590
- Karal'nik, S.M., Nikolaeva, L.G. and Nefedov, N.D.N. High temperature X-ray studies of Invar alloys, 2=17030
- Karal'nik, S.M. See Neshpor, V.S., 2=8546
- Karapetyan, G.O. Luminescence of copper-activated glasses, 2=14720
- Karasev, V.M. See Alaeva, T.I., 2=20173
- Karashewicz, E. and Kwiek, M. Study of concert halls using models by the impulse method, 2=21985
- Karasz, F.E. and Pople, J.A. A theory of fusion of molecular crystals. II. Phase diagrams and relations with solid state transitions, 2=1309
- Karasz, F.E. See Hamblin, D.J., 2=2924
- Karasz, F.E. See Pople, J.A., 2=8180
- Karataev, V.I. A fast-acting mass-spectrometer vacuum sluice, 2=22282
- Karatoteva, T. See Peeva, A., 2=13701
- Karayianis, N., Morrison, C.A. and Wortman, D.E. Long-range order of the linear antiferromagnetic chain, 2=12798
- Karchevskii, A.I. Electrocaloric effect in polycrystalline barium titanate, 2=8465
- Karchevskii, A.I. and Nikolaev, V.I. The Hall effect [and paramagnetic susceptibility] of the metamagnetic alloy $MnAu_2$, 2=8292
- Karchevskii, A.I. and Nikolaev, V.I. Hall effect in the metamagnetic alloy $MnAu_2$, 2=23243
- Karchevskii, A.I. See Babichev, A.P., 2=3026
- Karchevsky, A.I. and Buryak, E.M. The magnetic properties of the β -modification of uranium hydride and deuteride, 2=10642
- Kard, P.G. Theory of multilayer asymmetric reflectors, 2=112
- Kard, P.G. Optical principle of reversibility and its application in the theory of thin-layer coatings, 2=5133
- Kardashev, N.S. Non-stationarity of spectra of young sources of nonthermal cosmic radio emission, 2=24184
- Kardonskii, V.M., Kurdyumov, V.G., Kurdyumov, G.V. and Perkas, M.D. The effect of crystal properties and grain substructure on strength. I. Fe-Ni and Fe-Si alloys, 2=8740
- Kardonskii, V.M., Kurdyumov, V.G., Kurdyumov, G.V. and Perkas, M.D. The influence of crystal properties and grain substructure on hardness I. Fe-Ni and Fe-Si alloys, 2=23790
- Kardonskii, V.M., Kurdyumov, G.V. and Perkas, M.D. The effect of crystal properties and grain substructure on strength. II. Iron and nickel, 2=8741
- Kardonskii, V.M., Kurdyumov, G.V. and Perkas, M.D. The influence of crystal properties and grain substructure on hardness. II. Iron and nickel, 2=23791
- Karekar, R.N. See Chiplonkar, M.W., 2=4604
- Karekar, R.N. See Chiplonkar, M.W., 2=17124
- Karev, V.N. See Bondar', A.D., 2=19114
- Karev, V.N. See Bondar', A.D., 2=21556
- Karev, V.N. See Bondar', A.D., 2=21563
- Kargaplov, Yu.A. See Cherepanov, V.I., 2=4140
- Kargaplov, Yu.A. See Cherepanov, V.I., 2=8513
- Kargin, V.A. See Berestnev, V.A., 2=4481
- Karhanin, Yu.I., Kozhevnikov, V.Ye. and Peka, H.P. Effect of organic dyes on the condenser photo-effect of germanium and cuprous oxide, 2=8437
- Karim, S.M. Radioactive fall-out and atmospheric radioactivity, 2=24026
- Karimov, Yu.S. and Shchegolev, I.F. Nuclear magnetic resonance in metallic thallium, 2=787
- Karimov, Yu.S. and Shchegolev, I.F. Nuclear magnetic resonance in metallic thallium, 2=23721
- Karioris, F.G. and Fish, B.R. An exploding wire aerosol generator, 2=8936
- Karipides, A. See Piper, T.S., 2=23524
- Kariss, Ya.E. See Bonch-Bruевич, A.M., 2=6641
- Karkhanin, Yu.I. and Peka, G.P. Inversion layer at the surface of cuprous oxide, 2=23380
- Karkhanin, Yu.I. See Peka, G.P., 2=4172

AUTHOR INDEX

- Karkhanin, Yu.I. See Peka, G.P., 2=8572
 Karkhov, A.N. Frequency spectrum analyser for studying the cyclotron radiation of hydrogen ions, 2=19861
 Karklina, E.A. See Zhiglinskii, A.G., 2=171
 Karl, D.J. and Dye, J.L. The effect of the exponential distribution function on the electrophoretic contribution to the conductance of 1-1 electrolytes, 2=10984
 Karle, I.L. and Karle, J. Determination of the molecular structures of CF_3NO_2 and CBr_3NO_2 by electron diffraction, 2=14234
 Karle, J. and Hauptman, H. A unified program for phase determination, type 3P₂, 2=10839
 Karle, J. and Hauptman, H. A unified program for phase determination, type 4P, 2=10840
 Karle, J. See Bonham, R.A., 2=22914
 Karle, J. See Hauptman, H., 2=15002
 Karle, J. See Karle, I.L., 2=14234
 Karle, J. See Swick, D.A., 2=3760
 Karlén, I. See Olsson, I.U., 2=10034
 Karlikov, V.P. and Korobeinikov, V.P. Disturbances in an electromagnetic field caused by shock waves under the influence of a sudden increase in conductivity, 2=17954
 Karlin, J.E. See Munson, W.A., 2=15426
 Karlov, N.V. See Basov, N.G., 2=7459
 Karlovsky, J. Simple method for calculating the tunneling current of an Esaki diode, 2=18716
 Karlson, E.T. Motion of charged particles in an inhomogeneous magnetic field, 2=9582
 Karlson, E.T. On the streaming of a plasma through the geomagnetic field, 2=12054
 Karlsson, B.E. An instrument for the study of moments of excited nuclear states by angular correlation methods. I. Principles of measurements with a 4-detector system and applied external fields. Construction of a new 60 000 gauss electromagnet based on these principles, 2=12126
 Karlsson, B.E., Matthias, E. and Lerjefors, C.A. An instrument for the study of moments of excited nuclear states by angular correlation methods. II. Electronic equipment. Test methods and performance of the system, 2=12127
 Karlsson, E., Matthias, E. and Ogaza, S. The gyromagnetic ratio of the first rotational state in Hf^{178} , 2=12137
 Karlsson, E. See Marklund, I., 2=12160
 Karlsson, E. See Matthias, E., 2=10014
 Karman, M. See Benda, F., 2=15971
 Karmohapatro, S.B. Charge exchange between krypton ions and atoms, 2=160
 Karnaukhov, V.A. Anomalous α -emitters in the Po-Ra region, 2=14014
 Karnaukhov, V.A. See Donets, E.D., 2=22855
 Karnaukhov, V.A. See Polikanov, S.M., 2=16442
 Karni, Z. The Euler-Lagrange equations and the curvilinear derivative, 2=15520
 Karnik, N.V. See Vanek, I., 2=19187
 Karolus, A. and Thiesbürger, K. The effect of gravity on the frequency of tuning forks, 2=19643
 Károlyházy, F. Coherence properties of "incoherent" scattered radiation, 2=11462
 Karp, S.N. Far field amplitudes and inverse diffraction theory, 2=7747
 Karp, S.N. See Bazer, J., 2=16067
 Karpenko, A.G., Belyaev, L.M., Vitovskii, B.V. and Dobrzanskii, G.F. Crystallizer for crystal growing by the evaporation method, 2=4389
 Karpenko, A.G. See Belyaev, L.M., 2=4390
 Karpenko, I.V. See Wolkenstein, T., 2=4496
 Karplus, M. and Kolker, H.J. Magnetic interactions in lithium hydride, 2=3770
 Karplus, M. See Das, T.P., 2=14239
 Karplus, M. See Hurst, R.P., 2=20807
 Karplus, M. See Kolker, H.J., 2=6225
 Karplus, M. See Schug, J.C., 2=18478
 Karplus, M. See Shavitt, I., 2=6197
 Karplus, R. Beginning a study in elementary school science, 2=1038
 Karplus, R. See Dragt, A.J., 2=22428
 Karplus, R. See Freund, P.G.O., 2=22419
 Karpov, G.I. See Popov, L.E., 2=10909
 Karpov, G.I. See Popov, L.E., 2=15058
 Karpov, Yu.S. Experimental confirmation of the presence of two low-frequency fluctuations components in device utilizing p-n junctions, 2=2180
 Karpov, Yu.S. See Mirlin, D.N., 2=16756
 Karpov, Yu.S. See Mirlin, D.N., 2=18744
 Karpova, I.V., Alekseeva, V.G. and Kalashnikov, S.G. Recombination properties of gold in n-type germanium, 2=18675
 Karpova, I.V., Alekseeva, V.G. and Kalashnikov, S.G. Recombination properties of gold in n-type germanium, 2=21131
 Karpova, I.V. See Alexeeva, V.G., 2=8398
 Karpuchin, V.I. See Pravdyuk, N.F., 2=18389
 Karras, H. Proposed model for some absorption bands of coloured uncoloured strontium fluoride crystals, 2=3957
 Karras, H. Additive coloration of strontium fluoride, 2=3958
 Karras, H. See Görlich, P., 2=2264
 Karras, H. See Görlich, P., 2=4110
 Karras, H. See Görlich, P., 2=4111
 Karras, H. See Görlich, P., 2=21078
 Kartaschoff, P. See De Prins, J., 2=3161
 Kartaschoff, P. See de Prins, J., 2=5466
 Kartashev, A.I. See Bataruchkova, N.R., 2=19708
 Kartashov, G.R. See Burgov, N.A., 2=3506
 Kartashov, G.R. See Burgov, N.A., 2=5622
 Kartashov, N.P. and Popov, G.A. Determination of aerosol concentrations of the short-lived radon decay products, 2=20531
 Kartmazov, H.M. See Vasyutyn's'kyi, B.M., 2=23847
 Kartuzhanskii, A.L. Elementary photographic processes in an electric field, 2=5195
 Kartuzova, I.A. See Galavanov, V.V., 2=8363
 Kartzmark, E.M. See Campbell, A.N., 2=15148
 Karunes, B. See Mitra, M.N., 2=4321
 Karyagina, Z.V. The energy distribution in the spectrum of zodiacal light, 2=955
 Karzas, W.J. and Latter, R. Electromagnetic radiation from a nuclear explosion in space, 2=14158
 Karzmark, C.J. Automatic frequency control system for a microwave linear electron accelerator, 2=17910
 Kasabov, I. Possibility of the simultaneous measurement of drift mobility and lifetime of charge carriers in semiconductors, 2=20531
 Kasabov, I., Vitkov, A. and Gerova, E. Measurement of the lifetime drift mobility of current carriers in silicon by the constant electric current method, 2=18685
 Kasabov, I.D. See Mikhailova, D.N., 2=21072
 Kasai, N. The study on the structure of finely divided solids by X-ray small angle scattering. II. Particle size determination of carbon black, 2=10931
 Kasai, P.H. Electron paramagnetic resonance study of Mn^{2+} ion in polycrystalline calcium fluorophosphate, 2=14831
 Kasai, P.H. and Otomo, Y. Electron paramagnetic resonance study of the ZnS-A and -B centres, 2=23605
 Kasatkin, B.P. See Aglintsev, K.K., 2=12158
 Kaschlun, F. On local but non-causal current operators in S-matrix theories, 2=7826
 Käsemann, E. Progress in the production of dichroic sheet polarizers, 2=9410
 Kasen, M.B. and Polonis, D.H. Vacancy condensation phenomenon in a copper-silicon alloy, 2=20998
 Kash, S.W., [Ed.]. Plasma acceleration. The Fourth Lockheed symposium on magnetohydrodynamics, 2=1414
 Kasha, H., Oren, Y. and Sitte, K. Cerenkov radiation associated with extensive air showers, 2=12063
 Kasha, M. Commentary on the scheme of the semi-empirical molecular orbital calculation, 2=8119
 Kashaev, A.A. See Drits, V.A., 2=2383
 Kashcheev, V. See Bilenskii, V., 2=21333
 Kashcheev, V.N. Spin-spin and spin-phonon interaction effects in energy distribution of scattered neutrons on antiferromagnetic materials, 2=18914
 Kashcheev, V.N. Spin-spin and spin-phonon interaction effects in energy distribution of scattered neutrons on antiferromagnetic materials, 2=21347
 Kashcheev, V.N. Theory of magneto-vibrational scattering of slow neutrons in a uniaxial antiferromagnetic, 2=21348
 Kashcheev, V.N. and Krivogla, M.A. The theory of inelastic scattering of neutrons by impurity centres in crystals, 2=8817
 Kashcheev, B.L., Lebedinets, V.N. and Lagutin, M.F. Radar determination of the orbits of individual meteors, 2=4843
 Kashiwabara, H. Electron spin resonance studies of irradiated polymers: polyethylene, 2=3779
 Kashiwabara, H. A consideration on the change of e.s.r. spectral shape of irradiated polyethylene near 240°K, 2=14833
 Kashiwagi, M. Relation between e.s.r. spectra and molecular orientation in irradiated polyethylene, 2=4264
 Kashiwamura, S. Motion of an impurity atom in one-dimensional lattice, 2=6324
 Kashiwamura, S. Statistical dynamical behaviors of a one-dimensional lattice with an isotopic impurity, 2=12369
 Kashiwase, Y. See Harada, J., 2=15009
 Kashkarov, V.P. See Vulis, L.A., 2=15647
 Kashtan, M.S. and Khlopina, T.N. Increase of precision in isotope spectral analysis, 2=865
 Kashtanova, A.M. See Gorina, Yu.I., 2=4097

- ukeev, N., Antonov, A. and Zadorozhnyi, G. Stationary distribution of electric charge in photoelectrets, 2=10563
- ukeev, N., Antonov, A. and Zadorozhnyi, G. The theory of thermal depolarization of photoelectrets, 2=10564
- ukeev, N.T., Popov, Yu.P. and Shapiro, F.L. Measurements of the energy dependence of the cross-section of the $\text{Cl}(n, \gamma)$ reaction, 2=3594
- uy, E., Hoogenboom, A.M. and Buechner, W.W. Level structure Ar^{41} from the $\text{Ar}^{40}(\text{d}, \text{p})\text{Ar}^{41}$ reaction, 2=1796
- uy, E. See Brenner, M.W., 2=18270
- uy, E. See Hoogenboom, A.M., 2=22841
- uyap, B.M.S. See Joshi, S.K., 2=12399
- um, M.M. See Baldassarre, F., 2=22562
- um, M.M. See Evans, D., 2=22492
- ur, W.H. Electron-ion recombination coefficients in nitrogen and oxygen, 2=3008
- ur, J.S. See Abrahams, S.C., 2=21350
- W. Analysis of heat transfer in bubble columns, 2=15777
- Wheleyn, P.W. The statistics of dimers on a lattice. I. The number of dimer arrangements on a quadratic lattice, 2=1072
- Wier, A. Atoms inside a Fabry-Perot interferometer, 2=6103
- Wier, A. Role of anomalous dispersion in the functioning of optical masers, 2=16013
- Wier, G. See Bethge, H., 2=18289
- Wier, T. On the adiabatic theorem for the Hamiltonian system of differential equations in the classical mechanics. I, 2=4939
- Wier, T. On the adiabatic theorem for the Hamiltonian system of differential equations in the classical mechanics. II, 2=4940
- Wier, T. On the adiabatic theorem for the Hamiltonian system of differential equations in the classical mechanics. III, 2=4941
- Wolkov, P.P. Calculation of cathode lens aberrations, 2=13599
- Wolkova, R.S. See Arkad'eva, E.N., 2=4063
- Wolkov, G.I. Ferromagnetic anomaly of Young's and rigidity moduli of Invar-type alloys, 2=8699
- Wolkov, G.I. Ferromagnetic anomaly in Young's modulus and the shear modulus in alloys of the Invar class, 2=23732
- Wolke, E. See Rose, G., 2=6927
- Wolke, D. and Taube, H. Some photochemical reactions O_3 in the gas phase, 2=4548
- Wolnikov, V.V. See Zhdanov, V.A., 2=18514
- Wolnikov, V.V. See Zhdanov, V.A., 2=23042
- Wolna, P.K. Many-particle quantum Green's functions in the theory of many-phonon transitions, 2=23098
- Wolke, Y. Some properties of evaporated silicon films, 2=16709
- Wolke, A. Angular distributions of fragments in fission of uranium and thorium induced by 14 MeV neutrons, 2=14155
- Wolke, A., Seki, M., Akiyoshi, T., Yoshimura, A. and Sonoda, M. Experiments on the existence of di-neutrons, 2=20341
- Wolke, A. See Kimura, K., 2=5898
- Wolke, A. See Kimura, K., 2=15970
- Wolke, A. See Sonda, M., 2=5433
- Wolke, M. Double quantum transition in electron spin resonance of gamma-irradiated acetyl-d, l-alanine, 2=12815
- Wolke, M. See Narasimha Rao, D.V.G.L., 2=18942
- Wolke, T. On the mounting of concave grating suitable for photoelectric-spectrometric use. IV. Generalized Seya mounting, 2=17616
- Wolke, T. See Miyake, K.P., 2=17614
- Wolke, T. See Miyake, K.P., 2=17615
- Wolke, Y. On the quaternary intermediate boson in the weak interaction, 2=5575
- Wolke, Y. Mass formula for resonance states, 2=20378
- Wolke, Y. and Taketani, M. On the structure of lepton, 2=11913
- Wolke, Y. See Taketani, M., 2=11930
- Wolke, S. See Baker, E.W., 2=10158
- Wolke, S. See Cumming, J.B., 2=10107
- Wolke, U. and Kuhl, W. Influence on diffusing surfaces and dimensions of the reverberating room on the measured sound absorption coefficient, 2=82
- Wolke, M.A. and Konev, S.V. Universal attachment for the SF-4 spectrophotometer, 2=22028
- Wolke, J. and Hauptman, H. Seminvariants for non-centrosymmetric space groups with conventional centered cells, 2=6805
- Wolke, H., Muta, T. and Iijima, K. Shott peening (III). Condenser type converter (ii), 2=13528
- Wolke, N. See Ishimatsu, T., 2=20664
- Wolke, N. See Maki, T., 2=20665
- Wolke, R. Optical properties of LiF in the extreme ultraviolet, 2=4123
- Wolke, R. and Kono, T. A 200-kV Cockcroft-Walton type accelerator using selenium rectifiers, 2=13612
- Wolke, R. See Nakamura, K., 2=2230
- Wolke, S. A differential method of optical calculation.
- Wolke, T. Variables, 2=2861
- Kato, S. A differential method of optical calculation. II. Ray tracing, 2=2862
- Kato, S. A differential method of optical calculation. III. Differential calculation, 2=2863
- Kato, S. A differential method of optical calculation. IV. Differential, 2=2864
- Kato, S. The effect of the variation of the super-adiabatic temperature gradient on the convective motion, 2=15380
- Kato, S., Lipskey, S. and Braun, C.L. Variation with exciting wavelength of the fluorescence efficiencies of some alkyl benzenes, 2=19569
- Kato, S. See Kamiya, Y., 2=12076
- Kato, S. See Shinoda, G., 2=9637
- Kato, S. See Shinoda, G., 2=17899
- Kato, S. See Yamabe, S., 2=16399
- Kato, Y. Geomagnetic micropulsations, 2=11091
- Kato, Y. Geomagnetic pulsations and hydromagnetic oscillations of exosphere, 2=19265
- Kato, Y. On the spin-spin interaction in paramagnetic salts, 2=21380
- Kato, Y. Nuclear magnetic relaxation in solid hydrogen, 2=21386
- Kato, Y. and Saito, T. Morphological study of geomagnetic pulsations, 2=13081
- Kato, Y. and Tamao, T. Hydromagnetic waves in the earth's exosphere and geomagnetic pulsations, 2=13082
- Kato, Y. See Tatsumoto, E., 2=14771
- Katoh, T., Nozawa, M. and Yoshizawa, Y. Study of the cadmium isotopes. II. Beta and gamma ray spectroscopy of In^{110} , 2=12177
- Katoh, T., Nozawa, M., Yoshizawa, Y. and Koh, Y. Study of the cadmium isotopes. III. Beta- and gamma-ray spectroscopy of In^{108} , 2=18253
- Katoh, T. and Yoshizawa, Y. Study of the cadmium isotopes. I. Beta and gamma ray spectroscopy of Ag^{110m} , 2=12176
- Katomina, R.V. See Gurvich, A.M., 2=14735
- Katona, J. See Árkosi, K., 2=4493
- Katori, K. See Yagi, K., 2=16397
- Katrich, G.A. and Sarbei, O.G. Photoelectron emission from gold and chromium, 2=1482
- Katrich, G.A. See Borzyak, P.G., 2=11686
- Katrych, H.A. See Sarbei, O.H., 2=11698
- Kats, A. Hydrogen in alpha-quartz, 2=21009
- Kats, M.L., Gyunsburg, K.E. and Golubentseva, L.I. Exciton excitation of luminescence in activated alkali iodides at low temperature, 2=14710
- Kats, M.L. See Andrianov, A.S., 2=8575
- Katsenelenbaum, B.Z. On the theory of irregular acoustic waveguides, 2=5105
- Katsenelenbaum, B.Z. Diffraction by a large object in a broad waveguide, 2=22335
- Katser, Yan and Kreines, N.M. Hexagonal anisotropy in MnCO_3 and CoCO_3 , 2=6666
- Katsnel'son, A.A. See Iveronova, V.I., 2=8821
- Katsnel'son, A.A. See Iveronova, V.I., 2=21505
- Katsumata, I. See Miyake, S., 2=12071
- Katsumori, H. and Shimada, M. Estimate of the nucleon mass difference from Hofstadter's new form factors, 2=278
- Katsura, S. Statistical mechanics of the anisotropic linear Heisenberg model, 2=21302
- Katsuragi, S. The thermalization and diffusion of neutrons in heavy gaseous moderators, 2=18128
- Katsuragi, Y. See Miyake, Y., 2=6924
- Kattawar, G.W. and Eisner, M. Nuclear magnetic relaxation of a three-spin asymmetric molecule in a liquid, 2=12344
- Katti, M.R. On the evaluation of α_s and $\omega_s x_s$ from three constant potential energy functions, 2=20766
- Katti, M.R. See Tawde, N.R., 2=20768
- Katti, P.K. and Chaudhri, M.M. Effect of strong electrical fields on the boiling points of some alcohols, 2=7472
- Katulin, V.A. See Striganov, A.R., 2=16483
- Katyshev, Yu.V. See Birger, N.G., 2=3391
- Katyshev, Yu.V. See Golovin, B.M., 2=3361
- Katz, A. The analytic structure of many-body perturbation theory, 2=4965
- Katz, D. See Heller, A., 2=1158
- Katz, G. and Jacobs, A.J. Lattice constants of the intermetallic compounds UAl_2 and UFe_2 , 2=15051
- Katz, J. Poisson brackets of the constraints for the gravitational field, 2=9167
- Katz, J. Note on the canonical formalism of the theory of constrained fields, 2=11270
- Katz, J.L. See Reiss, H., 2=1137
- Katz, L. Desirable linear electron accelerator characteristics for nuclear research, 2=5399
- Katz, L. and Lokan, K.H. The generation of positrons in a thick target bombarded by fast electrons, 2=5625
- Katz, L. See Falk, W.R., 2=16862

- Katz, R. The magnetic pole in the formulation of electricity and magnetism, 2=1342
- Katz, U. See Barnes, G.T., 2=14947
- Katzenstein, J. Acceleration of plasma by travelling electromagnetic waves, 2=15928
- Katzenstein, J. and Sydor, M. Exploding wire as fast dynamic pinch, 2=7588
- Katzin, L.I. Ionization differences between coordination states of a cation. Octahedral-tetrahedral equilibrium of transition-element chlorides in dimethylformamide, 2=15153
- Katzman, J. and Rose, D.C. Changes in the intensity level of cosmic rays at four stations in Canada, 2=22686
- Kauder, L.N. See Stern, M.J., 2=4527
- Kauer, E. See Groth, R., 2=2240
- Kauffman, J.W. See Kloske, R., 2=10379
- Kauffman, J.W. See Meshii, M., 2=6409
- Kauffman, J.W. See Mori, T., 2=21001
- Kaufman, A.N. Maxwell equations in nonuniformly moving media, 2=15467
- Kaufman, A.N. and Watson, K.M. Elementary derivation of the dielectric constant of an imperfect gas, 2=2781
- Kaufman, B. and Lipkin, H.J. Momentum transfer to atoms bound in a crystal, 2=14365
- Kaufman, B. See Gillis, J., 2=13314
- Kaufman, C. and Winter, R.G. Classical models of radiative decay, 2=5560
- Kaufman, F. and Del Greco, F.P. Formation, lifetime, and decay of OH radicals in discharge-flow systems, 2=6232
- Kaufman, J.J. Some theoretical aspects of bonding in N-F compounds, 2=20836
- Kaufman, I. See Douthett, D.D., 2=9710
- Kaufman, I. See Risley, A.S., 2=13681
- Kaufman, L. Calculation of the effect of pressure on the phase transformations in thallium, 2=10777
- Kaufman, L. and Ringwood, A.E. High pressure equilibria in the iron-nickel system and the structure of metallic meteorites, 2=2399
- Kaufman, L. and Rock, I. The moon illusion. I, 2=21767
- Kaufman, L. See Rock, I., 2=21768
- Kaufman, M. See Wharton, L., 2=20796
- Kaufman, S. Isobaric yields in the reactions of 2.9 BeV protons with arsenic-75, 2=12194
- Kaufman, V. Wavelengths, energy levels, and pressure shifts in mercury 198, 2=16481
- Kaufman, V. and Andrews, K.L. Germanium vacuum ultraviolet Ritz standards, 2=22031
- Kaufmann, H. See Debye, P., 2=17450
- Kaufmann, J.F. and Jordan, E.D. Breeding potential of thermal reactors, 2=3643
- Kaufmann, S. Colour variation of illuminated cellulose, 2=6891
- Kaufmann, S. See Klebe, J., 2=7399
- Kaul, O.N. On the processing of nuclear emulsions, 2=5550
- Kaul, O.N. Alpha particles from the interaction of 14 MeV neutrons with arsenic, 2=5934
- Kaul, O.N. Energy and angular distribution of alpha particles from the $\text{Na}^{22}(\beta, \alpha)\text{F}^{20}$ reaction induced by 14 MeV neutrons, 2=16418
- Kaul, W. and Taubert, R. Secondary reactions in the inert gas-inert gas and inert gas-nitrogen mixtures, 2=9534
- Kaula, W.M. Development of the lunar and solar disturbing functions for a close satellite, 2=17312
- Kauranen, P. Alpha branching in the decay of Pb^{210} and Bi^{213} ; a new mercury isotope was Hg^{205} , 2=10035
- Kauranen, P. See Nurmia, M., 2=18280
- Kaus, P.E. and Watson, W.K.R., Composite pions, 2=5705
- Kavlaikov, Sh. See Bozoki, G., 2=326
- Kavlaikov, Sh. See Bozoki, G., 2=22684
- Kavlaikov, Sh. See Mitrani, L., 2=5767
- Kawabata, K. The relationship between post-burst increases of solar microwave radiation and sudden ionospheric disturbances, 2=4633
- Kawabe, K. Domain structure in orthorhombic aniline hydrobromide single crystals, 2=19063
- Kawaguchi, M. Hypothesis of the isotopic spin independence in extremely high energy region, 2=1659
- Kawaguchi, M. Hypothesis of the isotopic spin independence. II, 2=22404
- Kawaguchi, M. See Fujii, Y., 2=1731
- Kawaguti, M. Numerical solution of the Navier-Stokes equations for the flow in a two-dimensional cavity, 2=1107
- Kawaguti, M. The flow of a viscous fluid past a porous flat plate, 2=2674
- Kawaharada, H. The fine structure in the $L_{II,III}$ -absorption spectrum of cadmium, 2=10611
- Kawahata, H. Reflectance and transmittance of turbid media, 2=10992
- Kawahata, H. Size and refractive index of particles in paint layers, 2=10993
- Kawai, K. See Stammreich, H., 2=1999
- Kawai, K. See Stammreich, H., 2=2000
- Kawai, M. The semi-classical model for the nuclear reactions at intermediate energies, 2=7977
- Kawai, M., Terasawa, T. and Izumo, K. The spin-flip scattering of high energy protons by light nuclei, 2=12185
- Kawai, M. See Jun-ichi Fujita, 2=5776
- Kawai, N. See Morita, S., 2=489
- Kawai, N. See Yamabe, S., 2=16399
- Kawai, T., Yoshimi, Y. and Hirai, A. Effects of tacticity upon the temperature dependence T_1 of proton in high polymers, 2=4290
- Kawai, T. See Hirai, A., 2=11814
- Kawakatsu, H. See Kanaya, K., 2=11717
- Kawakubo, T. See Nomura, S., 2=12567
- Kawamura, H., Fukai, M. and Hayashi, Y. Hot electron effect in cyclotron resonance of germanium, 2=16639
- Kawamura, H., Hayashi, Y. and Fukai, M. Cyclotron resonance of hot electrons in germanium, 2=3885
- Kawamura, H. and Okubo, Y. ESR study of trapping of Mn ions along dislocation lines in NaCl, 2=4261
- Kawamura, H. See Fukai, M., 2=23135
- Kawamura, N. See Shoda, K., 2=12180
- Kawamura, N. See Shoda, K., 2=16381
- Kawano, O. See Murakami, Y., 2=21554
- Kawarabayashi, K. and Sato, A. A model of three-pion resonance in terms of the strong P-wave two-pion resonance, 2=13859
- Kawarabayashi, K. and Sato, A. Electromagnetic structure of the nucleon. Effects of pion correlation on the iso-scalar form factors, 2=20325
- Kawarabayashi, T. See Chong, P., 2=11384
- Kawasaki, K. On the variation of electrical resistance of a polymer as a function of the extent and nature of sorbed water, 2=6429
- Kawasaki, K. Phon-phonon interaction in liquid He II, 2=11548
- Kawasaki, K. Sound attenuation in liquid helium II at very low temperatures, 2=11549
- Kawasaki, K. See Mori, H., 2=2287
- Kawasaki, K. See Mori, H., 2=10692
- Kawasaki, K. See Mori, H., 2=12759
- Kawasaki, S. See Imai, T., 2=3433
- Kawasaki, S. See Imai, T., 2=3434
- Kawasaki, S. See Imai, T., 2=13919
- Kawashima, M. See Ogata, H., 2=10099
- Kawata, S. and Aragaki, T. Multiple-wire spark counters for counting α -particles and neutrons, 2=5508
- Kawatra, M.P. and Bajaj, K.K. The study of Thomson scattering coefficient in degenerate systems, 2=5355
- Kawatra, M.P. See Pathria, R.K., 2=11299
- Kawatra, M.P. See Pathria, R.K., 2=15495
- Kawski, A. and Polacka, B. Absorption and fluorescence spectra of fluorescein in PMAM, 2=12631
- Kawski, A. and Polacka, B. Reflection symmetry of absorption and luminescence bands of dyestuffs, 2=19566
- Kawski, A., Polacka, B. and Polacki, Z. Concerning the absorption and luminescent spectra of some dyes in mono- and polymethyl methacrylate, 2=9281
- Kawski, A. See Bilot, L., 2=22940
- Kay, I. and Moses, H.E. The determination of the scattering potential from the spectral measure function. V. The Gelfand-Levitan equation for the three-dimensional scattering problem, 2=166
- Kay, J.G., Kuebler, N.A. and Nelson, L.S. Vacuum ultra-violet absorption spectra of flash-heated lead reacting with various gases, 2=15652
- Kay, R.L. See Vidulich, G.A., 2=11379
- Kayama, K. See Asano, S., 2=18739
- Kaye, B.H. and James, G.W. Investigations into the diver method of particle size analysis, 2=17401
- Kaye, G. Temperature effects in domain patterns from single crystals of Haematite ($\alpha\text{-Fe}_2\text{O}_3$), 2=740
- Kaye, G. The effect of titanium on the low temperature transition in natural crystals of haematite, 2=16887
- Kaye, H. See Kronik, K.P.L., 2=14509
- Kays, T.H. See Beard, C.I., 2=20152
- Kayurin, Yu.P. See Broder, D.L., 2=18091
- Kazachenko, L.P. See Stepanov, B.I., 2=18444
- Kazachkovskii, O.D. On thermal shocks to fuel element containers (cans and cooling surfaces), 2=12269
- Kazachkovskii, O.D. See Andreev, V.N., 2=8036

- kova, R.K. See Enseev, T.M., 2=9119
 nskii, Iu.A. See Belov, S.P., 2=1692
 nskii, V.M. The determination of heat of evaporation of moisture contained in a porous body, 2=9454
 nskii, Yu.A. Conversion of amplitude distributions into energy spectra, 2=1625
 nskii, Yu.A. See Bakov, A.T., 2=20638
 nskii, Yu.A. See Dulin, V.A., 2=18139
 nsky, V.B., Parlitsky, G.B. and Voevodsky, V.V. Radiation-induced processes on the silica-gel surface, 2=12482
 ntsev, A.P. and Gilinskii, I.A. Interaction of transverse oscillations in a plasma, 2=202
 ntsev, A.P. and Gilinskii, I.A. Interaction of transverse oscillations in a plasma, 2=22235
 ntsev, V.A. Investigation of the $K\beta_1$ line of the X-ray spectrum in alloys of the Mn-Ni system, 2=705
 ntsev, V.A. Investigation of the $K\beta_2$ line of the X-ray spectrum in alloys of the Mn-Ni system, 2=8540
 ntsev, V.F. and Tisenbaum, Yu.L. On the motion of the abrasive suspension in ultrasonic machining, 2=15441
 rinov, N.M., Matveev, O.A., Ryvkin, S.M., Solov'ev, S.M., Strokan, N.B. and Tarkhin, D.V. Use of semiconductor counter-spectrometer for the measurement of the energy of fission products, 2=16094
 rinov, N.M. See Blinov, M.V., 2=14149
 rinov, R.F. and Konstantinov, O.V. A theory of the dispersion of the high-frequency exciton conductivity of a crystal, 2=587
 rinov, R.F. and Skobov, V.G. Theory of nonlinear galvanomagnetic phenomena in semiconductors, 2=14527
 rinov, R.F. and Skobov, V.G. The possibility of amplifying ultrasound in semi-metals in an electric field, 2=15684
 rinov, R.F. See Ipatova, I.P., 2=23125
 rinov, Yu.M. and Simonov, Yu.N. Scattering of 200 MeV neutrons by protons, 2=23120
 rnovskii, M.V. and Stepanov, A.V. Theory of resonance scattering on atomic systems. I. Deduction of general formulae, 2=10226
 rnovskii, M.V. and Stepanov, A.V. Theory of resonance scattering on atomic systems, 2=14216
 avchinskii, Ya.Z., Kessel'man, P.M. and Rabinovich, V.A. The second virial coefficient and its extrapolation into the high-temperature field, 2=11411
 avchinskii, Ya.Z. and Kudashev, V.I. The determination of critical density of a real gas from data on the state of saturation, 2=17508
 avchinskii, Ya.Z. and Tsóiman, G.I. A method of correlating the law of eigenstates for the purpose of determining thermodynamic properties of little-investigated substances, 2=5057
 es, E. $J=1$, vector mesons and low-energy $\pi-N$ scattering, 2=20398
 es, I. See Boisshot, A., 2=13176
 inskii, V.A. Approximation of the deflection of the verticals observed in the gravitational field of the earth, 2=21609
 no, M. Investigation of a high-energy nuclear interaction, 2=13843
 ne, A. Slowing down from an energy distributed neutron source, 2=5674
 ne, A. and Pollard, J.P. Slowing down with anisotropic scattering, 2=12248
 ne, J.R. Gamma-ray spectrum of short lived fission products, 2=5874
 rns, D. Resonance transfer model of electron and hole conduction in anthracene, 2=84027
 rns, D.R. Determination of the assignment of triplet states in catacondensed aromatic hydrocarbons, 2=8111
 rns, D.R. See El-Bayoumi, M.A., 2=16503
 rns, G.L. See Crable, G.F., 2=5390
 ry, F.V. See Onstead, C.O., 2=21749
 ing, D.T. See Walker, C.B., 2=10828
 ing, J.D. See Barker, W.A., 2=16016
 ing, P.N. Thermally stimulated emission and conductivity peaks in the case of temperature dependent trapping cross-sections, 2=6299
 ing, P.N. See Franks, J., 2=8207
 y, C.S.L. and Ellyett, C. The latitude dependence of radar meteor shower observations, 2=4844
 y, C.S.L. See Ellyett, C., 2=4845
 arle, P. and Godbole, E.W. Ionization and fragmentation of some molecules by high-energy electrons, 2=2999
 ladze, V.V. and Kiziriya, L.V. Steady short-period variations of earth currents, 2=21677
 J.C. Current distribution in a magnetic annular shock tube, 2=13362
 J.C. See Allen, R.A., 2=7566
 J.C. See Allen, R.A., 2=9319
 K. Scattering of medium-weight electrons at artificial foils containing heavy metal atoms, 2=10091
 Keck, M.J. See Kaiser, W., 2=8510
 Kedem, O. See Michaeli, I., 2=5007
 Keefe, D. and Nolan, P.J. Combination coefficients of ions and nuclei, 2=22164
 Keefe, D. See Beall, E., 2=16245
 Keefe, D. See Cook, V., 2=22630
 Keefe, D. See Chamberlain, O., 2=7902
 Keegan, H.J., Schleter, J.C. and Judd, D.B. Glass filters for checking performance of spectrophotometer-integrator systems of color measurements, 2=17582
 Keer, H.V. See Rao, R.V.G., 2=19538
 Kees, J. See Barnes, G., 2=21954
 Keesey, U.T. and Riggs, L.A. Visibility of Mach bands with imposed motions of the retinal image, 2=15431
 Keffer, F. Moriya interaction and the problem of the spin arrangements in βMnS , 2=12796
 Keffer, F. See Cooper, B.R., 2=4259
 Kehlen, H. See Sackmann, H., 2=19578
 Keibs, L. Possibility of stereoambiophonic sound transmission on two channels, 2=15703
 Keil, E. and Zeitler, E. Theory of the magnetic Compton-spectrometer, 2=3304
 Keil, K. See König, H., 2=6999
 Keil, K. See König, H., 2=15327
 Keirim-Markus, I.B., Lushchikhin, A.M., Markelov, V.V. and Uspenskii, L.N. Universal scintillation radiometer RUS-3. II. Gamma- and beta-data transmitters, 2=20190
 Keirim-Markus, I.B. See Belov, I.P., 2=3218
 Keirim-Markus, I.B. See Istomina, A.G., 2=13204
 Keith, R.L.G. See Watt, D.E., 2=5862
 Kekalo, I.B. and Livshits, B.G. Effect of magnetization on the temperature dependence of damping capacity in nickel, 2=23740
 Kelbg, G. Long-range intermolecular forces in statistical mechanics, 2=12352
 Kelbg, G. Equation of state of a system of charged particles, 2=12353
 Keldys', L.V., Vavilov, V.S. and Bricin, K.I. The influence of a strong electric field on the optical properties of semiconductors, 2=23554
 Kelemen, F. The influence of temperature on the motoelectric effect of certain metals and an interpretation of the effect, 2=8923
 Keller, A. Proposed electron interferometer for determining crystal phases, 2=10954
 Keller, A. Method for determining the extension of coherent zones in a crystal, 2=17007
 Keller, A. See Bassett, D.C., 2=23811
 Keller, D.A. See Shirley, D.A., 2=20498
 Keller, H. and Hillmann, H. Iron-cobalt alloys with low coercive force, 2=12767
 Keller, J.B. Determination of a potential from its energy levels and undetectability of quantization at high energy, 2=2632
 Keller, J.B. Geometrical theory of diffraction, 2=2894
 Keller, J.B. Diffraction of polygonal cylinders, 2=7743
 Keller, J.B. See Verma, G.R., 2=1122
 Keller, J.B. See Yung Ming Chen, 2=16033
 Keller, J.M. and Wallace, D.C. Anharmonic contributions to specific heat, 2=12380
 Keller, K.W. See Bethge, H., 2=15118
 Keller, M. A biprism interferometer for electron waves and its application, 2=218
 Keller, R.A. and Rast, H.E., Jr. Tunneling model for electron transport and its temperature dependence in crystals of low carrier mobility. Example: anthracene, 2=14510
 Keller, S.P. Some optical properties of CdSe single crystals, 2=23516
 Keller, W.E. See Hammel, E.F., Jr., 2=1330
 Kellershohn, C. and Herszberg, B. The gamma-ray intensity from a spherical, homogeneous self-absorbing radioactive source, 2=20564
 Kellett, E.A. and Steward, E.G. Heating and cooling attachments for X-ray powder diffractometry, 2=14972
 Kelley, C.M. See Wiechec, W., 2=23678
 Kelley, G.G., Lazar, N.H. and Morgan, O.B. A source for the production of large D.C. ion currents, 2=3089
 Kelley, J.G., Steigert, F.E. and Watson, W.W. Scattering of oxygen ions from argon and xenon, 2=16489
 Kelley, W.D. and Twitty, B.L. An improved procedure for U^{235} isotopic ratio analysis in impure materials, 2=23988
 Kellington, C.M. Resonant harmonic generation in ruby, 2=22327
 Kellner, G., Czapek, G. and Czapp, B. An example of Σ^- capture with emission of a negative pion, 2=18346
 Kellner, G. See Cvijanovic, G., 2=22515
 Kellner, G. See Czapek, G., 2=20266
 Kellner, H. Yvon approximation method, 2=11950
 Kellner, H. Yvon approximation method. II, 2=11951

- Kellner, H. Yvon approximation method. III, 2=18125
 Kellogg, P.J. Source of electrons in the Van Allen Belts, 2=13057
 Kellogg, P.J. and Winckler, J.R. Cosmic ray evidence for a ring current, 2=4696
 Kellogg, P.J. and Winckler, J.R. Cosmic ray evidence for a ring current, 2=12041
 Kelly, A. See Baker, C., 2=10371
 Kelly, A. See Baker, C., 2=3926
 Kelly, A. See Groves, G.W., 2=3919
 Kelly, A. See Groves, G.W., 2=8221
 Kelly, C.E. See Morgan, T.N., 2=23311
 Kelly, D.H. Visual responses to time-dependent stimuli. III. Individual variations, 2=7076
 Kelly, D.H. Visual responses to time-dependent stimuli. IV. Effects of chromatic adaptation, 2=17326
 Kelly, F.M. and Tomchuk, E. Isotope shift in the Cd resonance line λ 2268 Å, 2=6093
 Kelly, G.G. and Morgan, O.B. Space-charge neutralized ion beams, 2=224
 Kelly, H.C. See Lewis, C.H., 2=7091
 Kelly, J.W. A method for extending the life of oxide-coated filaments in hot cathode ionization gauges, 2=19632
 Kelly, P.E., Hansen, D.R., and Forsyth, P.A. The azimuthal distribution of ultra-high frequency radar echoes from aurora, 2=917
 Kelly, R. The diffusion of "attached" inert-gas activity, 2=2090
 Kelly, R.L. See Gardner, A.L., 2=17821
 Kelly, T.G. See Clayton, C.G., 2=2128
 Kelly, W.H. See Beard, G.B., 2=2256
 Kelly, W.H. See Beard, G.B., 2=3510
 Kel'man, V.M. and Gall, L.N. Mass spectrometers with a two-dimensional magnetic prism, 2=11730
 Kel'man, V.M. and Yavor, S.Ya. Achromatic quadrupole electron lenses, 2=17889
 Kellner, G. See Cvijanovich, G.B., 2=5638
 Kelsall, T. Solar proton impact zones, 2=3445
 Kelsch, J.J., Kammerer, O.F., Goland, A.N. and Buhl, P.A. Observation of fission fragment damage in thin films of metal, 2=10426
 Kelsey, J.F. See Mayer, W.G., 2=7311
 Kemei, P. See Bedike, T., 2=22748
 Kemény, L.G. Core kinetics of fission reactors, 2=20702
 Kemény, L.G. and Williams, M.M.R. Nuclear thermalization in pulsed moderators, 2=9658
 Kemmey, P.J. and Mitchell, E.W.J. Current problems in diamond physics, 2=23882
 Kemmey, P.J. See Clark, C.D., 2=12477
 Kemmey, P.J. See Clark, C.D., 2=23558
 Kemp, M.A.R. See Astbury, A., 2=1701
 Kemp, M.A.R. See Astbury, A., 2=1702
 Kemp, M.A.R. See Astbury, A., 2=1708
 Kemp, M.A.R. See Astbury, A., 2=10129
 Kemp, R.F. See Slattery, J.C., 2=11675
 Kempen, H. van. See van Kempen, H.
 Kempter, C.P. See Roof, R.B., Jr., 2=23886
 Kempter, C.P. See Vogel, R.E., 2=10847
 Kendall, B.R.F. Resolving-power multiplier for mass spectrometers, 2=3102
 Kendall, B.R.F. Automatic data processing for a sensitive time-of-flight mass spectrometer, 2=13610
 Kendall, H.W., Friedmann, J.I., Erickson, E.F. and Gram, P.A.M. Measurement of the neutron-proton final-state interaction in the electrodisintegration of deuterium, 2=325
 Kendall, P.C. Geomagnetic control of diffusion in the F2-region of the ionosphere. I. The form of the diffusion operator, 2=24041
 Kenderdine, S. See Turtle, A.J., 2=24177
 Kendzior, F. See Delvaile, J., 2=12062
 Kendzior, F. See Bennett, S., 2=12070
 Kennard, O. Crystal setting, 2=8808
 Kennedy, D.P. Reverse transient characteristics of a p-n junction diode due to minority carrier storage, 2=16740
 Kennedy, D.P. and Murley, P.C. Base region transport characteristics of a diffused transistor, 2=2185
 Kennedy, D.P. and Murley, P.C. Minority carrier injection characteristics of the diffused emitter junction, 2=14567
 Kennedy, D.P. and O'Brien, R.R. Depletion layer properties in double diffused transistors, 2=2186
 Kennedy, G.C., Jayaraman, A. and Newton, R.C. Fusion curve and polymorphic transitions of cesium at high pressure, 2=11544
 Kennedy, G.C. and La Mori, P.N. The pressures of some solid-solid transitions, 2=10778
 Kennedy, G.C. See Newton, R.C., 2=17688
 Kennedy, J. and Spearman, T.D. Singularities in partial-wave amplitudes for two ingoing and two outgoing particles, 2=13743
 Kennedy, J. and Spearman, T.D. Singularities in partial wave amplitudes for two ingoing and two outgoing particles, 2=22420
 Kennedy, J.K. Four point probe for measuring the resistivity of samples, 2=19830
 Kennedy, P.M. See Buscombe, W., 2=24137
 Kennedy, S.W. and Patterson, J.H. Thermal formation of etch pits in polymorphic transformation, 2=21047
 Kennett, T.J. and Fritze, K. Search for the (n, β^-) reaction, 2=1220
 Kennett, T.J. See Fritze, K., 2=18291
 Kennett, T.J. See Prestwich, W.V., 2=20570
 Kenney, R.W. See Gates, D.C., 2=5627
 Kenney, V.P., Dardis, J.G. and Brunhart, G. Multiple pion production by pions and the isobar model, 2=302
 Kenney, V.P., Shephard, W.D. and Gall, C.D. Single neutral pion production by pions at 1100 MeV, 2=9892
 Kenney, V.P., Shephard, W.D. and Gall, C.D. Further evidence for two di-pion resonances in single neutral pion production, 2=1
 Kenney, V.P. See Brunhart, G., 2=5547
 Kent, D.W., Puri, S.P., Snowden, S.C. and Bucher, W.P. Interaction of 3.7 MeV neutrons with medium weight nuclei, 2=1903
 Kent, G. Perturbation of electron flow, 2=7661
 Kenty, C. Evidence for a long-lived metastable state of N_2 at about 8 eV, 2=3753
 Kenty, C. Volume recombination, constriction, and volt-ampere characteristics of the positive column, 2=13549
 Kenworthy, D.J., and ter Haar, D. On the summation of ladder diagrams in the theory of superconductivity, 2=1332
 Kenworthy, D.J., Zuckermann, M.J., Brink, D.M. and ter Haar, D. On the thermodynamics of dirty superconductors, 2=13511
 Kenyon, I.R. See Ismail, A.Z.M., 2=18247
 Kepes, J.J., Mikoleit, L.A. and Serenka, R.G. Resonance and total U^{238} activation in thin natural uranium-niobium fuel plates, 2=22874
 Keppler, E. See Pfozter, G., 2=9023
 Kerbst, W.D. See Ohkawa, T., 2=3044
 Keren, J. See Eisler, F., 2=22568
 Kerimov, A.M. See Amirkhanov, Kh.I., 2=13485
 Kerimov, B.K. Longitudinal polarization of particles in weak four-fermion interaction, 2=16137
 Kerimov, B.K. and Nadzhafov, I.M. Electron-positron correlations in pair production by a polarized photon, 2=13777
 Kerimov, B.K. and Sad'ykhov, F.S. Polarization electron-positron correlation in pair production taking into account finite nuclear size, 2=13778
 Kerker, M., Kratochvil, J.P. and Matijević, E. Light scattering functions for $m = 160$ (0.04)2.08 and $a = 0.1(0.1) 10.0$. I. Mie scattering coefficients, 2=1279
 Kerker, M., Kratochvil, J.P. and Matijević, E. Light scattering functions for concentric spheres. Total scattering coefficients $m_1 = 2.1050$, $m_2 = 1.4821$, 2=11500
 Kerlee, D.D., Reynolds, H.L. and Goldberg, E. Elastic scattering of heavy ions by Pb^{206} , Pb^{207} , and Pb^{208} , 2=18362
 Kerler, W. Investigation of crystal properties using the Fe^{57} Mössbauer effect, 2=10304
 Kerler, W. and Neuwirth, W. Measurements of the Fe^{57} Mössbauer effect in numerous iron compounds at various temperatures, 2=18235
 Kerman, A.K. and Klein, A. The description of rotating nuclei, 2=18235
 Kerman, A.K. and Shakin, C.M. Vibrations of spherical nuclei, 2=18235
 Kerman, A.K. See Campbell, L.J., 2=1909
 Kern, C.W. and Lipscomb, W.N. Magnetic shielding in some diatomic molecules, 2=18437
 Kern, C.W. and Lipscomb, W.N. Proton shielding in diborane, 2=18440
 Kern, C.W. See Pitzer, R.M., 2=18440
 Kern, C.W. See Stevens, R.M., 2=18462
 Kern, E. New method for calculating burn-up in reactors, 2=101
 Kern, E. Turbulent gas flow in reactors of the pebble-bed type, 2=16449
 Kern, E. Formulae for the fuel charging of reactors, 2=20725
 Kern, E. and Schatz, A. Diffusion of radioactive material in solids with granular structure, 2=12446
 Kern, E. See Schulten, R., 2=10174
 Kern, J. G.M. counter for a beta-ray spectrometer, 2=5504
 Kern, J. G.M. counter for a beta-ray spectrometer, 2=5505
 Kern, J. Determination of the orientation and of the oscillation directions of anisotropic adsorbed molecules by means of u.v. and i.r. absorption in polarized light, 2=15097
 Kern, J. and Schellenberg, L. The disintegration of Ir^{192} , 2=22752
 Kern, J. See Dörr, F., 2=10277
 Kern, J.W. Effects of moderate stresses on directions of thermoremanent magnetization, 2=4704

- J.W. The effect of stress on the susceptibility and magnetization of a partially magnetized multidomain system, 2=4705
- J.W. Stress stability of remanent magnetization, 2=4706
- J.W. Solar-stream distortion of the geomagnetic field and polar electrojets, 2=11095
- J.W. Solar-stream distortion of the geomagnetic field as a mechanism for producing polar auroras and electrojets, 2=13075
- J.W. See Vestine, E.H., 2=19267
- R. On the formation of growth twins, 2=2344
- R. An electro-optical and electromechanical effect in SbSI, 2=14653
- R. See Boistelle, R., 2=12687
- el, G. See Miklavžič, U., 2=11921
- er, E.H. Hamiltonian formulation of action-at-a-distance in electrodynamics, 2=5437
- er, E.H. Electromagnetism and gravitation: an action-at-a-distance confluence, 2=9150
- s, Q.A. and Cox, G.C. A triggered nanosecond light source, 2=5267
- s, Q.A. See Baker, S.C., 2=2986
- s, Q.A. See Bjerke, A.E., 2=17993
- s, Q.A. See Bjerke, A.E., 2=19863
- s, Q.A. See Tusting, R.F., 2=18011
- s, Q.A. See Miller, H.W., 2=23434
- D.E. See Gray, E.P., 2=7592
- D.P. and Hogg, B.G. Positron annihilation in some organic compounds, 2=15158
- H.S. See Lapp, P.A., 2=9073
- F.J. Galactic velocity models and the interpretation of 21-cm surveys, 2=11167
- J.R. See Dean, F.V., 2=9460
- N.A. See Fultz, S.C., 2=18316
- V.N., Hayes, F.N. and Anderson, E.C. Parameters affecting the performance of large liquid scintillation counters, 2=3208
- V.N., Williams, D.L., Hansbury, E. and Hayes, F.N. Radiocarbon in plant products: geography, species, and time, 2=11214
- idge, M. See Cooper, P.N., 2=10179
- isk, D.J. Potentialities of electron bombardment ion engines for electric propulsion, 2=22232
- movskii, S.V. See Senchenkov, A.P., 2=20070
- ten, J.A.H. An aqueous homogeneous zero-energy suspension reactor. I. Experiments with a subcritical reactor, in which an aqueous suspension of UO_2 particles is circulating, 2=12265
- ez, D.J. See Blytas, G.C., 2=15576
- h, L. See Cook, V., 2=22630
- h, L.T. See Chamberlain, O., 2=7902
- alidze, K.N. See Plyuto, A.A., 2=196
- in, E.M., Jr. See Ungar, E.E., 2=17528
- in, J. and Burke, E.A. Open-shell calculations of hyperfine splitting for the ground state of Li-like ions, 2=14199
- in, L. See Carette, J.D., 2=1393
- ev, I.G. Minimum potentials of arc discharge and the problem of two forms of the cold-cathode arc, 2=5320
- ev, I.G. Minimum potentials of arc discharge and the problem of two forms of the cold-cathode arc, 2=7583
- manly, F.P. See Émel'yanenko, O.V., 2=2164
- manly, F.P. See Émel'yanenko, O.V., 2=18706
- eris, J. See Mandelkorn, J., 2=10543
- el', A.R. The ultrasonically stimulated spin echo effect, 2=4292
- el', A.R. Classical theory of nuclear acoustic resonance, 2=18973
- el', A.R. The theory of the spin echo, 2=23717
- el'man, P.M. See Kazavchinskii, Ya.Z., 2=11411
- enikh, A.V. Concerning the effect of spin diffusion on the dynamic polarization of nuclear spins, 2=10713
- enikh, A.V. An apparatus for observing the Overhauser effect, 2=17974
- er, B. See Dayhoff, E.S., 2=15727
- er, D. See Eisenberg, Y., 2=319
- er, D. See Eisenberg, Y., 2=22632
- er, F.R. and Bodnet, E. Transversal arrangement for the determination of the Faraday rotation in semiconductors by means of large aperture, without analyser, from intensity measurement, 2=8490
- er, F.R. and Sutter, E. Infrared absorption of free carriers for nonparabolic band structures for the example InSb, 2=8536
- er, J. On the electron optics of electrostatic accelerators in the relativistic region, 2=7666
- er, J. Double scattering experiment with integration over azimuthal angles, 2=7836
- er, J.O. and Moore, A.R. Measurement of photomagnetic susceptibility by means of a vibrating reed balance, 2=9674
- er, M.P. See Jacquemin, A., 2=5700
- er, P. The method of quasi-real processes in high energy physics, 2=18055
- Kestin, J., Maeder, P.F. and Wang, H.E. Influence of turbulence on the transfer of heat from plates with and without a pressure gradient, 2=7425
- Kestin, J. and Persen, L.N. Application of Schmidt's method to the calculation of Spalding's function and of the skin-friction coefficient in turbulent flow, 2=15770
- Keszthelyi, L., Berkes, I., Demeter, I. and Fodor, I. Detection of high energy γ -rays by plastic phosphors, 2=5518
- Keszthelyi, L., Berkes, I., Demeter, I. and Fodor, I. Resonance in $F^{19} + p$ reactions at 224 and 340 keV proton energies, 2=5910
- Keszthelyi, L. See Berkes, I., 2=11826
- Ketelaar, J.A.A. and Rettschnick, R.P.H. Simultaneous infrared absorption involving rotational transitions of H_2 , 2=3742
- Ketelle, B.H. See Brosi, A.R., 2=16348
- Ketola, P. See Hovi, V., 2=4067
- Ketskeméty, I. Intermolecular energy transfer in fluorescent solutions, 2=21915
- Ketskeméty, I., Dombi, J., Hevesi, J., Horvai, R. and Kozma, L. Experimental proof of the Wawilow [Vavilov] law for the case of fluorescent solutions, 2=13346
- Ketskeméty, I., Dombi, J. and Horvai, R. Fluorescence emission, absorption and temperature radiation of solutions, 2=1158
- Keutel, M. See Meyer, K., 2=4352
- Keutel, M. See Meyer, K., 2=12861
- Kever, H. The theory of the magnetic compression of cylindrically symmetrical plasmas, 2=11654
- Kever, H. See Beerwald, H., 2=15909
- Kevorkian, J. Uniformly valid asymptotic representation for all times of the motion of a satellite in the vicinity of the smaller body in the restricted three-body problem, 2=13091
- Key, A.W. See Ismail, A.Z.M., 2=18247
- Keyes, F.G. The second virial coefficient for steam, 2=15636
- Keyes, R.J. and Quist, T.M. Recombination radiation emitted by gallium arsenide, 2=23393
- Keyes, R.W. Trends in the lattice "combination bands" of zinc blende-type semiconductors, 2=16591
- Keyes, R.W. and Sladek, R.J. Piezo-thermal conductivity effect in germanium, 2=3854
- Keyes, R.W. See Adams, E.N., 2=16682
- Keyes, R.W. See Sladek, R.J., 2=23317
- Keys, J.D. Diffusion of silver into bismuth telluride, 2=18607
- Keyston, J.R.G. See Brewer, D.F., 2=15833
- Khaav, A.A. Electron diffraction study of the influence of gases on the structure of sublimated layers of alkali halide salts, 2=23819
- Khabakhpashev, A.G. The spectrum of neutrons from a Po- α -O source, 2=1688
- Khabakov, A.V. The nature of some characteristic details on the chart of the reverse side of the moon, 2=17249
- Khabibullin, B.M. Effect of spin-spin interaction on scattering of neutrons in a paramagnetic, 2=23638
- Khabibullin, B.M. Scattering of slow neutrons by the spin system of a paramagnetic, 2=23639
- Khabibullin, B.M. Effect of the spin-phonon interaction on the magnetic properties of paramagnetic substances, 2=18889
- Khabibullin, B.M. Effect of the spin-phonon interaction on the magnetic properties of paramagnetic substances, 2=21293
- Khabibullin, B.M. Influence of spin-phonon interactions in paramagnetic materials on the energy distribution of scattered neutrons, 2=21377
- Khabibullina, E.M. See Asimov, S.A., 2=9845
- Khachaturyan, A.G. The interaction between charge carriers and lattice vibrations in an anisotropic crystal, 2=8163
- Khachaturyan, M.N. See Ozhdyan, L., 2=9841
- Khachaturyan, M.N. See Ozhdyan, L., 2=20217
- Khachaturyan, M.N. See Pantuev, V.S., 2=16416
- Khai, D.M. See Berlovich, É.E., 2=18258
- Khaikin, M.S. Direct measurement of the momentum of conductivity electrons in a metal, 2=3865
- Khaikin, M.S. A frequency modulation method for studying the surface impedance of metals, 2=10432
- Khaikin, M.S. Investigation of the Fermi surface in tin by the cyclotron resonance technique, 2=8188
- Khaikin, M.S. An oscillator based on a travelling-wave tube and stabilized by a superconducting cavity, 2=20134
- Khaikin, M.S. Method of frequency modulation for the study of the surface resistance of metals, 2=21100
- Khaikin, M.S. Investigation of the shape of a cross-section of the Fermi surface of tin, 2=22525
- Khaikin, M.S. and Mina, R.T. Investigation of the Fermi surface in lead by the cyclotron resonance technique, 2=8189
- Khait, Yu.L. See Finkel'shtein, B.N., 2=21007

- Khait, Yu.L. See Finkel'shtein, B.N., 2=23166
 Khakhaev, A.D. See Vagner, S.D., 2=164
 Khalatnikov, I.M. See Abrikosov, A.A., 2=22471
 Khalatnikov, I.M. See Lifshitz, E.M., 2=12
 Khalatnikov, I.M. See Pokrovskii, V.L., 2=226
 Khalifin, L.A. On the quantum theory of unstable elementary particles, 2=3246
 Khalifin, L.A. The supposed relation between the pole position and residue in the pole for the scattering amplitude, 2=3273
 Khalifin, L.A. On the quantum theory of unstable elementary particles, 2=9771
 Khalilov, A.Kh., Salaev, E.Yu., Mamedov, A.P., Alieva, T.D. and Isaev, F.K. Comprehensive investigation of the optical and thermo-optical properties of polyactivated alkali-halide crystal phosphors, 2=23601
 Khalilov, K.M. Viscometers for studying liquids at temperatures down to -150°C , 2=1118
 Khalimonova, I.M. Effect of temperature on the intensity of valency vibrations of the C—H bonds of some simple alcohols in the liquid and solid states, 2=22986
 Khalkin, V.A. See Zaitseva, N.G., 2=14001
 Khalupovskii, M.D. Phosphorescence of organic molecules with two metastable levels, 2=10627
 Khalupovskii, M.D. Temperature effects in boron phosphors, 2=23590
 Khan, B. See Johnson, A.E., 2=14890
 Khan, M.A. On the T_c values for the $A^2\Pi \rightarrow X^2\Sigma$ state of MgH and MgD bands, 2=18456
 Khan, M.A. MgH bands at 2172, 2100 and 2088 Å and MgD bands at 2172, 2358 and 2364 Å, 2=16514
 Khan, M.A. A new band in CaH at 2720 Å and discussion of the hydrides of metals of group II, 2=20801
 Khan, M.A. New band systems of ZnH and ZnD in the far ultra-violet regions, 2=20824
 Khan, M.S. AID band at 2187 Å, 2=10262
 Khan, M.Y. See Chaudhri, R.M., 2=3970
 Khan-Magometova, I.D. See Zhevandrov, N.D., 2=10614
 Khan-Magometova, Sh.D., Zhevandrov, N.D. and Gribkov, V.I. Effect of β -radiation on the photoluminescence of molecular crystals, 2=16864
 Khan-Magometova, Sh.D. See Gribkov, V.I., 2=16868
 Khandros, L.G. See Arbuzova, I.A., 2=23824
 Khandros, L.G. See Kurdyumov, G.V., 2=2396
 Khanin, Ya.I. See Fain, V.M., 2=1587
 Khanin, Ya.I. See Fain, V.M., 2=3162
 Khanin, Ya.I. See Fain, V.M., 2=22329
 Khanna, B.N. See Peck, E.R., 2=10207
 Khanna, B.N. See Peck, E.R., 2=7343
 Khanna, F.C. See Tang, Y.C., 2=16290
 Khanna, F.C. See Wildermuth, K., 2=1763
 Khanna, R.K. Infrared spectra of strontium, barium and lead nitrates, 2=6580
 Khanna, R.K. Polarized infrared spectrum and specific heat of sodium nitrate, 2=8535
 Khanna, R.K. Force constants and thermodynamic functions of iodine heptafluoride, 2=12310
 Khansevarov, R.Yu. See Rývkin, S.M., 2=8436
 Khapalyuk, A.P. Theory of singular optic axes, 2=23521
 Kharaga, K. See Udrya, I., 2=6044
 Kharchenko, I.F., Fainberg, Ya.B., Nikolaev, R.M., Kornilov, E.A., Lutsenko, E.A. and Pedenko, N.S. The interaction of an electron beam with a plasma in a magnetic field, 2=11665
 Kharchenko, V.F. The scattering of a nucleon by the bound state of two others, 2=22524
 Kharchenko, V.F. The bound state of three nucleons, 2=22700
 Kharchenko, V.F. See Sitenko, O.H., 2=5654
 Khare, L.R. and Roy, R.R. Ionization chamber technique for studies of excited states and angular correlation of fission fragments, 2=3196
 Khare, P.L. Compressibilities of some electrolyte solutions in relation to their stepwise dissociation, 2=9271
 Khare, P.L. Compressibility of dilute solutions of sulphuric acid, 2=9272
 Khare, P.L. Compressibilities of mixtures of electrolytes, 2=11364
 Khare, S.P. See Ghosh, S.N., 2=5377
 Kharitonov, A.V. Study of the luminescence of a constant-acting phosphor as a function of temperature, 2=708
 Kharitonov, A.V. Torsional ultrasonic concentrators, 2=1230
 Kharitonov, A.V. Torsional ultrasonic concentrators, 2=7289
 Kharitonov, E.V. See Antuf'ev, V.V., 2=21375
 Kharitonov, Yu.I., Sliv, L.A. and Sogomonova, G.A. Pairing forces and pair correlation in Ti^{200} and Bi^{210} , 2=1760
 Kharitonov, Yu.I. See Band, I.M., 2=377
 Kharitonov, Yu.I. See Band, I.M., 2=13998
 Kharitonov, Yu.I. See Guman, V.N., 2=1759
 Kharitoaova, O.K. See Antuf'ev, V.V., 2=21375
 Khar'kov, Ye.I. and Kuz'menko, P.P. Electric transfer in Sn, Pb, Au and Cu, 2=6374
 Khar'kov, Ye.I. See Kuz'menko, P.P., 2=6246
 Kharlamov, P.V. Linear integrals of the equations of motion for a solid body subject to gravity [moving] about a fixed point, 2=18
 Kharlamov, P.V. Linear integrals of the equations of motion for a solid body subject to gravity [moving] about a fixed point, 2=19
 Kharlamov, S.P. See Adamovich, M.I., 2=5713
 Khartsiev, V.E. Concerning the parameters of trapping centres which determine the kinetics of photo-thermo-stimulated effects, 2=18
 Khartsiev, V.E. See Gashimzade, F.M., 2=18710
 Khartsiev, V.I. Investigation of the symmetry of the energy zones of the compounds CdSb and ZnSb, 2=18552
 Khartsiev, V.I. Investigation of the symmetry of the energy zones of the compounds CdSb and ZnSb, 2=20965
 Khash, D. Popescu. See Popescu Khash, D.,
 Khaskind, M.D. The excitation of waves under a plane ribbed construction, 2=1226
 Khaskind, M.D. The excitation of waves under a plane ribbed construction, 2=7284
 Khastgir, S.R. and Srivastava, R.S. Fluxmeter studies of slow electric field-changes due to moving thunder clouds, 2=21637
 Khastgir, S.R. See Murty, Y.S.N., 2=13025
 Khavkin, L.P. See Penchko, E.A., 2=2783
 Khazanov, B.I. See Bogdanov, A.A., 2=17754
 Khazanov, B.I. See Gorn, L.S., 2=17753
 Khazanova, N.E. See Krichevskii, I.R., 2=17447
 Khazov, Yu.L. See Gvozdev, V.S., 2=16335
 Kheifets, S.A. and Baryshev, A.I. Transient processes caused by particle injection in an accelerator, 2=1543
 Kheifets, S.A., Orlov, Yu.F. and Gendzhoyan, G.V. Particle losses in electronic accelerators due to quantum fluctuations in radiation (Phase oscillations), 2=5420
 Khesina, A.Ya. Spectroscopy of some pyrene derivatives in frozen solutions, 2=18871
 Kh'eu Nguen Van. See Nguen Van Kh'eu.
 Khien Zui Fam. See Fam Zui Khien.
 Khimich, I.V. See Krývskiy, I.Y., 2=7879
 Khimitch, I.V. See Lomsadze, Yu.M., 2=20219
 Khirnyi, Yu.M. Production of negative hydrogen ions in the passage of protons through gas targets, 2=1386
 Khirnyi, Yu.M. and Kochemasova, L.N. An injector of negative hydrogen ions, 2=17908
 Khizhnyak, N.A., Tolok, V.T., Chechkin, V.V. and Nazarov, N.I. The acceleration of large current pulses in electron linear accelerators, 2=11735
 Khizhnyak, N.A. See Tolok, V.T., 2=17909
 Khlebnikov, N.S. Progress in photomultipliers for use in scintillation counters (review), 2=20020
 Khlebnikov, N.S., Melamid, A.E. and Timoshenkov, Yu.A. Photomultiplier sensitive to 1300 Å, 2=20018
 Khlebnikov, N.S. See Ergakov, V.A., 2=20196
 Khlebnikova, V.M. See Morozov, V.P., 2=18446
 Khlevnyuk, A.T. Interaction of activators in alkali halide phosphors, 2=23626
 Khlopina, T.N. See Kashtan, M.S., 2=865
 Khmelinin, B.A. See Oranovskii, V.E., 2=8554
 Khmel'nitskaya, E.M. See Baru, V.G., 2=23402
 Khodadad, P. Evidence of the nature of bonds in the uranium selected U_2Se_3 , U_3Se_4 and USe , 2=3771
 Khodakov, A.L. and Sholokhov, M.L. Ferroelectric single crystals with large non-linearity, 2=4095
 Khodakov, A.L. and Sholokhov, M.L. Ferroelectric single crystals with large nonlinearity, 2=8464
 Khodakov, A.L. and Sholokhov, M.L. BaTiO_3 — BaSnO_3 solid solution single crystals, 2=14950
 Khodov, Z.L. Ultrasonic velocity in melts of eutectic binary metal systems and their elastic properties, 2=8866
 Kyodyrev, Yu.S. See Demirkhanov, R.A., 2=22188
 Khoi Dang Le. See Le Dang Khoi.
 Khokhlov, R.V. See Akhmanov, S.A., 2=21987
 Khokhlov, R.V. See Polyakova, A.L., 2=21943
 Khokhlov, R.V. See Soluyan, S.I., 2=22318
 Khokhlova, Z.S. See Berkovich, I.B., 2=353
 Khokhlova, Z.S. See Berkovich, I.B., 2=22719
 Kholmogorov, V.E. and Akimov, I.A. Photo-induced E.P.R. absorption signal in silver bromide sensitized with cyanine dyes, 2=2137
 Kholmovskii, J.A. See Arzumanov, A.A., 2=7686
 Kholmovskii, Yu.A. See Arzumanov, A.A., 2=13619

- movskii, Yu.A. See Arzumanov, A.A., 2=20076
 movskii, Yu.A. See Babichev, A.P., 2=22286
 'nov, Yu.V. See Dzhelepov, B.S., 2=13764
 'nov, Yu.V. See Dzhelepov, B.S., 2=14063
 'nov, Yu.V. See Dzhelepov, B.S., 2=14064
 'nov, Yu.V. See Volnova, N.A., 2=14057
 odenko, L.P. A contribution to the theory of a 90° transition layer between domains in BaTiO₃, 2=673
 odenko, L.P. A contribution to the theory of a 90° transition layer between domains in BaTiO₃, 2=14638
 uyanov, G.F. Concerning the radiation for breakdown in silicon carbide p-n junctions, 2=8379
 uyanov, G.F. Concerning the radiation for breakdown in silicon carbide p-n junctions, 2=10500
 uyanov, G.F. See Porozhnikova, G.N., 2=8441
 uyanov, G.F. See Porozhnikova, G.N., 2=14585
 uyanov, G.F. See Tomashpol'skii, F.G., 2=4044
 uyanov, G.F. See Tomashpol'skii, F.G., 2=6476
 mazyuk, V.G. Single-slit, three-beam interferometry, 2=9402
 mazyuk, V.G. Use of Fraunhofer diffraction for measuring light dispersion, 2=19727
 mchenko, A.I. See Bezuglyi, P.A., 2=8162
 meniuk, V.V. See Stepanov, K.N., 2=17944
 mskii, D.I. See Nemenov, L.L., 2=16188
 rguan, V.G. See Vyal'tsev, V.V., 2=7283
 rmushko, S.P. See Grebenskii, B.S., 2=16205
 rmushko, S.P. See Goroshkov, G.V., 2=16206
 rosheva, O.V. See Feldstein, J.I., 2=15256
 rin, B.A. See Baranov, V.I., 2=14053
 rin, B.A. See Malysheva, T.V., 2=14054
 rkevich, V.H. See Pervakov, V.O., 2=6274
 rkevich, V.I. See Kogan, V.S., 2=15018
 rkevich, V.I. See Pervakov, V.A., 2=23235
 rkevich, V.H. See Pervakov, V.O., 2=12928
 zhainov, A.I. See Ryabinin, A.G., 2=22320
 amov, L.V. and Yaroslavskii, M.I. Frequency characteristics of quartz bars executing flexural oscillations, 2=1222
 enov, B.A. Investigation of the high energy μ -meson flux of broad air showers, 2=3435
 enov, B.A. See Bogoslovskii, G.V., 2=1738
 enov, B.A. See Vernov, S.N., 2=13936
 enov, B.A. See Vernov, S.N., 2=20462
 anian, A.V., Avakian, V.V., Nalbandyan, N.A., Egiyan, K.Sh. and Pleshko, M.P. The composition of the flux of the cosmic ray nuclear-active particles of momenta higher than 1.8 BeV/c at the altitude of 3250, above sea level, 2=12081
 imyan, A.V., Avakyan, V.V., Nalbandyan, N.A., Egiyan, K.Sh. and Pleshko, M.P. Composition of nuclear active particles with momenta above 1.8 BeV/c in the cosmic radiation at an altitude of 3250 m above sea level, 2=13924
 istiansen, G.B. See Belkerman, I.M., 2=1739
 istiansen, G.B. See Vernov, S.N., 2=13936
 istiansen, G.B. See Vernov, S.N., 2=20462
 istov, L.G. See Zlateva, A.I., 2=9842
 omchenko, Z.V. See Surkov, Yu.A., 2=14044
 omov, G.S. Masses and forms of planetary nebulae, 2=24156
 omov, V.V. Effective boundary condition at the surface of a plane periodic lattice, 2=18375
 ishchev, V.G. See Grammatikati, V.S., 2=6053
 istalev, A.F. A boundary value problem for the Laplace equation, 2=2912
 istalev, A.F. A boundary value problem for the Laplace equation, 2=9434
 istalev, A.F. The steady-state problem of thermal conduction in a solid cylinder, 2=17677
 istalev, O.A. See Okonov, E.O., 2=13876
 istalev, O.A. See Zastavenko, L.G., 2=8067
 an tszu-chzhan'. See Barashenkov, V.S., 2=7884
 ochandani, P.G. Scattering of thermal neutrons in graphite, 2=3344
 ochandani, P.G. and Sharma, R.R. Inelastic scattering of cold neutrons by polycrystals, 2=13807
 ochandani, P.G., Sharma, R.R. and Das, T.P. Theory of quadrupole polarizability and antishielding of nuclear quadrupole moments of many-electron ions, 2=10199
 ochandani, P.G. See Kothari, L.S., 2=8037
 chua, N.P. See Isupov, V.A., 2=18769
 laverdyan, A.G. See Vartapetyan, G.A., 2=3489
 dzinskii, L.L. Determination of some of the spectral features of layered media, 2=19647
 elidze, D.E. See Vartanov, N.A., 2=22761
 ulubei, Kh., Auslander, I., Fridlander, E. and Tsitseika, Sh. [Hulubei, H., Ausländer, J., Friedländer, E. and Tšiteica, S.] Angular distribution of μ -mesons in π - μ decay, 2=9884
 Khulubei, Kh., Nyamu, I., Frants, I., Martalogu, N., Skýntel, N., Ivashku, M. and Berinde, A. Scattering of low energy protons on S³², 2=16403
 Khulubei, Kh., Purika, I., Roshesku, T. and Sabéu, M. Internal thermal columns for increasing the flux of thermal neutrons in reactors with a water moderator, 2=20716
 Khurana, C.S. and Hans, H.S. Cross-sections for (n, 2n) reactions at 14.8 MeV, 2=3585
 Khuri, N.N. A relativistic scattering model satisfying unitarity, crossing symmetry and analyticity, 2=3280
 Khu Shi-ké [Hu Shih-k'ó]. See Wang Tung, 2=3410
 Khu Shi-ké. See Barashenkov, V.S., 2=7884
 Khu Shi-ke. See Syan 'Din-chan, 2=22554
 Khu Shi-ke. See Smorodinskii, Ya.A., 2=22555
 Khutsishvili, G.R. Spin diffusion and magnetic relaxation of nuclei, 2=14846
 Khutsishvili, L.A. See Ab, É.A., 2=7875
 Khva Don Li. See Li Don Khva.
 Khvashchevskaya, Ya., Khvashchevskii, S. and Dýbovskii, K. Semiconductor α -particles detectors, 2=7911
 Khvashchevskii, S. See Khvashchevskaya, Ya., 2=7911
 Khvastunov, M.S. See Vishky, T., 2=1684
 Khvastunov, M.S. See Vishky, T., 2=22512
 Khvoshchev, A.N. See Basov, N.G., 2=643
 Kiang, N.Y.-S. See Peake, W.T., 2=13212
 Kiang, N.Y.-S. See Peake, W.T., 2=13213
 Kiang, T. The effect of a resisting medium on elliptical orbits, 2=9049
 Kiang, T. Asteroid counts and their reduction, 2=13112
 Kiang, T. On the usual method of correcting for incompleteness of discovery, 2=17226
 Kiang, T. See Fielder, G., 2=15308
 Kiang, Y.C. See Nedderman, H.C., 2=23548
 Kiasatpoor, A. See Rubin, V.C., 2=24151
 Kibal'chich, G.A. See Ivanchenko, A.M., 2=1359
 Kichenassamy, S. On the coordinate conditions, 2=11262
 Kichenassamy, S. The role of the harmonic coordinate condition in the energy-tensor method of finding equations of motion, 2=13253
 Kichihin, D.O. The temperature relation of the effect of oxygen on paramagnetic resonance in coal powders, 2=4255
 Kidd, W., Silverman, H., Whitney, H. and Aarons, J. Scintillations of radio stars and satellites during intense magnetic disturbances, 2=13184
 Kidder, J.N. and Fairbank, W.M. Critical velocities and boundary interactions in the isothermal flow of superfluid helium, 2=19797
 Kidin, I.N. and Shtremel', M.A. Kinetics of changes of the short-range order in binary alloys, 2=8849
 Kidin, I.N. and Shtremel', M.A. Kinetics of the variations in short-range order in binary alloys, 2=21550
 Kido, K. See Kanzaki, H., 2=3981
 Kido, K. See Kanzaki, H., 2=8423
 Kidson, G.V. Some aspects of the growth of diffusion layers in binary systems, 2=02091
 Klefer, H. and Maushart, R. Large-area flow counters speed radiation measurements, 2=03192
 Kiefhaber, E. Calculation of the angular distribution of slow neutrons scattered by water, 2=13812
 Kieł, A. Spin diffusion in inhomogeneously broadened systems, 2=6695
 Kieł, A. Temperature-dependent linewidth of excited states in crystals. I. Line broadening due to adiabatic variation of the local fields, 2=12602
 Kieł, A. See Bray, T., 2=18953
 Kielich, S. Second virial coefficients for unlike non-dipolar molecules, 2=11414
 Kienle, P., Weckermann, B., Baumgärtner, F. and Zahn, U. Determination of a short-lived molybdenum fission isotope, and the decay of the technetium daughters. I. Decay series: Mo¹⁰⁴-Tc¹⁰⁴, 2=21593
 Kienle, P., Weckermann, B., Baumgärtner, F. and Zahn, U. Determination of a short-lived molybdenum fission isotope, and the decay of the technetium daughters. II. Decay series: Mo¹⁰⁸-Tc¹⁰⁸-Ru¹⁰⁸, 2=21594
 Kienle, P., Wien, K., Wunderlich, F. and Haas, R. Decay of Cl³⁸ isomers, 2=22732
 Kienle, P. See Borg, D.C., 2=04574
 Kienle, P. See Kalvius, M., 2=5811
 Kienle, P. See Kalvius, M., 2=18245
 Kienle, P. See Wagner, F.E., 2=5812
 Kienle, P. See Wiedemann, W.H., 2=3817
 Kienle, P. See Zahn, U., 2=03773
 Kienle, W.F. and Flammersfeld, A. Anisotropy of the scintillation-light yield of organic molecule single crystals w.r.t. alpha-rays, 2=726
 Klees, C.C. Description and analysis of the second spectrum of tantalum, Ta II, 2=14207

- Kiess, N.H. and Broida, H.P. Perturbations and rotational intensities observed in CN bands emitted by reactions of organic molecules with nitrogen atoms, 2=6188
- Kihara, T., Aono, O. and Sugihara, R. Theory of Cerenkov and cyclotron radiations in plasmas, 2=191
- Kihlberg, A. A reformulation of the wuantal n-particle problem by means of redundant coordinates, 2=17375
- Kikkawa, K. Generalized Ward identities for vector boson field, 2=11899
- Kikkawa, K. See Ezawa, H., 2=9796
- Kikkawa, K. See Ezawa, H., 2=20237
- Kikoin, I.K. and Lazarev, S.D. Anisotropy of the odd photomagnetic effect, 2=2194
- Kikoin, I.K. and Lazarev, S.D. Anisotropy of the odd photomagnetic effect, 2=23481
- Kikoin, I.K. and Nikolaev, I.N. Photomagnetic effect in p-n junctions, 2=6503
- Kikuchi, K. See Fukui, S., 2=3340
- Kikuchi, M. Coherent oscillation from forward-biased point contact silicon single crystals, 2=10482
- Kikuchi, M. and Abe, Y. Observation of coherent oscillation in germanium, 2=10471
- Kikuchi, M. and Abe, Y. The "sogicon"—a new type of semiconductor oscillator, 2=18722
- Kikuchi, M. and Abe, Y. Observations of instability in semiconductors caused by heavily injected minority carriers, 2=23296
- Kikuchi, M. See Iizima, S., 2=809
- Kikuchi, R. Variational derivation of the steady state, 2=1076
- Kikuchi, R. Statistical dynamics of crystalline diffusion. II. Vacancy mechanism, 2=3933
- Kikuchi, R. Statistical dynamics of crystalline diffusion. III. Self-diffusion in an order-disorder system, 2=3934
- Kikuchi, R. and Cahn, J.W. Theory of domain walls in ordered structures. II. Pair approximation for nonzero temperatures, 2=10655
- Kikuchi, R. and Gottlieb, P. Path integral in irreversible statistical dynamics, 2=1077
- Kikuchi, S. See Sugie, A., 2=10117
- Kikuchi, T. and Shiozawa, K. Observation of fission fragment tracks in sintered UO_2 , 2=18368
- Kikuchi, T. See Block, M.M., 2=9883
- Kikuchi, T.T. See Marshall, S.A., 2=4263
- Kilb, R.W. See Auer, P.L., 2=9578
- Kilcher, P. See Jastrzebski, J., 2=409
- Kilcher, P. See Jastrzebski, J., 2=10012
- Kildal, A. Some comments on the Landau damping, 2=15936
- Kilday, B.A. See Michaelis, R.E., 2=4585
- Killian, P., Langhoff, H. and Flammersfeld, A. Decay of Nb^{90m} , 2=18301
- Kilian, P. See Langhoff, H., 2=1841
- Kilian, P. See Langhoff, H., 2=1850
- Kilimov, A.P. See Nagornaya, L.L., 2=2258
- Kilin, S.F., Kovryzina, K.A. and Rozman, I.M. Luminescence of p-terphenyl in a mixture of toluene and carbon tetrachloride, 2=7224
- Kilin, S.F. See Baroni, E.E., 2=21278
- Kiliszek, C. On sorption properties of barium films, 2=12947
- Killeen, J. See Hess, W.M., 2=4685
- Killoran, D.R. The effective duration of a linear slow-cool, 2=10413
- Killpatrick, J. Inside-out horizon scanner, 2=9131
- Killpatrick, J., Gustafson, H. and Wold, L. Alignment characteristics of a helium-neon optical maser, 2=19701
- Kilp, G.R. See Danko, J.C., 2=10547
- Kilpatrick, J.E. See Webster, L.A., 2=5222
- Kilpi, Y. Theory of permutability relations in quantum mechanics, 2=19423
- Kil'yanov, Yu.N. See Bystrov, V.F., 2=7774
- Kim, C.C. and Barnard, A.C.L. Elastic scattering of protons by argon-36, 2=3563
- Kim, C.C. See Barnard, A.C.L., 2=3562
- Kim, D.Y. Interaction of two helium atoms, 2=6108
- Kim, E.I. Conditions under which a boundary problem of the thermal conductivity equation can be solved, 2=1294
- Kim, E.I. Conditions under which a boundary problem of the thermal conductivity equation can be solved, 2=7429
- Kim, E.I. and Baimukhanov, B.B. Temperature distribution in a piece-wise continuous, semi-infinite plate, 2=11518
- Kim, H. See Sugata, E., 2=10947
- Kim, H. See Sugata, E., 2=10948
- Kim, K.H. See Balcarczyk, L., 2=20718
- Kim, P.D. See Rodichev, G.M., 2=21323
- Kim, Y. Production of pion pairs by a photon in the Coulomb field of a nucleus, 2=29891
- Kim, Y.E., Horen, D.J. and Hollander, J.M. Isomeric state in Y^{86} , 2=10027
- Kim, Y.N. The effects of the nuclear charge polarization on the elastic scattering, 2=3538
- Kim, Y.S. Dispersion relations for production amplitudes. I, 2=2
- Kim, Y.S. Dispersion relations for production amplitudes. II, 2=
- Kim, Y.S. Pion production in the low-energy limit, 2=7881
- Kim, Y.S. See Jaffe, A.M., 2=20276
- Kim Tse Peng. and Zoellner, W. Pion production at low energies, 2=16219
- Kimbel, K.H. and Willenbrink, J. An inexpensive disposable sample container for single phototube liquid scintillation counting, 2=
- Kimbell, G.H. and Le Roy, D.J. Effect of nuclear spin on the emission of the forbidden line $\text{Hg } 6^3\text{P}_1 - 6^1\text{S}_0$, 2=14201
- Kimel, D.P. Determination of the optimum shape for a shielding barrier, 2=6052
- Kimel', L.P. and Leipunskii, O.I. Radiation field of a mono-direct point source of γ -rays, 2=13758
- Kimel, S. See Jaffe, J.H., 2=3743
- Kimmel, H. Change of nuclear magnetic interaction in liquids due to the influence of [immersed] solid surfaces, 2=5030
- Kimmitt, M.F. and Prior, A.C. A photosensitive single crystal junction in lead selenide, 2=8446
- Kimpara, A. Some characteristics of the dispersion of radio electric whistlers, 2=11036
- Kimpara, A. Whistlers and solar activity, 2=11037
- Kimpara, A. Dispersion of whistlers, 2=11038
- Kimpara, A. On a correlation between radio whistlers and solar activity, 2=15201
- Kimpara, A. On some remarkable characteristics of whistler atmospherics, 2=17146
- Kimura, A. See Kimura, H., 2=15066
- Kimura, H. Domain structure of silicon iron at high temperatures, 2=8632
- Kimura, H., Kimura, A. and Hasiguti, R.R. A resistometric study of the role of quenched-in vacancies in ageing of Al-Cu alloys, 2=15066
- Kimura, I. Amplification of the v.l.f. electromagnetic wave by a beam through the exosphere. An origin of the v.l.f. emission, 2=15264
- Kimura, I. See Maeda, K., 2=13008
- Kimura, K., Uemura, Y., Ishiwari, R., Kokame, J., Fukunaga, K., Katase, M., Muto, J., Kumabe, I., Ogata, H., Ohama, T. and Ohmori, Y. Elastic scattering of protons from B^{11} , Al, P, Co and Cu from 6 to 7 MeV, 2=5898
- Kimura, K., Uemura, Y., Sonoda, M., Shimizu, S., Yanabu, T., Ishiwari, R., Kokame, J., Katase, A., Kumabe, I., Yamashita, S., Takekoshi, H., Miyake, K., Ikegami, H. and Fujita, H. A 105 cm fixed frequency cyclotron of Kyoto University, 2=15970
- Kimura, M. and Ōki, T. Determination of electron temperature from multiply charged ions in an arc discharge, 2=3018
- Kimura, M. See Shoda, K., 2=426
- Kimura, M. See Shoda, K., 2=12180
- Kimura, M. See Shoda, K., 2=16381
- Kimura, R., Endo, K. and Ohoyama, T. A partially ordered structure of the Heusler alloy Cu_2MnAl at high temperature, 2=21551
- Kimura, T. Fixation of physical space-time coordinates and equation of motion of two-body problem, 2=25
- Kimura, T. On a fixation of gauge and true observables of Yang-Mills field, 2=7806
- Kimura, T. Introduction of true variables and consistency of Hamiltonian formalism, 2=11850
- Kinase, W. Theory of the dielectric constants of barium titanate, 2=6523
- Kind, E.G. and Lau, E. Advantages of photographic scattered-light pictures, 2=5193
- Kind, E.G. and Schulz, G. Visual threshold and quantum structure, 2=1035
- Kind, E.G. and Schulz, G. The visual threshold and quantum structure, 2=24120
- Kinder, W. and Torge, R. Self-luminous object investigated in the Mach-Zehnder interferometer, as [its own] light source, 2=
- Kindlmann, P.J. See Bennett, W.R., Jr., 2=17603
- King, A.B. See Wood, B.J., 2=158
- King, G.A.M. The seasonal anomalies in the F region, 2=4648
- King, G.A.M. The ionospheric F region during a storm, 2=1524
- King, G.A.M. and Lawden, M.D. Two methods of detecting ionospheric disturbances, 2=6946
- King, G.A.M. and Lawden, M.D. Variations of some ionospheric parameters over a solar cycle, 2=24038
- King, G.S.D. The space group of $\beta\text{-In}_2\text{S}_3$, 2=10874
- King, H.J. See Cameron, J.A., 2=18242
- King, H.M. and Weir, J.B. Adjusting device incorporating an ultra-fine movement, 2=2667

- ng,H.W. See Massalski,T.B., 2=8837
- ng,I. The structure of star clusters. I. An empirical density law, 2=24153
- ng,I.R. Recombination rates of alkali metal ions, 2=5305
- ng,I.R. Recombination of ions in flames, 2=17786
- ng,J.C.,Ballman,A.A. and Laudise,R.A. Improvement of the mechanical Q of quartz by the addition of impurities to the growth solution, 2=21481
- ng,J.C. and White,D.L. A new high frequency ultrasonic transducer, 2=19650
- ng,J.I.F. Deduction of vertical thermal structure of a planetary atmosphere from a satellite, 2=12993
- ng,J.I.F. See Klein,M.M., 2=3034
- ng,J.W. and Wilman,H. The nature of the abrasion process in plastically deformable non-metals, 2=800
- ng,J.N. and Wilman,H. The compression and rolling textures of AgCl and AgBr, 2=14927
- ng,J.S. See Olte,A., 2=13575
- ng,J.W. International conference on the ionosphere, London, July, 1962, 2=24029
- ng,J.W. and Graham,C. The relationship between f_0F_2 and magnetic phenomena, 2=9005
- ng,J.W. and Scott,J.L. Variations in the height of the peak of the ionospheric F₂-layer, 2=24039
- ng,K. See Schtule,W., 2=23153
- ng,K.M. and Thomas,L.H. Analysis of the statistical density matrix, 2=514
- ng,R.C. See Franklin,J., 2=1724
- ng,R.J. See Gates,J.W., 2=7411
- ng,R.J. See Maley,S.W., 2=16037
- ng,R.T. and Mullins,W.W. Theory of the decay of a surface scratch to flatness, 2=15089
- ng,R.W.P. Dipoles in a dissipative media, 2=7746
- ng,R.W.P. See Jordan,E.C., 2=16049
- ng,T.A. See Birks,J.B., 2=18869
- ng,V.J. Liquid alloy for making contacts to metallic and nonmetallic surfaces, 2=1371
- ng,W.G. See Vincent,C.H., 2=20169
- ng,W.L. and Gruber,H.E. Moon illustration and Emmert's law, 2=13219
- ng,W.T. Quadratic potential function for ammonia, 2=1986
- ng,W.T. See Levin,I.W., 2=22982
- ngery,W.D. See Cooper,A.R., Jr, 2=15581
- ngery,W.D. See Paladino,A.E., 2=21056
- ng-Hele,D.G. Satellites and the earth's outer atmosphere, 2=4683
- ng-Hele,D.G. The contraction of satellite orbits under influence of air drag. III. High-eccentricity orbits ($0.2 \leq e \leq 1$), 2=13190
- ng-Hele,D.G. Variations of scale height in the upper atmosphere, 2=15211
- ng-Hele,D.G. The earth's gravitational potential, deduced from the orbits of artificial satellites, 2=17114
- ng-Hele,D.G. Satellite orbits and their geophysical implications, 2=23990
- ngsley,J.D. Bleaching and symmetry properties of the V_4 center, 2=18621
- ngsley,J.D. and Prener,J.S. Spectroscopy and luminescence properties of $CdF_2:Eu$, 2=10588
- ngsley,J.D. and Prener,J.S. Free charge carrier effects in cadmium fluoride, 2=14551
- ngsley,J.D. See Prener,J.S., 2=4128
- ngston,A.E. See Bates,D.R., 2=11620
- ngston,W.R. See Wertheim,G.K., 2=20809
- ngton,G.L. See Edwards,J.W., 2=22081
- ngton,J.D. See Perez-Belles,R., 2=12253
- nitsky,V.A. Kalantaroff dimension system, 2=4905
- near,J.K. See Duffus,H.J., 2=24057
- nney,J.A.S. See Connors,M.M., 2=7080
- no,G.S. See Crawford,F.W., 2=5324
- noshita,M. See Kuroda,H., 2=4040
- noshita,T. Mass singularities of Feynman amplitudes, 2=20227
- nsel,T.S. and Seidel,T.E. Heat treatment of n-type GaAs by radiant energy, 2=8361
- nsey,E.L. See Buchanan,R.A., 2=14685
- nsey,J.L. See Curl,R.F., Jr, 2=20829
- nsey,J.L. See Tolles,W.M., 2=20831
- nsey,K.F. See Miyake,K., 2=13851
- nsinger,J.B. See Yoo,S.J., 2=8139
- nson,J. See Dodd,P., 2=22508
- nson,J.B. See Barnes,V.E., 2=285
- nson,J.B. See Dodd,W.P., 2=5542
- nt de Roodenbeke,A. See t'Kint de Roodenbeke,A.
- nugasa,M. See Nakagawa,S., 2=8746
- Kinumaki,S. See Watari,F., 2=3744
- Kinumaki,S. See Watari,F., 2=6165
- Kip,A.F. Cyclotron resonance in solids, 2=23136
- Kip,A.F. See Koch,J.F., 2=18561
- Kipillin,V.A.,Sheindlin,A.E. and Chekhovskoi,V.Ya. Enthalpy and heat capacity of tungsten in the temperature interval 0° - $2400^{\circ}C$, 2=12386
- Kipling,A.L.,Smith,P.W.,Vanier,J. and Woonton,G.A. The concentration dependence of paramagnetic relaxation in dilute potassium chromi- and ferricyanides at liquid helium temperature, 2=4271
- Kipling,J.J. See Cornford,P.V., 2=8893
- Kippenhahn,R. See Baker,N., 2=7013
- Kirby,H.W. See Simpson,F.B., 2=10122
- Kirby,R.C. See Blair,J.C., 2=5490
- Kirchenmayer,A. Delayed-neutron-groups number reduction, 2=3648
- Kirchenmayer,A. Dynamics of boiling water reactors with natural convection, 2=20705
- Kirchner,F. A simple and quick method to achieve ultra high vacuum, 2=9321
- Kirdina,G.A. and Pereyaslova,N.K. Preparation and properties of large-volume plastic scintillators, 2=2259
- Kirdina,G.A. See Pereyaslova,N.K., 2=2249
- Kirei,G.G. and Kisitsa,M.P. Effect of temperature on the infrared spectra of silicon-organic compounds. II. Liquid hexaethyldisiloxane, 2=17467
- Kirenskii,L.V. and Buravikhin,V.A. Influence of the technique of preparation and thickness of thin ferromagnetic films of Fe-Ni-Mo alloy on their domain structure, 2=21318
- Kirenskii,L.V. and Buravikhin,V.A. Domain walls in thin ferromagnetic films, 2=21319
- Kirenskii,L.V., Buravikhin,V.A. and Savchenko,M.K. Cinematographic study of changes in magnetic structure of thin ferromagnetic films in magnetic fields, 2=8636
- Kirenskii,L.V., Buravikhin,V.A. and Savchenko,M.K. Variation of the domain structure of thin ferromagnetic films in a magnetic field, 2=16913
- Kirenskii,L.V., Buravikhin,V.A. and Savchenko,M.K. Filming the processes of the change in the magnetic structure of thin ferromagnetic films in a magnetic field, 2=23661
- Kirenskii,L.V. and Kan,S.V. Behaviour of the domain structure of thin ferromagnetic films in the process of slow magnetization reversal, 2=21322
- Kirenskii,L.V.,Buravikhin,V.A. and Zvegintsev,A.G. Domain structure and coercivity of thin ferromagnetic films, 2=16912
- Kirenskii,L.V.,Ignatchenko,V.A. and Baklanov,O.G. Ferromagnetic resonance in thin films, 2=14817
- Kirenskii,L.V.,Ignatchenko,V.A. and Rodichev,A.M. Behaviour of domain structure under the influence of elastic stresses, 2=741
- Kirenskii,L.V.,Kan,S.V. and Degtyarev,I.F. Investigation of the magnetic structure of thin ferromagnetic films by means of the Kerr magneti-optical effect, 2=21321
- Kirgetov,V.I. The theory of an absolutely elastic impact on material systems, 2=15525
- Kirianenko,A. See Adda,Y., 2=606
- Kirianenko,A. See Adda,Y., 2=18612
- Kirianenko,A. See Adda,Y., 2=18613
- Kirichenko,A.P. See Bataruchukova,N.R., 2=19708
- Kirichenko,G.B. See Gabovich,M.D., 2=17854
- Kirillin,V.A.,Sheindlin,A.E. and Chekhovskoi,V.Ya. The experimental determination of the enthalpy of corundum (Al_2O_3) at temperatures from 500° to $2000^{\circ}C$, 2=3839
- Kirillin,V.A.,Sheindlin,A.E. and Chekhovskoi,V.Y. Experimental determination of the enthalpy and heat capacity of molybdenum up to $2337^{\circ}C$, 2=8174
- Kirillin,V.A.,Sheindlin,A.E.,Chekhovskoi,V.Ya. and Peterov,V.A. Experimental investigation of the enthalpy of tungsten in the temperature range 2400 - $2820^{\circ}C$, 2=18528
- Kirillov,N.I. See Antonov,S.M., 2=17245
- Kirillov,P.L. See Abramova,V.M., 2=17691
- Kirillov,V.S. See Garber,R.I., 2=18810
- Kirillov-Ugryumov,V.G. See Demidov,V.S., 2=18344
- Kirillova,I.V. See Veselov,M.G., 2=513
- Kirillova,L.F. See Asimov,S.A., 2=9845
- Kirillova,L.F. See Barashenkov,V.S., 2=1869
- Kirillova,L.F. See So In Seb, 2=6540
- Kirillova,M.M. See Skorniyakov,G.P., 2=5168
- Kirk,A. See Hadden,R.J.B., 2=1218
- Kirk,C.T., Jr. A theory of transistor cutoff frequency (f_T) falloff at high current densities, 2=14574
- Kirk,M.T. Hydrodynamic lubrication of "Perspex", 2=19533

- Kirkaldy, J.S. and Purdy, G.R. Diffusion in multicomponent metallic systems. V. Interstitial diffusion in dilute ternary austenites, 2=6363
- Kirkaldy, J.S. and Purdy, G.R. The thermodynamics of dilute ternary austenite solutions, 2=6840
- Kirkpatrick, M.E., Bailey, D.M. and Smith, J.F. The structures of NiZr_2 , NiZr and their hafnium analogs, 2=10879
- Kirkpatrick, M.E., Smith, J.F. and Larsen, W.L. Structures of the intermediate phases and $\text{Ni}_{10}\text{Hf}_7$, 2=21528
- Kirner, K. Diffusion investigations on rhenium-tungsten, 2=8245
- Kirov, K. Formation of pulses, following the changes of conductivity, in semiconductor counters irradiated parallel to the electric field, 2=11835
- Kirpichnikov, I.V. See Ignat'ev, J.G., 2=1696
- Kirpichnikov, S.N. See Brumberg, V.A., 2=1027
- Kirs, Ya.Ya. and Laisaar, A.I. Effect of hydrostatic compression on the spectral characteristics of alkali halide phosphors, 2=23588
- Kirshenbaum, A.D. See Cahill, J.A., 2=19544
- Kirshenbaum, A.D. See Grosse, A.V., 2=2700
- Kirshenbaum, A.D. See McGonigal, P.J., 2=15572
- Kirsten, F.A. The application of automatic testing to complex nuclear physics experiments, 2=17749
- Kirsten, F.A. See Baker, S.C., 2=2986
- Kirsten, F.A. See Baker, S.C., 2=2987
- Kirsten, F.A. See Evans, F., 2=2990
- Kiryukhina, A.I. See Makarova, E.A., 2=972
- Kirz, J., Schwartz, J. and Tripp, R.D. $1 = 2$ S-wave $\pi-\pi$ scattering length, 2=9902
- Kirzhnits, D.A. The cause of disappearance of the renormalized charge in the Lee model, 2=22454
- Kirzhnits, D.A. Field theory with nonlocal interaction. I. Construction of the unitary s-matrix, 2=22455
- Kirzhnits, D.A. and Smolyanskii, S.A. A relativistic field theory model which admits an exact solution, 2=22386
- Kisaka, S. See Ikegami, S., 2=23515
- Kischel, K. See Hess, H., 2=1405
- Kischel, K.H. and Wilhelm, J. Interpretation of the Steenbeck minimum principle, 2=173
- Kischio, W. See Grimmeiss, H.G., 2=21199
- Kisdi, D. Application of Bogoliubov's canonical transformation method to the calculation of space-time correlation function, 2=15496
- Kisdi, D. See Gombás, P., 2=9988
- Kisdnasamy, S. See Brooke, G., 2=20469
- Kisel', A.M. See Kantor, P.B., 2=6277
- Kiselev, A.V. See Isirikyan, A.A., 2=10944
- Kiselev, A.V. See Isirikyan, A.A., 2=10945
- Kiselev, B.A. and Parshin, P.F. Some distortions in Fourier spectrometry, 2=15729
- Kiselevs'kiy, L.I. The mechanism of the efflux of anode and cathode material in an arc with constant polarity, 2=17806
- Kiser, R.W. Studies of the shapes of ionization-efficiency curves of multiply charged monatomic ions. I. Instrumentation and relative electronic-transition probabilities for krypton and Xenon ions, 2=13538
- Kiser, R.W. and Gallegos, E.J. A technique for the rapid determination of ionization and appearance potentials, 2=19896
- Kishkin, S.T. See Bokstein, S.Z., 2=23778
- Kishko, S.M. Excitation functions of certain CO and CO^+ bands in the visible region of the spectrum, 2=6174
- Kishko, S.M. See Zapsochnyi, I.P., 2=16515
- Kishko, S.M. See Zapsochnyi, I.P., 2=18424
- Kishore, J. See Krishnan, K.G., 2=5325
- Kishore, J. See Krishnan, K.G., 2=16485
- Kislik, M.D. Path of an artificial earth satellite in the normal gravitational field of the earth, 2=9118
- Kisliuk, P. and Walsh, D.J. The interference between beams from the opposite ends of a ruby optical maser, 2=7393
- Kisliuk, P. See Collins, R.J., 2=16018
- Kisliuk, P. See Geschwind, S., 2=14712
- Kislyak, G.M. Phosphorescence of certain solvents and their effect on the absorption spectra of organic phosphors, 2=15605
- Kislyak, G.M. Concentration extinction of phosphorescence, 2=18874
- Kislyakov, A.G. Results of an experimental study of lunar radio emission at 4 mm, 2=1010
- Kislyakov, A.G., Kuzmin, A.D. and Salomonovich, A.E. Radio emission of Venus at 4 mm, 2=24171
- Kislyakov, A.I. See Berlovich, E.E., 2=13990
- Kiss, J. See Jeszenszky, B., 2=8302
- Kiss, L.I. The influence of pressure on the absorption spectrum of electrolytically coloured sodium chloride, 2=4137
- Kiss, Z.J. Energy levels of divalent thulium in CaF_2 , 2=18833
- Kiss, Z.J. and Duncan, R.C., Jr. Optical maser action in $\text{CaWO}_4:\text{Er}^{3+}$, 2=23546
- Kiss, Z.J. and Duncan, R.C., Jr. Pulsed and continuous optical maser action in $\text{CaF}_2:\text{Dy}^{3+}$, 2=23547
- Kiss, Z.J. See Duncan, R.C., Jr., 2=19700
- Kissinger, P.B. and Weidner, R.T. Saturation effects in moderately diluted cesium chromium alum, 2=10697
- Kisslinger, L.S. The effect of spin-dependent forces on collective motion in nuclei, 2=13946
- Kistemaker, J. On ion sources with high efficiency and intensity, 2=53
- Kistemaker, J. See Fluit, J.M., 2=227
- Kister, A.T. See Redlich, O., 2=21897
- Kistiakowsky, G.B. and Richards, L.W. Emission of vacuum ultraviolet radiation from the acetylene-oxygen and the methane-oxygen reactions in shock waves, 2=12963
- Kistiakowsky, G.B. See Hand, C.W., 2=23959
- Kitaeva, V.F., Obukhov-Denisov, V.V. and Sobolev, N.N. Concentration of charged particles in the plasma of an arc burning in an atmosphere of argon and helium, 2=17844
- Kitaeva, V.F. and Sobolev, N.N. On broadening of hydrogen lines in plasma of an arc and a discharge tube, 2=19920
- Kitagaki, T. A general theory of mass analysers, 2=3103
- Kitagawa, K. See Hashimoto, K., 2=68
- Kitagawa, N., Brook, M. and Workman, E.J. Continuing currents in cloud-to-ground lightning discharges, 2=8976
- Kitagawa, N. See Brook, M., 2=8977
- Kitagorodskii, S.A. Applications of the theory of similarity to the analysis of wind-generated wave motion as a stochastic process, 2=19191
- Kitamura, M. On the mechanism of the cosmic-ray storm, 2=12057
- Kitamura, M. Investigations on the mechanism of the cosmic-ray storm, 2=22674
- Kitamura, M. See Hurahata, M., 2=11098
- Kitamura, M. See Kodama, M., 2=12027
- Kitamura, M. See Kodama, M., 2=16279
- Kitamura, N. Variation of electron diffraction intensity with wave length of electrons, 2=2378
- Kitamura, N. See Honjo, G., 2=23939
- Kitamura, N. See Miyake, S., 2=4510
- Kitamura, N. See Tanaka, M., 2=23938
- Kitamura, S. Influences of heat-treatment upon cadmium sulphide single crystals, 2=4060
- Kitamura, T. and Kodama, M. Time variation of cosmic ray intensity in the Antarctic region I. Atmospheric temperature effect, 2=91
- Kitamura, T. See Hasegawa, H., 2=13929
- Kitamura, T. See Higashi, S., 2=3436
- Kitamura, T. See Higashi, S., 2=20457
- Kitano, Y. See Nagamiya, T., 2=14761
- Kitao, K. Coulomb interaction in a plasma with anisotropic temperature, 2=19940
- Kitchener, J.A. Confirmation of the Gibbs theory of elasticity of soap films, 2=15561
- Kitchingman, W.J. Crystallographic aspects of transformations in β , β' and ζ phases of the silver-zinc alloys, 2=21542
- Kitchingman, W.J. See Harburn, G., 2=14425
- Kitsenko, A.B. Nature of the instabilities in a beam-plasma interaction in an external magnetic field, 2=19945
- Kitsenko, A.B. and Stepanov, K.N. Excitation of magnetoacoustic waves in a rarefied plasma by a charged-particle beam, 2=222
- Kitsenko, A.B. See Akhiezer, A.I., 2=201
- Kitsenko, O.B. and Stepanov, K.M. The passage of a beam of charged particles through a magneto-active plasma, 2=11648
- Kittel, J.E. and Massalski, T.B. The use of Cu K_α radiation for detection of order in CuZn and CuGa alloys, 2=04464
- Kivel, B., Hammeling, P. and Teare, J.D. Radiation from the non-equilibrium region of normal shocks in oxygen, nitrogen and air, 2=2757
- Kivel, B. See Camm, J.C., 2=1180
- Kivelson, D. See Bayes, K.D., 2=22947
- Kivelson, D. See Holmes, J.R., 2=16558
- Kivelson, D. See Schreurs, J.W.H., 2=2016
- Kivelson, M.G. See DuBois, D.F., 2=18398
- Kivelson, M.G. See DuBois, D.F., 2=20001
- Kiyanskaya, L.A., Kudryashov, P.I. and Sveshnikov, B.Ya. On the extinction by foreign substances of fluorescent solutions in the region of large concentrations of fluorescent materials, 2=168
- Kiyanskaya, L.A., Kudryashov, P.I. and Sveshnikov, B.Ya. On the extinction by foreign substances of fluorescent solutions in the region of large concentrations of fluorescent materials, 2=195
- Kiyanskaya, L.A. and Sveshnikov, B.Ya. Quenching of fluorescence in solutions at liquid air temperature by iodides, 2=11377
- Kiyono, S. See Hayasi, T., 2=10610
- Kizel', V.A. and Permogorov, V.I. Photoelectric spectropolarimeter, 2=2902

- ziriya, L.V. See Kbuladze, V.V., 2=21677
- zner, W. A method of describing miss distances for lunar and interplanetary trajectories, 2=11185
- ekshus, A. and Pearson, W.B. Thermoelectricity and electrical resistivity of dilute copper alloys of chromium, manganese, iron, and cobalt at low temperatures, 2=4081
- ekshus, A. and Pedersen, G. The crystal structures of IrAs_3 and IrSb_3 , 2=10875
- ekshus, A. See Grønvald, F., 2=15041
- ellman, J. Neutron angular distributions from the reaction $\text{B}^{11}(\alpha, n)\text{N}^{14}$ at 13.9 and 13.5 MeV, 2=12219
- ellman, J., Dazai, T. and Neiler, J.H. Angular correlation study of the $\text{Be}^9(\alpha, n)\text{C}^{12}$ reaction, 2=5967
- ellman, J. and Nilsson, A. Neutron angular distributions from the reaction $\text{Be}^9(\alpha, n)\text{C}^{12}$ at 14.1 MeV, 2=3618
- ellman, J. and Nilsson, A. Neutron angular distributions from the $\text{Be}^9(\alpha, n)\text{C}^{12}$ reaction at 12.7, 11.3 and 9.8 MeV, 2=12221
- ellman, J., Nilsson, A. and Schwarz, S. Angular distributions of neutrons from the reaction $\text{Li}^7(\alpha, n)\text{B}^{10}$ at 13.9 and 13.5 MeV, 2=5969
- ellman, J. See Nilsson, A., 2=12220
- ellman, J. See Nilsson, A., 2=12222
- as, Yu.A. See Alekin, R.O., 2=24198
- aassen, F.M. Carrier density fluctuations in a two-level impurity semiconductor, 2=10473
- aassen, F.M., Van Vliet, K.M. and Fassett, J.R. Generation-recombination noise in various photoconductive semiconductors, 2=8431
- abuhn, J. See Grote, C., 2=16222
- abuhn, J. See Grote, C., 2=16223
- abuhn, J. See Grote, C., 2=16224
- abukova, Z.I. and Morozova, A.V. Cathodoluminophors with very short persistence and emission in the blue, yellow and red regions, 2=23616
- adnik, R. and Kušcer, I. Milne's problem for thermal neutrons in a nonabsorbing medium, 2=5661
- adnik, R. and Kušcer, I. Velocity dependent Milne's problem, 2=16201
- adnitskaya, E.N. See Arbuzov, B.A., 2=13888
- adnitskaya, E.N. See Birger, N.G., 2=3391
- ages, G. and Zentek, A. Microwave absorption and mobility of methylether in dilute solution, 2=7229
- ages, G. See Hufnagel, F., 2=11382
- apka, J. A contribution to the theory of transient processes in waveguides, 2=7759
- apukh, M. See Rotter, R., 2=17111
- armann, J. A search for high-energy cosmic γ -rays in emulsions, 2=12086
- assen, I.F. See Golik, A.Z., 2=7210
- auder, J.R. The calculation of metallic Hall constants: topological aspects and applications to copper, 2=2121
- auder, J.R. Covariant quantization of the gravitational field, 2=19392
- auder, J.R. and Anderson, P.W. Spectra diffusion decay in spin resonance experiments, 2=3181
- auder, J.R. and Kunzler, J.E. Concerning the Fermi surface topology of metals and open orbits from magnetoresistance and Hall effect data, 2=583
- auder, J.R., Leutwyler, H. and Schaer, J. γ -ambiguity in the generally covariant spin affine connection, 2=9773
- ebanov, Yu.D. and Sinitsyn, V.I. Injection of a plasma from a powerful pulsed discharge into vacuum, 2=3050
- ebe, J. Calculation of supplementary lenses for the achievement of achromatism, 2=7323
- ebe, J. and Kaufmann, S. Photoelectric measurement of diffraction images, 2=7399
- ebe, J. and Nitz, R. Investigations of the effect of refractive index variations on the Seidel surface coefficients of the spherical aberrations, 2=7335
- ebe, J. and Richter, W. Investigation of the aberration of the optimum image conditions for a cemented double lens, 2=7322
- eber, W. Thermodynamic-kinetic theory of heterotaxial nucleation, 2=16997
- echkovskii, V.M. (n+1)-groups in the Thomas-Fermi model, 2=22885
- echkovskii, V.M. Justification of the rule of successive filling up of (n+1)-groups, 2=22891
- eiman, H. Interferometric measurement of cesium I, 2=8063
- eiman, Ya.Z. Velocity of sound in mixtures containing suspended particles, 2=7293
- ein, A. Theory of fermion systems with attractive interactions: exact solution of the BCS reduced Hamiltonian, 2=13277
- ein, A. The description of superfluid Fermi systems with anisotropic features, 2=13499
- ein, A. $1 \neq 0$ coupling in superconductors and the use of field quantization methods in the many body problem, 2=22113
- Klein, A. See Kerman, A.K., 2=18237
- Klein, A. See Younger, M.C., 2=3289
- Klein, A.F. Measurement of Hall electromagnetic force in air, 2=7563
- Klein, A.G. Logarithmic rate meters and period meters. A theoretical study of noise and transient response, 2=6071
- Klein, C.A. Electrical properties of pyrolytic graphites, 2=12494
- Klein, C.A. and Debye, P.P. On the statistics of multilevel systems in semiconductors. Application to gold-doped p-type germanium, 2=23324
- Klein, C.A., Straub, W.D. and Diefendorf, R.J. Evidence of single-crystal characteristics in highly annealed pyrolytic graphite, 2=4035
- Klein, D. See Hardy, J., Jr., 2=5979
- Klein, D. See Hardy, J., Jr., 2=8000
- Klein, D. See Sher, R., 2=16453
- Klein, D. See Smith, G., 2=3601
- Klein, D. See Smith, G.G., 2=5945
- Klein, D. See Volpe, J.J., 2=8018
- Klein, D.L. and D'Stefan, D.J. Controlled etching of silicon in the HF-HNO_3 system, 2=8779
- Klein, E. The theoretical limits of photographic sensitivity, 2=11511
- Klein, E. and Langner, G. Quantum sensitivity of microcrystals in photographic emulsions, 2=17662
- Klein, F.S. See Bar-Eli, K., 2=2713
- Klein, M.J., Brimhall, J.L. and Huggins, R.A. Stacking faults in plastically deformed dilute silver alloys, 2=8230
- Klein, M.J. and Huggins, R.A. The structure of cold worked silver and silver-magnesium oxide alloys, 2=6817
- Klein, M.J. and Mountain, R.D. A note on negative thermal expansion coefficients, 2=16611
- Klein, M.L. See Barron, T.H.K., 2=20915
- Klein, M.M., Greyber, H.D., King, J.I.F. and Brueckner, K.A. Interaction of a non-uniform plasma with microwave radiation, 2=3034
- Klein, M.P. See Geschwind, S., 2=14712
- Klein, M.V. A possible magnetic after-effect caused by diffusion of axially symmetric point defects, 2=16901
- Klein, M.V. and Kronmüller, H. Contribution of divacancies to the magnetic after effect in nickel, 2=16908
- Klein, R. See Scheer, M.D., 2=19154
- Klein, S. Effect of direct conversion of heat into electricity, 2=9519
- Klein, S. and Surdin, M. Utilization of the energy of a heated, ionized vapour, 2=19883
- Klein, S. See Debliesse, J., 2=19894
- Klein, W. See Broser, I., 2=4179
- Kleinberg, R. and Blatt, F.J. Determination of the mean free path of conduction electrons, 2=6297
- Kleinberger, R. See Hauptman, A., 2=10835
- Kleiner, R. See Müller, K.A., 2=14825
- Kleiner, W.H. Symmetry of configurational entropy in lattice statistics, 2=2412
- Kleinhenz, K. See Riessler, W., 2=10959
- Kleinman, D.A. Laser and two-photon processes, 2=4127
- Kleinman, D.A. Nonlinear dielectric polarization in optical media, 2=14650
- Kleinman, D.A. and Spitzer, W.G. Theory of the optical properties of quartz in the infrared, 2=4154
- Kleinman, D.A. See Spitzer, W.G., 2=14643
- Kleinman, L. and Phillips, J.C. Covalent bonding and charge density in diamond, 2=3808
- Kleinpoppen, K., Krüger, H. and Ulmer, R. Excitation and polarization of Balmer α -radiation in electron-hydrogen atom collisions, 2=22918
- Kleinstein, G. An approximate solution for the axisymmetric jet of a laminar compressible fluid, 2=11396
- Kleinstück, K. See Betzl, M., 2=19075
- Kleinstück, K. See Sippel, D., 2=21502
- Kleint, C., Kuschel, G., Seifarth, H. and Tilgner, J. Electronic amplification of weak intensity field-emission images, 2=15959
- Klemens, P.G. Localized modes and spin-lattice interactions, 2=8676
- Klemens, P.G., White, G.K. and Tainsh, R.J. Scattering of lattice waves by point defects, 2=23048
- Klemens, P.G. See Tainsh, R.J., 2=3916
- Klement, F.D. and Teiss, L.A. Effect of isostructure on the spectra of activated mixed crystals, 2=14722
- Klement, W., Jr. Lattice parameters of the metastable close-packed structures in silver-germanium alloys, 2=2400
- Klement, W., Jr. Nickel-rich solid solutions in binary alloys with tin, germanium, and silicon, 2=23890
- Klement, W., Jr. See Luo, Huey-Lin, 2=10903
- Klemm, A. Electromigration in ionic melts, 2=15144
- Klemm, A. See Heinzinger, K., 2=7254
- Klemperer, D.F. Activation of thermionic and photoelectric cathodes, 2=9615
- Klemperer, O. Transverse and longitudinal polarization of electron beams, 2=7663

- Klemperer, W. See Brown, R.L., 2=12318
 Klemperer, W. See Büchler, A., 2=14255
 Klemperer, W. See Kopelman, R., 2=10265
 Klemperer, W. See Leroi, G.E., 2=14274
 Klemperer, W. See Wharton, L., 2=20796
 Klemperer, W.B. Some properties of Rosette configurations of gravitating bodies in homographic equilibrium, 2=9152
 Klepikov, N.P. Removal of multiplicity in phase shift analysis, 2=259
 Klepikov, N.P. Removal of multiplicity in phase shift analysis, 2=22433
 Klepikov, N.P., Rokityanskii, V.R., Rudot, Yu.G., Saevskii, F.V., Fedorov, V.V. and Yudin, V.A. Threshold singularities in total pion scattering cross-section, 2=22590
 Kleppa, O.J. A note on the heats of fusion of calcium, strontium and barium nitrate, 2=17689
 Kleppa, O.J. and Hersh, L.S. Calorimetry in liquid thallium nitrate-alkali nitrate mixtures, 2=2710
 Kleppa, O.J., Kaplan, M. and Thalmayer, C.E. The volume change on mixing in liquid metallic solutions. II. Some binary alloys involving mercury, zinc and bismuth, 2=2716
 Kleppa, O.J. See Reiss, H., 2=1137
 Klepper, D.L. See Beranek, L.L., 2=2854
 Kleppner, D., Goldenberg, H.M. and Ramsey, N.F. Properties of the hydrogen maser, 2=6102
 Kleppner, D., Goldenberg, H.M. and Ramsey, N.F. Theory of the hydrogen maser, 2=11785
 Kleppner, D. See Berg, H.C., 2=10225
 Klerer, J. A method for the deposition of SiO_2 at low temperatures, 2=10936
 Klerer, M. See Frosch, R.A., 2=2841
 Klerk, J.de. See de Klerk, J.
 Kleshchev, G.V. and Vasilevskaya, M.M. Anomalous scattering of X-rays by a crystal of supersaturated solid solution of copper in aluminium (AlCu), 2=15064
 Kleshchev, G.V. and Vasilevskaya, M.M. Anomalous scattering of X-rays by a crystal of supersaturated solid solution of copper in aluminium (AlCu), 2=19103
 Klichkova, V.P. See Gus'kov, Yu.K., 2=6485
 Klier, K. See Barry, T.I., 2=12949
 Klíma, K., Pros, Z. and Vanek, J. Ultrasonic attenuation of longitudinal waves in solids, 2=20924
 Kliman, G.B. Calibration of an electromagnetic velocity probe for electrically conducting liquids, 2=19531
 Klimanek, P. See Brümmer, O., 2=3126
 Klimentov, V.B. and Griazev, V.M. Models for finding the control response and temperature coefficient of uranium-water reactors operating with intermediate energy neutrons, 2=6054
 Klimentovskaya, M.V. See Sorokin, A.A., 2=14066
 Klimin, A.I. See Golovanova, O.V., 2=2192
 Klimin, A.I. See Golovanova, O.V., 2=8438
 Klimishin, I.A. Contribution to the theory of the non-stationary scattering of light, 2=7409
 Klimishin, I.A. See Kaplan, S.A., 2=62
 Klimontovich, Yu.L. and Ebeling, V. A hydrodynamic description of the motion of charged particles in a weakly ionized plasma, 2=22218
 Klimontovich, Yu.L. and Silin, V.P. Theory of fluctuations of particle distribution in a plasma, 2=7610
 Klimowski, J. Effect of high hydrostatic pressure on the dielectric properties of BaTiO_3 single crystals, 2=10560
 Klimusheva, G.V. Absorption spectra of benzol homologues. VII. Spectral peculiarities of monoalkylbenzols at 20°K, 2=18464
 Klimusheva, G.V. See Grum-Grzhimailo, S.V., 2=1267
 Kline, M. Electromagnetic theory and geometrical optics, 2=7729
 Kling, G. Dynamics of bubble formation in the gassing of liquids under pressure, 2=15562
 Klingelhöfer, R. See Becker, E.W., 2=10291
 Klingenberg, G. See Mecke, R., 2=17769
 Klingenberg, G. See Mecke, R., 2=21916
 Klinger, M.I. Correction to "the theory of linear irreversible processes in a strong magnetic field", 2=3886
 Klinger, M.I. A theory of kinetic probability for small mobilities of charge carriers, 2=18628
 Klinger, M.I. Theory of transport phenomena in low-mobility semiconductors. Derivation of formulae for the principal transport coefficients, 2=21123
 Klingler, E. and Martin, A.V.J. Method of graphical analysis by an approximation function, 2=19372
 Klinker, L. and Knuth, B. Variations of electron content in the outer ionosphere deduced from Faraday-fading observations of satellite 1958 delta 2 during the July events, 1959, 2=885
 Klippert, T. See Johnson, K., 2=9656
 Klipping, G. See Broser, L., 2=8413
 Klobuchar, J., Aarons, J., Whitney, H. and Kantor, G. Irregular lunar reflection polarization changes noted in the presence of aurora, 2=6937
 Klochkov, V.P. Investigation of the temperature dependence of the interaction by molecules in the vapour state, 2=16567
 Klochkov, V.P. and Neporent, B.S. Polarization of fluorescence and the spectral classification of complex molecules, 2=16506
 Klochkov, V.P. See Bakhshiev, N.G., 2=21947
 Klock, B. See Rubin, V.C., 2=24151
 Klomp, C.J. See Van Oosterhout, G.W., 2=10664
 Klopfer, A. Achievement and measurement of low pressures, 2=72
 Klopfer, A. and Ermich, W. Properties of a small titanium ion pump, 2=2789
 Klopfer, A. and Ermich, W. Properties of a small titanium-ion pump, 2=67
 Klose, G. High resolution paramagnetic proton resonance spectra of some metal alkyl compounds, 2=2024
 Klose, W. The theory of "hot" electrons, 2=631
 Klose, W. The conductivity of thin wires, 2=7550
 Klose, W. Theory of the electrical conductivity in silicon. II. Intermediate range of field strength ("warm electrons"), 2=211
 Klose, W. Electron-phonon interaction in Ge and Si, calculated with the Nordheim potential, 2=23064
 Kloske, R. and Kauffman, J.W. Quenching studies of a gold-silver alloy, 2=10379
 Kloss, H.G. and Wendel, G. A new phase fluorometer, 2=2874
 Klotzman, S.M., Timofeev, A.N. and Trakhtenberg, I.Sh. The possibility of the determination of the intercrystallite boundary thickness semiconducting bicrystals, 2=8803
 Klotz, A.H. A note on the spin affine connection, 2=11249
 Klotz, A.H. Mie's electrostatics without potentials, 2=11758
 Kloverstrom, F.A. See Kolar, O.C., 2=6038
 Klucharev, A.P. See Golovnya, V.Ya., 2=22804
 Kluge, E. See Engelmann, R., 2=18250
 Kluge, G. Flexural vibrations of square crystal plates, 2=13394
 Kluge, J. Nuclear resonance absorption in sulphur-doped silver bromide polycrystals, 2=16940
 Klugow, J. See Grote, C., 2=16222
 Klugow, J. See Grote, C., 2=16225
 Kluitenberg, G.A. Thermodynamical theory of elasticity and plasticity, 2=10753
 Kluitenberg, G.A. A note on the thermodynamics of Maxwell bodies, Kelvin bodies (Voigt bodies), and fluids, 2=16957
 Kluk, E. Dielectric saturation theory for molecules with two axes of internal rotation, 2=3797
 Klumpp, R.G. See Webster, J.C., 2=17320
 Klüser, B. Distribution of the discharge energy to the electrodes of a glow discharge, 2=17800
 Klvaňa, F. See Litzman, O., 2=6252
 Klyachkin, V.I. Contribution to the statistical theory of ferro- and antiferroelectrics, 2=16771
 Klyachko, L.S. Relations for the critical state describing transition from laminar to turbulent flow in free convection, 2=19748
 Klyakotko, M.A. The latitudinal motions of non-recurrent sunspots in different years as members of a single aggregate, 2=960
 Klyarfel'd, B.N. See Pokrovskaya-Soboleva, A.S., 2=9539
 Klyavin, O.V. Mechanical properties of solids, especially metals, at $T=4\text{--}2^\circ\text{K}$ and below. VI. The effect of preliminary [plastic] deformation on mechanical properties of cadmium, Armco iron and tantalum, 2=8721
 Klyavin, O.V. Mechanical properties of solids, particularly metals at $T=4\text{--}2^\circ\text{K}$ and below. VI. Influence of previous deformation on the mechanical properties of cadmium, Armco iron and tantalum, 2=23743
 Klým, M.M. See Dutchak, Ya.I. 2=17421
 Klýmentov, V.B. See Pasichnyk, M.V., 2=18387
 Klynning, L. Band spectrum of arsenic oxide, 2=18450
 Klýshko, D.N., Tumanov, V.S. and Ushakova, L.A. Effect of cross-relaxation on the inversion of the level population in ruby, 2=16
 Klyucharev, A.P. Elastic scattering of protons from nuclei, 2=16
 Klyucharev, A.P. See Bolotin, L.I., 2=164391
 Klyucharev, A.P. See Bondar, A.D., 2=17978
 Klyucharev, A.P. See Bondar, A.D., 2=19114
 Klyucharev, A.P. See Bondar, A.D., 2=21556
 Klyucharev, A.P. See Bondar, A.D., 2=21563
 Klyucharev, A.P. See Golovnya, V.Ya., 2=444
 Klyucharev, A.P. See Remaev, V.V., 2=10018
 Klyucharev, A.P. See Val'ter, A.K., 2=443
 Klyucharev, A.P. See Val'ter, A.K., 2=22805
 Klyucharyev, A.P. See Vanetsian, R.A., 2=20610
 Klyucharyev, O.P. See Skakun, M.O., 2=20438
 Klyucharyev, V.O. See Val'ter, A.K., 2=12167

- Yuev, Yu.A. Optical study of phase transformations under [hydrostatic] pressure, 2=23803
- Yuzefovitch, E. See Frankowski, W., 2=3652
- Znaap, H.F.P., Knoester, M., Knobler, C.M. and Beenakker, J.J.M. The second virial coefficients of the hydrogen isotopes between 20 and 70°K, 2=1195
- Znaap, H.F.P., van Heijningen, R.J.J., Korving, J. and Beenakker, J.J.M. The heat of mixing of the liquid systems H₂-D₂, H₂-HD and HD-D₂, 2=9268
- Znaap, H.F.P. See Beenakker, J.J.M., 2=19611
- Znaab, O.D. Exoelectronic emission of coloured crystals, 2=3065
- Znaapp, D.E. See Miyake, K., 2=13851
- Znaapp, E.A. See Caris, J.C., 2=10125
- Znaappe, W. See Eiermann, K., 2=19746
- Znauer, W. Mechanism of the Penning discharge at low pressures, 2=13550
- Znauss, H.P. and Breslow, R.A. Current-voltage characteristic of tunnel junctions, 2=23432
- Znecht, R.W. and Davies, K. Possible solar flare effects in the F-region of the ionosphere, 2=4653
- Znecht, R.W. and McDuffie, R.E. Solar flare effects in the F-region of the ionosphere, 2=13036
- Znecht, R.W. and Russell, S. Pulsed radio soundings of the topside of the ionosphere in the presence of spread F, 2=15231
- Znecht, R.W., Van Zandt, T.E. and Russell, S. First pulsed radio soundings of the topside of the ionosphere, 2=11053
- Znecht, R.W. See Hirsh, A.J., 2=9003
- Znecht, R.W. See MacDonald, N.J., 2=2499
- Znechtli, R.C. See Brewer, G.R., 2=7045
- Znechtli, R.C. See Wada, J.Y., 2=5354
- Zneip, G.D., Jr., Betterton, J.O., Jr., Easton, D.S. and Scarbrough, J.O. Superconductivity in heat-treated Nb-Zr alloys, 2=11563
- Zneller, E. Magnetic moment of Co-Cu solid solutions with 40 to 85% Cu, 2=12740
- Znemer, H.O. Principles of mechanical and dielectric relaxation phenomena, 2=13527
- Znestrick, G.L., Cosden, T.H. and Curcio, J.A. Atmospheric scattering coefficients in the visible and infrared regions, 2=19203
- Zneubühl, F.K. Anisotropic spin-orbit coupling in paramagnetic resonance, 2=23699
- Zneubühl, F.K. and Natterer, B. Paramagnetic resonance intensity of anisotropic substances and its influence on line shapes, 2=10693
- Znewstubb, P.F. and Tickner, A.W. Mass spectrometry of ions in glow discharges. I. Apparatus and its application to the positive column in rare gases, 2=5313
- Znewstubb, P.F. and Tickner, A.W. Mass spectrometry of ions in glow discharges. II. Negative glow in rare gases, 2=5314
- Znežević, Z.V. See Zmbov, K.F., 2=2765
- Znibbs, R.H. See Mason, I.B., 2=23093
- Zniffen, D.A. A study of uniform isothermal processing of nuclear emulsions, 2=3230
- Zniffen, D.A. See Naugle, J.E., 2=15265
- Znight, B. See Feates, F.S., 2=3969
- Znight, B.W., Jr. See Block, H.D., 2=13207
- Znight, C.A. Curved growth of ice on surfaces, 2=12891
- Znight, J.D. See Bunker, M.E., 2=18292
- Znight, K.M. See Griffiths, R.J., 2=20189
- Znight, K.R. See Scott, G.D., 2=19537
- Znight, R.J. See Smith, M.J., 2=15050
- Znippenberg, W.F. See Greebe, C.A.A.J., 2=8386
- Znipper, A. See Gorodetzky, S., 2=365
- Znipper, A. See Gorodetzky, S., 2=382
- Znipper, A. See Gorodetzky, S., 2=12174
- Znissel, G. See Hauser, U., 2=1843
- Znittel, Z. The principle of reversibility and thin-film optics, 2=7376
- Znittel, Z. and Král, M. Achromatization of dielectric mirrors by means of a digital computer, 2=17640
- Znobler, C. See Schoen, L.J., 2=22971
- Znobler, C.M. See Knaap, H.F.P., 2=1195
- Znobloch, J. See Schön, M., 2=2190
- Znobloch, P. See Hufnagel, F., 2=11382
- Znoche, K.F. Heat diagram of argon-plasma up to 10⁵ °K with examples of application, 2=9564
- Znoepfel, H. See Jarczyk, L., 2=5612
- Znoester, M. See Knaap, H.F.P., 2=1195
- Znoff, J.B. The theory of irreversible processes and plasma physics, 2=22205
- Znoll, M. and Hartl, M. The energy distribution from tritium β -sources in Zr and Ti carriers, 2=3495
- Znorr, G. Numerical integration of the nonlinear Valasov equation, 2=5335
- Znop, G., Minten, A. and Nellen, B. Energy loss of 1 MeV electrons in very thin films, 2=2076
- Knop, G. See Backenstoss, G., 2=22549
- Knott, H.W. See Mueller, M.H., 2=10833
- Knowles, H.B. See Brown, L.B., 2=5968
- Knowles, J.W. Measurement of γ -ray diffraction angles to ± 0.02 second of arc with a double flat crystal spectrometer, 2=5604
- Knowles, J.W. Diffraction angle measurements bearing on the deuterium binding energy and on the X-unit-to-milliångstrom conversion constant, 2=5748
- Knox, K. See Burbank, R.D., 2=6798
- Knox, K. See Ferguson, J., 2=3812
- Knox, K. See Ferguson, J., 2=16583
- Knox, R.S. See Gold, A., 2=16826
- Knox, R.S. See Robinson, J.E., 2=23110
- Knudsen, E. See Norinder, H., 2=4609
- Knudsen, H.K. See Tusting, R.F., 2=18011
- Knudsen, W.C. Equations on fluid flow through porous media-incompressible fluid of varying density, 2=9241
- Knuth, B. See Klinker, L., 2=885
- Knyazev, Yu.R. See Borovik, E.S., 2=17810
- Knyeyatov, A.S. See Babichev, A.P., 2=22286
- Koba, Z. On the angular momentum weight factor in the statistical theory of multiple particle production. II, 2=18062
- Koba, Z. Three pion wave functions, 2=22556
- Koba, Z. and Krzywicki, A. Remarks on the "effective target mass", 2=255
- Koba, Z. and Krzywicki, A. Remarks on the "effective target mass", 2=9834
- Koba, Z. See Grynberg, M., 2=16177
- Kobatake, Y. and Alder, B.J. Cell potentials and gas solubility theory, 2=15568
- Kobayakawa, K. See Daiyasu, K., 2=11968
- Kobayakawa, K. See Daiyasu, K., 2=12080
- Kobayashi, A., Sugiyama, K., Arata, H. and Oda, Z. Properties of surface imperfections produced on germanium by cleaning treatments, 2=3894
- Kobayashi, A. See Oda, Z., 2=23333
- Kobayashi, A. See Sugiyama, K., 2=12513
- Kobayashi, J. and Yamada, N. Optical activity in ferroelectric Ca₂Sr (C₂H₃CO₂)₆, 2=18795
- Kobayashi, K. and Tomiki, T. Temperature dependence of the fundamental absorption tail of KCl and of the absorption due to bromine ions in KCl, 2=8517
- Kobayashi, K. See Shoda, K., 2=426
- Kobayashi, M. See Atoda, T., 2=10867
- Kobayashi, M. See Kuroda, H., 2=4040
- Kobayashi, M. See Nagai, K., 2=6816
- Kobayashi, N. See Takeuchi, H., 2=4735
- Kobayashi, N. See Takeuchi, H., 2=12990
- Kobayashi, S. and Aoki, M. The non-linear behaviour of high power centimeter-wave absorption by carriers in n-germanium and silicon crystals, 2=18684
- Kobayashi, S. See Muto, T., 2=23718
- Kobayashi, T. See Etoh, K., 2=1888
- Kobayashi, T. See Yoshimatsu, M., 2=15113
- Kobe, D.H. Spectral representation of the many-time, causal Green's function in nonrelativistic many-body theory, 2=21845
- Kobelev, L.Ya. See Vonsovskii, S.V., 2=8614
- Kobelev, L.Ya. See Vonsovskii, S.V., 2=23645
- Kobelev, V.V. Hysteresis loops of uniaxial ferromagnetic films, 2=21316
- Kobelev, V.V. and Korsunskii, A.A. Domain structure of uniaxial ferromagnetic films, 2=18907
- Kobelev, V.V. and Korsunskii, A.A. Domain structure of uniaxial ferromagnetic films, 2=21317
- Kobiashvili, M.Ya. Noncoherent scattering of electrons on nuclei and the magnetic radius of the neutron, 2=3556
- Kobler, H. See Ramsay, J.V., 2=24073
- Kobosew, N.L., Lebedew, W.P. and Malzew, A.N. The determination of the composition number, and absolute activity of catalytically active centres, 2=12967
- Kobrynski, M. and Avezard, L. Acoustic measurement in aeronautics, 2=2842
- Kobsarev, I.Yu. and Okun, L.B. Universal vector interaction model, 2=16144
- Kobus, G.L. and Radchik, V.S. Influence on wear of elastic deformation in surface friction, 2=4351
- Kobus, G.L. and Radchik, V.S. Influence on wear of elastic deformation in surface friction, 2=12872
- Kobyshchev, G.I. Influence of the adsorbent surface on the luminescence of uranyl ions, 2=14738
- Kobyshchev, G.I. Luminescence of crystals surface-activated with uranyl ions, 2=21269
- Kobzarev, I.Yu. and Okun', L.B. A model for anomalous muon interaction, 2=299

- Kobzarev, I.Yu. and Okun', L.B. On heavy neutral pseudoscalar mesons, 2=3397
- Kobzarev, I.Yu. and Okun', L.B. Unitarity symmetry and universal weak interaction, 2=16139
- Kobzarev, I.Yu. and Okun', L.B. New particles and the Sakata model, 2=18065
- Kobzarev, I.Yu. and Okun', L.B. On the theory of the vector, 2=22403
- Kobzarev, I.Yu., Okun', Yu.B. and Pomeranchuk, I.Ya. Electromagnetic interaction of a neutral vector meson, 2=22544
- Kobzev, V.A., Lukin, Yu. T., Takibaev, Zh.S., Tsadikova, G.R. and Shalagina, E.V. Interaction between 9 BeV protons and protons, 2=22510
- Koch, E.F. See Walter, J.L., 2=23887
- Koch, F.B., Sivertsen, J.M. and Sundahl, R.C. Superparamagnetism in Au-Ni alloys, 2=2411
- Koch, H. Thin film optics in the medium-wavelength infrared [4-25 μ], 2=22042
- Koch, H. Reference flats with low reflection from one side for producing transmission-type multiple beam interference fringes in reflected light, 2=22048
- Koch, J.C. and Koch, R.H. Light elements of some eclipsing binaries, 2=21717
- Koch, J.F. and Kip, A.F. Azbel'-Kaner resonance in tin with magnetic field perpendicular to the surface, 2=18561
- Koch, J.W. and Beery, W.M. Observations of radio wave phase characteristics on a high-frequency auroral path, 2=16065
- Koch, J.W. and Petrie, H.E. Fading characteristics observed on a high-frequency auroral radio path, 2=16064
- Koch, L. See Guyen Van Dong, N., 2=6453
- Koch, L. See Nguyen Van Dong, 2=4013
- Koch, R.H. A three-color photoelectric investigation of Librae, 2=9082
- Koch, R.H. See Koch, J.C., 2=21717
- Koch, W. A method of calibrating two-sphere non-directional radiometers, 2=5213
- Koch, W. See Cvijanovic, G., 2=22515
- Koch, W. See Cvijanovich, G.B., 2=5638
- Koch, W. See Dowell, J.D., 2=13890
- Kochanova, L.A., Shchukin, E.D. and Likhtman, V.I. Mechanism of brittle rupture of metal crystals, 2=2334
- Kochanovská, A. Effect of etching on the γ - α transformation of manganese steel, 2=21457
- Kocharov, G.E. and Yamshchikov, M.A. Ionization chamber in a magnetic field, 2=16089
- Kocharov, G.E. See Damaskinskii, E.A., 2=22356
- Kocharov, G.E. See Korolev, G.A., 2=1733
- Kocharov, G.E. See Korolev, G.A., 2=16090
- Kochelaev, B.I. Resonant rotation of the plane of polarization of sound in a paramagnetic, 2=20928
- Kochelaev, B.I. Relaxation absorption of sound in a paramagnetic substance, 2=23060
- Kochelaev, B.I. See Aminov, L.K., 2=14840
- Kochelaev, B.I. See Aminov, L.K., 2=21358
- Kochemasova, L.N. See Khirnyi, Yu.M., 2=17908
- Kochemirovskii, A.S. See Zhmyreva, I.A., 2=15595
- Kochendörfer, A. Physical problems of the brittle fracture of metals, 2=12864
- Kocher, C.W. and Brown, P.J. The atomic moments and hyperfine fields in Fe₂Ti and Fe₂Zr, 2=12648
- Kochevanov, V.A. See Gorodinskii, G.M., 2=1361
- Kockel, B. Wave functions for the atoms lithium to neon, 2=8059
- Koczkaś, J. See Bojtor, I., 2=16098
- Koda, S. and Morozumi, S. Behaviour of inclusions in beryllium under compression at room temperature, 2=16969
- Koda, S. See Matsuura, K., 2=8729
- Kodama, M. Morphology of solar flare effects on cosmic rays and sub-cosmic rays, 2=12059
- Kodama, M., Fukushima, S. and Makino, T. Secular variation of the cosmic ray equator and the latitude knee at sea level, 2=12044
- Kodama, M. and Kitamura, M. Geomagnetic storm effect on the solar cosmic-rays in November 1960 and their propagation process in the interplanetary space, 2=12027
- Kodama, M. and Kitamura, M. Some features of November 1960 events as inferred from cosmic rays, 2=16279
- Kodama, M. See Fukushima, S., 2=5768
- Kodama, M. See Fukushima, S., 2=9967
- Kodama, M. See Miura, M., 2=10794
- Kodama, T. See Kitamura, T., 2=9966
- Kodera, S. See Honjo, G., 2=23939
- Kodis, R.D. On the theory of diffraction by a composite cylinder, 2=7753
- Kodiukov, V.M. See Gorshkov, G.V., 2=11922
- Koedam, M. and Kruithof, A.A. Transmission of the visible mercury triplet by the low pressure mercury-argon discharge; concentration of the 6³P states, 2=12291
- Koehl, G.B. See Mallett, M.W., 2=19026
- Koehler, J.S. and Seitz, F. Nature of irradiation damage in the noble metals, 2=12474
- Koehler, J.S. See Doyama, M., 2=16646
- Koehler, T.R. and Pellam, J.R. Observation of torque exerted by pure superflow, 2=2947
- Koehler, W.C., Cable, J.W., Wollan, E.O. and Wilkinson, M.K. Neutron diffraction study of magnetic ordering in thulium, 2=12663
- Koehler, W.C., Cable, J.W., Wollan, E.O. and Wilkinson, M.K. Magnetic structures of thulium, 2=14810
- Koehler, W.C. See Cable, J.W., 2=8661
- Koehler, W.C. See Cable, J.W., 2=12731
- Koehler, W.C. See Cable, J.W., 2=18927
- Koehler, W.C. See Wilkinson, M.K., 2=21349
- Koelmans, H. See Grimmeiss, H.G., 2=21199
- Koen, J.W. See Meyer, M.A., 2=12097
- Koen, J.W. See Meyer, M.A., 2=13920
- Koen, J.W. See Wolmarans, N.S., 2=8001
- Koenig, L.R. A note on a method to determine the orientation of crystals within hailstones, 2=12882
- Koenig, S.H. The Hall effect in a "many-valley" semiconductor, 2=
- Koenig, S.H. See Jain, A.L., 2=16631
- Koenig, P., Lynch, D.W. and Danielson, G.C. Infrared absorption in magnesium germanide, 2=4152
- Koester, L.J., Jr. See Beall, E.F., 2=11992
- Koffyberg, F.P. See Barr, L.W., 2=4400
- Kofoed-Hansen, O. See Wandel, C.F., 2=24014
- Kofoid, M.J. Experimental two-beam excitation of plasma oscillations, 2=13578
- Kofsky, I.L. Effects on the ozonosphere of the thermal flux from nuclear detonations, 2=8955
- Kofsky, I.L. Uses of the thermal flux from nuclear explosions in studying atmospheric glow mechanisms, 2=24043
- Kofstad, P. Oxidation of tantalum in the temperature range 500-700°C, 2=10970
- Kofstad, P. and Anderson, P.B. Gravimetric studies of the defect structure of α -Nb₂O₅, 2=8205
- Kofstad, P., Butera, R.A. and Craig, R.S. Apparatus for continuous recording of internal friction, 2=18986
- Koga, H. See Matumura, O., 2=12466
- Koga, T. The structure of strong shock waves of stable monatomic molecules, 2=2752
- Koga, T. Kinetic equations for plasmas, 2=13559
- Kogan, M.N. On the conservation of vorticity and electric current in magnetohydrodynamics, 2=1565
- Kogan, M.N. On magnetohydrodynamic flows of mixed type, 2=1600
- Kogan, M.N. Three-dimensional magnetohydrodynamic flows, 2=200
- Kogan, Sh.M. The electrodynamics of nonlinear media, 2=22308
- Kogan, Sh.M. A theory of photoconductivity based on variation of the carrier mobility, 2=23446
- Kogan, Sh.M. See Lifshits, T.M., 2=14583
- Kogan, V.A. and Lyusternik, V.E. An investigation of the heat capacity and melting heat of alloys on a lead base, 2=6271
- Kogan, V.S. and Bulatov, A.S. The temperature dependence of the isotopic effect in the nickel lattice, 2=16612
- Kogan, V.S. and Khotkevich, V.I. The temperature dependence of the isotope effect on the lattice parameters in Li, 2=15018
- Kogarko, S.M. See Evdokimov, G.S., 2=15673
- Kogelnik, H. On electromagnetic radiation in magneto-ionic media, 2=1592
- Kogelnik, H. See Rigrod, W.W., 2=7346
- Kogure, K. See Toda, M., 2=10316
- Kogure, T. The radiation field and theoretical Balmer decrements of Be stars. III, 2=15379
- Kogure, T. and Osaki, T. Stationary shock waves in a plane stellar atmosphere. I. The structure, 2=2544
- Kogure, Y. On the irreversible behavior of coupled oscillators, 2=
- Koh, J.C.Y. and Hartnett, J.P. Skin friction and heat transfer for incompressible laminar flow over porous wedges with suction at a variable wall temperature, 2=2675
- Koh, Y., Miyatake, O. and Watanabe, Y. Angular distribution of interbremsstrahlung in the capture of orbital electrons, 2=12171
- Koh, Y. See Katoh, T., 2=18253
- Koh, Y. See Ruan, J., 2=5854
- Koh, Y. See Ruan, J., 2=18255
- Kohane, T. and Silverman, B.D. Electrical conduction in nickel ferrites, 2=10445
- Kohl, G. and Kuckelt, G. Apparatus for age determination by the C¹⁴ method, 2=1828
- Kohl, H. See Dieminger, W., 2=15223
- Kohlhaas, R. See Braun, M., 2=9443
- Kohlhaas, R. See Müller, S., 2=16649
- Kohler, D. See Fulbright, H.W., 2=9759

- Shler, H. Experiences and results of testing the coma-free minor telescope at Caracas Observatory, 2=13088
- Shler, H. See Witzmann, H., 2=8558
- Shler, H.S. On the separation method for calculating the nuclear reaction matrix, 2=3454
- Shler, W. Determination of spectral distribution of epithermal and fast neutrons in the core of a swimming bath reactor, 2=3672
- Shlmann-Wilsdorf, D. and Wilsdorf, H.G.F. Production of point defects and jogs through dislocation uncertainty, 2=14428
- Shman, T.P. See Goel, P.S., 2=17118
- Shn, W. Band structure of semiconductors, 2=23264
- Shn, W. See Callaway, J., 2=20954
- Shn, W. See Woll, E.J., Jr., 2=14372
- Shonen, T. Contributions to the study of lifetimes of positrons in solids, 2=6306
- Shonen, T. On the accuracy of a nanosecond time-to-amplitude converter, 2=9500
- Shonen, T., Puolakka, H. and Vayunen, H. Investigation of a Siegbahn-Slatis beta-ray spectrometer, 2=11935
- Shra, K. An application of asymmetric reflection for obtaining X-ray beams of extremely narrow angular spread, 2=15975
- Shra, K. and Yoshimatsu, M. X-ray observations of lattice defects in particular, stacking faults in the neighbourhood of a twin boundary in silicon single crystals, 2=16662
- Shra, K. See Yoshimatsu, M., 2=15113
- Shi, Y. See Kushida, T., 2=12644
- Shi, Y. See Tsujimura, A., 2=18964
- Shike, T. See Okamoto, F., 2=16698
- Shikov, S.M. and Tsikin, A.N. Solution of the problem of thermal sparkover in heterogeneous dielectrics subjected to unsymmetrical boundary conditions, 2=6527
- Shikov, S.N., Kunun, V.Ya. and Tsikin, A.N. Analysis of a hypothesis of the electrical ageing of a rutile ceramic, 2=21215
- Shima, C. See Kaminishi, T., 2=18271
- Shima, H. and Goto, K. New remanent structure of magnetic domains in $\text{BaFe}_{12}\text{O}_{19}$, 2=14779
- Shima, M. and Yanada, T. Ultraviolet absorption spectra of lead chloride, 2=10604
- Shima, S. See Abe, Y., 2=18487
- Shima, T., Breig, E.L. and Lin, C.C. Microwave spectrum and internal barrier of methylphosphine, 2=1992
- Shkame, J. Inelastic scattering of protons from several light odd-even nuclei in the energy range from 6.0 MeV to 7.5 MeV, 2=1877
- Shkame, J. See Kimura, K., 2=5898
- Shkame, J. See Kimura, K., 2=15970
- Shkes, R.J. The influence of chemisorption of oxygen on the electron spin resonance of zinc oxide, 2=6693
- Shokin, A.A. See Chirkov, A.K., 2=764
- Shokdeedee, J.J.J. Anharmonic effects in the coherent scattering of Neutrons by crystals. A formal treatment of shift and width of the peaks in the scattering spectrum, 2=10326
- Shokdeedee, J.J.J. Influence of electron-phonon interaction on the scattering of neutrons by conducting crystals, 2=20932
- Shkorish, E.Yu. Influence of the Peltier effect on the perfection of germanium single crystals grown by pulling from the melt, 2=810
- Shkorish, E.Yu. and Sheftal', N.N. Dislocations in semiconductor crystals, 2=8224
- Shksharova, S.F. See Vasilenko, S.S., 2=18303
- Shkubun, S. See Nagata, T., 2=13069
- Shkubun, S. See Nagata, T., 2=24059
- Shkurin, Yu. L., Sukhanovskii, A.N., Alekseev, Yu. I. Investigation of a model of large-scale ionospheric inhomogeneities by a radio-astronomical method, 2=4637
- Shlachevskii, N.N. An experimental study of the effect of elastic stresses, heat treatment and crystal structure of a ferromagnetic sample on the intensity of magnetic noise, 2=8630
- Shlar, O.C. and Kloverstrom, F.A. Pulsed neutron measurement of control rod worths, 2=6038
- Shlb, A.C., Faust, W.R. and Anderson, A.D. A parameter study of magnetic compression of plasmas with end losses, 2=17840
- Shlb, A.C. See Griem, H.R., 2=3696
- Shlb, A.C. See Griem, H.R., 2=3698
- Shlb, A.C. See Rostoker, N., 2=19968
- Shlb, K. and Macherauch, E. The flow stress of surface layers of polycrystalline nickel and its influence on the residual stresses in deformed specimens, 2=8730
- Shlb, K. See Macherauch, E., 2=4325
- Shlb, M. See Brauer, P., 2=2247
- Shlbanovskii, Yu. A. See Brodskii, A.M., 2=4558
- Shlbanovskii, Yu. A. See Brodskii, A.M., 2=8927
- Shbe, W.F. and Smakula, A. Anisotropy of color centers in calcite, 2=2103
- Kol'chenko, V.G. See Chechernikov, V.I., 2=757
- Kolchev, B.S. See Kozelkin, V.V., 2=7531
- Kolchin, A.M., Mikhailov, Yu. G., Reinov, N.M., Romyantseva, A.V., Smirnov, A.P. and Totubalin, V.N. Destruction of superconductivity in thin tin films, 2=142
- Kolegov, G.A. Density variations in the upper atmosphere from data of fluctuations in the circling time of artificial earth satellites, 2=8984
- Kolenko, E.A. and Yur'ev, V.G. Hydrometer with thermoelectric cooling, 2=2750
- Kolesnichenko, L.K. See Afanas'ev, N.G., 2=5432
- Kolesnik, L.I. Recombination at edge dislocations in germanium, 2=2113
- Kolesnikov, L.Ya. See Vatset, P.I., 2=5536
- Kolesnikov, L.Ya. See Vatset, P.I., 2=5546
- Kolesnikov, L.Ya. See Vatset, P.I., 2=5549
- Kolesnikov, N.V. See Kovrigin, O.D., 2=20032
- Kolesnikov, V.I. See Palatnik, L.S., 2=23370
- Kolesnikov, V.N. and Obukhov-Denisov, V.V. Effective electron scattering cross-section on hydrogen atoms, 2=14219
- Kolesnikov, V.N. See Palatnik, L.S., 2=8366
- Kolesnikov, V.N. See Palatnik, L.S., 2=21155
- Kolesnikov-Svinarev, V.I. See Sakharov, V.N., 2=1675
- Kolesnikova, A.N. See Kormer, S.B., 2=14876
- Kolesnykov, L.Ya. See Val'ter, A.K., [Walter], 2=10149
- Kolesov, A.K. Continuous spectra of hot stars, 2=21729
- Kolesov, G.M. See Lavrukina, A.K., 2=14096
- Kolesov, G.V. See Gil'varg, A.B., 2=22007
- Kolesova, R.V. See Fesenko, E.G., 2=4366
- Kolesova, V.A. Infrared absorption spectra of synthetic aluminates of the alkali and alkaline-earth metals, 2=2239
- Kolganov, V.Z., Lebedev, A.V., Nikitin, S.Ya., Smolianskin, V.T. and Sokolov, A.P. Liquid deuterium bubble chamber, 2=3225
- Kolganova, E.D. See Rabin, N.B., 2=22579
- Kolganova, E.D. See Vaisenberg, A.O., 2=18042
- Kolganova, E.D. See Vaisenberg, A.O., 2=22551
- Kolk, A., Douglas, L. and Schrader, G. Switching properties of multi-layer thin film structures, 2=13633
- Kolker, H.J. and Karplus, M. Deuteron quadrupole coupling in diatomic "hydrides", 2=6225
- Kolker, H.J. See Karplus, M., 2=3770
- Kolkunov, V.A. See Gribov, V.N., 2=3308
- Kollár, G. and Prosz, J. Determination of Antoine constants independent of the vapour pressure curve, 2=17695
- Koller, A. Equations of plasma dynamics, 2=5338
- Kollmann, F. An equation for sorption isotherms, 2=17075
- Kolm, H.H. Advances in the generation and use of very high, continuous magnetic fields, 2=3130
- Kolmer, F. and Krňák, M. The influence test material surface on acoustic field diffusion in a resonance box and on the acoustic absorption coefficient, 2=7295
- Kolobaev, P.A. See Glotov, V.P., 2=15690
- Kolobkov, V.P. See Borgman, V.A., 2=14740
- Kolobkov, V.P. See Zelinskii, V.V., 2=17440
- Kolobkov, V.P. See Zelinskii, V.V., 2=19550
- Kolobkov, V.P. See Zhmyreva, I.A., 2=15595
- Kolobyanina, T.N. See Kurnosova, L.A., 2=21674
- Kolobyanina, T.N. See Kurnosova, L.V., 2=11085
- Kołodziejczak, J. The transport of carriers in n-type InSb between 2 and 100°K, 2=23396
- Kołodziejczak, J. Magneto-optical effects in InSb, 2=23532
- Kołodziejczak, J. and Kowalczyk, R. Effective mass of holes in InSb, 2=14555
- Kołodziejczak, J. and Sosnowski, L. Thermoelectromotive force and Nernst-Ettingshausen effect in InSb, 2=14556
- Kołodziejczak, J. See Nishina, Y., 2=21230
- Kolomenskii, A.A. and Fateev, A.P. Determination of tolerances on the magnetic field parameters for accelerators with the help of characteristic functions, 2=5416
- Kolomic, B.T. Glassy semiconductors, 2=23309
- Kolomiets, B.T. and Lyubin, V.M. Electrical and photoelectric properties of arsenic selenide layers, 2=18692
- Kolomiets, B.T. See Andreichin, R., 2=18731
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=8360
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=18703
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=10487
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=12530
- Kolomiets, B.T. See Ivanov-Omskii, V.I., 2=14559
- Kolomiets, B.T. See Vashko, A., 2=18845
- Kolomoets, N.V. and Vedernikov, M.V. Thermoelectric properties of ferromagnetic metals and their alloys, 2=6506
- Kolomoitsev, F.I., Izotov, V.P. and Stauer, E.V. Luminescence of powdered phosphors in an electric field, 2=14737
- Kolomoitsev, F.I. and Stauer, E.V. Effect of the copper concentration on the optical and electrical properties of $\text{ZnS}:\text{Cu}$ phosphors, 2=18882

- Kotos, W. On the ionization of molecular gases by beta-particles, 2-1383
- Kotos, W. and Pecul, K. On the influence of correlation of the atomic electrons on the elastic electron scattering by helium atoms, 2-1965
- Kotos, W. and Wolniewicz, L. A complete non-relativistic treatment of the H_2 molecule, 2-22965
- Kolos, W. See Baran, J., 2-12314
- Koloshnikov, V.G., Mazing, M.A., Mandel'shtam, S.L. and Marasanov, Yu.P. Use of Fabry-Perot etalon for studying spectral line widths in pulsed discharges, 2-11626
- Koloskova, N.G. and Kopvillem, Yu.Kh. The theory of the line shape of the nuclear magnetic acoustic resonance in cubic crystals, 2-21383
- Kolosova, L.P. See Bogomolov, S.G., 2-17472
- Kolotii, V.A. and Gerchikov, D.S. The effect of the material of the electrodes on ignition of explosive gas mixtures by a spark discharge, 2-10979
- Kolotov, O.S. and Lobanov, Yu.N. Amplification of short pulses with pulse powering of the amplifier tubes, 2-17757
- Kolotov, O.S., Lobanov, Yu.N. and Shil'berskii, Z. A source of nanosecond pulses of continuously variable width, 2-19870
- Kolotov, O.S. and Nikitina, T.N. Nanosecond current pulse generator for investigating the behavior of ferromagnetic films, 2-19865
- Kolotov, O.S. and Nikitina, T.N. Amplification of nanosecond pulses, 2-19866
- Kolotov, O.S., Sanin, A.A. and Shil'berskii, Z. Instrument for adjustment of pulse apparatus in the nanosecond range, 2-22144
- Kolsky, H. and Douch, L.S. Experimental studies in plastic wave propagation, 2-21416
- Kolsrud, M. Semi-classical limits of Dirac's equation, 2-20239
- Kolsrud, M. See Eriksen, E., 2-20309
- Koltun, D.S. Approximation methods in nuclear intermediate coupling applied to the 1 p shell, 2-358
- Kolutkhin, V.A. See Izrailev, I.M., 2-17920
- Komaki, A., Yano, S., Yoshida, H. and Okamura, S. Effect of free radicals on the proton resonance of irradiated polymers, 2-12837
- Komar, A. Indeterminate character of the reduction of the wave packet in quantum theory, 2-9196
- Komar, A. Generators of coordinate transformations in the Penrose formalism of general relativity, 2-17354
- Komar, A.P., Bogachov, B.A. and Solyakin, G.E. Energy distribution of α -particles from the photodisintegration of argon, 2-5892
- Komar, A.P., Bogachov, B.A. and Solyakin, G.E. Energy distribution of α -particles from the photodisintegration of argon, 2-12182
- Komar, A.P., Krzhemenek, Ya. and Yavor, I.P. Photodisintegration of nitrogen, 2-16388
- Komar, A.P., Mikheev, G.F., Fominenko, V.P. and Chernov, N.N. Investigating electron capture in the stationary mode for betatron acceleration, 2-13618
- Komar, A.P. and Savchenko, V.P. Influence of impurities and dislocations on field emission in metallic crystals, 2-20015
- Komar, A.P. and Savchenko, V.P. Influence of impurities and dislocations on field emission in metallic crystals, 2-22246
- Komar, A.P. and Stabnikov, M.V. A study of the effect of plates on the sensitive layer of a diffusion cloud chamber, 2-1635
- Komar, A.P., Stabnikov, M.V. and Yashin, D.A. Controlled diffusion chamber, 2-1636
- Komar, A.P. See Chizhov, V.P., 2-16389
- Komar, A.P. See Vorob'ev, A.A., 2-14016
- Komar, E.G. See Vladimirov, V.V., 2-20081
- Komarov, G.V. and Regel, A.R. A simple method of recording the peltier effect at the boundary between solid and liquid phases, 2-19893
- Komarov, N.N. and Fadeev, V.M. Plasma in a self-consistent magnetic field, 2-22209
- Komarov, N.N. and Fadeev, V.M. An investigation of stationary states of a plasma in the kinetic approximation, 2-22215
- Komarov, R.M. and Petrov, V.I. Investigation of r.f. discharge in a proton source, 2-222
- Komarov, V.D. and Fesenko, E.G. Investigation of the effect of isomorphous replacement of Ti ions on phase transitions in $BaTiO_3$, 2-14633
- Komarov, V.I. See Akimov, Yu.K., 2-287
- Komarov, V.I. See Akimov, Yu.K., 2-7889
- Komarov, V.I. See Evseev, V.S., 2-7872
- Komarov, V.I. See Evseev, V.S., 2-22832
- Komarov, V.V., Kurepin, A.B. and Popova, A.M. Possibility of utilizing the (n, 2n) reaction in nuclear spectroscopy, 2-18343
- Komarov, V.V. and Popova, A.M. Investigations of the energy distributions of the products of nuclear reactions involving emission of several particles, 2-18309
- Komarov, V.V. See Vasil'ev, S.S., 2-3619
- Komarov, V.V. See Vasil'ev, S.S., 2-18324
- Komarov, W.I. See Yeffseyev, W.S., 2-14122
- Komatsubara, K. On the change of surface states of germanium by irradiation, 2-6395
- Komatsubara, K. and Kurono, H. On the low temperature electrical breakdown of highly compensated germanium, 2-16699
- Komatsubara, K. and Kurono, H. The change of current-voltage characteristics by light illumination on the compensated Ge and Si, at low temperature, 2-16706
- Komei'kov, V.S. Development of a pulse discharge in liquids, 2-9540
- Komesaroff, M.M. The galactic radio spectrum down to 19.7 Mc/s, 2-4853
- Komesaroff, M.M. See Shain, C.A., 2-4852
- Komissarov, O.D., Nazarov, T.N., Neugodov, L.N., Poloskov, S.M. and Rusakova, L.Z. Rocket and satellite studies of micro-meteorites, 2-13118
- Komiya, H. See Yamashita, H., Ibuki, S. and Yoshizawa, M., 2-2262
- Kommandeur, J. Photoconductivity in organic single crystals, 2-842
- Komnik, S.N. See Bengus, V.Z., 2-4364
- Komnik, S.N. See Bengus, V.Z., 2-8769
- Komnik, Yu. F. See Palatnik, L.S., 2-23370
- Komolov, A.B. See Andreev, S.I., 2-22184
- Komolova, T.I. and Nasledov, D.N. An investigation of the static current voltage based on semiconducting titanium oxide, 2-10501
- Komori, H. The energy spectrum and the energy balance of cosmic radiation, 2-12045
- Komori, H. The energy spectrum and the energy balance of cosmic radiation, 2-16272
- Kompaneets, A.S. and Lantsburg, E.Ya. Heating of a gas by radiation, 2-2913
- Kompaneets, A.S. See Zel'manov, I.L., 2-17914
- Kompaneets, A.S. See Zel'manov, I.L., 2-13623
- Kompanek, A.J., Jr and Tarnuzzer, E.C. Neutron-activated wires plot fluxes in Yan Kee core, 2-12262
- Kompanyets, A.S. and Lantsburg, E.Ya. Analysis of the propagation of a nonequilibrium heat wave by taking into account the finiteness of the velocity of light, 2-19763
- Komsha, G., Gel'berg, A. and Iosifescu. Variation with temperature of the work function of the ferromagnetic alloy Ni_3Fe , 2-17860
- Komura, S. See Hamaguchi, Y., 2-12497
- Komura, Y. Stacking faults and two new modifications of the laves phase in Mg-Cu-Al system, 2-18591
- Komura, Y. See Kakinoki, J., 2-10838
- Kon, A. Z. See Perlin, Yu.E., 2-4194
- Konar, A. Asymptotic covariant conservation laws for gravitational radiation, 2-17344
- Kondaiah, E. Direct interactions of fast neutrons with fluorine, 2-18
- Kondilenko, I.I. Raman scattering function [for gases], 2-1202
- Kondilenko, I.I., Korotkov, P.A. and Strizhevskii, V.L. An investigation of the Raman indicatrix, 2-6173
- Kondilenko, I.I., Pogoryelov, V.Yu. and Strizhevskii, V.L. Investigation of the intensities of the overtone lines of the Raman scattering of light, 2-18447
- Kondilenko, I.I. and Vorob'eva, G.A. Annular low-pressure mercury lamp, 2-17634
- Kondilenko, I.I. and Strizhevskii, V.L. The frequency dependence of Raman line intensities, 2-10259
- Kondo, I. On cosmic-ray intensity increase during geomagnetic storm, 2-12040
- Kondō, I. On cosmic-ray intensity increase during geomagnetic storm, 2-22689
- Kondo, I., Murayama, T., Mori, S., Okuda, H., Sakakibara, S. and Sekido, Y. Intensity distribution of high energy cosmic rays on the celestial sphere, 2-12068
- Kondo, I. See Sekido, Y., 2-12067
- Kondo, I. See Sekido, Y., 2-12069
- Kondo, J. Anomalous Hall effect and magnetoresistance of ferromagnetic metals, 2-10439
- Kondo, M. See Yamabe, S., 2-16399
- Kondo, S. A biophysical consideration on radiation mutagenesis, 2-7048
- Kondo, Y. Spectrophotometric studies on inorganic crystals. I. Absorption spectra of crystalline hexamminecobalt (III) salts, 2-8514
- Kondo, Y. Spectrophotometric studies on inorganic crystals. II. Measurement of thickness of thin crystals by interferometry, 2-8518
- Kondo, Y. Spectrophotometric studies on inorganic crystals. III. Microspectrophotometry of crystalline hexamminecobalt (III) chloride, 2-18825
- Kondoh, H., Uchida, E. and Nakazumi, Y. Magnetic anisotropy measurements of annealed NiO crystal, 2-23653
- Kondoh, H. See Takeda, T., 2-21046
- Kondoh, H. See Takeda, T., 2-21471
- Kondorskaya, N.V. See Vanek, I., 2-19187
- Kondorskii, E.I. See Galkina, O.S., 2-3985

- Kondorskii, E.I. See Shakhov, V.I., 2=14799
 Kondorskii, E.I. See Shakhov, V.I., 2=18918
 Kondrashov, A.P. See Broder, D.L., 2=8045
 Kondrashov, A.P. See Broder, D.L., 2=14175
 Kondratenko, A.M. Nonlinear theory of ionic cyclotron resonance, 2=20003
 Kondratenko, A.M. Wave excitation in a plasma modulated by a current, 2=20004
 Kondrat'eva, M.A. See Grigorov, N.L., 2=19276
 Kondrat'yev, B.V. Electron beam on a coaxial helical line, 2=5381
 Kondurur, V.T. The general case of the translational-rotational motion of a spheroid attracted by a sphere, 2=935
 Kondurur, V.T. Perturbations in the rotational-translation motion of a satellite and planet, resulting from their flatterings, 2=24077
 Kondylenko, I.I. and Babych, I.L. Investigation of Raman line intensities over a wide temperature range, 2=8098
 Kondylenko, I.I., Korotkov, P.A. and Stryzhevskiy, I. Intensities of Raman scattering lines, 2=1203
 Konev, S.V. See Katibnikov, M.A., 2=20228
 Konieczny, Z. See Bozek, E., 2=10013
 Konieczny, Z. See Bozek, E., 2=20557
 König, D. See Lorenzen, K., 2=3632
 König, H., Keil, K. and Hintenberger, H. Investigations on stone meteorites with extremely high inert gas content. II. The chondrite Tabor, 2=15327
 König, H., Keil, K., Hintenberger, H., Wlotzka, F. and Begemann, F. Investigations on stone meteorites with extremely high inert gas content. I. The Chondrite Pantar, 2=6999
 König, H. and Wlotzka, F. Investigation of stone meteorites with an extremely high inert gas content. III. Location of light primordial inert gases in the chondrite Pantar, 2=19293
 König, H. See Hintenberger, H., 2=15326
 König, H.L. and Haine, E. Recording of electric signals of a particularly low frequency during the solar eclipse of February 15, 1961, 2=9072
 König, H.L., Haine, E. and Antoniadis, C. Measurement of low-frequency atmospheric in Bonn, 2=11034
 König, L.A., Mattauch, J.H.E. and Wapstra, A.H. New relative nuclidic masses, 2=9989
 König, L.A., Mattauch, J.H.E. and Wapstra, A.H. 1961 nuclidic mass table, 2=9990
 Konin, A.D. See Golovin, B.M., 2=3361
 Konisi, G. The mass spectral condition and analytic properties of the vertex function, 2=11901
 Konitzer, J., Longo, J., Jarka, R. and Herish, H.N. Irradiation control of oxidation state in fluorite crystals containing samarium, 2=6399
 Kon'kov, P.A. See Gross, E.F., 2=18827
 Konno, H. See Gondō, Y., 2=8602
 Konno, H. See Gondō, Y., 2=17922
 Kōno, H. Thermodynamical consideration on the formation of the ferromagnetic phase in Mn-Al system, 2=21541
 Kono, S. Decay of radioisotope Ga⁶⁸, 2=16345
 Kōno, T. See Kato, R., 2=13612
 Konobeev, Yu.B. See Agranovich, V.M., 2=6558
 Konobeev, Yu.V. Reabsorption in crystals of finite thickness. III, 2=6559
 Konobeev, Yu.V. See Agranovich, V.M., 2=6491
 Konobeevskii, S.T., Levitski, B.M., Panteleev, L.D. and Dubrovin, K.P. Effect of irradiation on phase transformations in Cu-Sn and Cu-Sn-Pu alloys, 2=12926
 Konobeyevskiy, S.T. See Dubrovin, K.P., 2=23769
 Kononov, B.P., Rukhadze, A.A. and Solodukhov, G.V. Electric field of a radiator in a plasma in an external magnetic field, 2=1453
 Kononov, B.P. and Sarksyian, K.A. A source of plasma for high vacuum, 2=17847
 Kononovich, E.V. Helium excitation and the structure of the lower chromosphere, 2=981
 Konorov, P.P. and Romanov, O.V. Investigation of the changes in electrical properties of the surface of germanium on etching in hydrogen peroxide, 2=21135
 Konorova, E.A. and Lebedev, D.G. Measurement of conduction currents in dielectrics by means of pulsed voltages, 2=1372
 Konorova, E.A. and Sorokina, L.A. Photoconductivity induced in colourless alkali halide crystals by strong electric fields, 2=8433
 Konovalenko, B.M., Ryvkin, S.M. and Yaroshetskii, I.D. Radiation defects produced by the action of fast electrons in n-type germanium, 2=18578
 Konovalenko, B.M. See Ryvkin, S.M., 2=23339
 Konovalov, O.M. See Palatnik, L.S., 2=8366
 Konovalov, O.M. See Palatnik, L.S., 2=21155
 Konovalov, V.G. See Safronov, B.G., 2=15939
 Konovalov, V.H. See Yerko, V.F., 2=19175
 Konowalow, D.D., Taylor, M.H. and Hirschfelder, J.O. Erratum: second virial coefficient for the Morse potential, 2=1976
 Konozenko, I.D., Muzalevskii, E.A. and Shakhovtsova, S.I. Investigation of electric pulse generation by CdSe single crystals at the temperature of liquid nitrogen, 2=18737
 Konozenko, I.D., Muzalevskii, E.A. and Shakhovtsova, S.I. Investigation of electric pulse generation by CdSe single crystals at the temperature of liquid nitrogen, 2=23451
 Konozenko, I.D., Muzalevskiy, Ye. O. and Shakhovtsova, S.I. Photoelectric crystal generator of electric pulses of infra-low frequencies, 2=21201
 Konozenko, I.D., Svyetchnikov, S.V. and Chala, V.H. Some features of the photo- and X-ray conductivity of CdS single crystals, 2=6497
 Konozenko, I.D. and Ust'yanov, V.I. Production of large cadmium sulphide monocrystals for gamma dosimetry, 2=8795
 Konozenko, I.D., Ust'yanov, V.I. and Galushchka, A.P. Gamma-conductivity in cadmium selenide, 2=3968
 Konozenko, I.D., Ust'yanov, V.I. and Galushchka, A.P. Gamma-conductivity in cadmium selenide, 2=2260
 Konrad, M. and Turko, B. Sorting of two coincident pulses according to their amplitudes, 2=5273
 Konstantinov, A.A. and Perepelkin, V.V. Determination of the relative probabilities for electron capture from the L and K shells in the decay of Cr⁵¹, Zn⁶⁵ and Ge⁷¹, 2=14045
 Konstantinov, A.A., Sazonova, T.E. and Perepelkin, V.V. Determination of the L fluorescence coefficients of Ga⁷¹, Cu⁶⁵ and V⁵¹, 2=14213
 Konstantinov, A.I. A maser frequency oscillator and its use in time and frequency service, 2=45
 Konstantinov, B.D. and Ovcharenko, V.I. Beta-transitions in weakly deformed nuclei, 2=16355
 Konstantinov, B.D. See Gurin, Yu.L., 2=13971
 Konstantinov, B.P. See Dragnev, T.N., 2=10085
 Konstantinov, O.V. and Perel', V.I. A more precise determination of the kinetic coefficients of a plasma, 2=177
 Konstantinov, O.V. See Kazarinov, R.F., 2=587
 Konstantinova, A.F. See Federov, F.I., 2=19731
 Konstantinova, A.F. See Federov, F.I., 2=22066
 Konstantinova, A.G. Connection between the energy of elastic pulses generated in the destruction of solids and the stress and dimensions of the ruptures, 2=19012
 Konstantinova, M.P., Myakinin, E.V., Romanov, A.M. and Tsareva, T.V. Elastic scattering of 10-15 MeV α -particles on gold and aluminium, 2=492
 Konstantinova, M.P., Myakinin, E.V., Romanov, A.M. and Tsareva, T.V. Elastic scattering of 10-15 MeV α -particles on gold and aluminium, 2=22852
 Konstantinova, M.P. See Romanov, A.M., 2=374
 Konstantinova, M.P. See Romanov, A.M., 2=22737
 Konstantinova, V.P. Domain walls and etch pit networks in deuterated triglycine sulphate crystals, 2=18770
 Konstantinova, V.P., Sil'vestrova, I.M., Shuvalov, L.A. and Yurin, V.A. Preparation and some ferroelectric properties of lithium hydro-selenite, 2=14620
 Konstantinova, V.P., Sil'vestrova, I.M., Shuvalov, L.A. and Yurin, V.A. Preparation and ferroelectric properties of deuterated triglycine sulphate crystals, 2=16775
 Konstantinova-Shlezinger, M.A. Different types of phosphor crystallo-chemical systems and their luminescence properties, 2=16845
 Konstantinova-Shlezinger, M.A. See Gorbacheva, N.A., 2=14713
 Konstantinovic, J. See Hautecler, S., 2=12397
 Konstantinović, J.M. See Živanović, M.D., 2=3356
 Konstantinović, S. See Gal, O., 2=18372
 Konstantynov, B.D. See Korol'ov, O.M., 2=22847
 Kontaratos, A.N. Another method for recording breakdown phenomena in air, 2=9556
 Kontarev, V.Ya. On the possibility of using cylindrical superconducting films as a memory element in computers, 2=5246
 Kontorovich, V.M. and Glutsyuk, A.M. Transformation of sound and electromagnetic waves at the boundary of a liquid conductor in a magnetic field, 2=72
 Konuma, M., Umezawa, H. and Wada, M. General theory of the gauge transformation for vector meson fields, 2=11888
 Konwent, H. See Jaśkiewicz, A., 2=2211
 Konyaev, Yu.S. Piston pressure gauge measuring to 25 ton/cm², 2=19505
 Konyukhov, V.K., Pashinin, P.P. and Prokhorov, A.M. Investigation on electron paramagnetic resonance and [infrared] optical spectra of the Yb³⁺ ion in CdF₂, 2=14826
 Konyukhov, V.K., Pashinin, P.P. and Prokhorov, A.M. Investigation on electron paramagnetic resonance and [infrared] optical spectra of the Yb³⁺ ion in CdF₂, 2=18948
 Konyukov, M.V. Indirect evaluation of electron attachment cross-sections, 2=17790
 Kooi, C.F. See Wigen, P.E., 2=23695
 Kopanets, E.G. See Antuf'ev, Yu.P., 2=10104

- Kopanets, E.G. See Antuf'ev, Yu.P., 2=16320
 Kopanets, E.G. See Val'ter, A.K., 2=3576
 Kopanets, E.G. See Val'ter, A.K., 2=13997
 Koparanova, N. Investigation of the photodielectric effect in crystal phosphors of the ZnS.CdS:Cu,Ag type, 2=6518
 Kopeč, Z. Effective mass of electrons in InSb, 2=23397
 Kopecký, M. The theoretical interpretation of east-west asymmetry of sunspots, 2=21713
 Kopelman, R. and Klemperer, W. Dipole moments of excited electronic states: possible values for CO and CO⁺, 2=10265
 Kopfermann, H. See Bucka, H., 2=348
 Kopfermann, H. See Bucka, H., 2=9996
 Kopfermann, H. See Bucka, H., 2=18243
 Kopfermann, H. See Goodman, L.S., 2=14194
 Kopfermann, H. See Guthöhrlein, G., 2=1779
 Kopitzki, K. and Stier, H.-E. The mean velocity of particles emitted during cathodic sputtering of metals, 2=9649
 Kopitzki, K. and Stier, H.-E. Average kinetic energy of particles ejected from metals during cathode sputtering, 2=17902
 Kopp, I. Rotational analysis of a band system of YbH, 2=14278
 Kopp, I. See Barrow, R.F., 2=10244
 Kopp, J.K. See Brown, H.N., 2=12013
 Koppe, H. See von Hagenow, K.U., 2=7497
 Koppel, J.U. Time dependent, space independent neutron thermalization, 2=11959
 Koppelman, G. and Krebs, K. Recording method for surveying the relief of highly plane surfaces, 2=2872
 Koppelman, G. and Krebs, K. Technology of the Fabry-Perot interferometer, 2=5181
 Koppenaar, T.J. Slip lines across an f.c.c.-b.c.c. interface, 2=16653
 Kopplin, J.O. See Millea, M.F., 2=16712
 Koptev, G.S. See Tatevskii, V.M., 2=10243
 Koptsik, V.A., Strukov, B.A. and Ermakova, L.A. Precision laboratory cryostat for the investigation of electrical and elastic properties of crystals, 2=7483
 Koptsik, V.A., Strukov, B.A. and Nevedomskaya, I.K. Investigation of the optical properties of some ferroelectric crystals, 2=14917
 Koptsik, V.A., Strukov, B.A., Sklyankin, A.A. and Levina, M.E. Dielectric and calorimetric investigation of ammonium sulphate and ammonium fluoberyllate crystals, 2=14916
 Koptsik, V.A. See Strukov, B.A., 2=16784
 Koptsik, V.A. See Strukov, B.A., 2=23499
 Kopvillem, U.Kh. The theory of cross relaxation in magnetically dilute crystals, 2=4274
 Kopvillem, U.Kh. Harmonic cross relaxation in crystals, 2=10707
 Kopvillem, U.Kh. Impulse excitation of a system of weakly interacting particles, 2=15499
 Kopvillem, U.Kh. and Korepanov, V.D. The possibility of the generation and amplification of hypersound in paramagnetic crystals, 2=566
 Kopvillem, U.Kh. and Korepanov, V.D. Generation of hypersound during paramagnetic resonance saturation in crystals, 2=11450
 Kopvillem, U.Kh. and Shubina, R.V. The possibility of obtaining absolute polarization of magnetic nuclei by a pulse method, 2=23627
 Kopvillem, Yu.Kh. See Koloskova, N.G., 2=21383
 Kopylov, G.I. The principle of state levelling and calculations of multiple production, 2=22442
 Kopylov, G.I. and Podgoretskii, M.I. Multiple scattering of relativistic particles in an absorber between two collimators, 2=1670
 Kopylova, D.K. See Birger, N.G., 2=3391
 Kopylovskii, B.D. See Adirovich, É.I., 2=23424
 Kopystyński, J. See Chojnacki, S., 2=1839
 Kor, S.K. Elastic constants of trigonal crystal systems (bismuth), 2=23731
 Kor, S.K. and Verma, G.S. Relaxation parameters of ultrasonic absorption in mixtures of water and ethyl alcohol, 2=53
 Korablev, L.V., Morozov, A.I. and Solov'ev, L.S. Magnetic surfaces, 2=15979
 Korbel, Z. See Vishky, T., 2=1684
 Korbel, Z. See Vishky, T., 2=22512
 Körber, W. See Zanker, V., 2=13348
 Körber, W.G. and Röllig, H.E. Examples of the application of photographic line broadening in the determination of trace impurities, 2=23983
 Korchak, A.A. and Syrovatskii, S.I. Polarization of radiation and the structure of magnetic fields in cosmic sources of synchrotron radiation, 2=24183
 Korchevii, Yu.P. and Hroshev, I.M. Characteristics of the plasma diode energy converter with metallic caesium cathodes at small interelectrode distances, 2=19887
 Korchevoi, Yu.P. See Morgulis, N.D., 2=7555
 Kordes, E. Calculation of the electron affinities of the halogens from the "ultraviolet eigen-vibrations of crystallized alkali halides, 2=8146
 Kordes, E. A simple relation between the radii and nuclear charges of ions and the wavelengths of the first ultra-violet resonance frequencies of isoelectronic alkali halides, 2=8521
 Korenblit, I.Ya. Galvanomagnetic effects in semiconductors with anisotropic electronscattering, 2=12506
 Korenblit, I.Ya. Galvanomagnetic effects in semiconductors with anisotropic electronscattering, 2=14518
 Korenblit, I.Ya. Solution of the transport equation for scattering of electrons on impurities, 2=21118
 Korenblit, I.Ya. See Efimova, B.A., 2=6462
 Korenblit, I.Ya. See Samoilovich, A.G., 2=3893
 Korenblit, I.Ya. See Samoilovich, A.G., 2=6440
 Korenblit, I.Ya. See Samoilovich, A.G., 2=8202
 Korenblit, I.Ya. See Samoilovich, A.G., 2=10454
 Korenblit, L.L. See Samoilovich, A.G., 2=10546
 Korenchenko, S.M. See Andrejev, E.M., 2=3229
 Korenchenko, S.M. See Andreev, E.M., 2=18041
 Korendyaseva, Z.V. See Arkharov, V.L., 2=23875
 Korenev, N.A. See Kotelnikov, N.V., 2=14791
 Korennoi, E.P. See Zaidel', A.N., 2=866
 Korepanov, V.D. See Kopvillem, U.Kh., 2=566
 Korepanov, V.D. See Kopvillem, U.Kh., 2=11450
 Koretskii, Ya.P. See Kagan, Yu.M., 2=8066
 Korff, S.A. Observations at College, Alaska, of the November, 1960 cosmic ray increases, 2=12028
 Korff, S.A. See Haymes, R.C., 2=13896
 Korff, S.A. See Reidy, W.P., 2=9973
 Korinth, E. See Haase, G., 2=8807
 Korkina, M.P. Processes of the interaction of photons and gravitons in quantum field theory, 2=7117
 Korkina, M.P. Phenomenological theory of the interaction of electromagnetic and gravitational fields, 2=17346
 Korkman, K. See Marklund, L., 2=12160
 Kormer, S.B., Funtikov, A.I., Urlin, V.D. and Kolesnikova, A.N. Dynamic compression of porous metals and the equation of state with a variable specific heat at high temperatures, 2=14876
 Kormer, S.B., Urlin, V.D. and Popova, L.T. Interpolation equation of state and its application to experimental data on impact compression of metals, 2=10747
 Kormer, S.B. See Al'tshuler, L.V., 2=2759
 Korn, D. See Hilsch, R., 2=13515
 Korn, T.S. Effect of acoustic environment on loudspeaker response, 2=5121
 Kornelsen, R.O. The structure of manganese arsenide between 40°C and 120°C, 2=2387
 Körner, H.J. See Bodenstedt, E., 2=12136
 Körner, H.J. See Bodenstedt, E., 2=16300
 Kornetzi, M. Anhyseretic remanent magnetization, 2=12765
 Kornetzi, M. The spontaneous isoperm loop of manganese-zinc ferrite, 2=23683
 Kornfeld, M.I. and Mirlin, D.N. Low-frequency fluctuations of the recombination of minority carriers in germanium, 2=23322
 Kornfeld, M.L. and Lemanov, V.V. Distortions of the NaCl lattice by Ag⁺, Br⁻ and K⁺ impurity ions, 2=3915
 Kornfeld, M.I. See Devyatkov, E.D., 2=10324
 Kornhauser, E.T. Electroacoustic coupling at the boundary of an ionized medium, 2=2823
 Kornhauser, E.T. On the feasibility of phonon diffraction in liquid helium, 2=7489
 Kornienko, A.S. See Zverev, G.M., 2=18944
 Kornienko, E.N. See Yurin, V.A., 2=14622
 Kornienko, L.S., Pashinin, P.P. and Prokhorov, A.M. The spin-lattice relaxation time for the Ti³⁺ ion in corundum, 2=6696
 Kornienko, L.S. and Prokhorov, A.M. Electron paramagnetic resonance of the Fe³⁺ ion in corundum, 2=768
 Kornilov, E.A. See Kharchenko, I.F., 2=11665
 Korniyev, O.M. See Horodets'kii, D.O., 2=11720
 Korobeinikov, V.P. See Karlikov, V.P., 2=17954
 Korobkin, I. and Slawsky, Z.I. Effects of electronic exchange on the efficiency of vibrational excitation by molecular collisions. I. Interaction potential, 2=18498
 Korobkin, V.A. See Tereshchenko, A.I., 2=20145
 Korolenko, Yu.I. See Neshpor, V.S., 2=8546
 Korolev, A.M. Excitation of collective nuclear levels in stripping reactions, 2=14128
 Korolev, A.M. See Gurin, Yu.L., 2=13971
 Korolev, F.A., Ershov, A.G. and Kulikov, O.F. Variation of the axial and radial dimensions of an electron cluster during synchrotron acceleration, 2=212
 Korolev, F.A. and Kvaratskheli, Yu.K. The plasmatron (plasma jet) as a light source for spectroscopy, 2=109
 Korolev, G.A. and Kocharov, G.E. Thin α -emitting sources of large area and good uniformity, 2=1733

- orolev, G.A. and Kocharov, G.E. Investigation of pulses arising on the grid of an ionization chamber, 2=16090
 orolev, G.A. See Damaskinskii, E.A., 2=22356
 orolev, V.A. See Vorob'ev, A.A., 2=13895
 orolev, V.A. See Vorob'ev, A.A., 2=14016
 orolev, V.A. See Vorob'ev, A.A., 2=17986
 orolev, V.A. See Vorob'ev, A.A., 2=20186
 orol'kov, A.P. See Stekhanov, A.I., 2=18850
 orol'kov, A.P. See Stekhanov, A.I., 2=23577
 orol'kov, D.V. and Soboleva, N.S. Results of polarization observations made at centimetre wavelengths during the solar eclipse of April 19, 1958, 2=4837
 orol'kov, V.S. Calculation of $r^{-3}(n, l)$ from the fine structure of spectra, 2=6092
 orol'kov, V.S. and Makhanev, A.G. Gradients of electric fields set up by electrons at the sites of atomic nuclei, 2=16467
 orol'ov, O.M., Konstantinov, B.D. and Ovcharenko, V.I. Deuteron splitting under the action of nuclear forces, 2=22847
 orol'ov, O.M. See Tszyan-Yu-tai, 2=22846
 orolyuk, A.P. and Prushchal, T.A. A new type of quantum oscillation of the coefficient of absorption of ultrasound in zinc, 2=6264
 orolyuk, A.P. See Galkin, A.A., 2=5123
 orolyuk, S.L. On the theory of exciton thermal conductivity, 2=18537
 oronkevich, V.P., Lenkova, G.A., Babenko, N.S. and Lokhmatov, A.I. Photoelectric method of recording an achromatic interference fringe, 2=5184
 orostoff, E. Relaxation method for studying vacancies in solids, 2=14429
 orotin, I. See Pudovkin, M., 2=15278
 orotkina, M.R. Possible definitions of the concepts of stress and strain in a system of interacting particles, 2=17388
 orotkov, A.S. See Medvedev, S.A., 2=14937
 orotkov, A.S. See Medvedev, S.A., 2=19047
 orotkov, K.A. and Chernikov, A.M. Internal bremsstrahlung accompanying β -decay of P^{32} , 2=14027
 orotkov, P.A. See Kondilenko, L.I., 2=6173
 orotkov, P.A. See Kondylenko, L.I., 2=1203
 orovin, L.I. Refractive index oscillations in a strong magnetic field in the intrinsic absorption edge region in semiconductors, 2=2220
 orovin, L.I. Magneto-optical absorption spectra in semiconductors with arbitrary form of isoenergetic electron surfaces. The case of closed trajectories, 2=4119
 orovina, L.I. See Ternov, I.M., 2=214
 orringa, J. Spin waves in an antiferromagnet with $S=1$, 2=8862
 orringa, J., Seevers, D.O. and Torrey, H.C. Theory of spin pumping and relaxation in systems with a low concentration of electron spin resonance centers, 2=20174
 orshak, V.V. See Mýl'nikov, V.S., 2=23371
 orshunov, V.A. and Gel'd, P.V. Electrical properties of the higher manganese silicide $[MnSi_{1.7}MnSi_{1.3}]$, 2=8299
 orsunovskii, G.A. Mechanism of the electrical conductivity rise on illumination of zinc oxide, 2=16759
 orsunovskii, G.A. Mechanism of the electrical conductivity rise on illumination of zinc oxide, 2=18753
 orsunskii, A.A. See Kobelev, V.V., 2=18907
 orsunskii, A.A. See Kobelev, V.V., 2=21317
 orsunskii, M.I. Concerning the nature of a new type of photoconductivity, 2=6490
 orsunskii, M.I. and Genkin, Ya.E. Interpretation of emission band $L\beta_2$ of niobium, 2=12608
 orsunskii, M.I. and Genkin, Ya.E. Fluorescent L-spectra of niobium in NbB_2 , NbC , NbN and pure niobium, 2=14694
 orsunskii, M.I. and Genkin, Ya.E. Fluorescent L series of niobium bound in some compounds, 2=14695
 orsunskii, M.I. and Genkin, Ya.E. Interpretation of emission band $L\beta_2$ of niobium, 2=16841
 orsunskii, M.I. and Genkin, Ya.E. Relative intensities of the $L\beta_2$, $L\beta_1$ and $L\gamma$ lines in the L series spectra of substances with an unfilled N shell, 2=21260
 orsunskii, M.I., Pastushuk, N.S. and Mokhov, G.D. A new type of photoconductivity, 2=6489
 orsunskii, M.I., Zaichik, R.I. and Lembik, L.N. Extension of the range for measuring vacuum by the thermoelectrical method, 2=19633
 ortum, G. Diffuse reflectance spectra of mercuric iodide on different adsorbents, 2=21233
 ortum, G. and Reber, H. Conductivity of KCl in hydrocyanic-water mixtures of $0^\circ C$, 2=19553
 orvezee, A.E. and Pieroen, A.P. On the enthalpy change on formation of a solid compound from a gaseous and a liquid component, 2=17081
 orving, J. See Knaap, H.F.P., 2=9268
 orwar, V.M. See Tawde, N.R., 2=20794
 oryavov, V.P. Some properties of crack regions and fronts, 2=21443
 Korzh, E.D. See Berdyshev, A.A., 2=21343
 Kosachevskii, L.Ya. The reflection of sound waves from stratified two-component media, 2=17562
 Kosaganova, M.G. See Kurov, G.A., 2=8791
 Kosaganova, M.G. See Kurov, G.A., 2=10797
 Kosch, J. See Witzmann, H., 2=12618
 Kosch, J. See Witzmann, H., 2=18860
 Kosenko, V.E. Two simultaneously acting diffusion mechanisms in germanium, 2=12453
 Kosenko, V.E. "Slow" diffusion of silver in germanium, 2=12454
 Kosenko, V.E. "Slow" diffusion of silver in germanium, 2=14458
 Kosenko, V.E. See Ignatkov, V.D., 2=21063
 Kosevich, A.M. Deformation field in an isotropic elastic medium with moving dislocations, 2=6718
 Kosevich, A.M. Dislocation theory of hysteresis phenomena during twinning and slip formation in an infinite medium, 2=10388
 Kosevich, A.M. Some problems in the dislocation theory of twins, 2=19038
 Kosevich, A.M. Some problems in the dislocation theory of twins, 2=23812
 Kosevich, A.M. and Pastur, A.L. A thin twin at the plane surface of an anisotropic solid, 2=21466
 Kosevich, A.M. and Pastur, A.L. Form of a thin twin inclined at an angle to the surface, 2=2345
 Kosevich, V.M. and Bashmakov, V.I. Investigation of relaxation in twinned monocrystals, 2=8770
 Kosevich, V.M. and Bashmakov, V.I. A study of the recovery of twinned monocrystals, 2=21465
 Kosevich, V.M., Moroz, N.G. and Bashmakov, V.I. Study of the interaction between twin lamellae and obstacles in crystals of $NaNO_3$, Sb, Bi, and Sn, 2=4334
 Kosevich, V.M. Etch grooves on the (111) plane of antimony single crystals, 2=4368
 Kosevich, V.M. See Palatnik, I.S., 2=23865
 Kosevych, A.M., Andreyev, V.V. and Tanatarov, L.V. Inelastic deforming and residual deformation of a flat layer of solid with polymorphic transformation, 2=6828
 Koshel', O.N., Litvinov, R.O. and Frolov, O.S. Effect of water vapour on certain properties of germanium transistors, 2=6481
 Koshiba, M. See Aizu, H., 2=20452
 Koshiba, M. See Aizu, H., 2=22664
 Koshkarev, D.G. and Orlov, Yu.F. Parametric resonances of phase oscillations in a synchrotron, 2=1537
 Koshkarev, D.G. See Vladimirovskii, V.V., 2=1506
 Koshkarev, L.G. See Vladimirovskii, V.V., 2=20081
 Koshkin, V.M. See Palatnik, I.S., 2=23370
 Koshliakov, V.N. The reduction of the equations of motion of a gyrohorizoncompass, 2=17398
 Kosiek, R. See Fuchs, H., 2=7971
 Kosinov, G.A., Nemets, O.F., Saltykov, L.S. and Sokolov, M.V. A device for the selection and adjustment of photomultipliers, 2=7650
 Koski, W.S. See Laurita, W.G., 2=14860
 Koskinen, H. Two-group analysis of the flux distributions in a sub-critical assembly with spontaneous fission source, 2=12242
 Koslov, S. See Dickinson, H., 2=19952
 Koslov, V.P. and Fedorova, E.O. Effect of the resolving power of a spectral instrument on the accuracy of determining the integral transmission, 2=107
 Kosman, M.S. and Gorodetskii, S.M. Long-term changes of the contact potential of some metals Al, Mg and Zn caused by illumination, 2=8275
 Kosman, M.S. and Gorodetskii, S.M. Long-term changes of the contact potential of some metals Al, Mg and Zn caused by illumination, 2=10431
 Kosman, M.S. and Muravskii, B.S. The creation of current oscillations in silicon at high pulse voltage, 2=4026
 Kosolapov, T.Ya. See L'vov, S.N., 2=23378
 Kosolapova, T.Ya. See L'vov, S.N., 2=8296
 Koss, D.A., Bauer, C.L. and Gordon, R.B. Dislocation pinning by visible illumination in rocksalt, 2=21035
 Kossler, H.J. The behaviour of square-loop ferrites in electric circuits, 2=10672
 Kossoff, G. Calibration of ultrasonic therapeutic equipment, 2=15419
 Koster, G.F. Symmetry properties of the gallium energy bands. Effect of spin-orbit interaction, 2=20967
 Koster, G.F. See Silverman, B.D., 2=2242
 Koster, G.F. See Slater, J.C., 2=12396
 Koster, G.F. See Statz, H., 16025
 Kostić, V.N. and Momčilović, M.N. Digital binary-decimal decoder for a Hutchinson-Scarrott-type analyser, 2=5264
 Kostina, T.I. See Alekseyevskii, N.E., 2=3988
 Kostkowski, H.J. and Bass, A.M. Direct measurement of line intensities and widths in the first overtone band of CO, 2=8091

- Kostkowski, H.J. and Leed, R.D. Theory and methods of optical pyrometry, 2=15791
- Kostkowski, H.J. See Garvin, D., 2=16513
- Kostochkin, O. See Graudinya, L., 2=22819
- Kostochkin, O.I. See Graudinya, L., 2=10114
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 2=3061
- Kostomarov, D.P. See Dnestrovskii, Yu.N., 2=20028
- Kostritsa, A.A. See Bulis, L.A., 2=18373
- Kostrygin, V.A. See Vorob'ev, G.A., 2=9542
- Kostrygin, V.A. See Vorob'ev, G.A., 2=6428
- Kostrygin, V.A. See Vorob'ev, G.A., 2=8304
- Kostrygin, V.A. See Vorob'ev, G.A., 2=16794
- Kostrygin, V.A. See Vorob'ev, G.A., 2=18779
- Kostrygin, V.A. See Vorob'ev, G.A., 2=21774
- Kostrygina, N.P. See Vorob'ev, G.A., 2=6428
- Kostrygina, N.P. See Vorob'ev, G.A., 2=8304
- Kostyukova, M.O. Specific heat of nickel-zinc system ferrites in the low temperature region, 2=571
- Kostyshin, M.T. and Romanenko, P.F. The dispersion of certain semiconductors in the neighbourhood of absorption bands, 2=23520
- Kostyukov, I.S. The influence of a temperature gradient on diffusion in solid bodies, 2=3951
- Koswig, H.D. The fluorescence on undoped silver halide crystals, 2=6605
- Kosyi, A.I. See Demirkhanov, R.A., 2=9584
- Kosyi, I.A. See Demirkhanov, R.A., 2=19911
- Koszman, I. See Gavis, J., 2=1164
- Kot, M.V., Tyrtzu, V.G., Simashkevich, A.V., Maronchuk, Yu.E. and Mshenskii, V.A. Dependence of the activation energy on the molar composition of some $A_{n1}B_{n1}A_{n2}B_{n2}$ systems in the form of thin layers, 2=21157
- Kot, M.V. See Andronik, I.K., 2=641
- Kot, M.V. See Andronik, I.K., 2=8355
- Kot, M.V. See Symashkevich, A.V., 2=6463
- Kotadia, K.M. The equatorial sporadic-E layer and the electrojet, 2=11061
- Kotaka, T. and Osaki, K. Dynamic viscoelastic behavior of concentrated polymer solutions. I. Results of some preliminary tests and comparison of dynamic and steady shear data, 2=15583
- Kotani, K. See Inuishi, Y., 2=2145
- Kotani, M. Properties of d-electrons in complex salts. I. Paramagnetism of complex salts, 2=575
- Kotani, M. Theoretical study on the effective magnetic moments of some hemeproteins, 2=7049
- Kotani, T., Mishima, N. and Monda, M. Observation of the (π, π) resonance in the pion production process, 2=7892
- Kotel'nikov, K.A. See Dobrotin, N.A., 2=13786
- Kotel'nikov, N.V. and Gachegov, V.I. Magnetic properties of nickel deposits obtained by chemical plating, 2=18910
- Kotel'nikov, N.V., Korenev, N.A. and Ermolina, I.D. The temperature dependence of the saturation magnetization and the magnetic structure of films of nickel produced by a chemical method, 2=14791
- Kotel'nikov, V.A., Dubrovina, V.M., Morozov, V.A., Rzhiga, O.N. and Shakhovskoi, A.M. The use of the Doppler effect on the determination of the orbit parameters of artificial earth satellites, 2=11174
- Kotenko, A.A. See Mel'yanovskii, P.A., 2=19877
- Kotenko, L.P., Kuznetsov, E.P., Merzon, G.I. and Sharov, Yu.B. Elastic scattering of 2-8 BeV/c π mesons on hydrogen, 2=16232
- Kotenko, L.P. See Bannik, B.P., 2=3802
- Kotera, T. See Toda, M., 2=10316
- Kotera, Y., Sekine, T. and Yonemura, M. On the preparation of calcium tungstate phosphors, 2=8571
- Kothari, D.S. and Auluck, F.C. On the possibility of superconductivity in stellar matter, 2=21735
- Kothari, D.S., Mathur, V.S. and Panchapakesan, N. Effect of small impurities on the superconducting transition temperature, 2=22116
- Kothari, L.S. and Khechbandiani, P.G. Energy distribution of thermal neutrons in a finite beryllium oxide assembly, 2=8037
- Kothari, L.S. See Sanatani, S., 2=5662
- Kothe, A. See G6rlich, P., 2=3264
- Kotia, L. and Nagasawa, M. Chain model for polyelectrolytes. VII. Potentiometric titration and ion binding in solutions of linear polyelectrolytes, 2=7206
- Kotkin, G.L. Contribution to the theory of absorption of ultrasonic waves by metals in a magnetic field, 2=565
- Kotlensky, W.V., Titus, K.H., Jr and Martens, E.E. Young's modulus of hot-worked pyrolytic graphite, 2=14874
- Kotlyar, A.A. See Andreev, Yu.Ya., 2=19497
- Kotlyar, I.P. See Ermolaev, V.L., 2=14748
- Kotoski, R.H. See Beckner, E.H., 2=19872
- Kotousov, L.S. On the problem of the connection of the thermal-diffusion coefficient with the thermodynamic properties of binary mixtures, 2=19612
- Kotousov, L.S. The use of an MT-54 microthermistor as the transducer in analysers based on thermal conductivity, 2=21182
- Kotousov, L.S. On the connection between the thermal-diffusion coefficient and the thermodynamic properties of binary mixtures. I. Calculation of the thermal-diffusion coefficient for dense gases, 2=21939
- Kotov, B.A. See Balabanova, L.A., 2=12407
- Kotov, B.A. See Balabanova, L.A., 2=14418
- Kotov, V.I., Obukhov, Yu.L. and Pushtarik, V.A. The theory of the circular synchrotron with radial sectors, 2=1540
- Kotov, V.I. See Benda, F., 2=15971
- Kotyash, T.L. See Fedorov, F.I., 2=15750
- Kotzebue, K.L. Frequency-selective limiting in YIG filters, 2=9493
- Kounosu, S. See Whetstone, A., 2=11594
- Koutecký, J. The theory of surface states and the quantum chemistry of crystal surfaces, 2=3870
- Koutecký, J. Surface states of a semi-infinite diamond crystal limited by the (100) plane, 2=10367
- Koutecký, J. The Shockley surface states of electrons in the Kronig-Penney model of a linear chain of atoms joined by alternately strong bonds, 2=10368
- Koutecký, J., Paldus, J. and Zahradník, R. Calculation of p-band position of aromatic polycyclic hydrocarbons by limited configuration interaction method, 2=16538
- Koutecký, J. and Tomášek, M. Shockley surface states for a graphite and diamond model with a delta function potential, 2=6310
- Koutecký, J. and Tomášek, M. Shockley surface states of diamond within the framework of MO method, 2=23381
- Koutecký, J. and Zahradník, R. Calculation of molecular orbital energies of macromolecules with conjugated double bonds, 2=230
- Kouts, H. See Sher, R., 2=16453
- Kouvel, J.S. The ferromagnetic-antiferromagnetic properties of copper-manganese and silver-manganese alloys, 2=2275
- Kouvel, J.S. and Hartelius, C.C. Anomalous magnetic moments and transformations in the ordered alloy FeRh, 2=12733
- Kováč, A. See Szalay, A., 2=4611
- Kovacina, T.A. and Miller, R.R. The solubility of nickel in sodium by tracer technique, 2=5008
- Kovacs, A. See Pevsner, A., 2=22572
- Kovács, I. Investigation of the Π state of the PH molecule, 2=3755
- Kovacs, I. and Weniger, S. Interpretation of the anomalous splitting of the components of the multiplet of the π state of the ionized oxygen molecule, 2=18458
- Kovacs, J. See Huang, J., 2=13878
- Koval, I.K. and Morozhenko, A.V. Some properties of the yellow haze observed on Mars in 1956, 2=21701
- Kovalchuk, D.S. See Morozov, V.P., 2=18446
- Koval'chuk, V.S. See Kuz'menko, P.P., 2=18597
- Kovalenko, E.S. See Didenko, A.N., 2=3121
- Kovalenko, G.M. See Bogdanov, S.V., 2=14612
- Kovalenko, S.S. See Adamov, V.M., 2=16446
- Kovalev, A.A. and Pozdyak, S.I. The scattering of electromagnetic waves by a randomly corrugated surface of finite conductivity, 2=13694
- Kovalev, A.M. and Krasil'nikov, V.N. Reflection of electromagnetic waves from moving surfaces, 2=22333
- Kovalev, E.E. See Osanov, D.P., 2=20532
- Kovalev, I.F. Intensity calculation in the infrared spectra of molecules of type XY₂ZV₃. Methyltrichlorosilane, 2=22991
- Kovalev, V.P. The effect of temperature on the kinetics of the sensitized luminescence of some impurities in naphthalene crystals, 2=21275
- Kovalev, V.P. and Stavinskii, V.S. Correlation between the mean number and mean energy of fission neutrons and the properties of the fissioning nucleus, 2=506
- Kovalev, V.P. See Stavinskii, V.S., 2=16441
- Koval'ov, O.V. Characters of single-valued irreducible representation of space groups of a hexagonal system I, 2=12898
- Koval'ov, O.V. Characters of two-valued irreducible representations of space groups of a hexagonal system. II, 2=12899
- Kovelskii, S. See Volodichev, N.N., 2=17919
- Kovan, I.A., Patruchev, B.I., Rusanov, V.D., Tilinin, G.N. and Frank-Kamenetskii, D.A. Spatial amplification of variable magnetic field during magnetoacoustic resonance, 2=19953
- Kovan, I.A. See Borodin, A.V., 2=22223
- Kovan, I.A. See Zavolskii, E.K., 2=3063
- Kovanits, P. Conditions of application of reactor transfer functions, 2=14161
- Kovarskii, V.A. Theory of radiationless transitions in the non-Condon approximation. Low temperatures, 2=20959

- kovasznay, L.S.G. and Fung, F.C.W. Asymptotic solutions for sink flow in a strong magnetic field, 2=13668
- kovenskii, I.I. Degree of ionization of silver in a silver-palladium alloy, 2=8838
- kovenskii, I.I. See Kalinovich, D.F., 2=6372
- kovenskii, I.I. See Kalinovich, D.F., 2=8241
- kovenskii, I.I. See Kalinovich, D.F., 2=21054
- kovenskii, I.I. See Kalinovich, D.F., 2=23201
- kovner, M.S. Excitation of waves in an infinite nonequilibrium plasma, 2=19960
- kovrigin, O.D., Kolesnikov, N.V. and Latyshev, G.D. A large beta-spectrometer with double focusing, 2=20032
- kovrizhnykh, A.A. See Antropov, G.P., 2=20367
- kovrizhnykh, A.A. See Zisin, Y.A., 2=12209
- kovrizhnykh, L.M. Effect of perturbations on the structure of a helical magnetic field, 2=9679
- kovrizhnykh, O.M. See Likin, O.B., 2=17755
- kovrizhnykh, Yu.T. See Zavadskii, E.A., 2=635
- kovtun, H.P., Kruhlykh, A.A. and Pavlov, V.S. Determination of the vapour pressure of metals from the rate of evaporation [from cylindrical crucibles], 2=11537
- kovtun, H.P., Kruhlykh, A.A., Pavlov, V.S. Vapour pressure and the evaporation coefficient of nickel, 2=19784
- kovtun, H.P., Kruhlykh, A.A. and Pavlov, V.S. Determination of vapour pressures of metal vapours from the rate of evaporation from a cylindrical crucible, 2=19786
- kovtun, N.M. and Tereshchenko, A.I. The characteristics of ferrite phase shifters consisting of H-waveguides, 2=7758
- kovtun, N.M. See Tereshchenko, A.I., 2=20145
- kovtun, R.I. Effect of elastic strains on the electrical conductivity of metals at high temperatures, 2=6407
- kovyrzina, K.A. and Rozman, I.M. On the luminescence of certain solvents, 2=15609
- kovyrzina, K.A. See Baroni, E.E., 2=21278
- kovyrzina, K.A. See Kilin, S.F., 2=7224
- kowalczyk, R. See Kołodziejczak, J., 2=14555
- kowalew, A. Some problems of the activation during periodical operation of the reactor, 2=3494
- kowalewski, D.G.de. See de Kowalewski, D.G.
- kowalewski, L. Spin-wave theory of MeFe_2O_4 ferrite. I., 2=8652
- kowalewski, V.J. and de Kowalewski, D.G. Proton magnetic resonance spectra of 3-pyridines: the unsymmetrical four-spin ABXY and ABKL systems, 2=2023
- kowalewski, V.J. See de Kowalewski, D.G., 2=20873
- kowalska, A. Some remarks on the theory of photo-disintegration of ^9Be and Li^7 , 2=3549
- kowalska, A. A simple theory of the photodisintegration of ^9Be at low energies, 2=20589
- kowalska, K. Multizone reactor calculations, 2=3651
- kowski, I. and Sébaoun, W. Use of a thin layer of CsI:Tl , obtained by evaporation under vacuum, as a detector of fission fragments, 2=9735
- kowski, V.L. See Lim, E.C., 2=12333
- ownacki, J. See Ambroży, B., 2=1821
- koza, R.W. Perspective drawing for optical analysis, 2=95
- kozachok, I.A. The slowing down of neutrons in an infinite absorbing medium, 2=22534
- kozai, Y. Mean values of cosine functions in elliptic motion, 2=17313
- kozai, Y. Second-order solution of artificial satellite theory without air drag, 2=21744
- kozak, P.P. A high-speed solar photoelectric spectrophotometer, 2=925
- kozakevitch, P. and Urbain, G. Surface tension of liquid platinum at 1800°C , 2=2692
- kozalobaev, I.P. Piezoelectric hysteresis in polycrystalline barium titanate, 2=14628
- kozar, A.O. See Strizhak, V.I., 2=7990
- kozelkin, V.V. and Kolchev, B.S. Measurement of instability in the accelerating voltage of electron microscopes, 2=7531
- kozhevnikov, V.Ye. See Karhanin, Yu.I., 2=8437
- kozhevnikov, N.I. A graphical analysis of vignetting in astronomical optics, 2=932
- kozhevnikov, N.I. and Makarova, E.A. The limits of applicability of Bouguer's method for determining the brightness of a celestial source, 2=923
- kozhusner, M.A. and Shabalin, E.P. Production of lepton particle pairs on a coulomb centre, 2=22465
- kozima, H. See Muto, T., 2=23718
- kozin, F. See Bogdanoff, J.L., 2=17530
- kozina, G.S. See Favorin, V.N., 2=16870
- kozina, O.G. and Makarov, G.I. Transient processes in the acoustic fields of special piston membranes, 2=21969
- Kozina, O.G., Makarov, G.I. and Shaposhnikov, N.N. Transient processes in the acoustic fields generated by a vibrating spherical segment, 2=21970
- Kozinets, V.V. See Gindin, I.A., 2=16960
- Kozinets, V.V. See Gindin, I.A., 2=18998
- Kozlov, A.F. See Bravinskii, V.G., 2=18975
- Kozlov, B.N. Similarity solutions of plasma equations, 2=175
- Kozlov, B.N. Thermonuclear reaction rates, 2=12239
- Kozlov, P.V., Frolova, A.A. and Slesareva, L.F. The influence of mechanical effects on the acceleration of structural transformations in polymers during crystallization, 2=23802
- Kozlova, N.V. and Yurova, L.N. Interaction of fast neutrons with uranium and thorium nuclei, 2=20639
- Kozlova, S.S. See Kunin, N.F., 2=21426
- Kozlovskaya, V.M. and Rubinshtein, R.N. Calculation of solubility and vapour pressure for semiconductor-impurity systems, 2=9452
- Kozma, L. See Ketscheméty, I., 2=13346
- Kozolovskii, V.Kh. Quantum effects in phase transitions in ferroelectric crystals, 2=2203
- Kozubowski, J. See Sosnowski, J.J., 2=18526
- Kozuka, T. See Kukuo, N., 2=11522
- Koz'yakova, K.Ya. Results of the calibration of GAE-3 gravity meters, 2=21610
- Kozyrev, B.M. See Garifyanov, N.S., 2=61
- Kozyrev, B.M. See Garifyanov, N.S., 2=15621
- Kozyrev, B.P. and Kropotkin, M.A. Study of spectral reflection coefficients of thermal radiation receiver coatings for the wavelength range from 10 to 200μ , 2=129
- Kozyrev, P.T. Problem of the nature of the acceptor levels in hexagonal selenium, 2=10494
- Kozyrev, P.T. Problem of the nature of the acceptor levels in hexagonal selenium, 2=14561
- Kozyrev, S.P. and Shal'nev, K.K. Destructive abrasion and cavitation, 2=12873
- Kozyukov, A.V. See Fradkina, E.M., 2=3139
- Kraakevik, J.H. Measurements of current density in the fair weather atmosphere, 2=4602
- Krachino, T.V. See Matskevich, T.L., 2=22249
- Krächter, H. and Schlömer, H.E. Continuous measurement of the wall thickness of thin-walled tubes using beta-rays, 2=21865
- Kracík, B. See Brabec, V., 2=7951
- Kracíková, T. See Brabec, V., 2=7951
- Kraemer, R. See Pevsner, A., 2=5719
- Kraemer, R. See Pevsner, A., 2=22572
- Kraev, M. Analytical wave function and energy value of the ground-state boron atom, 2=6080
- Kraft, L.G. See Pettengill, G.H., 2=13174
- Kraft, O.E. See Bonch-Osmolovskaya, N.A., 2=14035
- Kraft, R.W. See Lemkey, F.D., 2=18976
- Krag, W.E. and Zeiger, H.J. Infrared absorption spectrum of sulphur-doped silicon, 2=18846
- Kragel'skii, I.V. On a two-term friction law, 2=10774
- Kraichnan, M.B. Impedance of a circular loop in an infinite conducting medium, 2=15878
- Kraichnan, R.H. Erratum: Dynamics of nonlinear stochastic systems, 2=4944
- Kraichnan, R.H. Stochastic models for many-body systems. I. Infinite systems in thermal equilibrium, 2=13272
- Kraichnan, R.H. Stochastic models for many-body systems. II. Finite systems and statistical nonequilibrium, 2=13273
- Kraichnan, R.H. and Spiegel, E.A. Model for energy transfer in isotropic turbulence, 2=11327
- Krainik, N.N. Internal fields in some ferroelectric and antiferroelectric model structures based on BaTiO_3 , 2=16773
- Krainyukov, N.I. See Sysoev, L.A., 2=16989
- Krainyukov, N.I. See Sysoev, L.A., 2=18734
- Král, M. See Knittl, Z., 2=17640
- Krall, N.A. See Gerjuoy, E., 2=20753
- Kramarenko, S.A. See Dubrovsky, V.G., 2=15237
- Kramarov, O.P. Rapid procedure for preparing and investigating ferroelectric ceramics, 2=14617
- Kramarov, O.P. Growing ferroelectric single crystals from melts, 2=14952
- Kramer, D. Finely dispersed phases in uranium-molybdenum ternary alloys, 2=4443
- Kramer, D. See Tannenbaum, I.R., 2=4408
- Kramer, G. and Nilsson, S.G. The penetration effect in electric dipole internal conversion, 2=14055
- Kramer, G. See Glendenning, N.K., 2=9832
- Kramer, G. See Glendenning, N.K., 2=13787
- Kramer, I.R. and Demer, L.J. Effects of environment on mechanical properties of metals, 2=8742

- Kramer, J.J. and Tiller, W.A. Determination of the atomic kinetics of the freezing process. I. Theory, 2=19774
- Kramer, K. See Berkling, K., 2=6238
- Kramer, K. See Schmitten, A., 2=6631
- Kramer, L. Calculation of the spectral slit width of the UR 10, 2=11480
- Kramer, P., Bos, E.C., De Beer, A. and Blok, J. Measurements on electron capture branching ratios in the decay of the nuclides ^{54}Mn , ^{65}Zn and ^{57}Co , 2=16361
- Kramer, P., De Beer, A. and Blok, J. On the K/β^+ ratio in the decay of ^{58}Co , 2=16363
- Kramer, P., De Beer, A., Bos, E.C. and Blok, J. Measurements on the K fluorescence yield of Cr, Mn, Cu and Ga, 2=16362
- Kramer, P., de Ridder, J. and Blok, J. A double proportional counter for absolute measurements on low energy photons and electrons, 2=20307
- Kramer, P. See Dehnhard, D., 2=1833
- Kramer, P. See Dehnhard, D., 2=10038
- Kramer, P. See Kamke, D., 2=16249
- Kramer, W.E. See Mazelsky, R., 2=17055
- Kramer-Ageev, E.A. See Stolyarova, E.L., 2=18141
- Kramers, M.H.C. Some experiments on turbulence and internal friction in liquid helium, 2=17710
- Kranendonk, J. van. See van Kranendonk, J.
- Kranjc, A. The central line of a total eclipse of the sun at various heights above the earth's surface, 2=4761
- Kranjc, A. Calculation of the orbits of double stars. VI. Smoothing the observations of visual binaries, 2=19320
- Kranjc, K. Simple demonstration experiments in the Abbe theory of image formation, 2=9374
- Kranjc, K. The quality of X-ray diffraction micrographs of crystal surfaces under different experimental conditions, 2=14983
- Kranz, J. and Blalas, H. On the origin of image contrast in the imaging of ferromagnetic domains with the electron mirror microscope, 2=2283
- Krasil'nikov, V.N. Refraction of flexure waves, 2=21963
- Krasil'nikov, V.N. See Kovalev, A.M., 2=22333
- Kraska, I.R. See Berger, H., 2=9416
- Krasko, G.L. and Lyubov, B.Ya. Theory of the behaviour of concentration inhomogeneities in regular solid solutions, 2=8860
- Krasko, G.L. and Lyubov, B.Ya. Theory of Cottrell atmospheres, 2=12427
- Krasko, G.L. and Lyubov, B.Ya. Theory of Cottrell atmospheres, 2=14435
- Krasko, G.L. and Lyubov, B.Ya. The theory of the behaviour of concentration imperfections in regular solid solutions, 2=23891
- Krasnaya, A.R. See Nosenko, B.M., 2=23623
- Krasner, S. See De Vries, C., 2=22523
- Krasnicki, S. See Janik, J.A., 2=292
- Krasnopevtsev, V.V. Dielectric relaxation in coloured KBr crystals, 2=23491
- Krasnopevtsev, V.V. See Vodop'yanov, L.K., 2=10183
- Krasnopolsky de Grinberg, D. Low-temperature recovery in cadmium single crystals, 2=10766
- Krasnov, N.V. See Vasil'evskii, V.S., 2=22069
- Krasnova, S.I., Mal'nyev, A.F., Puchkivs'ka, H.O. and Sklyar, V.T. Determination of methyl and methylene groups in narrow paraffin-naphthene fractions by infrared absorption spectra, 2=19176
- Krasnoyarov, N.V. See Andreev, V.N., 2=8036
- Krasnushkin, P.E. Daily and seasonal variations of the field intensity of long radio waves, 2=11799
- Krasnushkin, P.E. Theory of terrestrial atmospheric, 2=24023
- Krasovskii, V.I. Some results of investigations of aurorae and night air glow during the IGY and IGC, 2=9017
- Krasovskii, V.I. On the night sky hydroxyl emission, 2=11075
- Krasovskii, V.I. Soviet rocket and artificial satellite studies of the ionosphere, 2=13022
- Krasovskii, V.I., Kushnir, Yu.M., Bordovskii, G.A., Zakharov, G.F. and Svetlitskii, E.M. Detection of particles with the aid of the third artificial earth satellite, 2=12988
- Krasovskii, V.I., Shklovskii, S., Gal'perin, Yu.I., Svetlitskii, E.M., Kushnir, Yu.M., and Bordovskii, G.A. Detection of electrons with energies of approximately 10 keV in the upper atmosphere, 2=9022
- Krasovskii, V.P. and Fakidov, I.G. Investigation of the specific heat of manganese monophosphide MnP , 2=8172
- Krasovskii, V.P. and Fakidov, I.G. Investigation of the thermal capacity of the monophosphide of manganese MnP , 2=23073
- Krasovskii, V.P. and Fakidov, I.G. The nature of the magnetic ordering of the monophosphide of manganese MnP , 2=23647
- Krasovskii, V.P. and Fakidov, I.G. The nature of magnetic ordering in manganese monophosphide MnP , 2=8607
- Krass, A.S. Radiative corrections to electron-proton scattering, 2=9823
- Kratochvil, P., Formankova and Sichova, H. The effect of the orientation of zinc single crystals and of the rate of growth on the direction of cell substructure, 2=2359
- Kratochvil, P. and Sichova, H. On the effect of annealing on the dislocation structure of zinc single crystals, 2=14440
- Kratochvil, P. See Bocek, M., 2=2318
- Kratochvil, P. See Bocek, M., 2=23745
- Kratochvil, J.P. See Dezelić, G.J., 2=23977
- Kratochvil, J.P. See Kerker, M., 2=1279
- Kratochvil, J.P. See Kerker, M., 2=8607
- Kraus, C.J. See Ittner, W.B., III, 2=15859
- Kraus, K. Determination of the critical electron energy for the formation of negative ions by electron impact, by means of a retarding-potential-difference method, 2=7559
- Kraus, K. Lorentz invariant gravitation theory, 2=15466
- Kraus, K., Müller-Duysing, W. and Neuert, H. Charge-transfer collisions of slow negative ions, 2=11616
- Krause, D. Coercive force of nickel single crystals as a function of temperature, orientation and plastic deformation, 2=18904
- Krause, D. See Schwink, C., 2=10653
- Krause, G. Sensitive current-measuring device with small rise time, 2=7529
- Krause, G. and Meyer, G. Optical absorption and polarization of evaporated nickel films, 2=23514
- Krause, K. See Just, K., 2=19273
- Krause, L. See Habib, E.E., 2=9233
- Krause, N.A. See Gibbons, M.G., 2=2487
- Kraushaar, J.J. See Brun, E., 2=22709
- Kraushaar, J.J. See Wilson, R.R., 2=7929
- Kraushaar, W.L. and Clark, G.W. Search for primary cosmic gamma rays with the satellite Explorer XI, 2=16263
- Kraushaar, W.L. and Clark, G.W. Some experimental attempts to detect cosmic gamma rays, 2=20446
- Krauskopf, J. Light distribution in human retinal images, 2=21765
- Krauss, M. See Wacks, M.E., 2=3758
- Krausz, A.S. Etching technique to study plastic deformation of ice, 2=794
- Krautz, E. See Danneberg, W., 2=6371
- Kravchenko, V.Ya. A contribution to the theory of nuclear spin-lattice relaxation in ionic crystals, 2=23710
- Kravtsov, L.A. Optical properties of chlorophyll and pheophytin at low temperatures, 2=15601
- Kravtsov, L.A. and Rubinov, A.N. Effect of impurities on the validity of a universal relationship between the absorption and luminescence spectra of complex molecules, 2=22944
- Kravtsov, V.A. Spacing of nuclear energy surfaces, 2=3477
- Kraybill, H.L. See Stonehill, D.L., 2=22580
- Krebs, J.J. and Thompson, J.K. Dynamic nuclear polarization studies of charred carbohydrates, 2=14329
- Krebs, K. See Honcia, G., 2=1251
- Krebs, K. See Honcia, G., 2=2421
- Krebs, K. See Honcia, G., 2=11493
- Krebs, K. See Koppelman, G., 2=2872
- Krebs, K. See Koppelman, G., 2=5181
- Krebs, K.H. A simple method for the automatic recording of pulse height distributions, 2=15870
- Krebs, K.H. and Zillinski, E. Investigation of the ion current from a 2 MeV accelerator, 2=11731
- Krebs, R.G.F.P. See Bouwers, A., 2=1288
- Krecker, U. See Hauser, I., 2=13715
- Krecker, U. See Hauser, I., 2=20210
- Kregar, M. and Povh, B. The alpha spectrum from (γ, α) on V^{51} , 2=22796
- Kreger, W.E. and Brown, R.M. Photofractions for sodium iodide crystals, 2=3212
- Krehbiel, H. See Engelmann, R., 2=18250
- Krein, M.G. and Lybarskii, G.Ya. On the theory of transmission bands of periodic waveguides, 2=17962
- Krein, M.G. See Birman, M.Sh., 2=21835
- Krein, O.E. See Zelikman, A.N., 2=4422
- Kreines, M.A. See Vostretsov, B.A., 2=19377
- Kreines, N.M. Transition from an antiferromagnetic state to a weakly ferromagnetic state in a magnetic field, 2=754
- Kreines, N.M. See Katsner, Ya., 2=6666
- Kreingol'd, F.I. Optical properties of black mercuric sulphide, 2=18840
- Kreingol'd, F.I. See Gross, E.F., 2=701
- Kreingol'd, F.I. See Gross, E.F., 2=12583
- Kreingol'd, F.I. See Gross, E.F., 2=14655
- Kreitman, M. See Daut, J.G., 2=17725
- Krejčí, V. See Pekárek, L., 2=1399
- Krejčí, V. See Pekárek, L., 2=15895

- Krejčí, V. See Pekárek, L., 2=19910
- Krekcer, U. See Grote, C., 2=16222
- Krekcer, U. See Grote, C., 2=16223
- Krekcer, U. See Grote, C., 2=16224
- Krekcer, U. See Grote, C., 2=16225
- Kremenchuks'kii, A.F. See Mal'nev, A.F., 2=7461
- Kremenchuks'kii, L.S. and Mal'nev, A.F. Contactless determination of temperature of bodies below the red-hot temperature, 2=17686
- Kremenchuks'kii, L.S. See Mal'nev, A.F., 2=17626
- Kremenchukskii, L.S. See Mal'nev, A.F., 2=7462
- Kremtulo, V.V. Application of the second method of Liapunov in the investigation of the steady motion of a gyroscope when elastic properties of the rotor axis are taken into account, 2=19489
- Krempel, H. Thermodynamic balance of spark plasmas, 2=11645
- Krempel, H. See Thiel, E., 2=17631
- Kren, E. See Sabo, P., 2=16980
- Kreplin, R.W., Friedman, H., Chubb, T.A. and Mange, P. Further comments on the role of secondary scattering in the Lyman- α problem, 2=11072
- Kreplin, R.W., Chubb, T.A. and Friedman, H. X-ray and Lyman- α emission from the sun as measured from the N.R.L. S.R.-1 satellite, 2=19314
- Kreplin, R.W. See Chubb, T.A., 2=15248
- Kreplin, R.W. See Chubb, T.A., 2=15338
- Kreplin, R.W. See Chubb, T.A., 2=15339
- Kresin, V.Z. See Geilikman, B.T., 2=141
- Kresin, V.Z. See Geilikman, B.T., 2=1335
- Kresnin, A.A. See Tishchenko, B.I., 2=20490
- Kresnyñ, A.A. and Tyshchenko, B.Y. Polarization effects in the scattering of electrons on nuclei, 2=7973
- Krestnikov, Yu.S. and Shebanov, V.A. The polarization of Λ -hyperons produced from light nuclei by π^- -mesons of momentum, 2=22583
- Kretschko, J., Harder, D. and Pohlitz, W. Absolute measurement of the particle flux density of fast electrons with a Faraday cup, 2=20026
- Kreye, W.C. and Marcus, R.A. Photolysis of diborane at 1849 Å*, 2=19157
- Krichevskii, I.R. and Khazanov, N.E. The flick equation of diffusion, 2=17447
- Kriegsmann, H. See Schowtka, K.H., 2=7367
- Krienen, F. Digitized spark chambers, 2=20214
- Krigbaum, W.R. and Kaneko, M. Cubic lattice model chain, 2=2035
- Krikorian, O.H. See Brewer, L., 2=2028
- Krikorian, O.H. See Sands, D.E., 2=21517
- Krimm, S. See Wilson, P.R., 2=2222
- Krinchik, G.S. and Chetkin, M.V. Magneto-optical properties of garnet ferrites in the infrared region, 2=685
- Krinchik, G.S. and Chetkin, M.V. An infrared electronic transition in the Er^{3+} ion, 2=12604
- Krinchik, G.S. and Chetkin, M.C. Exchange interaction and magneto-optical effects in ferrite garnets, 2=23535
- Krinchik, G.S. and Gorbachev, A.A. Magneto-optical resonance in nickel at ultraviolet frequencies, 2=8486
- Krinchik, G.S. and Gorbachev, A.A. Magneto-optical resonance in nickel ultra-violet frequencies, 2=23533
- Krinchik, G.S. and Nuralieva, R.D. Magneto-optical resonance in ordered alloys and the intracrystalline field of a ferromagnetic metal, 2=16807
- Kripyakevich, P.I. and Gladyshevskii, E.I. Crystal structure of compounds in the Nd-Al, Y-Al and Gd-Fe systems, 2=4437
- Kripyakevich, P.I., Tytkina, M.A. and Savitskii, E.M. Crystal structures of hafnium-beryllium compounds, 2=4436
- Kripyakevich, P.I. See Gladyshevskii, E.I., 2=4466
- Krisement, O. See Bell, F., 2=10765
- Krishna, P. and Verma, A.R. A new polytype of silicon carbide, 57R. Its structure and growth, 2=10865
- Krishna, V.G. and Goodman, L. Polarization of T-S emission spectra of azines, 2=14265
- Krishna, V.G. and Goodman, L. Polarization of triplet-singlet transitions in polyacenes, 2=20857
- Krishna Pillai, M.G. Potential energy constants, rotational distortion constants and thermodynamic properties of nitril fluoride and nitril chloride, 2=10240
- Krishna Rao, K.V. Gratings prepared by photographing double- and multiple-slit Fraunhofer diffraction fringes, 2=5186
- Krishna Rao, K.V., Nagender Naidu, S.V. and Setty, P.L.N. Thermal expansion of magnesium fluoride, 2=14385
- Krishna Rao, S.V., Paddi Reddy, S. and Tiruvenganna Rao, P. New band systems of NiCl in the photographic infrared, 2=6160
- Krishna Rao, S.V., Reddy, S.P. and Tiruvenganna Rao, P. The complex band system of MnF in the near ultra-violet, 2=10261
- Krishna Rao, S.V. and Tiruvenganna Rao, P. The spectrum of CoCl in the photographic infrared and the visible, 2=6157
- Krishna Swamy, K.S. Adiabatic gradient for ionizable matter and radiation, 2=9210
- Krishna Swamy, K.S. and Kushwaha, R.S. Opacity means and stellar atmospheres, 2=9094
- Krishna Swamy, K.S. and Kushwaha, R.S. Convection zones in stellar atmospheres, 2=15373
- Krishna Swamy, K.S. and Kushwaha, R.S. Adiabatic gradient in stellar atmospheres, 2=15381
- Krishnaji and Chandra, S. Calculated linewidth due to dipole-quadrupole interaction in the asymmetric top molecule SO_2 , 2=14340
- Krishnamachari, S.L.N.G., Nicholls, R.W. and Broida, H.P. Emission spectra from solids condensed at very low temperatures from the electrical discharge products of nitrogen-carbon monoxide and nitrogen-acetylene mixtures, 2=10251
- Krishnamurthi, M. and Ramakrishna, S. Studies in cosmic radio noise at bangalore. Spectral index of background radiation, 2=11151
- Krishnamurthi, M., Sastry, G.S. and Seshagiri Rao, T. Sudden cosmic noise absorption at 29 Mc/s, 2=11150
- Krishnamurthi, M., Sivarama Sastry G. and Seshagiri Rao, T. Velocities of shock fronts in solar corona generating type II radio bursts at metre wavelengths, 2=13133
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic studies in chemically active liquid media. II. Aqueous solutions of SO_2 , 2=5012
- Krishnamurthi, M. and Suryanarayana, M. Ultrasonic studies in chemically active liquid media. III. Aqueous solutions of magnesium, calcium and strontium acetates, 2=13334
- Krishnamurti, D. The Raman spectrum of rutile, 2=16840
- Krishnan, A.A. See Misra, S.K., 2=10924
- Krishnan, A.A. See Muralidhara Rao, A., 2=15052
- Krishnan, K. The Raman spectra of organic compounds. I. Methyl, ethyl, n-propyl and n-butyl alcohols, 2=8099
- Krishnan, K. Raman spectra of organic compounds. II. Methyl borate, 2=8100
- Krishnan, K.G., Kishore, J. and Rajagopalan, K. The spectrum of exploding wires at different pressures, 2=16485
- Krishnan, K.G., Kishore, J. and Rajagopalan, K. The use of the three-electrode trigger in the spectral study of exploding wires, 2=5325
- Krishnan, S. See Chaulia, P.B., 2=4970
- Krishnan, T. and Mullaly, R.F. The decimetre wavelength radiation associated with type IV solar radio bursts, 2=11157
- Kristensen, P. On the formulation of the dynamical laws in the quantum theory of fields, 2=15486
- Kristianpoller, N. See Halperin, A., 2=23216
- Kristofel', N.N. Stability of the caesium chloride and sodium chloride types of structure in TlCl crystals, 2=2038
- Kristofel', N.N. On the theory of the vibrations of a lattice with defects, 2=12370
- Kristofel', N.N. On the theory of the vibrations of a lattice with defects, 2=14367
- Kristofel', N.N. Concerning interaction of the activator with not fully symmetrical local vibrations, 2=14724
- Kristofel', N.N. See Abarenkov, I.V., 2=608
- Kritskaya, V.K. See Il'ina, V.A., 2=23931
- Kriukova, L.N. See Gniedich, A.V., 2=1512
- Krivitskii, V.V. and Leksins, G.A. Transmission of scintillations through plastic scintillators and light-pipes, 2=7791
- Krivitskii, V.V. See Balats, M.Ya., 2=16863
- Krivoglaz, M.A. Effect of diffusion on the scattering of neutrons and photons by crystal imperfections and on the Mössbauer effect, 2=595
- Krivoglaz, M.A. The influence of the conduction electrons on the scattering of neutrons by crystals, 2=815
- Krivoglaz, M.A. The influence of the conduction electrons on the scattering of neutrons by crystals, 2=8812
- Krivoglaz, M.A. Theory of the diffuse scattering of X-rays, neutrons, and electrons by ionic crystals containing charged defects or impurities, 2=8818
- Krivoglaz, M.A. Broadening of the features of frequency dependent attenuation for elementary excitation in crystals, 2=10307
- Krivoglaz, M.A. Broadening of the features of frequency dependent attenuation for elementary excitation in crystals, 2=14363
- Krivoglaz, M.A. Theory of the diffuse scattering of X-rays, neutrons, and electrons by ionic crystals containing charged defects or impurities, 2=14996
- Krivoglaz, M.A. Theory of the scattering of X-rays by crystals containing defects, 2=21506
- Krivoglaz, M.A. Width and shape of Mössbauer lines in solid solutions, 2=23046
- Krivoglaz, M.A. See Kashcheev, V.N., 2=8817
- Krivsky, I.Yu. See Lomsadze, Yu.M., 2=20219
- Krivtsova, N.V. and Lun'kin, Yu.P. Excitation of molecular rotations beyond a shock wave, 2=21933
- Krizhanskii, S.M. Theory of the positive column in an arc discharge, 2=19925
- Krňák, M. See Kolmer, F., 2=7295

- Krochuk, A.S. See Brodin, M.S., 2=8527
- Kroebe, W. A method for the quantitative determination of the technical quality of photographic and other similarly produced pictures, 2=7413
- Kroebe, W. and Vanselow, K. An apparatus for measuring the fine structure of the radiation emitted by the human body, 2=7050
- Kroeger, R.C. See Marin, L., 2=13396
- Kroening, J.L. and Ney, E.P. Atmospheric ozone, 2=17127
- Kroepelin, H. and Kuthe, R. The pressure dependence of the C_2 -vibration - temperature, 2=5318
- Kroger, F.A. Imperfection equilibria in KBr, 2=23146
- Kröger, F.A. See Gibson, A.F. (Eds.), 2=14513
- Kroger, F.A. See Gibson, A.F. (Ed.), 2=18670
- Kroh, J. See Collinson, E., 2=4555
- Kroh, J. See Collinson, E., 2=4556
- Kroh, J. See Collinson, E., 2=4557
- Krohs, A. See Görlisch, P., 2=5375
- Kroitoru, N. See Grigorovich, R., 2=6423
- Krokhin, O.N. Negative absorption during indirect recombination of excitons in a semiconductor, 2=18658
- Krokhin, O.N. and Popov, Yu.M. Slowing-down times of non-equilibrium current in semiconductors, 2=23274
- Krokhin, O.N. See Basov, N.G., 2=23474
- Krokhin, O.N. See Basov, N.G., 2=645
- Krokhin, O.N. See Basov, N.G., 2=652
- Krokhin, O.N. See Basov, N.G., 2=16468
- Krol', L.Ya. See Gitterman, M.Sh., 2=18704
- Krol', L.Ya. See Gitterman, M.Sh., 2=23391
- Królikowski, W. Possible interpretation of the 1815 MeV K^+p resonance as a \bar{K}^+N bound state, 2=9921
- Królikowski, W. Universal Fermi interaction and the neutrino flip, 2=11863
- Królikowski, W. General formalism obeying intrinsic exclusion principle, 2=11868
- Królikowski, W. Search for a rotational symmetry of the universal Fermi interaction, 2=16141
- Królikowski, W. About the strangeness of leptons, 2=16178
- Kroll, N.M. Parametric amplification in spatially extended media and application to the design of tuneable oscillators at optical frequencies, 2=19671
- Kromholtz, K.L. See Sands, D.E., 2=1517
- Kromminga, A.J. and McCarthy, I.E. A simple direct reaction model of proton inelastic scattering, 2=12184
- Kronberg, M.L. Atom movements and dislocation structures in some common crystals, 2=3917
- Krone, R.W. See Neher, D.R., 2=10102
- Krone, R.W. See Prosser, F.W., Jr., 2=3573
- Kronenberg, K.J. Study of particle arrangements and magnetic domains on the surface of permanent magnets, 2=12727
- Kronenberg, S., Nilson, K. and Basso, M. Secondary electron production from metals by 1 MeV protons, 2=1495
- Kronengold, M. See Steinberg, J.C., 2=17576
- Kröner, E. The new conceptions of the continuum mechanics of solid bodies, 2=2319
- Kronick, P.L., Kaye, H., Chapman, E.F., Mainthia, S.B. and Labes, M.B. Electronic properties of polysulfur nitride, 2=14509
- Kronmüller, H. The micromagnetic calculation of the magnetization in the neighbourhood of unmagnetized regions in ferromagnetic substances, 2=18900
- Kronmüller, H., Seeger, A., Jäger, H. and Rieger, H. Electrical, magnetic and mechanical studies of recovery in nickel, 2=14898
- Kronmüller, H. See Klein, M.V., 2=16908
- Kronmüller, H. See Rieger, H., 2=10652
- Kronmüller, H. See Schiller, P., 2=21396
- Kronmüller, H. See Seeger, A., 2=23183
- Kroo, N. Measurement of the total neutron cross section of iron as a function of temperature, 2=11945
- Kropotkin, M.A. See Kozyrev, B.P., 2=129
- Krospschot, R.H. and Arp, V. Superconducting magnets, 2=11554
- Krotanok, P.I. See Finkel', V.M., 2=21442
- Krotova, M.D. and Pleskov, Yu.V. Surface conductance the determination of the potential at the boundary between germanium and an electrolyte, 2=10474
- Krotova, N.A., Morozova, L.P. and Sokolina, G.A. Investigation of adhesion bonding of solids, 2=10775
- Kroupa, F. The force between non-parallel dislocations, 2=10387
- Kroupa, F. Continuous distribution of dislocation loops, 2=12430
- Kroupa, F. The interaction between prismatic dislocation loops and straight dislocations. I, 2=23178
- Kroupa, F. See Šesták, B., 2=14436
- Krpata, V. See Pekárek, L., 2=7573
- Kruchan, Ya. Ya. See Fritsberg, V.Ya., 2=14632
- Krucheanu, E. X-ray investigation of the cleavage plane of single-crystal ZnTe, 2=8776
- Krucheanu, E. See Chistyakov, I.D., 2=8829
- Krueger, P.J. Performance of the Beckman IR-7 infrared spectrophotometer I. Frequency reproducibility and accuracy ($630-4000\text{ cm}^{-1}$), 2=17611
- Krueger, P.J. Performance of the Beckman IR-7 infrared spectrophotometer. II. Frequency reproducibility and accuracy ($200-800\text{ cm}^{-1}$), 2=22026
- Krueger, T.K. and Margolis, B. The s-wave and p-wave strength functions, 2=3586
- Krug, W. See Kankelwitz, B., 2=7415
- Krug, W. See Kankelwitz, B., 2=22072
- Kruger, A. Morphology of solar radio bursts in the cm and lower-dm range, 2=15401
- Kruger, C.H. and Shapiro, A.H. The axial-flow compressor in the free-molecule range, 2=2033
- Krugër, H. See Kleinpöppen, K., 2=22918
- Krüger, L. and Rothleitner, J. The decay of bound muons, 2=1973
- Kruglik, G.S. See Apanasevich, P.A., 2=15655
- Kruglov, S.P. Comparison of the ionization and calorimetric measurements of the energy flux of bremsstrahlung from a synchrotron. I, 2=9819
- Kruglov, S.P. A comparison of ionization and calorimetric measurements of synchrotron bremsstrahlung energy flux. II, 2=15972
- Kruglov, S.P. and Lopatin, I.V. Spectra of electrons formed in light substances by bremsstrahlung radiation with $E_{\gamma\text{max}} = 80\text{ MeV}$, 2=5886
- Kruglov, V.I. See Petrusevich, V.A., 2=10476
- Kruglyak, Y. See Gáspár, R., 2=6200
- Krugten, H. van. See van Krugten, H.,
- Kruhlykh, A.A., Pavlov, V.S. and Tykhinski, H.F., Grain growth in [pure] chromium, 2=12445
- Kruhlykh, A.A. See Amonenko, V.M., 2=12936
- Kruhlykh, A.A. See Kovtun, H.P., 2=11537
- Kruhlykh, A.A. See Kovtun, H.P., 2=19786
- Kruithof, E.W. and Moret, H. Measurement of the electrical resistance of metal layers evaporated on non-conducting foils, 2=7528
- Kruiskamp, M. See Valckx, F.P.G., 2=10124
- Kruithof, A.A. See Koedam, M., 2=12291
- Krumbein, A.D. and Ray, J.H. Two methods of calculating fast reactor control rod effect and their agreement with experiment, 2=16458
- Krumhansl, J.A. Lattice vibrations in solids, 2=3822
- Krumholz, P. See Stammreich, H., 2=1999
- Krumholz, P. See Stammreich, H., 2=2000
- Krumm, H.C. Universal-time diurnal variation of the thunderstorm frequency, 2=21632
- Krupchitsky, P.A. See Abov, Y.G., 2=14031
- Krupchitskii, P.A. See Abov, Yu.G., 2=18371
- Krupička, S. The influence of magnetic after-effect on the rectangularity of the hysteresis loop of MgMn ferrites, 2=6674
- Krupička, S. See Cervinka, L., 2=3913
- Krupitskii, E.I. Maximum directivity of aeriels consisting of discrete sources, 2=17964
- Krupnikov, K.K., Brazhnik, M.I. and Krupnikova, V.P., Shock compression of tungsten, 2=13360
- Krupnikova, V.P. See Krupnikov, K.K., 2=13360
- Krupnov, A.F. Flowmeter for small gas discharges, 2=19588
- Kruse, P.W., Blue, M.D., Garfunkel, J.H. and Saur, W.D. Long-wavelength photoeffects in mercury selenide mercury telluride and mercury telluride-cadmium telluride, 2=10534
- Kruse, P.W. See Blue, M.D., 2=130
- Kruse, P.W. See Blue, M.D., 2=16728
- Kruse, T.H. See Nessin, M., 2=3529
- Kruseman Aretz, F.E.J. A theory of order-disorder phenomena. III, 2=19091
- Kruseman Aretz, F.E.J. A theory of order-disorder phenomena. III, 2=19092
- Krusemeyer, H.J. The influence of light, oxygen and nitrogen on the field effect mobility of zinc oxide crystals, 2=16733
- Krushinskii, L.L. and Shor'gin, P.P. The theory of line intensities in the spectra of scattered light I. The quantum model (Condon approximation), 2=6170
- Krushinskii, L.L. and Shor'gin, P.P. The theory of line intensities in Raman spectra II. The quantum model (taking account of anharmonicity and deviation from the Condon approximation), 2=6171
- Kruskal, M. Asymptotic theory of Hamiltonian and other systems with all solutions nearly periodic, 2=19368
- Kruskal, M.D. See Greene, J.M., 2=20128
- Kryhlykh, A.A. See Kovtun, H.P., 2=19784

- Flov, A.L. Models with a finite number of degrees of freedom for a class of problems of mathematical physics (difference equations with a law of conservation). 2=13234
- Flov, A.L. Models with a finite number of degrees of freedom for a class of problems of mathematical physics (difference equations with a law of conservation). 2=19365
- Flov, V.S. See Levich, V.G., 2=12968
- Flyter, K.D. and Pearsons, K.S. Judgment tests of the sound from piston, turbojet, and turbofan aircraft, 2=13210
- Flyter, K.D., Weisz, A.Z. and Wiener, F.M. Auditory fatigue from audio analgesia, 2=11215
- Flyter, K.D., Williams, C. and Green, D.M. Auditory acuity and the perception of speech, 2=24204
- Fyukova, L.N. See Malysheva, T.V., 2=14054
- Fyukova, L.N. See Sorokin, A.A., 2=14066
- Fyushki, I.Y., Lomsadze, Yu.M., Fushchych and Khimich, I.V. The radiative decay of a π^- -meson, 2=7879
- Fyshanovskii, B.P. Reflection of semiconducting indium oxide films in the infrared spectral region, 2=2219
- Fyshanovskii, B.P. and Kuznetsov, A.Ya. Semiconducting layers of cuprous iodide, 2=23379
- Fzhemenek, Ya. See Komar, A.P., 2=16388
- Fzysztan, D. See Maczyński, J., 2=11316
- Fzywicki, A. See Koba, Z., 2=255
- Fzywicki, A. See Koba, Z., 2=9834
- Fendzov, Ya.M. and Stogova, V.A. A note on the mechanism of conductivity in ferromagnetic and antiferromagnetic semiconductors, 2=23303
- Foll, G. Determination of the concentration profile of diffused films in silicon from measurements of the film conductivity, 2=2155
- Fshu-chao. See Gu Shu-chzhao.
- Fan Ting-hua. See Guan' Din-khua.
- Fbanksii, P.N. Heat transfer from a surface, with a resonator in the wall, to forced flow, 2=1290
- Fbanksii, P.N. Special cases of the acoustic streaming of heated solids, 2=5117
- Fbanksii, P.N. Heat transfer from a surface with a resonator in the wall, to forced flow, 2=7432
- Fbanksii, P.N. Acceleration of convective heat exchange by acoustic streaming, 2=22078
- Fbarev, S.I. Concerning the electronic spectra of complex molecules, 2=14261
- Fbarev, S.I. The influence of vibrations on the limiting polarization of the luminescence of complex molecules, 2=2007
- Fbátová, J. On the reproducibility of photoconductivity measurements in partly illuminated ZnS single crystals, 2=23476
- Fbin, R.F., Rabinovitch, B.S. and Harrington, R.E. Unimolecular decomposition of chemically activated sec-butyl and sec-butyl-d₁ radicals. The reaction of H and D atoms with transbutene-2 and butene-1, 2=21586
- Fbo, H. See Mitani, K., 2=205
- Fbo, I. Crystal growth of zinc-oxide by chemical reaction of zinc-fluoride with air, 2=4383
- Fbo, K. Radiation effects in LiF crystals, 2=2108
- Fbo, R. Electronic properties of small metallic particles, 2=14383
- Fbo, R. Electronic properties of metallic fine particles, 2=16627
- Fbo, R. Generalized cumulant expansion method, 2=19375
- Fbo, R. and Nakamura, H. Some notes on the effects of vector meson on the electromagnetic structure of nucleon, 2=9833
- Fbo, R. and Nakamura, H. On a model of nucleon structure and meson-nucleon interaction, III, 2=13781
- Fbo, R. See Miyake, S.J., 2=23250
- Fbo, U. and Inuishi, Y. Measurement of gaseous discharge plasma with microwave interferometer, I, 2=9600
- Fbo, U. See Matsuura, K., 2=23223
- Fbota, H. and Asakura, T. Optics in Japan: with special reference to the study of transfer function and its application in optical industries, 2=13429
- Fbota, K. Measurements of optical maser oscillation in ruby, 2=16021
- Fbota, K. and Hayashi, K. Observation of optical maser oscillation in ruby, 2=4126
- Fbota, S. Study of breakdown of gases by purely azimuthal electric fields, 2=22195
- Fbota, Y. and Wallace, W.E. Magnetic characteristics of hydrogenated holmium, 2=12736
- Fbyshkina, V.D. See Bulis, L.A., 2=18373
- Fchai, S.A. Double focusing a beam of charged particles in a wide interpolar gap, 2=1520
- Fchak, G.M. See Golik, A.Z., 2=7210
- Fcher, T.I. The characteristic frequencies of oscillation of silicon and diamond, 2=18517
- Fcher, T.I. The characteristic frequencies of oscillation of silicon and diamond, 2=20919
- Kucher, T.I. See Demidenko, Z.A., 2=3827
- Kucher, T.I. See Demidenko, Z.A., 2=12371
- Kucher, T.I. See Demidenko, Z.A., 2=14368
- Kucherenko, Ye.T. and Hroshev, I.M. Investigation of the energy spectrum of canal rays of anomalous increasing charge, 2=22275
- Kucherov, I.Ya., Zhmudskii, A.Z. and Shiyonovskii, V.I. Some features of the dark conductivity of CdS photoresistors, 2=21189
- Kucherov, I.Ya., Zhmudskii, A.Z. and Shiyonovskii, V.I. Some features of the dark conductivity of CdS photoresistors, 2=23456
- Kucherov, I.Ya. See Zhmudskii, O.Z., 2=5429
- Kucherov, R.Ya. See Kaganov, M.I., 2=11707
- Kucherov, Ya.M. The conversion of oxygen into carbon monoxide on the surface of incandescent tungsten, 2=8911
- Kucheryaev, V.A. See Egorov, Yu.A., 2=11838
- Kuchitsa, K. and Bartell, L.S. Effects of anharmonicity of molecular vibrations on the diffraction of electrons. II. Interpretation of experimental structural parameters, 2=1981
- Kuchitsa, K. and Bartell, L.S. Effect of anharmonic vibrations on the bond lengths of polyatomic molecules. I model of force field and application to water, 2=14243
- Kuchitsa, K. and Bartell, L.S. Effect of anharmonic vibrations on the bond lengths of polyatomic molecules. II. Cubic constants and equilibrium bond lengths of methane, 2=14244
- Kuchitsa, K. and Bartell, L.S. Study of anharmonic vibrations of polyatomic molecules by gas electron diffraction, 2=22959
- Kuchitsu, K. See Bartell, L.S., 2=20770
- Kuchitsu, K. See Bartell, L.S., 2=22960
- Kuchitsu, K. See Morino, Y., 2=10266
- Kuchitsu, K. See Morino, Y., 2=10267
- Küchle, M. Measurements of the temperature dependence of thermal neutron diffusion parameters in water and Dowtherm A, 2=3347
- Kuchmin, O.I., Malkova, L.V. and Sokolova, L.A. A two-tube acoustic gas analyzer, 2=4573
- Kuchowicz, B. A simplified method of obtaining the infinitesimal operators of the homogeneous Lorentz group. I. Physical foundations, 2=15444
- Kuckelt, G. See Kohl, G., 2=1828
- Kuckes, A.F. Convective plasma instability, 2=7600
- Kuckuck, H. See Czulijs, W., 2=16093
- Küçük, M. An investigation on high frequency ion source efficiency, 2=15963
- Kuczynski, G.C. See Ichinose, H., 2=8872
- Kudashev, V.I. See Kazachinskii, Ya.Z., 2=17508
- Kuder, M.L. Electronic scanning microscope for a spectrographic plate comparator, 2=5164
- Kudinov, E.K. and Pavlov, S.T. One-particle excitations in a non-degenerate electron gas, 2=14420
- Kudman, I. and Seidel, T. Absorption edge in degenerate p-type GaAs, 2=8528
- Kudo, K. Plane grating monochromators of Ebert, Pfund and Czerny-Turner types, 2=2885
- Kudo, K. Plane grating monochromator of Littrow type, 2=2886
- Kudryashov, P.I. See Kiyanskaya, L.A., 2=16866
- Kudryashov, P.I. See Kiyanskaya, L.A., 2=19567
- Kudryavtsev, E.V. and Shumakov, N.V. The effect of dimensions and material of a solid body are the process of non-stationary heat transfer, 2=2908
- Kudryavtsev, Yu.P. See Myl'nikov, V.S., 2=23371
- Kudryavtseva, A. See Dzhelepov, B.S., 2=5865
- Kudryavtseva, A.V. See Dzhelepov, B.S., 2=5867
- Kudzin, A.Yu. Influence of additions of nickel on the properties of barium titanate single crystals, 2=18774
- Kudzin, A.Yu. Influence of additions of nickel on the properties of barium titanate single crystals, 2=23504
- Kudzin, A.Yu. and Shapovalov, V. Effect of heating on the polarization of barium titanate monocrystals, 2=16788
- Kudzin, A.Yu. and Shapovalov, V. Effect of heating on the polarization of barium titanate monocrystals, 2=18773
- Kuebler, N.A. and Nelson, L.S. Radiant energies and irradiances of capacitor discharge lamps, 2=108
- Kuebler, N.A. See Kay, J.G., 2=15652
- Kuebler, N.A. See Nelson, L.S., 2=17088
- Kuehl, H.H. Electromagnetic radiation from an electric dipole in a cold anisotropic plasma, 2=22326
- Kuehner, J.A. Spin and parity assignments to the 5.63 MeV and 5.80 MeV levels of Ne²⁰, 2=1807
- Kuehner, J.A. Spin and parity assignments to the 5.63 MeV and 5.80 MeV levels of Ne²⁰, 2=7932
- Kuehner, J.A. and Almqvist, E. De-excitation branching and radiative widths of 5-63 and 5-80 MeV levels of Ne²⁰, 2=1813
- Kuehner, J.A. See Almqvist, E., 2=1809
- Kuehner, J.A. See Almqvist, E., 2=17906
- Kuehner, J.A. See Litherland, A.E., 2=1812

- Kttemmel, F. Thermodynamic phase changes in an isothermal argon plasma, 2=11637
- Kuenz, C. See Raw, C.J.G., 2=1980
- Kuffner, R.J. The measurement of dynamic surface tensions of solutions of slowly diffusing molecules by the maximum bubble pressure method, 2=1123
- Kuhk, E. See Thiessen, P.A., 2=5292
- Kuhl, W. See Kath, U., 2=82
- Kuhlmann-Wilsdorf, D. Some theoretical considerations on the geometry of low-angle dislocation boundaries, 2=6355
- Kuhlmann-Wilsdorf, D. and Raghavan, K.S. New tensile testing machine for thin specimens, 2=19509
- Kuhlmann-Wilsdorf, D. See Wilsdorf, H.G.F., 2=12488
- Kuhn, H. See Huber, W., 2=18441
- Kuhn, H. See Seelig, F.F., 2=18442
- Kuhn, H. See Zwick, M.M., 2=18872
- Kuhn, H.A., Hughes, W.F. and Gaylord, E.W. Measurements of the viscosity of liquid Wood's metal, 2=21889
- Kuhn, U. Field strength increases and thunderstorms over decimetre distances without an optical path, 2=17969
- Kühn, W. On X-ray fluorescent spectroscopy with radio active isotopes, 2=11002
- Kuhn, W., Block, R. and Moser, P. Ice crystals grown in the freezing of gels, 2=10790
- Kuhn, W. and Thürk, M. The bending of elastic rods through thermal agitation. (The statistical shape of straight fibres, bent by external forces), 2=2663
- Kühne, K. See Görlisch, P., 2=2264
- Kuhnies, R. and Schaaffs, W. Dependence of the acoustic characteristics of aqueous solutions on the temperature in the region of intersection, 2=19559
- Kuhnies, R. See Schaaffs, W., 2=19648
- Kuhns, P.W. Microwave measurements of steady-state and decaying plasmas, 2=22229
- Kuik-Van Meerten, E. Van. See Van Kuik-Van Meerten E.
- Kulper, H. Measurement of the hyperfine structure splitting of the metastable 3P_2 state of Kr^{83} by the atomic beam [magnetic] resonance method, 2=1957
- Kujawa, R.v. See v.Kujawa, R.
- Kujawski, A. Reciprocity theorems and Babinet's principle in Kirchhoff's theory of the diffraction of electromagnetic waves, 2=20150
- Kukavadze, G.M., Ivanov, R.N. and Zhuravleva, V.G. Production of layers on high melting point materials in vacuum, 2=8885
- Kukhevich, V.I. and Shemetenko, B.P. The spatial distribution for the multiple scattering of γ -rays in water from collimated Au^{198} , Co^{60} and Na^{24} sources, 2=11919
- Kukhtevich, V.I., Tsylin, S.G. and Shemetenko, B.P. The angular distribution of the scattered gamma radiation from a Co^{60} source in water, 2=1674
- Kukhtevich, V.I. See Belov, S.P., 2=1692
- Kukin, V.D. and Frenkin, A.R. The construction of the scattering matrix in nonlocal theory, 2=3275
- Kukk, M. See Sundheim, B.R., 2=15594
- Kukol', V.V. The unsoundness of the method and the results obtained in investigating the substructure of crystals by the Fourier analysis of one diffraction line, 2=19072
- Kukurezyanu, I. See Agyrbichanu, I., 2=14220
- Kukurs, O. and Gofman, B. Floating device for the exact determination of tensile strength of spun glass, 2=19498
- Kukush, V.D. See Valitov, R.A., 2=17951
- Kukushkin, L.S. and Nagornaya, I.L. Some concentration effects in plastic scintillators, 2=6638
- Kulakov, B.A. See Vovenko, A.S., 2=13855
- Kulakov, V.M. See Baranov, S.A., 2=3500
- Kulakov, V.M. See Baranov, S.A., 2=3501
- Kulakov, V.M. See Baranov, S.A., 2=14018
- Kul'chitskii, L.A. See Presperin, V., 2=422
- Kul'chitskii, L.A. See Presperin, V., 2=22792
- Kul'chitskii, L.A. See Volkov, Yu.M., 2=7967
- Kulchitsky, L.A. See Chizhov, V.P., 2=16389
- Kulenkampff, H. See Felbinger, K., 2=3309
- Kuleshova, K.F. The fine structure of the spot-formation zones, 2=24112
- Kul'gavchuk, V.M. See Protopopov, N.A., 2=5205
- Kul'gavchuk, V.M. See Protopopov, N.A., 2=9457
- Kul'gavchuk, V.M. See Protopopov, N.A., 2=9458
- Kuliev, A.A. See Ibragimov, N.I., 2=18611
- Kuliev, A.A. See Movlanov, Sh., 2=18610
- Kuliev, A.A. See Shilkin, A.I., 2=21484
- Kuliev, A.A. See Tagirov, V.I., 2=2356
- Kuliev, A.A. See Tagirov, V.I., 2=6770
- Kuliev, A.A. See Tagirov, V.I., 2=12460
- Kuliev, A.A. See Tagirov, V.I., 2=14465
- Kulik, I.O. Some features of collective energy losses in an anisotropic plasma, 2=9608
- Kulik, I.O. See Belozorov, D.P., 2=3911
- Kulikov, A.V. See Chizhov, V.P., 2=16389
- Kulikov, A.V. See Volkov, Yu.M., 2=7968
- Kulikov, G.V. See Vernov, S.N., 2=20462
- Kulikov, O.F. and Shoshin, P.B. An experimental investigation of the size of an electron bunch during a special mode of operation of a synchrotron, 2=17916
- Kulikov, O.F. See Korolev, F.A., 2=212
- Kulikovskii, A.G. and Lyubimov, G.A. On the structure of an inclined magnetohydro-dynamic shock wave, 2=16003
- Kulp, B.A. Displacement of the cadmium atom in single crystal Cd by electron bombardment, 2=8574
- Kulp, B.A. See Schulze, R.G., 2=14549
- Kulsrud, R. On the necessity of the energy principle of Kruskal and Oberman for stability, 2=5458
- Kulsrud, R.M. See Bernstein, I.B., 2=5362
- Kulygin, Yu. F. See Bolotin, L.I., 2=16439
- Kulyukin, M.M. See Falomkin, I.V., 2=20381
- Kulyukin, M.M. See Zaimidoroga, O.A., 2=3369
- Kulyupin, Yu.A. See Grigor'ev, N.N., 2=729
- Kulyupin, Yu.A. See Grigor'ev, N.N., 2=14755
- Kulyupin, Yu.A. See Yatsenko, A.F., 2=16824
- Kulyupin, Yu.A. See Yatsenko, A.F., 2=18828
- Kumabe, I. See Kimura, K., 2=5898
- Kumabe, I. See Kimura, K., 2=15970
- Kumabe, I. See Ogata, H., 2=10099
- Kumagai, H. See Nishikawa, T., 2=229
- Kumagai, S. and Matsuo, M. A new type interferometer for measurement of wavelengths at e.h.f., 2=11819
- Kumagai, S., Nakanishi, Y. and Okamoto, N. The conversion efficiency of ferrite frequency doubler, 2=11788
- Kumamoto, J., Powers, J.C., Jr and Heller, W.R. Electrochromism (Stark effect) in solids due to isolated absorbing centers, 2=14
- Kumar, I.J. Heat flow induced in a hollow circular cylinder by a periodic surface source, 2=15782
- Kumar, R.C. Elastic proton-proton scattering at high energies. Interpretation of experimental results at 8.5 GeV, 2=9843
- Kumaraswamy, M.P. See Nagaraja, J.V., 2=5095
- Kumazawa, M. A note on the thermodynamic theory of nonhydrostatically stressed solids, 2=6721
- Kumazawa, M. See Imai, Y., 2=6842
- Kume, S. Variation of remanent magnetization of ferrimagnetic substances under hydrostatic pressures, 2=14808
- Kümmel, H. Ground state of a Fermi gas with hard-sphere interactions, 2=4964
- Kümmel, U. See Böer, K.W., 2=2158
- Kümmel, U. See Böer, K.W., 2=4100
- Kümmel, U. See Böer, K.W., 2=6464
- Kümmel, U. See Boer, K.W., 2=10561
- Kummer, W. Relativistic Lee model and the interaction representation, 2=22406
- Kummer, W. See Freund, P.G.O., 2=13793
- Kummerer, K. Determination of the D_2O content in heavy water by the float method, 2=19183
- Kumpf, G. See Donets, E.D., 2=22855
- Kundt, U. See Grote, C., 2=16222
- Kundt, U. See Grote, C., 2=16223
- Kundt, U. See Grote, C., 2=16224
- Kundt, W. and Thompson, A. Weyl tensor and an associated shear-free geodesic congruence, 2=17352
- Kundt, W. See Jordan, P., 2=7127
- Kundt, W. See Jordan, P., 2=7129
- Kundu, M.R. Bursts of centimeter-wave emission and the region of origin of X-rays from solar flares, 2=7007
- Kundu, M.R. The nature of type IV solar radio bursts, 2=13160
- Kundu, M.R. Some relations between centimeter-wave radio bursts and solar cosmic rays and X-rays, 2=13166
- Kunenkov, S.I. Effect of high pressures on the formation of crystalline phosphors and their properties, 2=21271
- Kunin, N.F., Afanas'eva, L.I. and Kozlova, S.S. Dynamic effect of induced thermal stress at different deformation temperatures, 2=21426
- Kunin, R. and McGarvey, F.X. Ion exchange, 2=17079
- Kunin, V.Ya., Fomenko, L.N. and Tsikin, A.N. Changes in the electrical conductivity and electric potential distribution in a rutile ceramic during its ageing, 2=18647
- Kunin, V.Ya., Fomenko, L.N. and Tsikin, A.N. Changes in the electrical conductivity and electric potential distribution in a rutile ceramic during its ageing, 2=21209
- Kunitomi, N. See Hamaguchi, Y., 2=12497
- Kunkel, W.B. Remarks on magnetoacoustic waves, 2=20122

- mann, W., Wold, A. and Banks, E. Cobalt ferrite crystal growth from the ternary flux system $\text{Na}_2\text{O}-\text{CoO}-\text{Fe}_2\text{O}_3$, 2=12744
- ee, P.K. See Balasubrahmanyam, V.K., 2=20448
- ze, M. See Daniel, H., 2=3525
- n, V.Ya. See Koikov, S.N., 2=21215
- , C. Angular distribution of the characteristic energy loss of electrons measured for the 15 eV Al-loss and the 17 eV Si-loss, 2=2074
- , C. Angular dependence of the characteristic energy losses in Al, Si and Ag, 2=8198
- , C. and Raether, H. Layer thickness dependence of characteristic energy loss, measured on Al and Ag, 2=10365
- , W.E. See Sirkis, M.D., 2=1590
- ee, I. The absorption spectrum of AgBr with added bivalent anions, 2=2228
- ler, J.E. Superconducting in high magnetic fields at high densities, 2=5231
- ler, J.E. Superconducting materials and high magnetic fields, 2=13628
- ler, J.E. See Klauder, J.R., 2=583
- ler, J.E. See Morin, F.J., 2=11570
- mann, R. See Mootz, D., 2=23848
- , C.S. Reactor-calculation short cuts. Maximum temperature in nuclear fuel, 2=3646
- H.L. Convection in conditionally unstable atmosphere, 2=8959
- H.L. On the controlling influences of eddy diffusion of thermal convection, 2=15184
- L.G., Petrávič, M. and Turko, B. A dE/dx --E counter telescope for charged particles produced in reactions with 14 MeV neutrons, 2=3200
- L.G. See Ilakovac, K., 2=1689
- L.G. See Ilakovac, K., 2=1729
- L.G. See Ilakovac, K., 2=1900
- L.G. See Ilakovac, K., 2=1728
- T.-S. See Wu, F.-Y., 2=20361
- rov, L.N. Signal tracking of Sputnik III on Cape Chelyuskin, 2=9125
- erman, A. and Belford, G.G. Diffusion kinetics in radiation chemistry. I. Generalized formulation and criticism of diffusion model, 2=8932
- erman, A. and Belford, G.G. Diffusion kinetics in radiation chemistry. II. One-radical-one-solute model; calculations, 2=8933
- evich, N.F. See Derviz, T.E., 2=958
- evich, V.V. See Vasil'eva, M.A., 2=21280
- riyanova, K.P. See Dzehepev, B.S., 2=14026
- stov, A.B. See Ignatenko, A.E., 2=14232
- stov, A.V. See Egorov, L.B., 2=22548
- lova, A.V. See Volkova, L.M., 2=16479
- panov, O.M. See Lomize, L.G., 2=11780
- patov, B.L. and Vilesov, F.I. Distribution of electrons by kinetic energy for the external photo-effect with coatings of dyes, 2=5371
- patov, B.L. and Vilesov, F.I. Distribution of electrons by kinetic energy for the external photo effect with coatings of dyes, 2=11695
- patov, B.L., Vilesov, F.O. and Terenin, A.N., Distribution of electrons with respect to their kinetic energy values on photo-ionization of the methyl derivatives of benzene, 2=9527
- patov, L.N. See Galkin, L.N., 2=21266
- chatov, I.V. Certain results obtained in research on controlled thermonuclear reactions in the U.S.S.R., 2=8053
- iyumov, G.V., Lobodyuk, V.A. and Khandros, L.G. The form of martensitic crystals and the orientation of the interphase boundaries in Cu-Al-Ni alloy, 2=2396
- iyumov, G.V. See Arbuzova, I.A., 2=23824
- iyumov, G.V. See Il'ina, V.A., 2=23931
- iyumov, G.V. See Kardonskii, V.M., 2=23790
- iyumov, G.V. See Kardonskii, V.M., 2=23791
- iyumov, G.V. See Kardonskii, V.M., 2=8740
- iyumov, G.V. See Kardonskii, V.M., 2=8741
- iyumov, V.G. See Kardonskii, V.M., 2=8740
- iyumov, V.G. See Kardonskii, V.M., 2=23790
- pa, M. See Ajdačić, V., 2=12263
- pin, A.B. and Maduev, V.L. Low pressure proportional counters, 2=22355
- pin, A.B. See Komarov, V.V., 2=18343
- , Z. See Ueda, H., 2=7232
- acose, J.C. See Nagarjunan, T.S., 2=8916
- ko, V.I. Reflection of electromagnetic waves from a plasma moving in a slow waveguide, 2=9591
- ko, V.I. See Fainberg, Ya.B. 2=11647
- ta, Y. Electron spin resonance in a gamma-irradiated single crystal of diglycolic acid monohydrate, 2=6689
- tsyn, V.N. The solution of the "key" problem of diffraction on an ideally conducting strip, 2=17958
- tsyn, V.N. See Grinberg, G.A., 2=9712
- Kuriyama, M. and Hosoya, S., X-ray measurement of scattering factors of manganese and oxygen atoms in manganous oxide, 2=17017
- Kurkin, V.P. Sound generated by a gas-jet siren, 2=15682
- Kurki-Suonio, K., Non-approximate analysis of experimental structure amplitudes. I. Method, 2=17012
- Kurki-Suonio, K. Non-approximate analysis of experimental structure amplitudes II. The "correct model" for sodium nitrate, 2=23851
- Kurlandzki, J., The reduction of initial-boundary-value of elasticity to Fredholm integral equation of the second kind, 2=17527
- Kurlina, E.V. See Sheftel', I.T., 2=8370
- Kurlina, E.V. See Sheftel', I.T., 2=8371
- Kurnosova, L.V., Kolobyanina, T.N., Logachev, V.I., Razorenov, L.A., Sirotkin, I.A. and Fradkin, M.I. Discovery of anomalous radiation above the southern part of the Atlantic Ocean at altitudes of 310-340 km, 2=11085
- Kurnosova, L.V., Kolobyanina, T.N., Logachev, V.I., Razorenov, L.A., Sirotkin, I.A. and Fradkin, M.I. Discovery of anomalous radiation above the southern part of the Atlantic Ocean at altitudes of 310-340 km, 2=21674
- Kurnosova, L.V., Logachev, V.I., Razorenov, L.A., and Fradkin, M.I. Investigation of cosmic rays during the flight of the second space rocket to the moon, 2=9947
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. Short-term increases in the intensity of the nuclear component of cosmic rays associated with solar activity, 2=7917
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. A study of the nuclear component of cosmic rays from the third space rocket, 2=9948
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. Heavy nuclei in primary cosmic rays, 2=12090
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. Short-term increases of the cosmic-ray nuclei intensity associated with the solar activity, 2=16273
- Kurnosova, L.V., Razorenov, L.A. and Fradkin, M.I. A study of the nuclear component of cosmic rays from the third space rocket, 2=20475
- Kurnosova, L.V. See Dragun, G.S. 2=17314
- Kurnosova, L.Y. See Ginzburg, V.L., 2=15166
- Kurnosova, L.V. See Ginzburg, V.L. 2=19249
- Kurnosova, L.V. See Veprik, Ya.M., 2=19360
- Kuroda, H., Kobayashi, M., Kinoshita, M. and Takemoto, S. Semi-conductive properties of tetracyanoethylene complexes and their absorption spectra, 2=4040
- Kuroda, K., Kuroda, T., Mutsuro, N., Tohei, T. and Kimura, M. Longitudinal polarization of monochromatized beta rays from the decay of Y^{90} , 2=3517
- Kuroda, K. See Caverzasio, C., 2=291
- Kuroda, P.K., Hodges, H.L., Fry, L.M. and Moore, H.E., Stratospheric residence time of strontium-90, 2=21639
- Kuroda, P.K. and Menon, M.P. Determination of trace quantities of fission products in nonirradiated natural and depleted uranium salts, 2=5987
- Kuroda, S.T. On a paper of Green and Lanford, 2=22425
- Kuroiwa, D. A study of ice sintering, 2=2360
- Kurono, H. See Komatsubara, K., 2=16699
- Kurono, H. See Komatsubara, K., 2=16706
- Kurosawa, T. Vacancy pairs and dislocations in ionic crystals, 2=3897
- Kurov, G.A. Producing of thin alloy specimens of varying composition, 2=1216
- Kurov, G.A. The mechanism of growth of a monocrystal of germanium from a molecular beam, 2=2355
- Kurov, G.A. Growth of germanium layers from the gaseous phase, 2=10792
- Kurov, G.A. The problem of growth mechanism of germanium layers, 2=21491
- Kurov, G.A., Vasil'ev, V.D. and Kosaganova, M.G. The conditions for the growth of germanium crystals in thin layers [films], 2=8791
- Kurov, G.A., Vasil'ev, V.D. and Kosaganova, M.G. The conditions for the growth of germanium crystals in thin layers [films], 2=10797
- Kurov, I.E. and Stepanov, V.A. Long-terms strength of metals under torsion, 2=12862
- Kurov, I.E. and Stepanov, V.A. Long term strength of metals under torsion, 2=14900
- Kurova, I.A., Kalashnikov, S.G. and Tyapkina, N.D., Kinetics of the impurity photoconductivity of n-type germanium containing gold, 2=21194
- Kurova, I.A. See Il'ina, M.A., 2=634
- Kurova, I.A. See Il'ina, M.A., 2=23346
- Kuroyanagi, T. Decay of As^{79} , 2=3505
- Kuroyanagi, T. Decay of Sr^{83} , 2=3513
- Kuroyanagi, T., Yuta, H., Takahashi, K. and Morinaga, H. New activities in rare earth region produced by the (γ, p) reactions, 2=5844

- Kuroyanagi, J. Change in modulus of rigidity of brass wires containing small amounts of zinc with cold-working, 2=18978
- Kursanova, N.S. See Abdreeshchev, E.A., 2=23610
- Kurshin, L.M., On the stability of pivots and plates during creep, 2=1098
- Kurshin, L.M. On the stability of pivots and plates during creep, 2=7151
- Kurşunoğlu, B. Brownian motion in a magnetic field, 2=7591
- Kurşunoğlu, B., Relativistic plasma, 2=17851
- Kurt, P.G. and Moroz, V.I. Potential of a metal sphere in interplanetary space, 2=17315
- Kurt, V.G. An investigation of the spectrum of the solar corona in the region of wavelengths 78000–12000 Å obtained during the total solar eclipse of February 15, 1961, 2=24121
- Kurt, V.G. and Moroz, V.I. Potential of a metal sphere in interplanetary space, 2=11196
- Kurt, V.G. See Gringauz, K.I., 2=918
- Kurt, V.G. See Gringauz, K.I., 2=9030
- Kurt, V.G. See Shklovskii, I.S., 2=919
- Kurth, R. Criticism of the dynamic mass-estimation of globular clusters, 2=7019
- Kurth, R. On the foundations of celestial mechanics, 2=24074
- Kurtmullaev, R.Kh. See Brandt, A.A., 2=01382
- Kurtz, R.J. Cathodoluminescent characteristics of Mn-activated KMgF_3 , 2=8587
- Kurtze, G. Relaxation sound attenuator, 2=83
- Kurylenko, C. Technique for obtaining absorption and emission spectra of X-rays. III. Emission of characteristic lines. IV. Qualitative and quantitative analysis by X-rays, 2=8939
- Kurylenko, C., L-absorption spectrum of silver, 2=21257
- Kurylko, V.I. and Miroschnychenko, V.I., Reflection of electromagnetic waves by a plasma, 2=11790
- Kuryshv, V.S. See Vladimirskii, V.V., 2=20081
- Kusaka, R. See Itoh, J., 2=10719
- Kuščer, I. See Kladnik, R., 2=5661
- Kuščer, I. See Kladnik, R., 2=16201
- Kusch, W. See Yeffseyev, W.S., 2=14122
- Kuschel, G. See Kleint, C., 2=15959
- Kuse, D. See Hellwege, K.H., 2=12605
- Kush, V.Z. See Evseev, V.S., 2=7872
- Kush, V.Z. See Evseev, V.S., 2=22832
- Kushida, T. Silver, A.H., Koi, Y. and Tsuijimura, A. Nuclear resonance in ferromagnetic alloys, 2=12644
- Kushida, T. See Silver, A.H., 2=6700
- Kushnerevsky, J.A. See Boenkova, N.M., 2=15234
- Kushnir, F.F. See Spivak, G.V., 2=23910
- Kushnir, R.M. and Buchma, I.M. Further investigation of resonance charge exchange of positive cesium ions, 2=17789
- Kushnir, Yu. M. Soviet electron microscopes (review), 2=1507
- Kushnir, Yu. M. See Kabanov, A.N., 2=1513
- Kushnir, Yu. M. See Krasovskii, V.I., 2=9022
- Kushnir, Yu. M. See Krasovskii, V.I., 2=12088
- Kushnirenko, E.A. See Budagov, Yu. A., 2=16228
- Kushnirenko, E.A. See Džhelepov, V.P., 2=10231
- Kushnirenko, E.A. See Džhelepov, V.P., 2=14231
- Kushtan, V.I., Lomsadze, Yu. M. and Romanko, G.D. A principle of invariance under inversion for each constant in the theory and its consequences, 2=22380
- Kushwaha, R.S. See Anand, S.P.S., 2=4923
- Kushwaha, R.S. See Anand, S.P.S., 2=13249
- Kushwaha, R.S. See Anand, S.P.S., 2=15292
- Kushwaha, R.S. See Bhatia, P.K., 2=24138
- Kushwaha, R.S. See Bhatnagar, M.S., 2=9093
- Kushwaha, R.S. See Duorah, H.L., 2=9071
- Kushwaha, R.S. See Krishna Swamy, K.S., 2=9094
- Kushwaha, R.S. See Krishna Swamy, K.S., 2=15373
- Kushwaha, R.S. See Krishna Swamy, K.S., 2=15381
- Kuske, A. Agreement with theory in stress birefringence, 2=13464
- Kusmiss, J.H. See Stewart, A.T., 2=23118
- Kustaanheimo, P. The determination of an orbit from two observations, 2=4713
- Küster, R. Measurement of the Kerr effect of dipolar liquids under the action of impulses, 2=17656
- Kuster, R. See Machnig, O., 2=10173
- Kusterer, W. See Brackmann, J., 2=8637
- Küstters, H. and Ott, K. Monoenergetic treatment of neutron transport problems in fuel tests and Wigner-Seitz cells, 2=14169
- Kuszell, A. See Želazny, R., 2=3351
- Kuszell, A. See Želazny, R., 2=3352
- Kutasov, V.A. See Goletskaya, A.D., 2=4079
- Kutasov, V.A. See Goletskaya, A.D., 2=8449
- Kutateladze, S.S. Boiling heat transfer, 2=15812
- Kuthe, R. See Kroepelin, H., 2=5318
- Kutikov, I.E. See Apalin, V.F., 2=1941
- Kutikov, I.E. See Apalin, V.F., 2=20693
- Kutikov, I.E. See Spivak, P.E., 2=429
- Kutikov, I.E. See Spivak, P.E., 2=22799
- Kutikov, I.Ye. See Apalin, V.V., 2=11932
- Kutkin, I.A. See Finkel', V.M., 2=8747
- Kutkin, I.A. See Finkel', V.M., 2=12867
- Kutkin, I.A. See Finkel', V.M., 2=14907
- Kutkin, I.A. See Finkel', V.M., 2=19013
- Kutkin, I.A. See Finkel', V.M., 2=21445
- Kutkin, I.A. See Finkel', V.M., 2=23788
- Kutsaeva, L.S. See Kuz'minov, B.D., 2=8021
- Kuttruff, H. Remarks on the concept of the "mean free path" in room acoustics, 2=9354
- Kuttruff, H. Relation between sonoluminescence and cavitation-oscillations in liquids, 2=19571
- Kuttruff, H. and Plass, K. Sonoluminescence and bubble ultrasonic cavitation (30 kc/s.), 2=2725
- Kuttruff, H. and Rischbieter, F. Model research on the sound-reflection from perforated concave surfaces, 2=5114
- Kuttruff, H. See Meyer, E., 2=13421
- Kuttruff, K.H. See Schroeder, M.R., 2=2853
- Kutuzov, A.A. See Broder, D.L., 2=8045
- Kutuzov, A.A. See Broder, D.L., 2=14175
- Kutuzov, A.A. See Broder, D.L., 2=18091
- Kutuzov, A.A. See Broder, D.L., 2=20357
- Kuvshinskii, E. See Lebedev, G.A., 2=6847
- Kuvshinskii, E.V. See Lebedev, G.A., 2=8878
- Kuvshinskii, E.V. See Sidorovich, E.V., 2=8716
- Kuvshinskii, E.V. See Sidorovich, E.V., 2=10745
- Kuvshinskii, E.V. See Volodin, V.P., 2=21392
- Kuwabara, G. and Aoyagi, K. Photoconductivity of some alkali halide crystals in the fundamental absorption range, 2=8427
- Kuwabara, S. A new "Gegenfeld" filter for electron diffraction, 2=10819
- Kuwabara, S. See Cowley, J.M., 2=10819
- Kuwahara, K. See Goto, M., 2=8641
- Kuwahara, N., Kaneko, M., Miyake, Y. and Furuichi, J. On the internal rotation in polymer chains, 2=14249
- Kuwahara, N., Miyake, Y., Kaneko, M. and Furuichi, J. The second virial coefficients of polymer solutions, 2=19556
- Kuwana, T. See Piette, L.H., 2=18476
- Kuyama, T. and Suzuki, C. Refraction of sound by the sound channel in the ocean, 2=21617
- Kuzin, L.A. See Bannik, B.P., 2=3602
- Kuzin, L.A. See Dolgoshein, B.A., 2=3228
- Kuzin, N.N. See Vereshchagin, L.F., 2=618
- Kuzin, N.N. See Vereshchagin, L.F., 2=24233
- Kuz'ma, Yu. B. See Gladyshevskii, E.I., 2=4466
- Kuz'menko, P. P. Determination of the effective charge of impurities in a metal by the residual resistance, 2=6402
- Kuz'menko, P. P. Determining the change of ion in a solid pure metal by means of the electrical resistance of its thermal vacancies, 2=8206
- Kuz'menko, P. P. Determination of ion mobility in solid metals by the radioactive tracer method, 2=10406
- Kuz'menko, P. P. Mechanism of mobility and effective charges of ions in metals, 2=18609
- Kuz'menko, P. P. and Hrom, V. S. Electrical transport [diffusion] of gold in solid gold, 2=6365
- Kuz'menko, P. P. and Khar'kov, Ye. I. Determination of the degree of ionization of atoms in a crystal lattice using the method of electron transfer, 2=6246
- Kuz'menko, P. P., Khar'kov, Ye. I. and Grinevich, G. P. Diffusion and electrical transfer in Ag₃Zn alloy, 2=8247
- Kuz'menko, P. P. and Ostrov'skii, L. F. Electric transfer of slight and silver impurities in solid aluminium, 2=10416
- Kuz'menko, P. P. and Ostrovskii, L. F. Diffusion of silver in nickel, 2=18608
- Kuz'menko, P. P., Ostrovskii, L. F. and Koval'chuk, V. S. The mobility of Sb, Fe and Co in solid copper, 2=18597
- Kuz'menko, P. P. and Ostrovskii, L. F. Diffusion of silver in nickel, 2=23209
- Kuz'menko, P. P. and Suprunenko, P. A. Effective charges of Ni and in NiAl alloy, 2=8839
- Kuz'menko, P. P. See Gorid'ko, N. Ya., 2=8757
- Kuz'menko, P. P. See Gorid'ko, N. Ya., 2=14910
- Kuz'menko, P. P. See Khar'kov, Ye. I., 2=6374
- Kuz'min, A. D. Spectra of discrete sources of radio emission observed with the 22 metre radio telescope, 2=21738
- Kuz'min, A. D., Levchenko, M. T., Noskova, R. I. and Salomonovich, A. E. Observations of discrete radio sources on 9.6 cm, 2=1021

- min,A.D. and Salomonovich,A.E. Results of the observation of radio-emission of Venus in 1961, 2=17304
- min,A.D. and Salomonovich,A.E. Radio emissions from Venus in the 8 mm bandwidth, 2=1011
- min,A.D. and Salomonovich,A.E. 8 mm wavelength radio emission from the region of Taurus-A, 2=9115
- min,A.D.,Salomonovich,A.E. and Udalt'sov,V.A. The radio emission of the planetary nebulae NGC 6853 and NGC 7293, 2=1023
- min,A.D. See Karachun,A.M., 2=1017
- min,A.D. See Karachun,A.M., 2=1018
- min,A.D. See Kislyakov,A.G., 2=24171
- min,A.D. See Vitkevich,V.V., 2=9132
- min,R.N. and Zhuravlev,N.N. Revision of the phase diagram for the Bi-Rh system, 2=4448
- min,V.A. See Zatspein,G.T., 2=5774
- min,V.N. A method for studying elastic scattering at high energies, 2=247
- min,V.N. A method for studying elastic scattering at high energies, 2=22376
- minov,B.D.,Kutsaeva,L.S. and Bondarenko,I.I. Angular anisotropy and energy distribution of T^{232} fission fragments, 2=8021
- minskaya,S.B. See Likht,M.K., 2=7480
- minskaya,S.B. See Likht,M.K., 2=21552
- netsov,A.A. Force-free coils for magnetic fields, of infinite length, 2=11752
- netsov,A.B. and Mýznikov,K.P. Proton beam characteristics in a 10 GeV synchrophasotron, 2=20082
- netsov,A.S. See Akimov,Yu.K., 2=7542
- netsov,A.S. See Efimov,B.V., 2=18140
- netsov,A.V. and Terminasov,Yu.S. The correction for secondary extinction, 2=847
- netsov,A.V. and Terminasov,Yu.S. The theory of X-ray scattering by mosaic crystals, 2=2437
- netsov,A.V. and Terminasov,Yu.S. Line displacement caused by the finite size of the mosaic blocks, 2=4406
- netsov,A.V. and Terminasov,Yu.S. The role of secondary extinction. II, 2=19124
- netsov,A.Ya. See Krýzhanovskii,B.P., 2=23379
- netsov,B.S. See Biryukov,E.I., 2=405
- netsov,B.S. See Biryukov,E.I., 2=16371
- netsov,B.S. See Biryukov,E.I., 2=18299
- netsov,B.S. See Biryukov,E.I., 2=22762
- netsov,E.I. and Velikhov,E.P. International conference on plasma physics and controlled thermonuclear reactions, 2=15908
- netsov,E.P. See Bannik,B.P., 2=3602
- netsov,E.P. See Kotenko,L.P., 2=16232
- netsov,E.P. See Kuznetsov,E.V., 2=22637
- netsov,E.V.,Kuznetsov,E.P.,Shalamov,Ya.Ya. and Grashin,A.F. Experimental data on the existence of a resonance in the $K^0 \Lambda^0$ system at the energy of 1650 MeV, 2=22637
- netsov,E.V. and Timoshin,I.Ya. A xenon bubble chamber, 2=3226
- netsov,F.O.,Lebedev,N.N.,Model',I.Sh. and Tsukerman,V.A. The use of coaxial photocells for recording transient light phenomena, 2=21935
- netsov,N.I. See Shapiro,I.P., 2=16874
- netsov,V.D. and Gribanov,S.A. Low-temperature cyclic heat treatment of metals with hexagonal structure, 2=23776
- netsov,V.F. See Dulin,V.A., 2=18139
- netsov,V.G. Talks on the theory of relativity, 2=19
- netsov,V.N. See Pravdyuk,N.F., 2=18389
- netsov,V.N. See Pravdyuk,N.F., 2=23765
- netsov,Ye.P. See Kuznetsov,Ye.V., 2=22636
- netsov,Ye.V.,Shalamov,Ya.Ya.,Grashin,A.F. and Kuznetsov,Ye.P. Evidence for resonances in $K + Y (\Sigma, \Lambda)$ system at 1650 and 1920 MeV, 2=22636
- netsova,E.M. Electron scattering at a charged dislocation, 2=10453
- netsova,E.M. See Adirovich,E.I., 2=6435
- netsova,E.M. See Adirovich,E.I., 2=10455
- netsova,M.Ya.,Pokrovskii,V.N. and Rybakov,V.N. Investigation of the $A1^{27} (p, p\pi^+) Mg^{27}$ reaction, 2=16412
- netsova,M.Ya. See Zaitseva,N.G., 2=14001
- netsova,R.I. See Pines,B.Ya., 2=19108
- netsova,R.I. See Pines,B.Ya., 2=23916
- netsova,T.D. and Frank-Kamenetskii,D.A. Radiative thermal conductivity of completely ionized hydrogen plasma, 2=19932
- ovnikov,A.A. See Golovanivskii,K.S., 2=1408
- ovnikov,A.A. See Golovanivskii,K.S., 2=7578
- akov,Yu.Ya. See Shenyavskaya,E.A., 2=18459
- ratskheli,Yu.K. See Korolev,F.A., 2=109
- ov,V.A. See Bregadze,Iu.I., 2=18033
- ie,G. Relative population of $OH X^2 \Pi$ levels, 2=4663
- ie,G. Temperature measurements from OH bands [in atmosphere], 2=4664
- Kwak,N. See Kang,Y.W., 2=7909
- Kwan,S.H. See Hellwege,K.H., 2=16893
- Kwiek,M. See Karashewicz,E., 2=21985
- Kwoh-l Ai,D. Small perturbations in the unsteady flow of a rarified gas based on Grad's thirteen-moment approximation, 2=2736
- Kwok,J. and Robinson,G.W. Spectroscopy in liquid-rare-gas solvents. Infrared spectra of CH_4 in argon and of HCl in xenon, 2=17464
- Kyaémbre,Kh.F. See Belkind,A.I., 2=22250
- Kyame,J.J. See Carroll,P.J., Jr., 2=9200
- Kycia,T.F. See Baker,W.F., 2=20627
- Kycia,T.F. See Cool,R.L., 2=20430
- Kydd,P.H. Total scattering cross sections of H_2O and NH_3 , 2=23018
- Kyi,R. Paramagnetic resonance of Mo^{5+} in TiO_2 , 2=23704
- Kýmovs'ka,A.I. See Rybalka,V.V., 2=8344
- Kýnchev,P.I. Method of following the kinetics of a complex dielectric constant, 2=19879
- Kýnev,S. and Sheinkman,M.K. Influence of a strong electric field on kinetics of photoconductivity in CdS monocrystals, 2=10529
- Kyrala,A. An approach to the unification of classical quantum and relativistic formulations of electromagnetism and dynamics, 2=5435
- Kýtin,G.A. See Astrov,D.N., 2=18926
- Kytoniemi,T.K. A method for determining the resistivity of semiconductors with relatively high resistivity, 2=14514
- Kyu Shin Hyung. See Hyung Kyu Shin.
- Laakso,I. See Di Capua,E., 2=18039
- Laan,H.R. van der. See van der Laan,H.R.
- Laar,J.van. See van Laar,J.
- LaBate,E.E. See Crowell,C.R., 2=22251
- Labáu,V. See Nicolae,M., 2=17661
- Labbe,C. See Elston,J., 2=4337
- Laberrigue-Frolow,J. See Alitti,J., 2=16229
- Laberrigue-Frolow,J. See Alitti,J., 2=18156
- Labes,M.,Sehr,R. and Bose,M. Semiconductor properties of organic molecular complexes, 2=23305
- Labes,M.B. See Kronick,P.L., 2=14509
- Łabno,L.,Dąbek,W. and Byszewski,W. Neutron sensitive boron coated thermopile, 2=3362
- Łabno,L. See Býshevski,V., 2=3675
- Laborie,P. and Blanc,D. Practical consequences of the influence of the charging resistance on the "corona" effect in spark detectors of wire-plane type, 2=11825
- Laborie,P. See Blanc,D., 2=3199
- Laborie,P. See Blanc,D., 2=20187
- Labro,M. See van Isterbeek,A., 2=21291
- Labs,D. and Neckel,H. Absolute intensities in the visible part of the solar spectrum, 2=15333
- Labs,D. and Neckel,H. Absolute radiation intensity of the sun's centre in the spectral region $4010 \leq \lambda \leq 6569 \text{ Å}$, 2=21711
- Labuntsov,D.A. Critical thermal load in the boiling of subcooled water under non-stationary thermal conditions, 2=9455
- Lăbușcă,E. and Andreescu,N. Specific magnetic properties of ferrites used in automation, 2=10674
- Lăbușcă,E.,Andreescu,N. and Teodorescu,I. Electron microscope studies of the structure of ferrites with large permeability, and the study of the variation of certain specific properties, 2=23935
- Lăbușcă,E.,Teodorescu,I. and Mirion,I. The study of carbon black graphitization, 2=6763
- Labusch,R. "Activation length" for the thermal displacement of dislocations over obstacles on the slip plane, 2=10393
- Labzov,B.A. See Vladimírskii,K.V., 2=20170
- Labzov,B.A. See Vladimírskii,K.V., 2=5495
- LaCasce,E.O., Jr. Some notes on the reflection of sound from a rigid corrugated surface, 2=2835
- LaCasce,E.O., Jr.,McCombe,B.D. and Thomas,R.L. Measurements of sound reflection from a rigid corrugated surface, 2=2834
- LaCasce,E.O., Jr.,Stone,R.G. and Mintzer,D. Frequency dependence of acoustic fluctuations in a randomly inhomogeneous medium, 2=19652
- Lacasta,J. See Casas,J., 2=5145
- Lacasta,J. See Casas,J., 2=17586
- Lacaze,A. See Dreyfus,B., 2=2051
- Lacaze,A. See Dreyfus,B., 2=16614
- Lach,J. See Auerbach,L.B., 2=20393
- Lach,J. See Wiegand,C.E., 2=11962
- LaChapelle,E. See Giddings,J.C., 2=19194
- Lachinov,V.M. See Andreev,E.M., 2=18041
- Lachinov,V.M. See Andreev,E.M., 2=3229
- Lachkar,J. See Barjon,R., 2=11573
- Lachmann,K. See Gobrecht,H., 2=14736
- Lacina,J. On the calculation of the thermal utilization of neutrons in a plate lattice, 2=8028
- Lacina,J.L. See Scott,D.W., 2=3732

- Lackman, S.R. See Denney, J.M., 2=13195
 Lacombe, P. See André, J.P., 2=12856
 Lacombe, P. See Guiraldenq, P., 2=6368
 Lacombe, P. See Lemogne, A., 2=23756
 Lacombe, P. See Lloyd, L.T., 2=6325
 Lacomme, P. Deformed [optical] surfaces and field curvature, 2=5144
 Lacoste, F. and Bishop, G.R. Electron scattering on O^{16} and O^{18} , 2=435
 Lacoste, F. and Leiss, J. A fast scaler for pulsed accelerators, 2=2981
 Lacoste, R. and Rayward, J. Methods of determining the specific resistance of a surface, 2=9490
 Lacoste, R. See Blanc, D., 2=1346
 Lacoste, R. See Couget, A., 2=10552
 Lacoste, R. See Gautier, P., 2=11597
 Lacroix, R. Theory of the absorption spectrum of the gadolinium salts, 2=12593
 Lacroix, R. See Gainon, D., 2=12818
 Lacroix, R. See Germanier, A.M., 2=10700
 la Cuadra, M.de. See de la Cuadra, M.
 Łada, W. and Tomczak, Z. Measurement of the flux of thermal and fast neutrons in the EWA reactor, 2=14180
 Ladányi, K. Non-linear spinor theory of elementary particles, 2=1655
 Ladányi, K. Nonlinear spinor theory of elementary particles, 2=20243
 Lade, R.W. and Jordan, A.G. On the static characteristics of high-low junction devices, 2=21165
 Ladenbauer-Bellis, I.M., Preiss, I.L. and Anderson, C.E. Excitation functions for heavy-ion-induced reactions on aluminum-27, 2=3627
 Ladenbauer-Bellis, I.M. See Read, J.B.J., 2=20679
 Ladik, J. A note on the nucleic acid-protein coding problem, 2=10292
 Ladner, W.R. and Stacey, A.E. Measurement of moisture in a moving coal feed, 2=7089
 Ladonchamps, J.R.L.de. See de Ladonchamps, J.R.L.
 Laet, C.De. See De Laet, C.
 Lafferty, W.J. and Robinson, D.W. Far infrared spectra of solid methyl halides, 2=4150
 Laffitte, E., Mace, N. and Pujols, C. Study of transfer of excitation between fluorescent pigments in solid solution in perspex, 2=4164
 Laffitte, E., Mace, N. and Pujols, C. The polarization of the fluorescence and the form of the oscillator in the case of triphenylmethane dye derivatives, 2=6630
 Laffitte, P. Thermal geochronology, 2=12991
 Lafond, Y.G.de. See de Lafond, Y.G.
 La Forge, R.C. Spectrometer for the frequency range 100 to 300 Mc/s, 2=1610
 Lafoucrière, J. See Bastard, C., 2=5715
 Lagarde, D. and Lennuier, R. Observation of the dissymmetric broadening of the 2537 Å absorption line of the vapour of monobar mercury and low pressures, 2=5071
 Lagarrigue, A. See Aubert, B., 2=18187
 Lagarrigue, A. See Aubert, B., 2=22647
 Lagarrigue, A. See Bellini, G., 2=22573
 Lagarrigue, A. See Bloch, M., 2=1640
 Lagarrigue, A. See Di Corato, M., 2=22627
 Lagasse, J. See Blanc, D., 2=1346
 Lagasse, J. See Clot, J., 2=22154
 Lagerqvist, A. and Lazarova-Girsamof, V. Rotational analysis of the band systems BX and CX of $CuCl$, 2=1984
 Lagerqvist, A. and Miescher, E. Absorption spectrum of the NO molecule. II. New fine-structure analyses below 1600 Å, 2=10263
 Lagerqvist, A. See Barrow, R.F., 2=6145
 Lagerwall, T. Diffusion of argon-41 in calcium fluoride, 2=18596
 Lagnaux, J.B. See Jones, B.D., 2=16241
 Lagnaux, J.P. Interactions of 800 MeV/c K^- mesons in emulsion, 2=22631
 Lagnaux, J.P. See Jones, B.D., 2=22834
 LaGow, H.E. See Ainsworth, J.E., 2=2496
 LaGow, H.E. See Alexander, W.M., 2=6986
 Lagrange, J.M. See Basile, R., 2=20037
 Lagu, R.G. and Thosar, B.V. Fluorescence and scintillation spectra of CsI (Tl) crystal, 2=4171
 Lagutin, M.F. See Kashcheev, B.L., 2=4843
 Lahaye, E. and De Vuyst, A. Absolute measurement of the horizontal component of the earth's magnetic field with the Ad. Schmidt theodolite, 2=13065
 Lähtenkorva, E.E. Dynamical characteristics of rapid phase changes, 2=4451
 Lähtenkorva, E.E. Morphological observations of martensitic structures, 2=4468
 Laidler, J.B. See Watt, D.E., 2=10152
 Lainé, D.C. A proposal for a tunable source of radiation for the far infrared using beats between optical masers, 2=693
 Lainer, L.V. See Mil'vidskii, M.G., 2=803
 Lainer, L.V. See Mil'vidskii, M.G., 2=8755
 Lainer, L.V. See Mil'vidskii, M.G., 2=21028
 Laird, C. and Smith, G.C. Crack propagation in high stress fatigue, 2=23789
 Laisaar, A.I. See Kirs, Ya.Ya., 2=23588
 Lajzerowicz, J. Inequalities between structure factors, 2=12907
 Lakshmana Rao, S.K. Some special solutions in viscous fluid motion, 2=13310
 Lakshminarayana, V. See Rama Rao, J., 2=4431
 Lal, D. See Arnold, J.R., 2=2527
 Lal, K.B. Einstein's connections. II. Degenerate cases of the first class, 2=13257
 Lal, K.C. See Srivastava, H.N., 2=11381
 Lal, R.B. See Neogy, D., 2=11746
 Lal, S., Pal, Y. and Raghavan, R. Nuclear interactions at 20 to 150 G in carbon, 2=9890
 Lakevic, B. Carbon resistor as a bolometer for low power r.f. signals, 2=5469
 Lall, P.C. and Schecter, L. Gamma-gamma directional correlation Ti^{48} , 2=16332
 Lallemand, P. See Authier, A., 2=23147
 Lalos, G.T. Laboratory production of hot dense gases, 2=7235
 Lalos, G.T. and Hammond, G.L. Emission spectra of hot dense gases, 2=13450
 Laloux, R. See Dumont, S., 2=17271
 Lalovic, B. See Ajdacic, V., 2=12263
 Lam, D.J. See Van Oostenburg, D.O., 2=12836
 Lamain, H. See Brachet, C., 2=20140
 Lamb, E.F. and Tompkins, F.C. Semi-conductivity and thermoelectric power of cadmium oxide, 2=21150
 Lamb, W.A.S. Design features of a high-current pulsed electron accelerator, 2=11733
 Lambe, J. See Coles, B.R., 2=3998
 Lambe, J. See McIrvine, E.C., 2=13697
 Lambe, J. See Laurance, N., 2=14842
 Lambe, J. See Silver, A.H., 2=6700
 Lambeck, M. See Boersch, H., 2=6668
 Lambeck, M. See Boersch, H., 2=7378
 Lambert, C.A. See Porto, S.P.S., 2=18453
 Lambert, J.M., Madansky, L. and Owen, G.E. Deuteron polarization in Be^9 (p,d) Be^8 reaction, 2=1890
 Lambert, L.M. Growing heavily compensated germanium crystals of known impurity concentrations, 2=10791
 Lambert, M., Lefebvre, S. and Guinier, A. Study, by X-ray diffraction, defects formed in a single crystal of lithium fluoride irradiated by thermal neutrons at $-195^\circ C$, 2=20988
 Lambert, M. See Cohen-Ganouna, J., 2=442
 Lambert, M.L. See Levelut, A.M., 2=19122
 Lambert, R.F. See Holte, J.E., 2=15685
 Lambert, R.F. See Ziemer, R.F., 2=17547
 Lambert, R.H. and Pipkin, F.M. Hyperfine structure of atomic phosphorus, 2=22911
 Lambert, R.H. See Pipkin, F.M., 2=18407
 Lamden, R.J. A random pulse generator with provision for excursions, 2=5280
 Lamden, R.J. See Vincent, C.H., 2=10189
 Lameau, J. Cauchy's problem and propagation of discontinuity waves: the electromagnetic theory of Born-Infeld, 2=7133
 Lameau, J. The connection between electromagnetic field and induction in special relativity, 2=11256
 La Mer, V.K. and Aylmore, L.A.G. Evaporation resistance as a sensitive measure of the purity and molecular structure of monolayers, 2=13491
 Lami, H. See Pfeffer, G., 2=7357
 Lammernann, H. and Stapleton, H.J. Optical and paramagnetic resonance spectra of trivalent Pu^{3+} in the trichloride and ethylsulfate, 2=11756
 Lammernann, H. See Bonrath, H., 2=8580
 Lammernann, H. See Hellwege, K.H., 2=2241
 Lammernann, H. See Hellwege, K.H., 2=4156
 La Mori, P.N. See Kennedy, G.C., 2=10778
 Lamorte, M.F. Calculation of concentration profiles and surface concentration profiles and surface concentration from sheet-conductance measurements of diffused layers, 2=8279
 Lamorte, M.F. See Gobat, A.R., 2=11603
 Lampariello, G. Reflections on the electromagnetic universal constant γ , 2=11756
 Lampe, F.W. See Hoyland, J.R., 2=20850
 Lampert, M.A. Double injection in insulators, 2=4083
 Lampert, M.A. The role of injecting contacts in photoconductors, 2=21206
 Lampert, M.A. Injection currents in insulators, 2=21206
 Lampert, M.A. and Rose, A. Volume-controlled, two-carrier current in solids, 2=23228
 Lampert, J.E. and Petraitis, L.J. The University of Chicago measurements in space of cosmic rays at energies above 0.5 MeV, 2=57

- aster, G. and Schneider, E.E. Conduction electron resonance in semiconductors, 2=23706
 aster, J.K. The influence of the conditions of sliding on the wear of electrographitic brushes, 2=21451
 e, G.N. and Rogers, M.H. The axially symmetric flow of a viscous fluid between two infinite rotating disks, 2=4990
 sman, H. See Ambroz, B., 2=1821
 au, A. See Jaffe, J.H., 2=12320
 au, H.G. See Bonilla, C.F., 2=6004
 au, L. See Begun, G.M., 2=9526
 au, L. See Palko, A.A., 2=19137
 auer, R. Fluctuations in bistable tunnel diode circuits, 2=15871
 é, A. Interpretation of quantum physics, 2=15478
 le, K., Mann, A.K. and White, D.H. Triggered film advance system, 2=20191
 le, K. See Dobbs, J.M., 2=11995
 lecker, K. and Findlay, A.W. Study of the fast transient behaviour of peltier junctions, 2=16762
 der, J.J. and Morrison, J. Low voltage electron diffraction study of the oxidation and reduction of silicon, 2=15141
 der, J.J. and Morrison, J. Low-energy electron diffraction study of silicon surface structures, 2=19106
 der, J.J., Morrison, J. and Unterwald, F. Improved design and method of operation of low energy electron diffraction equipment, 2=19128
 dim, E., Hamburger, E.W. and Dietzsch, O. Efficiency of a long counter as a function of the direction and locus of incidence of the neutron, 2=18138
 dmark, B. See Aarons, J., 2=4618
 dovitz, L. and Marshall, L. Λ^0 magnetic moment in the Goldhaber model, 2=16246
 dovitz, L.F. See Goldberg, I., 2=5697
 dsberg, E.G. See Alexeeva, V.G., 2=8398
 dsberg, L.G. See Babae, A.I., 2=18147
 dsberg, P.T. On suggested simplifications of Carathéodory's thermodynamics, 2=1319
 dsberg, P.T. On a simple class of combinatorial problems, 2=13239
 dsberg, P.T. A note on logarithmic rate laws, 2=14891
 dsberg, P.T. and Evans, D.A. A unified statistical approach to recombination-generation noise in semiconductors, 2=8311
 dsberg, P.T. See Beattie, A.R., 2=23283
 dsberg, P.T. See Evans, D.A., 2=12509
 dshoff, P.V. and Treiman, S.B. Some experimental consequences of triangle singularities in production processes, 2=18068
 dshoff, P.V. See Fairlie, D.B., 2=19424
 dsman, A.P. See Vavilov, V.S., 2=11211
 dwehr, G. and Handler, P. Galvanomagnetic properties of grain boundaries in germanium bicrystals from 1.25 to 240°K, 2=18677
 dy, B. and Squires, E.J. The effect of correlations in nucleon-alpha scattering, 2=13788
 e, A.M. The role in nuclear physics of models and methods from atomic and molecular physics, 2=13939
 e, A.M. Isobaric spin dependence of the optical potential and quasi-elastic (p,n) reactions, 2=16285
 e, A.M. New term in the nuclear optical potential: implications for (p,n) mirror state reactions, 2=22810
 e, A.M. and Soper, J.M. Persistence of isobaric correspondence between nuclear states in mass regions where isotopic spin is not a good quantum number, 2=5789
 e, A.M. and Soper, J.M. Isotopic spin purity in heavy nuclei and its unimportance, 2=13967
 e, A.M. and Soper, J.M. The width of isobaric states observed in (p,n) reactions, 2=16295
 e, A.M. and Soper, J.M. Interpretation of groups observed in the neutron spectra of direct (p,n) reactions, 2=22809
 e, J.A. See Flavell, R.G., 2=5482
 e, J.W. See Dimeff, J., 2=19506
 e, R.O., Elwyn, A.J. and Langsdorf, A., Jr. Polarization and differential cross section for neutron scattering from silicon, 2=12198
 e, R.O. and Miller, W.F. Energy-dependent multiple scattering of neutrons in thin plates, 2=20343
 e, R.O. See Elwyn, A.J., 2=10101
 g, G. See Jha, S., 2=22744
 g, H.A. Two verifications of the Karal-Keller theory of wave propagation, 2=13407
 g, I.G. See Gurevich, V.L., 2=21235
 g, I.G. See Gurevich, V.L., 2=23542
 g, J., Müller, R. and Wölfl, W. Measurement of the polarization of photoneutrons from Be⁹, 2=5888
 g, J. See Bösch, R., 2=14074
 g, J. See Bösch, R., 2=20585
 g, J. See Bösch, R., 2=22782
 g, J. See Bösch, R., 2=22784
 Lang, J. See de Carvalho, H.G., 2=18367
 Lang, J. See Jarczyk, L., 2=5612
 Lang, J. See Jarczyk, L., 2=5939
 Lang, J. See Jarczyk, L., 2=7795
 Lang, J. See Jarczyk, L., 2=12212
 Lang, J. See Jarczyk, L.J., 2=3591
 Lang, P.M. Nucleonics data sheet No.44. Heat transfer. Calculating heat transfer across small gas-filled gaps, 2=5201
 Lang, R.J. Ultrasonic atomization of liquids, 2=2695
 Lang, R.P. See Tsubomura, H., 2=14674
 Lang, W. and Herrmann, R. Burner for flame photometric absorption measurements, 2=21601
 Lang, W. See Herrmann, R., 2=11003
 Langbein, D. Electrical conduction phenomena in anisotropic media. II. The electrical resistance of elliptically anisotropic models, 2=6403
 Langbein, D. Electric conduction phenomena in anisotropic media. III. Magnetolectric effects, 2=12492
 Langbein, D. Electric conduction phenomena in anisotropic media. IV. Further model for the electron-phonon interaction matrix element, 2=12493
 Langberg, E. See Baldwin, K.M., 2=4885
 Lange, E. Basic conceptions of electro-chemical kinetics, 2=12975
 Lange, E. Definitions of the diffusion layer and of passivity, 2=21590
 Lange, F. Investigation of superconducting Nb₃Sn preparations. III, 2=5239
 Lange, F. Investigations on superconducting Nb₃Sn specimens. IV, 2=11564
 Lange, F.K. A method for preparing a superconducting compound Nb₃Sn, 2=7514
 Lange, H. and Müller, E. Procedure to determine the constant and variable field magnetization of small samples. Investigations on the nickel-zinc ferrite system, 2=15981
 Lange, H. See Böer, K.W., 2=2158
 Lange, H. See Hellwege, K.H., 2=16893
 Lange, H. See In der Smitten, F.J., 2=12761
 Lange, P.W.de. See de Lange, P.W.
 Lange, W., Hässner, A. and Berthold, I. Measurement of volume self-diffusion in polycrystalline tin, 2=3947
 Lange, W. and Häussler, G. Measurements of the residual resistance ratio in pure copper, 2=18632
 Lange, W., Pippel, W. and Oppermann, H. Determination of the coefficient of self-diffusion of metal melts by radioactivity measurements during the diffusion process, 2=21900
 Langeland, T. See Holtsmark, T.W., 2=13452
 Langendorff, H. Contribution on the problem of radiation risk, 2=7051
 Langenecker, B. Work-softening of metal crystals by alternating the rate of glide strain, 2=2328
 Langenecker, B. Piezoelectric device for measuring dynamic and static forces, 2=2671
 Langer, D.W. Solidification of helium at 77°K, 2=9474
 Langer, G. Calculation of the resolving power of photographic films, 2=13465
 Langer, G., Radnik, J. and Templeton, L. Development of a simple, high-resolution mobility analyser for small, charged particles, 2=4570
 Langer, J.S. Evaluation of Kubo's formula for the impurity resistance of an interacting electron gas, 2=16636
 Langer, J.S. Thermal conductivity of a system of interacting electrons, 2=23091
 Langer, J.S. See Suhl, H., 2=19812
 Langer, L.M. See Hamilton, J.H., 2=20550
 Langer, L.M. See Howe, D.A., 2=22746
 Langer, R.E.[Ed]. Electromagnetic waves, 2=3150
 Langer, R.E.[Ed]. Electromagnetic waves, 2=9706
 Langevin, A. New method for the production of aqueous aerosol carriers of negative oxygen ions which permit the study of the action of large synthetic Langevin ions upon living beings, 2=15167
 Langevin-Joliot, H. See De Bouard, X., 2=438
 Langevin-Joliot, H. See De Bouard, X., 2=3566
 Langford, J.I. Counter diffractometer—the effect of axial divergence on the breadth of powder lines, 2=23932
 Langhoff, H., Kilian, P. and Flammersfeld, A. K/β^* ratio in the decay $I^{128} \rightarrow Te^{128}$, 2=1841
 Langhoff, H., Kilian, P. and Flammersfeld, A. Coefficients of internal pair formation in the γ -transitions $Co^{60} \rightarrow Ni^{60}$ and $Pr^{142} \rightarrow Nd^{142}$, 2=1850
 Langhoff, H. See Kilian, P., 2=18301
 Langill, F.E. See Hodgson, J.H., 2=21614
 Langill, F.E. See Hodgson, J.H., 2=23993
 Langille, R.C. D.R.B. topside sounder satellite, 2=13194
 Langkau, R., Neuert, H. and Walter, H. Particle discrimination with KI(Tl) scintillators, 2=20193

- Langkau, R. See Bormann, M., 2=467
 Langkau, R. See Bormann, M., 2=7993
 Langkau, R. See Bormann, M., 2=9739
 Langmann, H.J. Shielding against high energy neutrons from a relativistic synchrocyclotron, 2=7868
 Langner, G. See Klein, E., 2=17662
 Langsdorf, A., Jr. See Lane, R.O., 2=12198
 Langsdorf, A. See Bowen, P.H., 2=1691
 Langsdorf, A. See Bowen, P.H., 2=7987
 Langsdorf, A. See Bowen, P.H., 2=13810
 Langton, N.H. and Brown, P.P. The performance of a Geiger-Müller tube at low temperatures, 2=7786
 Langton, N.H. and Vaughan, P. Cavitation and the ultrasonic degradation of high polymers, 2=19558
 Laniece, B. See Colombani, A., 2=6415
 Laniece, B. See Goureaux, G., 2=14494
 Laniewski, D.D. See Green, J.R., 2=9957
 Laning, J.H., Jr. See Battin, R.H., 2=11183
 Lanius, K. See Grote, C., 2=16222
 Lanius, K. See Grote, C., 2=16223
 Lanius, K. See Grote, C., 2=16224
 Lanius, K. See Grote, C., 2=16225
 Lanius, K. See Hauser, I., 2=13715
 Lanius, K. See Hauser, I., 2=20210
 Lankard, J.R. See Sorokin, P.P., 2=16815
 Lankard, J.R. See Tittle, R.S., 2=23708
 Lannoy, F.G. and Nuyts, J. Some consequences of "conserved" and "partially conserved" currents, 2=22411
 Lanou, R.E., Jr. See Chretien, M., 2=22610
 Lansari, A. and Morucci, J.P. Gaseous amplification in a proportional counter, 2=20183
 Lanter, R.J. and Bannerman, D.E. A nearly-four-pi liquid scintillation counter for burst of fast neutrons, 2=18136
 Lantsburg, E.Ya. See Kompaneets, A.S., 2=2913
 Lantsburg, E.Ya. See Kompaneets, A.S., 2=19763
 Lantz, P.M. Thermal neutron capture cross-section and resonance capture integral of Ce^{144} , 2=18335
 Lanyon, H.P.D. See Spear, W.E., 2=2969
 Lanz, L. On the energy conservation for the motion of a radiating electron with particular reference to the hyperbolic motion, 2=7808
 Lanzel, E. See Balcarczyk, L., 2=20718
 Lanzel, F. Calculation of the surface of nuclear matter by means of special single-particle wave functions, 2=20493
 LaPadula, A.R. See Bartholomew, C.Y., 2=5323
 La Paglia, S.R. On the near ultraviolet absorption bands of nitric oxide solutions, 2=19561
 Laperashvili, L.V. and Matinyan, S.G. Single-meson contribution to the photoproduction of π^- -mesons on protons, 2=22564
 Lapeyre, R. Contribution to the study of the error in the numerical integration of paraxial trajectories in electron optics for systems of revolution, 2=3084
 Lapeyre, R. Majoration of the error in numerical integration of paraxial trajectories in the electron optics of systems of revolution by the Runge-Kutta method, 2=5382
 Lapeyre, R. Numerical determination of the axis-intersection points of magnetic axisymmetrical systems in electron optics, 2=22265
 Lapeyre, R. and Laudet, M. Investigation of the error due to imprecision in the data in the numerical integration of paraxial trajectories in electron optics, 2=3085
 Lapeyre, R. and Laudet, M. Choice of step in the numerical integration of trajectories in the electron optics of systems of revolution, 2=13597
 Lapique, G. See Blaquié, A., 2=1945
 Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. The role of the single-meson pole diagram in scattering of γ -quanta by protons, 2=271
 Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. The $K + N \rightarrow A(\Sigma) + \gamma$ process, 2=318
 Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. On scattering of γ -quanta by nucleons, 2=3300
 Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. The role of the single-meson pole diagram in scattering of γ -quanta by protons, 2=22468
 Lapidus, L.I. and Chzhou Guan-chzhao [Chou Kuang-chao]. The low energy limit of the γ -N scattering amplitude and crossing symmetry, 2=22470
 Lapin, A.D. Propagation of sound in a waveguide having side branch resonators, 2=2820
 Lapin, A.D. Sound propagation in a waveguide with side branches and volume resonators in the walls, 2=5106
 Lapin, A.D. Influence of motion of the medium on the propagation of sound in a waveguide with volume resonators in the walls, 2=15686
 Lapin, V.I. and Shats, S.Ya. A generator of nanosecond pulses of rectangular shape, 2=22145
 Lapin, Yu.V. Mass and heat transfer in turbulent compressible flow with the addition of foreign material, 2=19741
 Lapina, M.I. and Strakhov, V.N. New method of computing element the magnetic field in the upper halfspace according to an assigned (on surface) distribution of vertical component, 2=21675
 Lapinski, N.P. See Beyer, N.S., 2=5427
 Lapid, E.S. See Gorbacheva, N.A., 2=14713
 Lapkin, N.I. See Falaleev, G.A., 2=23674
 La Placa, S. and Post, B. The crystal structure of rhenium diboride, 2=10881
 La Pointe, M. See Gaebler, J., 2=12073
 Lapointe, S.M. and Rose, D.C. A statistical analysis of the barometric coefficients for cosmic-ray intensities, 2=16270
 Lapp, M. Shock-tube measurements of the f-number for the (0, 0) of the $OH^2 \Sigma \rightarrow ^2 \Pi$ transitions, 2=3754
 Lapp, P.A. and Kerr, H.S. Sunseeker for high-altitude infrared spectra, 2=9073
 Lappe, F. The energy of electron-positron pair formation by X-rays PbO , 2=2066
 Laptii, C.V. See Skubenko, A.F., 2=18786
 Lapworth, K.C. Stark broadening of the spectrum line 4603 Å of lithium, 2=1960
 Larbre, J. and Pons, L. On the phenomenon of the reduction of water produced by compounds with polar groups, 2=19019
 Larcher, G. See Thureau, P., 2=7436
 Lardner, R.W. Analyticity of the general unitarity term, 2=7824
 Lardner, R.W. The general unitarity term, 2=13719
 Larenz, R.W. See Hunger, K., 2=2875
 Large, L.N. and Whitlock, W.S. Secondary electron emission from clean metal surfaces bombarded by fast hydrogen ions, 2=307
 Large, M.I., Mathewson, D.S. and Haslam, C.G.T. A radio survey of galactic plane at a frequency of 408 Mc/s. I. The discrete sources, 2=4854
 Large, M.I., Mathewson, D.S. and Haslam, C.G.T. A radio survey of galactic plane at a frequency of 408 Mc/s. II. The continuum emission from the galactic disk, 2=4855
 Large, M.I. See Haslam, C.G.T., 2=24166
 Larichev, A.V., Osanov, D.P. and Popov, V.I. Spectral occupation of γ -radiation from homogeneous cylindrical sources, 2=22474
 Larikov, L.N. See Hertzriken, S.D., 2=8733
 Larikov, L.N. See Zasyrchuk, O.E., 2=19100
 Larikov, L.N. See Zasyrchuk, Ye.E., 2=8855
 Larionov, I.M. See Bronnikova, E.G., 2=17946
 Larionov, O.V. See Bashilov, A.A., 2=16413
 Larionov, O.V. See Berlovich, E.E., 2=18258
 Larionov, O.V. See Grigor'ev, E.P., 2=14012
 Larionov, O.V. See Grigor'ev, E.P., 2=14065
 Larionova, V.G. See Adamovich, M.I., 2=5713
 Larisse, J. and Braffort, P. Stochastic differential equations governing neutron density evolution in a multiplying medium, 2=3655
 Lark, N.L., Goudsmit, P.F.A., Jansen, J.F.W., Oberski, J.E.J. and Wapstra, A.H. Excited states of Ag^{107} , 2=16330
 Larkin, A.I. See Baz', A.I., 2=22589
 Larkin, A.I. See Gurevich, V.L., 2=11552
 Larkin, A.I. See Gurevich, V.L., 2=13502
 Larkin, A.I. See Vaks, V.G., 2=2952
 Larkin, A.I. See Vaks, V.G., 2=15498
 LaRocca, A.J. and Zissis, G.J. Spurious resolution in infrared scanners, 2=7458
 Larrabee, J.C. See Huffman, R.E., 2=16473
 Larrabee, R.D. and Steele, M.C. Magneto-surface properties of an electron-hole plasma in semiconductors, 2=23282
 Larrimore, J.A. See Mason, E.A., 2=6063
 Larsen, T. The E-field and H-field losses around antennas with a radial ground wire system, 2=16039
 Larsen, T. Numerical investigation of the equivalent impedance of a wire grid parallel to the interface between two media, 2=1605
 Larsen, T. A survey of the theory of wire grids, 2=17959
 Larsen, T. See Hansen, J., 2=16040
 Larsen, W.L. See Kirkpatrick, M.E., 2=21528
 Larsh, A. See Perlman, I., 2=18268
 Larson, E.A. See Griffiths, G.M., 2=9848
 Larson, H.V. See Myers, I.T., 2=3109
 Larssen, P. See Weinberg, I., 2=2298
 Larsson, E.L. See McCall, R.C., 2=7783
 Larsson, K.E. and Dahlborg, U. Some vibrational properties of solid and liquid H_2O and D_2O derived from differential cross-section measurements, 2=10321
 Larsson, K.E. See Holmryd, S., 2=5691
 Larsson, L.E. See Borelius, G., 2=2409
 Larsson, L.E. See Borelius, G., 2=10915
 La Rubia, J. De. See De La Rubia, J.

- issa, J. See Shenker, M., 2-17596
 k, A. See Cloupeau, M., 2-7245
 karev, V.E. The kinetics of the "quasi-monopolar" photoconductivity in semiconductors, 2-10525
 karev, V.E., Sal'kov, E.A. and Sheinkman, M.K. Investigation of photoactivation of the photo-current yield in CdS mono-crystals, 2-10526
 uk, A.I. See Androsenko, A.L., 2-1898
 uk, A.I. See Broder, D.L., 2-8045
 ar, A. A study of diffusion through dislocations, 2-14457
 ar, W. Few-nucleon reactions with central forces, 2-1859
 ar, W. Few-nucleon reactions with central forces, 2-9933
 ar, W. See Alexander, G., 2-3411
 arev, V.E. A study on the mechanisms of photoconductivity in semiconductors, 2-23460
 o, W.R. and Tice, W.K. An electron optical study of the effect of temperature and environment on the growth of oxide whiskers on cold-rolled and annealed copper, 2-10803
 o, W.R. and Tice, W.K. Electron microscope investigation of extinction line contours in copper oxide whiskers, 2-14960
 ett, L.J. and Sessler, A.M. Coupling resonances in spiral-sector accelerators, 2-1542
 ett, L.J. See Daniel, H., 2-3317
 en, K. Diurnal variation of high-latitude auroral frequency on magnetically quiet and disturbed days, 2-2512
 en, N.O. Angular distribution of carbon nuclei from α -induced fission of neon 20, 2-14153
 en, N.O. Resonances in the α -induced fission of neon 20, 2-16444
 en, N.O. See Bryde, L., 2-14136
 ila, K.E., Hull, M.H., Jr., Ruppel, H.M., McDonald, F.A. and Breit, G. Note on a nucleon-nucleon potential, 2-11895
 er, H., Lenchek, A.M. and Singer, S.F. Forbush decreases produced by diffusive deceleration mechanism in interplanetary space, 2-22690
 er, H. See Singer, S.F., 2-12058
 er, S.J. See Gilbert, F., 2-11441
 er, S.J. See Gilbert, F., 2-11443
 sa, F.G. Thermonuclear reactors, 2-10191
 am, J. The generation of electricity in thunderstorms, 2-13005
 am, J. Some ice electrification processes, 2-19204
 am, J. and Mason, B.J. Electrical charging of hail pellets in a polarizing electric field, 2-6912
 op, J.F. See Culligan, G., 2-5949
 rop, J.L., Lundy, R.A., Tegledi, V.L. and Winston, R. X-ray yields in the K and L-series of α -mesonic atoms, 2-1975
 re, H.J., Michaud, R. and Danoy, M. Structural rearrangement prior to the appearance of a second slip system in a deformed single crystal, 2-12858
 mer, P. See Allen, W.B., 2-2720
 mer, R. See Perlman, I., 2-18268
 mer, R.M. See Thomas, T.D., 2-14141
 niral, G. and Sposito, A. Radar corner reflectors for linear or circular polarization, 2-16034
 er, R. See Karzas, W.J., 2-14158
 ala, E.K. and Anderson, T.P. Studies of the spreading of rocket exhaust jets at high altitudes, 2-4872
 sh, V.G. The equilibrium shape of atomic nuclei, 2-13963
 shev, G.D. See Kovrigin, O.D., 2-20032
 shev, G.D. See Zhernovoi, A.I., 2-1548
 shev, G.D. See Zhernovoi, A.I., 2-1549
 sheva, Z.I. See Bresker, R.I., 2-5172
 E. The optical double microscope, 2-102
 E. Remarks on the paper by J. Camus "The accuracy of the dupligram method of testing photographic objectives", 2-7419
 E. Test objects for the double microscope, 2-13444
 E. and Hess, G. Photographic photometry of large areas [of images], 2-22071
 E. See Kankelwitz, B., 2-7415
 E. See Kankelwitz, B., 2-22072
 E. See Kind, E.G., 2-5193
 er, R. Nonlinear stability investigation of reactors and reactor control systems, 2-10166
 er, R. See Schweizer, G., 2-6002
 kner, H. See Hempel, H.P., 2-16731
 et, M. See Lapeyre, R., 2-3085
 et, M. See Lapeyre, R., 2-13597
 ise, R.A., Linares, R.C. and Dearborn, E.F. Growth of yttrium iron garnet on a seed from a molten salt solution, 2-12743
 ise, R.A. See King, J.C., 2-21481
 on, T.S. See Behrendt, J.C., 2-15172
 hhunn, D.J. See Feltner, C.E., 2-16651
 hlin, C.D. See O'Brien, B.J., 2-11087
 Laughlin, C.D. See O'Brien, B.J., 2-17200
 Laughlin, C.D. See Pizzella, G., 2-24052
 Laughridge, F.L. See Gibbons, M.G., 2-2487
 Laugier, J. See Paulevé, J., 2-6830
 Laugnie, P. See Taurel, L., 2-4094
 Laune, J. Neutron counting and boron dosage by detection of the γ -rays of de-excitation of the Li^* nucleus produced by the nuclear reaction $\text{B}^{10}(n, \alpha)\text{Li}^*$, 2-16207
 Laurance, N., McIrvine, E.C. and Lambe, J. Aluminium hyperfine interactions in ruby, 2-14842
 Laurance, N. See Coles, B.R., 2-3998
 Laurance, N. See McIrvine, E.C., 2-13697
 Laurent, A., Rérat, B. and Rérat, C. Use of the electronic computer CAB 500 for crystallographic calculations, 2-2380
 Laurent, B.E. See Brulin, O., 2-3413
 Laurie, M. and Bagrowski, J. Anisotropy sources for electro-deposited Permalloy films, 2-12655
 Laurie, M., Higby, R.F., Bagrowski, J. and McNally, F.X. Sophisticated detector design for increased infrared sensitivity, 2-19764
 Laurila, E. The balanced Ross filter chopper as d.c.-a.c. converter and its use in X-ray measurements, 2-11590
 Laurikainen, K.V. See Hämäläinen, R.M.K., 2-13891
 Laurita, W.G. and Koski, W.S. Nuclear quadrupole resonance spectra of boron-iodine compounds, 2-14860
 Lauritzen, P.O. and Gibbons, J.F. 1/f Noise on surface-doped germanium filaments, 2-8333
 Laustriat, G. See Pfeffer, G., 2-2566
 Laustriat, G. See Pfeffer, G., 2-7357
 Laustriat, G. See Urban, F., 2-17470
 Lautenschlager, E.P. See Brown, B.E., 2-23838
 Lauterjung, K.H. See Lorenz, W., 2-245
 Lautz, G. and Schneider, D. Superconductivity in the tungsten carbides W_2C and WC , 2-7521
 Lautz, G. and Schneider, D. Superconductivity of tantalum carbide and tantalum carbide with added cobalt, 2-11568
 Lautz, G. See Blänsdorf, K., 2-14591
 Lauvstad, V. and Tjøtta, S. Problem of sound scattered by sound, 2-17565
 Lauwers, A. See Ruyssen, R., 2-15168
 Laval, C. See Raoult, G., 2-11750
 Laval, J. The thermal expansion of crystalline material. II. The expansion coefficient, 2-6288
 Laval, J. Thermal expansion of crystalline material. III. Thermal expansion and specific heat at constant volume, Grüneisen's law, 2-6289
 Laval, J. Thermal expansion of crystalline material. IV. Elastic coefficients, strains and thermal expansion, 2-10334
 Lavelle, J.E. See Coenraads, C.N., 2-19639
 Laverne, M. and Chauveau, J. Transfer coefficients of piezoelectric emitters and receivers for seismic models, 2-2818
 Laverrière, R. Study of a method of approximation for the calculation of phase-space integrals, 2-7828
 Laverrière, R. Calculation of the multiple production of particles in π^-p interactions at 5 GeV, 2-9894
 Laves, F. See Brun, E., 2-4298
 Laves, F. See Brunner, G.O., 2-6320
 Laves, F., Schindler, P. and Weaver, H.E. Properties of electrolytically produced colour centres in quartz crystals, 2-12468
 Lavin, M.L. and Haviland, J.K. Application of a moment method to heat transfer in rarefied gases, 2-7426
 Lavine, J.M. The Mark II spaciator, 2-8393
 Lavine, J.M. and Iannini, A.A. Current gain in metal-interface amplifiers, 2-18724
 Lavine, J.M. See Rindner, W., 2-16749
 Lavine, M.C., Gatos, H.C. and Finn, M.C. Characteristics of the {111} surfaces of the III-V intermetallic compounds. III. The effects of surface active agents on InSb and the identification of antimony edge dislocations, 2-8777
 Lavine, M.C. See Banus, M.D., 2-17729
 Lavine, M.C. See Gatos, H.C., 2-23764
 Lavine, M.C. See Warekois, E.P., 2-6791
 Lavrenchik, V.N. and Sofiev, G.N. The intensity and spectrum composition of ocean water gamma radiation, 2-23997
 Lavrent'ev, V.V. See Bartenev, G.M., 2-2666
 Lavrent'ev, V.V. See Bartenev, G.M., 2-9222
 Lavrov, A.V. ZbS:Ag phosphors with boron as a coactivator, 2-10625
 Lavrov, V.V. The load-deformation of ice, 2-21391
 Lavrukhina, A.K., Kolesov, G.M. and Tan Syao-en [T'ang Hsiao en]. Neutron-deficient isotopes of rare earth elements of the cerium group (spallation products of europium bombarded with 660 MeV protons), 2-14096
 Lavrukhina, A.K., Moskaleva, L.P., Mal'yshev and Satarova, L.M. Production of light nuclei by bombarding heavy elements with 660 MeV protons, 2-20689

- Lavrukina, A.K. and Pozdnyakov, A.A. Disintegration of hafnium by 600 MeV protons, 2=1894
- Lavrukina, A.K. See Malysheva, T.V., 2=14054
- Lavrukina, A.K. See Surkov, Yu.A., 2=14044
- Law, J.M. and Richards, W.C. Cell and thermoelectric effects of tantalum electrolytic capacitors, 2=11598
- Law, M.E. See Chretien, M., 2=22610
- Law, T.J. See Edeleanu, C., 2=23784
- Lawande, S.V. See Jain, R.D., 2=7859
- Lawden, M.D. See King, G.A.M., 2=6946
- Lawden, M.D. See King, G.A.M., 2=24038
- Lawergren, B.T. See Ophel, T.R., 2=7982
- Lawergren, B.T. and Ophel, T.R. The de-excitation of the 3 MeV doublet in ^{27}Al , 2=12132
- Lawergren, B.T. See Ophel, T.R., 2=20618
- Lawley, A. and Cahn, R.W. A high temperature X-ray study of ordering in iron-aluminium alloys, 2=2398
- Lawley, A., Liebmann, W. and Maddin, R. Effect of hydrogen on the yielding behavior of molybdenum, 2=6737
- Lawrance, J.J. and Stuart, W.I. Cryostat for use in the temperature range 150°-250°K, 2=9440
- Lawrence, G.P. See Deuchars, W.M., 2=7997
- Lawrence, G.P. See Quinton, A.R., 2=20518
- Lawrence, L.G. and Hay, H.J. The $\text{Mg}^{24}(\text{p}, \alpha)\text{Na}^{23}$ reaction, 2=16410
- Lawrence, M., Wolsk, D. and Schmidt, P. Inner ear response to high-level sounds, 2=4895
- Laws, D.A. Primary distortion of an extended image by a plane grating, 2=7328
- Lawson, A.W. Defect structures and transport of matter in AgBr, 2=3952
- Lawson, A.W. See Hughes, A.J., 2=14918
- Lawson, A.W. See Jamieson, J.C., 2=8811
- Lawson, A.W. See Mase, S., 2=18642
- Lawson, D.F. Practical aspects of photomicrography, 2=19692
- Lawson, R.D. Properties of nuclei with neutrons and protons in the $1f_{7/2}$ shell, 2=346
- Lawson, R.W. Degassing properties of nickel, 2=5088
- Lawson, R.W. An omegatron for quantitative partial pressure measurement below 1 microtorr, 2=13386
- Lawson, R.W. The outgassing properties of mica with particular reference to the life performance of thermionic valves, 2=21960
- Lawson, W.D. See Coates, D.G., 2=8447
- Lax, B. Cyclotron resonance, 2=6307
- Lax, B. High magnetic field research, 2=13627
- Lax, B. Magneto-spectroscopy in semiconductors, 2=23128
- Lax, B. and Mavroides, J.G. Solid-state devices other than semiconductors, 2=16586
- Lax, B., Mavroides, J.G. and Edwards, D.F. Non-linear interband and plasma effects in solids, 2=16637
- Lax, B. See Nishina, Y., 2=21230
- Lax, M. Present status of semiconductor surface physics, 2=23328
- Lay, K. See Cohen, J.B., 2=21023
- Layer, H., Miller, M.G. and Slifkin, L. Effects of quenching and annealing on ionic conductivity and on dislocation decorability in silver chloride, 2=3982
- Layzer, D. Theoretical transition probabilities: Introductory report, 2=15289
- Layzer, D. Galaxy clusters and cosmology, 2=19272
- Layzer, D. and Bahcall, J. Relativistic Z-dependent theory of many-electron atoms, 2=8056
- Lazar, N.H. See Kelley, G.G., 2=3089
- Lazare, F. See Durivault, J., 2=11385
- Lazarev, A.N. and Tenisheva, T.F. Vibrational spectra of silicates. V. Silicates with anions in ribbon form, 2=16837
- Lazarev, A.N., Tenisheva, T.F. and Grebenschikov, R.G. The structure of barium silicates, 2=8834
- Lazarev, B.G. and Fedorova, M.F. High-vacuum adsorption pump for the evacuation of hydrogen, 2=5079
- Lazarev, B.G. See Borovik, E.S., 2=2787
- Lazarev, B.G. See Esel'son, B.N., 2=19791
- Lazarev, B.G. See Gindin, I.A., 2=21543
- Lazarev, S.D. See Kikoin, I.K., 2=2194
- Lazarev, S.D. See Kikoin, I.K., 2=23481
- Lazareva, L.E. See Bogdankevich, O.V., 2=1862
- Lazareva, L.E. See Burgov, N.A., 2=20594
- Lazareva, L.S., Kantor, P.B. and Kandyba, V.V. Enthalpy and specific heat of molybdenum at temperatures 1200-2500°K, 2=8173
- Lazareva, L.S., Kantor, P.B. and Kandyba, V.V. Enthalpy and thermal capacity of molybdenum in the temperature range 1200° to 2500°K, 2=23074
- Lazarević, D. See Pupezin, J., 2=23985
- Lazarova-Girsamof, V. See Lagerqvist, A., 2=1984
- Lazarus, A.J. See Bridge, H.S., 2=12055
- Lazarus, D. See Neuman, C.H., 2=10408
- Lazaryeva, L.S. See Kantor, P.B., 2=18529
- Lazazzera, V.J. See Edwards, D.F., 2=23528
- Lazeeva, G.S. See Zaidel', A.N., 2=10616
- Lbov, A.A. and Naumova, I.I. 14 MeV neutron activation analysis, 2=12209
- Lbov, A.A. See Zisin, Y.A., 2=12209
- Lea, R.M. and Vittitoe, C. Bubble density measurements for particle identification, 2=11841
- Lea, R.M. See Brown, H.N., 2=12013
- Lea, R.M. See Samios, N.P., 2=20392
- Leach, D.F. A statistical analyser for random waveforms and its application to yarn mass analysis, 2=17336
- Leach, J.S.L. Some properties of surface oxide films on metals, 2=15796
- Leach, J.S.L. See Howlett, B.W., 2=15796
- Leach, S. See Horani, M., 2=8138
- Leachman, R.B. and Sanmann, E.E. Analysis of spin-dependent fission anisotropy, 2=14147
- Leadabrand, R.L. Radio studies of the aurora, 2=17189
- Leadbetter, A.J. See Flubacher, P., 2=6269
- Leader, E. The "photon-spurion" and dispersion theory, 2=7819
- Leader, E. See Amati, D., 2=1681
- Leader, E. See Hearn, A.C., 2=11917
- Leaderman, H. See Overberg, R.J., 2=4984
- Leaf, B. On the relativistic motion of two charged particles in classical electrodynamics, 2=5440
- Leaf, B. Dissipative potentials and the motion of a classical charge, 2=20108
- Leaf, G.A.V. and Bromley, R.H. A deformed elastica, 2=19475
- Leak, G.M. Grain boundary damping. I. Pure iron, 2=4313
- Leak, G.M. See Miles, G.W., 2=4314
- Learn, A.J. See Schmidlin, F.W., 2=5238
- Learner, R.C.M. The influence of vibration-rotation interaction on intensities in the electronic spectra of diatomic molecules. I. The hydroxyl radical, 2=20819
- Learner, R.C.M. The influence of vibration-rotation interaction on intensities in the electronic spectra of diatomic molecules. II. The silver hydride molecule, 2=20820
- Leary, G.A. See Sorsby, A., 2=13226
- Leavenworth, H.W., Jr. See Bunn, P.M., 2=23738
- Leaver, K.D. and Prutton, M. Inhomogeneous coherent magnetization rotation in thin magnetic films, 2=12650
- Leavitt, C.P. High energy gamma ray satellite experiment, 2=18109
- Le Bas, J. and Gueriot, R. Interpretation of experimental results obtained with thin bismuth films, 2=8289
- Lebeau, A. and Schlich, R. A property of the diurnal variation of magnetic activity at high latitudes (Charcot and Dumont d'Urville stations), 2=17214
- Lebed', B.M. and Yakovlev, Yu.M. Investigation of the temperature and frequency dependences of the resonance curve width in polycrystalline ferrites, 2=21354
- Lebedev, A.A. See Efremov, A.I., 2=19297
- Lebedev, A.I. See Baldin, A.M., 2=5712
- Lebedev, A.M. See Dobrotin, N.A., 2=13786
- Lebedev, A.V. See Kolganov, V.Z., 2=3225
- Lebedev, D.G. See Konorova, E.A., 2=1372
- Lebedev, G.A. and Kuvshinskii, E.B. Peculiarities of the structure of "silver" cracks in films of polymethylmethacrylate, 2=6847
- Lebedev, G.A. and Kuvshinskii, E.B. Peculiarities of the structure of "silver" cracks in films of polymethylmethacrylate, 2=8878
- Lebedev, N.N. See Kuznetsov, F.O., 2=21935
- Lebedev, R.M. See Barashenkov, V.S., 2=1869
- Lebedev, R.M. See Van-Shu-Fen', 2=18043
- Lebedev, S.Ya., Smavisskii, Yu.Ya., Bondarenko, I.I., Maev, S.A., Stakhanov, I.P. and Stumber, E.A. Plasma oscillations during ion beam neutralization, 2=20005
- Lebedev, S.Ya., Stavisskii, Yu.Ya. and Shut'ko, Yu.V. Surface ionization of caesium in diffusion of caesium vapour through porous molybdenum, 2=11623
- Lebedev, V.I. See Apalin, V.F., 2=20693
- Lebedev, V.V. The problem of measuring the thermal conductivity of metals at high temperatures, 2=22076
- Lebedev, V.V. See Gumenyuk, V.S., 2=20953
- Lebedev, V.V. See Gumenyuk, V.S., 2=8182
- Lebedev, W.P. See Kobosev, N.I., 2=12967
- Lebedinets, V.N. See Kashcheev, B.L., 2=4843
- Lebedinskii, A.I. and Salova, G.I. The amount of water in a free state on Mars, 2=24098
- Lebedinsky, A.I. See Feldstein, J.I., 2=15256
- Lebedjew, L.A. See Lemajichin, B.K., 2=7694
- Lebedyev, M.A. and Zhuk, V.K. Change in the fluorescent yield during photochemical sensitized reactions, 2=19163

- edyev, V.V. Measurement of thermal conductivity of metals at high temperatures, 2=9417
- ey, O. See Cremieu-Alcan, E. [Eds.], 2=3291
- ey, O. See Cremieu-Alcan, E. [Eds.], 2=3292
- Bihan, M.T. Structure of rathite II. Comparison of the various known structures of sulphides of arsenic and lead, 2=12913
- Bihan, M.T. Contribution to the study of structures of arsenic and lead sulphides. Structure of baumhauerite $[Pb_3As_2S_{18}]$, 2=12912
- Bihan, M.T. Structural study of a few natural sulphides of lead and arsenic, from Binn strata, 2=19080
- l, M. See Dolejší, J., 2=6607
- Blanc, M.A.R. Anomalous resistive transitions and new phenomena in hard superconductors, 2=1337
- Blanc, M.A.R. Anomalous resistive transitions and new phenomena in hard superconductors, 2=7513
- Blanc, O.H., Jr. Erratum: Band structure and transport of holes and electrons in anthracene, 2=8186
- Blanc, O.H., Jr. Electronic transport in crystalline and liquid pyrene, 2=23256
- Bot, J. and Dang Tran Quan. Observation of the phenomenon of dipolar relaxation in manganese sulphide, 2=4087
- Bot, J., Riopel, A. and Boyer, P. Dipolar relaxation of water in the hydrated aluminates of calcium in aluminium cement, 2=4088
- outet, H. Linear electron accelerators, 2=7683
- ovitz, N.R. See Chandrasekhar, S., 2=2604
- ovitz, N.R. See Chandrasekhar, S., 2=4794
- owitz, J.L. and Percus, J.K. Thermodynamic properties of small systems, 2=1074
- oy, E. See Selove, W., 2=5539
- oy, E. See Selove, W., 2=22578
- orun, A. and Louage, F. An automatic wide-band apparatus for the measurement of the complex permittivity of dielectrics, 2=2992
- orun, A. See Liebaert, R., 2=2729
- Calvez, O. See Monod-Herzen, G., 2=18857
- chekhle, V.R. See Vetshtein, V.E., 2=20058
- ciejewicz, J. On the crystal structure of tetragonal (red) PbO , 2=4413
- ciejewicz, J. A note on the structure of tungsten carbide, 2=10866
- ck, G.W. Simple method of registering evaporation masks, 2=19642
- ck, J.H. See Carter, G., 2=7677
- ck, J.H. See Carter, G., 2=21957
- ck, J.H. See Cobic, B., 2=9325
- Claire, A.D. On the theory of impurity diffusion in metals, 2=6360
- Claire, A.D. Conference on Diffusion and Mass Transport in Solids, Reading, April 1962, 2=21051
- cocq, P. Orders of magnitude in magnetohydrodynamic turbulence, 2=13664
- cocq, P. Decay of turbulence. Final stage. Energy spectrum, 2=15993
- cocz, P. and Michel, A. The influence of germanium on the Curie point of nickel, 2=734
- comte, J. See Vincent-Geisse, J., 2=21999
- roq, P. and Michel, A. A new ferromagnetic compound, the germanide of iron, Fe_2Ge , 2=4215
- Craw, R.C., Spencer, E.G. and Gordon, E.I. Acoustic losses in ferromagnetic insulators, 2=12688
- craw, R.C. See Matthews, H., 2=16602
- Dang Khoi and Bertaut, F. Nuclear magnetic resonance of the nuclei of Fe^{57} in $\alpha-Fe_2O_3$, 2=10723
- Dang Khoi and Buyle-Bodin, M. Nuclear magnetic resonance of nuclei of Fe^{57} in the local fields of dysprosium iron garnet, 2=4285
- Dang Khoi and Buyle-Bodin, M. Nuclear magnetic resonance of nuclei of Fe^{57} in the local fields of several garnets of iron and the rare earths, 2=6703
- derer, S. Quantization in five-dimensional theory (linear approximation), 2=1281
- derer, S. Study and quantization of a five-dimensional unitary theory, 2=20234
- erman, L. See Bleser, E., 2=16218
- erman, L. See Bleser, E., 2=18504
- erman, L.M. See Danby, G., 2=20308
- erman, L.M. See Shapiro, G., 2=3366
- errer, C.M. See Bjornhoem, S., 2=19148
- ersteger, K. Normal spheroid of the earth as a two-part equilibrium figure and the mean depth of the lithosphere, 2=6904
- ingham, K.W.D. See Dougan, P.W., 2=22771
- Donche, L. and Le Montagner, S. New apparatus for the laboratory production of monocystals, 2=19055
- oux, P. Asymptotic form of the adiabatic radial pulsations of a star. I, 2=24139
- , A.R. and Hasted, J.B. Ionization of atoms by protons, 2=10224
- , A.R. See Hasted, J.B., 2=9531
- Lee, B.W. Theorem on crossing relations and its application to KN and KN scattering processes, 2=9919
- Lee, B.W. and Sawyer, R.F. Regge poles and high-energy limits in field theory, 2=20261
- Lee, B.W. and Sawyer, R.F. Leading Regge trajectory in the $\lambda\phi^4$ theory, 2=20262
- Lee, B.W. See Behrends, R.E., 2=11876
- Lee, B.W. See Cook, L.F., Jr., 2=16168
- Lee, B.W. See Cook, L.F., Jr., 2=16169
- Lee, B.W. See Dreitlein, J., 2=322
- Lee, E.K.C. and Rowland, F.S. Decomposition of excited alkyl radicals in the liquid phase, 2=4562
- Lee, E.T.P. and Ma, S.T. Relativistic Doppler effect, 2=7126
- Lee, E.W. and Alberts, L. The magnetostriction of dysprosium metal, 2=10665
- Lee, E.W. See Alberts, L., 2=759
- Lee, J. See Bardon, M., 2=13833
- Lee, J. See Li, Dzh., 2=21510
- Lee, J.A., Mendelssohn, K. and Wigley, D.A. Accumulation of radiation damage in plutonium, 2=12456
- Lee, J.A., Mendelssohn, K. and Wigley, D.A. Effect of self-irradiation on the resistivity of plutonium, 2=23238
- Lee, J.A. See Meaden, G.T., 2=12552
- Lee, K. See Zalkin, A., 2=19078
- Lee, L. See Chandrasekhar, S., 2=2684
- Lee, P.M. See Pincherle, L., 2=2063
- Lee, P.M. See Pincherle, L., 2=20963
- Lee, P.M. See Pincherle, L., 2=23104
- Lee, R. Properties of reset cores in radar pulse transformers, 2=14795
- Lee, R.M. and Loftus, T.P. Correction factors for the calibration of encapsulated radium sources, 2=14007
- Lee, R.W., Frank, R.C. and Swets, D.E. Diffusion of hydrogen and deuterium in fused quartz, 2=6366
- Lee, R.Y. See Rowe, J.E., 2=1589
- Lee, S.C. See Suzuki, T., 2=9367
- Lee Sook. See Sook Lee,
- Lee, T.D., Markstein, P. and Yang, C.N. Production cross section of intermediate bosons by neutrinos in the Coulomb field of protons and iron, 2=3312
- Lee, T.D. and Yang, C.N. High-energy neutrino reactions without production of intermediate bosons, 2=16145
- Lee, W. See Goldhaber, S., 2=22635
- Lee, W. See Slater, W., 2=3403
- Lee, W.-M. See Sen, K.K., 2=2545
- Lee, W.S. See Pai, H.-L., 2=7870
- Leebeek, H.J. See Walraven, P.L., 2=17330
- Leed, R.D. See Kostkowski, H.J., 2=15791
- Leeden, P., v.d. See v.d. Leeden, P.,
- Leen, M.W., Sugai, I. and Clavier, P.A. Physical basis for electromagnetic theory, 2=13657
- Lees, A. See Jason, A.C., 2=11231
- Lees, L. See Chung-Yen Lui, 2=2738
- Leeuwen, J.M.J. van. See van Leeuwen, J.M.J.
- Lefebvre, C. and Guisset, J. Excess free energy of solid solutions of $Kr-CH_4$ mixtures at 90-67°K, 2=574
- Lefebvre-Brion, H. See Bessis, N., 2=522
- Lefebvre-Brion, H. See Bessis, N., 2=22898
- Lefebvre, S. See Lambert, M., 2=20988
- Lefeld-Sosnowska, M. and Zielińska-Rohozńska, E. Dynamical effects of X-ray interference in silicon single crystals, 2=15015
- Lefever, R.A., Chase, A.B. and Wickersheim, K.A. Influence of crystal growth on domain behavior in yttrium iron garnet, 2=14800
- Lefever, R.A. and Clark, G.W. Multiple-tube flame fusion burner for the growth of oxide single crystals, 2=19056
- Lefever, R.A. See Wickersheim, K.A., 2=6569
- Lefèvre, J. See Cuny, Y., 2=4776
- Leffler, R.G. and Montgomery, D.J. Effect of isotopic composition on electrical resistance of lithium, 2=10434
- Lefort, M. Excitation function of the $U^{235}(p, 3n)Np^{236}$ reaction from 30 to 150 MeV, 2=3578
- Lefort, M., Simonoff, G.N. and Tarrago, X. Comparison between the cross-sections for the reactions (p, n) and (p, pn) in thorium induced by protons between 30 and 150 MeV, 2=12190
- Lefort, M. See Brun, C., 2=12191
- Lefort, M. See Brun, C., 2=18112
- Leftin, H.P. Optical cell for u.v. and i.r. spectra of adsorbed species and solids, 2=1268
- Le Gallic, Y., Legrand, J. and Grinberg, B. Rapid method of identification of β -ray emitters and of β -radioactive impurity dosage, 2=5825
- Le Gallic, Y. See Grinberg, B., 2=5820

- Le Gardeur, R. See Consoli, T., 2=1466
 Le Gardeur, R. See Consoli, T., 2=13567
 Le Gardeur, R. See Consoli, T., 2=17841
 Legatowicz, A. Behaviour of plasma in a rotating magnetic field, 2=180
 Legay, F. See Legay-Sommaire, N., 2=6139
 Legay-Sommaire, N. and Legay, F. Intensities of vibration-rotation lines for linear molecules of the type X-Y-Z, 2=6139
 Legendre, R. Flow profile with respect to circular obstacles, 2=7173
 Legen'kov, A.P. Sverdrup Waves, 2=19526
 Legge, G.J.F. A stable 0.1% beam current integrator for the range 0.1 to 20 μ A, 2=2989
 Legge, R. See Hunter, A.N., 2=73
 Legrand, C., Navez, M. and Merx, H. Utilization of fluorescence of X-rays for examination of surface composition of glass, 2=4477
 Legrand, E. and Plumier, R. Neutron diffraction investigation of antiferromagnetic K_2NiF_6 , 2=12799
 Legrand, E. and Plumier, R. Note on the magnetic structure of $CrBr_3$, 2=18916
 Legrand, J. See Le Gallic, Y., 2=5825
 Legrand, J.P. See Corcuff, Y., 2=21658
 Legrand, J.P. See de Feiter, L.D., 2=5764
 Legrand, J.P. See de Feiter, L.D., 2=16251
 Legrand, P. See Choumoff, S., 2=13383
 Le Grand, Y. The optical maser, 2=16023
 Legros, M. See Amaldi, U., 2=22516
 Legvold, S. See Born, H.J., 2=2198
 Legvold, S. See Olson, J.R., 2=15650
 Legvold, S. See Strandburg, D.L., 2=21098
 Legvold, S. See Valley, L.M., 2=2773
 le Hazif, R. See Donze, G., 2=12455
 Le Hazif, R. See Donze, G., 2=19088
 Le Héricy, J. Recrystallization of high purity copper and zone-melted copper, 2=2362
 Lehman, G.W. Temperature distribution in a hollow cylindrical cup with a stem, 2=7443
 Lehman, G.W. See Meehan, C.J., 2=7444
 Lehman, R.C. See Billings, D.E., 2=19313
 Lehmann, C. Defect cascades in a crystal produced by energetic-particle collisions, 2=12422
 Lehmann, H. On the high-energy limit of ordinary dispersion relations, 2=5584
 Lehmann, L. The travel times of the longitudinal waves of the Logan and Blanca atomic explosions and their velocities in the upper mantle, 2=19185
 Lehmann, J. Monoclinic phases in uranium-molybdenum alloys, 2=4454
 Lehmann, L. See Deutsch, J.P., 2=407
 Lehmann, P., Taylor, R. and Wilson, R. Electron-proton scattering at low momentum transfers, 2=11933
 Lehmann, P., Taylor, R. and Wilson, R. Electron-proton scattering at low transfer momentum, 2=22456
 Lehmann, P. See Grard, F., 2=22513
 Lehmann, P. See Grard, F., 2=1715
 Lehmann, R. See Görlich, P., 2=4110
 Lehmann, R. See Görlich, P., 2=4111
 Lehmann, W.J. The average rule for stretching frequencies of related molecules, 2=6137
 Lehmkuhl, G. Measurement of the line [grating] resolving power of a photographic emulsion for electrons, 2=850
 Lehnert, G. See Fünfer, E., 2=15907
 Lehnert, R. Gravitational instability of a magnetized plasma, 2=7619
 Lehnert, R. Plasma stability in an inhomogeneous magnetic field, 2=5579
 Lehnert, R. Stabilization of flute disturbances by the Coriolis force, 2=15927
 Lehnert, R. Stability of a plasma in an inhomogeneous magnetic field, 2=19964
 Lehovec, K. Thermodynamics of binary semiconductor-metal alloys, 2=16687
 Lehovec, K. and Shinn, G.A. Conductivity injection and extraction in polycrystalline barium titanate, 2=14640
 Lehr, P. See Demars, H., 2=4363
 Lehr, P. See Demars, H., 2=10746
 Lehrer, F.A. and Reiss, E. Details of ion drift in an n-p junction, 2=14467
 Leible, R.S., Robb, J.C. and Thomas, D.W. A modified time-of-flight mass spectrometer for studying ion-molecule or neutral particle-molecule interactions, 2=20058
 Lehtinen, A. and Salokangas, J. Ultrasonics in the examination of cast iron with spherical graphite in the liquid state and during freezing, 2=28899
 Lei Wei. See Wei Lai.
 Leibenhaut, B. See Iles, P.A., 2=23208
 Leibfried, G. Calculation of averages for primary recoil distributions, 2=14478
 Leibfried, G. and Oen, O.S. A simple approximation for classical scattering at large angles, 2=15458
 Leibovici, I. See Ciorăscu, F., 2=20084
 Leibovici, I. See Ilescu, C., 2=22294
 Leide, G. An investigation on latent image fading in Ilford K. 5 emulsions, 2=11842
 Leidenfrost, W. See Schmidt, E.O., 2=15794
 Leies, G.M. Theoretical vibrational energy levels of H_2 associated with various combinations of molecular-orbital configurations, 2=22966
 Leifer, I., Spencer, C.J.D., Welford, W.T. and Richmond, C.N. Grainless screens for projection microscopy, 2=99
 Leigh, D.C. Non-Newtonian fluids and the second law of thermodynamics, 2=9244
 Leighton, R.B., Noyes, R.W. and Simon, G.W. Velocity fields in the solar atmosphere. I. Preliminary report, 2=15330
 Leikin, A.Ya. See Bryzhev, L.D., 2=1582
 Leinbach, H. and Reid, G.C. Polar cap absorption during the solar cosmic ray outbursts of July 1959, 2=886
 Leinbach, H. See Ortner, J., 2=15284
 Leinhos, R. The measurement of chromatic difference of magnification in telescopes, 2=13442
 Leipold, H. The principle of parallel subdivision of the pupil, with examples from cine and television techniques, 2=22002
 Leipunskii, O.I. Physics of shielding, 2=14176
 Leipunskii, O.I. See Kimel', L.P., 2=13758
 Leisi, H.J. See Brunner, J.H., 2=10050
 Leisi, H.J. See Perdrisat, C.F., 2=10052
 Leisi, H.J. See Perdrisat, C.F., 2=10053
 Leisi, H.J. See Perdrisat, C.F., 2=16356
 Leiss, J. See Lacoste, F., 2=2981
 Leiss, J.E. See Schrack, R.A., 2=20597
 Leites, I.L. See Brodyanskii, V.M., 2=17493
 Leith, D.W.G.S. See Lewis, G.M., 2=3378
 Leith, E.N. and Upatnieks, J. Reconstructed wavefronts and communication theory, 2=19725
 Leitnaker, J.M., Bowman, M.G. and Gilles, P.W. High-temperature evaporation and thermodynamic properties of zirconium diboride, 2=2936
 Leitnaker, J.M. and Witteman, W.G. Dissociation pressure of uranium dicarbide, 2=7471
 Leitner, J. See Bertanza, L., 2=20424
 Leitner, J. See Bertanza, L., 2=22652
 Leitner, J. See Iwao, S., 2=3407
 Lekh Vir Su and Gill, P.S. Altitude-dependence of relative amplitude during Forbush decreases at different latitudes, 2=12094
 Lekkerkerker, J.G. On the problem of prescribed displacements of circular part of the boundary of an elastic half-space, 2=17382
 Leksins, G.A. See Balats, M.Ya., 2=16863
 Leksins, G.A. See Bayukov, Yu.D., 2=311
 Leksins, G.A. See Bayukov, Yu.D., 2=5722
 Leksins, G.A. See Bayukov, Yu.D., 2=5726
 Leksins, G.A. See Bayukov, Yu.D., 2=20188
 Leksins, G.A. See Bayukov, Yu.D., 2=22591
 Leksins, G.A. See Bayukov, Yu.D., 2=22600
 Leksins, G.A. See Krivitskii, V.V., 2=7791
 Leksina, I.E. and Penkina, N.V. Optical constants of dilute palladium silver solid solutions, 2=8478
 Leksovskii, A.M. See Regel', V.R., 2=19007
 Leland, W.T. See Rosen, I., 2=14085
 Iele, C.G. and Yatrijam, V. Sensitivities of hafnium lines in graphite matrix under intermittent a.c. arc excitation, 2=6096
 Lele, P.P. Irradiation of plastics with focused ultra sound; a simple method for evaluation of dosage factors for neurological applications, 2=11213
 Lelli, E. Radiation effects in doped fused silica, 2=16832
 Lella, L.di. See di Lella, L.
 Lellouche, G. See Chernick, J., 2=6015
 Lellouche, G.S. Space dependent xenon oscillations, 2=12251
 Lellouche, G.S. Reactor size sufficient for stability against spatial xenon oscillations, 2=14167
 Lelong, P., Dosdat, J., Bogen, J. and Herenguel, J. Micrographic observations on the Mg-0.6% wt Zr alloy, heated in hydrogen, 2=18157
 Lendinara, L. See Bortoloni, M.V., 2=18157
 Lendvay, E. The role of surface hydroxyls of $Al_2O_3 \cdot xH_2O$ in the luminescence of adsorbed fluorescein molecules, 2=4183
 Lendvay, E. Luminescence of fluorescein activated layer phosphors, 2=4184

- ivay, E. On the luminescence of Sn activated alkaline earth orthophosphate phosphors, 2=12615
- ivay, E. and Schanda, J. The luminescence of manganous phthalate, 2=8583
- I'yel, V.I. See Lomsadze, Yu.M., 2=7880
- I, M. See Gallot, Y., 2=12937
- I, W.B. See Hickman, G.D., 2=11958
- Iyel, B. and Boksay, Z. Electrical conductivity of glass. IV. Glasses with two different divalent cations, 2=21110
- Iyel, B.A. See Buddenhagen, D.A., 2=5154
- Iuart, R.E. See Banerjee, B.R., 2=12703
- n, S.S. Shashkina, N.N. and Shashkin, V.L. Application of alpha-scintillation counters for the determination of the emanation of radium isotopes, 2=20442
- r, R. Rotating model nuclei, 2=7924
- r, R. Dependence of e.p.r. spectra of free radical species in polymethylmethacrylate on γ -irradiation dose, 2=8123
- r, R. See Macke, W., 2=7923
- ova, G.A. See Koronkevich, V.P., 2=5184
- on, J.J. and Mulcahy, M.J. Microwave measurement of attachment in oxygen-nitrogen mixtures, 2=5301
- on, J.J. See Mulcahy, M.J., 2=22186
- nox, C.G. See Davis, H.L., 2=717
- uier, R. See Lagarde, D., 2=5071
- z, F. Scale and resolving power on an electron diffraction pattern, 2=817
- z, F. Phase shift of electron waves in field-free space by potentials, 2=11712
- z, F. The variation of the phase of electron waves in field free space by means of potentials, 2=22261
- z, K. Measurement of spectral energy distribution of light from the sky, 2=4599
- z, K. See Foitzik, L., 2=877
- W. Mirror double-monochromator with compensation of the image defects, 2=7355
- a, B.J. See Vogl, T.P., 2=19765
- a, Ch.B. Infrared spectrophotometers, 2=5167
- a, J. Montes Ponce de See Montes Ponce de Léon, J.
- a, M. and Bethe, H.A. Negative mesons absorption in liquid hydrogen, 2=18168
- ard, R.S. Distribution of radar auroras over Alaska, 2=13051
- ard, R.S. Measurements of localized distortions in the earth's magnetic field near the auroral zone, 2=13073
- ard, R.S. Evidence of low-frequency amplitude fluctuations in radar auroral echoes, 2=19245
- hardt, R., Richter, H. and Rossteutscher, W. Electron diffraction investigations of the structure of thin non-crystalline films, 2=837
- ov, A.I. See Ioffe, V.A., 2=21207
- ov, Yu. S. Uranium-activated lithium magnesium tungstate, 2=2250
- ov, Yu. S. The effect of grinding on the luminescent properties of tungstate luminors, 2=16879
- it'ev, N.I. and Udovichenko, Yu. K. Additional focusing of resonance ions in omegatrons, 2=20060
- it'ev, N.I. See Demirkhanov, R.A., 2=9584
- it'ev, N.I. See Demirkhanov, R.A., 2=19911
- it'eva, T.P. See Vulis, L.A., 2=15624
- itic, B. See Dowell, J.D., 2=13890
- itic, B. See Dowell, J.D., 2=22641
- itovich, A.K. See Vil'yams, A.P., 2=9512
- itovich, A.M. See Galanin, M.D., 2=22021
- air, C., Taconis, K.W., De Bruyn Ouboter, R. and Das, P. Freezing and lambda curves of ^3He - ^4He mixtures, 2=13497
- aigne-Voreaux, P. A contribution to the study of the effect of the electrode material on two basic parameters relating to low-pressure rare-gas discharges, 2=5321
- aire, J. Note on some consequences of the Alfvén conditions for interpreting the Van Allen belts and the displacements, together with the azimuthal currents at large distances, 2=17205
- aire, G. Exchange of galaxies between clusters and field, 2=11147
- ajichin, B.K. and Lebedjew, L.A. Construction of a demountable microfocuss X-ray tube with variable focal spot, 2=7694
- an, G. Electronic structure of metallic impurities in the tight-binding approximation, 2=3910
- an, G. and Friedel, J. On the description of covalent bonds in diamond lattice structures by a simplified tight-binding approximation, 2=3868
- anceau, B., Lussan, C. and Souty, N. Nuclear magnetic resonance and hydrogen bonding, 2=10283
- anov, V.V. Nuclear magnetic resonance in elastically deformed rock salt, 2=786
- anov, V.V. A radiospectroscope for the study of nuclear magnetic resonance in solids, 2=7775
- anov, V.V. See Kornfeld, M.L., 2=3915
- Lemberg, I.Kh. See Andreev, D.S., 2=13982
- Lemberg, I.Kh. See Andreev, D.S., 2=13993
- Lemberg, I.Kh. See Andreev, D.S., 2=16334
- Lemberg, I.Kh. See Andreev, D.S., 2=18267
- Lemberg, I.Kh. See Gangrskii, Yu.P., 2=13979
- Lemberg, I.Kh. See Gangrskii, Yu.P., 2=16359
- Lembik, L.N. See Korsunskii, M.I., 2=19633
- Le Mee, J. See Martin, A.V.J., 2=10521
- Lemelle, C., Marquez, L. and Saunier, N. Mechanism of the reaction $\text{Li}^0 + \text{Be}^0 = \text{Li}^7$ (1st excited state) + 2α , 2=501
- Lemelle, C. See Coste, M., 2=500
- Lemière, B. See Thureau, P., 2=7168
- Lemke, B.J. See Tannenbaum, I.R., 2=4408
- Lemke, J.S., Effect of substrate cleanness on permalloy thin films, 2=12651
- Lemkey, F.D. and Kraft, R.W. Tensile testing technique for submicron specimens, 2=18976
- Lemm, K. See Bonart, R., 2=9371
- Lemmer, R.H., de Shalit, A. and Wall, N.S. Excitations of two-phonon surface vibrations in nuclei, 2=357
- Lemmerich, J. and Raith, W. Optical pumping with sodium vapour without buffer-gas, 2=14226
- Lemmon, K.T. See Chrzanowski, P., 2=4595
- Lemmon, K.T. See Chrzanowski, P., 2=13078
- Lemogne, A. and Lacombe, P. Plastic deformation and fracture of single crystals of uranium in tension at -196°C , 2=23756
- Lemonick, A. See Chamberlain, O., 2=7902
- Lemonick, A. See Frankel, S., 2=13831
- Lemons, J.F. See Lewis, W.B., 2=5029
- Le Montagner, S. See Le Donche, L., 2=19055
- Lempicki, A., Birman, J., Samelson, H. and Neumark, G. Polarization of luminescence and its application to the study of centres in CdS and ZnS crystals, 2=23591
- Lempicki, A. See Samelson, H., 2=4178
- Lempriere, B.M. Oscillations in tensile testing, 2=14901
- Lems, W. The change of Young's modulus of copper and silver after deformation at low temperature and its recovery, 2=10744
- Lenard, A. See Edwards, S.F., 2=19445
- Lenchek, A.M. On the anomalous component of low-energy geomagnetically trapped protons, 2=19253
- Lenchek, A.M. and Singer, S.F. Injection of trapped protons from solar flare particles, 2=13056
- Lenchek, A.M. and Singer, S.F. Geomagnetically trapped protons from cosmic-ray albedo neutrons, 2=17203
- Lenchek, A.M., Singer, S.F., and Wentworth, R.C. Geomagnetically trapped electrons from cosmic ray albedo neutrons, 2=4629
- Lenchek, A.M. See Laster, H., 2=22690
- Lenchek, A.M. See Singer, S.F., 2=12058
- Lepechinsky, D. and Rolland, P. Study of ionic plasma oscillations. Their role in the mechanism responsible for inospheric winds, 2=24032
- Le Peintre, M. See Ecker, J., 2=2915
- Lepekhn, F.G. See Berkovich, I.B., 2=353
- Lepekhn, F.G. See Berkovich, I.B., 2=22719
- Le Phat Vinh, A. Distribution of solar energy at the focus of a parabolic mirror. Calculations and experimental study, 2=11472
- Lepinskikh, B.M. See Manakov, A.I., 2=14564
- Lepore, D.A. See Nielsen, J.W., 2=14819
- Lepoutre, G. See Berns, D.S., 2=1142
- Leppert, G. See Jordan, D.P., 2=19781
- Leray, J. Particles and singularities of waves, 2=9189
- Leray, J. and Scheibling, G. Composition of birefringences: case of feebly optically anisotropic media, 2=17655
- Lerjefors, C.A. See Karlsson, B.E., 2=12127
- Lerjefors, C.A. See Matthias, E., 2=10014
- Lerner, E. See Jeronymo, J.M.F., 2=12215
- Lerner, L.S. Shubnikov-de Haas effect in bismuth, 2=21104
- Leroi, G.E., James, T.C., Hogen, J. T. and Klemperer, W. Infrared spectra of gaseous transition-metal dihalides, 2=14274
- Leroux, B. and Gourdon, C. Study of the ion trajectories in a magnetic mirror configuration. II. Experimental study of the trajectories using an electron analogue model, 2=19988
- Leroux-Hugon, P., Rodot, M. and Suchet, J. Relation between the ionicity of interatomic binding and the lattice thermal conductivity, 2=16613
- Le Roy, D.J. See Kimbell, G.H., 2=14201
- Leroy, J.L. Contributions to the study of the polarization of sunlight, 2=17272
- Leroy, Y. See Liebaert, R., 2=2729
- Lertes, K. See Hahn, D., 2=21268
- Leruste, P. See Andrade e Silva, J., 2=11243
- Leś, F. Nuclear electric quadrupole moments of ^{121}Sb and ^{123}Sb , 2=3467
- Leś, F. See Leś, Z., 2=18415

- Leš, Z. and Leš, F. Isotope shifts in the Cd II lines γ 3535 Å and γ 3250 Å, 2=18415
- Lesbats, P. and Montuelle, J. Existence of a critical temperature for the development of polygonization substructure in aluminium, 2=6356
- Lesensky, L. See Vaughn, J., 2=7642
- Lesensky, L. See Wade, G., 2=8376
- Lesk, I.A. and Jensen, H.A. Germanium p-n-Junction-tunnel-junction combination devices, 2=8378
- Leskov, L.V. and Savin, F.A. The relaxation of non-equilibrium gas systems, 2=11416
- Lesky, P. See Cap, F., 2=24075
- Leslie, D.C. Some series occurring in the theory of the square lattice cell, 2=3647
- Leslie, D.C. The weighting of diffusion coefficients in cell calculations, 2=12254
- Leslie, D.H. See Hake, R.R., 2=2115
- Leslie, D.H. See Hake, R.R., 2=7519
- Leslie, D.H. See Hake, R.R., 2=15854
- Leslie, J.D. See Ginsburg, D.M., 2=7511
- Leslie, J.D. See Rupprecht, G., 2=13462
- Leslie, W.C. The quench-aging of low-carbon-iron and iron-manganese alloys. An electron transmission study, 2=2410
- Leslie, W.C. Hornbogen, E. and Dieter, G.E. The structure of shock-hardened iron before and after annealing, 2=23846
- Le Squeren, C. See Blum, E.J., 2=7032
- Le Squeren-Malinge, A.M. See Avignon, Y., 2=9080
- Lessing, I.J. See Meyer, M.A., 2=12097
- Lessing, I.J. See Meyer, M.A., 2=13920
- Lessing, N.v.d.W., Thin lens aberrations of anamorphic telescopes, 2=7325
- Lessmann, W. See Comes, F.J., 2=3730
- Lessmann, W. See Comes, F.J., 2=10200
- Lessmann, W. See Comes, F.J., 2=22176
- Lessoff, H. and Greifer, A.P. Perminvar characteristics of nickel-cadmium ferrites with small additions of cobalt and molybdenum, 2=12692
- Lester, G.R. Contact angles of liquids at deformable solid surfaces, 2=1124
- Lester, G.R. See Beynon, J.H., 2=5302
- Lester, W.G.S. Some convergence problems in the numerical solution of the Navier-Stokes equations, 2=9235
- Lester, W.G.S. The flow past a Pitot tube at low Reynolds numbers. I. The numerical solution of the Navier-Stokes equations for steady viscous axis-symmetric flow, 2=13308
- Lester, W.G.S. The flow past a Pitot tube at low Reynolds numbers. II. The effects of viscosity and orifice size on a Pitot tube at low Reynolds numbers, 2=13309
- Lester, W.W. and Hiedemann, E.A., Optical measurement of the sound-pressure amplitude and waveform of ultrasonic pulses, 2=7307
- Lester, W.W. See Breazeale, M.A., 2=2821
- Le Thanh-Phong. On the field of null vectors satisfying the Robinson equation, 2=4927
- Le Thanh-Phong. The permanence of the Petrov classification, 2=9168
- Le Tourneux, J. See Blin-Stoyle, R.J., 2=12161
- Lettau, H.H. A theoretical model of temperature variations at the surface of an orbiting satellite, 2=4870
- Leuenberger, F. Boron redistribution in silicon by thermal oxidation, 2=21071
- Leun, C. van der. See van der Leun, C.
- Leupold, H.A. See Hirshfield, A.T., 2=19817
- Leushin, A.M. Acoustic paramagnetic resonance in crystals with ions in the S-state, 2=20922
- Leushin, A.M. See Al'tshuler, S.A., 2=767
- Leutwyler, H. Generalized gauge invariance and identification with boson fields, 2=21819
- Leutwyler, H. and Schaer, J. On five-dimensional unitary field theory: the Klein statement of the periodic field, 2=21818
- Leutwyler, H. See Klauder, J.R., 2=9773
- Leutz, H., Wenninger, H. and Ziegler, K. Half-life of Rb^{87} , 2=20545
- Leutz, H. and Ziegler, K. Half-life, electron-capture ratio and beta-spectrum of Ti^{204} , 2=7941
- Leuven, P. Van. See Van Leuven, P.
- Levchenko, A.A. See Palatnik, L.S., 2=8204
- Levchenko, A.A. See Palatnik, L.S., 2=10378
- Levchenko, M.T. See Kuz'min, A.D., 2=1021
- Levchuk, M.S. See Vasil'ev, V.I., 2=5157
- Levdik, V.A. See Bykov, V.N., 2=3363
- Levee, R.D. and Hilton, P.L. On the evolution of pure hydrogen stars, 2=990
- Levelut, A.M., Lambert, M.L. and Guinier, A. Arrangement which permits the study of point defects in solid by X-ray scattering, 2=19122
- Levenberg, I.Yu. See Zaitseva, N.G., 2=14001
- Leven-Fisher, N.P. See Dmitriev, A.B., 2=19637
- Levengood, W.C. Defect mechanisms in a noncrystalline solid, 2=
- Levenson, L.L. See Davis, D.H., 2=5033
- Levêque, A. See Barloutaud, R., 2=5711
- Levêque, A. See Barloutaud, R., 2=9893
- Levêque, A. See Barloutaud, R., 2=16231
- Levêque, A. See Barloutaud, R., 2=22560
- Levêque, A. See Grard, F., 2=1715
- Levêque, A. See Grard, F., 2=22513
- Lever, R.F. Multiple reaction vapor transport of solids, 2=21474
- Lever, R.F. Transport of solid through the gas phase using a single heterogeneous equilibrium, 2=23948
- Lever, R.F. and Mandel, G. Diffusion and the vapor transport of solids, 2=15823
- Levi, A. See Boato, G., 2=22092
- Levi, C. See Cassagnou, Y., 2=1887
- Levi, C. See Cassagnou, Y., 2=22845
- Levi, L. and Lubart, L. Electrical conductivity of ice doped with NH_4OH , 2=6426
- Levi, L. See Cassagnou, Y., 2=452
- Levi, R. See Rittner, E.S., 2=15943
- Leviardi, A. See Bancie-Grillot, M., 2=6621
- Leviardi, A. See Ciarrapico, J.O., 2=14637
- Leviardi, A. See Graham, C.R., 2=19881
- Levich, V.G. and Gurevich, Yu.Ya. Effect of a magnetic field on [the propagation] of surface waves in conducting liquid, 2=13
- Levich, V.G. and Krylov, V.S. The adsorption isotherm in the model of the discrete electrical double layer, 2=12968
- Levick, W.R. Modification of a 256-channel scaler for neurophysiological time analysis, 2=17756
- Levikov, S.I. and Shishatskaya, L.P. Comparison of spectral intensities of the hydrogen and deuterium radiation, 2=11485
- Levin, B.J. and Majeva, S.V. On the thermal history of the earth, 2=
- Levin, F.S. Back angle peaking and exchange effects in (d,p) and (d,d) reactions, 2=18348
- Levin, G.E. See Ergakov, V.A., 2=20196
- Levin, I.W. and King, W.T. Infrared intensities of silane, 2=22982
- Levin, J.S. See Thomson, D.B., 2=10112
- Levin, M.L. and Tsytovich, V.N. Inertia effects in interactions between currents, 2=9690
- Levin, V.V. See Broder, D.L., 2=20357
- Levina, D.A. See Dektyar, I.Ya., 2=23657
- Levina, M.E. See Koptsik, V.A., 2=14916
- Levine, A.D. A note concerning the spin of the phonon, 2=23049
- Levine, D.B. See Jackson, J.L., 2=5334
- Levine, H.B. Chemical equilibrium in complex mixtures, 2=15124
- Levine, J. and Sanders, T.M., Jr. Anomalous electron mobility and complex negative ion formation in low-temperature helium vapour, 2=15885
- Levine, J.D. See Gyftopoulos, E.P., 2=1474
- Levine, M.A. See Furth, H.P., 2=7524
- Levine, M.A. See Gallagher, C.C., 2=22225
- Levine, M.A. See Hand, G.L., 2=20096
- Levine, M.M. Equal charge displacement rule in fission product poisoning, 2=5986
- Levine, P.H. Thermoelectric phenomena associated with electron-field emission, 2=7556
- Levine, P.H. and von Roos, O. Plasma theory of the many-electron atom, 2=3683
- Levine, S. See Bell, G.M., 2=17429
- Levinger, B.W. and Frankl, D.R. Cyclotron resonance measurements of the energy band parameters of germanium, 2=2147
- Levinger, J.S. Magnetic moments of hyperons, 2=12006
- Levinger, J.S. See Razavy, M., 2=3451
- Levinson, C.A., Lipkin, H.J. and Meshkov, S. Experimental tests of unitary symmetry, 2=11873
- Levinson, C.A., Lipkin, H.J. and Meshkov, S. Unitary symmetry of strong interactions, 2=13823
- Levinson, C.A., Lipkin, H.J., Meshkov, S., Salam, A. and Munir, R. A reaction forbidden by the Sakata model of unitary symmetry, 2=13797
- Levinson, I.B. and Plavina, I.Z. The mechanism of the formation of latent electrophotographic images in layers of zinc oxide, 2=15
- Levinson, I.B. and Plavina, I.Z. The mechanism of the formation of latent electrophotographic images in layers of zinc oxide, 2=19
- Levinson, J. See Many, A., 2=8422
- Levinson, L.S. High temperature drop calorimeter, 2=15797
- Levinstein, H. [Ed.] Proceedings of the 1961 International Conference on Photoconductivity, New York, August 21-24, 2=6486
- Levinstein, H. See Borrello, S.R., 2=23340
- Levinstein, H. See Bratt, P., 2=7454
- Levinstein, H. See Engeler, W., 2=8418

- tov, I.I. Polarization and charge exchange interaction in the high energy π -p scattering, 2=7890
 tov, I.I. See Atlaskin, N.N., 2=20075
 tov, I.I. See Kanavets, V.P., 2=22601
 tov, I.I. See Trostin, I.S., 2=22656
 Setti, R. See Crayton, N., 2=3472
 Setti, R. See Crayton, N., 2=22718
 Setti, R. See Abeledo, D., 2=5791
 Setti, R. See Davis, D.H., 2=18191
 in, R.Z. Apparatus for measuring the moduli of elasticity and internal friction by the "combined oscillator" method, 2=16941
 in, R.Z. and Nikitin, S.A. Magnetoelastic and elastic properties of dysprosium, 2=8646
 in, R.Z. See Belov, K.P., 2=744
 askaya, M.A. and Vodop'yanova, N.A. X-ray determination of diffusion coefficients by the use of thin double metal layers, 2=21053
 ski, B.M. See Konobeevski, S.T., 2=12926
 ski, S.M. and Plyatsok, Z.A. Oscillographic method for measurement of parameters in gaseous discharge plasma 2=19982
 ski, S.M. and Shashurin, I.P. Resonant microwave probe for measuring charge density in a plasma, 2=200
 ski, L.S. See Dvoryashin, A.S., 2=24124
 ski, B.M. See Dubrovlin, K.P., 2=23769
 t, B. and Hornig, D.F. Structure of detonation waves in gases, 2=1184
 t, B. See Hansen, K., 2=2753
 sk, R.S. and Honig, A. Low temperature electron trapping lifetimes and extrinsic photoconductivity in n-type silicon doped with shallow impurities, 2=8421
 y, M.M. and Newgard, J.J. Nuclear rockets for terrestrial and space missions, 2=4873
 hin, V.L. Notes on the concepts of "yield", "mean lifetime", and "decay law" and their use in luminescence, 2=6632
 hin, V.L. and Mamedov, Kh.I. The fluorescence and absorption spectra of stilbene in octane at low temperatures, 2=23609
 hin, V.L. and Orlov, B.M. Investigation of the thermal activation energy for optical quenching of some crystal phosphors, 2=16855
 hin, V.L. and Pipinis, P.A. The exoelectronic emission method for investigating trapping levels in crystal phosphors and its application to the study of trapping levels in CaS, SrS phosphors, 2=16846
 hin, V.L. and Pipinis, P.A. Investigation of trapping levels in CaS phosphors by the methods of exoelectronic emission and thermoluminescence, 2=16877
 hin, V.L. and Ryzhikov, B.D. Dependence of yield and other optical properties of zinc sulphide phosphors on the size of uncrushed crystals, 2=718
 hin, V.L. and Ryzhikov, B.D. Causes of the decrease in luminescence intensity caused by the mechanical crushing of zinc sulfide phosphors. II. 2=18868
 hin, V.L. See Drozd, L., 2=716
 hin, V.L. See Drozd, L., 2=10626
 hin, V.L. See Zhukova, N.V., 2=16856
 tek, I. See Blinc, R., 2=2208
 C. and Picot, P. New data on iridium-osmium alloys. Existence osmium 2=2397
 F. See Alitti, J., 2=16229
 F. See Berley, D., 2=22633
 F. See Bidan, U., 2=11988
 G.S. and Schuster, D. Venusian and lunar radar depolarization experiments, 2=19350
 J. Harmonic condition in the theory of unified field, 2=4930
 J. The fundamental constant and the trajectories in unified theory, 2=11272
 M. Interaction range and high-energy scattering, 2=16160
 M. Electromagnetic radiative corrections and the elementary nature of the photon, 2=20287
 M. and Rudnick, I. Ultrasonic bonds for use at liquid-helium temperatures, 2=11232
 P. and Bonnel, C. Use of a coincidence telescope on the study of nuclear reactions due to 14 MeV neutrons, 2=5932
 P.W. Annealing of the defects and colour centres in unirradiated and in reactor irradiated Al_2O_3 , 2=12463
 P.W. See Wyllie, D.W., 2=4266
 V. See Brebec, G., 2=11230
 J.S. Stability of a simplified geocyclotron model, 2=8994
 M.S. See Bubernak, J., 2=11925
 ndowski, Z., Huber, P. and Wagner, R. Measurement of the neutron spectrum of a Pu-Be source, 2=5645
 ndowski, Z. See Huber, P., 2=5925
 ndowski, Z. See Huber, P., 2=9867
 ndowski, Z. See Wagner, R., 2=19845
 n, C. See Alitti, J., 2=16229
 Lewin, C. See Alitti, J., 2=18156
 Lewin, G. and Martin, G. Fast ion gauge for the measurement of neutral gas density in the presence of magnetically confined plasma, 2=9594
 Lewin, G. See Appar, E., 2=19629
 Lewin, W.H.G., van Nooten, B. and Wapstra, A.H. The K-conversion coefficient of the 368 keV E2 transition in ^{200}Hg , 2=1847
 Lewins, J. The reduction of the time-dependent equations for nuclear reactors to a set of ordinary differential equations, 2=6007
 Lewins, J. A variational principle for nonlinear systems, 2=6030
 Lewis, C.H., Kelly, H.C., Giusto, M.B. and Johnson, S. Preparation of high-purity silicon from silane, 2=7091
 Lewis, C.W. See Hobbie, R.K., 2=503
 Lewis, F.A., A note on specific heat anomalies in the Pd-H and Pd-D systems, 2=12385
 Lewis, G.M. Neutrino and antineutrino losses in nuclear processes, 2=22485
 Lewis, G.M., Azuma, R.E., Gabathuler, E., Leith, D.W.G.S. and Hogg, W.R. Photoproduction of positive pions from hydrogen near threshold, 2=3378
 Lewis, G.M. See Currie, W.M., 2=5277
 Lewis, G.M. See Joshi, B.R., 2=3519
 Lewis, G.P. and Ruetschi, P. The dependence of the electrolytic hydrogen-deuterium separation factor on the electrode potential, 2=23964
 Lewis, H.W. Straggling effects on resonant yields, 2=3545
 Lewis, J.A. The small-field theory of the Joule and Wiedemann effects, 2=12785
 Lewis, J.A. and Pollak, H.O. Photoelastic calculations by a complex variable method, 2=1094
 Lewis, J.C., Neumayer, H.R.J. and Ward, R.G. The stabilization of liquid metal during levitation melting, 2=24234
 Lewis, M.F., Phillips, T.G. and Rosenberg, H.M. Excitation and detection of spin-wave resonance in nickel using phonons at microwave frequencies, 2=18913
 Lewis, N.W. Characteristics of photographic films, 2=17657
 Lewis, P.H. Perturbations of the nickel metal K X-ray absorption edge due to small crystal size and hydrogen chemisorption, 2=6587
 Lewis, T.J. and Ward, B.W. A statistical interpretation of the electrical breakdown of liquid dielectrics, 2=19577
 Lewis, W.B., Jackson, J.A., Lemons, J.F. and Taube, H. Oxygen-17 N.M.R. shifts in aqueous solutions of rare-earth ions, 2=5029
 Lewis, W.B. See Pretzel, F.E., 2=14473
 Lewis, W.B. See Pretzel, F.E., 2=21000
 Lewisch, R. Simple calibration method for intensity measurements with an X-ray diffractometer, 2=17006
 Lewowski, T. Effect of temperature and air humidity on the photo-stimulated exoelectron emission from oxide films on aluminium, 2=17869
 Leycuras, Y. Transitions between the glow and arc regimes, 2=1409
 Leyer, J.C. and Manson, N. On the running of resonating burners, 2=1296
 Lezheiko, L.V. See Goldobin, A.N., 2=4105
 Lezheiko, L.V. See Goldobin, A.N., 2=8473
 Li, C.H. See Johnston, T.L., 2=6754
 Li, C.H. See Speersneider, C.J., 2=12938
 Li, C.H. See Stokes, R.J., 2=2335
 Li, C.H. See Stokes, R.J., 2=14925
 Li, Che-Yu. See Pinnow, D.A., 2=4080
 Li Don Khva. See Vernov, S.N., 2=13936
 Li, Dzh. See Marpls, Dzh., 2=21510
 Li Ga En. See Govorov, A.M., 2=22659
 Li, J.C.M. Thermodynamics for nonequilibrium systems. The principle of macroscopic separability and the thermokinetic potential, 2=7142
 Li, J.C.M. Persistency, pseudo-entropy, and the thermokinetic potential, 2=19448
 Li, J.C.M. Carathéodory's principle and the thermokinetic potential in irreversible thermodynamics, 2=19788
 Li, J.C.M. Possibility of subgrain rotation during recrystallization, 2=23828
 Li, P.C. Preparation of single-crystal graphite from melts, 2=2357
 Li, S.M. See Ignatenko, A.E., 2=14232
 Li, S.U. See Freeman, M.P., 2=19990
 Li, T. and Sims, S.D. A calorimeter for energy measurements of optical masers, 2=13481
 Liang, C.Y., Scalco, E.G. and Oneal, G., Jr. Temperature dependence of photoconductivity of metal-free phthalocyanine, 2=21197
 Liang, K. See Gabrysh, A.F., 2=15539
 Liang Wén-hsiueh. See Lyan Vén'syue, 2=17097
 Lias, S. See Ausloos, P., 2=17097
 Lias, S.G. and Ausloos, P. Vapor-phase radiolysis of propane- d_2 in the presence of other hydrocarbons, 2=19166

- Libby, W.F. Isotope size effect in van der Waals radii and the barrier to rotation around the carbon-carbon single bond, 2-1978
- Libby, W.F. Tritium geophysics, 2-4613
- Libby, W.F. and Palmer, C.E. Stratospheric mixing from radioactive fallout, 2-873
- Libby, W.F. and Palmer, C.E. Authors' reply to the preceding discussion, 2-875
- Liebhaber, A. and Veilox, R. Wave propagation in a gyromagnetic solid conductor: Helicon waves, 2-20160
- Litelo, L.F. See Hirschel, L.R., 2-13354
- Liben, W. and Twigg, L.A., Jr. A variable ultrasonic electro-optical delay line and a new ultrasonic-optical effect in fused quartz, 2-2718
- Lieberman, I.A. See Green, M., 2-23918
- Lieberman, M. See Garron, R., 2-22242
- Libin, I.Sh. An exhaust tube for sealing off vessels under high pressure, 2-7090
- Libman, G. See Blokhintseva, T.D., 2-16227
- Liboff, R.L. Long-wavelength phenomena in a plasma, 2-19962
- Libovický, S. See Sesták, B., 2-10386
- Libovický, S. See Sesták, B., 2-14436
- Libowitz, G.G. Nonstoichiometry and lattice defects in transition metal hydrides, 2-3898
- Licart, C. See Gaspar, E., 2-4523
- Licht, J. See Bandeen, W.R., 2-2574
- Lichten, W. Metastable hydrogen molecules. II. Fine structure of parahydrogen, 2-12309
- Lichtenberg, A.J. Calculation of beam loading in linear travelling wave electron accelerators, 2-11736
- Lichtenberg, A.J. and Woodyard, J.R. Plasma waveguides as low loss structures, 2-13685
- Lichtenberg, D.B. Nucleon-nucleon interaction and the quantum numbers of the ζ -meson, 2-20327
- Lichtenberg, D.B. and Summerfield, G.C. G parity and the interactions of heavy mesons, 2-20414
- Lichtenberg, D.B. See Feld, B.T., 2-3401
- Lichtensteiger, M. See Nitsche, R., 2-6773
- Lichtman, S. See Bertanza, L., 2-22652
- Lide, D.R., Jr. See Jen, M., 2-16542
- Lide, D.R., Jr. See Nugent, L.V., 2-6127
- Lider, K.F. and Solov'ev, L.E. Optical and photoelectric properties of GeS and GeSe , 2-21244
- Lider, K.F. See Gross, E.F., 2-18738
- Lider, K.F. See Gross, E.F., 2-23455
- Lidiard, A.B. Reactions among point defects in alkali halides, 2-3959
- Lidiard, A.B. See Boswarva, I.M., 2-18797
- Lidov, M.L. Evolution of the orbits of artificial satellites of planets under the action of gravitational perturbations due to external bodies, 2-11177
- Lidov, M.L. Determination of the density of the atmosphere from the observed drag on the first artificial earth satellites, 2-13013
- Lidsky, L.M., Rothleder, S.D., Rose, D.J., Yoshikawa, S., Michelson, C. and Mackin, R.J., Jr. Highly ionized hollow cathode discharge, 2-17794
- Lieb, B. See Lin, T.H., 2-6741
- Lieb, D.P., Jackson, B.D. and Root, C.D. Abrupt junction diode theory, 2-14568
- Lieb, E. and Mattis, D. Theory of ferromagnetism and the ordering of electronic energy levels, 2-4213
- Lieb, E. and Mattis, D. Ordering energy levels of interacting spin systems, 2-21342
- Lieb, E., Schultz, T. and Mattis, D. Two soluble models of an anti-ferromagnetic chain, 2-2290
- Liebaert, R., Lebrun, A. and Leroy, Y. Determination of types of inter-molecular association by the study of the polarization and the radio spectra of dilute solutions, 2-2729
- Lietau, F. Studies of the magnitude of the Si—O—Si bond angle, 2-10897
- Lieber, A.J., Schmidt, F.H. and Gerhart, J.B. Proton angular distributions for (α, p) reactions on C^{12} , Al^{27} , and P^{31} , 2-12224
- Lieberman, P. and Michaels, S.B. Some aspects of fundamental frequency and envelope amplitude as related to the emotional content of speech, 2-21751
- Lieberoth, J. An improved diffusion approximation of the transport equation for plane problems, 2-10178
- Lieberoth, J. and Wagner, M. Method of solution of the transport equation for plane cell, 2-8033
- Liebmann, W. See Lawley, A., 2-6737
- Liebold, R. An observation concerning Bohr's atomic model, 2-6082
- Liebscher, D. See Eichenauer, W., 2-14459
- Liemohn, H. The lifetime of radiation belt protons with energies between 1 keV and 1 MeV, 2-4684
- Liemohn, H.B. and Scarf, F.L. Exospheric electron temperatures from nose whistler attenuation, 2-17198
- Lien-Dinh-Pham. See Pham-Dinh-Lien.
- Liepmann, H.W., Roshko, A., Coles, D. and Sturtevant, B. A 17 inch diameter shock tube for studies in rarefied gasdynamics, 2-156321
- Lierde, W. Van. See Van Lierde, W.
- Lieshout, R. Van. See Van Lieshout, R.
- Liesk, W. Magnetic structures in thin films, observed by electron microscope, 2-12752
- Liesk, W. See Feldtkeller, E., 2-12782
- Liesk, W. See Fuchs, E., 2-20102
- Liesk, W. See Pfisterer, H., 2-14642
- Lifshits, E.M. See Dzyaloshinskii, I.E., 2-6243
- Lifshits, I.M. Quantized cyclotron resonance in metals, 2-3883
- Lifshits, I.M. Kinetics of ordering during phase transitions of the second kind, 2-17048
- Lifshits, I.M., Slutskin, A.A. and Nabutovskii, V.M. Peculiarities of motion of charged quasi-particles in a variable and inhomogeneous electromagnetic field, 2-22305
- Lifshits, I.M. See Geguzin, Ya.E., 2-18566
- Lifshits, I.M. See Geguzin, Ya.E., 2-23148
- Lifshits, T.M., Kogan, Sh.M., Vystavkin, A.N. and Melnik, P.G. Some phenomena induced in n-type indium antimonide by radio-frequency radiation, 2-14583
- Lifshits, Ye.V., Yegorov, A.M. and Zagorodnov, O.G. High-frequency strength measurements in plasma by means of the Stark effect, 2-19984
- Lifshits, Ye.V., Yerko, V.F., Buhaiova, N.I. and Mosiva, L.M. Spectrochemical analysis of some pure metals, 2-19177
- Lifshits, Ye.V. See Yerko, V.F., 2-19175
- Lifshitz, E.M., Sudakov, V.V., Khalatnikov, I.M. The singularities of cosmological solutions of gravitational equations. III, 2-12
- Lifson, H. See Pekeris, C.L., 2-12285
- Lifson, S. and Jackson, J.L. On the self-diffusion of ions in a poly-electrolyte solution, 2-13331
- Ligasova, V.D. See Strukov, B.A., 2-16784
- Ligasova, V.D. See Strukov, B.A., 2-23499
- Light, J.C. Dissociation of gaseous diatomic molecules: classical adiabatic scattering approach, 2-6227
- Lightfoot, D.A. See Stanton, L., 2-16095
- Lighthill, M.J. The Bakerian lecture 1961, Sound generated aerodynamically, 2-11451
- Liguori, M. Determinations of the right ascensions of the planets Jupiter and Saturn in 1961, 2-17256
- Lihl, F. and Donat, K. Investigations of the wavelength dependence of the integral line half-width of X-ray back-reflection measurements on a steel surface deformed by machining, 2-15112
- Liidja, G.G. See Lušćik, Č.B., 2-23211
- Liid'ya, G.G. See Lushchik, Ch.B., 2-16848
- Likhachev, M.F., Stavinskii, V.S., Syui Yun-chen [Hsu Yun-ch'ang] and Chzhan Nai-sen [Chang Nai-sen]. Total cross-sections for the interaction of 4.75 and 3.7 BeV/cK⁺ and π^+ -mesons with protons and nuclei, 2-22581
- Likhachev, V.A. Microstructural strains due to thermal anisotropy, 2-2088
- Likhachev, V.A. The equation of state of a real (inhomogeneous) solid, 2-3851
- Likhachev, V.A. The equation of state of a real (inhomogeneous) solid, 2-8178
- Likhachev, V.A. and Mal'ugin, G.A. An investigation of irreversible changes in bismuth, 2-8728
- Likhachev, V.A. and Moskvina, A.I. The change in density of aluminum during thermal changes, 2-10772
- Likhachev, V.A. See Davidenkov, N.N., 2-20939
- Likhacheva, Yu.S. See Shuvalov, L.A., 2-16797
- Likht, M.K. and Kuz'minskaya, S.B. Solidification of binary alloys over a range of temperatures, 2-7480
- Likht, M.K. and Kuz'minskaya, S.B. The temperature range for the solidification of binary alloys, 2-21552
- Likhter, A.I. and Venttsel', V.A. Hall effect in cerium during the phase transition of the first kind, 2-18640
- Likhter, Ya.I., Prozumenshchikov, S.M. and Sobolev, Ya.P. A spectral analyser of variable-frequency signals, 2-7543
- Likhtman, V.I. See Bryukhanova, 2-6751
- Likhtman, V.I. See Chaevskii, M.I., 2-14899
- Likhtman, V.I. See Chaevskii, M.I., 2-19004
- Likhtman, V.I. See Kochanova, L.A., 2-2334
- Likin, O.B. and Kovrizhnykh, O.M. Time analyzer with a "gray wedge", 2-17755
- Liksonov, A. Differential method of measuring the curie point, 2-77
- Liljegren, G. See Axensten, S., 2-3461
- Liljegren, G. See Olsmats, C.M., 2-523
- Liller, W. Solar ultraviolet and X-ray experiments from artificial satellites, 2-13128

- Iethun, E. Production of charged pions in collisions of 450 MeV protons with various nuclei, 2=3577
- Iethun, E. See Cocconi, G., 2=5639
- Iethun, E. See Cocconi, G., 2=10095
- Iethun, E. See Cocconi, G., 2=22503
- Iethun, E. See Diddens, A.N., 2=20331
- Iethun, E. See Diddens, A.N., 2=20335
- Iethun, E. See Diddens, A.N., 2=20336
- Ily, C.M. See Johler, J.R., 2=2459
- Ily, D.K. On the numerical simulation of buoyant convection, 2=17134
- I, E.C. Radiationless transitions and radiative lifetime of $^3\text{B}_{1u}$ state of benzene, 2=20845
- I, E.C. and Kowalski, V.L. Effect of oxygen on the ultraviolet spectra of benzene, 2=12333
- I, E.C. and Swenson, G.W. Delayed fluorescence of acriflavine in rigid media, 2=2255
- I, A.G. See Borovik, E.S., 2=9680
- I, D.N. Virial theorem and the stability of clusters of galaxies, 2=9101
- I, S. See Bellini, G., 2=22573
- I, S. See Chadwick, G.B., 2=22522
- I, S. See Di Corato, M., 2=22627
- I, C.C. See Hijikata, K., 2=8110
- I, C.C. See Kojima, T., 2=1992
- I, Chang-ta. See Belov, K.P., 2=623
- I, Chang-ta. See Lin' Chzhan-da.
- I, Chzhan-da. See Belov, K.P., 2=623
- I, Chzhan-da. See Goryaga, A.N., 2=23681
- I, and Toyoda, T. Induced radioactivity in iron by high energy protons, 2=22817
- I, S.-C. Low density shock tube studies of reaction rates related to the high altitude hypersonic flight problem, 2=2746
- I, S.C. Rate of ionization behind shock waves in air, 2=3006
- I, T.H. and Lieb, B. Rotation of crystals under axial strain, 2=6741
- I, S. R.C. Growth of refractory oxide single crystals, 2=12893
- I, S. R.C. See Laudise, R.A., 2=12743
- I, S. R.C. See Van Uitert, L.G., 2=6609
- I, S. R.C. See Van Uitert, L.G., 2=10618
- I, S. R.C., Jr. See Pappalardo, R., 2=4142
- I, J., Nicolas, I., Bilwes, R. and Magnac-Valette, D. Study of the reactions $\text{Li}^7(\text{He}^4, \alpha)\text{Li}^8$ at about 5 MeV, 2=495
- I, R. and Wilkerson, T.D. New detector for the vacuum ultraviolet, 2=19696
- I, R. See Berg, H.F., 2=3700
- I, S.C. See Rudolph, P.S., 2=6893
- I, G. See Hellstrand, E., 2=6035
- I, K.H. See Brix, P., 2=1866
- I, B. On the formation of dispersion rings in the central layer of a galaxy, 2=9107
- I, B. Gravitational resonance effects and the formation of spiral structure, 2=1003
- I, G. Determination of concentration of Caesium-137 in precipitation and ground-level air in Sweden, 2=17149
- I, H. and Schwarz, E. Study of the characteristics of free interfacial convection for transition of matter at fluid boundaries. I. Free interfacial cellular convection; isolated convection cells, 2=13475
- I, H. and Schwarz, E. Study of the characteristics of free interfacial convection for transition of matter at fluid boundaries. II. Free interfacial cellular convection; polygonal convection cell assembly with only slightly agitated cell boundaries, or "turbulence" at the boundaries, such as a convection cell assembly subjected to oscillations, 2=13476
- I, H. and Schwarz, E. Study of the characteristics of free interfacial convection for transition of matter at fluid boundaries. III. Effect of the density gradient on the size of the convection cells, 2=13477
- I, S. See Hultqvist, B., 2=6960
- I, E. See Brogren, G., 2=23845
- I, S. J., Love, W.A., Niederer, J.A., Ozaki, S., Russell, J.J. and Yuan, L.C.L. $\pi^+ + p$ and $\pi^- + p$ total cross-sections from 8 to 20 BeV/c, 2=1713
- I, S. J. See Baker, W.F., 2=20627
- I, S. J. See Mellissinos, A.C., 2=5710
- I, K.H. See v. Faber du Faur, C., 2=20512
- I, P. and Pennebaker, W.B. Lattice conductivity of copper alloys, 2=20948
- I, B. Generalized form for dispersion interaction, 2=20887
- I, B. and Zucker, A. Radiative capture of N^{14} on P^{31} , 2=18363
- I, B. See Howard, B.B., 2=3780
- I, J. Study of atoms by perturbation theory, 2=20732
- I, J. On dispersion forces, 2=20898
- I, L.v. See v. Lindern, L.
- I, B. See Pettersson, A.V., 2=22975
- I, L. Nuclear magnetic moments in the rare earth region, 2=12119
- I, Lindgren, I. See Axensten, S., 2=3461
- I, Lindgren, I.P.K. See Cabezas, A.Y., 2=12295
- I, Lindgren, S. On the pressure dependence of the cosmic ray intensity recorded by the standard neutron monitor, 2=9970
- I, Lindgren, S. Atmospheric effects on the sea level Cosmic ray intensity, 2=13912
- I, Lindgren, S. and Lindholm, F. Atmospheric effects on the meson intensity recorded by the international standard cube at a high latitude station, 2=1750
- I, Lindgren, S. See Drying, E., 2=16282
- I, Lindgren, S. See Sandstrom, A.E., 2=9968
- I, Lindgren, S. See Sandstrom, A.E., 2=13909
- I, Lindh, G. Transmission of a transient spherical wave at a plane interface, 2=15689
- I, Lindhard, J. and Nielsen, V. Nuclear collisions and ionisation fluctuations in charged particle detectors, 2=22354
- I, Lindholm, E. See Wilmenius, P., 2=6870
- I, Lindholm, F. See Lindgren, S., 2=1750
- I, Lindman, R. See Ekman, G., 2=24225
- I, Lindman, R. See Ekman, G., 2=24225
- I, Lindmayer, J. Power gain of transistors at high frequencies, 2=21178
- I, Lindmayer, J. and Wrigley, C. A simplified approach to transistor admittances, 2=10516
- I, Lindner, J. Classical particle model with variable gravitation coefficient, 2=19393
- I, Lindner, R. Semiconductor surface varactor, 2=12537
- I, Lindner, R. and Schmitz, F. Diffusion of uranium 233 in uranium oxide, 2=8249
- I, Lindner, R. See Matzke, H., 2=6362
- I, Lindner, R. See Schmitz, F., 2=6377
- I, Lindqvist, T. See El-Nesr, M.S., 2=3522
- I, Lindqvist, T. See Matthias, E., 2=5821
- I, Lindqvist, T. See Schneider, W., 2=5619
- I, Lindsay, P.A. General steady-state theory of cylindrical magnetrons, 2=5378
- I, Lindsay, R.H. and Neuzil, E.F. (p, Be^7) reaction in Al and Mg from 27 to 31.7 MeV, 2=18323
- I, Lindsay, W.T., Jr and Pement, F.W. Electrical resistance of alpha hydrogen-'palladium, 2=6410
- I, Lindström, B. See Grabowski, Z., 2=20561
- I, Lindström, G. See Bormann, M., 2=9739
- I, Linek, A. See Hadinec, I., 2=824
- I, Linek, A. See Hadinec, I., 2=825
- I, Linek, A. See Hadinec, I., 2=23856
- I, Lines, M.E. See ter Haar, D., 2=6665
- I, Lines, M.E. See ter Haar, D., 2=23688
- I, Linevsky, M.J. See Wachman, H.Y., 2=3037
- I, Linfoot, E.H. Convolved spot-diagrams and the quality evaluation of photographic images, 2=7416
- I, Lingafelter, E.C. See Tracy, J.W., 2=10871
- I, Lingafelter, E.C. See Tracy, J.W., 2=15023
- I, Lingafelter, E.C. See Tracy, J.W., 2=15025
- I, Lingar, W.E. See Behr, B.C., 2=7537
- I, Lingeman, E.W.A., Löbner, K.E.G., Nijgh, G.J. and Wapstra, A.H. The negaton transition in ^{198}Au , 2=12166
- I, Lingefelter, R.E., Hess, W.N. and Canfield, E.H. Neutron leakage flux and the nitrogen abundance of Venus, 2=19284
- I, Linhardt, F. and Oberst, H. Temperature dependence of oscillation-damping materials, 2=5127
- I, Linhardt, W. Acoustic coupling of organ pipes, 2=2839
- I, Liniger, W. The solution of a transition problem in a superconducting strip, 2=15843
- I, Link, G.L. Motion of c domain centers in BaTiO_3 , 2=2210
- I, Link, R. and Seiwert, R. The temperature dependence of luminescence of CdS crystals without foreign activators, 2=8552
- I, Link, R. See Fritz, G., 2=2113
- I, Linlor, W.I. Fusion plasma injection, 2=13570
- I, Linlor, W.I. Angular momentum relations for plasmas in magnetic fields, 2=19936
- I, Linnell, A.P. Eclipsing binary extinction errors, 2=17283
- I, Linnell, R.H., Aldo, M. and Raab, F. Hydrogen-bonding self-association of pyrrolidine in CCl_4 , 2=10961
- I, Linnett, J.W. See Heckingbottom, R., 2=15029
- I, Linsley, J. Remarks on cosmic-ray composition, 2=22663
- I, Linsley, J. and Scarsi, L. Cosmic-ray composition at 10^{17} - 10^{18} eV, 2=22662
- I, Linsley, J., Scarsi, L., Eccles, P.J. and Rossi, B.B. Isotropy of cosmic radiation, 2=13930
- I, Linsley, J., Scarsi, L. and Rossi, B. Energy spectrum and structure of large air showers, 2=20459
- I, Linzen, D. See Haubenreisser, W., 2=2294
- I, Linzen, D. See Haubenreisser, W., 2=14815

- Linzer, M. See Hansen, K., 2=2753
- Ljubimov, G.A. On the form of Ohm's law in magnetohydrodynamics, 2=22312
- Lipaeva, G.A. Temperature dependence of the complex permittivity of some titanates between 20 and 1000°C, 2=21219
- Lipkin, B.S. Monocular Flicker discrimination as a function of the luminance and area of contralateral steady light. I. luminance, 2=24218
- Lipkin, B.S. Monocular Flicker discrimination as a function of the luminance and area of contralateral steady light. II. Area, 2=24219
- Lipkin, H.J. Simple models of many particle systems, 2=1764
- Lipkin, H.J. Some simple features of the Mossbauer effect. II. Sum rules and the moments of the energy spectrum, 2=14364
- Lipkin, H.J. On the possibility of strangeness-violating $\Delta S = 4$ transitions in strong interactions, 2=16149
- Lipkin, H.J., Peshkin, M. and Tassie, L.J. Flux quantization and the current-carrying state in a superconducting cylinder, 2=9477
- Lipkin, H.J. See Blake, B., 2=22773
- Lipkin, H.J. See Glick, A., 2=1767
- Lipkin, H.J. See Kaufman, B., 2=14365
- Lipkin, H.J. See Levinson, C.A., 2=11873
- Lipkin, H.J. See Levinson, C.A., 2=13797
- Lipkin, H.J. See Levinson, C.A., 2=13823
- Lipman, N.H. See Culligan, G., 2=22928
- Lipman, N.H. See Fabiani, F.K., 2=20319
- Lipman, N.H. See Fabiani, F., 2=22491
- Lipmanov, E.M. Hypothesis of conserved vector current and global symmetry of weak interactions, 2=3268
- Lipnik, P., Deutsch, J.P., Grenacs, L. and Macq, P.C. Polarization of high-energy β -rays from Bi^{214} , 2=7943
- Lipnik, P. See Delabaye, M., 2=5858
- Lipnik, P. See Delabaye, M., 2=16372
- Lipnik, P. See Deutsch, J.P., 2=407
- Lipnik, P. See Deutsch, J.P., 2=408
- Lipnik, P. See Deutsch, J.P., 2=5859
- Lipperheide, R. On the theory of nuclear reactions, 2=5877
- Lippert, W. Mass-thickness changes of plastic films in the electron microscope, 2=12945
- Lippert, W.K.R. Method of measuring and analysing wave motion, 2=19661
- Lippincott, E.R. See Schroeder, R.A., 2=16835
- Lippincott, E.R. See Shorb, A.M., 2=21822
- Lippincott, E.R. See Steele, D., 2=1979
- Lippincott, E.R. See Steele, D., 2=20769
- Lippmann, B.A. See Bjorklund, F.E., 2=5896
- Lippmann, H. Principal line theory of axially-symmetric plastic deformation, 2=10751
- Lippolt, H.J. See Gentner, W., 2=11009
- Lipps, H. Calculation of rotationally symmetric jet flows, 2=47
- Lipschutz, M.E. and Anders, E. On the mechanism of diamond formation, 2=6775
- Lipscomb, W.N. See Hoffmann, R., 2=14310
- Lipscomb, W.N. See Hoffmann, R., 2=16526
- Lipscomb, W.N. See Hoffman, R., 2=19134
- Lipscomb, W.N. See Kern, C.W., 2=18437
- Lipscomb, W.N. See Kern, C.W., 2=18461
- Lipscomb, W.N. See Lohr, L.L. Jr., 2=19077
- Lipscomb, W.N. See Pitzer, R.M., 2=18440
- Lipscomb, W.N. See Stevens, R.M., 2=18462
- Lipscomb, W.N. See Streib, W.E., 2=19066
- Lipsett, M.S. and Strandberg, M.W.P. Mode control in ruby optical masers by means of elastic deformation, 2=16017
- Lipsicas, M. N.M.R. measurements of self-diffusion in normal hydrogen gas from 55° to 90°K, 2=7246
- Lipsicas, M. and Hartland, A. Nuclear spin-spin relaxation, 2=11431
- Lipsitt, H.A. See Marcinkowski, M.J., 2=8717
- Lipskey, S. See Kato, S., 2=19569
- Lipskii, Yu.N. Results of studies of the first photographs of the reverse side of the moon, 2=17244
- Lipskii, Yu.N. Results of studies of the first photographs of the reverse side of the moon, 2=24095
- Lipson, H. X-ray crystallography - a meeting place of the sciences, 2=23829
- Liptay, W. Determination of complex-equilibrium constants from spectrophotometric absorption measurements, 2=8940
- Liptay, W. and Czekała, J. The influence of an external electric field on optical molecular absorption. Extended theory, 2=8101
- Lipworth, E. See Alpert, S.S., 2=3465
- Liren, W. Some applications of an ultrasonic light modulator, 2=17599
- Lishenko, L.G. See Bondar, A.D., 2=17978
- Lisitsa, M.P. and Tsyashchenko, Yu.P. Measurement of dispersion in regions of intense infrared absorption, 2=1152
- Lisitsa, M.P. See Kirei, G.G., 2=17467
- Lisitsyn, L.M. See Basov, N.G., 2=652
- Lisitsyn, L.M. See Basov, N.G., 2=23474
- Lisker, I.S. A non-stationary method for measurement of thermoelectric and thermal properties of semiconductors, 2=16693
- Lisker, I.S. See Kaganov, M.A., 2=5197
- Liskovich, O.B. See Vishnevskii, V.N., 2=6540
- Lisle, J.C. See Baston, A.H., 2=3596
- Lisnyk, A.H. Nature of magnetic anisotropy of ferromagnetic films, 2=21328
- Lisovenko, A.T. and Mikhelev, A.A. An automatic set-up for the simultaneous recording of weight and temperatures, 2=9231
- List, R.J. See Machta, L., 2=16340
- Listengarten, M.A. The Auger effect (a review), 2=14052
- Liszká, L. Local electron densities deduced from the Faraday fading of satellite transmissions using measurements during two consecutive transits, 2=4643
- Liszká, L. and Hultqvist, B. Investigations of radio transmissions from 1958 to 2 (Sputnik III) made at Kiruna geophysical observatory, 2=7047
- Liszká, L. See Aarons, J., 2=4618
- Litchfield, E.L. Freely expanding gaseous detonation waves initiated by electrical discharges, 2=4541
- Literat, R., Meitert, S., Oncescu, M. and Petriu, I. Continuous measurement of β -radioactivity in the atmosphere, 2=4617
- Literat, R. See Blănuș, D., 2=7937
- Litherland, A.E. The interpretation of angular distributions and angular correlations from the reaction $\text{C}^{12}(\text{C}^{12}, \alpha, \gamma)\text{Ne}^{20}$, 2=3624
- Litherland, A.E., Clark, M.A. and Gove, H.E. A 7.02 MeV level in Ne^{20} , 2=1810
- Litherland, A.E., Kuehner, J.A., Gove, H.E., Clark, M.A. and Almqvist, E. Rotational bands in Ne^{20} , 2=1812
- Litherland, A.E. See Almqvist, E., 2=17906
- Litherland, A.E. See Clark, M.A., 2=1811
- Litherland, A.E. See Gove, H.E., 2=997
- Litherland, A.E. See Gove, H.E., 2=1808
- Litherland, A.E. See Gove, H.E., 2=1814
- Litherland, A.E. See Gove, H.E., 2=1933
- Litherland, A.E. See Hinds, S., 2=1913
- Litherland, A.E. See Pullen, D.J., 2=18232
- Litherland, A.E. See Simpson, J.J., 2=16319
- Litovchenko, V.G. See Lyašenko, V.I., 2=23351
- Litovchenko, P.G. and Ust'yanov, V.I. Gamma- and photoelectric properties of cadmium sulphide, 2=16752
- Litovchenko, P.G. and Ust'yanov, V.I. Gamma- and photoelectric properties of cadmium sulphide, 2=18736
- Litovchenko, P.G. and Ust'yanov, V.I. Kinetics of gamma-conductivity in cadmium sulphide crystals, 2=23457
- Litovchenko, S.H. See Dekhtyar, I.Ya., 2=6404
- Litovchenko, V.G., Frolov, O.S. and Bao Shchi-mao [Pao Shih-mao] Investigation of long-time changes of the electrical properties of germanium surfaces, 2=21132
- Litovchenko, V.G. See Primachenko, V.E., 2=6454
- Litovitz, T. See Cerceo, M., 2=9274
- Litovitz, T.A. See McDuffie, G.E. Jr., 2=19574
- Litovitz, T.A. See Marchessault, J.G., 2=13321
- Littauer, R. See DeWire, J.W., 2=1671
- Littauer, R.M., Schopper, H.F. and Wilson, R.R. Structure of the proton and neutron, 2=1680
- Little, C.G., Reid, G.C., Stiltner, E. and Merritt, R.P. An experimental investigation of the scintillation of radio stars observed at frequencies of 223 and 456 megacycles per second from a location close to the auroral zone, 2=17160
- Little, C.G. See Ortnier, J., 2=15284
- Little, E.M., Marshall, J., Quinn, W.E. and Stratton, T.F. Injected magnetic compression experiment, 2=5351
- Little, K. Preparation of stereoscopic electron microscope photographs, 2=15117
- Little, P.F. Observations on an expanding plasma, 2=7604
- Little, P.F. Ion waves in a bounded plasma, 2=19997
- Little, W.A. The Kapitza resistance of metals in the normal and superconducting states, 2=8165
- Little, W.A. and Parks, R.D. Observation of quantum periodicity in the transition temperature of a superconducting cylinder, 2=22124
- Littman, H. A clarification of the theoretical upper bound on the thermoelectric "figure of merit" derived from irreversible thermodynamics, 2=19892
- Littmann, M.F., Harris, E.S. and Ward, C.E. Grain-size effects in oriented 48% nickel-iron cores at 400 cycles, 2=12706
- Litton, C.W. and Reynolds, D.C. Edge emission in CdS crystals that show mechanically excited emission, 2=4196

- vai, E. Dimensionless characteristics of thermistors and their application, 2=16747
- vak, J. See Alitti, J., 2=16229
- vak, J. See Alitti, J., 2=18156
- vin, V.F. Double focusing in a wide energy interval using sector-shaped uniform magnetic fields, 2=17898
- vin, V.F. See Zharebtsova, K.I., 2=5962
- vin, V.F. See Zharebtsova, K.I., 2=22849
- vin-Sedoi, M.Z. The equations of motion of the fundamental body of a system of rigid bodies of variable composition, 2=9223
- vinov, R.O. See Koshel', O.N., 2=6481
- vinova, P.S., Rabotkina, L.R. and Ramazanov, P.E. Investigation of initial stages in the onset of electroluminescence of a ZnS:Cu:Al phosphor, 2=6646
- winiszyn, J. and Smolarski, A.Z. On a certain solution of the equation $\Psi(\tau)v'(x, \tau) = Av''_{xx}(x, \tau) + [v(x, \tau)]^2$ and its application to the problems of mechanics of loose media, 2=15445
- zman, O. and Klvana, F. Combinatorial method for calculation of the frequency moments of alloys, 2=6252
- zman, O. and Rózsa, P. General treatment of simple ideal and non-ideal crystal lattices with application to the theory of hypermatrices, 2=6251
- u, C.-H. Number of images produced by multiple reflection, 2=9364
- u, D.C. and Roberts, W.K. Positronium lifetime in condensed hydrogen, 2=22494
- u, D.C. See Blue, J.W., 2=17999
- u, F.F. and Loeffler, F.J. Transistorized linear gate for photomultiplier pulses, 2=2988
- u Han-Chou and Yang Kuo-Shen. On the deformability of nuclear cores and the electric quadrupole moment of nuclei with closed shells plus (or minus) a single nucleon, 2=1780
- u, L. Effects of spin-orbit coupling in Si and Ge, 2=12520
- u, L. See Phillips, J.C., 2=14537
- u, S.H. Theory of superconductivity, 2=5234
- u, S.H. Pressure dependence of the Curie temperature of ferromagnetic metals, 2=21290
- u Sun Lu. See Lu Sun Liu.
- u, Y.S. and A-u-Zaman. On the ρ particle contribution to pion-nucleon scattering, 2=18164
- u Yuan. See Lyu Yuan', 2=16307
- abimov, G.A. See Baranov, V.B., 2=22311
- vesey, D.L. The Kepler and Rutherford problems: a geometrical treatment, 2=19386
- vey, D.T. See Bellamy, B., 2=17019
- vey, D.T. See O'Neill, J.S., 2=4480
- vingston, J.D. The density and distribution of dislocations in deformed copper crystals, 2=8228
- vingston, M.S. and Shurcliff, W.A. The Cambridge electron accelerator, 2=1538
- vingston, R. See Jackson, G., 2=1159
- veh, M. See Shklarsky, E., 2=10762
- vshts, B.G. See Gorbunov, V.I., 2=21532
- vshts, B.G. See Gorbunov, V.I., 2=21533
- vshts, B.G. See Kekalo, I.B., 2=23740
- vshts, I.A. See Gertsiger, L.N., 2=22148
- nggren, S. Comments on the theories of isothermal multi-component diffusion, 2=2656
- nggren, S. See Bryngdahl, O., 2=1254
- ó, A. See Catalá, J., 2=3612
- ó, A. See Catalá, J., 2=8008
- ewellyn, P.M. See Fry, D.J.I., 2=4278
- ret, A. See Astier, A., 2=22614
- oyd, J.C. and Segmüller, A. The X-ray fluorescence analysis of thin alloy films, 2=4584
- oyd, J.C. and Smith, R.S. Relation of coercive force to structural properties of electroplated films, 2=10663
- oyd, J.L. See Brooke, G., 2=20469
- oyd, L.J. See Alexander, G., 2=3411
- oyd, L.T. Thermal expansion of alpha-uranium single crystals, 2=2057
- oyd, L.T., Lacombe, P., Calais, D. and Simenel, N. Temperature dependence of the slip direction for $\{110\}$ slip in α -uranium, 2=6325
- asby, R.G. and Taylor, J.C. Hall effect in plutonium, 2=625
- u, H. and Peyerimhoff, S. Angular distribution of hydrogen and argon ions from a high frequency ion source, 2=20042
- anov, Yu.N. See Kolotov, O.S., 2=17757
- anov, Yu.N. See Kolotov, O.S., 2=19870
- anov, Yu.N. See Volodichev, N.N., 2=17919
- anova, T.N. See Petrushevich, V.A., 2=10538
- obashov, V.M. and Nazarenko, V.A., $\beta\gamma$ -correlation investigation of Pr^{144} decay, 2=03526
- Lobashov, V.M. and Nazarenko, V.A., Investigation of the dependence of $\beta\gamma$ correlation on electron velocity in the β -decay of Co^{60} and Au^{198} , 2=10040
- Lobashov, V.M. and Nazarenko, V.A., $\beta\gamma$ correlation in β -decays of Mn^{50} and F^{20} , 2=10048
- Lobikov, E.A. See Sokol'skii, V.V., 2=17796
- Lobkowitz, F. and Thorndike, E.H., Resonant depolarization of a beam of polarized protons during acceleration in a synchrocyclotron, 2=9847
- Lobkowitz, F. See Gotow, K., 2=20338
- Löbner, K.E.G. See Lingeman, E.W.A., 2=12166
- Lobodyuk, V.A. See Kurdyumov, G.V., 2=2396
- Lochak, G. Second law of thermodynamics and asymptotic stability in the sense of Liapounov, 2=19787
- Lochak, G. See Andrade e Silva, J., 2=11243
- Lochak, G. See Andrade e Silva, J., 17369
- Locher, P.R. and Gorter, C.J. Spin-spin relaxations and magnetic resonance in a series of hydrated paramagnetic salts, 2=21381
- Locher, P.R. and Gorter, C.J.; appendix by Caspers, W.J. Spin-spin relaxation and magnetic resonances in two copper Tutton salts, 2=4273
- Lochet, R. See Cadas, J.P., 2=12592
- Lochner, J.P.A. and Burger, J.F. The intelligibility of speech under reverberant conditions, 2=2578
- Lochner, J.P.A. and Burger, J.F. The binaural summation of speech signals, 2=7054
- Lochner, J.P.A. and Burger, J.F. Form of the loudness function in the presence of masking noise, 2=7055
- Lochner, J.P.A. and Burger, J.F. Pure-tone loudness relations, 2=13216
- Lochte-Holtgreven, W. See Maginski, H.P., 2=15915
- Lock, J.M. Towards superconductive computers, 2=7526
- Lock, J.M. Superconductive switching, 2=13518
- Lock, M. See McCracken, A.K., 2=22540
- Lock, W.O. See Baldassarre, F., 2=22562
- Lock, W.O. See Dahl-Jensen, E., 2=5553
- Locke, S. See Reiss, E.L., 2=2661
- Lockett, F.J. The reflection and refraction of waves at an interface between viscoelastic materials, 2=7277
- Lockwood, G.E.K. Determination of radar auroral heights with the Prince Albert radar, 2=2515
- Lockwood, G.J. and Everhart, E. Resonant electron capture in violent proton-hydrogen atom collision, 2=3715
- Lockwood, H.F. Peak current behavior in Ge Esaki junctions, 2=4045
- Lockwood, J.A. Intensity-time variations of the cosmic radiation, 2=1748
- Lockwood, J.A. and Shea, M.A. Variations of the cosmic radiation in November 1960, 2=3440
- Lockwood, J.A. and Shea, M.A. Increase of the cosmic-ray nucleonic intensity in November, 1960, 2=13898
- Lockyer, R. and Hames, G.E. Atomic absorption spectroscopy, 2=23980
- Loctionov, A.A. and Takibaev, J.S. Showers formed by nuclei with energy of $\geq 5.10^{10}$ eV/nucleon, 2=12082
- Lodding, A. New measurements of the Haefner effect in Rb, K and In, 2=10229
- Lodding, A.R.E. Isotope transport phenomena in liquid metals, 2=11362
- Lodén, L.O. On the properties of light after transit through several media with arbitrary plane-polarising properties, 2=1281
- Lodén, L.O. A polarimetric investigation of 1300 stars, 2=4820
- Lodén, L.O. Contribution to the discussion of interstellar polarisation, 2=4821
- Lodi, E.A. See Day, R.P., 2=9448
- Loeb, A.L. A modular algebra for the description of crystal structures, 2=10803
- Loeb, H.W. The calculation of space-charge layer widths, maximum field and junction capacitance of p-n junctions with arbitrary impurity profiles, 2=4047
- Loeb, L.B. Static electrification. I, 2=19873
- Loeb, L.B. See El-Bakkal, J.M., 2=9554
- Loebenstein, H.M. See Goldring, G., 2=20514
- Loebich, O. and Steudel, A. Hyperfine structure of the forbidden Hg II line λ 2815 Å and the isotope shift constants of mercury, 2=3702
- Loef, J.J. van See van Loef, J.J.
- Loeffler, F.J. See Liu, F.F., 2=2988
- Loewenstein, K.L. Studies in the composition and structure of glasses possessing high Young's moduli. II. The effect of changes in the configuration temperature, 2=17061
- Löfgren, T. Remarks on a non-statistical approach to the F phase problem, 2=6806

- Löfgren, T. A non-statistical derivation of some intensity laws. The unpredictability of $P(E), N(z)$, etc., 2=6807
- Löfgren, T. A reinforced non-negativity criterion [in crystal symmetry], 2=10810
- Lofthus, A. Molecular two-centre integrals. I. Overlap integrals, 2=12340
- Lofthus, T.P. See Lee, R.M., 2=14007
- Logachev, V.I. See Dragun, G.S., 2=17314
- Logachev, V.I. See Ginzburg, V.L., 2=15266
- Logachev, V.I. See Ginzburg, V.L., 2=19249
- Logachev, V.I. See Kurnosova, L.V., 2=9947
- Logachev, V.I. See Kurnosova, L.V., 2=11085
- Logachev, V.I. See Kurnosova, L.V., 2=21674
- Logachev, Yu.I. See Vernov, S.N., 2=9029
- Logachev, Yu.I. See Vernov, S.N., 2=12087
- Logachev, Yu.I. See Vernov, S.N., 2=12089
- Logachev, Yu.I. See Vernov, S.N., 2=16256
- Logan, J.G. Hydrodynamic analog of the classical field equations, 2=19514
- Logan, N.A. Early history of the Mie solution, 2=7405
- Logan, N.A. and Yee, K.S. A mathematical model for diffraction by convex surfaces, 2=7744
- Logan, R.A. and Chynoweth, A.G. Charge multiplication in GaP p-n junctions, 2=12527
- Logan, R.A. See Chynoweth, A.G., 2=4050
- Logan, R.A. See Chynoweth, A.G., 2=23419
- Loges, F. Calculation of the transmission factor for diffraction at a slit of a p-polarized plane electromagnetic wave; an approximate solution, 2=22334
- Loginov, G.M. See Bogdanova, N.I., 2=12757
- Loginov, G.M. See Bogdanova, N.I., 2=14765
- Logunov, A.A., Meshcheryakov, V.A. and Tavkhelidze, A.N. The approximate γ_e -invariance of a theory of strong interactions, 2=9775
- Logunov, A.A., Meshcheryakov, V.A. and Tavkhelidze, A.N. The approximate γ_s -invariance of a theory of strong interactions, 2=20246
- Logunov, A.A., Todorov, I.T. and Chernikov, N.A. Generalization of Symanzik's theorem on majorization of Feynman diagrams, 2=16134
- Logunov, A.A. See Arbusov, B.A., 2=22450
- Logunov, V.N. and Semenov, S.S. Contractor for betatron, 2=5419
- Loh, E. and Newman, R., The absorption edge of zinc telluride, 2=8529
- Loh, W.H.T. Dynamics and thermodynamics of re-entry, 2=4864
- Loher, W. See Busnel, R.G., 2=1031
- Lohmann, A. Grating diffraction spectra as coherent light sources for two- or three-beam interferometry, 2=7387
- Lohmann, A. The Fresnel zone plate [F.Z.P.] as test object, 2=7396
- Lohmann, A. Information theory in optics, 2=11460
- Lohmann, A. Optics in Germany, 2=13430
- Lohmann, W. Luminosity distributions in 16 globular clusters, 2=7016
- Lohmann, W. Recalculation of the mass of the galaxy, 2=11149
- Lohmann, W. and Perkins, W.H. Stabilization of the counting rate by irradiation of the liquid scintillation counting solutions with UV-light, 2=5523
- Lohr, L.L., Jr and Lipscomb, W.N. Molecular symmetry of IF_7 , 2=19077
- Lohrengel, J. Optical amplitude filters, 2=1257
- Lohrmann, E. and Teucher, M.W. Meson production on heavy target-nuclei at energies $> 10^{11}$ eV, 2=20377
- Lohrmann, E. See Aizu, H., 2=20452
- Lohse, P. See Becker, E.W., 2=10291
- Loinger, A. See Daneri, A., 2=17357
- Lokan, K.H. See Firk, F.W.K., 2=14078
- Lokan, K.H. See Katz, L., 2=5625
- Lokanathan, S. See Ismail, A.Z.M., 2=18247
- Lokanathan, S. See St. Lorant, S.J., 2=20500
- Lokhmatov, A.I. See Koronkevich, V.P., 2=5184
- Lokken, J.E., Shand, J.A. and Wright, C.S. A note on the classification of geomagnetic signals below 30 cycles per second, 2=19257
- Lokken, J.E., Shand, J.A., Wright, C.S., Martin, L.H., Brice, N.M. and Helliwell, R.A. Stanford-Pacific Naval Laboratory conjugate point experiment, 2=4692
- Loladze, Ts.D. and Tsintsadze, N.L. Nonlinear vibrations of a two-component plasma in a magnetic field, 2=15940
- Lomaglio, G. The production of paramagnetic centres in irradiated sugars, 2=12823
- Lomakina, G.A. and Vodakov, Yu.A. Effect of phonon drag in α -SiC crystals, 2=18764
- Lomakina, G.A. and Vodakov, Yu.A. Effect of phonon drag in α -SiC crystals, 2=18758
- Lomazov, D.B. B-6041,
- Lomer, W.M. Atomic collisions and the properties of defects in metals, 2=12415
- Lomer, W.M. Electronic structure of chromium group metals, 2=18547
- Lomer, W.M. Atomic collisions and the properties of defects in metals, 2=18564
- Lombard, R. and Rys, F. Mono-energetic positron formation coefficient in the case of E1 transitions, 2=10051
- Lombard, R. See Brunner, J.H., 2=10050
- Lominadze, D.G. See Pataraya, A.D., 2=22239
- Lominadze, D.G. See Tsintsadze, N.L., 2=9574
- Lomize, L.G. Comparative features of Cherenkov radiation, transition radiation and Bremsstrahlung in the microwave region, 2=3306
- Lomize, L.G. and Kurbanov, O.M. Effect of electron velocity spread on the radiation produced by uniform motion of electron bunches in a waveguide, 2=11780
- Lommel, J.M. and Graham, C.D., Jr Rotatable anisotropy in composite films, 2=12676
- Lomnev, S.P. A method of solving the many-body problem by means of high-speed computers in the case of charged particles, 2=5444
- Lomnev, S.P. A method of solving the many-body problem by means of high-speed computers in the case of charged particles, 2=11757
- Lomnev, S.P. Method of mean density for the calculation of the movement of charged particles [as performed on] an electronic computer, 2=15964
- Lomnev, S.P. Method of mean density for the calculation of the movement of charged particles [as performed on] an electronic computer, 2=20044
- Lomonosov, I.I. and Nemilov, Yu.A. Effect of an electric field on the scintillation process in $CaI(Tl)$, 2=4188
- Lomonosov, I.I., Pisarevskii, A.N. and Soshin, L.D. On the scintillation conversion efficiency of NaI:Tl crystals, 2=5522
- Lomont, J.S. Note on the Albertoni-Bocchieri-Loinger theorem of classical statistical mechanics, 2=37
- Lomont, J.S. Conformal invariance of massless Dirac-like wave equations, 2=1652
- Lomont, J.S. and Moses, H.E. Simple realizations of the infinitesimal generators of the proper orthochronous inhomogeneous Lorentz group for mass zero, 2=15447
- Lomsadze, Yu.M. Relativistically invariant formulation of the theory of quantized probability amplitude field, 2=22389
- Lomsadze, Yu.M., Lend'yel, V.I. and Ernst, B.M. A parity doublet of π -mesons and Chew's approximation method, 2=7880
- Lomsadze, Yu.M., Krivsky, I.Yu. and Khimitch, I.V. On a possible generalization of modern quantized field theory, 2=20219
- Lomsadze, Yu.M. See Krivskiy, I.Y., 2=7879
- Lomsadze, Yu.M. See Kushtan, V.I. 2=22380
- Lonchamp, J.P. See Pfohl, R., 2=505
- Long, A.R. The distribution of electrons in the night-time ionosphere, 2=13038
- Long, D. Energy bands in semiconductors, 2=12502
- Long, D. See Blakemore, J.S., 2=16732
- Long, F.A. See McDougall, A.O., 2=10276
- Long, R.E. and Marsh, R.E. A reinvestigation of the crystal structure of silver nitrite, 2=10893
- Long, R.L. See Eaton, J.R., 2=5996
- Long, T.R. See Schwenker, J.E., 2=12652
- Longini, R.L. The tunnelling p-n junction, 2=10504
- Longini, R.L. Rapid zinc diffusion in gallium arsenide, 2=21066
- Longman, I.M. A Green's function for determining the deformation of the earth under surface mass loads. I. Theory, 2=8945
- Longo, J. See Konitzer, J., 2=6399
- Longo, M.J. and Moyer, B.J. Nucleon and Nuclear cross sections for positive pions and protons above 1.4 BeV/c, 2=3387
- Longoni, A.M. See Bottino, A., 2=9798
- Longoni, A.M. See Bottino, A., 2=11884
- Longuet-Higgins, H.C. See Carrington, A., 2=20859
- Longuet-Higgins, H.C. See Child, M.S., 2=3725
- Longuet-Higgins, H.C. See Jordan, P.C.H., 2=12336
- Lönqvist, O. On the diurnal variation of surface temperature, 2=891
- Lonsdale, K. Restless atoms in solids, 2=14346
- Lonsdale, K. Thermal movements of atoms in solids, 2=16587
- LønsgjØ, O. The decay of ^{26}P , 2=20556
- LønsgjØ, O. Resonances for proton capture in ^{28}Si and ^{32}S between 500 keV and 1900 keV, 2=20613
- LønsgjØ, O. See Andersen, S.L., 2=20612
- Lontie, G. See Luyckx, A., 2=14504
- Lontie, G. See Luyckx, A., 2=14586
- Lontz, R.J. and Gordy, W. Electron spin resonance of a γ -irradiated single crystal of trifluoroacetamide, 2=23707

- omer, E.I. Record of observations at Resolute Bay Magnetic Observatory 1957-1958. With a summary of earlier observations, 2=9038
- omer, E.I. and Andersen, F. Record of observations at Baker Lake magnetic observatory 1957-1958. With a summary of earlier observations, 2=9039
- omis, J.S., Myers, I.T., Larson, H.V. and Wisehart, D.E. Ozone hazards incurred by electron Van de Graaff operation, 2=20063
- oms, J.S.T. See Barber, P.B., 2=9555
- opstra, B.O. See Bergsma, J., 2=10870
- or, G.P. de See de Loo, G.P.
- opatin, I.V. See Kruglov, S.P., 2=5886
- opez, E.O. de See de López, E.O.
- opez, G. and Almén, O. Q_0 values in the C-Ne region for the precise determination of nuclear masses, 2=5907
- opez, G. See Jáidar, A., 2=5800
- opez, G. See Tejera, A., 2=5881
- opez, W.M. and Beyster, J.R. Measurement of neutron diffusion parameters in water by the pulsed neutron method, 2=7860
- opez, M. See Beyster, J.R., 2=5648
- opez, Arroyo, M. On the distribution of sunspots in heliographic longitude, 2=4765
- opuszanski, J. A criterion for the free character of fields, 2=250
- opyrev, V.A. and Nikolaev, L.V. A mica window for demountable vacuum devices, 2=21959
- orang, R. See Perny, G., 2=689
- orber, H.W. Theory of high-impedance radio-frequency-force plasma devices, 2=19989
- ord, H. See Parker, R., 2=6471
- ord, J.J. See Blue, M.H., 2=5637
- ord, N.W. See Blinder, S.M., 2=3778
- ord, P., Pithey, E.R. and Wetton, R.E. Improved instrument for the continuous determination of dynamic mechanical properties of high polymer solids, 2=4300
- ord, R.C. and Stoicheff, B.P. High resolution Raman spectroscopy of gases, XV. Rotational spectrum and molecular structure of cyclobutane, 2=16543
- ord, R.C. See Durig, J.R., 2=23536
- orents, D.C. See Cook, C.J., 2=17897
- orenz, E. See von Ardenne, M., 2=15656
- orenz, E. See von Ardenne, M., 2=15656
- orenz, M.R. Phase equilibria in the system Cd-Te, 2=19089
- orenz, M.R. and Binkowski, B.B. Preparation, stability, and luminescence of gallium nitride, 2=8589
- orenz, M.R. See Halsted, R.E., 2=8573
- orenz, P.J. Air-ion densities in a smoke-filled room, 2=11619
- orenz, W. General theory of the impedance spectrum of potentially dependent phase boundary reactions, 2=12956
- orenz, W. and Lauterjung, K.H. Investigation of a gas scintillation counter, 2=245
- orenz, W. and Salié, G. Mechanism of the electrochemical phase boundary reaction, 2=12976
- orenz, W. See Igo, G., 2=478
- orenz, W. See Igo, G., 2=10132
- orenz, W. See Richter, J., 2=15105
- orenzelli, M.V. Substances transparent in the far infrared and their application to spectrometry, 2=17628
- orenzelli, V. High-resolution spectrometer for the far infrared (20-180), 2=7353
- orenzelli, V. Far infrared absorption spectrum of phosphorus trichloride vapour: force constants and thermodynamic functions, 2=12329
- orenzen, K. and König, D. A method for the determination of the energy dependence of the cross-section for the reaction $O^{16}(t,n)F^{18}$, 2=3632
- orenzi, H. and Cohen, B.L. Centre-of-mass corrections in nuclear reaction experiments, 2=7963
- oretto, M.H. See Clarebrough, L.M., 2=6338
- ria, A., Mittner, P., Santangelo, R., Scotoni, I., Zago, G., Aubert, B., Brenner, A., Goldschmidt-Clermont, Y., Grard, F., MacLeod, G.R., Minguzzi Ranzi, A. and Montanet, L. The scattering of positive 120 MeV pions on protons, 2=1714
- ria, A. See Chadwick, G.B., 2=22522
- ria, A. See Carrara, R., 2=22559
- ria, A. See Di Corato, M., 2=22627
- riers, J. See Villiers, G., 2=8650
- rinaczy, A., Nemth, T. and Szebeni, P. Observations on germanium-metal contacts used as probes for injected carriers, 2=18723
- ry, M.L. See Donahue, T.M., 2=4625
- rscoe, C. See Gartner, W.W., 2=14523
- se, N.F. Use of the method of external standards in fluorescent X-ray spectroscopic analysis, 2=15170
- Losev, S.A. and Generalov, N.A. Investigation of phenomena of the excitation of oscillations and of the dissociation of oxygen molecules at high temperatures, 2=12350
- Losev, S.A. and Generalov, N.A. Investigation of phenomena of the excitation of oscillations and of the dissociation of oxygen molecules at high temperatures, 2=14334
- Loskevich, E.S. See Babetski, Ya.S., 2=331
- Loskevich, E.S. See Babetski, Ya.S., 2=22675
- Loskiewicz, J. See Grigorov, N.L., 2=16254
- Loskutov, Yu. and Popov, Yu. The theory of vector particles with oriented spins, 2=20244
- Loskutov, Yu.M. See Sokolov, A.A., 2=3135
- Loskutov, Yu.M. See Ternov, I.M., 2=214
- Lotgering, F.K. Paramagnetic susceptibilities of Fe^{2+} and Ni^{2+} ions at tetrahedral or octahedral sites of oxides, 2=18892
- Lothe, J. The effect of temperature on dislocations with condensed impurity atmospheres. Theory of dislocation motion and dislocation break-away, 2=14439
- Lothe, J. Theory of dislocation mobility in pure slip, 2=14446
- Lothe, J. and Pound, G.M. Reconsiderations of nucleation theory, 2=13488
- Lothrop, R.P. Diffusion of phosphorus in silicon from the azeotrope of phosphorus pentoxide and water, 2=18602
- Lott, M. See Bok, J., 2=5686
- Lotgering, F.K., Enz, U. and Smit, J. Influence of Co^{2+} ions on the magnetic anisotropy of ferrimagnetic oxides having hexagonal crystal structures, 2=8658
- Lotkova, E.N. and Fradkov, A.B. Metal cryostat for optical studies of solids at low temperatures, 2=7484
- Lotkova, E.N. See Vavilov, V.S., 2=8396
- Lottermoser, W. See Meyer, J., 2=2838
- Lottermoser, W. and Meyer, J. Controllable electrical key traction for organs, 2=1235
- Louage, F. See Lebrun, A., 2=2992
- Louat, N. See Hutchison, M.M., 2=10756
- Loubser, J.H.N. Microwave spectrum and structure of trichlorofluoromethane, 2=14271
- Louck, J.D. Exact normal modes of oscillation of a linear chain of identical particles, 2=17390
- Loude, J.F. See Heym, A., 2=17896
- Loude, J.F. See Vaucher, B., 2=20375
- Louden, M. See Dämmig, P., 2=2849
- Loughnan, C.J. Longitudinal dependence of radiation-belt scattering, and primary auroral particles, 2=6959
- Louie, J. See Elliott, R.O., 2=21094
- Louis, J.F. See Kantrowitz, A.R., 2=11607
- Louisell, W.H. Correspondence between Pierce's coupled mode amplitudes and quantum operators, 2=17337
- Louisell, W.H., Yariv, A. and Siegman, A.E. Quantum fluctuations and noise in parametric processes. I, 2=1046
- Louisell, W.H. See Yariv, A., 2=2638
- Louisnard, N. Utilization and choice of an infrared receiver in spectrometry problems, 2=15800
- Lounasmaa, O.V. Specific heat of samarium metal between 0.4 and 4°K, 2=12387
- Lounasmaa, O.V. and Guenther, R.A. Specific heat of dysprosium metal between 0.4 and 4°K, 2=12388
- Louttit, R.I. See Brown, H.N., 2=12013
- Louttit, R.I. See Hart, E.L., 2=9889
- Louttit, R.I. See Hart, E.L., 2=22607
- Lovash, I. Interference between direct and resonance capture of slow neutrons, 2=468
- Lovash, I. Interference between direct and resonance capture of slow neutrons, 2=22828
- Lovberg, R.H. See Burkhardt, L.C., 2=7630
- Lovchikova, G.N. Elastic neutron scattering on titanium and calcium, 2=18327
- Love, R.W. See Behrndt, K.H., 2=12946
- Love, W.A. See Baker, W.F., 2=20627
- Love, W.A. See Lindenbaum, S.J., 2=1713
- Love, W.F. See Wei, W.F., 2=23316
- Lovegrove, P.C. See Hewitt, G.F., 2=21888
- Lovejoy, C.A. and Shirley, D.A. Nuclear orientation of Tb^{160} , 2=7922
- Lovejoy, R.W., Colwell, J.H., Eggers, D.F., Jr and Halsey, G.D., Jr. Infrared spectrum and thermodynamic properties of gaseous sulfur trioxide, 2=6161
- Lovell, D.J. See Rosenberg, N.W., 2=8982
- Lovell, W.S. See Vaughan, W.E., 2=2726
- Lovell, W.S. See Vaughan, W.E., 2=5026
- Lovelace, C. On the existence of solutions of the pion-pion dispersion equations. II, 2=263
- Lovelace, C. Diffraction scattering and Mandelstam representation, 2=20396

- Lovelace, C. Erratum: diffraction scattering and Mandelstam representation, 2=22437
- Lovell, R.J. See Herndon, J.A., 2=20808
- Lovell, R.J. See Herget, W.F., 2=20809
- Lovelock, J.E. Free electrons with thermal energy: their generation for chemical use, 2=20022
- Lovera, G. Density of single grains along nuclear emulsion tracks, 2=7804
- Lovering, J.F. See Stacey, F.D., 2=11119
- Lovetskii, E.E. and Rukhadze, A.A. Hydrodynamics of a nonisothermal plasma, 2=5337
- Lovitch, L. and Tomozawa, Y. The spectral representation of the two-point function and local commutativity, 2=18066
- Lovlya, S.A. See Evdokimov, G.S., 2=15673
- Lovvorn, J.L. Reactor power monitor utilizing Cerenkov radiation, 2=8052
- Low, D.I.R. and Mowlwyn-Hughes, E.A. The heat capacities of acetone, methyl iodide and mixtures thereof in the liquid state, 2=11356
- Low, F.E. Bound states and elementary particles, 2=20235
- Low, F.E. See Greenberg, O.W., 2=1656
- Low, G.G.E. Spin waves and neutron scattering in hexagonal cobalt, 2=8648
- Low, G.G.E. Some measurements of phonon dispersion relations in iron, 2=10325
- Low, J.R., Jr and Turkalo, A.M. Slip band structure and dislocation multiplication in silicon-iron crystals, 2=8226
- Low, W. Absorption spectrum of ytterbium in single crystal of calcium fluoride, 2=16828
- Low, W. and Rosenberger, U. A new paramagnetic resonance spectrum of rare earth ions in calcium fluoride, 2=10696
- Lowde, R.D. See Calder, R.S., 2=15021
- Löwdin, P.O. Band theory, valence bond, and tight-binding calculations, 2=3867
- Löwdin, P.O. Exchange, correlation and spin effects in molecular and solid-state theory, 2=14319
- Löwdin, P.O. See Calais, J.L., 2=12277
- Löwdin, P.O. See Fröman, A., 2=12362
- Löwdin, P.O. See Pauncz, R., 2=14306
- Löwdin, P.O. See Pauncz, R., 2=14307
- Lowe, I.J. and Howard, R.L. Digital transistor circuit for generation of timing pulses for pulsed N.M.R., 2=5496
- Lowe, J., McClelland, C.L. and Kane, J.V. Lifetimes of the first excited states of C^{18} and B^{10} , 2=13981
- Lowen, R.W. Ionospheric refraction. I. Analytic solution for an ionosphere almost spherically stratified, 2=17971
- Lowenthal, S. See Tournois, P., 2=11437
- Lower, S.K. See Hochstrasser, R.M., 2=18816
- Lowke, J.J. Errors due to diffusion in drift velocity measurements, 2=9536
- Lowry, E.M. See DePalma, J.J., 2=7085
- Loyd, C.M. See Coon, J.B., 2=14298
- Lozano, J., Perelló, M., Sánchez del Rio, C. and Vigón, M.A. Experiments on low temperature plasmas, 2=3047
- Lozhkin, O.V. and Rimskii-Korsakov, A.A. Possible observation of the nucleus He^8 , 2=328
- Lozhkin, O.V. See Gorichev, P.A., 2=448
- Lozhkin, O.V. See Gorichev, P.A., 2=14151
- Lozhkin, O.V. See Gorichev, P.A., 2=22814
- Lozhkin, O.V. See Gorichev, P.A., 2=22860
- Lozier, W.W. See Null, M.R., 2=19762
- Lozinskii, M.G., Antipova, E.I., Assonova, E.A. and Nikitina, I.I. The influence of the special structural state caused by high temperature thermomechanical treatment on the strength of nickel at normal and elevated temperatures, 2=23777
- Lozinskii, M.G., Sokolov, E.N., Varli, K.V. and Skakov, Yu.A. Effect of high temperature thermomechanical treatment on the fine crystal structure of austenitic steel and alloys, 2=23885
- Lozovaya, E.A. See Gabovich, M.D., 2=9575
- Lożyński, E. and Niewodniczański, H. Some experiments on the electric monopole transition in ^{234}U , 2=22745
- Lu, C.S. and Carr, E. Electrostatic quadrupole lens pair for mass spectrometers, 2=20057
- Lu Pao. See Pao Lu.
- Lu Sun Liu. Vertex function, coupling constant, and composite particle, 2=3263
- Lubart, L. See Levi, L., 2=6426
- Lubchenko, A.F. Cotton-Mouton effect in the region of the impurity absorption of light, 2=123
- Lubchenko, A.F. Magnetic rotation of the plane of polarization of light in the impurity absorption region, 2=683
- Lubchenko, A.F. Characteristics of light absorption and luminescence in low-concentration solid binary solutions, 2=710
- Lubchenko, A.F. See Déyub, I.P., 2=23539
- Lubchenko, A.F. See Dzyub, I.P., 2=3821
- Lubchenko, A.F. See Dzyub, I.P., 2=8493
- Lubchenko, A.F. See Dzyub, I.P., 2=14699
- Lubchenko, A.F. See Dzyub, I.P., 2=23040
- Lubell, M.S. See Mazelsky, R., 2=17055
- Lubell, M.S. See Mazelsky, R., 2=23858
- Lubitz, K. See Bühr, K.W., 2=18725
- Luborsky, F.E. Comparison of the size of spherical particles of iron, cobalt, and alloys of iron-cobalt in mercury as determined by various methods, 2=15529
- Luborsky, F.E. Adsorption of tin on iron and cobalt particles in mercury, 2=15614
- Lucarain, M. See Geller, R., 2=1465
- Lucas, H.F., Jr See Machta, L., 2=8979
- Lucas, J. An analytical solution for the effect of space charge in cold cathode gas discharges, 2=1402
- Lucas, J.H. See Phillips, R., 2=2373
- Lucas, J.H. See Phillips, R., 2=11235
- Lucas, L.D. Density of silver, copper, palladium and platinum in the liquid state, 2=2701
- Lucas, L.D. See Übelacker, E., 2=9255
- Lucas, M.S.P. and Meyer, D.T. Production of superconducting niobium films by vacuum-arc deposition, 2=19816
- Lucas, M.S.P. See Vail, C.R., 2=1341
- Lucasson, A., Lucasson, P. and Walker, R.M. The production of atomic displacements near threshold in iron and copper. I. The threshold determination in polycrystals, 2=23168
- Lucasson, P. See Cusson, Y., 2=23169
- Lucasson, P. See Lucasson, A., 2=23168
- Lucasson, P.G. and Walker, R.M. Energy dependence of electron-induced atomic displacements in Al, Ag, Cu, Fe, and Ni, 2=12476
- Lucasson, P.G. and Walker, R.M. Production and recovery of electron-induced radiation damage in a number of metals, 2=1668
- Lucasson, P.G. and Walker, R.M. Variation of radiation damage parameters in metals, 2=18624
- Lucatu, E. Quenching of the fluorescence of solutions by tensioactivity [interfacial tension], 2=9283
- Lucca, L.B.De. See De Lucca, L.B.,
- Lucchini, M. See Amar, V., 2=7900
- Luchak, G. See Maron, I., 2=4842
- Luchkov, B. See Dolgoshein, B., 2=13933
- Luchner, K. See Brown, F.H., 2=2253
- Luchner, K. See Schön, M., 2=2190
- Luck, G. Secondary-electron-multiplier for the investigation of nuclear photographic tracks, 2=3234
- Luck, G. Exchange areas using three-mass heat-exchangers, 2=15771
- Lücke, K. See Gonser, U., 2=5404
- Lücke, K. See Teutonico, L.J., 2=21020
- Lucke, O. Dynamic equations of the magnetosphere plasma, 2=24051
- Lucke, O. and Wagner, C.U. Theory of electric currents in the magnetosphere, 2=4687
- Lucken, E.A.C. Electronic environment of the nitrogen-atom in pyridine, 2=3687
- Ludeke, C.A. Guidance and collimation of sputtered tungsten particles, 2=9647
- Lüders, G. Kinematic analysis of the ground state in superconductivity theory, 2=7504
- Lüders, G. Nuclear matter, 2=9983
- Lüders, G. Trapping of magnetic flux by superconducting toroids, 2=13510
- Lüder, K. A simplified formula for calculating the heat transfer coefficient, 2=13473
- Lüdi, F. Basic analysis of shot noise and plasma noise in a gaseous discharge, 2=19947
- Lüdi, F. Plasma physics, 2=22197
- Ludington, C.E. See Bloom, J.H., 2=5087
- Ludlam, F.H. See Atlas, D., 2=2479
- Ludlam, F.H. See Browning, K.A., 2=13000
- Ludwig, C.B. See Penner, S.S., 2=10256
- Ludwig, G. An equation for description of fluctuation phenomena and turbulence in gases, 2=21945
- Ludwig, G.H. See Bryant, D.A., 2=18197
- Ludwig, G.W. Electron spin resonance, 2=10461
- Ludwig, G.W. and Ham, F.S. Electrically induced transitions between spin levels, 2=21367
- Ludwig, G.W. and Woodbury, H.H. Interactions between impurities in silicon, 2=23360
- Ludwig, G.W. See Segall, B., 2=23700
- Ludwig, G.W. See Woodbury, H.H., 2=10705
- Ludwig, O.G. See Geller, M., 2=8117

- dwig, P. and Adams, R.N. Exchange interaction with electrolytically generated benzonitrile negative ion, 2=19136
- dwig, R. See Urbach, W., 2=20761
- dwig, W. A purely harmonic theory of the elastic instability of crystal, 2=561
- dwig, W. Kinetics of the space charge arising in an extrinsic semiconductor due to ground photoexcitation, 2=6441
- dwig, W. See Eckart, F., 2=6516
- dwig, W. See Eckart, F., 2=12559
- dwig, W. See Mecke, R., 2=17770
- dziejewski, J. See Ambroz, B., 2=1821
- ers, D., Mittra, I.S., Willis, W.J. and Yamamoto, S.S. K^0 decays, 2=22615
- ers, D., Mittra, I.S., Willis, W.J., and Yamamoto, S.S. K^0 interactions, 2=22629
- ers, D. See Hart, E.L., 2=9889
- ers, D., Mittra, I.S., Willis, W.J. and Yamamoto, S.S. Errata: K^0 decays and interactions, 2=1720
- ers, D. See Baker, W.F., 2=20627
- ogovoi, V.V. Cyclotron resonance in a varying magnetic field, 2=3882
- gt, W. van der. See van der Lugt, W.
- hrs, H.N. See Spence, H.R., 2=17525
- il Chung-Yen and Lees, L. Kinetic theory description of plane compressible Couette flow, 2=2738
- ilkov, A.V. Application of methods of thermodynamics of irreversible processes to investigation of heat and mass transfer in a boundary layer, 2=7470
- ikáč, P. See Boček, M., 2=2318
- ikáč, P. See Boček, M., 2=10764
- ikáč, P. See Boček, M., 2=23745
- ikantsever, Yu.L. and Zaitov, F.N. The possibility of thermal activation of current carrier trapping in crystal phosphors, 2=16878
- ikashev, A.A. Investigation of the emission characteristics of a pulsed X-ray tube, 2=15978
- ikashev, V.N. A sensitive magnetometer with a balanced coil, 2=7702
- ikashev, V.N. Analysis of electron trajectories in an axial beta-spectrometer with a central source, 2=20033
- ikashevich, I.I. See Apalin, V.V., 2=11932
- ikashevich, I.I. See Spivak, P.E., 2=429
- ikashevich, I.I. See Spivak, P.E., 2=22799
- ikaszek, T.J. See Bechmann, R., 2=21393
- ikaszewski, J.S. and Elliott, D.N. Auditory threshold as a function of forced-choice technique, feedback, and motivation, 2=7064
- ikaszk, L. The influence of π - π resonance upon weak interactions, 2=18061
- ikes, F. and Schmidt, E. The temperature dependence of the optical constants of germanium in visible and near infrared, 2=23511
- ikens, H.R., Jr. The relationship between fluorescence intensity and counting efficiency with liquid scintillators, 2=5513
- ikens, H.R., Jr., Meisenheimer, R.G. and Wilson, J.N. An isotopic exchange method for measuring the surface area of supported transition metal sulfides, 2=9225
- ikens, H.R., Jr., Otvos, J.W. and Wagner, C.D. Formation of metastable isomers by photoactivation with the Van de Graaff accelerator, 2=5889
- ikens, H.R., Jr. See Otvos, J.W., 2=5891
- iker, J.A. and Adler, L.B. Effect of reactor length on the formation of detonation in saturated Knallgas-steam mixtures, 2=4538
- ikes, T. Space correlation and energy levels in an Einstein solid, 2=557
- ikiński, J. The spinor space as an Euclidean complex space, 2=11862
- ikiński, J. On the antilinearization of the Klein-Gordon equation for 4-spinor, 2=3248
- ikiński, J. The natural coordinate system in Minkowski's isospace for 1/2 spin-particle, 2=11869
- kin, Yu.T. See Kobzev, V.A., 2=22510
- kirskii, A.P. and Rumsh, M.A. Efficiency of X-ray radiation recording by means of industrial geiger counters, 2=20085
- kirskii, D.P. See Vitovskii, N.A., 2=18688
- kirskii, D.P. See Vitovskii, N.A., 2=21145
- kirskii, D.P. See Vitovskii, N.A., 2=23362
- komskaya, A.I. Compression of elasto-viscous cylindrical bodies in plastometers with plane parallel plates, 2=12852
- komskaya, A.I. Compression of elasto-viscous cylindrical bodies in plastometers with plane parallel plates, 2=17418
- kosz, W. Properties of linear low-pass filters for non-negative signals, 2=17589
- kovtsev, P.D. See Slaidin', G.Ya., 2=14462
- Luk'yanchikova, N.B. See Sheinkman, M.K., 2=21186
- Luk'yanchikova, N.B. See Sheinkman, M.K., 2=23448
- Luk'yanov, A.V., Orlov, Yu.V. and Turovtsev, V.V. Optical model of a nucleus with a polynomial potential, 2=3458
- Luk'yanov, A.V., Orlov, Yu.V. and Turovtsev, V.V. Optical model with polynomial potential, 2=13945
- Luk'yanov, K.I. Problems of errors in modelling when using a vibrating charged probe, 2=17763
- Luk'yanov, S.Yu. and Podgornyi, I.M. Cusped geometry magnetic traps, 2=15923
- Luk'yanov, S.Yu., Podgornyi, I.M. and Chuvatin, S.A. Electrodynamics acceleration of plasmoids. III. Coaxial system, 2=9603
- Lul'ka, V.A. See Elagin, Yu.P., 2=22825
- Lumley, J.L. An approach to the Eulerian-Lagrangian problem, 2=11326
- Lundborg, N. Lowering of boiling-point of explosives on thermal decomposition, 2=2450
- Lundby, A. See Dowell, J.D., 2=22641
- Lundell, O.R. See Stephenson, C.C., 2=16604
- Lundén, A. Isotope transport, external transfer and self-diffusion of Li in solid Li_2SO_4 at 600-790°C., 2=19150
- Lundén, A. See Gustafsson, S., 2=21902
- Lundgren, G. See Hellstrand, E., 2=6035
- Lundgren, G. See Hellstrand, E., 2=12203
- Lundgren, T.S. and Chang, C.C. Equilibrium solutions of a plane electron beam in a plasma, 2=17822
- Lundgren, T.S. See Chang, C.C., 2=5463
- Lundin, A.G. See Mikhailov, G.M., 2=4264
- Lundquist, N. and Myers, H.P. Strain gauge balance for ferromagnetic and paramagnetic measurements, 2=9672
- Lundqvist, S.O. See Westin, A., 2=14989
- Lundy, R.A. Precision measurement of the μ^+ lifetime, 2=5701
- Lundy, R.A., Cramer, W.A., Culligan, G., Telegdi, V.L. and Winston, R. Observation of the hyperfine effect in muon capture by ^{19}F via the time-dependence of the decay electron rate, 2=20659
- Lundy, R.A. See Cramer, W.A., 2=13840
- Lundy, R.A. See Culligan, G., 2=5949
- Lundy, R.A. See Lathrop, J.L., 2=1975
- Lundy, T.S. and Murdock, J.F. Diffusion of Al^{28} and Mn^{54} in aluminum, 2=12448
- Luneva, L.K. See Mýl'nikov, V.S., 2=23371
- Lungu, S.N., Popescu Khash, D., Teodorescu, I. and Martalogu, N. Selective crystallization of glasses arising in the system SiO_2 - Al_2O_3 - Li_2O and volume hysteresis of some of the microcrystalline substances obtained from these glasses, 2=6783
- Lun'kin, Yu.P. Measurement of entropy in the relaxation of a gas mixture behind a shock wave, 2=9301
- Lun'kin, Yu.P. and Popov, F.D. The nonequilibrium dissociation of a mixture of gases behind a shock wave, 2=14336
- Lun'kin, Yu.P. See Krivtsova, N.V., 2=21933
- Lunn, G.H. A dynamic photometer. I. Technique, 2=11465
- Lunn, G.H. and Tweedie, B.J. A dynamic photometer. II. Characteristic curves of emulsion-developer combinations at sub-microsecond exposures, 2=11510
- Luo Huey-Lin and Klement, W., Jr. Metastable simple cubic structures in gold-tellurium and silver-tellurium alloys, 2=10903
- Lurcat, F. and Michel, L. The relation between charge and spin, 2=22462
- Lur'e, A.I. The equations for disturbed motion in the Kepler problem, 2=9048
- Lur'e, B.G., Murin, A.N. and Brigeovich, R.F. Diffusion and electrolytic migration of manganese ions in mixed NaCl + MnCl_2 crystals, 2=21070
- Lur'e, B.G. See Murin, A.N., 2=18605
- Lur'e, K.A. Solution of the equation of one-dimensional motion for a compressible gas of finite conductivity in transverse electric and magnetic fields (stationary case), 2=3149
- Lur'e, M.S., Vasil'eva, E.I. and Ignat'eva, I.V. Ferroelectric films with a rectangular hysteresis loop, 2=16789
- Luria, S.M. and Sperling, H.G. Phase relations in flicker fusion, 2=21766
- Lurié, D. See Nambu, Y., 2=5574
- Lurié, M. Linear recording ohmmeter + $\frac{1}{2}\%$, 2=22127
- Lurio, A. Hyperfine structure of the ^3P states of Zn^{67} and Mg^{25} , 2=14189
- Lurio, A., Mandel, M. and Novick, R. Second-order hyperfine and Zeeman corrections for an (s^2) configuration, 2=14188
- Lüscher, E. See Holloway, W.W., Jr., 2=14202
- Luščík, Č.B., Liidja, G.G. and Jaek, I.V. The mechanism of formation of color centres in ionic crystals by ultraviolet irradiation, 2=23211
- Lush, G.J. See Cairns, D.J., 2=3224

- Lushchik, C.B. On luminescence mechanism of alkali-halide crystals activated by ions Ga^+ , Ge^{++} , In^+ , Sn^{++} , Tl^+ , Pb^{++} , 2=6594
- Lushchik, Ch.B., Lidiya, G.G. and Yaek, I.V. Mechanism of energy storage by crystal phosphors, 2=16848
- Lushchikhin, A.M. See Keirim-Markus, I.B., 2=20190
- Lussan, C. See Lemanceau, B., 2=10283
- Lüst, R. Movement and form of structures in the tail of comet Mrkos 1957d, 2=11115
- Lüst, R. Some theoretical aspects of interplanetary plasma, 2=15302
- Lüst, R., Martensen, E. and Suydam, B.R. Stability of a plasma torus against disturbances not dependent on the azimuth, 2=9580
- Lüst, R., Meyer, F., Trefftz, E. and Biermann, L. Temperature of the solar corona, 2=13131
- Lüst, R. See Biermann, L., 2=4728
- Lüst, R. See Biermann, L., 2=4728
- Lustig, E.N. B.A. Andreev's article entitled "Faye's gravity anomalies and isostasy", 2=23991
- Lustman, B. See Cohen, I., 2=3860
- Lutes, O.S. and Schmit, J.L. Magnetic remanence in Cu(Mn) alloys, 2=4223
- Lüthi, B. Propagation of spin waves, 2=4233
- Lüthi, B. Thermal conductivity of yttrium iron garnet, 2=10344
- Lutsch, A. Solid mixtures with specified impedances and high attenuation for ultrasonic waves, 2=2832
- Lutsch, A.G. See Ryan, R.P., 2=2848
- Lutsenko, E.A. See Kharchenko, I.F., 2=11665
- Lutsenko, V.N. See Groshev, L.V., 2=5799
- Lutsenko, V.N. See Groshev, L.V., 2=7930
- Lutsenko, V.N. See Groshev, L.V., 2=13766
- Lutsenko, V.N. See Groshev, L.V., 2=14113
- Lutsik, V.A. See Val'ter, A.K., 2=443
- Lutsik, V.A. See Val'ter, A.K., 2=22805
- Lutsiv, R.V. See Pashkovskiy, M.V., 2=8797
- Lutsyk, V.P. See Wal'ter, A.K., 2=12167
- Luttinger, J.M. and Nozières, P. Derivation of the Landau theory of Fermi liquids. II. Equilibrium properties and transport equation, 2=19458
- Luttinger, J.M. See Nozières, P., 2=19457
- Lüty, F. Colour-centre associates with (100) symmetry (A and B-centres), 2=607
- Lüty, F. Nature of the V_3 -centres in radiation-coloured KCl, 2=16671
- Lüty, F. and Gebhardt, W. Electron-lattice processes at point defects and their representation in the configurational coordinate diagram. I. Undisturbed F-centres in KCl, 2=23219
- Lüty, F. See Bauser, H., 2=2078
- Lüty, F. See Fedders, H., 2=10535
- Lutz, H. See Eberhardt, P., 2=4750
- Lutz, H.R. and Meier, R.W. Measurement of the diffusion length in D_2O , 2=22529
- Lutz, O. Thermodynamics of the rocket combustion chamber: unequal distribution of the mixture in the combustion chamber, 2=15825
- Lux, B. See Petermann, L.A., 2=23920
- Lux, E. See Happ, H., 2=8537
- Luxton, R.E. and Young, A.D. Generalized methods for the calculation of the laminar compressible boundary-layer characteristics with heat transfer and non-uniform pressure distribution, 2=9298
- Luyckx, A., Issi, J.P. and Lontie, G. Thermomagnetolectric (T.M.E.) effect in laminar bismuth metal contacts, 2=14504
- Luyckx, A., Lontie, G. and Issi, J.P. Photomagnetolectric (P.M.E.) effect in laminar bismuth, 2=14586
- Luzhinskaya, M.G. and Shur, Ya.S. The nature of the magnetic anisotropy in Vikalloy, 2=23650
- Luzzati, A. See Ter Minassian-Saraga, L., 2=17453
- Luzzati, V. and Baro, R. Description of a small-angle X-ray diffraction camera with linear collimation, 2=5425
- L'vov, A.N. See Antuf'ev, Yu.P., 2=10104
- L'vov, A.N. See Antuf'ev, Yu.P., 2=16320
- L'vov, A.N. See Val'ter, A.K., 2=3576
- L'vov, A.N. See Val'ter, A.K., 2=13997
- L'vov, S.N., Nemchenko, V.F. and Marchenko, V.I. Method of measuring the Hall coefficient and electrical resistivity of solid high-melting compounds, 2=19825
- L'vov, S.N., Nemchenko, V.F., Kosolapova, T.Ya. and Samsonov, G.V. Electrical properties of chromium carbides, 2=8296
- L'vov, S.N., Nemchenko, V.F., Kosolapov, T.Ya. and Samsonov, G.V. The electrical properties of chromium carbides, 2=23378
- L'vov, S.N. See Neshpor, V.S., 2=8305
- L'vov, S.M., Nyemchenko, V.P. and Samsonov, H.V. Electrical properties of titanium carbide-titanium nitride alloys, 2=18649
- Lyagin, I.V. and Ginzburg, E.Kh. On $+p+e^+e^-$ and $+p^++$ decays, 2=22649
- Lyagin, I.V. and Tsukerman, I.S. Photoproduction of charged vector meson pairs in the Coulomb field of nuclei, 2=16213
- Lyagushchenko, R.I. See Kagan, Yu.M., 2=168
- Lyagushchenko, R.I. See Kagan, Yu.M., 2=19909
- Lyakhova, L.N. Variability of F2 layer critical frequencies during ionospheric disturbances, 2=15235
- Lyamichev, I.Ya., Orlov, I.N., Pershin, G.G. and Taborko, N.I. Experimental investigation of the possibility of realizing multiple component electroluminescent devices employing ferroelectric materials, 2=16871
- Lyamshev, L.M. Aeolian tones, 2=21967
- Lyamshev, L.M. and Rudakov, S.N. Radiation of sound by plates and shells in water, 2=7285
- Lyan Vén-syue. See Chzhou Dé-lin, 2=10097
- Lyapidevskii, V.K. The convection chamber - A new instrument for observation of tracks of charged particles, 2=1633
- Lyapidevskii, V.K. The operation of a low-pressure diffusion chamber, 2=1637
- Lyapkalo, Yu.M. See Berezin, A.K., 2=15952
- Lyašenko, V.I., Snitko, O.V. and Litovčenko, V.G. A study of electron states on Si and Ge surface, 2=23351
- Lyashenko, L.V. See Holina, H.I., 2=6496
- Lyashenko, V.I. and Chornaya, N.S. Electron levels on a pure germanium surface, 2=6455
- Lyashenko, V.I. and Skubenko, A.F. The influence of impurities on the properties of Sb_2S_3 , 2=4058
- Lyashenko, V.I. and Skubenko, A.F. Rise of electrical conductivity of antimony sulphide with time, 2=6425
- Lyashenko, V.I. See Brodoviy, V.A., 2=8351
- Lyashenko, V.I. See Brodoviy, V.A., 2=8352
- Lyashenko, V.I. See Brodoviy, V.A., 2=18732
- Lyashenko, V.I. See Dobrovolskii, V.N., 2=4012
- Lyashenko, V.I. See Dobrovolskii, V.N., 2=6432
- Lyashenko, V.I. See Dobrovolskii, V.N., 2=21115
- Lyashenko, V.I. See Primachenko, V.E., 2=6454
- Lyashenko, V.S. See Boronin, I.M., 2=10430
- Lyashenko, V.S. See Ibragimov, S.S., 2=12489
- Lyast, I.Ts. Octupole interaction of polarized atoms in crystals, 2=12555
- Lyast, I.Ts. Octupole interaction of polarized atoms in crystals, 2=14595
- Lybarskii, G.Ya. See Krein, M.G., 2=17962
- Lyddane, R.H. and Cohen, C.J. Numerical comparison between Brouwer theory and solution by Cowell's method for the orbit of an artificial satellite, 2=11190
- Lykens, A.A. Cooling rate effect on initial permeability of 4-79 molybdenum Permalloy, 2=12708
- Lykken, G.I. See Mitchell, E.N., 2=12681
- Lyklema, J. and Overbeek, J.T.G. On the interpretation of electrokinetic potentials, 2=2997
- Lykos, P.G. See Geller, M., 2=14315
- Lykos, P.G. See Miller, R.L., 2=20776
- Lykoudis, P.S. Natural convection of an electrically conducting fluid in the presence of a magnetic field, 2=9697
- Lykoudis, P.S. See Barthel, J.R., 2=3142
- Lyk' yanch'ykova, N.B. See Sheinkman, M.K., 2=18730
- Lynch, D.W. Color centers in additively colored CsBr., 2=21080
- Lynch, D.W. See Koenig, P., 2=4152
- Lynch, G.J.E. See Singleton, D.G., 2=11056
- Lynch, G.J.E. See Singleton, D.G., 2=11057
- Lynch, G.R. Experimental data on new resonances, 2=16214
- Lynch, G.R. See Button, J., 2=13802
- Lynch, G.R. See Nguyen Huu Xuong, 2=1705
- Lynch, G.R. See Nguyen-Huu Xuong, 2=20410
- Lynch, J.G. See Robertson, J.C., 2=2257
- Lynch, P.J. and Altshuler, S. Scattering theory for finite-beam incidence, 2=20154
- Lynch, P.J. and Carlson, B.C. Theory of high-energy potential scattering, 2=13737
- Lynch, R.T. Vapor growth of cadmium telluride single crystals, 2=6
- Lynden-Bell, D. Stellar dynamics. Exact solution of the self-gravitation equation, 2=11140
- Lynden-Bell, D. Stellar dynamics. Only isolating integrals should be used in Jeans' theorem, 2=17286
- Lynden-Bell, D. Stellar dynamics. Potentials with isolating integrals, 2=21733
- Lynden-Bell, D. The stability and vibrations of a gas of stars, 2=241
- Lynden-Bell, R.M. and McConnell, H.M. Theory of paramagnetic excitons in solid free radicals, 2=20975
- Lynden-Bell, R. See McConnell, H.M., 2=14413
- Lynn, J.E. See Jackson, H.E., 2=18520
- Lynn, L.L. See Bonilla, C.F., 2=6004
- Lynn, Y.M. Characteristic locus in magneto-fluid dynamics, 2=1366

- Anton, E.A. and McLachlan, D. Boundary scattering effects on the superconducting transition temperature of indium, 2=9484
- Anton, E.A. See Gayley, R.I., Jr., 2=10330
- Anton, A.J., Rishbeth, H. Horizontal diffusion and the geomagnetic anomaly in the equatorial F region, 2=4654
- Anton, D.N. See Giaque, W.F., 2=23069
- Anton, E.F. See Bridge, H.S., 2=12055
- Anton, G.F. The effect of absorption and multiple scattering on radio-auroral observations, 2=17190
- Anton, G.F. and Forsyth, P.A. Radio-auroral reflection mechanisms, 2=17191
- Anton, R.H. Direct and reverberant field amplitude distributions in nearly hard rooms, 2=2852
- Anton, R.H. Sound radiation from a beam attached to a plate, 2=21975
- Anton, R.H. and Maidanik, G. Power flow between linearly coupled oscillators, 2=13389
- Anton, R.K. Effect of strong electrical fields on the boiling points of some alcohols, 2=7472
- Anton, W.S. Gamma branching in Kr^{85} , 2=5847
- Antons, D. See Menyuk, N., 2=21341
- Antons, L. See Hopkins, H.W.K., 2=5541
- Asanov, Yu.P. The field of a point radiator in a layered inhomogeneous medium bounded by a rough surface, 2=2819
- Asanov, Yu.P. The field of a point radiator in layered inhomogeneous medium bounded by a rough surface, 2=7288
- Askovykh, O.B. See Vaidanykh, V.I., 2=8579
- Ast, J.O. and Babilon, C.F. Detecting fatigue cracks in notched fatigue specimens by changes in electrical resistance, 2=21448
- Aytkina, V.M. See Ivanov, A.A., 2=19859
- Ayle, E.A. and Hunden, D.M. Observations of N_2^+ twilight and sunlit aurora, 2=24045
- Aytovchenko, N.M. See Hlynchuk, K.D., 2=18683
- Aytovchenko, N.M. See Hlynchuk, K.D., 2=21144
- Aytovchenko, P.H. See Hlynchuk, K.D., 2=19099
- Aytovchenko, V.H. Plots of functions for calculating the surface charge and surface conductivity, 2=23300
- Aytynenko, H.V. and Radchenko, I.V. The thermal conductivity of aqueous solutions of electrolytes as a structural-sensitive property, 2=21898
- Bubarskii, G.Ya. The structure of shock waves, 2=19594
- Bubarskii, G.Ya., Nekrashevich, A.M. and Rozentsveih, L.N. [Rosenzweig]. Semi-empirical method for calculating the accelerating system of a linear proton accelerator with a standing wave, 2=5398
- Bubchenko, A.V. See Pilat, I.M., 2=20949
- Bubimov, A.L. Remarks on π - Λ resonance, 2=309
- Bubimov, A.L. See Vovenko, A.S., 2=13855
- Bubimov, G.A. The structure of magnetohydrodynamic shock waves in a gas with anisotropic conductivity, 2=19598
- Bubimov, G.A. See Kulikovskii, A.G., 2=16003
- Bubimov, V.A. Present state of beta-decay theory, 2=22760
- Bubimov, V.A. and Alikhanov, A.I. Influence of magnetic field on resonance absorption of gamma-rays, 2=13972
- Bubimov, V.A. See Alkhanov, A.I., 2=11969
- Bubimov, V.A. See Babaev, A.I., 2=18147
- Bubimov, V.B. See Birger, N.G., 2=3391
- Bubimov, V.N. and Venetsev, Yu.N. On the calculation of potentials in superlattices, 2=20904
- Bubimov, V.N. and Venetsev, Yu.N. On the calculation of potentials in superlattices, 2=23031
- Bubin, V.M. Measurement of the resistance and surface potential of the layers of a semiconductor, 2=2187
- Bubin, V.M. See Kolomiets, B.T., 2=18692
- Buboshits, V.L. and Smorodinskii, Ya.A. Covariant expansion of the electromagnetic field, 2=13655
- Bubov, B.Ya. See Garkusha, I.P., 2=23897
- Bubov, B.Ya. See Krasko, G.L., 2=8860
- Bubov, B.Ya. See Krasko, G.L., 2=12427
- Bubov, B.Ya. See Krasko, G.L., 2=14435
- Bubov, B.Ya. See Krasko, G.L., 2=23891
- Bu Chao-yuen', See Zhrebtsova, K.I., 2=5962
- Bul'ka, V.A. Decay of hypernuclei, 2=16304
- Busternik, V.E. An automatic calorimeter for the quantitative thermal analysis of heat-resistance steels, 2=1303
- Busternik, V.E. Specific heat of stainless chromium steels, 2=8175
- Busternik, V.E. Heat capacity of chromium stainless steels, 2=23078
- Busternik, V.E. See Kogan, V.A., 2=6271
- Buttsau, V.G. See Rovinskii, B.M., 2=8713
- Buttsau, V.G. See Rovinskii, B.M., 2=23744
- Butyi, A.I., Nesterko, N.A., Rossykhin, V.S. and Tsykora, I.L. A case of deviation from thermodynamic equilibrium in the outer cone of a flame, 2=17679
- Lyu Yuan' [Liu Yuan] and Chu Lyan-yuan [Ch'u Liang-yuan]. The individual particle motion in the strongly deformed nuclei, 2=16307
- Ma, C.H. and Swalin, R.A. Self-diffusion in liquid tin, 2=13329
- Ma, P.Y. See Pai, H.L., 2=7870
- Ma, S.M. See Gabrysh, A.F., 2=15539
- Ma, S.T. See Lee, E.T.P., 2=7126
- Maas, A. See Vogt, K.J., 2=12147
- Mable, S.E.R. See Hill, D.W., 2=11001
- McAdams, D.R. Observations in proton N.M.R. spectra of long-range coupling between protons and C-13 in natural abundance, 2=18969
- McAfee, C. See Mandelkorn, J., 2=10543
- McAfee, K.B., Jr. See Edelson, D., 2=22178
- McAleer, W.J., Barkemeyer, H.R. and Pollak, P.I. Vapor phase growth of gallium arsenide crystals, 2=10793
- McAlexander, J.C. See Alexander, E.J., 2=13640
- McArdle, J.J. Effect of cooled apertures on PbS detectors, 2=7456
- MacAvoy, T.C. See Marley, J.A., 2=2358
- McBlain, D.A. See Schoolman, S.A., 2=11422
- McBride, B.J. and Gordon, S. Thermodynamic functions of several triatomic molecules in the ideal gas state, 2=1207
- McBride, C.H. See Ferguson, L.A., 2=4582
- McBride, S.L. See Hutchison, T.S., 2=21017
- McBride, S.L. See Hutchison, T.S., 2=23773
- McCall, R.C. and Larsson, E.I. A low priced automatic printout system for the Hutchinson-Scarrott analyser, 2=7783
- McCammon, R.D. See Chon, H., 2=8889
- McCann, A.P., Smith, F., Jr., Smith, J.A.S. and Thwaites, J.D. Adjustment of the homogeneity of a permanent magnet for high-resolution nuclear magnetic resonance, 2=15987
- McCarroll, R. and McElroy, M.B. Electron capture by α -particles in hydrogen, 2=6107
- McCarroll, R. See Bates, D.R., 2=12277
- McCarroll, R. See Burke, P.G., 2=18409
- McCarroll, R. See Burke, V.M., 2=18410
- McCarter, R.S. See Boxer, A.S., 2=13678
- McCarthy, A.L. See Cohen, B.L., 2=10017
- McCarthy, A.L. See Cohen, B.L., 2=20487
- McCarthy, I.E. Information obtainable from reactions at extreme angles, 2=1854
- McCarthy, I.E. See Kromminga, A.J., 2=12184
- McCartney, J.T. and Ergun, S. Refractive index and thickness of ultrathin sections of coals and graphite by interferometry, 2=4115
- McChesney, M. Shock tube β -ray densitometer, 2=64
- McChesney, M. and Coltman, M. The design and construction of a rotating mirror smear camera for arc discharge studies, 2=17665
- McClain, E.F., Jr. The 600-foot radio telescope, 2=15398
- McClelland, C.L. See Lowe, J., 2=13981
- McClelland, D.H. and Stephens, C.W. Development of lightweight metallic optical elements, 2=11470
- McClin, R. See Facetti, J., 2=20540
- McClintock, R. See Carr, C.W., 2=11612
- McCloud, G.H. See Stuepegia, D.C., 2=5946
- McClung, F.J. and Hellwarth, R.W. Giant optical pulsations from ruby, 2=8511
- McClung, F.J., Schwarz, S.E. and Meyers, F.J. R_2 line optical maser action in ruby, 2=23545
- McClung, F.J. See Buddenhagen, D.A., 2=5154
- McClure, B.T. Current buildup in neon gas discharges at small overvoltages, 2=3023
- McClure, B.T. See Bills, D.G., 2=1448
- McClure, D.S. Optical spectra of transition-metal ions in corundum, 2=14677
- McClure, D.S. See Dyck, R.H., 2=14675
- McClure, D.S. See Weakliem, H.A., 2=3908
- McClure, G.W. See Granzow, K.D., 2=9549
- McClure, J. See Anderson, J.D., 2=18272
- McClure, J.J. See Ecker, G., 2=22214
- McClure, J.W. See Anderson, J.D., 2=13940
- McClure, J.W. See Wong, C., 2=18328
- McCollum, D.C., Jr. and Silsbee, H.B. Specific heats of rubidium and cesium between 1.3 and 12°K, 2=16608
- McCombe, B.D. See LaCasce, E.O., Jr., 2=2834
- McCombie, C.W., Matthew, J.A.D. and Murray, A.M. Modification of lattice vibrations by an imperfection, 2=3823
- McConnell, H.M. Antiparallel spin polarization in triplet states, 2=2006
- McConnell, H.M. and Giuliano, C.R. $CH_2(COOH)$ in malonic acid, 2=6892
- McConnell, H.M. and Lynden-Bell, R. Paramagnetic excitons in solid free radicals, 2=14413
- McConnell, H.M., Griffith, H.O. and Pooley, D. Spin exchange between excitons and free radicals, 2=16634

- McConnell, H.M. See Hanna, M.W. 2=18495
 McConnell, H.M. See Lynden-Bell, R.M., 2=20975
 McCool, W.J., Robinson, R.A., Schrader, E.W. and Weiss, S.H. SM-2 flexible critical experiments, 2=3644
 McCormack, J.D. See McCormick, R.D., 2=5408
 McCormick, R.D. and McCormack, J.D. Hydrogen and carbon target preparation for a positive ion accelerator, 2=5408
 McCormick, W.D. See Careri, G., 2=22108
 McCoubrey, J.C., Milward, R.C. and Ubbelohde, A.R. Relative efficiencies of H_2O and D_2O as catalysts for transfer of vibrational energy, 2=23015
 McCoy, H.E., Jr. See Stephenson, R.L., 2=4311
 McCracken, A.K., Jowitt, R. and Lock, M. The use of the $\text{S}^{32}(\text{n}, \text{p})\text{P}^{32}$ reaction for the measurement of fast neutron flux in regions of low intensity, 2=22540
 McCracken, C.W. See Alexander, W.M., 2=6986
 McCracken, C.W., Alexander, W.M. and Dubin, M. Direct measurement of interplanetary dust particles in the vicinity of the earth, 2=24085
 McCracken, C.W. See Dubin, M., 2=17235
 McCracken, K.G. The cosmic-ray flare effect. I. Some new methods of analysis, 2=9963
 McCracken, K.G. The cosmic ray flare effect. I. The flare effects of May 4, November 12, and November 15, 1960, 2=9964
 McCracken, K.G. The cosmic-ray flare. III. Deductions regarding the interplanetary magnetic field, 2=9965
 McCracken, K.G. The propagation of cosmic rays through interplanetary space on May 4, 1960 and during November 1960, 2=13899
 McCracken, K.G. and Fréon, A. Asymptotic directions and cut-off rigidities in the geomagnetic field, 2=16253
 McCracken, K.G. See Fréon, A., 2=12100
 McCrea, W.H. Formation of stars from interstellar matter, 2=941
 McCrea, W.H. Evidences of evolution in astronomy, 2=21727
 McCrea, W.H. See Agacy, R.L., 2=9051
 MacCready, P.B., Jr. Turbulence measurements by sailplane, 2=11015
 MacCready, P.B., Jr. The inertial subrange of atmospheric turbulence, 2=11016
 McCrosky, R.E. and Posen, A. Orbital elements of photographic meteors, 2=19289
 McCubbin, T.K., Grosso, R.P. and Mangus, J.D. A high-resolution grating-prism spectrometer for the infrared, 2=17609
 McCue, J.C. See Ziegler, C.A., 2=4575
 McCullagh, G.C. See Mahaffey, D.W., 2=1464
 McCullen, J.D. See Wilson, R.R., 2=7929
 McCullough, J.P. See Guthrie, G.B., 2=8764
 McCullough, J.P. See Scott, D.W., 2=3732
 McCullough, J.P. See Scott, D.W., 2=15822
 McCullough, J.P. See Scott, D.W., 2=20847
 McCullough, T.P. See Mayer, C.H., 2=19352
 McCusker, C.B.A. Extensive air shower work in Australia, 2=20465
 McCusker, C.B.A. See Ueda, A., 2=9958
 McCutchen, C.W. Refractometer microscope, 2=15724
 McDaniel, B.D. See Anderson, R.L., 2=22625
 McDaniel, E.W., Martin, D.W. and Barnes, W.S. Drift tube-mass spectrometer for studies of low-energy ion-molecule reactions, 2=3101
 McDaniel, E.W. See Hooper, J.W., 2=9529
 McDaniel, E.W. See Martin, D.W., 2=6984
 McDaniel, G.W. and DiMattia, A.P. Inspecting infrared optical materials and systems by means of the evaporograph, 2=19687
 McDaniel, G.W. and Robinson, D.Z. Thermal imaging by means of the evaporograph, 2=15726
 McDaniel, M.L., Babb, S.E., Jr. and Scott, G.J. Melting curves of five metals under high pressure, 2=19777
 McDaniels, D.K., Brandenburg, W., Farwell, G.W. and Hendrie, D.L. A magnetic analysis of 42 MeV cyclotron alpha particles, 2=9938
 McDaniels, D.K., Hendrie, D.L., Bassel, R.H. and Satchler, G.R. Alpha-gamma angular correlations and the distorted-wave theory, 2=22850
 McDermott, P.S., Powell, R.L. and Stack, E.R. Infrared measurement of the optical constants of the low melting temperature glass system of 30% arsenic-34% sulfur-36% thallium, 2=8479
 McDiarmid, I.B., Rose, D.C. and Budzinski, E. Direct measurement of charged particles associated with auroral zone radio adsorption, 2=4641
 McDiarmid, I.B. and Wilson, M.D. The production of high-energy knock-on electrons and bremsstrahlung by μ -mesons, 2=16217
 McDiarmid, I.B. See Wilson, M.D., 2=1746
 McDiarmid, I.B. See Wilson, M.D., 2=12092
 Macdonald, A.D. See Whitmer, R.F., 2=4884
 MacDonald, A.L. See Hemmat, N., 2=10477
 McDonald, B. and Goetzberger, A. Measurement of the depth of diffuse layers in silicon by the grooving method, 2=8384
 MacDonald, D.K.C. Some remarks on the Boltzmann and anti-Boltzmann equations, 2=1073
 MacDonald, D.K.C. On Brownian movement and irreversibility, 2=919
 MacDonald, D.K.C. and Templeton, I.M. Some comments on thermoelectric refrigeration at low temperatures, 2=22105
 MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Thermoelectricity at low temperatures IX. The transition metals as solute and solvent, 2=6508
 MacDonald, D.K.C., Pearson, W.B. and Templeton, I.M. Thermoelectricity of lithium alloys at very low temperatures, 2=6509
 MacDonald, D.K.C. See Guénault, A.M., 2=654
 MacDonald, D.K.C. See Guénault, A.M., 2=21842
 McDonald, F.A. See Hull, M.H., Jr., 2=18121
 McDonald, F.A. See Lassila, K.E., 2=11895
 McDonald, F.B. Cerenkov scintillation counter measurements of the light, medium, and heavy nuclei in the primary cosmic radiation from sunspot minimum to sunspot maximum, 2=18204
 McDonald, F.B. and Webber, W.R. A study of the rigidity and charge dependence of primary cosmic ray temporal variations, 2=12042
 McDonald, F.B. See Bryant, D.A., 2=18197
 McDonald, G.J.F. The earth's free oscillations, 2=4586
 McDonald, G.J.F. Discussion of paper by W. Barclay Kamb, "The thermodynamic theory of nonhydrostatically stressed solids", 2=6719
 McDonald, G.J.F. Spectrum of hydromagnetic waves in the exosphere, 2=9025
 McDonald, H.E. and Bube, R.H. Apparatus for measuring the temperature dependence of photo Hall effects in high-resistivity photoconductors, 2=17739
 McDonald, H.E. See Bube, R.H., 2=8408
 McDonald, J.E. Large-sphere limit of the radar back-scattering coefficient, 2=11793
 McDonald, J.E. A note on anomalous adiabatic cooling rates in clouds, 2=24019
 McDonald, J.E. and Cobble, J.W. The heats of combustion of ReS_2 and Re_2S_7 and the thermodynamic functions for transition metal sulfides, 2=17084
 McDonald, J.E. and Orville, H.D. Effect of momentum-exchange of the full velocity of an accreting hydrometer, 2=21634
 McDonald, J.R. Restriction on the form of relaxation-time distribution functions for a thermally activated process, 2=2597
 McDonald, J.R. Accurate solution of an idealized one-carrier metal-semiconductor junction problem, 2=8387
 McDonald, J.R. Some statistical aspects of relaxation-time distributions, 2=11250
 McDonald, J.R. Photocapacitance effects in additively coloured alkali halide crystals, 2=12560
 McDonald, J.R. and Barlow, C.A., Jr. Theory of double-layer differential capacitance in electrolytes, 2=15154
 McDonald, K.L. Diffraction of spherical scalar and vector waves at axial points of a circular aperture and disk, 2=13691
 McDonald, N. The $(2I + 1)$ rule and the statistical compound nucleus theory, 2=14130
 McDonald, N. See Eccleshall, D., 2=22740
 Macdonald, N.J. and Knecht, R.W. A statistical study of lower atmospheric-ionospheric coupling, 2=2499
 McDonald, R.R. See Gschneider, K.A., Jr., 2=17041
 McDonald, R.R. See Gschneider, K.A., Jr., 2=23878
 McDonald, R.R. See Gschneider, K.A., Jr., 2=23879
 Macdonald, T.H. Bouguer's law and heterochromatic radiation, 2=11534
 MacDonald, W.M. See Altman, A., 2=14082
 Macdonald, W.M. See Altman, A., 2=16284
 MacDonald, W.R. Simple amplifier for use with metal-film thermometers in timing applications, 2=5259
 McDonald, W.R. Kinetics of structural changes during beta transformation of uranium, 2=10911
 McDougall, A.O. and Long, F.A. Relative hydrogen bonding of deuterium. II. Acid ionization constants in H_2O and D_2O , 2=102
 McDowell, C.A. See Frost, D.C. 2=15882
 McDowell, M.R.C. On the formation of H_2 in H I regions, 2=6985
 McDowell, R.S. and Asprey, L.B. Infrared spectrum of bromine pentafluoride, 2=16523
 McDowell, R.S. and Jones, L.H. Low-frequency fundamentals of some metal carbonyls, 2=16530
 McDowell, R.S. and Jones, L.H. Pure rotational spectrum of NT_3 , 2=2
 McDowell, R.S. See Narahari Rao, K., 2=6163
 Mac Dowell, S.W. $K_{\mu\beta}$ and K_{α} decay and the nature of strangeness violating weak interactions, 2=13871
 Mac Dowell, S.W. See Acioli, J.L., 2=13872

- MacDowell, S.W., Videira, A.L.L. and Zagury, N. Production and spin of the K* resonance, 2=9917
- MacDowell, S.W., Videira, A.L.L. and Zagury, N. Angular distribution and polarization of Λ particles in π -p collisions, 2=11983
- McDuffie, G.E., Jr., Quinn, R.G. and Litovitz, T.A. Dielectric properties of glycerol-water mixtures, 2=19574
- McDuffie, R.E. See Knecht, R.W., 2=13036
- McDuffie, R.E. See Wright, J.W., 2=4652
- Macé, N. See Laffitte, E., 2=4164
- Macé, N. See Laffitte, E., 2=6630
- McEachran, R.P. See Smith, K., 2=3713
- McEllistrem, M.T. See Biggerstaff, J.A., 2=3210
- McEllistrem, M.T. See Biggerstaff, J.A., 2=20667
- McEllistrem, M.T. See Boring, J.W., 2=459
- McElroy, M.B. See McCarroll, R., 2=6107
- McEwen, D.J. See Montalbetti, R., 2=17186
- McEwen, G.J. See Weil, R., 2=18037
- McEwen, J.G. See Malamud, E., 2=5626
- McFadden, P.W. and Grassmann, P. The relation between bubble frequency and diameter during nucleate pool boiling, 2=15814
- McFarland, R.H. and Soltysik, E.A. Polarization of light resulting from the excitation of helium by electrons, 2=20742
- MacFarlane, A.J. Relativistic partial wave analysis, 2=13733
- MacFarlane, M.H., Raz, B.J., Yntema, J.L. and Zeidman, B. Studies of (d,t) reactions on the isotopes of nickel, 2=1914
- MacFarlane, M.H., Raz, B.J., Yntema, J.L. and Zeidman, B. (d,t) reaction studies on iron and nickel, 2=16432
- MacFarlane, R.A. See Bennett, W.R., Jr., 2=22908
- MacFarlane, R.D. Alpha-emitting isomeric state of Tb^{149} , 2=10036
- MacFarlane, R.D. and Almodovar, I. Study of the $\text{Sm}^{149}(\text{n}, \alpha)\text{Nd}^{146}$ reaction with thermal neutrons, 2=20652
- MacFarlane, W.K. See Homer, R.J., 2=9844
- McFee, J.H. See Hutson, A.R., 2=3833
- McFee, R. See Stone, F.T., 2=4101
- McGarvey, F.X. See Kunin, R., 2=17079
- McGee, J.D. Some problems in photoelectronic image intensifiers for use in high-energy physics, 2=9622
- McGee, R.A. An analytical infrared radiation model of the earth, 2=21612
- McGervey, J.D. A pulse resolver using tunnel diodes, 2=17752
- McGill, R.E. See Rosenstock, H.B., 2=3825
- McGillavry, C.H. See Mijlhoff, F.C., 2=15024
- McGinn, C.J. Heats of hydrogenation as a function of hybridization, 2=545
- McGinn, J.H. See Wachman, H.Y., 2=3937
- McGlashan, M.L. and Potter, D.J.B. An apparatus for the measurement of the second virial coefficients of vapours; the second virial coefficients of some n-alkanes and of some mixtures of n-alkanes, 2=11415
- McGlashan, M.L. See Guggenheim, E.A., 2=2039
- McGlashan, M.L. See Guggenheim, E.A., 2=21841
- McGlinn, W.D. See Albright, C.H., 2=18075
- McClure, G.W. and Granzow, K.D. High-voltage glow discharges in D_2 gas. II. Cathode fall theory, 2=3014
- McGonigal, P.J., Kirshenbaum, A.D. and Grosse, A.V. The liquid temperature range, density and critical constants of magnesium, 2=15572
- McGonigal, P.J. See Sandler, S.R., 2=6626
- McGowan, F.K. and Stelson, P.H. Coulomb excitation of second 2+ states in Ge^{74} , Ge^{76} , Se^{76} , Se^{78} , and Se^{80} , 2=10141
- McGowan, F.K. See Robinson, R.L., 2=5970
- McGowan, F.K. See Stelson, P.H., 2=13994
- McGrath, I.A. and Croft, V. Flux measurements in a 150 cm double parabolic arc image furnace, 2=17682
- McGrath, J.T. and Craig, G.B. The formation of striation-type substructure in aluminum, 2=16982
- McGrath, J.W. and Silvini, A.A. Erratum: proton magnetic resonance study of barium bromide monohydrate, 2=6709
- McGrath, J.W. and Silvini, A.A. Quadrupolar study of barium in barium bromide dihydrate by proton magnetic resonance, 2=8693
- McGrath, J.W. and Silvini, A.A. Protonic spin-lattice relaxation in barium bromide dihydrate, 2=18970
- McGrath, J.W. See Williams, R.M., 2=16302
- McGrath, R.L. Population ratios of Be^7 , Li^7 , and B^{10} states from Li^6 on Li^6 and Be^9 as functions of bombarding energy, 2=20681
- McGregor, W.K. See Brewer, L.E., 2=17845
- McGuire, D.J. The Iowa State University 1.5 MeV undergraduate cyclotron, 2=11740
- McGuire, J.B., Spangler, E.R. and Wong, L. The size of the solar system, 2=17239
- McGuire, T.R. and Crapo, W.A. Magnetic susceptibility and magnetostriiction of CoO , MnO , and NiO , 2=12717
- McGurn, J.F. See Howe, L.M., 2=21039
- Machado, W.M. See Redondo, D.M., 2=13965
- McHargue, C.J. Deformation stacking faults in face-centered cubic thorium and cerium, 2=6353
- Mache, H. Causes of rolling thunder, 2=13001
- Macherauch, E., Kolb, K. and Christian, H. A yield point and ageing phenomenon with pure nickel, 2=4325
- Macherauch, E. and Muller, P. $\text{Sin}^2 \Psi$ method of X-ray stress measurement, 2=6712
- Macherauch, E. See Hartmann, R.J., 2=21500
- Macherauch, E. See Kolb, K., 2=8730
- Machida, S. See Hoshizaki, N., 2=3287
- Machida, S. See Hoshizaki, N., 2=11938
- Machin, W.D. and Ross, S. On physical adsorption. XVII. Experimental verification of the two-dimensional van der Waals equation of state above and below the critical temperature, 2=4498
- Machlin, E.S. See Cuddy, L.J., 2=23152
- Machlup, S. and Nixon, J.D. High fields in shadow regions on photoconductors, 2=23454
- Machnig, O. and Handge, P. Effect of voids between the core and the reflector on the criticality or reactivity of a reactor, 2=8027
- Machnig, O. and Kuster, R. Dependence of the gas outlet temperature on the output taken from gas-cooled reactors, 2=10173
- Machta, L. Discussion of paper by W.F. Libby and C.E. Palmer, "Stratospheric mixing from radioactive fallout", 2=874
- Machta, L. and Lucas, H.F., Jr. Radon in the upper atmosphere, 2=8979
- Machta, L., List, R.J. and Telegadas, K. A survey of radioactive fallout from nuclear tests, 2=16340
- MuHugh, J.P. See Schultz, J.M., 2=18697
- McIl Dowie, J.E.G. See Meads, R.E., 2=16313
- McIlraith, A.H. A soft X-ray spectrometer with pulsed source, and synchronous phosphor-photomultiplier detector, 2=22291
- McIlwain, C.E. See Pizzella, G., 2=17206
- McIlwain, R.L., Deahl, K.J., Derrick, M., Fetkovich, J.G. and Fields, T.H. Reaction $p + p \rightarrow \pi^+ + p + n$ at 405 MeV, 2=16190
- McIntosh, A.B. and Grainger, L. Plutonium fuel and nuclear power, 2=10188
- McIntosh, B.A. The meteoric head echo, 2=11164
- McIntosh, H.C. On matrices which anticommute with a Hamiltonian, 2=12274
- McIntosh, P.S. See Smith, E.P., 2=13167
- McIntosh, R. See Chapman, I.D., 2=2779
- McIntosh, R.A. Features of the lunar crater Aristarchus, 2=4734
- McIntyre, H.A.J. See Allison, D.C.S., 2=1966
- McIntyre, J.A., Baker, S.D. and Wang, K.H. Investigation of the nuclear surface by means of the elastic scattering of heavy ions, 2=3621
- McIntyre, J.A., Jobes, F.C. and Watts, T.L. A detection system for heavy ions, 2=9748
- McIntyre, J.A. See Wang, K.H., 2=16438
- McIntyre, J.A. See Watts, T.L., 2=1935
- McIntyre, J.D. See Davies, J.A., 2=22276
- McIntyre, R.G. Extended space-charge theory in low-pressure thermionic converters, 2=17777
- McIrvine, E.C., Lambe, J., Laurance, N. and Cole, T. Double nuclear resonance and nuclear relaxation, 2=13697
- McIrvine, E.C. See Laurance, N., 2=14842
- McIver, G.W. See Gobat, A.R., 2=11603
- Mack, D.A. See Baker, S.C., 2=2986
- Mack, D.A. See Baker, S.C., 2=2987
- Mack, L.R. Periodic, finite-amplitude, axisymmetric gravity waves, 2=8942
- Mackavey, W.R., Bartley, S.H. and Casella, C. Disinhibition in the human visual system, 2=2584
- MacKay, A.J. See Kaiser, W.C., 2=18000
- Mackay, A.L. A dense non-crystallographic packing of equal spheres, 2=23832
- MacKay, G.D.M. and Mason, S.G. Approach of a solid sphere to a rigid plane interface, 2=4567
- MaKay, M.H. Resonance absorption in ^{239}Pu and its effect on the temperature coefficient of irradiated uranium rods, 2=3638
- Macke, W. Nuclear models and the tensor of inertia, 2=1765
- Macke, W. and Lenk, R. Variational principle for rotations of nuclei, 2=7923
- McKean, H.P., Jr. A Hölder condition for Brownian local time, 2=21839
- McKean, R.S., Jr. Vector mesons and nucleon-nucleon potentials, 2=5632
- McKee, J.S.C. Symposium on High Energy Nuclear Physics, London, March 1962, 2=16377
- McKeever, R. and Yokosawa, A. Study of a focused beam from the duoplasmatron proton source, 2=20047
- McKellar, A. Isotopes in stellar atmospheres, 2=4801

- MacKellar, A.D. Prediction of thermal-neutron fluxes in the bulk shielding facility from lid tank shielding facility data, 2-6012
- McKelvey, J.P. Analysis of semiconductor p-n junctions and junction devices by a flux method, 2-8383
- McKenna, J. Analytic regularization in relativistic quantum field theory, 2-9185
- McKenna, J. and Blatt, J.M. The expectation value of a many-body Hamiltonian in the quasi-chemical equilibrium theory, 2-11298
- McKenna, J. See Devlin, G.E., 2-6560
- McKenna, S.M.P. See Ellison, M.A., 2-9962
- McKenna, S.M.P. See Ellison, M.A., 2-24126
- McKenzie, J. See Anderson, D.W., 2-5545
- Mackenzie, J.K. Sequential filling of a line by intervals placed at random and its application to linear adsorption, 2-19374
- Mackenzie, J.K. and Nicholas, J.F. Bonds broken at atomically flat crystal surfaces. II. Crystals containing many atoms in a primitive unit cell, 2-14932
- Mackenzie, J.K., Moore, A.J.W. and Nicholas, J.F. Bonds broken at atomically flat crystal surfaces. I. Face-centred and body-centred cubic crystals, 2-14931
- Mackenzie, J.K. See Bowles, J.S., 2-15056
- Mackenzie, K.R. See Clark, D.J., 2-9662
- Mackenzie, K.R. See Hansen, L.K., 2-15906
- Mackenzie, K.V. Long-range shallow-water bottom reverberation, 2-2830
- Mackenzie, K.V. Long-range shallow-water signal-level fluctuations and frequency spreading, 2-2831
- Mackenzie, K.V. Further remarks on "Long-range shallow-water transmission", 2-19656
- Mackenzie, K.V. Further remarks on sound-speed measurements aboard the "Trieste", 2-21980
- McKeown, D. A new method for measuring sputtering in the region near threshold, 2-3092
- McKeown, P.J.A. Controlled chemical etching in the production of semiconductor [germanium] dice, 2-10475
- McKibbin, D.D. See Sharp, G.W., 2-15207
- Mackin, R.J., Jr. See Lidsky, L.M., 2-17794
- Mackie, A.G. Applications of the theory of the general hodograph equation. I. Kirchhoff-Helmholtz flow past a wedge, 2-21871
- Mackie, A.G. Applications of the theory of the general hodograph equation. II. The non-symmetric flow at sonic speed past a flat plate, 2-21872
- Mackinnon, L. and Daniel, M.R. Parallel-field magnetoacoustic effect in cadmium, 2-20926
- Mackinnon, L., Taylor, M.T. and Daniel, M.R. Magnetoacoustic effects with a parallel magnetic field in lead and cadmium, 2-12377
- Mackintosh, A.R. Magnetic ordering and the electronic structure of rare-earth metals, 2-23114
- Mackintosh, A.R. and Smidt, F.A., Jr. Scattering of conduction electrons by localised moments in metals, 2-23239
- Mackintosh, I.M. The diffusion of phosphorus in silicon, 2-18601
- Macklen, E.D. and Hodgson, B. Electrical contact properties in granular carbon aggregates. II. Correlation between contact resistance and oxygen content, 2-8285
- Macklin, R.L., Inada, T. and Gibbons, J.H. Neutron capture in tin isotopes at stellar temperatures, 2-24082
- Macklin, W.C. The density and structure of ice formed by accretion, 2-12892
- Mackor, E.L. See de Boer, E., 2-20861
- Mackworth, N.H. and Thomas, E.L. Head-mounted eye-marker camera, 2-13218
- McLachlan, A.D. Spin density and spin correlation in triplet states, 2-6189
- McLachlan, A.D. and Snyder, L.C. Spin density fluctuations in the cyclooctatetraene negative ion, 2-6187
- McLachlan, A.D. See Hanna, M.W., 2-18495
- McLachlan, D.Jr. The role of optics in applying correlation functions to pattern recognition, 2-7114
- McLachlan, D. See Lynton, E.A., 2-9484
- McLaren, A.C. See Brown, R.N., 2-6762
- McLaren, J.R. See Baldock, P., 2-12923
- McLaughlan, K.A. See Back, R.A., 2-19164
- McLaughlin, E. See Horrocks, J.K., 2-21905
- McLaughlin, R. Spectrum of UC1, 2-14676
- McLay, D.B. and Mann, C.R. The microwave spectrum and molecular structure of CHF_3 , 2-3738
- McLean, A.D. Structure of the ground state of HCN, 2-20834
- McLean, A.D. See Clementi, E., 2-2014
- McLean, A.D. See Clementi, E., 2-6199
- McLean, A.D. See Clementi, E., 2-6201
- McLean, D. On the absence of Landau damping in the nonlinear treatment, 2-22234
- McLean, D. See Denisse, J.F., 2-19993
- McLean, D.J. The improvement of images obtained with annular apertures, 2-1253
- McLean, D.J. and Wild, J.P. Systems for simultaneous image formation with radio telescopes, 2-4833
- McLean, D.J. See Boorman, J.A., 2-2559
- McLean, E.A. See Bronfin, B.R., 2-5134
- McLean, E.A. See Ramsden, S.A., 2-19980
- McLean, T.P. and Paige, E.G.S. Optical absorption edge broadening in germanium, 2-16829
- McLean, W.L. Superconducting penetration depth measurements in aluminium at 175 Mc/s, 2-9481
- McLeod, D., Richert, S. and Silverman, A. Evidence for a pion-pion resonance from photoproduction of pion pairs, 2-5709
- MacLeod, G. See Grard, F., 2-1715
- MacLeod, G.R. See Bartke, J., 2-13883
- MacLeod, G.R. See Grard, F., 2-22513
- MacLeod, G.R. See Loria, A., 2-1714
- McLeod, N.B. See Benedict, M., 2-6067
- McLeod, R.R. See Tendam, D.J., 2-13233
- McLeod, R.R. See Tendam, D.J., 2-17335
- McLernon, F.D. See Bay, Z., 2-5754
- McMahon, G.B. and Downes, J.G. Propagation of temperature and moisture changes during forced convective flow of air through a mass of hygroscopic fibres, 2-15625
- McMahon, G.B. and Downes, J.G. A note on the equation of adiabatic saturation, 2-22094
- McMahon, G.W. See Brown, R.F., 2-14610
- McMahon, H.O. and Gifford, W.E. Closed-cycle helium refrigeration, 2-5224
- McMahon, P.E. See Gutowsky, H.S., 2-16562
- McManus, H. The interaction of fast nucleons with nuclei, 2-1871
- McMillan, J.A. and Smaller, B. Paramagnetic resonance of some silver (II) compounds, 2-1166
- McMillan, M. and Opechowski, W. The temperature dependence of the shape of paramagnetic resonance lines, 2-762
- McMillan, M. and Predazzi, E. Electromagnetic form factors in the Regge representation, 2-20323
- McMurtry, B.J. and Siegman, A.E. Photomixing experiments with a ruby optical maser and a traveling-wave microwave phototube, 2-7345
- McNally, D. The equilibrium of CH and CH^+ in interstellar space, 2-21689
- McNally, F.X. See Lauriente, M., 2-19764
- McNamara, A.G. Semiconductor diodes and transistors as electrical thermometers, 2-9438
- McNamara, J.E. See Robertson, H.M., 2-21863
- McNamee, J.M. See Cohen, M., 2-22881
- McNamee, J.M. See Dalgarno, A., 2-1954
- McNarry, L.R. Forward scatter of radio signals via meteor trails and short-lived solar radio bursts, 2-13179
- McNaught, R.A. See Alexander, T.K., 2-9495
- McNeill, D.J. Measurement of the thermal diffusivity of thermoelectric materials, 2-7420
- McNeill, K.G. and Davis, L.D., An anticoincidence ring for a whole-body counter, 2-15422
- McNeill, K.G. and Green, R.M. Scintillation spectra from thick sources, 2-1628
- McNeill, K.G. and Prentice, J.D. The 1.2 MeV beta decay of I^{128} , 2-40
- McNeill, K.G. See Green, R.M., 2-15421
- McNeill, K.G. See Prentice, J.D., 2-1837
- McNeill, K.G. See Trojan, O.A.D., 2-12151
- McNeill, W. and Conroy, L.E. Electrical properties of some dilute cubic sodium tungsten bronzes, 2-2116
- McNeirney, J. and Slavin, W. A wavelength standard for ultraviolet-visible-near infrared spectrophotometry, 2-15735
- McNesby, J. See Scheer, M.D., 2-19154
- McNesby, J.R., Tanaka, I. and Okabe, H. Vacuum ultraviolet photochemistry. III. Primary processes in the vacuum ultraviolet photolysis of water and ammonia, 2-4550
- McNesby, J.R. See Jackson, W.M., 2-14236
- McNesby, J.R. See Okabe, H., 2-4549
- McNesby, J.R. See Okabe, H., 2-23969
- McNesby, J.R. See Tanaka, I., 2-17096
- McNichol, J.J. See Sobol, H., 2-9471
- McNicol, R.W.E. See Wilkie, J.R., 2-21678
- McNiven, H.D. and Perry, D.C. Axially symmetric waves in finite, elastic rods, 2-9333
- McNutt, J.D. See Zimmerman, J.E., 2-9470
- Macovei, M., Ivanov, E. and Vilcov, N. A simple method for obtention of the zero pulse at the cyclotron, 2-20078
- Macoy, H.M. See Boley, F.I., 2-1741

- acpherson, J.D. Some under-ice acoustic ambient noise measurements, 2=19192
- acpherson, J.D. and Fothergill, N.O. Study of low-frequency sound propagation in the Hartlen Point region of the Scotian Shelf, 2=17557
- acq, P. See Deconinck, G., 2=465
- acq, P.C. See Demortier, G., 2=477
- acq, P.C. See Lipnik, P., 2=7943
- cQuarrie, D.A. Theory of fused salts, 2=19542
- acQueen, J.T. See Rice, O.K., 2=15579
- acQueen, R.G. and Marsh, S.P. Ultimate yield strength of copper, 2=6746
- acRae, A. See Bratt, P., 2=7454
- acRae, A.U. 1/f noise from vacuum-cleaned silicon, 2=16708
- acRae, A.U. and Germer, L.H. Thermal vibrations of surface atoms, 2=19127
- acRae, A.U. See Germer, L.H., 2=8894
- acRae, A.U. See Germer, L.H., 2=21558
- acRae, A.U. See Germer, L.H., 2=23921
- acRae, A.U. See Germer, L.H., 2=23922
- acris, C.J. Studies on the flocculi of the solar chromosphere. I. Life time of the flocculi, 2=17278
- ckSkimin, H.J. Measurement of ultrasonic wave velocities for solids in the frequency range 100 to 500 Mc, 2=9353
- ckSkimin, H.J. Measurement of the 25°C zero-field elastic moduli of quartz by high-frequency plane-wave propagation, 2=23727
- ckSkimin, H.J. and Andreatch, P. Analysis of the pulse superposition method for measuring ultrasonic wave velocities as a function of temperature and pressure, 2=13416
- ckSkimin, H.J. and Thomas, D.G. Elastic moduli of cadmium telluride, 2=2313
- ctTaggart, M.H. The absorption of neutrons by the $O^{16}(n, \alpha)C^{13}$ reaction in an extended water moderator, 2=5942
- ctTaggart, M.H. See Moat, A., 2=3640
- ctTaggart, M.H. See Weale, J.W., 2=3671
- acurdy, L.B. See Almer, H.E., 2=9228
- ckVickers, R.C. See Dugdale, R.A., 2=17804
- ckVickers, R.C. See Dugdale, R.A., 2=23782
- ckVittie, G.C. Remarks on cosmology, 2=2521
- ckVoy, K.W. and Van Hove, L. Inelastic electron-nucleus scattering and nucleon-nucleon correlations, 2=3555
- ckVoy, K.W. See Van Hove, L., 2=17374
- ckWeeny, R. Perturbation theory for the Fock-Dirac density matrix, 2=12275
- ckWeeny, R. See Maddox, I.J., 2=14297
- ckWhirter, R.W.P. Rates of recombination in hydrogenic plasmas, 2=19935
- ckWhirter, R.W.P. See Bates, D.R., 2=11620
- ckWhorter, A.L. and Rediker, R.H. Impact localization of impurities in compensated germanium, 2=23315
- ckWilliams, A.S. See Edwards, D.O., 2=15834
- ckWilliams, A.S. See Edwards, D.O., 2=17719
- ckWilliams, J.A. See Dunn, P.D., 2=19886
- ckWilliams, P., Hall, W.S. and Wegner, H.E. Multichannel analyser data analysis by a least squares computer program, 2=2592
- aczynski, J. and Krzyszton, D. Characteristic functions and the strain tensor in a compressible sand mass motion, 2=11316
- adan, M.P. See Sahoo, H.K., 2=7249
- adan, M.P. See Sharma, M.N., 2=8144
- adan, M.P. See Sharma, M.N., 2=12361
- adansky, L. See Dick, L., 2=22490
- adansky, L. See Lambert, J.M., 2=1890
- adansky, L. See Zdanis, R.A., 2=1920
- adatova, E.G. See Dekhtyar, I.Ya., 2=8644
- adatova, E.G. See Dekhtyar, I.Ya., 2=23671
- adden, R.P. A high-resolution study of CO_2 absorption spectra between 15 and 18 microns, 2=1997
- addin, R. See Lawley, A., 2=6737
- addison, R.N. Optical model analysis of the elastic scattering of low energy deuterons, 2=5952
- addox, I.J. and McWeeny, R. Ring currents in aromatic molecules, 2=14297
- adella, G.B. Analysis of plane-condenser actuators for the absolute calibration of certain microphones, 2=77
- ader, H.J. Electrical conduction and structure of thin technically formed aluminium oxide layers on aluminium, 2=23258
- ader, S. See Alexander, H., 2=21040
- ader, S. See Czjzek, G., 2=14450
- ader, S. See Seeger, A., 2=6343
- adhavan, N. See Venugoplan, M., 2=19917
- adigan, J.R. See Reich, A.D., 2=149
- Madlow, M. The determination of temperature and pressure distribution in the outer photosphere from continuum measurements of changes in thermodynamic equilibrium, 2=15350
- Madonna, L.A., Sciuilli, C.M., Canjar, L.N. and Pound, G.M. Low-temperature cloud-chamber studies on water vapour, 2=1313
- Madsen, V.A. and Henley, E.M. The photodeuteron reaction, 2=14073
- Maduev, V.L. See Kurepin, A.B., 2=22355
- Maeda, H., Sakurai, K., Ondoh, U. and Yamamoto, M. Solar-terrestrial relationships during the IGY and IGC, 2=17218
- Maeda, H. and Yamamoto, M. Daytime enhancement of the amplitude of geomagnetic sudden impulses in the equatorial region, 2=6962
- Maecker, H. See Frie, W., 2=12958
- Meacock, H.F., Garforth, F.A. and Shrubbsall, R.G. The luminance factor of smoked magnesium oxide at small angles of view, 2=15716
- Mead, C.A. Transport of hot electrons in thin gold films, 2=18562
- Mead, D.J. See Scheiber, D.J., 2=16767
- Mead, J.B. and Cohen, B.I. Low-resolution survey of (d, α) reactions in heavy nuclei, 2=3604
- Mead, J.B. See Micheletti, S., 2=20668
- Meaden, G.T. and Lee, J.A. The thermoelectric power of the actinide metals at low temperatures, 2=12552
- Meadows, J.W. and Whalen, J.F. Thermal neutron absorption cross-sections by the pulsed source method, 2=5683
- Meadows, J.W. and Whalen, J.F. Energy dependence of prompt $\bar{\nu}$ for neutron-induced fission of U^{238} , 2=10162
- Meadows, J.W. and Whalen, J.F. Thermalization and diffusion parameters of neutrons in zirconium hydride, 2=18129
- Meads, R.E. and McIlldowie, J.E.G. Energy levels of B^{10} . II. The $Be(p, \gamma)$ reaction, 2=16313
- Meads, R.E. See Armitage, B.H., 2=16312
- Meads, R.E. See Armitage, B.H., 2=18251
- Meakin, J.E. and Barrow, R.F. The electronic spectrum of S_2 , 2=10264
- Meakin, J.D. See Feltham, P., 2=4327
- Méallet, M. See Duchesne, M., 2=15765
- Measor, J.C. Constant pressure-differential gas apparatus for kinetic studies of gas-solid reactions, 2=4534
- Mecke, R. and Joeckle, R. Precision measurements of the dielectric constants of five pure substances for dielectric coefficients and dipole moment determination. III. Measurements at 100 kc/s (statistical dielectric constant), 2=17771
- Maeda, H. See Miyazawa, H., 2=23318
- Maeda, K. Power supply for the ion source of mass spectrometer at the electrotechnical laboratory [Tokyo], 2=11728
- Maeda, K. Transmission of hydromagnetic wave to the earth, 2=11778
- Maeda, K. Whistlers and v.l.f. emissions in connection with the earth storms, 2=13009
- Maeda, K. and Hiaro, K. A review of upper atmosphere rocket research in Japan, 2=19207
- Maeda, K. and Kimura, I. Amplification of the v.l.f. electromagnetic waves by a proton beam through the exosphere, 2=13008
- Maeda, K. and Minakaura, O. [Eds]. Proceedings of the International Conference on cosmic rays and the earth storm. I. Earth storm, 2=9939
- Maeda, K. and Minakaura, O. [Eds]. Proceedings of the International Conference on Cosmic Rays and the Earth Storm. Kyoto, 4-15 September 1961. II. Joint Sessions, 2=9940
- Maeda, K. and Minakaura, O. [Eds]. Proceedings of the International Conference on Cosmic Rays and the Earth Storm. Kyoto, 4-15 September 1961. III. Cosmic Rays, 2=9941
- Maeda, K. and Patel, V.L. A note on solar flare cosmic rays, 2=337
- Maeda, K., Matsumoto, H., Takeya, Y. and Okumoto, T. Measurement of atmospheric temperature and wind velocity by kappa rockets, 2=4593
- Maeda, K. See Anderson, J.C., 2=12022
- Maeda, K. See Patel, V.L., 2=341
- Maeder, P.F. See Kestin, J., 2=7425
- Maeda, S. The sub-structure in single crystals of nickel, 2=6859
- Maeda, S. and Schatz, P.N. Absolute infrared intensity measurements in thin films, 2=1270
- Maeda, S. and Schatz, P.N. On the determination of absolute intensities from refractive index data, 2=5072
- Maehlum, B. The sporadic E auroral zone, 2=24034
- Maehlum, B. Small scale structure and drift in the sporadic E layer as observed in the auroral zone, 2=24035
- Maehlum, B. and O'Brien, B.J. Solar cosmic rays of July 1961 and their ionospheric effects, 2=22687
- Maekawa, S. Electron spin resonance of diluted $(NH_4)Fe(SO_4)_2 \cdot 12H_2O$, 2=4262
- Maekawa, S. Crystalline fields anomalies of diluted $(NH_4)Fe(SO_4)_2 \cdot 12H_2O$ at low temperatures, 2=23033

- Maekawa, S. See Edagawa, H., 2=21164
- Maenhout, A.G. Contributions to the knowledge of the atmospheric refractive index for very short radiowaves over Belgium, 2=13006
- Maes, S. On some third-order corrections to the rotation-vibration energies of polyatomic molecules, 2=22933
- Maev, S.A. See Lebedev, S.Ya., 2=20005
- Magari, S. and Hotta, K. Storage tube type mass spectrometer recorder, 2=7678
- Magarvey, R.H. and Blackford, B.L. Experimental determination of the charge induced on water drops, 2=15877
- Magarvey, R.H. and Blackford, B.L. Wake metamorphism behind a sphere, 2=17422
- Magda, T. See Tintă, F., 2=3116
- Magda, T.M. See Martalogu, N., 2=7689
- Magee, J.L. See Chen, J.C.Y., 2=8087
- Magee, J.L. See Elkomoss, S.G., 2=1396
- Mager, A. On the effect of foreign atoms on weakly magnetized metals and alloys, 2=10637
- Magero, V., Blăniariu, D. and Gabe, I. Radioactivity of atmospheric precipitation, 2=6925
- Mageru, V. and Blăniariu, D. Radioactive fallout in Jassy in 1960, 2=11039
- Mageru, V., Blăniariu, D. and Gabe, I. Beta-activity in atmospheric precipitation, 2=8963
- Mageru, V. See Blăniariu, D., 2=7937
- Maggs, F.A.P. and Schwabe, P.H. A recording calorimeter for the rapid determination of heats of wetting, 2=15795
- Magiros, D.G. Method for defining principal modes of nonlinear systems utilizing infinite determinants, 2=4
- Magistrelli, F. See Allen, J.E., 2=19924
- Maglić, B. See Button, J., 2=18114
- Maglić, B.C. See Button, J., 2=13802
- Maglić, B.C. See Stevenson, M.L., 2=22606
- Magnac-Valette, D. See Bilwes, R., 2=366
- Magnac-Valette, D. See Bourotte, B., 2=496
- Magnac-Valette, D. See Gérardin, C., 2=5752
- Magnac-Valette, D. See Linck, J., 2=495
- Magnac-Valette, D. See Suffert, M., 2=483
- Magnasco, V. An empirical method for calculating barriers to internal rotation in simple molecules, 2=12312
- Magnuson, D.W. See Gwin, R., 2=10154
- Magnuson, D.W. See Gwin, R., 2=10155
- Magnuson, G.D. and Medved, D.B. Sputtering as a possible mechanism for increase of ionization in the vicinity of low-altitude satellites, 2=4877
- Magnuson, G.D. See Carlston, C.E., 2=22274
- Magnuson, W.G., Jr. Effect of low hydrogen concentrations on Hall effect in Zircaloy-2, 2=14501
- Maguire, E.A. and Green, J.J. Magnetic properties of yttrium-gadolinium-iron garnets, 2=14806
- Mahaffey, D.W., McCullagh, G.C., Garscadden, A. and Emeleus, K.G. Development of localised plasma oscillations and concentration gradients, 2=1464
- Mahalingam, S. The iterative solution of flexural vibration problems based on the Myklestad method, 2=15668
- Mahan, A.I. Astronomical refraction—some history and theories, 2=19271
- Mahan, B.H. and Mandal, R. Vacuum ultraviolet photolysis of methane, 2=19155
- Mahan, B.H. See Doering, J.P., 2=5299
- Mahan, B.H. See Doering, J.P., 2=8926
- Mahanthappa, K. See Fronsdal, C., 2=20272
- Mahanthappa, K.T. Multiple production of photons in quantum electrodynamics, 2=9811
- Mahendroo, P.P. and Nolle, A.W. Nuclear magnetic relaxation in ionic crystals at high temperatures, 2=8680
- Mahl, H. and Weitsch, W. Experiments on the avoidance of charging effects in transmission specimens by auxiliary irradiation with slow electrons, 2=15121
- Mahlman, G.W. Observation of solid state photoemission from tin into germanium, 2=7645
- Mahlman, H.A. See Boyle, J.W., 2=13344
- Mahon, H.P. See Verber, C.M., 2=6701
- Mahoux, G. See Jacob, M., 2=9896
- Mahoux, G. See Jacob, M., 2=22594
- Mahr, H. Ultraviolet absorption of KI diluted in KCl crystals, 2=8524
- Mahrenholtz, O. and Johnson, W. On Bi-metal thermostats, 2=15515
- Maiboroda, I.K. Dependence of the intensity of the [Spectral] analytical lines of a fluxed sinter on the state of the component entering into the composition of the solid sample, 2=19178
- Maidanik, G. Response of ribbed panels to reverberant acoustic fields, 2=13393
- Maidanik, G. See Lyon, R.H., 2=13389
- Maiden, C.J. and St Pierre, C. Some measurements of the physical properties of the plasma sheath around hypersonic projectiles, 2=4881
- Maidens, A.L. The third session of the commission for instruments and methods of observation, New Delhi, February, 1962, 2=2162
- Maier, W. Acoustic and dielectric relaxation in liquids. II. Dielectric relaxation phenomena, 2=15591
- Maier, W. and Meier, G. Anisotropic dielectric dispersion of homogeneous liquid crystals at radio-frequencies, 2=7226
- Maier, W. See Dischler, B., 2=3781
- Maier, W. See Markau, K., 2=10278
- Maier, W. See Saupe, A., 2=49
- Maier, W.B., II. See Giese, C.F., 2=3798
- Maier-Leibnitz, H. and Springer, T. Interferometer for slow neutrons, 2=9871
- Mailing, L. A possible interpretation of experiments on inelastic scattering of fast protons on light nuclei, 2=14087
- Maillard, R. See Beurtey, R., 2=20073
- Maimoni, A. Electrical resistance of aluminium at low temperatures, 2=16674
- Mainthia, S.B. See Kronick, P.L., 2=14509
- Mairy, C. See Adda, Y., 2=606
- Maisonnier, C. and Haegi, M. Microparticles diodes, 2=17895
- Maita, J.P. See Morin, F.J., 2=11570
- Maitland, A. A note on carbide inclusions in the anode of a vacuum gap and their effect on breakdown, 2=3021
- Maitland, A. Recovery of the insulating property of a vacuum gap after breakdown caused by a 4.5 μ sec pulse, 2=3022
- Maitland, A. Influence of the anode temperature on the breakdown voltage and conditioning characteristic of the vacuum gap, 2=5322
- Maitland, A. Some consequences of ion slip in a plasma flowing through a magnetic field, 2=15914
- Maitland, A. Experimental procedure and its influence on the value of α in the vacuum breakdown equation $V = Cx^\alpha$, 2=17812
- Maitrot, M. See Burdet, G., 2=3296
- Majeva, S.V. See Levin, B.J., 2=869
- Majkowski, R.F. See Donohue, R.J., 2=1447
- Majling, L. Influence of pair forces on the giant resonance energy, 2=5884
- Major, F.G. See Dehmelt, H.G., 2=17785
- Major, J.K. Recoil-free resonant and non-resonant scattering from Fe^{57} , 2=16380
- Major, J.V. See Finney, P.J., 2=5717
- Majumdar, M. Asymmetric shape effects in dia- and paramagnetic crystals, 2=18885
- Majumdar, S.D. Construction of some electrostatic fields in general relativity, 2=11265
- Majumdar, S.D. Wave equations in curved space-time, 2=16123
- Majumdar, S.D. Theory of the rotational spectra of polyatomic molecules, 2=16509
- Majumder, S.R. Note on the slow steady rotation of two spheres in contact about their common line of centres in viscous fluid, 2=11
- Majumder, S.R. Note on the slow steady rotation of a spindle in a viscous fluid, 2=2680
- Mak, A.A. Electron concentration measurement from intensity of plasma continuum in a spark discharge, 2=19986
- Mak, A.A. See Egorova, V.F., 2=22185
- Mak, D. See Frost, D.C., 2=15882
- Makarenko, V.S. See Grikut, I.A., 2=19173
- Makarov, E.F. See Bryukhanov, V.A., 2=10930
- Makarov, G.I. See Kozina, O.G., 2=2169
- Makarov, G.I. See Kozina, O.G., 2=21970
- Makarov, L.O. Theoretical investigation of selected torsional oscillating systems, 2=15670
- Makarov, M.M. See Darovskikh, V.F., 2=3535
- Makarov, M.M. See Darovskikh, V.F., 2=7956
- Makarova, E.A. and Kiryukhina, A.I. A prominence with nonuniform physical properties along the line of sight, 2=972
- Makarova, E.A. See Kozhevnikov, N.I., 2=923
- Makas, A.S. Film polarizer for visible and ultraviolet radiation, 2=1282
- Makedonskii, V.L. Determination of resistance of thin layers of semiconductors and dielectrics, 2=19826
- Makeev, N.N. A generalization of the Eddington-Poincaré equation, 2=934
- Mäkelä, M. See Hovi, V., 2=19772
- Makens, R.F. and Bush, D.E. Solvent extraction experiments in nuclear fuels processing, 2=5994
- Maker, P.D., Terhune, R.W., Nisenoff, M. and Savage, C.M. Effects of dispersion and focusing on the production of optical harmonics, 2=8510
- Maker, P.D. See Edwards, D.F., 2=16686

- Maker, P.D. See Terhune, R.W., 2=14666
- Makhanek, A.G. The effect of vibration on hyperfine structure constants, 2=6144
- Makhanek, A.G. See Korol'kov, V.S., 2=16467
- Makhnovskii, E.D. Photodeuterons from $A1^{27}$, 2=421
- Makhnovskii, E.D. Photodeuterons from $A1^{27}$, 2=22795
- Makhnovsky, E.D. See Chizhov, V.P., 2=16389
- Makhov, G. On the problem of pulsed oscillations in ruby maser, 2=1584
- Maki, A.G. and Gott, C.T. Vibration-rotation spectra of BrCN, 2=14251
- Maki, A.G., Plyler, E.K. and Tidwell, E.D. Vibration-rotation bands of carbonyl sulfide, 2=14252
- Maki, A.H. See Stone, E.W., 2=17486
- Maki, A.H. See Stone, E.W., 2=22998
- Maki, A.H. See Waters, E.L., 2=3775
- Maki, K. and Tsuneto, T., Quantization of flux in superconductors, 2=11557
- Maki, K. and Tsuneto, T. Effects of impurity scattering on excitons in superconductor, 2=19804
- Maki, K. See Ida, M., 2=3266
- Maki, T., Nakashima, T., Chō, T., Katō, N., Yamanouchi, Y. and Ishimatsu, T. Differential excitation functions for alphanucleon and proton groups from the deuteron induced reactions of F^{19} , 2=20665
- Maki, Z., Nakagawa, M., Ohnuki, Y. and Sakata, S. A unified model for elementary particles. Nagoya model, 2=11909
- Maki, Z. See Ohnuki, Y., 2=11912
- Makin, M.J. and Blewitt, T.H. The hardening of copper singlecrystals by electron irradiation, 2=8738
- Makin, M.J. and Manthorpe, S.A. Hardening of copper irradiated at 195°C, 2=6396
- Makin, M.J., Whapham, A.D. and Minter, F.J. The formation of dislocation loops in copper during neutron irradiation, 2=6350
- Makin, M.J. See Hudson, B., 2=8222
- Makino, T. See Kodama, M., 2=12044
- Makino, T. See Sekido, Y., 2=12067
- Makino, T. See Sekido, Y., 2=12069
- Makinson, R.E.B. and Roberts, A.P. Localized electron eigenstates in one-dimensional liquids, 2=5003
- Makinson, R.E.B. See Roberts, A.P., 2=9258
- Makishima, S., Hasegawa, K. and Shionoya, S. Luminescence of Sm^{3+} in $BaTiO_3$ matrix, 2=14714
- Makishima, S., Tomotsu, T., Hirata, M., Kambe, R. and Shionoya, S. Polarization of low temperature luminescence from thallium-containing sodium nitrate single crystals, 2=715
- Makkay, R.W. and Fine, M.E. Vacuum reduction of $\alpha-Nb_2O_5$ at low temperatures, 2=10493
- Makkay, R.W., Geiger, G.H. and Fine, M.E. Elasticity and internal friction of $\alpha-Fe_2O_3$, 2=6714
- Makovei, M. See Teodorescu, I., 2=11743
- Makra, Z. See Békés, M., 2=13707
- Makram, H. See Courtel, R., 2=21449
- Maksimov, M.P. See Dzhangatspanyan, R.V., 2=19768
- Maksimov, M.Z. A possible method of increasing the yields of nuclear reactions in thin targets, 2=5882
- Maksimov, M.S. and Rozman, I.M. On energy transfer in solid solutions, 2=23586
- Maksimova, G.V. See Gorina, Yu.I., 2=4097
- Maksimova, O.P. See Éstrin, É.I., 2=23873
- Makukha, V.I. The adsorption of calcium by tungsten effect on the work function, 2=1477
- Makukha, V.I. The adsorption of strontium by tungsten: effect on the work function, 2=1478
- Malaise, D. Spectrum of the comet 1960 i (Enke), 2=11111
- Malaise, D. See Andriolat, Y., 2=11112
- Malakhov, V.V. The scattering equations for low energies, 2=22435
- Malamud, E., Weill, R. and McEwen, J.G. Annihilation in flight and bremsstrahlung of 650 MeV positrons in propane, 2=5626
- Malamud, E. See Weill, R., 2=13711
- Malamud, E. See Weil, R., 18037
- Malan, D.J. Unusual types of lightning discharges, 2=6915
- Malčić, S.S. and Manojlović, L.M. Crystal structure of cesium uranyl nitrate, 2=4423
- Malcolm, G.N. and Ritchie, G.L.D. The thermal pressure coefficient and the entropy of melting at constant volume of polyethylene oxide, 2=15821
- Maldy, J. Electron microscopy study in transmission of the interaction of defects produced at the interface by oxidation of pure iron, 2=12440
- Maldy, J. Direct observation of increased impurity content at the oxidation interface of a pure industrial iron, 2=23162
- Malecki, J. Dielectric polarization of aliphatic alcohols in strong electric fields, 2=5025
- Malecki, J. Dielectric saturation in aliphatic alcohols, 2=13349
- Maleev, P.I. See Vitovskii, N.A., 2=18028
- Málek, Z. and Schuppel, W. Ferromagnetic thin films. III. Mage to crystalline and induced anisotropy, 2=10659
- Málek, Z., Kamberský, V. and Schuppel, W. On the influence of residual gas pressure on the M_s -induced anisotropy in thin films, 2=4228
- Málek, Z. See Andrš, W., 2=10657
- Malesset, C. See Blanc, C., 2=11397
- Malesset, C. See Blanc, C., 2=15883
- Malev, M.D. Measurement of work function by the initial current method, 2=1472
- Maleev, S.V. See Bar'-yakhtar, V.G., 2=752
- Maley, S.W. and Byrne, W.J. Design of periodic electromagnets, 2=15996
- Maley, S.W. and King, R.J. Impedance of a monopole antenna with a radialwire ground system on an imperfectly conducting half space. I., 2=16037
- Malhot, R.J. See Hauser, I., 2=20236
- Malickó, L. and Morlin, Z. Colour centres in NaCl due to pressure and temperature effects, 2=12467
- Malickó, L. and Morlin, Z. Coloration of sodium chloride by exoelectrons, 2=12469
- Malinofsky, W.W., Babbitt, R.W. and Sands, G.C. Fine-grained ferrites. II. $Ni_{1-x}Zn_xFe_2O_4$, 2=12696
- Malipant, R.G. See Muldrew, D.B., 2=17970
- Maliszewski, E. Cold neutron measurements of the phonon dispersion-relation for a zinc single-crystal, 2=20923
- Malkes, L.Ya., Nagornaya, L.L. and Timchenko, A.I. The luminescence spectra and scintillation properties of para-monohalogen substituted trans-stilbene, 2=722
- Malkin, B.Z. The theory of radiationless transitions in luminescent ionic crystals, 2=21240
- Malkin, G.M. Investigation of the relaxation time of the photodielectric effect in $ZnS:Cu:Co$ phosphor, 2=14604
- Malkin, G.M. Concurrent investigation of the photodielectric effect and the light sum stored in a $ZnS:Cu:Co$ phosphor, 2=14605
- Malkmus, W. and Thomson, A. Infrared emissivity of diatomic gases for the anharmonic vibrating-rotator model, 2=12327
- Malkova, L.V. See Kuchmin, O.I., 2=4573
- Malkovich, B.E.-Sh. See Radautsan, S.I., 2=10489
- Malkovskaya, N. Note on the asymmetry index of the $K\alpha_{1,2}$ lines of the transition elements, 2=14214
- Mallahan, F.J. See Moore, C.B., 2=4601
- Mallamann, R. de. See de Malleman, R.
- Mallen, J. See Adda, Y., 2=8210
- Mallett, M.W. and Koehl, B.G. Thermodynamic functions for the tantalumhydrogen system, 2=19026
- Mallory, M.L. See Beard, G.B., 2=2256
- Malm, J.G. See Claassen, H.H., 2=14276
- Malm, J.G. See Claassen, H.H., 2=14277
- Malm, J.G. See Selig, H., 2=16889
- Malmberg, P.R. and Snowden, S.C. Elastic scattering of 6.7 MeV neutrons from silver and indium, 2=22821
- Malmeister, A. Problem of generalizing the fundamental concepts in the theory of plasticity, 2=12854
- Malmjovd, K. See Harang, L., 2=4646
- Mal'nyev, A.F. and Eisel'son, M.P. Recording device of a spectrophotometer, 2=7358
- Mal'nev, A.F., Eisel'son, M.P. and Kremenchuiskii, L.S. Instrument for determining low energies in spectral investigations, 2=7462
- Mal'nyev, A.F., Kremenchuiskii, L.S. and Skachko, M.A. Comparison of several heat radiation receivers, 2=7461
- Mal'nyev, A.F. and Mikhlin, I.M. Method of determining the quantity of oil in paraffins by the infrared absorption spectra, 2=21602
- Mal'nyev, A.F. and Yesel'son, M.P. A new accessory for the [infrared] spectrometers IKS-11 and IKS-12, 2=1269
- Mal'nyev, A.F., Yesel'son, M.P. and Kremenchuiskii, L.S. Characteristics of metering devices for spectrometers IKS-11 and IKS-12 with modulation of the radiation flux, 2=17626
- Mal'nyev, A.F. See Krasnova, S.I., 2=19176
- Mal'nyev, A.F. See Kremenchuiskii, L.S., 2=17686
- Mal'nyev, A.F. See Vizhert, R.V., 2=22987
- Malos, J., Millar, C.D. and Wallace, O.S. Čerenkov radiation from $E.A.S.$, 2=12064
- Malov, A.F. See Groshev, L.V., 2=13766
- Malovetskaya, V.M., Galkin, G.N. and Vavilov, V.S. The question of the spectrum of radiation defects in silicon, 2=18689
- Malovetskaya, V.M., Galkin, G.N. and Vavilov, V.S. The question of the spectrum of radiation defects in silicon, 2=23363
- Malovetskaya, V.M. See Nolle, É.L., 2=18690
- Malovetskaya, V.M. See Nolle, É.L., 2=23364
- Malovetskaya, V.M. See Vavilov, V.S., 2=23365
- Maltbaek, J.C. The influence of a discrete inertia on the free torsional vibrations of a uniform bar, 2=15667

- Maltby, P. A search for differences in temperature between the poles and the equator of the sun, 2-2535
- Mal'tsev, A.A. and Tatevskii, V.M. The interpretation of the infrared spectra of the B_2O_3 and B_2S_3 molecules, 2-1998
- Mal'tsev, A.A. See Tatevskii, V.M., 2-10243
- Mal'tsev, V.M. See Barashenkov, V.S., 2-1869
- Maltsev, V.M. See Barashenkov, V.S., 2-16391
- Malur, J. See Witzmann, H., 2-6596
- Maluszyńska, K., Natanson, L., Turkiewicz, J. and Zuprąński, P. Angular distributions of fast neutrons elastically scattered on Ca, 2-12197
- Malvano, R., Molinari, A. and Omini, M. On the analysis of photonuclear yields, 2-22785
- Malvano, R. See Bonfiglioli, G., 2-17730
- Malvano, R. See Borello, O., 2-10084
- Malvano, R. See Chinaglia, B., 2-6899
- Malville, J.M. The association of type III bursts and solar flares, 2-13173
- Malville, J.M. Characteristics of type III radio bursts, 2-19346
- Malyeev, S.V. On the analytical properties of the single-fermion Green's function in quantum theory of many particles, 2-4963
- Malyeev, S.V. See Izyumov, Yu.A., 2-4231
- Malygin, G.A. See Likhachev, V.A., 2-8728
- Mal'ikh, V.D. See Raikhbaum, Ya.D., 2-864
- Malyshev, I.F. See Vladimirov, V.V., 2-20081
- Malyshev, V.A. The effect of sorption on the kinetics of evacuation of vacuum systems, 2-21950
- Malyshev, V.V. See Lavrukina, A.K., 2-20689
- Malysheva, T.V., Khotin, B.A., Lavrukina, A.K., Kryukova, L.N. and Mura'eva, V.V. Investigation of a new neutron-deficient platinum isotopes, 2-14054
- Malysheva, T.V. See Baranov, V.I., 2-14053
- Malyuchkov, O.T., Finkel'shtein, B.N. and Chi I-zhan [Ch'ih-i-jang]. Influence of silver impurities on the nuclear quadrupole resonance of Cu^{63} in cuprous oxide, 2-14858
- Malyuchkov, O.T., Stark, Yu.S. and Finkel'shtein, B.N. Nuclear magnetic resonance in iron and cobalt, 2-14850
- Malyukovich, V.I. See Borisevich, V.A., 2-10328
- Malyuta, Yu.M. Dispersion relations for pion-hyperon scattering, 2-9903
- Malyuta, Yu.M. Dispersion relations for the scattering of pions on kaons, 2-9904
- Malyuta, Yu.M. Dispersion relations for the scattering of kaons on kaons, 2-9920
- Malzew, A.N. See Kobosev, N.I., 2-12967
- Mamaev, S., Nasledov, D.N. and Galavanov, V.V. Electrical properties of semiconducting solid solutions $x CdSnAs_2 - y (2InAs)$, 2-10486
- Mamaev, S. See Goryunova, N.A., 2-14548
- Mamaladze, Yu.G. See Andronikashvili, E.L., 2-5230
- Mamasakhlisov, V.I. and Dzhibuti, R.I. High energy photodisintegration of Be^9 and C^{12} nuclei, 2-3554
- Mamedov, A.P. See Khalilov, A.Kh., 2-23601
- Mamedov, Kh.I. See Levshin, V.L., 2-23609
- Mammano, A. Photographic tracking of artificial satellites with a K-37 aerial camera, 2-7044
- Mammano, A. See Rosino, L., 2-11171
- Mammel, W.L. and Morgan, S.P. Maximum field of magnetized disks and cylinders, 2-15985
- Mamonov, E.I. Principles and application of ferroelectric matrices for information storage in computers, 2-16779
- Mamonov, E.I. and Zheludev, I.S. Some special properties of ferroelectric elements and ferromagnetic toroids with square hysteresis loops, 2-16782
- Mam'yir, B.A. See Anufriev, G.S., 2-22149
- Man, D.E. See Schoen, L.J., 2-22971
- Managan, W.W. Recent developments in alkali halide scintillation crystals, 2-17998
- Mánailá, R. See Dévényi, A., 2-18636
- Mánailá, R. See Grigorovici, R., 2-16681
- Manakov, A.I., Esin, O.A. and Lepinskikh, B.M. Semiconducting properties of vanadium and niobium pentoxides in solid and liquid states, 2-14564
- Máns Díaz, L. See Montes Ponce de León, J., 2-18134
- Manatt, S.L. See Elleman, D.D., 2-14327
- Manatt, S.L. See Elleman, D.D., 2-18482
- Manca, P. A relation between the blinding energy and the band-gap energy in semiconductors of diamond or zinc-blende structure, 2-2161
- Manca, P. and Massazza, F. Note on the constitution of the semi-conducting "compound" $AgFeTe_2$, 2-14562
- Mandal, R. See Mahan, B.H., 2-19155
- Mande, C. A study of the electronic energy band structure of gold by X-ray spectroscopy, 2-16625
- Mande, C. and Takwale, R.G. The "s" and "t" lines in the L-emission spectrum of tungsten, 2-14215
- Mandel, G. Multiple reactions and the vapor transport of solids, 2-23949
- Mandel, G. See Lever, R.F., 2-15823
- Mandel, J. Plastic shock waves in an infinite isotropic medium, 2-43
- Mandel, J. and Avramesco, A. Displacements produced by a point force moving on the surface of a semi-infinite elastic medium, 2-1093
- Mandel, J. and Parsy, F. Characteristic surfaces of the equations of plastic equilibrium in the case of Tresca's criterion, 2-19478
- Mandel, J. and Parsy, F. Characteristic surfaces of the equations of plastic equilibrium, when two of the principal stresses are equal, for any intrinsic curve, 2-19479
- Mandel, L. Concept of cross-spectral purity in coherence theory, 2-
- Mandel, L. and Wolf, E. Correlation in the fluctuating outputs from two square-law detectors illuminated by light of any state of coherence and polarization, 2-1242
- Mandel, M. The electric polarization of rod-like, charged macromolecules, 2-3802
- Mandel, M. Modified C.W. technique for spin-lattice relaxation time measurements, 2-9725
- Mandel, M. See Burgess, J.H., 2-12738
- Mandel, M. See Lurio, A., 2-14188
- Mandelberg, H.I. and Witten, L. Experimental verification of the relativistic Doppler effect, 2-11254
- Mandelberg, H.I. See Condell, W.J., 2-7170
- Mandelbrojt, J. See Bacry, H., 2-9837
- Mandelkorn, J., McAfee, C., Kesperis, J., Schwartz, L. and Pharo, W. Fabrication and characteristics of phosphorus-diffused silicon solar cells, 2-10543
- Mandelkern, L. See Gornick, F., 2-6771
- Mandel'shtam, M.Ya. Propagation of a.u.h.f. discharge along the axis of a coaxial line with a gas-discharge inner conductor, 2-19929
- Mandel'shtam, S.L. and Nedler, V.V. On the sensitivity of emission spectral analysis, 2-863
- Mandel'shtam, S.L., Tindo, I.P., Voron'ko, Yu.K., Shurygin, A.I. and Vasil'ev, B.N. Studies of solar X-ray emission. I, 2-19300
- Mandel'shtam, S.L., Tindo, I.P., Voron'ko, Yu.K., Vasil'ev, B.N. and Shurygin, A.I. Studies of solar X-ray radiation. II, 2-19301
- Mandel'shtam, S.L., Voron'ko, Yu.K., Tindo, I.P., Shurygin, A.I. and Vasil'ev, B.N. Investigation of X-ray radiation of the sun during the total solar eclipse of February 15, 1961, 2-9069
- Mandel'shtam, S.L. See Kolosnikov, V.G., 2-11626
- Mandel'shtam, S.L. See Vasil'ev, B.N., 2-4760
- Mandelstam, S. Dispersion relations in strong-coupling physics, 2-11902
- Mandelstam, S. Quantum electrodynamics without potentials, 2-19432
- Mandelstam, S. Quantization of the gravitational field, 2-19433
- Mandelstam, S. An extension of the Regge formula, 2-20259
- Mandelstam, S., Paton, J.E., Peierls, F. and Sarker, A.Q. Isobar approximation of production processes, 2-16155
- Mandelstam, S. See Chew, G.F., 2-11991
- Mandel'tsveig, V.B. Scattering of neutrinos on nucleons in the anomalous muon interaction model, 2-16183
- Mandel'tsveig, V.B. and Solov'ev, V.V. Effect of π -meson mass difference on the relations between the K_{α} -decay probabilities, 2-5731
- Mandl, F. See Herzenberg, A., 2-22948
- Mandl, V. See Bassi, P., 2-14111
- Mandrin, C. See Gavin, P., 2-6034
- Mandrin, C. See Gavin, P., 2-18388
- Manduchi, C. and Zannoni, G. Measurement of the M/L-capture ratio in ^{71}Ge decay, 2-12170
- Manduchi, C. and Zannoni, G. Measurement of the L/K and M/L capture ratios in ^{71}Ge decay, 2-20559
- Manduchi, C., Nardelli, G. and Russo-Manduchi, M.T. Scintillation spectrometer with reduction of the Compton contribution, 2-3201
- Manduchi, C. See Belletti, S., 2-18284
- Manduchi, C. See Fasoli, U., 2-12169
- Maneck, S.S. See Shiplonkar, V.T., 2-11575
- Manella, G.G. Reaction of nitrogen and hydrogen in a low-temperature plasma, 2-20815
- Manenc, J. See Vagnard, G., 2-21422
- Manenkov, A.A. and Milyaev, V.A. Relaxation phenomena in the paramagnetic resonance of Mn^{2+} ions in the cubic crystal fields of SrS , 2-781
- Manenkov, A.A. and Milyaev, V.A. Relaxation phenomena in the paramagnetic resonance of Mn^{2+} ions in the cubic crystal field of SrS , 2-23701
- Manenkov, A.A. and Prokhorov, A.M. Paramagnetic resonance of Mn^{2+} in SrS , 2-771

- nenkov,A.A. and Prokhorov,A.M. Spin-lattice relaxation and cross-relaxation interactions in chromium corundum, 2=6697
- nenkov,A.A. and Prokhorov,A.M. The temperature dependence of the spin-lattice relaxation times, 2=16935
- nenkov,A.A.,Milyaev,V.A. and Prokhorov,A.M. The relaxation times of Cr^{3+} and Fe^{3+} ions in monocrystals of rutile, 2=18941
- nesescu,I. See Cauchois,Y., 2=706
- nfredini,A. See Amaldi,E., 2=22461
- nfredini,A. See Baudinet-Robinet,Y., 2=13798
- nfredini,A. See de Carvalho,H.G., 2=18367
- ng,H.J. and Rasmussen,J.C. Theoretical alpha decay hindrance factors, 2=1832
- ng,H.J. See Zeh,H.D., 2=5839
- ngal,S.K. and Gill,P.S. Thermal neutron activation cross-sections for isomer production, 2=20647
- nge,P. Diffusion in the thermosphere, 2=2472
- nge,P. See Chubb,T.A., 2=15248
- nge,P. See Kreplin,R.W., 2=11072
- ngold,K. and Franck,E.U. Density of hydrogen chloride to 400°C and 2000 bar, 2=17509
- ngum,B.W. See Hudson,R.P., 2=14836
- ngum,B.W. See Thornley,J.H.M., 2=6248
- ngus,J.D. See McCubbin,T.K., Jr., 2=17609
- ni,A. See Venkiteshwaran,S.P., 2=15200
- ni,G.S.,Barnard,A.C.L.,Tombrello,T.A. and Rao,D.A.A.S.N. Levels in A^{38} observed through the $\text{Cl}^{37}(\text{p,n})\text{A}^{37}$ reaction near threshold, 2=1794
- ni,G.S. See Barnard,A.C.L., 2=1795
- ni,G.S. See Cassagnou,Y., 2=16408
- ni,H.S. and Anand,J. On the effect of the finite mass of the proton in lamb shift in hydrogen atom, 2=16469
- niawski,F. See Janik,J.A., 2=292
- njavidze,Z.Sh. and Roinishvili,N.H. Some problems of generation of strange particles, 2=18223
- nley,H.J. Fourier coefficients of speech power spectra as measured by autocorrelation analysis, 2=21753
- nley,J.H. Fragment mass-angle correlation in $\text{U}^{238} + \text{n}$ fission, 2=14146
- nn,A.K. See Dobbs,J.M., 2=11995
- nn,A.K. See Lande,K., 2=20191
- nn,C.R. See McLay,D.B., 2=3738
- nn,D.E. See Bass,A.M., 2=18492
- nn,D.E. See Nugent,L.J., 2=6127
- nn,E. See Seeger,A., 2=166643
- nn,H.M. and Janarek,F.J. B^{10} diffused junctions in n-type silicon, 2=18021
- nn,H.M.,Haslett,J.W. and Janarek,F.J. Lithium-drifted p-i-n junction detectors, 2=22364
- nn,L.G.,Bloom,S.D. and Nagle,R.J. Isospin conservation in the β -decay of Sc^{44} , Zr^{95} , and Nb^{95} , 2=10049
- nn,L.G.,Bloom,S.D. and Nagel,R.J. Circular polarization measurements in the β -decay of V^{50} , Co^{56} , Fe^{59} , and Cs^{134} , 2=20552
- nn,L.G. See Bloom,S.D., 2=10058
- nn,W.B.,Marlow,W.F. and Hughes,E.E. The half-life of carbon-14, 2=5831
- nnami,M. Electron-microscopic image of an edge dislocation perpendicular to the crystal surface, 2=21042
- nnami,M. See Hashimoto,H., 2=14991
- nnami,M. See Tanaka,K., 2=6313
- nnella,G.G. Formation of active nitrogen using sources of alternating current and direct current, 2=1403
- nnella,G.G. Mechanism for the reaction of active nitrogen and atomic hydrogen, 2=8132
- nnelli,I. See Bartke,J., 2=13883
- nnelli,I. See Bertanza,L., 2=13799
- nnner,W. Neutron moderation in ice at 90°K, 2=9860
- nnerkoski,M. Recrystallization of "doped" tungsten wire, 2=808
- nnning,D.L.,Bansal,R.C.,Braunstein,J. and Blander,M. Association constants in the system AgNO_3 - NaBr - NaNO_3 and their comparison with the quasi'-lattice theory, 2=17093
- nnning,G. and Sherwood,A.G. A beam profile indicator for use with high energy particle accelerators, 2=9657
- nnning,G. See Cocconi,G., 2=5639
- nnning,G. See Cocconi,G., 2=10095
- nnning,G. See Cocconi,G., 2=22503
- nnning,G. See Diddens,A.N., 2=20331
- nnning,G. See Diddens,A.N., 2=20335
- nnning,G. See Diddens,A.N., 2=20336
- nnning,I. and Aitken,A.H. Stripping of two nucleons with exchange effects, 2=14135
- nnning,J.R. Drift mobility of an ionic impurity in an electric field, 2=3936
- Manning,J.R. Isotope effect in an electric field and jump frequencies for diffusion in ionic crystals, 2=14468
- Manning,J.R. See Howard,R.E., 2=6359
- Manning,L.A. Radio propagation following World War II, 2=16050
- Mannino,G. Radioastronomy of the bodies of the solar system, 2=11160
- Mannino,G.,Setti,G. and Delli Santi,S. A study of the slowly varying component of the sun at 327 MHz, 2=13168
- Mannino,G.,Setti,G. and Delli Santi,S. Study of the slow solar component at 327 Mc/s, 2=17303
- Manoharan,A.C. The primitive domains of holomorphy for the 4 and 5 point Wightman functions, 2=22381
- Manojlović,L.M. See Malčić,S.S., 2=4423
- Manov,M.G. Measurement of the vapour pressure in a high-vacuum pump, 2=2790
- Manquenouille,P. Contribution to the study of γ -transition rates by the delayed coincidence method, 2=5856
- Manquenouille,R. See Gorodetzky,S., 2=365
- Manquenouille,R. See Gorodetzky,S., 2=382
- Manquenouille,R. See Gorodetzky,S., 2=12174
- Mansfield,P. See Powles,J.G., 2=23723
- Mansfield,W.V. See Merrill,R.G., 2=16078
- Mansikka,K. See Hovi,V., 2=19772
- Manson,N. See Leyer,J.C., 2=1296
- Măntescu,C. and Costea,T. Titanium release from the neutron irradiated lithium-doped nickel oxide, 2=17100
- Manteuffel,E.W. Time response constant and transfer function of magnetic amplifier, 2=2858
- Manthorpe,S.A. See Makin,M.J., 2=6396
- Manthuruthil,J.C. See Czyzak,S.J., 2=2351
- Mäntyselä,E. See Hovi,V., 2=4067
- Manus,C. See Guidini,J., 2=13532
- Many,A.,Goldstein,Y.,Grover,N.B. and Harnik,E. Germanium surface studies at low temperatures, 2=23329
- Many,A. and Rakavy,G. Theory of transient space-charge-limited currents in solids in the presence of trapping, 2=14524
- Many,A. Simhony,M.,Weisz,S.Z. and Levinson,J. Studies of photoconductivity in iodine single crystals, 2=8422
- Many,A.,Weisz,S.Z. and Simhony,M. Space-charge-limited currents in iodine single crystals, 2=14525
- Many,A. See Goldstein,Y., 2=2135
- Many,A. See Grover,N.B., 2=2134
- Many,A. See Silver,M., 2=14578
- Manz,R.C. See Miller,K.J., 2=19061
- Manzhelii,V.G. Certain peculiarities of diffusion in liquids with a large molar volume, 2=7203
- Manzhelii,V.H. and Tolkachev,A.M. Apparatus for investigating diffusion of low-solubility gases in non-volatile liquids, 2=7201
- Mao-Cao Chen. Effect of π -K interaction on nucleon form factors; processes $\pi\pi \rightarrow \text{KK}$ and $\pi\pi \rightarrow \pi\pi$, 2=9831
- Mao Chên-ling. See Mao Chzhen'-lin, 2=10097
- Mao Chzhen-lin. See Chzhou De-lin,
- Maor,U. Some remarks on ultrarelativistic pion-nucleon interactions, 2=18155
- Mapleton,R.A. Application of the singular wave-function operator in scattering theory. II, 2=11881
- Mapleton,R.A. Electron capture from atomic hydrogen by protons, 2=12299
- Mapother,D.E. On the Kelvin and perfect gas temperature scales, 2=1298
- Mapother,D.E. Thermodynamic consistency of magnetic and calorimetric measurements on superconductors, 2=7516
- Mapother,D.E. Thermodynamic consistency of critical field and specific heat data for superconducting Sn and In, 2=15852
- Mapother,D.E. See Mould,R.E., 2=2956
- Mapother,D.E. See Otter,F.A., 2=6281
- Maradudin,A.A. and Flinn,P.A. Debye-Waller factor of Mössbauer resonant impurity atoms, 2=14366
- Maradudin,A.A.,Flinn,P.A. and Coldwell-Horsfall,R.A. Anharmonic contributions to vibrational thermodynamic properties of solids. I. General formulation and application to the linear chain, 2=568
- Maradudin,A.A.,Flinn,P.A. and Coldwell-Horsfall,R.A. Anharmonic contributions to vibrational thermodynamic properties of solids. II. The high temperature limit, 2=569
- Maradudin,A.A.,Flinn,P.A. and Ruby,S. Velocity shift of the Mössbauer resonance, 2=10301
- Maradudin,A.A. See Flinn,P.A., 2=12429
- Maradudin,A.A. See Rosenstock,H.B., 2=11246
- Maradudin,A.A. See Wallis,R.F., 2=6556
- Maradudin,A.A. See Weiss,G.H., 2=19442
- Marasanov,Yu.P. See Koloshnikov,V.G., 2=11626
- Marathe,B.R. Some measurements of the surface properties of silicon by d.c., a.c. and pulsed field effects, 2=8349

- Marathe, B.R. See Gasson, D.B., 2=23417
- Marburger, R.E. Dependence of the atomic magnetic moment in α iron on lattice spacing, 2=18899
- Marcaccio, W. See Pong, W., 2=13390
- Marcazzan, G.M. See Colli, L., 2=14117
- Marcazzan, M.G. See Facchini, U., 2=14118
- Marcazzan, M.G., Merzari, F. and Tonolini, F. Application of silicon detectors to measurements of monoenergetic neutron beams, 2=16210
- Marcazzan, M.G. See Colli, L., 2=20650
- March, N.H. and Murray, A.M. Self-consistent perturbation treatment of impurities and imperfections in metals. II. Second-order perturbation corrections, 2=8213
- March, N.H. and Murray, A.M. Perturbations in an electron gas at non-zero temperatures, 2=10364
- March, N.H. and Murray, A.M. Enhancement of electron density around positive point charges in metals and lifetimes of positrons, 2=12405
- March, N.H. and Sampanthar, S. Electron correlation in metals: density matrix approach, 2=14400
- March, N.H. See Flower, M., 2=8761
- March, N.H. See Jones, W., 2=20978
- March, N.H. See Simcox, L.N., 2=22109
- March, R.H. See Erwin, A.R., 2=11982
- March, R.H. See Erwin, A.R., 2=20391
- March, R.H. See Erwin, A.R., 2=22569
- March, R.H. See Erwin, A.R., 2=22640
- March, R.H. See Woods, A.D.B., 2=10320
- Marchal, R. Minimum work required to separate two perfect gases, 2=2766
- Marchal, R. On the flow stability in pipes through which a liquid/gas emulsion passes, 2=12259
- Marchand, A. Study of the diffusion of hydrogen in nickel by measuring electrical resistivity, 2=21067
- Marchand, A. See Pacault, A., 2=12755
- Marchand, E.W. and Wolf, E. Boundary diffraction wave in the domain of the Rayleigh-Kirchhoff diffraction theory, 2=15743
- Marchand, J.F. A new type of parallel cryotron, 2=22125
- Marchand, J.F. and Volger, J. Radiation-induced transport of magnetic flux along a superconducting sheet, 2=22115
- Marchant, H. See Hinds, S., 2=12135
- Marchenko, A.I., Sal'kov, E.A., Fedorus, G.A. and Fursenko, V.D. Various photoelectric properties of single crystals of CdS with an admixture of gold, 2=4061
- Marchenko, N.M. See Gliki, N.V., 2=15809
- Marchenko, N.M. See Gliki, N.V., 2=19775
- Marchenko, R.I. See Morhulis, N.D., 2=12951
- Marchenko, V.I. See L'vov, S.N., 2=19825
- Marchessault, J.G. and Litovitz, T.A. Volume viscosity of the molten chlorides, 2=13321
- Marchi, E. On uniform turbulent flow of liquids, 2=1121
- Marchi, R.P. and Mueller, C.R. W.K.B. approximation and molecular beam scattering, 2=8131
- Marchidan, D.I. See Sternberg, S., 2=12971
- Marchinkowski, C.J. See Felsen, L.B., 2=11792
- Marchuk, P.M. See Borzyak, P.G., 2=1483
- Marciano, F. See Collinge, B., 2=19852
- Marcinkowski, C.J. Some diffraction patterns of an absorbing half-plane, 2=5473
- Marcinkowski, M.J. and Brown, N. Direct observation of antiphase boundaries in the Fe-Al superlattice, 2=6831
- Marcinkowski, M.J. and Lipsitt, H.A. The plastic deformation of chromium at low temperatures, 2=8717
- Marcinkowski, M.J. and Miller, D.S. Direct observation of faults and dislocations in the iron-chromium sigma phase, 2=10390
- Marcinkowski, M.J. and Miller, D.S. A study of defect sub-structures in the Fe-Cr sigma phase by means of transmission electron microscopy, 2=23200
- Marcley, R.G. Apparatus drawings project. Report number 21. Ionization chamber, 2=243
- Marcley, R.G. Apparatus drawings project. Report number 22. Proportional counter, 2=1620
- Marcley, R.G. Apparatus Drawings Project. Report number 23. Impulse-driven torsional mechanical oscillator, 2=4974
- Marcley, R.G. Apparatus Drawings Project. Report number 24. Platinum wedge blackbody, 2=5212
- Marcley, R.G. Apparatus Drawings Project. Report number 25. Whirlygig: A conical pendulum for centripetal force experiments, 2=7156
- Marcley, R.G. Apparatus Drawings Project. Report number 26. Vertical Circle Apparatus, 2=11310
- Marcley, R.G. Apparatus Drawings Project. Report number 27. Apparatus for investigating the properties of sound waves, 2=11449
- Marcley, R.G. Apparatus Drawings Project. Report number 28. Versatile X-Y projector plotter, 2=13232
- Marcley, R.G. Apparatus Drawings Project Report number 29. Accessory apparatus for large electromagnet, 2=13652
- Marco, A. De. See De Marco, A.
- Marcowitz, S. and Ratner, L. Separation scheme for high energy particles by differential energy loss and momentum analysis, 2=11916
- Marcu, M. See Friedländer, E., 2=5917
- Marcu, M. See Friedländer, E.M., 2=11918
- Marcu, M. See Friedländer, E.M., 2=12196
- Marcus, J.A. See Reed, W.A., 2=12400
- Marcus, P.M. See Seraphim, D.P., 2=7518
- Marcus, R.A. See Kreye, W.C., 2=19157
- Marcus, W.C. De. See De Marcus, W.C.,
- Marcus, Y. See Flegenheimer, J., 2=18273
- Marcuvitz, N. Abstract operator methods in electromagnetic diffraction, 2=7742
- Mardix, S. See Brada, J., 2=23470
- Maréchal, A., Dupuy, O. and Renault, M. A method of measuring very small optical paths, 2=7342
- Maréchal, A. See Amat, G., 2=13427
- Marek, M. See Benda, F., 2=15971
- Magrem, N. See Frota-Pessoa, E., 2=3373
- Margenau, H. and Hill, R.N. Correlation between measurements in quantum theory, 2=2633
- Margenau, H. See Sadjian, H., 2=1416
- Margerie, J. Differences between probabilities of absorption of gamma light by the four Zeeman sub-levels of the fundamental state 4A_2 of ruby, 2=6557
- Margerum, E.A. See Roth, E.A., 2=23914
- Margolis, B. Two-photon decay and the lifetime of giant resonance states, 2=3478
- Margolis, B. See Greenberger, D.M., 2=279
- Margolis, B. See Krueger, T.K., 2=3586
- Margoshes, M. Emission flame photometry, 2=17581
- Margotin, P. and Durand, R. Measurement of the resistance of a conductor using a d.c. induction method: application to the control of metal purity, 2=2965
- Margrave, J.L. See Green, J.W., 2=7561
- Margulies, S. and Ehrman, J.R. Transmission and line broadening of resonance radiation incident on a resonance absorber, 2=3470
- Margulis, T.N. and Templeton, D.H. Crystal and molecular structure of triethylscarphane, 2=15039
- Margulis, U.Ya. See Grammatikati, V.S., 2=6053
- Mariam, S. See Venlateswarlu, K., 2=11375
- Mariano, A.N. See Reed, T.B., 2=8792
- Mariano, A.N. See Warekois, E.P., 2=6791
- Marić, Z. On the application of dispersion formula to photonuclear reactions, 2=3548
- Maričić, S., Vekšli, Z. and Pintar, M. Proton magnetic resonance in borax, 2=14855
- Marikhin, V.A. See Slutsker, A.I., 2=119
- Marimont, R.B. Model for visual response to contrast, 2=15432
- Marin, L. and Kroeger, R.C. Preliminary investigation of the equivalence of acoustically and mechanically induced vibrations, 2=13396
- Marin, P.C. See Backenstoss, G., 2=22549
- Marinaro, M. and Tanaka, K. The pion-pion effect on low-energy pion-nucleon scattering, 2=9905
- Marinaro, M. See Campolattaro, A., 2=3243
- Marinchuk, A.E. See Perlin, Yu.E., 2=4194
- Marinder, B.O. The crystal structure of niobium dioxide, 2=23841
- Marinescu, L. See Dragomirescu, D., 2=22369
- Marinescu, N. See Grigorovici, R., 2=12518
- Marinescu, N. See Grigorovici, R., 2=18682
- Marini, J.W. Radiation and admittance of a slotted-sphere antenna surrounded by a plasma sheath, 2=3157
- Marinkov, L.G. and Župančić, M.T. Level scheme of ^{182}Os , 2=2273
- Marino, L.L. See Rothe, E.W., 2=3001
- Marino, L.L. See Rothe, E.W., 2=10222
- Marinov, A. See Bauminger, R., 2=1777
- Marinov, M., Marinova, E. and Germanova, K. Negative conductivity pulses in CdS crystal counters, 2=11833
- Marinova, E. See Marinov, M., 2=11833
- Marinsky, J.A. See Eichler, E., 2=16321
- Marioni, C. See Amar, V., 2=7900
- Marion, J.B. A comment on precision measurements of the binding energy of the deuteron, 2=5749
- Marion, J.B. See Altman, A., 2=14082
- Maris, T.A.J. See Dillenburg, D., 2=16337
- Maris, T.A.J. See Jacob, G., 2=10089

- iris,T.A.J. See Jacob,G., 2=10090
 irish,C. Phenomenological treatment of pion-pion production, 2=16226
 irish,K.S. See Akimov,Yu.K., 2=287
 irish,K.S. See Akimov,Yu.K., 2=7889
 irisova,S.V. See Brodin,M.S., 2=694
 irisova,S.V. See Brodin,M.S., 2=18794
 irisova,S.V. See Brodin,M.S., 2=18809
 iriwalla,K.H. Explicit representation of discrete-symmetry operators in quantum theory of free fields, 2=22383
 ark,H. and Mirtich,M.J., Jr. Transition in shock-tube boundary layers, 2=9302
 ark,H. See Hansen,L.F., 2=7984
 ark,H. See Jopson,R.C., 2=20757
 ark,P. A simple method for preparing thin single crystals of naphthalene, anthracene, diphenyl, p-terphenyl and p-quaterphenyl from the vapor phase, 2=4386
 ark,P. and Helfrich,W. Space-charge-limited currents in organic crystals, 2=2130
 ark,P. and Kallmann,H.P. A.C. impedance measurements of photoconductors containing blocking layers analysed by the Maxwell-Wagner theory, 2=21184
 ark,P. See Helfrich,W., 2=8353
 ark,P. See Helfrich,W., 2=16715
 ark,P. See Silver,M., 2=23259
 arkarian,B.E. Physical chain of galaxies in the Virgo cluster and its dynamic instability, 2=7021
 arkau,K. and Maier,W. Electron spin resonance spectra of negative radical ions of nitrogen-containing heterocyclics, 2=10278
 arkelov,V.V. See Keirim-Markus,I.B., 2=20190
 arkelova,A.A. See Breido,I.L., 2=17246
 arkelova,A.A. See Breido,I.L., 2=24096
 arkestein,T. and van der Plas,T. An aqueous homogeneous zero-energy suspension reactor. III. Measurement of the fission recoil separation effect in an aqueous fuel suspension using a homogeneous subcritical reactor assembly, 2=12267
 arkham,J.J. and Mergerian,D. Use of a different type of fluorescent material as an optical maser, 2=692
 arkham,J.J. and Noble,G.A. Optical and paramagnetic properties of "pure" F centers in alkali halides, 2=23214
 arkham,J.J. See Noble,G.A., 2=6386
 arkham,T.P. See Fastie,W.G., 2=916
 arkin,E.P. See Basov,N.G., 2=652
 arkin,E.P. See Basov,N.G., 2=23474
 arkl,H. Investigations on a generalization of Wilkin's thermalization theory of a homogeneous medium to heterogeneous and a quasi-heterogeneous media, 2=13816
 arklund,I., Karlsson,E. and Korkman,K. Decay studies in the neutron-deficient Au-isotopes. Pt A: Odd isotopes, 2=12160
 arklund,I. See Suter,T., 2=3528
 arkov,A.V. On the determination of the nature and structure of details on the reverse side of the moon from photographs obtained at low phase angles, 2=17247
 arkov,A.V. On the determination of the nature and structure of details on the reverse side of the moon from photographs obtained at low phase angles, 2=24097
 arkov,A.V. and Shchegolev,D.E. Attempt at a photometric study of the nature of surface details on the reverse side of the moon, 2=17248
 arkov,M.A. and Nguen Van Kh'eu. Neutral baryon currents and single production of hyperons, 2=7905
 arkov,M.N. Transistorized input amplifier for a bolometer, 2=19769
 arkov,P.K. and Vodenicharov,Kh.M. Heat loss with free convection of two parallel wires, 2=9432
 arkov,P.K. See Barashenkov,V.S., 2=1869
 arkov,P.K. See Do In Seb, 2=5640
 arkov,P.K. See Zlateva,A.I., 2=9842
 arković,V. See Radak,B., 2=6000
 arkovskii,L.Ya. and Smirnova,R.I. Influence of oxygen on the luminescence properties of activatorless zinc selenide, 2=18867
 arkovs'kii,Ye.A. and Chornyi,V.G. Structural changes in nickel during cold welding, 2=8734
 arks,I. See Enck,F.D., 2=14387
 arks,J. See Bradley,J.E.S., 2=3469
 arkus,P.L. See Strelets,P.L., 2=14616
 arkuszewicz,M.J. Effect of some impurities on grain growth and magnetic anisotropy of 3.25% silicon-iron strips, 2=10916
 arkuvitz,N. See Hessel,A., 2=11666
 arley,J.A. and MacAvoy,T.C. Growth of stannic oxide crystals from the vapor phase, 2=2358
 arlow,K.W. A system for stabilizing the gain of a scintillation spectrometer, 2=13524
 arlow,W.F. See Mann,W.B., 2=5831
 Marmet,P. and Morrison,J.D. Secondary reactions in the ion chambers of a mass spectrometer, 2=7680
 Marmet,P., Morrison,J.D. and Swingler,D.L. Neutralization of fringing magnetic fields in the ion source of a mass spectrometer, 2=9651
 Marmier,P. and Szostak,R. Basic concepts of nuclear physics, 2=20177
 Marmier,P. See Busch,G., 2=16711
 Marmier,P. See Martin,M., 2=5621
 Marmier,P. See Szostak,R., 2=7567
 Marmo,F.F., Pressman,J. and Aschenbrand,L.M. Electron clouds: a general survey, 2=4688
 Marmo,F.F. See Golomb,D., 2=6179
 Marmo,F.F. See Samson,J.A.R., 2=6178
 Marochnik,L.S. Path of flow in a magnetic tube connected to the sun, 2=967
 Maron,I., Luchak,G. and Blitzstein,W. Radar observation of venus, 2=4842
 Maronchuk,Yu.E. See Kot,M.V., 2=21157
 Maroni,C. See Forino,A., 2=20386
 Marple,D.T.F. and Ehrenreich,H. Dielectric constant behaviour near band edges in CdTe and Ge, 2=14602
 Marples,J. See Marpls,Dzh., 2=21510
 Marpls,Dzh.[Marples,J.] and Li,Dzh.[Lee,J.]. Structure of δ plutonium, 2=21510
 Marquardt,D.W., Bennett,R.G. and Burrell,E.J. Least squares analysis of electron paramagnetic resonance spectra, 2=3774
 Marques,A., Policarop,A.J.P.L. and Phillips,W.R. The beta decay of Bi^{13} , 2=18285
 Marquet,L.C. See Judd,B.R., 2=10201
 Marquez,L. and Pham-Dinh-Lien. Observations of nuclear reactions produced by Li^6 ions in carbon, 2=502
 Marquez,L. See Coste,M., 2=500
 Marquez,L. See Coste,M., 2=10147
 Marquez,L. See Lemelle,C., 2=501
 Marquez,L. See Pham-Dinh-Lien, 2=16440
 Marquez Delgado,R. Study of glasses by means of electron diffraction, I., 2=17025
 Marquit,E. Influence of scanning speed on the efficiency of visual detection methods, 2=16101
 Marquit,E. Remarks on the p-p elastic scattering differential cross-sections in the 1-9 GeV region, 2=16195
 Marquit,E. See Filipkowski,A., 2=16247
 Marr,R.B. See Durand,L., III, 2=13732
 Marraud,A. See Croce,P., 2=6848
 Marraud,A. See Croce,P., 2=19035
 Marrone,P.V. See Treanor,C.E., 2=19597
 Marrus,R. and Winocur,J. Hyperfine structure and nuclear moments of Americium-242, 2=1778
 Marrus,R. See Cabezas,A.Y., 2=12295
 Marschall,H. See Greiner,W., 2=6116
 Marsden,B.G. The original orbit of comet Bester-Hoffmeister, 2=19288
 Marsden,D.G.H. Panoramic mass spectrometer, 2=9652
 Marsden,K.H. An improved field discriminator for magnetic field stabilization, 2=1615
 Marsden,P.L. See Crowden,J.B., 2=13910
 Marsden,P.L. See Fieldhouse,P., 2=13913
 Marsden,P.L. See Hatton,C.J., 2=22688
 Marsden,P.L. See Hughes,E.B., 2=14100
 Marsh,B.B. See Bilaniuk,O.M., 2=5286
 Marsh,D.M. The construction and performance of various flexure hinges, 2=21862
 Marsh,E. See Hybl,A., 2=10843
 Marsh,H.W. and Schulkin,M. Shallow-water transmission, 2=17555
 Marsh,H.W. See Shulkin,M., 2=17556
 Marsh,R.E. See Long,R.E., 2=10893
 Marsh,S.P. See McQueen,R.G., 2=6746
 Marshak,H. See Postma,H., 2=12207
 Marshak,H. See Sailor,V.L., 2=18511
 Marshak,I.S. Repetitive action pulsed light source based on electric explosion of wires, 2=1262
 Marshak,I.S. See Vasil'ev,V.I., 2=5157
 Marshak,R.E. The nuclear force, 2=13947
 Marshak,R.E. See Bose,S.K., 2=9922
 Marshak,R.E. See Bose,S.K., 2=18151
 Marshakova,T.A. See Ugai,Ya.A., 2=16719
 Marshakova,T.A. See Ugai,Ya.A., 2=18699
 Marshall,G.D. See Strong,K.A., 2=3764
 Marshall,J. See Little,E.M., 2=5351
 Marshall,J.H. See Barna,A., 2=5268
 Marshall,L. Magnetic lens system of unit magnification for high energy charged particles, 2=22604
 Marshall,L. and Wattenberg,A. High energy beam profile detectors for low fluxes, 2=3206

AUTHOR INDEX

- Marshall, L. See Cool, R.L., 2=20430
 Marshall, L. See Landovitz, L., 2=16246
 Marshall, N.H. See Simpson, O.D., 2=20648
 Marshall, P.K. See Mehlich, E.J., 2=10478
 Marshall, R.P. Strain-induced diffusion and precipitation in aluminum-lithium alloy during creep, 2=4469
 Marshall, R.R. Mass spectrometric study of the lead in carbonaceous chondrites, 2=17266
 Marshall, S.A., Kikuchi, T.T. and Reinberg, A.R. Paramagnetic resonance absorption of divalent nickel in α -Al₂O₃ single crystal, 2=4263
 Marshall, S.A. See Mergerian, D., 2=21089
 Marshall, T.C. Studies of atomic recombination of nitrogen, hydrogen, and oxygen by paramagnetic resonance, 2=16494
 Marshall, W. See Johnson, C.E., 2=12123
 Marshall, W.L. See Franck, E.U., 2=4547
 Maršićanin, B.S. See Stanojević, D.M., 2=3606
 Marsigny, L. See Pannetier, G., 2=12331
 Marsigny, L. See Pannetier, G., 2=12961
 Marsigny, L. See Pannetier, G., 2=18452
 Marsilli, F. See Caglioti, G., 2=9868
 Martalogu, N., Calboreanu, A. and Neamu, I. 4π -proportional counter for absolute activity measurement, 2=9731
 Martalogu, N., Ivanov, E., Plostinaru, D. and Vilcov, N. Levels of Sn¹¹⁵ excited by the (p,n) reaction on In¹¹⁵, 2=5808
 Martalogu, N., Ivanov, E., Plostinaru, D. and Vilcov, N. New excited states of Sn¹¹⁵ in the (p,n) reaction of In¹¹⁵, 2=5809
 Martalogu, N., Neamu, I. and Ivascu, M. Elastic and inelastic scattering of 4.6 MeV neutrons on S³², 2=20635
 Martalogu, N., Scinteie, N., Molea, M., Neamu, I. and Ivascu, M. Recoil scintillation spectrometer, with two crystals, 2=7794
 Martalogu, N., Tintă, F., Dumitrescu, R. and Magda, T.M. Energy determination of the cyclotron U-120 beam by means of the time-of-flight method, 2=7689
 Martalogu, N. See Hulubei, H., 2=5903
 Martalogu, N. See Hulubei, H., 2=14092
 Martalogu, N. See Khulubei, Kh., 2=16403
 Martalogu, N. See Lungu, S.N., 2=6783
 Martalogu, N. See Tintă, F., 2=3116
 Martell, A.E. See Fujita, J., 2=3745
 Martell, A.E. See Fujita, J., 2=3746
 Martell, A.E. See Fujita, J., 2=3747
 Martelli, G. See Chapman, K.R., 2=16433
 Martens, F.H. See Doerner, R.C., 2=5985
 Martens, H.E. See Kotlensky, W.V., 2=14874
 Martensen, E. See Lüst, R., 2=9580
 Marti, J.T. and Schneeberger, J.P. The reactivity of a regular array of empty cylindrical channels in a critical system, 2=14162
 Martin, A. Selected topics on analyticity in potential scattering, 2=5581
 Martin, A. Some simple inequalities in scattering by complex potentials, 2=9795
 Martin, A. Remarks on the prolongation of a scattering amplitude in the complex angular momentum plane, 2=13749
 Martin, A. See Cornille, H., 2=22414
 Martin, A. See Fubini, S., 2=11931
 Martin, A.E. Gravitational and electrostatic forces, 2=17
 Martin, A.E. Gravitational and related constants, 2=19394
 Martin, A.V.J. and Le Mée, J. Electron mobility in intense electric fields, 2=10521
 Martin, A.V.J. See Klingler, E., 2=19372
 Martin, C.S. and Segovia, J.L. Methods and apparatus for the pressure measurement in the ultra high vacuum region, 2=17519
 Martin, D.G. The influence of impurity atoms on the annealing kinetics of neutron irradiated copper, 2=23164
 Martin, D.H. See Bloor, D., 2=2295
 Martin, D.H. See Heastie, R., 2=2775
 Martin, D.L. The specific heat of hexagonal metals at very low temperatures, 2=6279
 Martin, D.L. The low temperature specific heat of an aluminium-manganese alloy, 2=6280
 Martin, D.L. A modified continuous-heating calorimeter for the temperature range 15° to 300°K, 2=19760
 Martin, D.L. See Filby, J.D., 2=18532
 Martin, D.W. Supplementary sound for opera, 2=15695
 Martin, D.W., McDaniel, E.W. and Meeks, M.L. On the possible occurrence of H₂⁺ in interstellar space, 2=6984
 Martin, D.W. See Hooper, J.W., 2=9529
 Martin, D.W. See McDaniel, E.W., 2=3101
 Martin, E.E. See Charbonnier, F.M., 2=13581
 Martin, F.V. See John, W., 2=323
 Martin, G. See Lewin, G., 2=9594
 Martin, G.R. The estimation of the resolving time of a counting apparatus, 2=7784
 Martin, H.G. See Budden, K.G., 2=5493
 Martin, H.J., Jr., Sampson, M.B. and Preston, R.L. Study of Zr⁹² level excited in the (d,p) reaction, 2=3492
 Martin, J.B. See Cooper, J.W., 2=12298
 Martin, J.J. See Johnson, T.R., 2=5533
 Martin, J.L. The exact enumeration of self-avoiding walks on a lattice, 2=2640
 Martin, J.L. See Bacon, M.D., 2=16596
 Martin, J.W. See Davies, D.M., 2=4344
 Martin, L.H. See Lokken, J.E., 2=4692
 Martin, M. The study of intermolecular interactions in halogenated hydrocarbons by nuclear magnetic resonance, 2=14339
 Martin, M. Study of complex formation by nuclear magnetic resonance. Chemical shift and basicity, 2=20867
 Martin, M. and Marmier, P. Measurement of internal and external conversion electrons in nuclear reactions, 2=5621
 Martin, M. See Szostak, R., 2=7567
 Martin, M.C. and Morrow, D.R. Elastoresistance effect in iron single crystals, 2=14491
 Martin, R.J. See Dayem, A.H., 2=11571
 Martin, S. The control of conditioning atmospheres by saturated salt solutions, 2=15440
 Martin, W.C. See Boyne, H.S., 2=17605
 Martin, W.M. See Hargrove, C.K., 2=18266
 Martin, W.M. See White, W., 2=16331
 Martinato, C.E. Geometry of satellites for telecommunications, 2=160
 Martinek, F. See Sherman, A., 2=2761
 Martinelli, L. Some information on optical masers (lasers), 2=160
 Martinet, J. Determination of the thermal conductivity of insulators by the pick-up [touchau] method, 2=5198
 Martinez, A. and Massoulier, A. Photoelectric detection of Rayleigh scatter in liquids; description of apparatus, 2=11503
 Martínéz, A.M. See Brody, T.A., 2=19206
 Martinez, M. Poza, See Poza Martinez, M.
 Martinez, P. See Senftle, F.E., 2=18878
 Martini, F. De See De Martini, F.
 Martinod, H., Calvet, J. and Renon, C. Micrography of creep in certain aluminium alloys, 2=6739
 Martinson, E.N. and Mýznikov, K.N. Obtaining ultralow pressures by desorption of gases by sprayed metal films, 2=19628
 Martinuzzi, S. Apparatus for the determination under vacuum of the electrical conductivity and Hall constant of thin metallic and semiconducting films, 2=145
 Martinuzzi, S. Development of semiconducting thin films of gallium arsenide, 2=18702
 Marton, L., Mielczarek, S.R. and Schubert, D.C. A method for the study of the vector velocity distribution of low density molecular beams, 2=10366
 Marton, L., Simpson, J.A., Fowler, H.A. and Swanson, N. Plural scattering of 20-keV electrons in aluminum, 2=10366
 Martone, M. and Segre, S.E. High-aperture, high-speed framing camera using an image-converter tube, 2=7417
 Martres-Trope, M.J. and Pick-Guttmann, M. Peculiar characteristics of chromospheric eruptions associated with radiofrequency emissions observed at metre-wavelengths, 2=21715
 Martres-Trope, M.J. and Pick-Guttmann, M. Characteristic qualities of solar flares associated with radio emission observed in the centimetre-wavelength region, 2=21716
 Martinsinskaya, E.G., Matskevich, T.L. and Rubanova, G.M. Secondary electron emission from iodine, 2=11701
 Martinsinskaya, E.G., Matskevich, T.L. and Rubanova, G.M. Secondary electron emission from iodine, 2=13592
 Marty, C. See Do Dang Giu, 2=1880
 Marty, N. See De Bouard, X., 2=438
 Marty, N. See De Bouard, X., 2=3566
 Martyn, D.F. Morphology of the disturbed ionosphere, 2=15240
 Martynov, D.Ya. The radius of Venus, 2=947
 Martynov, D.Ya. Continuous emission from the chromosphere beyond the Balmer limit during the 1954 solar eclipse, 2=982
 Martynov, D.Ya. and Alduseva, V.Ya. Absolute spectrophotometry of the chromosphere during the total eclipse of June 30, 1954, 2=4788
 Martynov, D.Ya. and Pospergelis, M.M. Note on photometric analysis of the structure of Venus' atmosphere, 2=946
 Martynova, T.N. See Ivlev, D.D., 2=21861
 Marumori, T., Murota, T., Takagi, S., Tanaka, H. and Yasuno, M. Note on the pairing correlation in nuclear matter, 2=1768
 Marumori, T., Yamamura, M. and Bandō, H. On the collective motion of even-even deformed nuclei, 2=20488
 Marumori, T. See Ikeda, K., 2=20520

- uyama, E. Luminescence accompanied by electrolysis in CdS single crystals, 2=4168
- uyama, S. See Haymann, P., 2=11700
- wadi, P.R. See Chiplonkar, M.W., 2=4604
- x, G. A model with superconducting solution in quantum field theory, 2=16124
- x, H. Many - dimensional Hamiltonian formalism, 2=2625
- x, H. Many-dimensional Hamiltonian formalism, II, 2=7140
- yanovskaya, T.S. See Oding, I.A., 2=16966
- yanovskaya, T.S. See Oding, I.A., 2=21439
- yott, A.A. and Birnbaum, G. Collision-induced microwave absorption in compressed gases. I. Dependence on density, temperature, and frequency in CO₂, 2=13379
- yott, A.A. See Birnbaum, G., 2=13380
- zari Chiesa, A. See Cester, R., 2=3409
- zari Chiesa, A. See Garelli, C.M., 2=5737
- zetta, L.A. Use of an operational amplifier with Helmholtz coils for reducing a.c. induced magnetic fields, 2=1556
- zagutov, V.S. and Esterlis, M.Kh. Scattering of 1-5 BeV/c μ -mesons in lead, 2=22550
- zaike, A. See Nakamura, T., 2=5913
- zaike, A. See Ogata, H., 2=10099
- zaike, A. See Yanabu, T., 2=8007
- zaike, A. See Yanabu, T., 2=16425
- zaki, H. Apparent colors of natural objects, 2=2860
- zaki, H. Apparent colors of natural objects, II, 2=13222
- zani, A. The early evolutionary phases of stars of small masses, 2=991
- zani, A. and Occhini, G. The propagation of disturbances and shock waves in the inside of stars, I, 2=15369
- ze, S., von Molnar, S. and Lawson, A.W. Galvanomagnetic tensor of bismuth at 20.4°K, 2=18642
- zharov, S.I. and Rezanov, A.I. Electrical resistance and the energy of formation of defects [in metals], 2=8270
- zharov, S.I. and Rezanov, A.I. Electrical resistivity and the energy of formation of defects, 2=20991
- zharov, S.I. See Rezanov, A.I., 2=23070
- zhirev, V.P. See Akhachinskii, V.V., 2=1302
- zhkevich, V.S. Electromagnetic waves in a medium with a continuous energy spectrum. II, 2=588
- zhkevich, V.S. Electromagnetic waves in a medium possessing a continuous energy spectrum. III, 2=8193
- zhkov, A.K. See Blanter, M.E., 2=8271
- zhkov, A.K. See Blanter, M.E., 2=23234
- zhovets, T.B. See Vitovskii, N.A., 2=21145
- zhovets, T.V. See Vitovskii, N.A., 2=18688
- zhovets, T.V. See Vitovskii, N.A., 2=23362
- zica, B. Quantity analysis of residual gases in vacuum systems by means of the omegatron, 2=15662
- zing, L. and Young, L. Kinetics of formation of anodic oxide films on bismuth, 2=15151
- skrey, J.T. See Dugdale, R.A., 2=17804
- slan, F. Nucleonics data sheet No 45—Heat transfer xenon thermodynamic diagram, 2=11421
- slen, E.N. See Clews, C.J.B., 2=827
- slennikov, I.M. Experimental determination of thermal radiation properties when heating bodies by radiation in a diathermal medium, 2=15779
- slennikov, M.V. A numerical method of solving the equation of reactor kinetics, 2=22866
- sley, A.J., May, T.C. and Winckler, J.R. Analysis of balloon observations during the April 1960 solar cosmic-ray events, 2=22691
- slov, V.A. See Kagan, Yu., 2=556
- slov, V.P. and Tartakovskii, B.D. Transmission of bending waves through an intermediate rod with losses, 2=5096
- slova, L.V., Matveev, O.A. and Afanas'ev, V.F. Electrolytic polishing of n-type silicon, 2=2348
- slova, L.V., Matveev, O.A. and Afanas'ev, V.F. Electrolytic polishing of n-type silicon, 2=6457
- son, A. See Baldassarre, F., 2=22562
- son, A. See Evans, D., 2=22492
- son, A.S. See Fischer, A.G., 2=14647
- son, B. Reply to Dr. Harold C. Urey's criticism of the paper by Brian Mason, "The origin of meteorites", 2=6887
- son, B.J. The growth of snow crystals, 2=14946
- son, B.J. and Chien, C.W. Cloud-droplet growth by condensation in cumulus, 2=13002
- son, B.J. See Latham, J., 2=6912
- son, C.S. See Hill, M.N., 2=24058
- son, D.W. See Gibson, A., 2=7628
- Mason, E.A. Kirkendall effect in gaseous diffusion. II. Absolute determination of diffusion coefficients, 2=1192
- Mason, E.A. and Chapman, S. Motion of small suspended particles in nonuniform gases, 2=5058
- Mason, E.A. and Larrimore, J.A. Effect of specific power on fuel reactivity and costs in thorium-fueled reactors, 2=6063
- Mason, E.A. and Monchick, L. Heat conductivity of polyatomic and polar gases, 2=7252
- Mason, E.A. and Monchick, L. Transport properties of polar-gas mixtures, 2=13369
- Mason, E.A. See Cloney, R.D., 2=10237
- Mason, E.A. See Evans, R.B. III, 2=1193
- Mason, E.A. See Evans, R.B. III, 2=11409
- Mason, E.A. See Monchick, L., 2=1191
- Mason, E.A. See Schamp, H.W., Jr., 2=15644
- Mason, E.A. See Vanderslice, J.T., 2=5066
- Mason, E.A. See Weissman, S., 2=5053
- Mason, E.A. See Weissman, S., 2=21938
- Mason, E.A. See Yun, K.S., 2=9314
- Mason, E.A. See Yun, Kwang-Sik, 2=13372
- Mason, G.J. See Barkas, W.H., 2=314
- Mason, I.B. and Knibbs, R.H. The thermal conductivity of artificial graphites and its relationship to electrical resistivity, 2=23093
- Mason, J. See Scott, G.D., 2=19537
- Mason, P. See Cundy, D.C., 2=5716
- Mason, S.G. See Allan, R.S., 2=9253
- Mason, S.G. See Allan, R.S., 2=9254
- Mason, S.G. See Allan, R.S., 2=12984
- Mason, S.G. See MacKay, G.D.M., 2=4567
- Mason, S.G. See Rumscheidt, F.D., 2=11344
- Mason, W.C. See Fricker, S.J., 2=4840
- Mason, W.P. Uses of ultrasonic in radio, radar and sonar systems, 2=15694
- Mason, W.P. Low frequency component of the internal friction of single crystal copper and its relation to the Bordoni peak, 2=21411
- Mason, W.P. See Brugger, K., 2=2059
- Mass, J. New possibilities offered by the measurement of the amplitude of radio signals from artificial satellites, 2=2575
- Massal'ski, E.I. See Babetski, Ya.S., 2=331
- Massal'ski, E.I. See Babetski, Ya.S., 2=22675
- Massalski, J. See Grigorov, N.L., 2=16254
- Massalski, T.B. and King, H.W. Alloy phases of the noble metals, 2=8837
- Massalski, T.B. and Kittl, J.E., 2=4464
- Massaux, H. Experimental study of the recrystallization of Belgian uranium, 2=12932
- Massazza, F. See Manca, P., 2=14562
- Masse, J.L. A method of solution of the equations of the self-consistent field, 2=14185
- Massen, C.H. See Poulis, J.A., 2=7474
- Massen, C.H. See Poulis, J.A., 2=15616
- Massevitch, A.G. A model of the sun, 2=956
- Massimo, J.T. See Chretien, M., 2=22610
- Masson, D.J., Morris, D.N. and Bloxson, D.E. Measurements of sphere drag from hypersonic continuum to free-molecule flow, 2=2747
- Massoni, C.J. See Adler, I., 2=9232
- Massonnet, L. See Ruhla, C., 2=20617
- Massoulier, A. See Martinez, A., 2=11503
- Maštalka, A. See Brabec, V., 2=7951
- Maštalka, A. See Řezanka, I., 2=20566
- Mastel, B. See Bierlein, T.K., 2=21045
- Mastrup, F. See Hook, A.B., 2= 03
- Mastry, J.A. De. See De Mastry, J.A. De.
- Masud, M. See Ali, M.I., 2=18177
- Masuda, M. Angular distributions of photo-protons from Li, Al, S, Ni, and Cu, 2=424
- Masuda, T., Nishiyama, S., Nakata, T. and Adachi, I. The testing of optical materials by the Twyman type interferometer. II. Qualities of artificial rocksalt, lithium fluoride and optical glass, 2=14649
- Masuda, T. See Adachi, I., 2=7330
- Masuda, T. See Adachi, I., 2=22050
- Masuda, Y. Nuclear spin relaxation in superconducting cadmium, 2=7509
- Masuda, Y. Nuclear spin-lattice relaxation in superconducting aluminum alloys, 2=12827
- Masuda, Y. Calorimetric study on the sintering of copper powder compact, 2=23898
- Masuda, Y. and Redfield, A.G. Nuclear spin-lattice relaxation in superconducting aluminum, 2=2957
- Masuda, Y. See Ogata, H., 2=10099
- Masumi, T. See Brown, F.C., 2=8519
- Masumoto, K., Hihara, T. and Kamigauchi, T. Anomalies in electrical conductivity and magnetic susceptibility of chromium selenides, selenides, 2=23686

AUTHOR INDEX

- Mataga, N. and Kaifu, Y. Intermolecular proton transfer in the excited hydrogen-bonded complex in nonpolar solvent and fluorescence quenching due to hydrogen bonding, 2=19568
- Matalin, L.A. See Ivanov, A.A., 2=19859
- Matano, T. On μ mesons in extensive air showers at sea level, 2=16267
- Matano, T. See Hasegawa, H., 2=13929
- Matano, T. See Hasegawa, H., 2=18207
- Matcovich, T.J., Belson, H.S., Goldberg, N. and Haas, C.W. Ferromagnetic resonance magnon distribution in yttrium iron garnet, 2=12801
- Mateescu, N. and Dufescu, N. Device for the measurement of neutron diffusion in liquids, 2=5666
- Mateescu, N. and Nahorniak, V. Measurements of the diffusion length of thermal neutrons in water, at 20° to 50°C, 2=20351
- Mateescu, N. and Nahorniak, V. Absolute measurement of the intensity of a Ra- α -Be neutron source, 2=20356
- Mateescu, N. and Nahorniak, V. Determination of the neutron slowing down density in a graphite prism, employing a Ra- α -Be source, 2=20358
- Mateescu, N. and Nahorniak, V. Absolute measurement of the thermal neutron flux produced in a graphite prism by a Ra- α -Be source, 2=20359
- Mateescu, N. See Teutsch, H., 2=5694
- Mateescu, N. See Teutsch, H., 2=5695
- Mateescu, N. See Teutsch, H., 2=20353
- Mateescu, N. See Teutsch, H., 2=22823
- Matei, L. See Bădărău, E., 2=5113
- Matejec, R. Photoconductivity measurements on optically sensitized ZnO, 2=10540
- Matejec, R. Further experiments on the formation of silver growths in photographic emulsion grains in an electric field, 2=11509
- Matejec, R. The equilibrium distribution between defect electrons in silver halide and the halogen of the environment, 2=16644
- Matejec, R. Boundary layer balance and diffusion of Frenkel defects in silver halide crystals, 2=16645
- Matejec, R. Spontaneous formation of silver nuclei in silver halides on illumination with high light intensities, 2=22068
- Mateosian, E. Der. See Der Mateosian, E.
- Matevosyan, E.M. See Alikhanyan, A.I., 2=7918
- Mathams, R.F. See Copper, P.N., 2=10179
- Mathé, G., Berényi, D. and Scharbert, T. Experiences on the application of the sum-coincidence method, 2=10056
- Máthé, G. See Berényi, D., 2=5624
- Máthé, G. See Berényi, D., 2=10075
- Mather, D.S. See Moat, A., 2=3640
- Mather, J.W. Diagnostics of the confinement and heating of a plasma by a rising axial magnetic field (orthogonal pinch), 2=15921
- Matheson, M.S. See Noyes, W.A., Jr., 2=6890
- Matheson, R.M. Some recent developments in photomultipliers for scintillation counting, 2=18006
- Mathews, P.M. and Sankaranarayanan, A. Observables of a Dirac particle, 2=3251
- Mathews, P.M. and Sankaranarayanan, A. The observables and localized states of a Dirac particle, 2=16129
- Mathews, T., Thambyahpillai, T. and Webber, W.R. A note on the unusual variations of cosmic ray intensity during the period 1960 November 10 to 18, 2=3439
- Mathewson, D.S. See Large, M.I., 2=4854
- Mathewson, D.S. See Large, M.I., 2=4855
- Mathiot, M. Experimental study of the term "isotope of the tension of acoustic radiation" in a gas, 2=19617
- Mathur, P.C. See Bhowmik, B., 2=18190
- Mathur, V.S. A symmetry in hypercharge space, 2=20250
- Mathur, V.S., Mukherjee, S.N. and Rustgi, M.L. Effect of hard core on the photodisintegration cross-sections of H^3 , 20439
- Mathur, V.S. See Kothari, D.S., 2=22116
- Matijević, E. See Kerker, M., 2=1279
- Matijević, E. See Kerker, M., 2=11500
- Matin, L. Binocular summation at the absolute threshold of peripheral vision, 2=24217
- Matinyan, S.G. The sign of the K_1^0 - and K_2^0 -meson mass difference and their leptonic decays, 2=3400
- Matinyan, S.G. and Tsilosani, N.N. Transformation of photons into neutrino pairs and its significance in stars, 2=3299
- Matinyan, S.G. See Andronikashvili, E.L., 2=5230
- Matinyan, S.G. See Laperashvili, L.V., 2=22564
- Matlack, G.M. See Bubernak, J., 2=11925
- Matossi, F. Recombination probability and drift velocity in zinc sulphide, 2=12402
- Matossi, F., Gutjahr, H. and Siebert, D. Capacitance growth and electrophotoluminescence of an optically excited ZnCdS phosphor under the effect of a direct electric pulse, 2=10633
- Matossi, F. and Schmid, G. Electroluminescence in zinc sulphide single crystals, 2=6647
- Matossi, F. See Rauber, A., 2=21274
- Matricon, M.M. The measurement of low pressures under transient regimes and the time constants of piping systems, 2=15660
- Matsen, F.A. Subalgebra of associated complexes in theoretical spectroscopy, 2=11242
- Matsen, F.A. See Benton, E.E., 2=22894
- Matsen, F.A. See Pandres, D.Jr., 2=20777
- Matsen, F.A. See Scherr, C.W., 2=18397
- Matsen, F.A. See Womack, C.M. Jr., 2=10856
- Matsen, R.P. See Good, R.H., 2=317
- Matsen, R.P. See Good, R.H., 2=22628
- Matskevich, T.L. and Krachino, T.V. Thermoelectron emission of some refractory compounds, 2=22249
- Matskevich, T.L. See Martsinovskaya, E.G., 2=11701
- Matskevich, T.L. See Martsinovskaya, E.G., 2=13592
- Matsonashvili, B.N. See Gubkin, A.N., 2=18782
- Matsonashvili, B.N. See Gubkin, A.N., 2=23507
- Matsubara, T. and Toyozawa, Y. Theory of impurity band conduction in semiconductors: an approach to random lattice problem, 2=40
- Matsuda, H. A new approach to Green's function of a particle in one dimension, 2=11280
- Matsuda, K. Inelastic scattering of protons from Ti^{48} , Cr^{52} , Fe^{56} , Ni^{58} , Ni^{60} and Zn^{64} at an energy of 14.65 MeV, 2=18319
- Matsudaira, N. A method of the calculation of electrical conductivities, 2=616
- Matsui, A. See Nakamura, K., 2=2230
- Matsui, K. See Hasiguti, R.R., 2=23357
- Matsukawa, E. See Hunter, A.N., 2=73
- Matsumoto, A. and Higasi, K. Dielectric relaxation of nonrigid molecules at lower temperature, 2=11378
- Matsumoto, H., Fukuda, K., Takeshima, M. and Uchida, Y. Cubic contribution to E.P.R. of Mn^{2+} in $MgCl_2$, 2=10702
- Matsumoto, H. See Maeda, K., 2=4593
- Matsumoto, M. See Fujitani, T., 2=7134
- Matsumoto, M. See Fujitani, T., 2=7135
- Matsumoto, M. See Fujitani, T., 2=15473
- Matsumoto, S. Analysis of nucleon-nucleus collision of energy around 100 GeV, 2=5897
- Matsumura, G. Relations among the cold pressing, sintering, and recrystallization of copper powder, 2=6785
- Matsuo, H. and Parra, F. The Rayleigh equation and its modification: one eye by the colour adaptation of the other, 2=17331
- Matsuo, M. See Kumagai, S., 2=11819
- Matsuo, S. and Narumi, H. On the validity of the adiabatic approximation in the theory of electron broadening in a plasma, 2=5333
- Matsuo, S. See Narumi, H., 2=13576
- Matsuoka, S. and Hattori, S. Chemical shifts of N.M.R. spectra in π -aromatic complexes, 2=17487
- Matsushita, S. Increase of ionization associated with geomagnetic sudden commencements, 2=6944
- Matsushita, S. and Nakata, T. Infrared absorption of zinc oxide and adsorbed CO_2 . II, 2=6582
- Matsushita, S. See Campbell, W.H., 2=9040
- Matsuura, E. See Hasiguti, R.R., 2=23357
- Matsuura, K. and Inuishi, Y. On the trapping and recombination centers in plastically bent silicon, 2=18691
- Matsuura, K. and Koda, S. On the temperature dependence of the critical resolved shear stress of an Al-4% Cu alloy, 2=8729
- Matsuura, K., Kubo, U. and Inuishi, Y. Annealing of radiation damage lifetime in Si, 2=23223
- Matsuura, M., Yasuoka, H., Hirai, A. and Hashi, T. Nuclear magnetic resonance of Fe^{57} in $\alpha-Fe_2O_3$, 2=21387
- Matsuura, M. See Yasuoka, H., 2=18962
- Matsuzaki, R. See Wada, I., 2=21934
- Matsuzaki, Y. Pion-hyperon resonance, 2=9886
- Mattana, N., Sanna, S. and Serra, A. Measurement of the atmospheric ozone at Cagliari and its relation with meteorological phenomena, 2=8952
- Mattauch, J.H.E. See König, L.A., 2=9989
- Mattauch, J.H.E. See König, L.A., 2=9990
- Matthew, J.A.D. See McCombie, C.W., 2=3823
- Mathews, H. and Lecraw, R.C. Acoustic wave rotation by magnon-phonon interaction, 2=16602
- Matthews, H.I., Mutucumarana, T. de S. and Wilman, H. Orientated crystal growth in electrodeposits, in relation to ionic diffusion in the electrolyte, 2=6765
- Matthews, P.T. Regge poles and diffraction scattering, 2=18082
- Matthews, P.T. and Salam, A. Baryon resonances as unitary multiplets, 2=9777
- Matthews, P.T. and Salam, A. Unitary symmetry, 2=18084
- Matthews, P.W. A servo-operated isothermal demagnetization system for producing stable temperatures below 1°K, 2=22106

- thias, B.T. Conclusions for superconducting molybdenum — technetium alloys, 2=2959
 thias, B.T. See Clogston, A.M., 2=4197
 thias, B.T. See Compton, V.B., 2=10882
 thias, B.T. See Geballe, T.H., 2=17726
 thias, B.T. See Giorgi, A.L., 2=2962
 thias, B.T. See Hein, R.A., 2=17727
 thias, B.T. See Hulm, J.K., 2=1338
 thias, B.T. See Suhl, H., 2=19812
 thias, B.T. See Wolff, P.A., 2=12683
 thias, E., Karlsson, E. and Lerjefors, C.A. Nuclear g-factor of the 113 keV rotational state in the odd A nucleus Hf^{177} , 2=10014
 thias, E. and Lindqvist, T. Precision measurements of nuclear g-factors by the time-to-pulse-height converter method, 2=5821
 thias, E., Schneider, W. and Steffen, M. Nuclear level splitting caused by a combined electric quadrupole and magnetic dipole interaction, 2=3474
 thias, E. See Karlsson, B.E., 2=12127
 thias, E. See Karlsson, E., 2=12137
 thias, R.T. See Blaughier, R.D., 2=7520
 thies, S. See Matkhiz, Z., 2=10020
 ttig, W. and Schröter, E.H. A comparison between observed and theoretical intensity distribution in the wings of the Na D-lines, 2=4773
 ttig, W. and Schröter, E.H. Intensity measurements in the wings of the Na D-lines, 2=4774
 ttis, D. See Lieb, E., 2=2290
 ttis, D. See Lieb, E., 2=4213
 ttis, D. See Lieb, E., 2=21342
 ttis, D.C. On the influence of free path on the Meissner effect, 2=22111
 ttkhiz, Z., [Matthies, S.], Neudachin, V.G. and Smirnov, Yu.F. Single-particle levels in O^{17} and F^{17} nuclei under the assumption of a strong coupling of the nucleon and core with the tetrahedral symmetry, 2=10020
 ttuck, R.D. Effect of local order on energy bands in binary alloys, 2=18546
 ttuck, R.D. See Hedman, L.E., 2=18891
 tukura, Y. and Tanaka, S. Conductivity of grain boundaries in Ge, 2=10470
 tulenko, Yu.A. See Vovenko, A.S., 2=13855
 tumoto, K. The regularities of mass levels of baryons and mesons, 2=20281
 tumoto, K. and Nakagawa, M. On the nature of B matter in the Nagoya Model, 2=16131
 tumura, O. and Koga, H. On colour centres in ZrSiO_4 , 2=12466
 tunobu, Y. Application of the WKB method to the high subsonic flow of a compressible fluid past wedge profiles, 2=19513
 tuura, N. Characteristics of large amplitude geomagnetic pulsations, 2=15286
 tuura, N. See Yoshida, S., 2=15267
 tuura, R. See Tanaka, M., 2=17420
 tveev, O.A. See Kazarinov, N.M., 2=16094
 tveev, O.A. See Maslova, L.V., 2=2348
 tveev, O.A. See Maslova, L.V., 2=6457
 tveev, O.V. See Ugai, Ya.A., 2=16719
 tveev, O.V. See Ugai, Ya.A., 2=18699
 tveev, O.A. See Vitovskii, N.A., 2=18028
 tveev, V.V., Popkov, G.K. and Sokolov, A.D. Determination of certain parameters of electron multiplier phototubes and scintillators, 2=3076
 tveev, V.V. and Sokolov, A.D. Determination of the intrinsic amplitude resolution of photomultipliers using a pulsed source of light, 2=7649
 tveev, V.V. and Sokolov, A.D. Determination of induced radioactivity in the second spaceship, 2=19358
 tveev, V.V. and Sokolov, A.D. A device for recording toroidal pulse discharge neutrons, 2=19868
 tveeva, N.N. See Boltaks, B.I., 2=18600
 tyash, I.V. See Halkin, O.O., 2=18485
 tysina, Z.A. and Smýrnov, A.A. Theory of ordering alloys with a hexagonal close-packed crystal lattice, 2=6819
 tyushenko, N.N. See Verkhorobin, L.F., 2=23205
 tzke, H. Diffusion of Kr^{85} in ThO_2 , 2=14461
 tzke, H. and Lindner, R. The diffusion of homogeneously distributed inert gases out of solids, 2=6362
 u Vinh. See Vinh Mau
 u, R. Vinh See Vinh Mau, R.
 u Vinh Nguyen. See Nguyen Vinh Mau.
 ung Tin. See Tin Maung.
 urat, M. and Eyraud, C. Thermal evolution of UO_3 under vacuum. Electrical conductivity, 2=12496
 Maurer, R.D. Crystal nucleation in a glass containing titania, 2=15077
 Maurice, F. See Adda, Y., 2=8210
 Maurice, F. See Donze, G., 2=12455
 Mauser, H. Calorimetric method for determining the free enthalpy of mixing of condensed systems, 2=7205
 Maushart, R. See Kiefer, H., 2=3192
 Mavel, M.G. Nuclear magnetic resonance study of ionization and proton exchange phenomena, 2=1168
 Mavrides, S. Motion of a planet [Tonnelat's] theory of the graviton, 2=9155
 Mavrides, S. Motion of a test particle in the Euclidean theory of gravitation, 2=17342
 Mavroides, J.G. See Harman, T.C., 2=4034
 Mavroides, J.G. See Lax, B., 2=16586
 Mavroides, J.G. See Lax, B., 2=16627
 Mawdsley, J. See Ireland, W., 2=20164
 Maxim, I. and Ribko, L. Thermoelectric power of vanadium pentoxide under the action of nuclear radiation, 2=18761
 Maximon, L.C. and Olsen, H. Measurement of Linear Photon polarization by pair production, 2=9813
 Maximon, L.C. See Olsen, H., 2=12012
 Maxwell, A. and Thompson, A.R. Spectral observations of solar radio bursts. II. Slow-drift bursts and coronal streamers, 2=4836
 Maxwell, E. See Chase, C.E., 2=1326
 Maxwell, J.R. See Parkinson, W.C., 2=12111
 Maxwell, K.H. See Green, M., 2=2434
 Maxworthy, T. Liquid sodium flow facility for magneto-fluid-dynamic research, 2=3141
 Maxworthy, T. Flame propagation in tubes, 2=9433
 May, A.D., Degen, V., Stryland, J.C. and Welsh, H.L. The Raman effect in gaseous hydrogen at high pressures, 2=1204
 May, A.D. See Devlin, G.E., 2=6560
 May, A.N. Fatigue under random loads, 2=798
 May, B.R. Atmospheric density variations in the 205 km height region from Sputnik 3 satellite, 2=24003
 May, T.C. See Masley, A.J., 2=22691
 May, T.H. See Benenson, W., 2=14090
 May, T.H. See Benenson, W., 2=18120
 May, T.H. See Walter, R.L., 2=7908
 Mayall, N.U. The story of the Crab nebula, 2=24164
 Mayall, N.U. and de Vaucouleurs, A. Redshifts of 92 Galaxies, 2=19340
 Maycock, J., Noé, J.A. and Swift-Hook, D.T. Permanent electrodes for magnetohydrodynamic power generation, 2=13672
 Maycraft, G.W. See Clark, C.D., 2=4165
 Mayer, C.H. The temperatures of the planets, 2=15314
 Mayer, C.H., McCullough, T.P. and Sloanaker, R.M. Evidence for polarized 3.15 cm radiation from the radio galaxy Cygnus A, 2=19352
 Mayer, G. See Gires, F., 2=8507
 Mayer, G. See Gires, F., 2=10586
 Mayer, H. and Göhre, H. The phenomenon of delayed condensation, 2=17698
 Mayer, H. and Schroen, W. Absolute measurement of the ionization yield of potassium atoms on metal surfaces, 2=13546
 Mayer, H. and Stünkel, D. The temperature dependence of the magnetization of very thin iron films, 2=23665
 Mayer, J.E. Heat capacity and open and closed ensemble averages, 2=15826
 Mayer, J.W. The "state-of-the-art" in nuclear particle detectors, 2=18014
 Mayer, J.W. Semiconductor detectors. Nuclear experimentation with semiconductor detectors. Semiconductor detectors: How have they improved?, 2=20199
 Mayer, J.W. Characteristics of p-i-n junctions produced by ion-drift techniques in silicon, 2=21163
 Mayer, L. Electron mirror microscopy of magnetic domains, 2=2282
 Mayer, L., Rickett, R. and Stenemann, H. Bismuth whisker growth, 2=6788
 Mayer, L. See Bodendstedt, E., 2=12136
 Mayer, L. See Bodendstedt, E., 2=16300
 Mayer, R.J. and Bjorkstam, J.L. Dielectric properties of KD_2PO_4 , 2=16780
 Mayer, W.G. and Kelsey, J.F. Optical method for ultrasonic velocity measurements at liquid-solid boundaries, 2=7311
 Mayer, W.G. and Parker, P.M. Method for the determination of elastic constants of trigonal crystal systems, 2=10728
 Mayer, W.G. See Parker, P.M., 2=10729
 Mayer-Böricke, C., Santo, R. and Schmidt-Rohr, U. Energy dependence of deuteron scattering by magnesium, 2=10133
 Mayer-Böricke, C., Santo, R. and Schmidt-Rohr, U. Energy dependence of deuteron scattering by magnesium, 2=14126

- Mayer-Kuckuk, T. and Michel, F.C. Comparison of the beta spectra of B^{12} and N^{15} , 2=16353
- Mayes, W.H. and Edge, P.M.Jr. Application of a blowdown wind tunnel for large-scale acoustic environmental testing, 2=15705
- Mayinger, F. Measurements of the viscosity of water and steam up to 700°C and 800 atm, 2=21876
- Mayinger, F., Schmidt, E. and Tratz, H. New equations of state for water vapour with reference to their application in electronic computers, 2=19613
- Maynard, C.W. An application of the reciprocity theorem to the acceleration of Monte Carlo calculations, 2=5673
- Maynard, N. See Smakula, A., 2=3912
- Maynes, D. See Duke, M., 2=2531
- Mayo, S. and Testoni, J.E. Interaction of deuterons with O^{16} and N^{15} , 2=20666
- Mazari, M. See Jádár, A., 2=5800
- Mazari, M. See Tejera, A., 2=5881
- Nazelsky, R. and Lubell, M.S. Solid solution study of some post-transition metal tellurides of the rock salt structural type, 2=23858
- Mazelsky, R., Lubell, M.S. and Kramer, W.E. Phase studies of the group IV-A tellurides, 2=17055
- Mazelsky, R. See Metz, E.P.A., 2=14956
- Mazing, M.A. See Averin, V.G., 2=170
- Mazing, M.A. See Averin, V.G., 2=22189
- Mazing, M.A. See Koloshnikov, V.G., 2=11626
- Mazo, J. See Arnowitz, R., 2=3395
- Mazo, R.M. Coupled anharmonic vibrations and spectral line broadening, 2=12306
- Mazumdar, A.S.G. and Singh, R.N. Gamma dosimetry in "Apsara" (Swimming pool reactor) of the atomic energy establishment, Trombay, 2=10184
- Mazumdar, S.C. See Rao, M.K., 2=9718
- Mazur, J. and Rafalowicz, J. On the possibility of foresight of the whiskers growth conditions for the metal vapour pressure in the formed temperature gradient, 2=14964
- Mazur, P. Origin of the oscillations in the low-pressure thermionic converter, 2=19884
- Mazur, P. See Vlieger, J., 2=4956
- Mazur, P. See Vlieger, J., 2=4957
- Mazurenko, Yu.T. and Neporent, B.S. The relationship between the electronic absorption and luminescence spectra of complex molecules, 2=22943
- Mazzetti, P. Study of nonindependent random pulse trains, with application to the Barkhausen noise, 2=21837
- Mazzetti, P. See Ferro, A., 2=8627
- Mazzi, F. See Cola, M., 2=21526
- Mazzilli, R.H. See Orsini, L.Q., 2=9007
- Mecke, R., Joeckle, R. and Klingenberg, G. Precision measurements of the dielectric constants of five pure substances for dielectric coefficient and dipole moment determination. I. Purity tests on cyclohexane, benzene, carbon tetrachloride, di-n-butyl ether and fluorobenzene using modern physico-chemical purity criteria, 2=17769
- Mecke, R., Klingenberg, G. and Mecke, W. Precision measurements of the dielectric constants of five pure substances for dielectric constant and dipole moment determination. IV. Measurement of the dielectric constants of cyclohexane, benzene, carbon tetrachloride, fluorobenzene and di-n-butylether in the microwave region near 9000 Mc/s, 2=21916
- Mecke, R. and Ludwig, W. Precision measurements of the dielectric constants of five pure substances for dielectric coefficient and dipole moment determination. II. Description of measuring apparatus, 2=17770
- Mecke, R. See Bruhn, W., 2=14374
- Mecke, W. See Mecke, R., 2=21916
- Meckel, B.B. Experimental study of the interaction of a moving body with a plasma, 2=3049
- Meclowski, R., Nikliborc, J. and Wojda, L. Field emission microscope investigation of iron migration, 2=14460
- Mecs, B.M. See Bruner, L.J., 2=21021
- Medd, W.J. and Broten, N.W. Lunar temperature measurements at 3200 Mc/s, 2=4740
- Medd, W.J. See Broten, N.W., 2=13181
- Medford, R.D., Fletcher, W.H.W., Herbert, J.D. and Powell, A.L.T. A new application of the Faraday magneto-optical effect for diagnostic measurements of transient magnetic fields, 2=1450
- Medford, R.D. See Wright, J.K., 2=5350
- Medicus, G. Theory of electron collection of spherical probes, 2=1445
- Medicus, G. Spherical Langmuir probe in "drifting" and "accelerated" Maxwellian distribution, 2=22230
- Medina Nicolau, F. A schematic theory of nuclear reactions, 2=18313
- Medved, D.B. Photoconductivity and chemisorption kinetics in sintered zinc oxide semiconductor, 2=2193
- Medved, D.B. and Poppa, H. Electron microscope diagnostics of thin film sputtering, 2=11724
- Medved, D.B. See Magnuson, G.D., 2=4877
- Medved', S.V. See Golovin, B.M., 2=3361
- Medvedev, M.N., Sokolova, E.S., Filipov, P.I. and Tsioliak, O.N. Time characteristics of photomultipliers, 2=1485
- Medvedev, M.N. See Butslov, M.M., 2=20305
- Medvedev, N.N. The determination of the temperature coefficients of linear expansion of bodies by the non-stationary conditions method, 2=2914
- Medvedev, S.A., Anokhin, B.G., Skvortsov, I.M., Korotkov, A.S. and Myakinenkova, E.V. Some peculiarities of growth, the twin structure of dendrites and the anomalous segregation of impurities during the process of dendritic crystallization in germanium, 2=14937
- Medvedev, S.A., Anokhin, B.G., Skvortsov, I.M., Korotkov, A.S. and Myakinenkova, E.V. Some peculiarities of growth, the twin structure of dendrites and the anomalous segregation of impurities during the process of dendritic crystallization in germanium, 2=19047
- Medvedev, V.A. See Gitterman, M.Sh., 2=18704
- Medvedev, V.A. See Gitterman, M.Sh., 2=23391
- Medvedev, V.S. See Broude, V.L., 2=14743
- Medvedev, V.S. See Broude, V.L., 2=23594
- Medvedev, B.V. and Polivanov, M.K. Degrees of growth of matrix elements in the axiomatic method, 2=258
- Medvedev, B.V. and Polivanov, M.K. Degrees of growth of matrix elements in the axiomatic method, 2=22434
- Medvedev, V.K. and Ptushyn'sk'yi, Yu.H. Electron emission of thin thorium oxide films covered with an adsorbed barium layer, 2=9618
- Medvedev, V.K. See Havrilyuk, V.M., 2=8895
- Medvedev, V.K. See Havrilyuk, V.M., 2=9617
- Medyanik, V.N. See Bondar, A.D., 2=17978
- Mee, C.H.B. Electrical conductivity of calcium oxide at high electric fields, 2=2127
- Mee, C.H.B. Spectral analysis of light emitted from an oxide-coated cathode during thermionic emission, 2=11689
- Mee, C.H.B., Bull, C.S. and Fitch, R.K. Estimation of the total emission of a diode, 2=17882
- Mee, C.H.B. and Vick, F.A. Photoelectric processes in calcium oxide coated cathodes, 2=3073
- Mee, J.La. See La Mee, J.
- Meecham, W.C. Source and reflection problems in magneto-ionic media, 2=3175
- Meecham, W.C. and DeNoyer, J. Azimuthal asymmetry of a point source in a cylindrical low velocity medium, 2=11442
- Meechan, C.J. and Lehman, G.W. Diffusion of Au and Cu in a temperature gradient, 2=7444
- Meeker, T.R. The application of the theory of elastic waves in plate to the design of ultrasonic dispersive delay lines, 2=5109
- Meeks, E.L. See Busen, K.M., 2=6244
- Meeks, F.R. and Vegailla, L.A. Some properties of the concentration product in counterdiffusion, 2=2456
- Meeks, F.R. See Gerrard, J.E., 2=21058
- Meeks, M.L. Atmospheric emission and opacity at millimeter wavelengths due to oxygen, 2=5481
- Meeks, M.L. See Martin, D.W., 2=6984
- Meeron, E. Indirect exponential coupling in the classical many-body problems, 2=11295
- Meert, M. See Demeur, M., 2=23972
- Meerten, E., Vantuik, Van. See Van Kuik, Van Meerten E.
- Meese, A.D. and Evans, W.H. Charge transfer in the lightning stroke as determined by the magnetograph, 2=17147
- Meetz, K. Application of general unitarity to pion-nucleon scattering, 2=3394
- Meetz, K. Spectrum of the scattering integral operator in the physical energy sheet, 2=19441
- Meeus, J. Tables of the satellites of Jupiter, 2=13106
- Meeus, J. Oppositions of Mars, 1960 to 1980, 2=13109
- Meffroy-Biget, A.M. See Salvinien, J., 2=21600
- Meffroy, J. A new special case of the three-body problem, 2=9221
- Meffroy, J. A particular case of rectilinear motion in the n-body problem, 2=24078
- Meffroy, J. The systematic investigation of the rigorous differential equations, in polar coordinates, of the plane motion of an asteroid with negligible mass, 2=24079
- Megaw, H.D. See Fleet, S.G., 2=17024
- Megaw, H.D. See Wells, M., 2=4427
- Megaw, W.J. See Dolphin, G.W., 2=13203

- gerle, K. See Giaever, I., 2=11572
- ggers, W.F., Corliss, C.H. and Scribner, B.F. Tables of spectral-line intensities. II. Arranged by wavelengths, 2=3691
- ggers, W.F., Corliss, C.H. and Scribner, B.F. Tables of spectral-line intensities. I. Arranged by elements, 2=12270
- gill, L.R. and Droppleman, L. Study of the effect of large aperture on the performance of an Ebert Spectrometer, 2=5163
- gill, L.R. See Carleton, N.P., 2=15887
- hal, E.W. See Haisty, R.W., 2=23392
- halchick, E.J. and Marshall, P.K. Vapor-phase doping of silicon with arsenic trichloride, 2=10478
- hling, O. See Daniel, H., 2=3525
- hling, O. See Daniel, H., 2=22768
- hlkopf, A.F. and Smidt, J. High sensitivity 3-cm electron spin resonance spectrometer with klystron noise compensation, 2=3178
- hta, M.L. See Balian, R., 2=11889
- l, K. See Van Bladel, J., 2=11596
- i T'a Ch'en See Ch'en t'a Mei
- ichsner, L. Nuclear rotation theory, 2=12104
- ier, A.A. High-frequency mechanical light chopper, 2=19693
- ier, F. Study of single dislocations in nearly ideal crystals by an X-ray method, 2=12905
- ier, F. Production and motion of single dislocations in germanium crystals, 2=12906
- ier, G. See Maier, W., 2=7226
- ier, H.W. See Grote, C., 2=16222
- ier, H.W. See Grote, C., 2=16223
- ier, H.W. See Grote, C., 2=16224
- ier, K. See Frank, D., 2=21305
- ier, L. Polarization interference filters with high transmission and large angular aperture, 2=22047
- ier, R.W. See Lutz, H.R., 2=22529
- ieran, E.S. Use of the reciprocal lattice for the development of a new pole figure technique, 2=8822
- ijer, A.C. See van Oostrum, K.J., 2=3214
- ijer, P.H.E. Comment on a letter of A. Gold and R.S. Knox., 2=16827
- ijer, P.H.E. and Bowen, J.I. The solution of the steady state distribution in non-equilibrium processes: Ornstein-Uhlenbeck processes, 2=2636
- ijer, P.H.E., Tanaka, T. and Barry, J. Dynamic behavior of a set of weakly coupled Ising spins, 2=19454
- ijer, P.H.E. See Tanaka, T., 2=5054
- ijer, P.H.E. See Tanaka, T., 2=23805
- iklejohn, W.H. Exchange anisotropy - a review, 2=2728
- iklyar, P.V. Absorption of light in silver halides, 2=12585
- iklyar, P.V. Absorption of light in silver halides, 2=14660
- iklyar, P.V. See Sadykova, A.A., 2=23471
- illing, W., Schintlmeyer, J. and Stary, F. A differential-coincidence circuit for the nanosecond region, 2=2984
- iman, N. and Gokhfel'd, I. Solution of equations of the Chew-Mandelstam type, 2=20379
- incke, P.P.M. Two-atom model for thermal expansion of solids, 2=8176
- indl, P. See Getoff, N., 2=23225
- inel, A.B. New frontiers of astronomical technology, 2=2519
- inel, A.B. Design considerations for a large-aperture orbital telescope, 2=13087
- iron, J. See Jaffe, J.H., 2=1255
- isel, A. and Ehrhardt, H. A focussing high vacuum X-ray spectrograph of high resolving power, 2=5424
- isel, A. and Nefedow, W. Influence of the excitation conditions on the breadth of X-ray emission lines, 2=7695
- isel, A. and Nefedow, W. X-ray K- and L_{III} level widths, 2=10212
- isel, A. and Nefedow, W. Contribution to the multiplet structure of X-ray emission lines, 2=10213
- isel, A. and Nefedow, W. Influence of the chemical binding on the shape and width of X-ray emission lines, 2=21262
- isenheimer, R.G. See Lukens, H.R., Jr., 2=9225
- isingseth, E. and Cyvin, S.J. Vibrational mean-square amplitude matrices. XVIII. The Bastiansen-Morino shrinkage effect of symmetrical XY₂ and XY₄ molecules, 2=18434
- isingseth, E. See Brun, T.S., 2=8919
- isingseth, E. See Cyvin, S.J., 2=22993
- issner, H. Surface energy effects at the boundary between a superconductor and a normal conductor, 2=9488
- issner, H.G. See Schubert, K., 2=17016
- ister, G. Gamma and thermal neutron flux calculation for detectors in charge and discharge channels of MERLIN reactor, 2=10169
- ister, H. Measurements on a subcritical D₂O-moderated reactor lattice, 2=10164
- ister, H.J. Motion of the polarization vector of a Dirac particle in a macroscopic electromagnetic field, 2=5571
- Meister, R. See Cerceo, M., 2=9274
- Meitert, J. See Literat, R., 2=4617
- Meitzler, A.H. Transmission characteristics of longitudinal mode, strip delay lines having asymmetrically tapered widths, 2=5110
- Meitzler, A.H. Selective attenuation of elastic wave motions in strips of polycrystalline metals, 2=9336
- Meixner, B.D. See Evans, M.W., 2=13361
- Mekata, M. Magnetic study on Mn₂N and its related compounds, 2=16923
- Mekata, M. See Tsuchida, T., 2=3993
- Mekhtiev, G.F. Cross-relaxation in substances containing paramagnetic centres of two types, 2=8667
- Mekhtiev, R.F. and Paritskii, L.G. Kinetics of photoconductivity in GaSe, 2=18745
- Mekhtiev, R.F. and Paritskii, L.G. Kinetics of photoconductivity in GaSe, 2=23462
- Melamid, A.E. See Ergakov, V.A., 2=20196
- Melamid, A.E. See Khlebnikov, N.S., 2=20018
- Melcher, H., Glaser, M. and Gerth, E. Possibility of projection for electrical dust figure methods with a few examples of its applications, 2=9676
- Melcher, J.R. Electrohydrodynamic and magnetohydrodynamic nonlinear surface waves, 2=20125
- Meleka, A.H. and Harris, L.B. Cyclic-induced ductility in zinc, 2=21428
- Melekhin, V.N. Vertical focusing in a microtron, 2=9667
- Melekhin, V.N. See Kapitsa, S.P., 2=22289
- Meleshina, A.M. Use of the metal molecular model in calculation of the influence of molecular vibrations on forbidden transitions, 2=12341
- Melesko, L.O. Crystallization of a supercooled liquid in an ultrasonic wave field, 2=4388
- Melesko, L.O. The theory of formation of nuclei of a new phase, 2=10796
- Melehy, M.A. Theory of minority carrier thermoelectric cooling, 2=14594
- Melford, D.A. The use of electron probe microanalysis in physical metallurgy, 2=10922
- Melhuish, W.H. Calibration of spectrofluorimeters for measuring corrected emission spectra, 2=22027
- Meligy, A.S. and El Gazzzy, E.M. Expansions of Coulomb wave in terms of Bessel functions, 2=19430
- Melik-Adamyan, V.P. See Zhuravlev, N.V., 2=10905
- Melin, O. See Sujkowski, Z., 2=1845
- Melin, O. See Uhler, J., 2=5873
- Melioranskii, A.S. Scintillation gamma-spectrometer for measuring coincident radiations, 2=20296
- Melioranskii, A.S. and Petushkov, A.A. A coincidence circuit for the simultaneous measurement of the number of true and random coincidences, 2=7544
- Melioranskii, A.S. See Kalinkin, L.F., 2=16420
- Melis, A. The auto-confinement of a plasma column in the adiabatic approximation, 2=19965
- Melkanoff, M.A., Sawada, T. and Cindro, N. Optical model parameters for the interaction of intermediate energy deuterons with nuclei, 2=20662
- Melkanoff, M.A. See Helmy, E., 2=16243
- Melkanoff, M.A. See Nodvik, J.S., 2=3564
- Melkonian, E. Application of surface barrier solid state ionization chambers to measurements on fission, 2=3634
- Mellichamp, J.W. See Adams, I., 2=4191
- Mellichamp, J.W. See Adams, I., 2=14756
- Mellisinos, A.C., Fazio, G.G., Yamanouchi, T., Lindenbaum, S.J. and Yuan, L.C.L. π -meson production in 2.9 BeV p-p collisions, 2=5710
- Mellor, P.B. See Johnson, W., 2=15517
- Melmed, A.J. Electrical measurement of whisker field-emission characteristics, 2=8799
- Melngailis, I. and Milnes, A.G. Filamentary impact ionization in compensated germanium at 4.2°K, 2=8334
- Melngailis, I. and Rediker, R.H. Negative resistance InSb diodes with large magnetic field effects, 2=14570
- Melngailis, J. and O'Hara, S. Diffusion of vacancies during quenching of Ge and Si, 2=21076
- Mel'nik, P.G. See Lifshits, T.M., 2=14583
- Mel'nikov, G.P. Decreasing the inconstancy of the output pulse delay time in an amplitude analyser, 2=1363
- Mel'nikov, G.P. The measurement of multi-dimensional spectra in nuclear physics, 2=7546
- Melnikova, M.V. See Troitskaya, V.A., 2=17219
- Mel'nikov, V.N. See Grashin, A.F., 2=18060
- Mel'nikova, V.V. See Pavlov, V.A., 2=23760

- Melton, C.E. Ionization and excitation processes in argon, krypton, and the C_2 hydrocarbons produced by various means, 2-19895
- Melton, C.E. See Rudolph, P.S., 2-6893
- Meltz, G. See Shore, R., 2-13689
- Meltzer, B. Space-charge-limited currents in cylindrical and spherical insulator diodes, 2-6534
- Meltzer, C. See Pevsner, A., 2-5719
- Meltzer, C. See Pevsner, A., 2-22572
- Melvin, M.A. Errata and note: elementary particles and symmetry principles, 2-22395
- Mel'yanovskii, P.A., Mikhailenko, S.A. and Kotenko, A.A. Bridge for use in dielectric measurements on strongly absorbing media at radio frequencies, 2-19877
- Memming, R. See Grimmel, H.G., 2-14582
- Memming, R. See Groth, R., 2-2159
- Men', A.N. The determination of the congruential specific heat of many-component spinels, 2-3838
- Men', A.N. Distribution of cations in a multicomponent spinel, 2-15037
- Men', A.N. Determination of the short-range parameters for the first coordination sphere of a disordered solid solution, 2-8861
- Men', A.N. Distribution of cations in a multicomponent spinel, 2-12918
- Men', A.N. Determination of the concentration and temperature dependence of the correlation parameters of three-component spinels, 2-19028
- Men', A.N. Determination of the [correlation] parameters of short-range order for the first co-ordination sphere of an unordered [multicomponent] solid solution, 2-23892
- Men', A.V. See Bass, F.G., 2-6921
- Men', A.V. See Sodin, L.G., 2-24169
- Mên Hsien-chên See Mén' Syan'-chzhen', 2-18901
- Mên Hsien-chên. See Mén' Syan'-chzhen', 2-18936
- Menard, R.C. Optical measurement of oxide thickness on titanium, 2-7370
- Menashin, M.E. See Bondarenko, A.V., 2-10181
- Mencarelli, E. Microfractographic character of corrosion cracks under tension in an alloy of aluminium - 7% magnesium, 2-8748
- Mencuccini, C., Querzoli, R. and Salvini, G. Polarization of the recoil proton from the neutral photoproduction at 800 and 910 MeV, 2-11976
- Mencuccini, C., Querzoli, R. and Salvini, G. The polarization of the protons from the reaction $\gamma + p \rightarrow \pi^0 + p$ at 910 MeV, 2-22520
- Mencuccini, C. See Deutsch, M., 2-22557
- Mendel, H. Experimental determination of order phenomena in liquids and amorphous solids, 2-9257
- Mendel, H. See Otvos, J.W., 2-15564
- Mendelson, S. Dislocations and plastic flow in NaCl single crystals, 2-16954
- Mendelson, S. Role of surfaces in plastic flow of NaCl single crystals. II, 2-16955
- Mendelssohn, K., [Ed.] Progress in cryogenics. Volume 3, 2-1321
- Mendelssohn, K. Experimental work on superconductivity, 2-7515
- Mendelssohn, K. See Bhagat, S.M., 2-5226
- Mendelssohn, K. See Calverley, A., 2-6292
- Mendelssohn, K. See Carruthers, J.A., 2-10464
- Mendelssohn, K. See Connolly, A., 2-8183
- Mendelssohn, K. See Lee, J.A., 2-12456
- Mendelssohn, K. See Lee, J.A., 2-23238
- Mendlowitz, H. and Simpson, J.A. On the theory of diffraction grating interferometers, 2-11496
- Mendonça, F.de See de Mendonça, F.
- Ménéil, R. See Deveni, A., 2-12491
- Menefee, E. and Pao, Y.H. Electron conduction in charge-transfer molecular crystals, 2-16673
- Meneley, D.A. See James, C.G., 2-16448
- Menichella, E.S. See Erba, E., 2-12128
- Menichella, E.S. See Facchini, U., 2-16409
- Menichella, A. See Satta Menichella, A.,
- Menkes, S.B. Reactor-calculation short cuts. Maximum-to-average flux ratio for a cylinder, 2-3646
- Menkes, S.B. See Goldman, A.J., 2-3646
- Men'khard, N. and Zimani, I. Linear Polarization of γ -rays produced in the (d, p γ) stripping reaction, 2-479
- Men'khard, N. and Zimani, I. Linear polarization of γ -rays produced in the (d, p γ) stripping reaction, 2-22848
- Menne, T.J. Distorted wave effects in proton inelastic scattering, 2-20606
- Menniger, H. See Eckart, F., 2-8790
- Mennrath, P. See Gorodetzky, S., 2-376
- Mennrath, P. See Gorodetzky, S., 2-13980
- Mennrath, P. See Gorodetzky, S., 2-13996
- Mennrath, P. See Gorodetzky, S., 2-16327
- Mennrath, P. See Gorodetzky, S., 2-20522
- Menon, M.G.K. See Balasubrahmanyam, V.K., 2-20448
- Menon, M.P. See Kuroda, P.K., 2-5987
- Menon, P.G. See De Boer, J.H., 2-17076
- Menon, T.K. See Kahn, F.D., 2-4832
- Menotti, P. Subtraction constants in $\pi - \pi \rightarrow N - N$ dispersion relations, 2-11980
- Menotti, P. See Hamilton, J., 2-22596
- Menoud, C. See De Prins, J., 2-3161
- Menoud, C. See de Prins, J., 2-5466
- Men'shikov, M.I. Development of vacuum technique (review), 2-12
- Men' Syan'-chzhen' [Mên Hsien-chên] Spectrum of elementary excitations and tensor magnetic susceptibility of a ferrimagnetic ellipsoid, 2-18901
- Mên' Syan'-chzhen- [Mên Hsien-chên], Starobinets, S.S. and Gurevich, A.G. The effect of impurities on the anisotropy of width of the resonance curve in ferrites, 2-18936
- Menter, J.W., Pashley, D.W. and Presland, A.E.B. The study of radiation damage by ion bombardment of thin films, 2-23150
- Mentesku, L. See Udrya, I., 2-6044
- Mentillo, L.R. See Carpenter, R.D., 2-3614
- Mentkova'skii, Yu.L. Van Hove's theory of clothed particles, 2-223
- Mentkova'skii, Yu.L. Analytical properties of partial wave-scattering amplitudes of charged particles, 2-22452
- Menyhár, N. and Zimányi, J. On the mechanism of the B^{10} (d, p) B^{11*} stripping reaction, 2-5959
- Menyuk, N., Dwight, K., Lyons, D. and Kaplan, T.A. Classical theory of the ground spin-state in normal tetragonal spinels. I. Néel, Yafet-Kittel, and collinear antiferromagnetic modes, 2-21341
- Menyuk, N., Wold, A., Rogers, D. and Dwight, K. Magnetic transitions in cubic spinels, 2-12671
- Menyuk, N. See Dwight, K., 2-12732
- Menyuk, N. See Wickham, D.G., 2-4234
- Menyuk, N. See Wold, A., 2-12697
- Menz, W. See Budde, J., 2-7182
- Menzel, D.H. A relationship between flares and loop prominences, 2-974
- Menzel, D.H. and Doherty, L.R. Theoretical intensity profiles of the solar spectrum near Lyman- α , 2-15345
- Menzel, E. Problems of optical transfer, 2-21996
- Menzel, E. and Gebhart, J. Optical constants of massive nickel and iron, 2-16802
- Menzel, E. and Niederauer, K. Nuclei in discontinuous oxidation of copper, 2-16986
- Menzel-Kopp, C. Complete system of reflections for electron diffraction at a spherical copper crystal at 60 keV, 2-14992
- Mer, V.K.La See La Mer, V.K.
- Mercado, M. See Edwards, D.F., 2-7460
- Mercer, E.E. See Argue, G.R., 2-1305
- Mercereau, J.E. and Hunt, T.K. Trapped flux and critical currents superconducting thin-film rings, 2-13513
- Merceron, T. See Braginski, A., 2-4243
- Mercier, C. A necessary criterion of hydromagnetic stability for an axially symmetric plasma, 2-179
- Mercier, C. and Cotsaftis, M. Equilibrium and stability of an axially symmetric plasma with anisotropic pressure, 2-3028
- Mercier, P. Calculation for the reduction factor of the bearing area [of a blade or vane] in a bounded stream, 2-5040
- Mercier, R.P. Diffraction by a screen causing large random phase fluctuations, 2-9405
- Merck, K.R. Crack formation in uranium, 2-8751
- Mercouloff, W. Observation of quantum effects associated with cyclotron resonance in the valence band of germanium, 2-4021
- Mercouloff, W. Study of the valence band of germanium by cyclotron resonance Quantum effects, 2-12517
- Meredith, K.E.G. See Butcher, B.R., 2-4470
- Meredith, R.E. See Fox, K., 2-16544
- Mergerian, D. and Marshall, S.A., Irradiation-produced paramagnetic oxides of nitrogen in single-crystal potassium azide, 2-21089
- Mergerian, D. See Markham, J.J., 2-692
- Meric, J. See Gautier, P., 2-11597
- Merino, F. See Casas, J., 2-7320
- Merinis, J. See Foucher, R., 2-22766
- Merisov, B.A. See Pervakov, V.A., 2-23235
- Merkle, K.L. Fission-fragment tracks in metal and oxide films, 2-23227
- Merkul'ev, Yu.A. See Antonov, A.V., 2-18126
- Merkulov, L.G. and Sokolova, E.S. Ultrasonic absorption near the Curie point in Rochelle salt, 2-16600
- Merkulov, L.G. and Yakovlev, L.A. Propagation and reflection of ultrasonic beams in crystals, 2-23061
- Merkulov, L.G. See Dianov, D.B., 2-23974

- rin, M. See Baldassarre, F., 2-22562
 rlo, J.P. See Brisson, J.C., 2-22567
 rman, N.V. See Belorossova, T.S., 2-19682
 rmaz, M. See Cassagnou, Y., 2-22845
 rmin, N.D. RPA instability and the gas-liquid transition. I, 2=15802
 rmin, N.D. RPA instability and the gas-liquid transition. II. Effect of short range repulsion, 2=15803
 rmod, R. See von Dardel, G., 2-13853
 rmod, R. See Von Dardel, G., 2-22592
 rra, S. See Glaser, P.E., 2=2907
 rrer, A.J. See Barrow, R.F., 2=10244
 rriam, M.F., Smoluchowski, R. and Wiegand, D.A. High-temperature thermal expansion of rocksalt, 2=3850
 rriam, M.F., Wiegand, D.A. and Smoluchowski, R. Enhanced thermal expansion in X-rayed rocksalt, 2=3849
 rrifield, R.E. Vibrational structure of molecular exciton states, 2=16635
 rrihue, C.M., Pepin, R.O. and Reynolds, J.H. Rare gases in the chondrite Pantar, 2=17267
 rrill, R.G. and Mansfield, W.V. Radiation patterns in the lower ionosphere and Fresnel zones for elevated antennas over a spherical earth, 2=16078
 rrison, A.W. Counter techniques in high-energy nuclear physics. Rare decays of π^- and μ^- mesons, 2=1699
 rrison, A.W. Recent advances in pion and muon physics, 2=11972
 rritt, J.S. and Taylor, J.G.V. The half-lives of K^{42} and Br^{82} , 2=22753
 rritt, J.S. See Taylor, J.G.V., 2=18298
 rritt, R.P. See Little, C.G., 2=17160
 rten, L. The effect of optical vibrations on the infrared dispersion in diatomic polar crystals with trigonal, tetragonal and hexagonal symmetry, 2=686
 rten, L. Lattice vibrations in crystals with wurtzite structure. III. Discussion of vibrational modes in special directions with vanishing Coulomb forces. Comparison with the zincblende structure, 2=12374
 rten, L. Lattice theory of the piezoelectric and elastic properties of crystals with the zincblende structure with allowance for electronic polarization. I. General relations due to crystal symmetry, 2=12575
 rten, U. and Hatcher, A.P. The distribution of zinc between solid InSb and In-Sb melts, 2=17050
 rtens, R. Diffraction of light by two parallel superposed supersonic waves, one being the n-th harmonic of the other: a critical study of the methods leading to approximate solutions in finite form, 2=15745
 rtens, R. See Hargrove, L.E., 2=9406
 rtisching, J. Theory of ultrasonic absorption at high frequencies in metals in a magnetic field, 2=2049
 rtisching, J. Validity of the Weinreich relation, 2=14530
 rtisching, J. Acoustoelectric effect in many-valley semiconductors, 2=16707
 rx, H. See Legrand, C., 2=4477
 rz, E. Mercury-194 decay, 2=7958
 rz, E.R. and Caretto, A.A., Jr. Recoil behavior of the Cu^{66} (p,pn) Cu^{64} reaction, 2=12193
 rz, W.J. Ferroelectricity, 2=21212
 rz, W.J. See Fatuzzo, E., 2=21214
 rz, W.J. See Nitsche, R., 2=23475
 rzari, F. See Facchini, U., 2=14118
 rzari, F. See Marcuzzan, M.G., 2=16210
 rzbacher, E. Single valuedness of wave functions, 2=9188
 rzon, G.I. See Bannik, B.P., 2=3602
 rzon, G.I. See Kotenko, L.P., 2=16232
 rservey, R. Flow instability in liquid helium II, 2=19798
 shcherov, R.A. See Arzumanov, A.A., 2=13619
 shcherov, R.A. See Arzumanov, A.A., 2=20076
 shcherov, R.A. See Babichev, A.P., 2=22286
 shcherov, R.A. See Zavenyagin, Yu.A., 2=17915
 shcheryakov, R.P. See Berzin, A.K., 2=427
 shcheryakov, R.P. See Berzin, A.K., 2=22794
 shcheryakov, V.A. See Logunov, A.A., 2=9775
 shcheryakov, V.A. See Logunov, A.A., 2=20246
 shii, M., Mori, T. and Kauffman, J.W. Recovery of electrical resistivity in gold quenched from below 700°C, 2=6409
 shii, M. See Mori, T., 2=21001
 shkov, N. Shell model study of Li^8 with the Gammel and Thaler two nucleon potential, 2=16291
 shkov, N. See Glick, A., 2=1767
 shkov, S. The shell-model and its relation to rotations and vibrations, 2=1771
 shkov, S. See Levinson, C.A., 2=11873
 Meshkov, S. See Levinson, C.A., 2=13797
 Meshkov, S. See Levinson, C.A., 2=13823
 Mes'kin, V.S., Mishkevich, R.I. and Serova, N.Sh. Hardness variations in the technical alloys platinum-tungsten and palladium-tungsten, 2=23793
 Mes'kin, V.S., Sergienko, R.I. and Popova, L.A. Electrical resistivity anomalies and the formation of a K state in the systems palladium-tungsten and palladium-molybdenum, 2=21093
 Mesler, R.B., O'Brien, H.G. and Freed, D. Laboratory experiments using a pulsed neutron source, 2=5995
 Mesnard, G. Experimental study of the wave-functions and energy levels of electrons in simplified models of solids, 2=10348
 Messenger, C. and Herzog, E. The possibility of forming Fe-Al alloys that can be laminated, by diffusion of aluminium into ferrous alloys, 2=17051
 Messbauer, [Mössbauer], R.L. Recoil-less resonance absorption of gamma quanta in solids, 2=8154
 Messel, H., Crawford, D.F., Smirnov, A.D., Varfolomeev, A.A. and Butcher, J.C. Results on the angular and radial distributions of particles in electron-photon showers, 2=12085
 Messelt, S. See Børresen, S., 2=20363
 Messelt, S. See Grimeland, B., 2=18131
 Messerle, H.K. See George, D.W., 2=22322
 Messerly, J.F. See Scott, D.W., 2=3732
 Messerly, J.F. See Scott, D.W., 2=15822
 Messerly, J.F. See Scott, D.W., 2=20847
 Messiaen, A.M. and Vandenplas, P.E. Resonant behaviour of a cylindrical column of plasma in free space with and without steady magnetic fields, 2=17828
 Messiah, A. The search for high isospin states of elementary particles, 2=20326
 Messier, J. and Valin, J. Influence of the presence of a PP^+ junction on the behaviour of a nuclear particle detection with an NP junction, 2=9745
 Messmer, J.H. See Warren, J.E., 2=20945
 Metal'nikov, Iu.N. See Shorin, K.N., 2=1544
 Meth, I.M. and Graveson, R.T. Nuclear pulse current-sensitive amplifiers, 2=22138
 Metheringham, A.J. and Willits, T.R. A balanced ionization chamber for accurate beam location, 2=20184
 Metheringham, A.J. See Cairns, D.J., 2=3224
 Methfessel, S., Middelhoek, S. and Thomas, H. A new method to determine ferromagnetic exchange constants, 2=14794
 Metil', T.P. See Shmayevsk'kiy, V.Ye., 2=18762
 Metshcherov, R.A. See Arzumanov, A.A., 2=7686
 Mette, H. See Gärtner, W.W., 2=14523
 Metz, E.P.A., Miller, R.C. and Mazelsky, R. A technique for pulling single crystals of volatile materials, 2=14956
 Metzendorf, W. Processes during the quasistatic magnetization of thin films, 2=23666
 Metzendorf, W. See Brackmann, J., 2=8637
 Metzger, A.E. See Van Dilla, M.A., 2=19279
 Metzger, F.R. Mean life of the 265 keV excited state in As^{75} , 2=16310
 Metzner, A.W.K. See Bondi, H., 2=17345
 Meulders, J.P. See Deconinck, G., 2=465
 Meulders, J.P. See Deconinck, G., 2=20676
 Meunier, R. See Dowell, J.D., 2=13890
 Meunier, R. See Dowell, J.D., 2=22641
 Meurers, J. Statistical criterion for randomness relative position of star clusters, 2=15384
 Meussner, R.A. See Fujii, C.T., 2=7167
 Meyer, A. and Murray, R.B. Effect of energetic secondary electrons on the scintillation process in alkali halide crystals, 2=23615
 Meyer, A. See Murray, R.B., 2=17997
 Meyer, A. See Zerby, C.D., 2=5521
 Meyer, A.J.P. The magnetic conditions for a quadratic antiferromagnetic crystal, 2=10680
 Meyer, A.J.P. and Asfeld, R. Magnetic properties of a Cr-Pt alloy with 30 atomic % Cr, 2=18893
 Meyer, A.J.P. and Besnus, M.J. The magnetic properties of $MnAu_8$, 2=4201
 Meyer, D.T. See Lucas, M.S.P., 2=19816
 Meyer, E. and Kuttruff, H. Architectural-acoustic measures taken in the construction of the plenary chamber of the Baden-Württemberg State Assembly in Stuttgart, 2=13421
 Meyer, E. and Schunk, E. Investigation of a model for rapid transformation in the air chambers of horn loudspeakers, 2=2843
 Meyer, E. See Fetz, H., 2=11704
 Meyer, F. See Lüst, R., 2=13131
 Meyer, G. Evaporated films of iron with reproducible optical constants, 2=8480
 Meyer, G. Optical constants of evaporated iron films, 2=12577

AUTHOR INDEX

- Meyer, G. See Horstmann, M., 2=10820
Meyer, G. See Krause, G., 2=23514
Meyer, H. The susceptibility of NO in β -quinol clathrates, 2=2268
Meyer, H. See Harris, A.B., 2=16629
Meyer, H. See Hill, J.S., 2=10650
Meyer, H.J.G. On the low temperature limit of mm-wave cyclotron resonance line widths, 2=23141
Meyer, H.J.G. See Goossens, W.J.A., 2=4000
Meyer, H.O.A. See Milledge, H.J., 2=23163
Meyer, J. The resonance characteristics of open-lip pipes, 2=7301
Meyer, J. and Lottermoser, W. Possibilities in the acoustic estimation of grand pianos, 2=2838
Meyer, J. See Barloutaud, R., 2=5711
Meyer, J. See Barloutaud, R., 2=9893
Meyer, J. See Barloutaud, R., 2=16231
Meyer, J. See Barloutaud, R., 2=22560
Meyer, J. See Grard, F., 2=1715
Meyer, J. See Grard, F., 2=22513
Meyer, J. See Lottermoser, W., 2=1235
Meyer, K. The investigation of microscopic and submicroscopic structure on mechanically worked faces of fluor spar, 2=12874
Meyer, K. and Keutel, M. Electron-microscopic investigations on mechanically worked and tempered rocksalt crystals, 2=4352
Meyer, K. and Keutel, M. The recovery of mechanically worked faces of NaCl during heat-treatment in vacuum, 2=12861
Meyer, L. The rate of formation of tracks in a cloud-chamber, 2=3223
Meyer, L., Davis, H.T., Rice, S.A. and Donnelly, R.J. Mobility of ions in liquid He³ and He⁴ as a function of pressure and temperature, 2=15832
Meyer, L. See Davis, H.T., 2=21895
Meyer, M.A. Multiple coulomb scattering from finite nuclei, 2=3539
Meyer, M.A., De Villiers, J.A.M., Wolmarans, N.S. and Koen, J.W. Scattering of cosmic ray muons with momenta between 165 and 1020 MeV/c in lead, 2=8001
Meyer, M.A., De Villiers, J.A.M., Wolmarans, N.S., Koen, J.W. and Lessing, I.J. Scattering of cosmic ray muons with momenta between 298 and 773 MeV/c in iron and tin, 2=12097
Meyer, M.A., De Villiers, J.A.M., Wolmarans, N.S., Koen, J.W. and Lessing, I.J. Scattering of cosmic ray muons with momenta between 300 and 1000 MeV/c in lead, tin and iron, 2=13920
Meyer, M.A., De Villiers, J.A.M. and Van Der Walt, A.J. Hodoscope system for experiments on the scattering of cosmic ray mu-mesons, 2=3425
Meyer, M.A. See Coxell, H., 2=3189
Meyer, M.A. See Hughes, E.B., 2=14100
Meyer, M.F. Experiments with air puffs destroy the dogma of the uniqueness of the sinusoidal wave, 2=4898
Meyer, M.F. Helmholtz's aversion to tempered tuning experimentally shown to be a neurological problem, 2=4902
Meyer, M.F. Listeners can be seduced to perceive the paradoxical ratio 51 : 87 as either one of another truly melodic interval, 2=24208
Meyer, O.L. See Harman, G.G., 2=14544
Meyer, P. and Vogt, R. The primary cosmic-ray electron flux during a Forbush-type decrease, 2=7912
Meyer, P. and Vogt, R. High-energy electrons of solar origin, 2=13925
Meyer, P. Electrons and γ -rays in the primary cosmic radiation, 2=20454
Meyer, P. and Vogt, R. Some properties of the primary cosmic ray electrons, 2=20447
Meyer, P. See Simpson, J.A., 2=12050
Meyer, P. See Simpson, J.A., 2=17209
Meyer, R.E. On the far field of a body rising through the atmosphere, 2=19199
Meyer, S.A. Calculation of color difference equations, 2=9360
Meyer, S.L. See Fitch, V.L., 2=14095
Meyer-Berkhout, U. See Engelmann, R., 2=18250
Meyer-Berkhout, U. See Fuchs, H., 2=7971
Meyerhofer, D. Impurity levels and mobility in p-type GaAs, 2=23388
Meyerhofer, D., Brown, G.A. and Sommers, H.S., Jr Degenerate germanium. I. Tunnel, excess, and thermal current in tunnel diodes, 2=12533
Meyerhoff, K. See Hietel, B., 2=841
Meyerhoff, R.W. and Smith, J.F. Anisotropic thermal expansion of single crystals of thallium, yttrium, beryllium and zinc at low temperatures, 2=2056
Meyerott, R.E. See Armstrong, B.H., 2=9318
Meyers, F.J. See McClung, F.J., 2=23545
Meyerstein, D. and Treinin, A. Absorption spectra of NO₂ in solution, 2=5024
Meyerstein, D. and Treinin, A. The relation between lyotropic and spectroscopic properties of anions in solution, 2=10983
Meyers, C.L. and Sherby, O.D. Creep of sintered aluminium powder above and below the melting point of aluminium, 2=16961
Meynadier, C. See Sarazin, A., 2=11830
Mez, H.C. See Tracy, J.W., 2=15023
Mezard, R. See Zarzycki, J., 2=15075
Mezzanares, F. See Emma, V., 2=423
Mezzanares, F. See Jannelli, S., 2=18345
Mezzetti, L. See Beneventano, M., 2=22558
Miari, G. See Ely, R.P., 2=18173
Miari, G. See Ely, P.P., 2=22613
Miasek, M. and Suffczynski, M. Space group of white tin. IV. Basic functions for the irreducible representations at symmetry points, 2=16630
Michael, P. See Chernick, J., 2=18379
Michaeli, I. and Kedem, O. Description of the transport of solvent and ions through membranes in terms of differential coefficients. I. Phenomenological characterization of flows, 2=5007
Michaelis, E.G. See Citron, A., 2=5703
Michaelis, E.G. See Citron, A., 2=13841
Michaelis, E.G. See Citron, A., 2=20658
Michaelis, R.E., Alvarez, R. and Kilday, B.A. Determination of minor constituents in low-alloy-steels by X-ray spectroscopy, 2=458
Michaels, A.S. and Bolger, J.C. The plastic flow behavior of flocculated kaolin suspensions, 2=19521
Michaels, J.E. Thermal impact — the mechanical response of solids to extreme electromagnetic radiation, 2=11398
Michaels, S.B. See Lieberman, P., 2=21751
Michalec, R. and Ruskov, T. Measurement of circular polarization gamma-rays emitted by nuclei following capture of polarized thermal neutrons, 2=18304
Michalowicz, A. See Caverzasio, C., 2=291
Michalowicz, A. See Yuasa, T., 2=5540
Michalski, K. See Wesolowski, J., 2=11042
Michard, R. Formation of the Fraunhofer lines in the presence of magnetic field, 2=13124
Michard, R. See Evans, J.W., 2=15332
Michaud, R. See Latière, H.J., 2=12858
Michaudon, A. and Ribon, P. Contribution to the determination of neutron resonance parameters of U²³⁵, 2=463
Michaudon, A. See Nifenecker, H., 2=464
Michaudon, A. See Ribon, P., 2=462
Michaudon, A. See Ribon, P., 2=12143
Michel, A. See Lecocq, P., 2=734
Michel, A. See Lecocq, P., 2=4215
Michel, F.C. See Mayer-Kuckuk, T., 2=16353
Michel, H. See Boersch, H., 2=23143
Michel, K.H. Statistical theory results on multiple particle production from π -N collisions at 3 GeV, 2=9897
Michel, L. Relations between polarizations due to charge independence, 2=5586
Michel, L. See Lurcat, F., 2=22462
Michel, M.C. See Asaro, F., 2=1831
Michell, D. and Smith, A.P. Effect of deformation on the position of X-ray diffraction lines from gold, 2=23841
Micheletti, S. and Mead, J.B. Direct interaction mechanism in (d, α) reactions, 2=20668
Michelis, B. De. See De Michelis, B.
Michels, A. and Prins, C. The melting lines of argon, krypton and xenon up to 1500 atm; representation of the results by a law of corresponding states, 2=5220
Michels, W.C. The role of experimental work, 2=7099
Michelson, C. See Lidsky, L.M., 2=17794
Michie, R.W. See Brandt, J.C., 2=17237
Michikawa, T. See Teranishi, E., 2=12187
Mickelwait, A.B., Tompkins, E.H., Jr and Park, R.A. Interplanetary navigation, 2=19354
Micu, M. Disintegration of deuterons in nuclear collisions, 2=5958
Micu, M. See Brändus, I., 2=7961
Miczaika, G.R. and Dieter, N.H. A fast technique for satellite position determination with large tracking cameras, 2=11206
Middelhoek, S. Constriction of hard direction hysteresis loops in thin Permalloy films, 2=12656
Middelhoek, S. Domain wall creeping in thin permalloy films, 2=11206
Middelhoek, S. Creeping of domain walls in thin Ni-Fe films, 2=11206
Middelhoek, S. See Methfessel, S., 2=14794
Middelkoop, W.C. See Fidecaro, M., 2=9840
Middelkoop, W.C. See Fidecaro, M., 2=22506

- ddleton, R. and Hinds, S. Angular distributions of the protons from the $Mg^{24}(d,p)Mg^{25}$ reaction measured with a multichannel magnetic spectrograph, 2=14131
- ddleton, R. See Hinds, S., 2=1816
- ddleton, R. See Hinds, S., 2=1913
- ddleton, R. See Hinds, S., 2=12135
- ddleton, R. See Hinds, S., 2=16430
- ddleton, R. See Pullen, D.J., 2=18232
- dera, M. See Shoda, K., 2=20591
- egley, J.E. and Davis, L., Jr. Computation of the bounding surface of a dipole field in a plasma by a moment technique, 2=9577
- dzuno, Y. Scattering of microwaves from a cylindrical plasma in the Born approximation. III, 2=22203
- edema, A.R. Some experiments on heat transfer and magnetisation below $1^\circ K$. I-VI, 2=13496
- edema, A.R., van Kempen, H., Haseda, T. and Huiskamp, W.J. Thermal and magnetic properties of $CuSO_4 \cdot 5H_2O$ and $CuSeO_4 \cdot 5H_2O$ below $1^\circ K$, 2=6282
- eg, P. Effect on wave propagation in a plasma cable of plasma drift velocity, and of the ratio of the radii of the inner and outer conductors, 2=7763
- ehrer, R.L. Quadrupolar nuclear relaxation in the III-V compounds, 2=8696
- ehrer, R.L. Electron nuclear double resonance study of lithium A centers in KCl, 2=14470
- ekisz, S. Non-stationary flow of a viscous fluid through vessels having elastic walls. Linear approach, 2=2682
- ekisz, S. On the dispersion of the propagation velocity of a disturbance in a liquid flowing through elastic-walled vessels, 2=2683
- ekisz, S. On the relation between pressure and flow in an elastic tube, 2=4980
- elczarek, S.R. See Marton, L., 2=3799
- elenz, K.D. Focal curves and astigmatism of minor spectrographs, 2=22023
- elnik, B. and Plebanski, J. A study of geodesic motion in the field of Schwarzschild's solution, 2=11259
- erzejewski, S. Apparatus for counting the number and integral length of measured segments, 2=19688
- erzejewski, S. Instrument for measurements of multiple scattering, 2=20208
- erzejewski, S. Microscope stages for nuclear emulsion measurements, 2=20209
- erzejewski, S. Gap meter, 2=22371
- es, F.H. Continuum radiation from ionized rare gases in reflected shock waves, 2=21931
- es, F.H. and Shuler, K.E. Quantum-mechanical calculation of harmonic oscillator transition probabilities. II. Three-dimensional impulsive collisions, 2=16461
- eschner, E. See Lagerqvist, A., 2=10263
- essner, B.F. Comments on "linguistic consideration of porpoise sounds", 2=11220
- essner, B.F. Modulation of the frequencies of the partials of beams above the first by vibration at I, as by the other bending forces, 2=13397
- essner, H. See Boersch, H., 2=15961
- essner, M. See Boersch, H., 2=20984
- gchelsen, T. See Hazekamp, R., 2=15031
- gdal, A.B. Single-particle excitations and superfluidity in Fermi systems with arbitrary interaction. Application to the nucleus, 2=7827
- guel, L. De. See De Miguel, L.
- guel, M. See Houtermans, H., 2=14011
- gula, Z. See Griat, W., 2=4033
- halilović, M.V. See Cvelbar, F., 2=16181
- halcu, M. See Rosenberg, M., 2=10519
- halczo, J.T. and Neeley, V.I. The infinite neutron multiplication constant of homogeneous hydrogen-moderated 2.0 wt.-%- U^{235} enriched uranium, 2=14156
- haljan, J.M. The baroclinic instability of a " $2\frac{1}{2}$ dimensional model atmosphere" in which the upper level is non-divergent, 2=8962
- halov, J.D. See Nakada, M.P., 2=19280
- helich, J.W. See Prask, H.J., 2=3491
- helich, J.W. See Prask, H.J., 2=20558
- helich, J.W. See Schwerdtfeger, C.F., 2=7946
- helich, J.W. See Schwerdtfeger, C.F., 2=14047
- hran, T.G. R.F. current behavior in electron beams with d.c. velocity spread, 2=9630
- hu, V.P. The absorption of electromagnetic waves in ionized oxygen, 2=1604
- hu, V.P. The parabolic law applied to the maximum absorption of electromagnetic waves in an ionized gas, 2=17950
- Mihul, C., Pop, V. and Haba, M. Spectral displacement of fluorescence of anthracene solutions and of 9, 10-dibromanthracene in various solvents, 2=7221M
- Mihul, C., Ruscior, C., Pop, V., Suciu, M. and Rădulescu, G. Fluorescence of mineral oils, 2=9285
- Mijlthoff, F.C. and MacGillavry, C.H. Symmetry and unit-cell dimensions of selenium trioxide, 2=15024
- Mijnarends, P.E. Propagation of electromagnetic step functions over a conducting medium, 2=17955
- Mika, J. See Frankowski, W., 2=3652
- Mika, J. See Zelazny, R., 2=3351
- Mika, J.R. Neutron transport with anisotropic scattering, 2=5663
- Mikaelyan, L.A. See Apalin, V.F., 2=1941
- Mikaelyan, L.A. See Apalin, V.F., 2=20693
- Mikaelyan, L.A. See Apalin, V.V., 2=11932
- Mikaelyan, L.A. See Spivak, P.E., 2=429
- Mikaelyan, L.A. See Spivak, P.E., 2=22799
- Mikailoff, H. See Mustellier, J.P., 2=18626
- Mikami, I. Theory of noise in magnetic recording tape coated with magnetic particles, 2=11753
- Mikawa, Y. See Janz, G.J., 2=1265
- Mikeska, E.E. See Hixson, E.L., 2=13408
- Mikhailenko, S.A. See Mel'yanovskii, P.A., 2=19877
- Mikhailov, A.A. Some considerations on the computation of refraction, 2=4708
- Mikhailov, A.A. A problem of the theory of solar eclipses, 2=13120
- Mikhailov, A.A. A problem of the theory of solar eclipses, 2=17270
- Mikhailov, G.G. See Zagorets, P.A., 2=17624
- Mikhailov, G.M., Lundin, A.G. and Gabuda, S.P. Magnetic resonance of F^{19} nuclei in the ferroelectric $(NH_4)BeF_4$, 2=4284
- Mikhailov, H.S. Accretion of crystals with fivefold symmetry, 2=8773
- Mikhailov, I.F. See Borovik, E.S., 2=2787
- Mikhailov, I.G. See Kalugin, B.A., 2=4299
- Mikhailov, N.N. and Kaganovskii, A.Ya. Carbon resistance thermometers for low temperatures, 2=7446
- Mikhailov, N.N. and Kaganovskii, A.Ya. Carbon resistance thermometers for low temperatures, 2=19754
- Mikhailov, N.N. See Alekseevskii, N.E., 2=5240
- Mikhailov, P.S. and Rotenberg, B.A. Electric properties of some solid solutions of divalent metal niobates and tantalates, 2=14613
- Mikhailov, V.M. See Zyryanova, L.N., 2=18294
- Mikhailov, Yu.G. See Kolchin, A.M., 2=142
- Mikhailova, D.N. and Kasabov, I.D. Distribution of diffused phosphorus in silicon, 2=21072
- Mikhailova, M.P. Movement of a piston at uniform speed in an inhomogeneous medium, 2=7174
- Mikhailova, M.P. Movement of a piston at uniform speed in an inhomogeneous medium, 2=11323
- Mikhailova, M.P., Nasledov, D.N. and Slobodchikov, S.V. Photomagnetic effect and photoconductivity in InP, 2=16757
- Mikhailova, M.P., Nasledov, D.N. and Slobodchikov, S.V. Photomagnetic effect and photoconductivity in InP, 2=23465
- Mikhailovskii, A.B. Diamagnetic instability of a plasma with a large ion Larmor radius, 2=19955
- Mikhailovskii, G.A. See Stoianov, P.A., 2=1508
- Mikhailovskii, V.M. See Garber, R.I., 2=21545
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 2=3558
- Mikhalekov, V.S. See Dekhtyar, I.Ya., 2=8194
- Mikhalekov, V.S. See Hertzriken, S.D., 2=6413
- Mikheev, G.F. See Komar, A.P., 2=13618
- Mikheev, N.B. and Glazkov, V.A. A laboratory cryostat, 2=5209
- Mikheev, V.L. See Polikanov, S.M., 2=16442
- Mikhelev, A.A. See Lisovenko, A.T., 2=9231
- Mikhlin, E.Y. and Stavinskii, V.S. An optical-model analysis of the interaction of neutrons with He^4 , C^{12} and O^{16} nuclei, 2=12200
- Mikhlin, E.Ya. See Agranovich, V.M., 2=21086
- Mikhlina, I.M. See Mal'nyev, A.F., 2=21602
- Mikhlina, I.M. See Vzhert, R.V., 2=22987
- Mikhnevich, V.V. Preliminary results of a determination of the density of the atmosphere above 100 km, 2=13015
- Mikhul, E.K. See Barashenkov, V.S., 2=7884
- Mikirov, A.E. Aerosol layer in the upper atmosphere, 2=15208
- Mikirtumov, V.R. See Muskhelishvili, G.N., 2=19530
- Mikke, K., Adamski, L. and Józefowicz, E.T. ZnS(Ag)-paraffin detectors for fast neutrons, 2=296
- Mikkola, D.E. and Cohen, J.B. Effects of thermal-mechanical treatments on faulting in some f.c.c. alloys, 2=8232
- Miklavžič, I. See Tibell, G., 2=20629
- Miklavžič, U., Bezič, N., Jamnik, D., Kernel, G., Milavc, Z. and Šnajder, J. Total absorption of gamma-rays from 15 to 27 MeV in Be, 2=11921
- Miklavžič, U. See Tibell, G., 2=22802

- Mikolaichuk, O.H. and Dutchak, Ya.I. Precipitation and crystallization kinetics of thin HgS films, 2=4495
- Mikoleit, L.A. See Kepes, J.J., 2=22874
- Mikoshiba, N. Strong-field magnetoresistance of impurity conduction in n-type germanium, 2=21142
- Mikoshiba, N. and Gonda, S. Weak-field magnetoresistance of impurity conduction in n-type germanium, 2=21141
- Mikryukov, V.E. and Karagezyan, A.G. Thermal and electrical properties of alloys of the system Al-Mg, Al-Cu, 2=12393
- Miksch, E.S. Measuring conductivity of water in a closed system, 2=15866
- Mikšovský, M., Šmirous, K. and Toman, K. $Zn_xCd_{1-x}Sb$ solid solutions, 2=23889
- Mikulyak, R.M. See Gershenson, M., 2=23436
- Mikumo, T. See Nonaka, I., 2=498
- Milazzo, M. See Colli, L., 2=14117
- Milazzo, M. See Colli, L., 2=20650
- Milberg, M.E. A simplified cylindrical distribution function, 2=15083
- Milburn, R.H. The scintillation bubble chamber, 2=18038
- Milch, A. See Rittner, E.S., 2=3010
- Milavc, Z. See Miklavžič, U., 2=11921
- Mileikovskaya, N.D. See Bronnikova, E.G., 2=17946
- Miles, D.O. Shear coefficients for a viscoelastic substance in the sonic region, 2=1146
- Miles, D.O. Comments on the choice of two functions for the distribution of relaxation times in hexanetriol 1,2,6, 2=7196
- Miles, D.O. Sinusoidal shear generator for study of viscoelasticity, 2=9243
- Miles, D.O. and Hamamoto, A.S. Variation of shear relaxation times in liquids with temperature and frequency, 2=11340
- Miles, G.D. and Clarke, F.J.P. Thermal shock and fracture in crystals of magnesium oxide, 2=6753
- Miles, G.T. See Biggs, E.K., 2=11020
- Miles, G.W. and Leak, G.M. Grain boundary damping. II. Iron interstitial alloys, 2=4314
- Miles, J.E.P., Munday, G. and Ubbelohde, A.R. Effects of additives on marginal detonation in gases, 2=19147
- Miles, J.L. See Shapiro, S., 2=9480
- Miles, J.W. Waves on a thin conducting shell in a magnetic field, 2=7718
- Miles, J.W. Stability of forced oscillations of a spherical pendulum, 2=11314
- Mileshkina, N.V. See Sokol'skaya, I.L., 2=7640
- Mileshkina, N.V. See Sokol'skaya, I.L., 2=9613
- Milevskaya, I.S. and Vol'kenshtein, M.V. The electron paramagnetic resonance spectra of polystyrene radicals, 2=18494
- Milevskii, L.S. Pulsations in the growth rate of a crystal and their effect on the structure and properties of material produced by the Czochralski method, 2=2352
- Milevskii, L.S. A study of the carrier lifetime at various stages of saturation, with copper atoms, of impurity atmospheres at dislocations, 2=18686
- Milevskii, L.S. Effect of heat treatment on the life-time of current carriers in copper-doped silicon, 2=18687
- Milevskii, L.S. Interaction of edge dislocations with vacancies in silicon, 2=21032
- Milevskii, L.S. Discrete structure of elastic stresses produced by a chain of dislocations in silicon, 2=23177
- Milevskii, L.S. See Indenbom, V.L., 2=6725
- Milevskii, L.S. See Indenbom, V.L., 2=12431
- Milevskii, L.S. See Indenbom, V.L., 2=14441
- Milford, F.J. See Jones, W.H., Jr., 2=6707
- Milford, F.J. See Wood, V.E., 2=14404
- Milford, S.N. and Shen, S.P. Cosmic-ray and diffuse-matter information from extraterrestrial γ -rays, 2=5773
- Milford, S.N. See Scanlon, J.H., 2=6106
- Milgram, A. and Givens, M.P. Extreme ultraviolet absorption by lithium fluoride, 2=8523
- Milguy, Z. See Brabec, V., 2=7951
- Mill, T., van Roggen, A. and Wahlig, C.F. Photochromism of N-3-pyridylsydnone, 2=2452
- Millar, C.D. See Malos, J., 2=12064
- Millar, W. See Gross, M.J., 2=1442
- Millard, D. See Hargreaves, J.K., 2=10479
- Millea, A. Formulation of two-dimensional skin-effect problems, 2=7551
- Millea, A. Expressions for the alternating current resistance of semiconductors in terms of the surface current density, 2=9514
- Millea, M.F., Hall, T.C. and Kopplin, J.O. Field effect on silicon, 2=16712
- Milledge, H.J. Coesite as an inclusion in G.E.C. synthetic diamonds, 2=601
- Milledge, H.J. The automatic selection of molecular crystal structure by combining stereochemical criteria and high-speed computing, 2=12909
- Milledge, H.J. and Meyer, H.O.A. Nitrogen-14 in natural diamonds, 2=23163
- Miller, A. and Abrahams, E. Impurity conduction at low concentrations, 2=23281
- Miller, A., Pines, D. and Nozières, P. Elementary excitations in liquid helium, 2=19796
- Miller, A. and Schmidt, P.W. Small angle X-ray scattering from randomly oriented cylinders of arbitrary cross-section, 2=450
- Miller, A. and Williams, H.B. Electron current pulsations in multipacting discharges, 2=11624
- Miller, A. See Barnett, G.D., 2=10306
- Miller, C.E. See Hoppmann, W.H., 2=17535
- Miller, D. See Patel, P.M., 2=18122
- Miller, D.G. Definition of the perfect gas: comments on a paper by Landsberg, 2=11408
- Miller, D.G. Nucleon form factors in the helicity representation, 2=
- Miller, D.G. and Dennis, W. On the Kelvin and perfect gas temperature, reply to Dr. Mapother, 2=17700
- Miller, D.G. See Hand, L.N., 2=13782
- Miller, D.H. See Alexander, G., 2=20427
- Miller, D.H. See Bastien, P.L., 2=22608
- Miller, D.H. See Cork, B., 2=18113
- Miller, D.H. See Ferro-Luzzi, M., 2=5728
- Miller, D.P., Moore, J.E. and Moore, C.R. Boron induced dislocations in silicon, 2=18583
- Miller, D.P. See Shortes, S.R., 2=8886
- Miller, D.R. Friction and abrasion of hard solids at high sliding speeds, 2=21454
- Miller, D.S. See Marcinkowski, M.J., 2=10390
- Miller, D.S. See Marcinkowski, M.J., 2=23200
- Miller, D.W. and Johnson, W.P. (d,p) polarization measurements of excited-state reactions, 2=1917
- Miller, D.W., Wegner, H.E. and Hall, W.S. Energy and orbital angular momentum dependence of Coulomb-distorted (d,p) angular distributions, 2=10140
- Miller, D.W. See Johnson, W.P., 2=488
- Miller, E. See Ermanis, F., 2=8356
- Miller, E.K. See Olte, A., 2=13575
- Miller, F.D. The type I tail of comet 1955 e, 2=13114
- Miller, G.A. Construction and calibration of a cylindrical Knudsen gauge, 2=2797
- Miller, G.F., III. Propagation of electromagnetic waves in a non-uniformly ionized medium, 2=19959
- Miller, G.H. See Utterback, N.G., 2=1390
- Miller, H.W. and Kerns, Q.A. Transistors for avalanche-mode operation, 2=23434
- Miller, J. and Moine, J.J. Measurement of the interference between resonant and rayleigh scattering of photons, 2=22783
- Miller, J., Schuhl, G., Tamas, G. and Tzara, C. (γ, n) reactions in C^{12} , O^{16} and Ca^{40} , 2=20590
- Miller, J., Schuhl, C. and Tzara, C. Measurement of the (γ, n) absolute cross-sections for Cu, Ce, La, Ta, Au, Pb and Bi, 2=1
- Miller, J. See Browne, J.C., 2=14183
- Miller, J.M. See Hahn, R.L., 2=1930
- Miller, K.J. and Grieco, M.J. Epitaxial silicon-germanium alloy films on silicon substrates, 2=10807
- Miller, K.J., Manz, R.C. and Grieco, M.J. Epitaxial silicon thin films, 2=19061
- Miller, L. and Carman, P.C. Self-diffusion in mixtures. IV. Comparison of theory and experiment for certain gas mixtures, 2=7247
- Miller, M.G. See Layer, H., 2=3982
- Miller, M.H. Quasi-Brillouin electron streams, 2=210
- Miller, M.H. Axial quasi-Brillouin streams, 2=15957
- Miller, P.B. and Haering, R.R. Cyclotron resonance in metals with perpendicular to the surface, 2=23138
- Miller, P.B. See Dumke, W.P., 2=14560
- Miller, P.H., Jr. See van Lint, V.A.J., 2=23349
- Miller, R.A. Babcock's theory on the sun's magnetic field, 2=1534
- Miller, R.C., Heikes, R.R. and Fein, A.E. Dependence of the thermoelectric figure of merit on energy bandwidth, 2=14589
- Miller, R.C., Wood, E.A., Remeika, J.P. and Savage, A. $Na(Nb_{1-x}V_x)O_3$ system and "ferrielectricity", 2=12571
- Miller, R.C. See Cox, D.E., 2=18921
- Miller, R.C. See Gallo, C.F., 2=23087
- Miller, R.C. See Owen, B.B., 2=1163
- Miller, R.C. See Ryan, F.M., 2=8451
- Miller, R.C. See Savage, A., 2=22012
- Miller, R.C. See Metz, E.P.A., 2=14956
- Miller, R.C. See Spitzer, W.G., 2=14643

- ler, R.F. See Heavens, O.S., 2=8489
- ler, R.H. A photometer for mapping galaxies, 2=15290
- ler, R.L. and Lykos, P.G. Distortion of atomic orbitals in molecular orbitals. II. Charge shift and charge deformation of the hydrogen atom in H_2^+ , 2=20776
- ler, R.R. See Kovacina, T.A., 2=5008
- ler, S.C. and Wilcox, R.M. Left-right asymmetry in pair annihilation for transversally polarized positrons, 2=3323
- ler, S.R., Blinc, R., Brenman, M. and Waugh, J.S. Nuclear spin-lattice relaxation in some ferroelectric ammonium salts, 2=10711
- ler, S.R. See Blinc, R., 2=21379
- ler, V.E. See Nassibian, G., 2=1532
- ler, W.F. and Snow, W.J. NaI and CsI efficiencies and photofractions for gamma-ray detection, 2=3213
- ler, W.F. See Lane, R.O., 2=20343
- ler, Yu.G. An investigation of electrical transport in metals and semiconductors under the action of the Hall electric field, 2=3930
- ler, Yu.G. and Gurov, K.P. Investigation of the transport of ions in a Hall electric field, 2=3950
- lerson, N. See Davis, D.H., 2=5033
- lett, J. See Perrot, M., 2=7553
- lett, W.E. See Chase, C.E., 2=1326
- lligan, D.E. and Jacox, M.E. Infrared study of the reaction of CH_2 with CO_2 in the solid state, 2=15157
- lligan, D.E. See Horst, R.R., 2=16931
- lligan, J.E. See Stecher, T.P., 2=19316
- llikan, R.C. Infrared resonance fluorescence in the fundamental vibration-rotation band of carbon monoxide, 2=12321
- llington, R.J. and Quirk, J.P. Permeability of porous solids, 2=6843
- llman, P.M. The meteor Radar Echo — an observational survey, 2=19351
- llman, P.M. and Halliday, I. The near-infrared spectrum of meteors, 2=4757
- llman, S.H. See Swets, J.A., 2=17319
- llner, R. Experimental investigations on the Debye effect in ionic solutions, 2=7211
- llot, J.P. See Bok, J., 2=5686
- lls, A.D. See Trumbore, F.A., 2=19102
- lls, B.Y., Slee, O.B. and Hill, E.R. A catalogue of radio sources between declinations -50° and -80° , 2=4858
- lls, C.B. Minimum critical dimensions for water solutions, 2=5976
- lls, C.B. Reflector moderated reactors, 2=20697
- lls, C.B. and Bell, G.I. Criticality of low enrichment uranium in hydrogen, 2=12250
- lls, D. See Bratina, W.J., 2=21018
- lls, W.R., Jr., Caldwell, R.L. and Morgan, I.L. Low voltage He^3 -filled proportional counter for efficient detection of thermal and epithermal neutrons, 2=20374
- lne, J.G.C. The pressure dependence of the second ionization coefficient in hydrogen at low pressures, 2=7558
- lne, P.A. See Bayley, F.J., 2=1295
- lner, C.E. See Owen, B.B., 2=1163
- lner, J.H. See Hill, J.S., 2=10650
- lnes, A.G. See Melngailis, I., 2=8334
- lnes, M.V. See Foster, K.W., 2=12459
- lojević, A. See Dobrilović, L., 2=3221
- lojević, A. See Slavić, I., 2=3222
- lone, C. and Ricamo, R. Differential cross-section for the $D(d,n)$ reaction, 2=480
- lone, C. See Emma, V., 2=423
- loslavskii, V.K. and Ranyuk, A.I. Optical constants of cadmium oxide in the infrared, 2=6553
- loslavskii, V.K. See Vlasenko, N.A., 2=6618
- lovanova, R.A. See Chistyakov, P.N., 2=19919
- l'shina, E.A. See Gubkin, A.H., 2=8471
- l'shina, E.A. See Gubkin, A.H., 2=10565
- lton, J.B. See Fey, R.L., 2=16012
- lton, J.C.D. See Bowman, H.R., 2=14145
- l'vidskii, M.G. and Lainer, L.V. Microhardness and dislocation density in silicon monocrystals, 2=8755
- l'vidskii, M.G. and Lainer, L.V. Microhardness and dislocation density in silicon monocrystals, 2=21028
- l'vidskii, M.G., Lainer, L.V. and Ovsyannikova, S.P. Dendritic structure in silicon single crystals grown from the melt by the Czochralski method, 2=803
- l'vidskii, M.G. and Turovskii, B.M. The method of determining the form of the crystallization front of silicon single crystals grown from the melt by the Czochralski method, 2=4379
- l'vidskii, M.G. See Turovskii, B.M., 2=4378
- ward, R.C. See McCoubrey, J.C., 2=23015
- yaev, V.A. See Manenkov, A.A., 2=781
- yaev, V.A. See Manenkov, A.A., 2=18941
- Milyaev, V.A. See Manenkov, A.A., 2=23701
- Mima, G. On the difference between single-isothermal annealing effects and successive-isothermal annealing effects in cold worked aluminium, 2=10914
- Mina, R.T. See Khaikin, M.S., 2=8189
- Minafra, A. See Bidan, U., 2=11988
- Minahan, J.A. See Sprague, J.L., 2=8458
- Minakaura, O. See Maeda, K. [Eds.], 2=9939
- Minakaura, O. See Maeda, K. [Eds.], 2=9940
- Minakaura, O. See Maeda, K. [Eds.], 2=9941
- Minakova, S.V. See Trapeznikova, O.N., 2=6544
- Minami, K. See Hasiguti, R.R., 2=2175
- Minami, S. K^-p interactions at 1.15 BeV/c, 2=1723
- Minami, S. On $\pi + N \rightarrow Y + \pi + K$ reaction, 2=3390
- Minami, S. Note on K^-p interactions at 400 MeV/c, 2=3402
- Minami, S. Proton-antiproton collision and isobaric states, 2=5642
- Minami, S. Three-pion resonance and high energy phenomena, 2=5746
- Minami, S. Heavy mesons and hard core in nuclear force, 2=11936
- Minami, S. $K-K^-$ interaction and K meson reactions at high energy, 2=11999
- Minami, S. Relative ΔS -parity and K^-p interactions at (1.1 ~ 1.4) BeV/c, 2=12010
- Minami, S. Heavy mesons and particle mixture theory, 2=20408
- Minami, S. On $K-N$ interactions and a possible maximum of cross-sections for pion reactions, 2=20419
- Minami, S. Note on hyperon isobars, 2=20423
- Minamoto, M.T. Significance of crystallographic polarity in the fabrication of junctions in InSb, 2=12538
- Minamoto, M.T. and Allen, C.M. InSb diodes with normal barrier capacitance, 2=21172
- Minardi, E. See Engelmann, F., 2=3058
- Minarik, E.V. See Govorkov, B.B., 2=13847
- Minc, S. See Rafalski, W., 2=15149
- Minc, S. See Rafalski, W., 2=15150
- Minden, H.T. Leaves of GaAs, 2=4414
- Minervina, Z.V. See Vaisenberg, A.O., 2=22551
- Ming Chen, Yung. See Yung Ming Chen.
- Minguzzi, A. and Taffara, L. Dispersion relations and stability conditions, 2=7820
- Minguzzi, A. and Taffara, L. Axiomatic dispersion relations and anomalous thresholds, 2=11887
- Minguzzi-Ranzi, A. See Bartke, J., 2=13883
- Minguzzi-Ranzi, A. See Di Corato, M., 2=22627
- Minguzzi-Ranzi, A. See Loria, A., 2=1714
- Minh Dang Ngoc. See Dang Ngoc Minh, 2=1197
- Minin, I.N. See Sobolev, V.V., 2=13459
- Minin, I.N. See Sobolev, V.V., 2=17648
- Minkoff, I. and Einbinder, I. Dendritic growth of graphite from melts, 2=14945
- Minkowski, R. Concluding lecture [Part V — discrete sources and the universe], 2=2571
- Minkowski, R. NGC 6166 and the cluster Abell 2199, 2=11145
- Minkowycz, W.J. See Sparrow, E.M., 2=15532
- Minkowitz, G. Principal curvature of an aspheric surface in particular for spectacle lenses with varying powers, 2=7072
- Minkowitz, G. See Riekher, R., 2=5142
- Minkowitz, G. See Riekher, R., 2=21994
- Minlos, R.A. and Faddeev, L.D. Comment on the problem of three particles with point interaction, 2=4934
- Minlos, R.A. and Faddeev, L.D. Exact interactions in a system of three particles in quantum mechanics, 2=4936
- Minlos, R.A. and Faddeev, L.D. Exact interactions in a system of three particles in quantum mechanics, 2=11283
- Minnaert, M.G.J. The differences on the chemical composition of stars, 2=19332
- Minnaert, M.G.J. Differences in the chemical composition of the stars, 2=21724
- Minnaja, N. See Alzetta, G., 2=10635
- Minnhagen, L. The energy levels of neutral atomic iodine, 2=10202
- Minnhagen, L. See Gunnvald, P., 2=14191
- Minnigerode, G. Von. See Von Minnigerode.
- Minnis, C.M. See Bazzard, G.H., 2=901
- Minomura, S. and Drickamer, H.G. Pressure induced phase transitions in silicon, germanium and some III-V compounds, 2=16704
- Minorsky, N. A nonlinear resonance, 2=9330
- Minten, A. See Knop, G., 2=2076
- Minter, F.J. See Makin, M.J., 2=6350
- Mints, A.L. See Burshtein, E.L., 2=5412
- Mints, A.L. See Burshtein, E.L., 2=9660
- Mints, A.L. See Vladimirovskii, V.V., 2=20081
- Mints, R.I. See Bogachev, I.N., 2=21441

- Minty, D.C. See Butcher, B.R., 2=4470
 Mintz, A.L. See Burshtein, E.L., 2=17913
 Mintz, Y. Temperature and circulation of the Venus atmosphere, 2=4745
 Mintzer, D. See LaCasce, E.O., Jr, 2=19652
 Mintzer, D. See Stone, R.G., 2=13405
 Mintzer, D. See Tanenbaum, B.S., 2=1113
 Minzner, R.A. See Champion, K.S.W., 2=11047
 Miralles, L. See Catala, J., 2=10642
 Mirand, P. See Groutzeilles, M., 2=4440
 Miranker, W.L. A free boundary problem for the wave equation, 2=2676
 Mirels, H. and Braun, W.H. Perturbed one-dimensional unsteady flows including transverse magnetic-field effects, 2=7180
 Mirels, H. and Hamman, J. Laminar boundary layer behind strong shock moving with nonuniform velocity, 2=1182
 Mirion, I. See Lăbușcă, E., 2=6763
 Mirkin, L.I. Heredity of dislocation structures during phase transformations, 2=16656
 Mirlin, D.N. and Karpov, Yu.S. Recombination fluctuations of the photocurrent produced by illumination of a p-n junction, 2=16756
 Mirlin, D.N. and Karpov, Yu.S. Recombination fluctuations of the photocurrent produced by illumination of a p-n junction, 2=18744
 Mirlin, D.N. See Kornfeld, M.I., 2=23322
 Mironov, A.G. Theory of an electron plasma in a magnetic field. Effect of the Coulomb interaction on the magnetic susceptibility, 2=3879
 Mironov, A.G. See Bonch-Bruevich, V.L., 2=3863
 Mironov, A.G. See Bonch-Bruevich, V.L., 2=8267
 Mironov, A.G. See Glasko, V.B., 2=18655
 Mironov, E.S. See Arzumanov, A.A., 2=7673
 Mironov, E.S. See Arzumanov, A.A., 2=7686
 Mironov, E.S. See Arzumanov, A.A., 2=13619
 Mironov, E.S. See Arzumanov, A.A., 2=20076
 Mironov, E.S. See Babichev, A.P., 2=22286
 Mironov, E.S. See Zavenyagin, Yu.A., 2=17915
 Mironov, V.N. Study of radiation through channels, 2=12256
 Miropolsky, Z.L. and Shneyerova, R.I. Application of X-rays excited by β -sources to studying hydrodynamics of two-phase media, 2=19529
 Miroshnichenko, L.S. See Borzyak, P.G., 2=2213
 Miroshnichenko, V.I. See Kurylko, V.I., 2=11790
 Mirzakhimova, Kh. See Arifov, U.A., 2=15949
 Mirzakhimova, Kh. See Arifov, U.A., 2=17875
 Mirri, A.M., Guarnieri, A., Favero, P. and Zuliani, G. Microwave spectrum of chloro-carbonyl fluoride: centrifugal distortion effects and structure, 2=18467
 Mirtch, M.J., Jr. See Mark, H., 2=9302
 Mirtov, B.A. The mechanism of formation of a meteor trail, 2=902
 Mirtov, B.A. Meteoric matter and some geophysical problems of the upper layers of the atmosphere, 2=9008
 Mirtov, B.A. Disturbance of a gaseous medium due to the flight of a satellite, 2=11176
 Mirumyants, S.O. and Neporent, B.S. Spectroscopic investigation of vibrational energy transfer in collisions of complex molecules, 2=14260
 Miryasov, N.Z. and Rubtsov, V.K. Laboratory electromagnet, 2=1559
 Misaki, A. See Akashi, M., 2=12083
 Misařová, A. On the increase in permittivity of ferroelectrics during switching, 2=2204
 Míšek, K. See Polák, J., 2=23486
 Miselyuk, E.G. and Glinčuk, K.D. The study of recombination of current carriers in germanium with silver and gold impurities, 2=23321
 Miselyuk, O.H. See Hýnčuk, K.D., 2=18683
 Miselyuk, O.H. See Hýnčuk, K.D., 2=21144
 Miselyuk, O.H. See Vasýľevska, V.M., 2=21038
 Mishima, N. See Kotani, T., 2=7892
 Mishima, Y. See Hasegawa, H., 2=13929
 Mishima, Y. See Higashi, S., 2=3436
 Mishima, Y. See Higashi, S., 2=20457
 Mishkevich, R.I. See Mes'kin, V.S., 2=23793
 Miskel, J.A. See Bloom, S.D., 2=10058
 Mis'kevich, A.I. See Zvonov, N.V., 2=18384
 Mis'kevich, O.R. See Batrakov, G.F., 2=15856
 Misme, P. See du Castel, F., 2=16041
 Misra, B., Speiser, D. and Targonski, G. Integral representation of operators in scattering theory, 2=21836
 Misra, B. See Jauch, J.M., 2=2627
 Misra, B. See Jauch, J.M., 2=15482
 Misra, M. The external gravitational fields due to toroidal and lens-shaped distributions, 2=7123
 Misra, M. Electrostatic universes, 2=15475
 Misra, M. See Srivastava, G.P., 2=23441
 Misra, S.K. and Krishnan, A.A. Dispersion strengthening of copper alumina, 2=10924
 Misra, S.P. Scalar interaction of two scalar mesons, 2=16215
 Misselwitz, W. See Bßer, K.W., 2=6464
 Missio, D. See Bowness, C., 2=19704
 Missiroli, G. and Valdrè, U. Characteristics of a C^{14} source and a useful method of measuring thin films, 2=14008
 Missiroli, M. See Brini, D., 2=6072
 Missoni, G. See Motz, J.W., 2=528
 Missoni, G. See Motz, J.W., 2=20756
 Mistry, N. See Danby, G., 2=20308
 Mitsuishi, A. See Ikegami, S., 2=23515
 Miszenti, G. Szabò. See Szabò Miszenti, G.
 Mita, Y. Growth of zinc sulphide single crystals from flux, 2=16981
 Mitani, K. and Kubo, H. On radiations from plasma in a static magnetic field, 2=205
 Mitchell, A.C. See Benveniste, J., 2=3341
 Mitchell, C.A. Emissivity of globar, 2=7450
 Mitchell, E.N. and Lykken, G.I. Magnetoelastic behaviour of thin ferromagnetic films as a function of composition, 2=12681
 Mitchell, E.W.J. See Clark, C.D., 2=4165
 Mitchell, E.W.J. See Clark, C.D., 2=12477
 Mitchell, E.W.J. See Clark, C.D., 2=20986
 Mitchell, E.W.J. See Clark, C.D., 2=23558
 Mitchell, E.W.J. See Kemmey, P.J., 2=23382
 Mitchell, F.W., Green, B.C. and Spinks, J.W.T. Electron spin resonance of irradiated ethyl bromide, 2=8125
 Mitchell, G.R. X-ray K-absorption edges of three nickel compounds, 2=18851
 Mitchell, J.A. See Hardy, J., Jr, 2=8000
 Mitchell, J.A. See Smith, G.G., 2=5945
 Mitchell, J.P. See Daw, H.A., 2=13293
 Mitchell, J.W. Equilibration of lattice defects in real crystals, 2=38
 Mitchell, T.E. See Thornton, P.R., 2=6735
 Mitchell, T.E. See Thornton, P.R., 2=8772
 Mitin, R.V. See Borovik, E.S., 2=17810
 Mitin, R.V. See Safronov, B.G., 2=15939
 Mitina, N.I. See Borýsov, M.D., 2=17622
 Mit'kina, E.A. See Polyakov, Yu.A., 2=19755
 Mitler, H.E. Electromagnetic potentials in quantum mechanics, 2=1
 Mito, I. See Aizu, H., 2=22664
 Mito, I. See Akashi, M., 2=12083
 Mitoff, S.P. Electronic and ionic conductivity in single crystals of MgO, 2=8298
 Mitra, A.N. Three-body problem with separable potentials. I. Bound states, 2=13943
 Mitra, A.N. Model for the two-pion and three-pion resonances, 2=1
 Mitra, A.N. A survey of present-day approaches to strong interactions, 2=22415
 Mitra, D. and Pal, M.K. Derivation of anharmonicity of nuclear quadrupole oscillation from the extended Sawada method, 2=18
 Mitra, G.B. and Mitra, S.K. Nonlinearity of thermal expansion of solids with temperature, 2=20940
 Mitra, M. Note on the disturbance produced in an elastic half-space transient pressure applied over a portion of the boundary, 2=1
 Mitra, M.N. and Karunes, B. Elastoplastic deformation of metals, 2=4321
 Mitra, S.K. See Bhattacharjee, S.K., 2=12165
 Mitra, S.K. See Mitra, G.B., 2=20940
 Mitra, S.N. See Rao, M.K., 2=9718
 Mitra, S.N. See Rao, C.V.S., 2=6947
 Mitra, S.S. Debye characteristic temperature of solids, 2=10333
 Mitra, S.S. Infrared studies of nitriles as proton acceptors in hydrogen bond formation, 2=17087
 Mitrani, L., Betev, B., Kavlakov, Sh. and Apostolov, D. 27 day variation in the intensity of the μ -meson component of cosmic rays during the period of great solar activity, 2=5767
 Mitrani, L. See Bozoki, G., 2=336
 Mitrani, L. See Bozoki, G., 2=22684
 Mitrenin, B.P. See Vinogradova, M.N., 2=23312
 Mitrofanov, N. Single transmission effect for slow neutrons passing through magnetized Pd-Ni alloy, containing absorbed hydrogen, 2=6672
 Mitrofanov, K.P. and Shpinel', V.S. Observation of resonance absorption of the 23.8-keV gamma rays of Sn^{119} by using the conversion electrons, 2=14080
 Mitrofanov, K.P. See Sorokin, A.A., 2=14066
 Mitrofanov, O.V. Production of monocrystalline tungsten emitters, 2=21485
 Mitrofanova, L.A. See Derviz, T.E., 2=958
 Mitronina, V.S. See Gubkin, A.N., 2=1373
 Mitropan, I.M. See Gabovich, M.D., 2=11684

- ropol'skaya, O.N. The radiality of corpuscular streams from
planets, 2=963
- skovich, N.V. The transformational properties of some physical
quantities in the general theory of relativity, 2=9169
- suhashi, H. Structures of photoconductivity spectra and related
phenomena of cadmium sulphide, 2=8414
- suishi, A., Yoshinaga, H., Fujita, S. and Suemoto, Y. Vibrational
spectra of ruby and haematite in the infrared region, 2=21252
- suishi, A., Yamada, Y. and Yoshinaga, H. Reflection measurements
on reststrahlen crystals in the far-infrared region, 2=2218
- suishi, A. See Yamada, Y., 2=1259
- suma, T. Some extra lines in paramagnetic resonance spectrum of
heavily Cr^{3+} doped $\text{K}_3\text{Co}(\text{CN})_6$, 2=766
- suma, T. Narrowing of resonance line by spin-lattice relaxation
in the system $\text{K}_3(\text{Cr}-\text{Fe}-\text{Co})(\text{CN})_6$, 2=6698
- telbach, P. and Porod, G. X-ray low-angle scattering by dilute
colloidal systems. VI. The calculation of scattering curves of
elliptical and hollow cylinders, 2=8937
- telbach, P. and Porod, G. X-ray small angle scattering of dilute
colloidal systems. VII. Computations for the scattering curves
of triaxial ellipsoids, 2=15169
- tel'man, M.G., Erofeev, R.S. and Rozenblyum, N.D. Energy conversion
of short lived radioactive isotopes, 2=12156
- telstaedt, V.R. and Oskam, H.J. Application of the cataphoresis effect
in the preparation of gas filled tubes, 2=2802
- telstaedt, P. On the density fluctuations of the superconducting
state, 2=9478
- telstaedt, P. On the moment of inertia of large nuclear systems
with pairing forces, 2=12114
- ter, H. and Yamazaki, K. "New Tamm-Dancoff" approximation and
superconductivity, 2=9476
- tleman, M.H. Formal theory of rearrangement collisions. II, 2=11287
- tleman, M.H. and Pu, R. Optical potential for closely coupled
states, 2=11286
- tner, P. See Aubert, B., 2=18187
- tner, P. See Aubert, B., 2=22647
- tner, P. See Bellini, G., 2=22573
- tner, P. See Di Corato, M., 2=22627
- tner, P. See Loria, A., 2=1714
- tra, I.S. See Bertanza, L., 2=22652
- tra, I.S. See Luers, D., 2=1720
- tra, I.S. See Luers, D., 2=22615
- tra, I.S. See Luers, D., 2=22629
- ui, T., Satō, M. and Sambongi, T. Ferromagnetic anisotropy induced
by cold rolling of dilute ferromagnetic Cu-Co alloys, 2=16903
- ui, T. See Sambongi, T., 2=4229
- ui, T. See Tamagawa, N., 2=21306
- uyans'kii, G.F. See Borzyak, P.G., 2=1483
- ura, I. Energy spectrum and anisotropy of air shower (Tokyo air
shower project), 2=20463
- ura, I. and Hasegawa, H. Spectra of the size and total number
of μ -mesons in E.A.S., 2=22672
- ura, I. See Hasegawa, H., 2=13929
- ura, I. See Hasegawa, H., 2=18207
- ura, I. See Wakatsuki, T., 2=3567
- ura, M., Otani, S., Kodama, M. and Shinagawa, K. Effect of several
phosphates on the crystallization and crystal habit of strontium
sulfate, 2=10794
- ura, S. See Hirone, T., 2=3942
- ura, S. See Takamura, J., 2=10376
- va, H. and Yosida, K. Magnetic ordering in the rare-earth metals
with more than half-filled 4f shells, 2=4198
- va, K., Sasaki, T. and Ishikawa, M. Observation of F-layer and
sporadic-E scatter at V.H.F. in the Far East, 2=9721
- vachi, Y. See Ikeda, M., 2=11852
- vadai, T. Ferrimagnetic resonance in polycrystalline thulium-iron
garnet ($\text{Tm}_3\text{Fe}_5\text{O}_{12}$), 2=18938
- wagawa, I. and Itoh, K. Electron spin resonance of irradiated single
crystals of alanines: hindered rotation of the methyl group in a
free radical, 2=14821
- wagi, T. Two-dimensional viscous flow past a rotationally-oscillating
circular cylinder, 2=1110
- wagi, T. See Tamada, K., 2=9236
- wahara, A. A pumped klystron amplifier and r.f. power system for
the injector linac of 1 BeV electron synchrotron, 2=5397
- wahara, A. See Nishikawa, T., 2=229
- wajima, S., Ito, S. and Thonemann, P.C. Plasma drift velocity across
a confining magnetic field, 2=195
- wajima, S. and Yamamoto, K. Positive column in a longitudinal
magnetic field, 2=22192
- wajima, S. and Yamamoto, K. Surface instability of the positive
column with an applied magnetic field, 2=22193
- Miyake, A. and Sakakibara, M. Effect of hindering potential on the
stretched chain configuration, 2=6240
- Miyake, K. The phase shift analysis on alpha-alpha scattering in the
energy range from 22.9 to 28.9 MeV, 2=5751
- Miyake, K., Kinsey, K.F. and Knapp, D.F. $\pi^- + p \rightarrow \pi^0 + n$ charge exchange
cross sections at 20.7 and 31.0 MeV, 2=13851
- Miyake, K. See Kimura, K., 2=15970
- Miyake, K.P. Theory on concave grating mountings for photoelectric-
spectrometric use, 2=2884
- Miyake, K.P. and Katayama, T. On the mounting of concave grating
suitable for photoelectric-spectrometric use. II. Discussion on
results obtained in theoretical treatise, 2=17614
- Miyake, K.P. and Katayama, T. On the mounting of concave grating
suitable for photoelectric-spectrometric use. III. Discussion on
the use of the Eagle mounting, 2=17615
- Miyake, S., Fujiwara, K., Honjo, G. and Kitamura, N. Relativistic
correction to the method of eliminating the primary extinction in
electron diffraction, 2=4510
- Miyake, S., Hinotani, K., Katsumata, I., Kaneko, T. and Ito, N. A study on
EAS at Mt. Norikura, 2=12071
- Miyake, S., Narasimham, V.S. and Ramana Murthy, P.V. Intensity of
 μ -mesons at depths greater than 2000 m.w.e., 2=12077
- Miyake, S., Sreekantan, B.V., Ramanamurthy, P.V., Narasimhan, V.S.,
Verma, S.D., Murthy, G.T. and Chatterjee, B.K. Study of core
structure of small size air shower, 2=12074
- Miyake, S.J. and Kubo, R. Nonlinear magnetoresistance in
bismuth, 2=2350
- Miyake, Y., Saruhashi, K., Katsuragi, Y. and Kanazawa, T. Seasonal
variation of radioactive fallout, 2=6924
- Miyake, Y. See Kuwahara, N., 2=14249
- Miyake, Y. See Kuwahara, N., 2=19556
- Miyamoto, G. See Arikawa, T., 2=20056
- Miyamoto, K. New representation of wave field, 2=9358
- Miyamoto, K. and Wolf, E. Generalization of the Maggi-Rubinowicz
theory of the boundary diffraction wave. I, 2=13456
- Miyamoto, K. and Wolf, E. Generalization of the Maggi-Rubinowicz
theory of the boundary diffraction wave. II, 2=13457
- Miyamoto, S., Nakashima, S. and Mizuno, H. Dichroism of the K centre
in KCl, 2=18618
- Miyamoto, S. See Fukui, S., 2=5559
- Miyamoto, S. See Hasegawa, H., 2=13929
- Miyamoto, S. See Higashi, S., 2=3436
- Miyamoto, S. See Higashi, S., 2=20457
- Miyamoto, S. See Mizuno, H., 2=3964
- Miyamoto, Y. K^- -p reaction at threshold, 2=7899
- Miyamoto, Y. See Igi, K., 2=5734
- Miyasawa, R. See Yamamoto, M., 2=10648
- Miyashita, K. See Hagihara, S., 2=11963
- Miyata, N. See Usami, S., 2=2277
- Miyatake, O. See Koh, Y., 2=12171
- Miyazaki, S., Hirao, K., Aono, Y., Takayama, K., Ikegami, H. and Ichimiya, T.
Resonance probe — a new probe method for measuring electron
density and electron temperature in the ionosphere, 2=17154
- Miyazaki, T. See Imai, Y., 2=23868
- Miyazawa, H. and Maeda, H. Anisotropic Hall coefficients in n-type
germanium, 2=23318
- Miyoshi, K. See Adachi, T., 2=16212
- Miyoshi, M. and Brinton, R.K. Gaseous reaction of methyl radicals
with propylene, 2=15136
- Mizetskaya, I.B. See Nitrikhovs'kii, N.I., 2=6502
- Mizuno, H. and Miyamoto, S. Influence of dislocation on diffusion rate
of F centres in KCl, 2=3964
- Mizuno, H. See Miyamoto, S., 2=18618
- Mizuno, T. See Sasakura, H., 2=21371
- Mizushima, Y. The mechanism of formation of black deposits by
metal evaporation, 2=10941
- Mizushima, T. and Ito, R. Analysis of the unsteady state in the thermal
diffusion cell, 2=21901
- Mladjenović, M. Gamma-ray measurements by the magnetic analysis
of Compton and photoelectrons, 2=3303
- Mladjenović, M. Some new proposals for design of Compton
spectroscopes, 2=5608
- Mlodnosky, R.F. and Helliwell, R.A. Graphic data on the earth's main
magnetic field in space, 2=19258
- Moat, A., Mather, D.S. and McTaggart, M.H. Some experimental
determinations of the number of prompt neutrons from
fission, 2=3640
- Möbius, P. Different modes of motion in special translationally
invariant many-body systems, 2=1084
- Moazed, F. See Stark, R.W., 2=14409
- Mobley, R.C. Precision continuous current integrator, 2=7533
- Mobley, R.C. Pulsed voltage multiplier, 2=19833

- Močan, I.V., Obrazcov, Yu.N. and Smirnova, T.V. Study of thermomagnetic effect in p-type germanium in the region of phonon drag effect, 2=23319
- Mochan, I.V., Obraztsov, Yu.B. and Smirnova, T.V. Determination of the effective mass of electrons in InSb from the measurement of thermoelectric power in strong magnetic fields, 2=18757
- Mochan, I.V., Obraztsov, Yu.B. and Smirnova, T.V. Determination of the effective mass of electrons in InSb from the measurement of thermoelectric power in strong magnetic fields, 2=21204
- Mochan, I.V. and Smirnova, T.V. Investigations of thermomagnetic and galvanomagnetic properties of p-type PbTe, 2=6467
- Mochel, V.D. See Gutowsky, H.S., 2=8086
- Mock, J.B. See Peter, M., 2=12821
- Mock, J.B. See Peter, M., 2=21372
- Mocoroa, A. See Abecasis, S., 2=18262
- Mocoroa, A.B., Abecasis, S.M. and Nassiff, S.J. Ratio of the yields of the isomeric pair $\text{Te}^{121\text{m}}$, Te^{121} in the reaction $\text{Sb}^{121}(\text{d}, \text{n})\text{Te}^{121\text{m}}$, 2=18355
- Model, I.Sh. See Kuznetsov, F.O., 2=21935
- Modena, I. See Careri, G., 2=1327
- Modrzejewski, A. See Hanneman, R.E., 2=10429
- Moe, K. Errors in orbital predictions for artificial satellites of earth, 2=1025
- Moelwyn-Hughes, E.A. See Low, D.I.R., 2=11356
- Moenke, H. Relationship between the lattice constant a_{rh} and an infrared active vibration of anhydrous carbonates in the spectral region 710-750 cm^{-1} , 2=18518
- Moesta, H. The photoelectric emission of positive ions from an adsorption layer, 2=22272
- Moffat, J.W. See Bransden, B.H., 2=9907
- Moffat, J.W. See Bransden, B.H., 2=13860
- Moffat, J.W. See Bransden, B.H., 2=22595
- Moffat, J.W. See Bransden, B.H., 2=22597
- Mogi, M. See Hagihara, S., 2=11963
- Mogilevsky, E.I. and Akinian, S.T. Some features of type IV radiobursts, 2=15399
- Mohamed Ben Caid. See Pannetier, G., 2=12961
- Mohan, G. Channel-spin and analyticity of the spectral function, 2=11883
- Mohan, G. See Dasgupta, S., 2=12557
- Mohana Rao, K.M. See Ramanadham, R., 2=15192
- Mohanty, R.C. See Roy, R.R., 2=5893
- Mohanty, R.C. See Sandhu, H.S., 2=3322
- Mohanty, S.R. Chemical radiation damage in crystalline nitrates, 2=17099
- Mohindra, R.K. and Hans, H.S. A triple coincidence proton scintillation spectrometer, 2=13800
- Mühling, W. and Thiel, H. The structure of CdS crystals, 2=597
- Mühling, W. and Thiel, H. Dislocations in CdS crystals grown from the vapour phase, 2=18585
- Mohorovicic, S. Law for the composition of de Broglie's velocities, 2=13252
- Mohr, C.B.O. and Edvi-Illes, C.A. Polarization in nuclear collisions with channel coupling, 2=5876
- Moine, J.J. See Miller, J., 2=22783
- Moiseev, A.M. See Bogdankevich, O.V., 2=10862
- Moiseev, I.G. An estimate of the electron density in the corona from observation of solar radio emission, 2=1008
- Moiseev, N.N. Boundary problems for linearized Navier-Stokes equations in the case of small viscosity, 2=21870
- Moiseiwitsch, B.L. Scattering by the screened Coulomb potential, 2=1069
- Moiseiwitsch, B.L. Excitation of the 2s state of atomic hydrogen by electron impact, 2=3712
- Moiseiwitsch, B.L. On the relation between phase shift and quantum defect, 2=13769
- Moiseiwitsch, B.L. See Allison, D.C.S., 2=1966
- Moiseyev, S.S. See Zaslavskii, G.M., 2=13561
- Moister, D.E. See Simmons, J.G., 2=21961
- Moizhes, B.Ya. See Smirnov, I.A., 2=23401
- Moizhes, B.Ya., Parfen'ev, R.V., Chudnovskii, F.A. and Éfroz, A.L. Approximate calculation of the average group velocity of phonons in cubic lattices, 2=10312
- Moizhes, B.Ya. See Averkin, A.A., 2=2167
- Moizhes, B.Ya. See Golikova, O.A., 2=2144
- Moizhes, B.Ya. See Golikova, O.A., 2=8327
- Mojoni, A. See Bonfiglioli, G., 2=2107
- Mokhir, O.P. See Dobrovinsk'ka, O.R., 2=8588
- Mokhnach, D.O. Simple model for [cometary] halos, 2=4748
- Mokhnach, D.O. Simple model for [cometary] halos, 2=9065
- Mokhnach, D.O. The determination of the physical characteristics of the cyanogen halos of Halley's Comet (1910 II), 2=21705
- Mokhov, G.D. See Korsunskii, M.I., 2=6489
- Mokhtar, M. and Salama, K. On the structural absorption of ultrasound waves in toluene, 2=13335
- Molchanov, A.P. The spectrum of local sources of solar radio emission, 2=24167
- Molchanov, L.P. See Bekkerman, I.M., 2=1739
- Molchanov, V.A. See Bonch-Bruevich, A.M., 2=6641
- Molchanov, V.A. See Bonch-Bruevich, A.M., 2=16869
- Moldauer, P.A. Relation between the optical model and resonance parameters, 2=1897
- Moldauer, P.A. Optical-model fringe absorption and the neutron strength function, 2=20654
- Moldovanov, V.P. See Golovnya, V.Ya., 2=19113
- Molea, M. See Martalogu, N., 2=7794
- Mølgaard, J. A coefficient of friction which increases with increasing load. Results with undrawn nylon monofilaments, and a theoretical explanation, 2=8760
- Molina, F. and Battelli, O. Position of the focus of the S_q current system, 2=11048
- Molina, F. and Battelli, O. Seasonal variations of the current system S_q , 2=19214
- Molinari, A. and Ponzano, G. On the photonucleons' polarization, 2=21048
- Molinari, A. See Borello, O., 2=10084
- Molinari, A. See Malvano, R., 2=22785
- Molinari, E. See Cimino, A., 2=12548
- Moliner, F. García. See García Moliner, F.
- Moll, S.H. See Nathan, M.I., 2=23427
- Mollenauer, J.F. Gamma-ray emission from compound nucleus reactions of helium and carbon ions, 2=18358
- Möllenstedt, G. and Bayh, W. The continuous variation of the phase of electron waves in field free space by means of the magnetic vector potential of a solenoid, 2=22260
- Möllenstedt, G., Graff, K. and Speidel, R. Growth of single crystal laminae in the narrow space between parallel glass surfaces, 2=10795
- Möllenstedt, G. and Bayh, W. Measurement of the continuous phase shift of electron waves in field free space by the magnetic vector potential of an air cored coil, 2=11711
- Møller, C. Conservation laws and absolute parallelism in general relativity, 2=1056
- Møller, C.K. Electrochemical investigation of the transition from tetragonal to cubic caesium plumb chloride, 2=19029
- Müller, F. Atmospheric water vapor measurements at 6-7 microns from a satellite, 2=6910
- Müller, N.H. The analyticity domain of the five point function, 2=11048
- Müller, W. See Witzmann, H., 2=12619
- Mollo-Christensen, E. The distribution of raindrops and gusts in showers and squalls, 2=17141
- Molnár, E. See Csikai, J., 2=3193
- Molotilov, B.V. and Osip'yan, Yu.A. Anomalous elasticity modulus domain structures of nickel, 2=4309
- Molotkov, I.A. Non-stationary wave propagation in an inhomogeneous medium with formation of a region of geometric shadow, 2=1008
- Molotkov, I.A. Non-stationary wave propagation in an inhomogeneous medium with formation of a region of geometric shadow, 2=7111
- Molyneux, L. and Osselson, J.W. A simple low-noise low-frequency transistor amplifier, 2=15867
- Molyneux, W.G. Scale models for thermo-aeroelastic research, 2=1008
- Momčilović, M.N. See Kostić, V.N., 2=5264
- Momiyama, S. See Sugie, A., 2=10117
- Monaco, A. Del. See Del Monaco, A.
- Monaghan, J.J. See Barker, J.A., 2=15638
- Monaghan, J.J. See Barker, J.A., 2=15639
- Monahan, J.E. and Elwyn, A.J. Geometrical considerations in the measurement of the ratio L/R in the scattering of polarized nucleons, 2=9835
- Monahan, J.E., Raboy, S. and Trail, C.C. High energy gamma-rays from Na^{24} , 2=18308
- Monari, L. See Bortolali, M., 2=18157
- Monaro, S., Vingiani, G.B., Ricci, R.A. and van Lieshout, R. A new technetium activity: 4.5 hour $^{94}\text{Tc}^{\text{m}}$, 2=1840
- Monaro, S., Vingiani, G.B. and van Lieshout, R. Aspects of the decay of ^{27}Mg and of ^{89}Zr , 2=5869
- Monaro, S., Vingiani, G.B. and van Lieshout, R. On the level structure of ^{96}Mo , 2=3485
- Monaro, S. See Ricci, R.A., 2=14000
- Monaro, S. See Vingiani, G.B., 2=9737
- Monaro, S. See Vingiani, G.B., 2=10079
- Moncet, M.C. See Chateau, H., 2=10895
- Mönch, W. Characteristic temperature Θ_R of quench-condensed metal films, 2=23242
- Monchick, L. and Mason, E.A. Transport properties of polar gases, 2=1191

- chick, L. See Mason, E.A., 2=7252
 chick, L. See Mason, E.A., 2=13369
 chick, L. See Walker, R.E., 2=2764
 cuit, C. and Poulet, H. Study of the optical constants of crystallized alkaline earth platocyanides, 2=18817
 da, M. See Kotani, T., 2=7892
 din, H. See Huyghe, J., 2=1291
 din, H. See Huyghe, J., 2=1292
 din, H. See Huyghe, J., 2=1293
 eo, J. de F. See Casas, J., 2=5145
 eo, J. de F. See Casas, J., 2=17586
 dolfo, L. F. See Horwath, J.A., 2=23817
 eti, G.C. See Bertanza, L., 2=22652
 eti, G.C. See Di Capua, E., 2=18039
 fils, A. Heterogeneous perturbations between the states $B^1\Sigma_u^+$ and $C^1\Pi_u$ in the H_2 molecule, 2=8080
 fils, A. Study of the vibrational levels of the states $B^1\Sigma_u^+(3p)$ and $B''^1\Sigma_u^+(4p)$ in the molecules H_2 , HD and D_2 , 2=8081
 fils, A. States $D^1\Pi_u(3p)$ and $D^1\Pi_u(4p)$ in the molecules H_2 , HD and D_2 , 2=8082
 fils, A. See Herzberg, G., 2=14284
 gelli, S. See Abbattista, N., 2=5951
 gelli, S. See Alitti, J., 2=16229
 gelli, S. See Alitti, J., 2=18156
 gelli, S. See Bidan, U., 2=11988
 in, A.S. Characteristics of the scattering of sound in a turbulent atmosphere, 2=17151
 in, A.S. Turbulence spectrum in a thermally stratified atmosphere, 2=21627
 k, P.G. See Prowse, W.A., 2=3024
 nig, G. Search for a mass 550 particle, 2=3448
 nier, M.H. See Muckenhirn, O.W., 2=16914
 od-Herzen, G., Blanchard, M.L. and t'Kint de Roodenbeke, A. The thermoluminescence of cadmium iodide, 2=12636
 od-Herzen, G. and Le Calvez, O. Excitation spectra and sensitization of excitation in lead-activated cadmium iodide, 2=18857
 oszon, N.A. See Vladimirovskii, V.V., 2=20081
 son, P.R., Allport, J.J. and Robben, F. Comparative studies of vibrational relaxation in nitric oxide, 2=2769
 sonogo, G. See Espi, G., 2=3483
 sonogo, G. See Espi, G., 2=12106
 tagu-Pollock, H.M. Surface decomposition of an explosive crystal, 2=19144
 tague, J.H. and Paul, E.B. Cross sections for the production of gamma-rays by the inelastic scattering of neutrons from iron, 2=5923
 tague, J.H. See Paul, E.B., 2=1793
 tague-Pollock, H.M. See Bowden, F.P., 2=854
 talbetti, R. and McEwen, D.J. Hydrogen emissions and sporadic E layer behaviour, 2=17186
 taldi, E. The four-point function for a nonlinear two-component field, and its connections with Heisenberg's theory of elementary particles, 2=20240
 talenti, G. See Ferro, A., 2=8627
 tanet, L. See Bartke, J., 2=13883
 tanet, L. See Grard, F., 2=1715
 tanet, L. See Grard, F., 2=22513
 tanet, L. See Lorja, A., 2=1714
 tariol, F. and Reich, R. The resistivity of large specimens of aluminium of different purities and the free path of electrons at helium and hydrogen temperatures, 2=14487
 tariol, F. and Reich, R. Variation of the ideal resistivity of zone refined aluminium in bulk state between the temperatures 14^0 and 20.4^0 K, 2=18630
 tariol, F. See Reich, R., 2=12490
 tbiand, L.E. and Jones, A.V. Studies of auroral hydrogen emissions in west-central Canada. I. Time and geographical variations, 2=24048
 tefinale, A. See Papée, H.M., 2=17497
 tes de Oca, C. See Wainstein, C., 2=18429
 tes de Oca, C. See Wainstein, C., 2=20790
 tes Ponce de León, J. and Mafias Diaz, L. Construction and setting-up of a crystal neutron spectrometer, 2=18134
 tes Ponce de León, J. See Artacho Savirón, E., 2=3665
 tgalfier, C. De. See De Montgalfier, C.
 tomogery, D. and Gorman, D. Landau damping to all orders, 2=1462
 tomogery, D. and Gorman, D. Erratum: Landau damping to all orders, 2=15937
 tomogery, D. and Gorman, D. Boltzmann-Vlasov equation in a bounded region, 2=20000
 tomogery, D.J. and Yeung, K.F. On the analysis of spectra in transmission through thin films, 2=21241
 tomogery, D.J. See Leffler, R.G., 2=10434
 Montgomery, H., Teaney, D.T. and Walsh, W.M., Jr. Hyperfine field and ground-state spin alignment in antiferromagnetic $KMnF_3$, 2=23689
 Montgomery, H.C. Comments on "Effect of gaseous ambients upon 1/f noise in Ge filaments", 2=16695
 Montgomery, W.D. and Broome, P.W. Spatial filtering, 2=21990
 Monti, D. See Pfischel, W., 2=22616
 Montmory, M.C. See Aléonard, R., 2=12695
 Montuelle, J. See Lesbats, P., 2=6356
 Moody, A.B. Space navigation, 2=15407
 Moody, D.E. See Hoare, F.E., 2=11579
 Mookherji, A. and Chhonkar, N.S. Light absorption in paramagnetic ions in state of solution. III. Cr^{++} ion, 2=5018
 Mookherji, A. and Tandon, S.P. Ultraviolet absorption of NO_3^- ion, 2=20837
 Mookherji, A. and Neogy, D. Symmetry of the crystalline electric field on Yb^{++} ion in $Yb_2(SO_4)_3 \cdot 8H_2O$ crystal, 2=16582
 Mookherji, T. Magnetic studies on Co^{++} ion in pink and blue solution at $CoCl_2$, 2=21903
 Mooney, C.S. Simplified ray-tracing computations, 2=13238
 Mooney, R.W. Magnesium lithium antimonate phosphors, 2=4174
 Moore, A. See Morrow, F., 2=2920
 Moore, A. Improved mechanical properties and associated constitutional changes in commercially pure ingot beryllium as affected by heat treatment above 700^0 C, 2=4341
 Moore, A. and Cheer, D.A. Temperature errors in high temperature X-ray powder diffraction cameras, 2=23831
 Moore, A.J.W. and Nicholas, J.F. Atomic configurations in ideally flat surfaces. I. Construction of models of surfaces in face-centred and body-centred cubic crystals, 2=2381
 Moore, A.J.W. Reply to a letter on "thermal etching of silver", 2=14935
 Moore, A.J.W. The structure of atomically smooth spherical surfaces, 2=19064
 Moore, A.J.W. See Mackenzie, J.K., 2=14931
 Moore, A.R. See Braunstein, R., 2=2153
 Moore, A.R. See Kessler, J.O., 2=9674
 Moore, A.W., Ubbelohde, A.R. and Young, D.A. An induction furnace for operations up to 3400^0 C using well oriented graphite, 2=17683
 Moore, A.W. See Ubbelohde, A.R., 2=10327
 Moore, C.B., Vonnegut, B. and Mallahan, F.J. Airborne filters for the measurement of atmospheric space charge, 2=4601
 Moore, C.B. See Brook, M., 2=6914
 Moore, C.B. See Vonnegut, B., 2=8974
 Moore, C.B. See Vonnegut, B., 2=11029
 Moore, C.E. An ultraviolet multiplet table. III, 2=18401
 Moore, C.E. An ultraviolet multiplet table. IV, 2=18402
 Moore, C.E. An ultraviolet multiplet table. V, 2=18403
 Moore, C.R. See Miller, D.P., 2=18583
 Moore, D. Neutron, electron and X-ray beams used for radiation research from a Van de Graaff generator, 2=5406
 Moore, E.B., Jr. Molecular orbitals in $B_{10}H_{14}$, 2=20795
 Moore, G.A. See Wyman, L.L., 2=21536
 Moore, G.E. See Benedict, W.S., 2=3727
 Moore, H.E. See Kuroda, P.K., 2=21639
 Moore, J.E. See Miller, D.P., 2=18583
 Moore, J.G. The geographic positions of the stable red arcs of October 25 and October 26, 1960, 2=13046
 Moore, J.W. Photoelectric curve follower for projected photographic images, 2=9234
 Moore, M.S. and Simpson, F.B. The neutron elastic scattering cross-section of U^{233} below 20 eV, 2=14104
 Moore, P. The origin of the lunar rays, 2=21696
 Morre, P. The classification of lunar walled formations, 2=21698
 Moore, P. Venus: Eastern elongation of 1960-1961, 2=24099
 Moore, P.W. See Morino, Y., 2=6124
 Moore, R.A. Millimeter wave parametric amplification with antiferromagnetic materials, 2=13684
 Moore, R.K. and Blair, W.E. Dipole radiation in a conducting half space, 2=5478
 Moore, R.L. Magnetic and electric pressure in a confined plasma, 2=5346
 Moore, T.W. and Spong, F.W. Cyclotron resonance in aluminum, 2=3884
 Moore, T.W. and Spong, F.W. Erratum: cyclotron resonance in aluminum, 2=14421
 Moore, W. See Silver, M., 2=23449
 Moore, W.J. See O'Keefe, M., 2=2100
 Moore, W.J. See O'Keefe, M., 2=14434
 Moore, W.S. See Bates, C.A., 2=4254
 Moorhouse, R.G. N/D method with second sheet poles, 2=11882
 Moorhouse, R.G. See Cumming, J., 2=12003
 Mooser, E. and Pearson, W.B. Ionic-covalent bonding in crystals, 2=6244
 Mooser, E. See Basinski, Z.S., 2=8231

- Mooser, E. See Beck, A., 2-6778
 Mooser, E. See Brebner, J.L., 2-2921
 Moots, D. and Kunsmann, R. The crystal structure of Sn_3S_5 , a third phase in the tin-sulphur system, 2-23348
 Mora, S. See Baudinet-Robinet, Y., 2-13798
 Moraes, R.J.de. See de Moraes, R.J.de.
 Morales, A. See Freund, P.G.O., 2-18144
 Morales, A. See Freund, P.G.O., 2-22421
 Morales, A. See Galindo, A., 2-11294
 Morales y Amado, A. and Serment, C.A. Geometrical optimization of natural uranium rods for various moderators. I, 2-6070
 Moran, H.S. See Terby, C.D., 2-9736
 Moran, T. See Cohen, V.W., 2-16477
 Moran, T. See Penselin, S., 2-16478
 Morand, M. See Baudinet-Robinet, Y., 2-13798
 Morandi, A.J. See Wolf, E., 2-15453
 Morando, B. Libration of a 24-hour satellite, 2-7043
 Morantz, D.J., White, B.G. and Wright, A.J.C. Stimulated light emission by optical pumping and by energy transfer in organic molecules, 2-6195
 Moravcsik, M.J. Boson photoproduction experiments, 2-3264
 Moravcsik, M.J. Search for a spin-1 intermediate meson in neutral pion photoproduction, 2-3380
 Moravcsik, M.J. See Bjorklund, F.E., 2-5896
 Moravek, P.H. See Holladay, W.G., 2-13792
 Moravek, P.H. See Holladay, W.G., 2-22495
 Morcillo, J. See Fernández Biarge, J., 2-6155
 Mordfin, L. and Bloss, R.L. Simple strain gauge-based load controller, 2-19838
 Mordike, B.L. and Haasen, P. The influence of temperature and strain rate on the flow stress of α -iron single crystals, 2-8731
 Moreau, J. and Bénard, J. The reversible striation of iron and its alloys, 2-7572
 Moreh, R. and Davis, G. The $\text{O}^{17}(\text{t}, \text{p})\text{O}^{16}$ reaction in a nuclear reactor, 2-18361
 Morehouse, N.F., Jr. See Carter, J.C., 2-6006
 Moreira, J.A. Conversion electron spectra of the excited levels of tungsten 182, 2-22774
 Morel, P. and Anderson, P.W. Calculation of the superconducting state parameters with retarded electron-phonon interaction, 2-5235
 Morel, P. and Nozières, P. Lifetimes effects in condensed helium-3, 2-15831
 Morell, J.D. See Volterra, E., 2-2804
 Morelli, C. New lines of research in terrestrial physics. I. The atmosphere, 2-17121
 Morello, M.V. See Barakat, R., 2-19684
 Morelock, C.R. Sub-micron whiskers by vapor deposition, 2-8798
 Moreno, A. Moreno. See Moreno Moreno, A.
 Moreno Moreno, A. and Ramirez de Arellano, M.E. Report No. 2, on the radioactivity of the air in the low regions of the atmosphere in the cities of Puebla and Monterrey (Mexico), 2-4616
 Moret, H. Measurement of the internal cell length of glass measuring cells, 2-9226
 Moret, H. See Kruidhof, E.W., 2-7528
 Moreton, G.E. See Greenstadt, E.W., 2-24125
 Morey, F. Definition of nuclear potentials from double dispersion relations in field theory and potential scattering, 2-13942
 Morgan, A.H. See Fey, R.L., 2-16012
 Morgan, C.G. See Davies, D.K., 2-19898
 Morgan, D.J. and Rushbrooke, G.S. On the magnetically dilute Heisenberg and Ising ferromagnetics. II. High-temperature expansions, 2-731
 Morgan, H.W. and Staats, P.A. Infrared spectra of dilute solid solutions, 2-414
 Morgan, I.L. See Mills, W.R., Jr., 2-20374
 Morgan, J.G., Osborne, M.F. and Sisman, O. Irradiation effects in the EGCR fuel, 2-22873
 Morgan, J.L. See Bridle, J.A., 2-13479
 Morgan, L.O. See Nolle, A.W., 2-2732
 Morgan, O.B. See Kelley, G.G., 2-3069
 Morgan, O.B. See Kelly, G.G., 2-224
 Morgan, S.P. Transient response of a dipole antenna, 2-13690
 Morgan, S.P. See Mammel, W.L., 2-15985
 Morgan, T.N. and Kelly, C.E. The electric field dependence of conduction by electrons in nearly pure germanium, 2-23311
 Morgan, W.W. Some characteristics of galaxies, 2-4825
 Morgand, P. On the variations of structure as affected by purity observed in iron deformed in tension, 2-12849
 Morgenroth, H. The question of non-stationary plane shockwaves with a total energy which varies with time, 2-11400
 Morgenroth, H. See Hess, H., 2-1405
 Morgenroth, H. See Seliger, K., 2-3587
 Morgenshtern, Z.L. See Vasil'eva, N.N., 2-14723
 Morgenshtern, Z.L. See Vasil'eva, N.N., 2-23589
 Morgenstern, J. See Bianchi, G., 2-9865
 Morgenstern, J. See Corge, C., 2-295
 Morgenstern, J. See Corge, C., 2-388
 Morgenstern, J. See Corge, C., 2-415
 Morgenstern, J. See Corge, C., 2-416
 Morgenstern, J. See Corge, C., 2-18334
 Morgenstern, J. See Julien, J., 2-18332
 Morgenstern, J. See Julien, J., 2-18333
 Morgenthaler, F.R. On the possibility of obtaining large amplitude resonance in very thin ferrimagnetic disks, 2-12805
 Morgulis, N.D., Korchevov, Yu.P. and Chutov, Yu.I. Some physical features of thermoelectric energy conversion, 2-7555
 Morhulis, N.D. Determination of gas pressures in the very low range electron-adsorption methods, 2-1215
 Morhulis, N.D. and Marchenko, R.I. Partial adsorption and desorption of residual gas components in very high vacuum on the surfaces of single-crystal germanium and silicon, 2-12951
 Mōri, A. Ion cyclotron resonance in a slightly ionized gas, 2-17843
 Mori, G.F. and Brancolini, G.P. Studies in tachistoscopic campimetry, 2-24213
 Mori, G.F. See Ronchi, L., 2-15429
 Mori, H. Theory of collective motion of particles, 2-13260
 Mori, H. and Kawasaki, K. Quantum theory of spin diffusion, 2-2287
 Mori, H. and Kawasaki, K. Theory of dynamical behaviors of ferromagnetic spins, 2-12759
 Mori, H., Kawasaki, K. and Tani, K. Dynamical behaviors of antiferromagnetic spins, 2-10692
 Mori, H. See Nishimura, H., 2-4962
 Mori, P.N.La. See La Mori, P.N.
 Mori, R. and Hashimoto, K. Electrical properties of TiSe_2 , 2-644
 Mori, S. See Kondo, I., 2-12068
 Mori, S. See Sekido, Y., 2-12067
 Mori, S. See Sekido, Y., 2-12069
 Mori, T., Meshii, M. and Kauffman, J.W. Quenching rate and quenched lattice vacancies in gold, 2-21001
 Mori, T. See Meshii, M., 2-6409
 Moriarty, J.L., Jr. See Baenziger, N.C., 2-15042
 Moriarty, J.L., Jr. See Baenziger, N.C., 2-15043
 Morikawa, M. Electron optics in accelerating tubes, 2-1528
 Morikawa, M. Electron optics in multi-stage lens system. I, 2-1528
 Morikawa, M. Weak lens formulas for accelerating tubes, 2-20064
 Morikawa, M. Electron optics in multi-stage lens system. II, 2-222
 Morimoto, H. and Sakata, H. Electron diffraction study of evaporated films of nickel and cobalt, 2-4508
 Morimoto, M. The motion and the height of type III and type IV bursts of solar radio emission, 2-2560
 Morimoto, M. and Kai, K. The height of the solar radio bursts at 200 Mc/s, 2-2561
 Morimoto, M. and Kai, K. Height and motion of the solar radio bursts at 200 Mc/s, 2-13161
 Morimoto, M. See Suzuki, S., 2-7034
 Morimoto, M. See Tsuchiya, A., 2-2562
 Morimoto, M. See Tsuchiya, A., 2-7038
 Morimoto, S. See Ogawa, S., 2-2307
 Morimoto, S. See Ogawa, S., 2-16939
 Morimoto, T. and Tani, K. Scattering of charge carriers from point imperfections in semiconductors, 2-21114
 Morin, I. See Austin, I.G., 2-4130
 Morin, F.J. Halides, oxides, and sulfides of the transition metals, 2-23412
 Morin, F.J., Maita, J.P., Williams, H.J., Sherwood, R.C., Wernick, J.H. and Kunzler, J.E. Heat capacity evidence for a large degree of superconductivity in V_3Ga in high magnetic fields, 2-11570
 Morinaga, H. See Kuroyanagi, T., 2-5844
 Morinigo, F.B. The effects of reactions on elastic scattering, 2-21114
 Morinigo, F.B. See Nordberg, M.E., Jr., 2-3508
 Morino, Y., Cyvin, S.J., Kuchitsu, K. and Iijima, T. Shrinkage effect on nonlinear conformations, 2-10267
 Morino, Y. and Iijima, T. The effect of molecular vibration upon interatomic distances of carbon disulfide, 2-22954
 Morino, Y., Kuchitsu, K. and Oka, T. Internuclear distance parameters, 2-10266
 Morino, Y., Murata, Y., Ito, T. and Nakamura, J. Mean square amplitude and force constants of silicon tetrachloride and sulfur dichloride, 2-22957
 Morino, Y., Nakamura, J. and Moore, P.W. Shrinkage effect by thermal vibrations in linear-skeleton molecules, 2-6124
 Morino, Y. See Oka, T., 2-6140
 Morino, Y. See Oka, T., 2-14264

- orioka, S. On the shock configuration in a perfectly conducting gas in the presence of a uniform magnetic field, 2=3144
- orioka, S. Two-dimensional flow of a weakly conducting gas past a plane wall containing a magnetic dipole, 2=5453
- orita, A. and Osaka, Y. A note on the dielectric constant and causality, 2=8457
- orita, N. Curie temperature of evaporated nickel films, 2=21289
- orita, S., Ishimatsu, T., Chô, T., Nakajima, Y., Kawai, N., Murata, T. and Hachiya, Y. Angular distribution for the $N^{14}(d,p)N^{15}$ ground state reaction, 2=489
- orita, T. The kinetic equations for plasmas and its solution, 2=591
- orita, T. The resonance integral of U^{235} , 2=22857
- orita, S. See Ishimatsu, T., 2=20664
- orita, T. On the kinetic equation for electrons in metals at low temperatures, 2=592
- orita, T. Errata: On the kinetic equation for electrons in metals at low temperatures, 2=3864
- orita, T. On the Landau theory of Fermi fluids. A. Uniform and non-uniform equilibrium systems, 2=13274
- orita, T. On the Landau theory of Fermi fluids. B. Macroscopic kinetic equation, 2=13275
- oriya, T. See Peter, M., 2=12808
- orita, Y. See Edagawa, H., 2=21164
- orito, N. and Tsuyama, H. On the defect of peak shape in mass spectrum, 2=20055
- oriyama, F. On the thermal radio emission from the sun and galactic H II regions. I. Absorption coefficient in an ionized medium, 2=11159
- ork, K. and Olsen, H. Forward emission of photoelectrons at high energies, 2=20755
- orkel, A. and Schmalzried, H. Determination of the electronic conductivity and the transference numbers of ions and electrons in solid LiBr, 2=18650
- orkina, A.S. See Karal'nik, S.M., 2=6590
- orkowski, J. Spin-spin relaxation time in a model of non-uniform ferromagnetic, 2=6683
- orlin, Z. Contribution to the investigation of the photolysis of ZnS and CdS single crystals, 2=4553
- orlin, Z. Electron microscopy of additively coloured NaCl crystals, 2=12955
- orlin, Z. See Malicksô, L., 2=12467
- orlin, Z. See Malicksô, L., 2=12469
- orochoa, A.K. See Aminov, L.K., 2=4272
- oroze, E.M. Acceleration voltage in a variable-energy cyclotron, 2=9664
- oroz, N.G. See Kosevich, V.M., 2=4334
- oroz, V.I. An attempt to observe the infrared radiation of the galactic nucleus, 2=1015
- oroz, V.I. The infrared spectra of Jupiter and Saturn, 2=13105
- oroz, V.I. The infrared spectra of Jupiter and Saturn, 2=17253
- oroz, V.I. The brightness of the night sky in the 0.9-1.8 μ region, 2=24021
- oroz, V.I. See Gringauz, K.I., 2=918
- oroz, V.I. See Gringauz, K.I., 2=9030
- oroz, V.I. See Kurt, V.G., 2=11196
- oroz, V.I. See Kurt, P.G., 2=17315
- oroz, V.I. See Shklovskii, I.S., 2=919
- orozhenko, A.V. See Koval, I.K., 2=21701
- orozov, A.G., Nekrasov, K.G. and Popov, M.I. Hodoscope based on pulse-powered small diameter counters, 2=3426
- orozov, A.G. See Andrejev, E.M., 2=3229
- orozov, A.G. See Andreev, E.M., 2=18041
- orozov, A.I. and Kalashnikov, S.G. The occurrence of traps in zinc-doped germanium, 2=6456
- orozov, A.I. and Kalashnikov, S.G. The occurrence of traps in zinc-doped germanium, 2=10487
- orozov, A.I. See Gel'fand, I.M., 2=20098
- orozov, A.I. See Korablev, L.V., 2=15979
- orozov, B.V. See Kanavets, V.P., 2=22601
- orozov, B.V. See Pershin, I.I., 2=3227
- orozov, E.M. See Fridman, Ya.B., 2=21446
- orozov, E.M. See Fridman, Ya.B., 2=23787
- orozov, P.M. See Pigarov, Yu.D., 2=1387
- orozov, P.M. See Pigarov, Yu.D., 2=1388
- orozov, V.A. See Baranov, V.I., 2=14053
- orozov, V.A. See Basina, A.S., 2=14042
- orozov, V.A. See Gromov, K.Ya., 2=14049
- orozov, V.A. See Kotelnikov, V.A., 2=11174
- orozov, V.G. New experimental data on critical heat loads at boiling of liquids on a submerged heating surface, 2=15818
- orozov, V.P., Rybakova, H.I., Nauhol'nikov, B.I., Khlebnikova, V.M., Morozova, N.K. and Kovalchuk, D.S. Some problems of the theory of vibrational spectra, 2=18446
- Morozov, Yu.I. See Imshennik, V.S., 2=11649
- Morozova, A.V. See Klabukova, Z.I., 2=23616
- Morozova, L.P. See Krotova, N.A., 2=10775
- Morozova, N.K. See Morozov, V.P., 2=18446
- Morozovskii, V.A. See Zingerman, Ya.P., 2=23919
- Morozumi, S. See Koda, S., 2=16969
- Morpurgo, M. See Citron, A., 2=5703
- Morris, D. and Berge, G.L. Measurements of the polarization and angular extent of the decimeter radiation from Jupiter, 2=19349
- Morris, D.N. See Masson, D.J., 2=2747
- Morris, D.P., Davies, G.W. and Price, C.D. Antiferromagnetic-ferromagnetic transition in gold-manganese-indium alloys, 2=10682
- Morris, D.P. and Williams, I. A note on a new phase in the copper-manganese-indium system, 2=828
- Morris, J.C. and Hands, E. Constant-beamwidth arrays for wide frequency bands, 2=5118
- Morris, M.C. See Swanson, H.E., 2=10899
- Morris, P.R. Irradiation growth in alpha-uranium single crystals, 2=12880
- Morris, T. See Bertanza, L., 2=13854
- Morris, T.W. See Brown, H.N., 2=12013
- Morris, T.W. See Hart, E.L., 2=9889
- Morris, T.W. See Hart, E.L., 2=22607
- Morrish, A.H. See Chen, D., 2=12672
- Morrison, C.A. See Karayianis, N., 2=12798
- Morrison, D.L. and Caretto, A.A., Jr. Excitation functions of (p,xp) reactions, 2=20628
- Morrison, D.R.O. Peripheral or "quasi-elastic" interactions of 24 GeV protons and 16 GeV/c negative pions, in hydrogen, 2=22507
- Morrison, D.R.O. See Bartke, J., 2=13883
- Morrison, F.F. See Page, T., 2=7023
- Morrison, G.C. See Dearnaley, G., 2=18135
- Morrison, J. See Lander, J.J., 2=15141
- Morrison, J. See Lander, J.J., 2=19106
- Morrison, J. See Lander, J.J., 2=19128
- Morrison, J.A. On the number of electron levels in a one-dimensional random lattice, 2=23099
- Morrison, J.A. and Edelson, D. Solution of the space charge problem for a pulsed Townsend discharge, 2=11625
- Morrison, J.A. See Barr, L.W., 2=4400
- Morrison, J.A. See Beaumont, R.H., 2=6270
- Morrison, J.A. See Colwell, J.H., 2=14379
- Morrison, J.A. See Flubacher, P., 2=6269
- Morrison, J.A. See Hoodless, I.M., 2=12449
- Morrison, J.D. See Marmet, P., 2=7680
- Morrow, D.R. See Martin, M.C., 2=14491
- Morrison, J.D. See Marmet, P., 2=9651
- Morrison, R.B. See Sommers, W.P., 2=4542
- Morrison, R.E. See Ing, S.W., Jr., 2=10943
- Morrow, F. and Moore, A. Simple and reliable furnace temperature control system, 2=2920
- Morrow, J.C. See Baldwin, M.G., 2=8892
- Morrow, R.J. See Conway, J.G., 2=2248
- Morrow, R.J. See Conway, J.G., 2=12288
- Morse, F.A., Bernstein, R.B. and Hostettler, H.U. Evaluation of the intermolecular potential well depth from observations of Rainbow scattering: Cs-Hg and K-Hg, 2=18497
- Morse, R.W. Ultrasonic attenuation in superconductors, 2=7506
- Morse, T.F. Electromagnetic acceleration of a shock wave in a constant-area duct, 2=11402
- Mort, J. See Spear, W.E., 2=2969
- Mort, J. and Spear, W.E. Hole drift mobility and lifetime in CdS crystals, 2=14550
- Moretensen, E.M. See Sinanoğlu, O., 2=13371
- Morton, D.C. Spectroscopic observations of the night sky in the extreme ultraviolet, 2=21664
- Morton, D.C. and Purcell, J.D. Observations of the extreme ultraviolet radiation in the night sky using an atomic hydrogen filter, 2=21663
- Morton, D.C. and Widing, K.G. The solar Lyman-alpha emission line, 2=4779
- Morton, G.A. Nuclear radiation detectors, 2=16084
- Morton, I.P. and Rosenberg, H.M. Scattering of phonons by spins at low temperatures, 2=16618
- Morton, J.R. The e.s.r. spectrum of irradiated ammonium hypophosphite, 2=14822
- Morton, J.R., III, Choppin, G.R. and Harvey, B.G. Study of the reactions $Pr^{141}(C^{12}, 4n)Tb^{146}$ and $Te^{130}(C^{12}, 5n)Ce^{137m}$ by means of recoil techniques, 2=22854
- Morton, J.R. See Chantry, G.W., 2=16565
- Morton, J.R. See Horsfield, A., 2=16566
- Morton, J.R., III and Harvey, B.G. Application of recoil techniques to study of the reactions $Ra^{226}(\alpha, 4n)Th^{226}$, $Pb^{208}(\alpha, 2n)Po^{210}$, and $Pb^{207}(\alpha, n)Po^{210}$, 2=14138

- Morton, J.R. See Douglas, A.E., 2=6167
 Morton, J.R. See Horsfield, A., 2=2017
 Morton, J.R. See Horsfield, A., 2=6219
 Morton, S.D. and Ferry, J.D. Dynamic mechanical properties of polyvinyl chloride gels, 2=23979
 Morton, W.T. and Walker, T.G. ($\gamma, p + \alpha$) reactions in ^{12}C , ^{14}N and ^{16}O , 2=22797
 Morucci, J.P. See Lansiaart, A., 2=20183
 Mosburg, E.R., Jr and Murphey, W.M. A recalibration of the N.B.S. standard thermal neutron flux, 2=3354
 Moscati, G. and Goldemberg, J. Delayed neutron yields in the photo-fission of U^{238} and Th^{232} , 2=12233
 Moscati, G. and Goldemberg, J. A neutron detecting system for pulsed accelerators, 2=1694
 Mościcki, W. and Renk, H. The time-delay probability function of pulses of Geiger-Müller counters filled with $\text{CO}_2 + \text{CS}_2$, 2=3191
 Moser, C.M. See Bessis, N., 2=522
 Moser, C.M. See Bessis, N., 2=22898
 Moser, F. Equilibrium properties of solid solutions of copper ions in large AgCl crystals, 2=4136
 Moser, P. See Dautreppe, D., 2=12475
 Moser, P. See Dautreppe, D., 2=21084
 Moser, P. See Kuhn, W., 2=10790
 Moses, H.E. See Kay, L., 2=1661
 Moses, H.E. See Lomont, J.S., 2=15447
 Moses, K. See Gorowitz, B., 2=3056
 Mosher, H.P. See Parks, G.S., 2=21585
 Mosher, H.S., Hardwicke, E.R. and Ben Hur, D. Flash-photolysis studies of α - and γ - (2,4-dinitrobenzyl) pyridine, 2=19160
 Mosher, H.S. See Hardwick, R., 2=8925
 Moshinsky, M. On exact solutions for the pairing plus quadrupole - quadrupole interactions, 2=1766
 Moshinsky, M. The harmonic oscillator and supermultiplet theory. I. The single shell picture, 2=10192
 Moshinsky, M. Soluble many-body problem for particles in a Coulomb potential, 2=13960
 Moshinsky, M. and Brody, T.A. Symmetries and sum rules of transformation brackets, 2=1042
 Moshinsky, M. See Chacon, E., 2=22736
 Moskalenko, S.A. Reversible optico-hydrodynamic effects in nonideal exciton gas, 2=12406
 Moskalenko, S.A. Reversible optico-hydrodynamic effects in nonideal exciton gas, 2=14419
 Moskalenko, V.A. See Tyablikov, S.V., 2=687
 Moskalenko, V.A. See Tyablikov, S.V., 2=4131
 Moskalev, O.B. Neutron spectrum in a mixture of two non-interacting gases, heated to different temperatures, 2=20354
 Moskalev, V.I. and Ordan'yan, S.S. Investigation of the effect of doping with chromium and bismuth oxides on the dielectric and piezoelectric properties of polycrystalline barium titanate, 2=16792
 Moskalev, V.I. See Budagov, Yu.A., 2=16228
 Moskalev, V.I. See Dzhelepov, V.P., 2=10231
 Moskalev, V.I. See Dzhelepov, V.P., 2=14231
 Moskalev, V.V. Calculation of the second moment of a nuclear magnetic resonance line for a rotating group present in a molecule, 2=8677
 Moskaleva, L.P. See Lavrukina, A.K., 2=20689
 Moskvin, A.I. See Likhachev, V.A., 10772
 Moskvin, N.A. See Kaplyanskii, A.A., 2=712
 Mosova, L.M. See Lifshits', Ye.V., 2=19177
 Moss, H. A note on anomalous radial velocity spectra from rough thermionic emitters, 2=1480
 Moss, S. See Patel, J.R., 2=21574
 Moss, T.S. [Conf.Rep.]. Photoconductivity conference-Cornell University U.S.A., August, 1961, 2=4056
 Moss, T.S. Unusual photoconductive effects, 2=8402
 Moss, T.S. Magneto-optical effects in semiconductors, 2=16805
 Moss, T.S. and Hawkins, T.D.F. Infrared absorption in gallium arsenide, 2=8495
 Moss, T.S. and Peacock, A.G. Infrared optical properties of lead halides, 2=10568
 Moss, T.S. and Walton, A.K. Infra-red Faraday effect in semiconductors, 2=23529
 Moss, T.S. See Walton, A.K., 2=6549
 Moss, T.S. See Walton, A.K., 2=10492
 Mossakowska, Z. Plane dynamical nucleus of temperature in an elastic anisotropic half-space, 2=9211
 Mossakowska, Z. Dynamical problem for anisotropic elastic half-space with discontinuous temperature field, 2=9212
 Mössbauer, R.L. Recoilless nuclear resonance absorption of gamma-radiation, 2=12366
 Mössbauer, R.L. See Mössbauer, R.L., 2=8154
 Mostovaya, T.A. See Mostovoi, V.I., 2=1940
 Mostovoi, V.I., Mostovaya, T.A., Sovinskii, M. and Saltykov, Yu.S. The distribution of fission-fragment kinetic energy in ternary fission of U^{235} by thermal neutrons, 2=1940
 Mostovskii, A.A. See Golovanova, O.V., 2=2192
 Mostovskii, A.A. See Golovanova, O.V., 2=8438
 Moszkowski, S.A. Systematics of beta-decay matrix elements, 2=183
 Moszkowski, S.A. On the energy distribution of terms and line arrays in atomic spectra, 2=20738
 Moszkowski, S.A. See Scott, B.L., 2=5786
 Moszkowski, S.A. See Taherzadeh, M., 2=5785
 Motchane, J.L. Dynamic nuclear polarization in the case where the electron resonance line is inhomogeneous, 2=10714
 Motizuki, K. Note on para-ortho conversion in solid deuterium, 2=2107
 Motley, R.W. See D'Angelo, N., 2=13577
 Moțoc, C. and Teodorescu, I. Study of the structure of thin gold films irradiated in a reactor, 2=6849
 Moțoc, C. and Teodorescu, I. Study of the structure of thin gold films irradiated in the reactor, 2=8265
 Motsok, K. See Andreesku, N., 2=21340
 Mott, N.F. The cohesive forces in metals and alloys, 2=12364
 Mott, N.F., Parsons, R. and Watts-Tobin, R.J. The capacity of a mercury electrode in electrolytic solution, 2=8922
 Mott, W.E. See Rhodes, D.F., 2=3302
 Mott, W.E. See Shedlovsky, J.P., 2=17112
 Mottelson, B.R. See Bohr, A., 2=2954
 Motulevich, V.P. Heat and mass transfer at a frontal point of blunt bodies for gas flow in the presence of heterogeneous chemical reactions, 2=15129
 Motz, H. and Walsh, D. Dependence of power radiated on beam current in a magnetic undulator, 2=7732
 Motz, J.W. and Missoni, G. Compton scattering by K-shell electrons, 2=528
 Motz, J.W. and Missoni, G. Compton scattering by K-shell electrons, 2=20756
 Motz, L. Quantization and the classical Hamilton-Jacobi equation, 2=9194
 Motz, L. See Bergstein, L., 2=7336
 Motz, L. See Bergstein, L., 2=7337
 Motz, L. See Bergstein, L., 2=7338
 Motzke, K. The dependence of magnetically induced anisotropy in Ni-Fe ferrites on the number of vacant cation sites, 2=10673
 Mouellic, L. See Dumont, S., 2=17271
 Mould, R.A. Quantum theory of measurement, 2=9195
 Mould, R.E. and Mapother, D.E. Effect of precipitation hardening on the super-conducting properties of aluminium, 2=2956
 Moulton, A.J. and Roberts, J.P. Water in silica glass, 2=6378
 Moulton, W.G. See Webb, W.E., 2=10721
 Mountain, R.D. See Klein, M.J., 2=16611
 Moura, L.A.De. See De Moura, L.A.,
 Mourad, P. Colour centres in ionic crystals, 2=12465
 Mourao, R.R.de Freitas. See de Freitas Mourao, R.R.,
 Mourre, R. See Julg, A., 2=22992
 Moussa, A. See Juillard, A., 2=413
 Moussa, A. See Tousset, J., 2=389
 Mousselin, L. See Chanu, J., 2=7440
 Mousselin, L. See Chanu, J., 2=17592
 Movlanov, Sh. and Kuliev, A.A. Investigation of the diffusion of selenium and mercury in solid and liquid tellurium, 2=18610
 Mower, L. See Burke, J.E., 2=19729
 Moxon, D. "Stagnant"-A one-dimensional, steady-state, two-group, Fortran programme for steam-generating P.T.Rs [pressure-tube reactors], 2=20713
 Moyana Reina, F. Measurements of impedances of circular loops with dimensions which are not small, with a single feed, 2=7234
 Moyer, B.J. See Devlin, T.J., 2=3386
 Moyer, B.J. See Hinrichs, C.K., 2=18142
 Moyer, B.J. See Longo, M.J., 2=3387
 Moyžes, B.Ya. See Joffe, A.F., 2=23483
 Mozer, B., Otnes, K. and Myers, V.W. Measurement of a simple defect mode of vibration, 2=12373
 Mozley, R.F. See Drickey, D.J., 2=13846
 Mozumder, A. On the microwave spectrum of methyl alcohol. I. General theory, 2=14269
 Mozumder, A. On the microwave spectrum of methyl alcohol. II. Numerical part, 2=14270
 Mozzi, R.L. and Bekebrede, W.R. Cell dimensions and space group of magnesium nitrate hexahydrate, 2=4428
 Mozzi, R.L. and Guentert, O.J., 2=4356
 Mrass, H. See Bocker, P., 2=4889
 Mrozeiwicz, B. [Mrozievicz] and Heasell, E. The characteristics of some germanium tunnel diodes, 2=2179
 Mrozeiwicz, B. See Mrozeiwicz, B.
 Mshenskii, V.A. See Kot, M.V., 2=21157

- uan, A. See Aukrust, E., 2=15140
- uan, A. See Hahn, W.C., Jr., 2=2414
- uccini, G.A. See Henglein, A., 2=19901
- uchnik, M. See de Carvalho, H.G., 2=18367
- uckenfuss, C. Mean-free-path concept in gas dynamics, 2=5067
- uckerenhirn, O.W., Monnier, M.H. and Besser, P.J. Shape-sensitive uniaxially magnetized domains in Ni-Fe films, 2=16914
- udholker, V.M. See Deshpande, V.T., 2=572
- uehe, C.E. See Condekk, W.J., 2=7170
- ueller, A.H. Proton orbit calculations for the Iowa State University cyclotron, 2=11742
- ueller, C.R. See Marchi, R.P., 2=8131
- ueller, M.H., Hitterman, R.L. and Knott, H.W. The atomic position parameter in alpha uranium—room temperature and above, 2=10833
- ueller, R.K. and Jacobson, R.L. Alpha and beta grain boundaries bugglesides, D. See Faulkner, D.J., 2=17273
- uggleton, A.H.F. and Howe, F.A. The preparation of thin self supporting boron films, 2=4488
- uggleton, A.H.F. and Howe, F.A. The preparation of thin ¹⁸O targets, 2=4492
- uh, H. and Sittkus, A. Investigation of the structure of fission product clouds, 2=12237
- uhleisen, R. Electrode effect measurements above the sea [above a lake], 2=879
- uhleman, D.O., Holdridge, D.B. and Block, N. The astronomical unit determined by radar reflections from Venus, 2=13175
- uhlschlegel, B. Asymptotic expansion of the Bardeen-Cooper-Schrieffer partition function by means of the functional method, 2=13505
- uhlschlegel, B. See Blake, B., 2=12157
- uir, W.B. The resistance minimum in a dilute cadmium-manganese alloy, 2=6408
- uir, W.B. See Hedgcock, F.T., 2=6510
- uir, W.B. See Hedgcock, F.T., 2=12643
- uirhead, H. See Astbury, A., 2=1701
- uirhead, H. See Astbury, A., 2=1702
- uirhead, H. See Astbury, A., 2=1708
- uirhead, H. See Astbury, A., 2=10129
- uirhead, H. See Blair, I.M., 2=22926
- uirhead, H. See Blair, I.M., 2=22927
- uirhead, J.S. and Howe, J.A. Near-ultraviolet absorption spectrum of Tetrolaldehyde, 2=14290
- uirhead, J.S. See Howe, J.A., 2=6209
- ukhararev, L.A., Perel'man, A.M. and Rogova, N.A. Determination of the permittivity of materials at high temperatures in the 3 cm range of radio waves, 2=22156
- ukhedkar, A.J. Solvent effects on optical rotation and dipole moment, 2=1147
- ukherjee, B.C. See Ganguly, S.C., 2=6572
- ukherjee, P. and Cohen, B.L. Nuclear structure studies in the lead region with stripping reactions, 2=18354
- ukherjee, P. See Cohen, B.L., 2=20487
- ukherjee, P. See Dutt, D., 2=5778
- ukherjee, P. See Dutt, I., 2=356
- ukjerjee, S.C. and Sil, N.C. Low energy scattering of electron by variational method, 2=22917
- ukherjee, S.N. On the size and binding energy of the helium nucleus, 2=18240
- ukherjee, S.N. See Mathur, V.S., 2=20439
- ukhin, S.V. See Vysochanskii, M., 2=19860
- ukhitdinova, I.A. See Vanyukov, M.P., 2=7576
- in indium antimonide, 2=14453
- ukoyama, T. and Shimizu, S. Scintillation spectroscopy measurements of gamma-ray energies from the source of Eu^{153 154}, 2=14058
- ukunda, N. Consistency of Rayleigh's diffraction formulas with Kirchhoff's boundary conditions, 2=7400
- ulac, W.A. See Noyes, W.A., Jr., 2=6890
- ulay, L.N. See Fox, M.E., 2=6779
- ulcahy, M.J. and Lennon, J.J. Ambipolar diffusion measurements in low pressure rare gas afterglows, 2=22186
- ulcahy, M.J. See Lennon, J.J., 2=5301
- uldawer, L. Spectral reflectivity as a function of temperature of β -brass type alloys, 2=18789
- uldawer, L. and de Bergevin, F. Antiferromagnetic-ferromagnetic transformation in FeRh, 2=4220
- uldawer, L. See Rothwarf, E., 2=17040
- uldrew, D.B. and Maliphant, R.G. Long-distance one-hop ionospheric radio-wave propagation, 2=17970
- ulholland, J.D. A modified form of the LaPlace coefficients, 2=6977
- ullaly, R.F. The ray paths of whistling atmospherics: differential geometry, 2=11035
- Mullaly, R.F. Evidence for the transfer of corpuscles to distant parts of the sun following a solar radio burst, 2=9112
- Mullaly, R.F. Ray paths in inhomogeneous anisotropic media, 2=9362
- Mullaly, R.F. See Krishnan, T., 2=11157
- Mullaney, D. See Apgar, E., 2=19629
- Mullen, J.G. Effect of Bardeen-Herring correlation on vacancy diffusion in anisotropic crystals, 2=2092
- Mullender, M.L. See Weale, J.W., 2=3671
- Müller, A. A vacuum valve using a platinum wire, 2=5084
- Müller, A. The calculation of the resonance integral of U²³⁸, 2=10150
- Müller, A. Collision probability in cylindrical geometry, 2=10175
- Müller, A. See Pascallau, M., 2=5391
- Müller, E. See Lange, H., 2=15981
- Müller, E.A. Some experimental and theoretical results relating to the production of noise by turbulence and the scattering of sound by turbulence or single vortices. 2nd Symposium, Naval Hydrodynamics (Washington, D.C., 1958), 2=21868
- Müller, E.K., Nicholson, B.J. and Turner, G.L'E. The epitaxy of barium titanate films by vapour deposition, 2=21492
- Müller, E.W. See Pimbley, W.T., 2= 5368
- Müller, E.W. See Young, R.D., 2=1473
- Müller, F. A contribution to the theory of transformation of wave types, 2=1595
- Muller, F. See Good, R.H., 2=317
- Muller, F. See Good, R.H., 2=22628
- Müller, F.H. Further easily obtainable information from dielectric measurements, 2=14600
- Müller, G.O. and Schubert, G. Self-balancing discriminator for pulse-amplitude measurement, 2=1356
- Müller, H. Mechanism of the chemical reaction following from (n, γ) nuclear transformations in inorganic solids and the range of the recoil atom, 2=14116
- Müller, H. Contribution to the artefact problem in the carbon replica method, 2=15114
- Müller, J. See Bucher, E., 2=2961
- Müller, J. See Bucher, E., 2=5237
- Müller, J. See Bucher, E., 2=5242
- Müller, J. See Guggenheim, J., 2=5241
- Müller, K. See Zeil, W., 2=8093
- Müller, K.A. and Kleiner, R. Conduction carrier spin resonance in the alkali metal-graphites C₃Me and C₂₄Me, 2=14825
- Müller, K.A. See Ovenall, D.W., 2=8673
- Müller, K.G. Leak detection methods and apparatus, 2=19640
- Müller, K.G. Electron motion in a neutral gas under high electric fields, 2=22163
- Müller, K.H. Investigation by target theory of radioactive effects on dissolved substances, 2=6895
- Müller, K.H. See Häusler, E., 2=19690
- Müller, L. See Bally, D., 2=23582
- Muller, M.W. and Dawson, S. Structure of a Bloch wall, 2=21312
- Muller, M.W. and Sher, A. Magnetic field dependence of the enhancement factor for nuclear resonance in ferromagnets, 2=14844
- Muller, M.W. See Buffler, C.R., 2=2293
- Muller, N. C¹³ splittings in proton magnetic resonance spectra. III. Formyl compounds, 2=3786
- Muller, N. and Tosch, W.C. Anomalous chemical shifts in the proton magnetic resonance spectra of the dimethyl-cyclohexanes and related hydrocarbons, 2=23001
- Müller, O. See Daniel, H., 2=22768
- Müller, P. See Macherauch, E., 2=6712
- Müller, R. A multichannel analyser with electrostatic storage in decimal notation, 2=11588
- Müller, R. See Bösch, R., 2=14074
- Müller, R. See Bösch, R., 2=20585
- Müller, R. See Bösch, R., 2=22782
- Müller, R. See Bösch, R., 2=22784
- Müller, R. See de Carvalho, H.G., 2=18367
- Müller, R. See Jarczyk, L., 2=5612
- Müller, R. See Jarczyk, L., 2=5939
- Müller, R. See Jarczyk, L., 2=7795
- Müller, R. See Jarczyk, L., 2=12212
- Müller, R. See Lang, J., 2=5888
- Müller, S. and Kohlhaas, R. Determination of the residual austenite content by magnetic precision measurements, 2=16649
- Muller, T. See Charpak, G., 2=1700
- Muller, T. See Charpak, G., 2=3367
- Muller, T. See Charpak, G., 2=13832
- Muller, T. See Gorodetzky, S., 2=22552
- Müller, V.F. Compton scattering by the proton, 2=22472
- Muller-Buschbaum, H. See Witzmann, H., 2=12622
- Müller-Duysing, W. See Kraus, K., 2=11616

- Müller-Warmuth, W. and Parikh, P. Explanation and application of a rapid-modulation detection technique for nuclear magnetic resonance spectroscopy, 2=5500
- Müller-Warmuth, W. See Haupt, J., 2=11576
- Müller-Warmuth, W. See Haupt, J., 2=17484
- Mullick, P.C. See Bashforth, G.R., 2=17032
- Mulliken, R.S. Criteria for the construction of good self-consistent-field molecular orbital wave-functions, and the significance of LCAO-MO population analysis, 2=16497
- Mulliken, R.S. Low-energy $^3\Sigma^+g$ states of the nitrogen molecule, 2=20814
- Mullin, C.J. See Johnson, W.R., 2=536
- Mullin, C.J. See Johnson, W.R., 2=11285
- Mullin, C.J. See Weber, T.A., 2=12297
- Mullin, J.B. See Bardsley, W., 2=10382
- Mullin, J.B. See Hulme, K.F., 2=21154
- Mullin, J.B. See Hurle, D.T.J., 2=14959
- Mullin, J.W. and Raven, K.D. Influence of mechanical agitation on the nucleation of some aqueous salt solutions, 2=21489
- Mullins, J.C. See Hurd, F.K., 2=8935
- Mullins, W.W. Proof that the two-dimensional shape of minimum surface free energy is convex, 2=20913
- Mullins, W.W. and Sekerka, R.F. Application of linear programming theory to crystal faceting, 2=14929
- Mullins, W.W. See Fraser, M.J., 2=4399
- Mullins, W.W. See King, R.T., 2=15089
- Mulvey, J.H. See Chadwick, G.B., 2=22522
- Mulvey, J.H. See Goldsack, S.J., 2=9888
- Mulvey, T. Origins and historical development of the electron microscope, 2=9634
- Munakata, M. Electrical conductivity of high vanadium phosphate glass, 2=8306
- Munakata, Y. Quantum field theory with indefinite metric, 2=11854
- Münch, G. and Unsöld, A. Interstellar gas near the sun, 2=15298
- Munday, G. See Miles, J.E.P., 2=19147
- Mundy, J.N. See Dugdale, J.S., 2=6507
- Munier, J. Effect of the direct polarization current on the differential conductance and the scintillation noise of point-contact diodes at hyperfrequencies, 2=18715
- Munier, J.M., Claudel, J., Decamps, E. and Hadni, A. Reflective power of gratings: Echelette of order one in polarized light, 2=22058
- Munir, R. See Levinson, C.A., 2=13797
- Munro, D.C. See Bradley, R.S., 2=14511
- Munro, G.H. Possible solar flare effects in the F-region of the ionosphere, 2=4653
- Munro, G.H. Diurnal variations in the ionosphere deduced from satellite radio signals, 2=6934
- Munro, I.H. See Birks, J.B., 2=18869
- Munro, R. See Wilson, H.W., 2=5389
- Munschy, G. and Pluvinage, P. Numerical approximations of the first S states of helium, 2=12286
- Munson, M.S.B. See Dahler, J.S., 2=16569
- Munson, W.A. and Karlin, J.E. Isopreference method for evaluating speech-transmission circuits, 2=15426
- Muntz, E.P. Static temperature measurements in a flowing gas, 2=1205
- Münzel, H. Concerning the formation of Cd^{115m} or Cd^{115g} in the reaction $U(\alpha, f)X$, 2=10143
- Murai, T. Colour and polarizability of conjugated chain-molecule, 2=14345
- Murai, Y. The non-linear theory of Heisenberg in a five-dimensional space, 2=7805
- Muraishi, Y. See Fukushima, S., 2=9967
- Murakami, I. Effect of the stretching on dielectric property of polymethyl methacrylate, 2=8461
- Murakami, K. Geomagnetic effect on diurnal variation of cosmic ray intensity, 2=3442
- Murakami, K. See Imai, T., 2=3433
- Murakami, K. See Imai, T., 2=3434
- Murakami, K. See Imai, T., 2=13919
- Murakami, K. See Kanno, T., 2=12046
- Murakami, K. See Suga, K., 2=12066
- Murakami, Y. and Enjō, T. Heat treatment of zirconium-rich alloys with niobium, 2=19090
- Murakami, Y., Kawano, O. and Tamura, H. On precipitation phenomena in magnesium-zinc alloys, 2=21554
- Murakawa, K. Quadrupole coupling in the hyperfine structure of the spectrum of La I, 2=3701
- Murakawa, K. Quadrupole coupling in the hyperfine structure of the spectra of Ta I and Os I, 2=16484
- Murakhver, Yu.E. Resonance charge exchange in atomic hydrogen, 2=16493
- Muralidhara Rao, A. and Krishnan, A.A. Studies on sintered copper-chromium powder compacts, 2=15052
- Muranishi, Y. See Yashima, H., 2=4673
- Murao, T. Screening of multipolar interactions in metals, 2=14354
- Murase, K. See Ohkura, H., 2=3966
- Murase, K. See Ohkura, H., 2=21365
- Murashko, L.T. See Vorob'ev, G.A., 2=21774
- Murashko, L.T. See Vorob'ev, A.A., 2=23506
- Murasik, A. See Janik, J.A., 2=292
- Murata, T. See Morita, S., 2=489
- Murata, Y. See Morino, Y., 2=22957
- Muratov, V.R. A telecentric optical system for illumination of the entrance slit of a spectral instrument, 2=13445
- Muratov, V.R. See Balashov, I.F., 2=1272
- Muratov, V.R. See Vanyukov, M.P., 2=7576
- Murav'eva, V.V. See Gnedich, A.V., 2=1512
- Murav'eva, V.V. See Malsyheva, T.V., 2=14054
- Murav'eva, V.V. See Sorokin, A.A., 2=14066
- Muravskii, B.S. See Kosman, M.S., 2=4026
- Murray, J.J. Volume conductivity of borosilicate glass, 2=10442
- Murray, J.J. Surface conductivity of borosilicate glass, 2=10443
- Murayama, T. Methods for detecting high energy photons in primary cosmic rays, 2=1742
- Murayama, T. See Adachi, T., 2=16212
- Murayama, T. See Kondo, I., 2=12068
- Murayama, T. See Sekido, Y., 2=12067
- Murayama, T. See Sekido, Y., 2=12069
- Murcray, D.G., Brooks, J.N., Sible, N.J. and Westdal, H.C. Optical measurements from high altitude balloons, 2=8972
- Murcray, D.G., Murcray, F.H. and Williams, W.J. Distribution of water vapor in the stratosphere as determined from infrared absorption measurements, 2=8957
- Murcray, F.H. See Murcray, D.G., 2=8957
- Murdoch, H.S. See Campbell, M.J., 2=12079
- Murdoch, H.S. See Campbell, M.J., 2=13935
- Murdock, J.F. See Lundy, T.S., 2=12448
- Murgulescu, I.G. and Zuca, S. On the viscosity of some simple molten salts, 2=11329
- Murguliya, G.E. and Plyutto, A.A. Neutron generator with spark ion source, 2=20369
- Murin, A.N., Banasevich, S.N. and Grushko, Yu.S. Diffusion of calcium ions in substitutional crystals $NaCl-CaCl_2$, 2=604
- Murin, A.N., Banasevich, S.N. and Grushko, Yu.S. Diffusion of calcium ions in substitutional crystals $NaCl-CaCl_2$, 2=3938
- Murin, A.N., Lur'e, B.G. and Tarlov, Yu.P. Electrical conductivity and self-diffusion of silver in silver iodine at high pressure, 2=
- Murin, A.N. See Belyaev, B.N., 2=7985
- Murin, A.N. See Dalkhsuren, B., 2=14023
- Murin, A.N. See Lur'e, B.G., 2=21070
- Murin, I.D. See Voronkov, A.E., 2=18044
- Muriyama, M. and Sumi, M. Microwave generation of the second harmonic in a plasma, 2=11658
- Murley, P.C. See Kennedy, D.P., 2=2185
- Murley, P.C. See Kennedy, D.P., 2=14567
- Muromkin, Yu.A. See Babichev, A.P., 2=3026
- Muromtsev, V.I., Piskunov, A.K. and Safronov, S.N. Recording electron paramagnetic resonance lines by integrating the derivative of the signal, 2=19841
- Murooka, Y. The research of spark mechanism in liquid with bubble chamber, 2=22182
- Murooka, Y., Nagao, S. and Toriyama, Y. The research of spark mechanism in liquid with bubble chamber, 2=7228
- Murota, T. See Daiyasu, K., 2=12080
- Murota, T. See Marumori, T., 2=1768
- Murphey, W.M. See Mosburg, E.R., Jr., 2=3354
- Murphy, N.St.J. and Watkins, T.B. The surface channel Hall effect, 2=2334
- Murphy, P. See Beall, E., 2=16245
- Murphy, P. See Cook, V., 2=22630
- Murphy, P.G. Experience with spark chambers in high energy physics, 2=9756
- Murphy, P.G. See Beall, E.F., 2=11992
- Murphy, R.J. See Fourie, J.T., 2=599
- Murphy, R.J. See Fourie, J.T., 2=23907
- Murphy, S.R. See Potter, D.S., 2=17553
- Murphy, T.J. See Shields, W.R., 2=14227
- Murphy, T.W. and Crane, R. Analog computation of respiratory response curve, 2=13205
- Murphy, W.K. See Oriani, R., 2=21540
- Murray, A.E. Fast refractive infrared optical systems, 2=11475
- Murray, A.M. See March, N.H., 2=10364
- Murray, A.M. See March, N.H., 2=12405
- Murray, A.M. See McCombie, C.W., 2=3823
- Murray, A.M. See March, N.H., 2=8213
- Murray, B.C. See Pohn, H., 2=21700

- rray, F.J. Perturbation theory and Lie algebras, 2=15449
- rray, G.T. See Adams, M.A., 2=14452
- rray, J.J. See Bastien, P.L., 2=22608
- rray, J.J. See Ferro-Luzzi, M., 2=5728
- rray, R.B. and Meyer, A. Effect of delta rays on the response of inorganic scintillators to heavy particles, 2=17997
- rray, R.B. See Gwin, R., 2=18002
- rray, R.B. See Meyer, A., 2=23615
- rray, R.B. See Zerby, C.D., 2=5521
- rray, T.P. Automatic optical thickness gauge for thin film measurements, 2=7161
- rrrell, J.N. The mobility of holes and electrons in organic crystals, 2=585
- rrrell, J.N. Relative importance of exciton delocalization and electron delocalization in polyene spectra, 2=22994
- rrman, H. The use of an electron-optical method for magnetic measurements on ferromagnetic cylinders, 2=7707
- rtas, G.P. See Barbiellini, G., 2=13755
- rtas, G.P. See Barbiellini, G., 2=20302
- rthy, G.T. See Miyake, S., 2=12074
- rthy, N.S. On the validity of the revised rotational constants of $\alpha(\text{C} \rightarrow \text{X})$ band system of ZrO , 2=14256
- rthy, N.Sreedhara. See Sreedhara Murthy, M.
- rthy, Rama, V. See Rama Murthy, V.
- rty, C.R.K. See Spence, R.D., 2=4289
- rty, G.S. Influence of surrounding neutral medium on the stability of a fluid cylinder carrying an axial current, 2=1429
- rty, G.S. Instability of a conducting fluid slab carrying uniform current in the presence of a homogeneous magnetic field, 2=1572
- rty, G.S. Instability of a conducting fluid cylinder in the presence of an axial current, a longitudinal magnetic field and a coaxial conducting cylinder, 2=1573
- rty, G.S. Filamentary structure associated with force-free magnetic fields, 2=9692
- rty, M.V.K.R. Aspheric Ebert monochromator for simultaneous observation of many wavelengths, 2=11482
- rty, M.V.R.K. Use of convergent and divergent illumination with plane gratings, 2=15744
- rty, M.V.R.K. Multiple-pinhole multiple-beam interferometric observation of flat surfaces, 2=17636
- rty, M.V.R.K. See Spencer, G.H., 2=13435
- rty, T.S. See Jeffrey, J.W., 2=14943
- rty, Y.S.N. and Khashtgir, S.R. A note on the group refractive index of the ionosphere for zero collisional frequency, 2=13025
- rzewski, J. Anisotropy of a brittle solid due to internal micro-cracks, 2=14903
- rzin, V.S. See Grigorov, N.L., 2=5288
- rzina, E.A. See Nikolsky, S.I., 2=22673
- sa, G. The properties of thin ferromagnetic films, 2=23670
- schlitz, E.E., Jr., Randolph, H.D. and Ratti, J.N. Ion source for low-energy negative ions, 2=9642
- schlitz, E.E., Jr. See Sholette, W.P., 2=17782
- sen, P. On the long-period lunar and solar effects on the motion of an artificial satellite. II, 2=4869
- sen, P. On the long-period effects in the motion of an artificial satellite caused by the ellipticity of the equator of the earth, 2=7041
- sen, P. and Bailie, A.E. On the motion of a 24-hour satellite, 2=11182
- ser, A. See Gorodetzky, S., 2=5283
- ser, A. See Gorodetzky, S., 2=9502
- ser, H.E. See Unruh, H.G., 2=10555
- sgrave, M.J.P. and Pople, J.A. The stability under pressure of crystals with the diamond or zinc-blende structure, 2=14873
- sgrave, M.J.P. and Pople, J.A. A general valence force field for diamond, 2=16580
- sher, J.I. N.M.R. chemical shift of hydroxyl and hydronium ions, 2=1169
- sher, J.I. Comments on "N.M.R. fluorine-fluorine coupling constants in saturated organic compounds", 2=10281
- sher, J.I. Linear variation of proton magnetic shielding with electric field, 2=16557
- sher, J.I. Critical comment and erratum: long range nuclear magnetic shielding in molecules, 2=20869
- sher, J.I. and Gordon, R.G. N.M.R. spectrum of propylene sulfide, 2=18486
- shkin, I.G. See Kaganov, M.A., 2=19590
- skhelishvili, G.N. and Mikirtumov, V.R. Microflowmeter for liquids, 2=19530
- ss, D.R. and Townsend, J.R. Internal friction and Young's modulus in irradiated tungsten, 2=12842
- stajoki, A. Calorimetric measurements of the polymorphic transformations of potassium nitrate, 2=14920
- Mustel', É.R. Results of a statistical study of geomagnetic disturbances for five cycles of solar activity, 2=961
- Mustel', É.R. The total energy of corpuscular streams, 2=964
- Mustel', É.R. The existence of a general corpuscular field due to the sun, 2=965
- Mustel', É.R. Corpuscular streams and the solar corona above active regions, 2=966
- Mustel', É.R. Corpuscular velocities in streams responsible for M-disturbances, 2=968
- Mustel', É.R. Novae as a possible source of cosmic rays, 2=20472
- Mustel', É.R. The hypothesis of the cone of avoidance in the problem of the origin of corpuscular streams, 2=21714
- Mustel', É.R. The spatial structure of the solar corona. I, 2=24120
- Mustel', É.R. and Aivazyan, S.A. Quantitative analysis of the statistical relations connecting plages and m-disturbances, 2=962
- Mustelier, J.P., Mikailoff, H., Ratier, J.L., Gondal, D. and Bloch, J. The effects of irradiation of uranium alloys with small molybdenum contents, 2=18626
- Muta, T. See Kato, H., 2=13528
- Muto, J. See Kimura, K., 2=5898
- Muto, S.Y. and Wang, S. Switching response of graded-base PN junction diodes, 2=14569
- Muto, T., Kobayasi, S., Watanabe, M. and Kozima, H. Temperature effect of Knight shifts in alkali metals, 2=23718
- Mutô, Y. Magnetoresistances of dilute alloys of manganese in copper, manganese in zinc and chromium in zinc at liquid helium temperatures, 2=3991
- Mutucumarana, T.de S. See Matthews, H.I., 2=6765
- Muzalevskii, E.A. See Konozenko, I.D., 2=18737
- Muzalevs'kii, Ye.O. See Konozenko, I.D., 2=21201
- Muzalevskii, E.A. See Konozenko, I.D., 2=23451
- Muzhavirov, S.Z. See Arifov, U.A., 2=15949
- Muzhavirov, S.Z. See Arifov, V.P., 2=17875
- Muzikár, Č. and Pafomov, V.E. Vavilov-Cherenkov radiation in uniaxial crystals, 2=4113
- Muzikarz, Ch. Coherent phenomena due to radiation of identical oscillators in a crystal, 2=691
- Muzikarz, Ch. Coherent phenomena due to radiation of identical oscillators in a crystal, 2=23552
- Muzychuk, A.M. See Glauberman, A.Yu., 2=7198
- Muzychuk, O.M. See Hlauberman, A.Yu., 2=19541
- Myachkova, S.A. See Perelygin, V.P., 2=22373
- Myaé, É.A. See Benda, F., 2=15971
- Myakinenkova, E.V. See Medvedev, S.A., 2=14937
- Myakinenkova, E.V. See Medvedev, S.A., 2=19047
- Myakinin, E.V. See Konstantinova, M.P., 2=492
- Myakinin, E.V. See Konstantinova, M.P., 2=22852
- Myakinin, E.V. See Romanov, A.M., 2=374
- Myakinin, E.V. See Romanov, A.M., 2=22737
- Myakota, V.I. See Vitovskii, N.A., 2=18688
- Myakota, V.I. See Vitovskii, N.A., 2=23362
- Myamlin, V.A. A contribution to the theory of anodic dissolution of silicon, 2=857
- Myamlin, V.A. Polarization curve of anodic dissolution of a germanium specimen of finite dimensions, 2=6887
- Myasnikova, T.P. and Yatsenko, A.F. Changes in the infrared spectra of NH_4HSO_4 , RbHSO_4 and $(\text{NH}_4)_2\text{SO}_4$ at ferroelectric transitions, 2=16833
- Myasnikova, T.P. and Yatsenko, A.F. Changes in the infrared spectra of NH_4HSO_4 , RbHSO_4 and $(\text{NH}_4)_2\text{SO}_4$ at ferroelectric transitions, 2=18841
- Myatt, J. and Sanders, L.G. A note on the theoretical efficiency for energy transformation using thermionic emission, 2=9619
- Mycielski, J. Two-phonon transitions in the impurity conduction in semiconductors, 2=4007
- Mycielski, J. One-phonon transition rate in impurity conduction, 2=8318
- Myers, A.L. and Prausnitz, J.M. Second virial coefficients and Kihara parameters for argon, 2=11412
- Myers, B.F. See Hansen, K., 2=2753
- Myers, H., Buss, J.H. and Benson, S.W. Thermodynamic effects of Coulombic interactions in ionized gases, 2=3031
- Myers, H.P. See Lundquist, N., 2=9672
- Myers, H.P. See Grounes, M., 2=6824
- Myers, I.T. and Larson, H.V. Precision instrumentation for an electron accelerator, 2=3109
- Myers, I.T. See Loomis, J.S., 2=20063
- Myers, J.G. See Blakemore, J.S., 2=13480
- Myers, L.S.Jr and Brush, A.H. Counting of alpha- and beta-radiation in aqueous solutions by the detergent-anthracene scintillation method, 2=11828
- Myers, O.E. Spectral sensitivity of visual receptor cells, 2=7083

- Myers, R.J. See Harmony, M.D., 2=20883
 Myers, V.W. See Mozer, B., 2=12373
 Myeshkov, Yu. Ya. Magnetometer for the investigation of phase transformations during rapid heating and cooling, 2=1554
 Myhill, J. Theory of multichannel collimated scintillation detectors, 2=5512
 Mykhailov, H.S. Internal symmetry of π^0 mesons, 2=18148
 Mykhailov, H.S., Presnyakova, H.M. and Akymovych, O.M. Achieving ultra high vacuum by sputtering Cr under electron bombardment, 2=17518
 Mykhailov, H.S., Pronina, I.H., Akymovych, O.M. and Presnyakova, H.M. Pumping action and characteristic features of evaporation of metallic chromium in vacuum under electron bombardment, 2=11542
 Mykhailovskiy, B.I. Electron and ion emission from certain materials with reference to their utilization in thermionic energy converters, 2=17863
 Myklebost, K. See Skavlem, S., 2=14102
 Mykolaichuk, O.H. See Dutchak, Ya.I., 2=17421
 Mykura, H. The variation of the surface tension of nickel with crystallographic orientation, 2=4485
 Mykura, H. See Blakely, J.M., 2=15087
 Mykura, H. See Rhead, G.E., 2=14934
 Mykura, H. See Rhead, G.E., 2=21470
 Myl'nikov, V.S. and Putseiko, E.K. The effect of crystal structure on the optical and photoelectric properties of phthalocyanin without metal, 2=16825
 Myl'nikov, V.S. and Putseiko, E.K. The effect of crystal structure on the optical and photoelectric properties on phthalocyanin without metal, 2=18829
 Myl'nikov, V.S., Sladkov, A.M., Kudryavtsev, Yu.P., Luneva, L.K., Korshak, V.V. and Terenin, A.N. Semiconductive properties of acetylene polymers, 2=23371
 Myl'nikova, I.E. See Bokov, V.A., 2=663
 Myl'nikova, I.E. See Bokov, V.A., 2=12562
 Myroshnychenko, L.S. Photoelectronic emission of Sb_2Se_3 , 2=9621
 Mysels, K.G. See Frankel, S.P., 2=9252
 Mysels, K.J. and Cox, M.C. An experimental test of Frankel's law of film thickness, 2=7189
 Mysels, K.J. and Otter, R.J. Thermodynamic aspects of mixed micelles—application to an empirically established equilibrium, 2=4569
 Mysels, K.J. See Scholten, P.C., 2=1141
 Mysels, K.J. See Scholten, P.C., 2=2657
 Mysyrowicz, A. See Joyet, G., 2=9817
 Myznikov, K.N. See Martinson, E.N., 2=19628
 Myznikov, K.P. See Kuznetsov, A.B., 2=20082
 Naar, J. and Wygal, R.J. Structure and properties of unconsolidated aggregate, 2=17062
 Nabarro, F.R.N. and Ziman, J.M. The scattering of waves by dislocations, 2=6342
 Naberezhnykh, V.P. See Galkin, A.A., 2=765
 Nabokin, Yu. V., Dobrokhotova, V.K. and Uglanova, V.V. Mixed organic single crystals, their luminescence and scintillation properties, 2=14748
 Nabokin, Yu. V. See Zadorozhnyi, B.A., 2=14703
 Naboka, M.N. See Palatnik, L.S., 2=15811
 Naboka, M.N. See Palatnik, L.S., 2=17696
 Nabutovskii, V.M. See Lifshits, I.M., 2=22305
 Nachman, M., Glanz, G. and Ribco, L. Oxidation of silver induced by nuclear radiation, 2=8931
 Nachtrieb, N.H. Magnetic susceptibility of some liquid metals, molten salts, and their solutions, 2=19580
 Nachtrieb, N.H. See Resing, H.A., 2=3941
 Nadeau, G. The Lorentz-Einstein transformation obtained by a vector method, 2=19400
 Nadeau, G. Projectile motion with damping proportional to velocity, 2=19491
 Nadeau, G. On classical Coulomb scattering, 2=21798
 Nadeau, J.S. and Johnston, W.G. Hardening of lithium fluoride crystals by irradiation, 2=2329
 Nadeau, J.S. See Price, P.B., 2=10749
 Nadezhdin, D.K. On the existence of an outer convective zone, 2=4817
 Nadezhdin, V.S. Method of double shaping of pulses in the nanosecond region, 2=17758
 Nadgornyi, E.M. Properties of whisker crystals, 2=18974
 Nadi, M.El. See El Nadi, M.,
 Nadjakov, E., Bakardjiev, S. and Bojilov, M. A remotely controlled film holder for a Johann type vacuum X-ray spectrograph, 2=22290
 Nadjakov, E., Bakardjiev, S. and Bojilov, M. A remotely controlled film holder for a Johann type vacuum X-ray spectrograph, 2=22290
 Nadolschi, V. Construction and examination of a parabolic mirror for a telescope, 2=9045
 Nadykto, B.T. See Demirkhanov, R.A., 2=22188
 Nadzhafov, I.M. See Kerimov, B.K., 2=13777
 Nadzhakov, E.G. and Barinskii, R.L. Determination of the charge and type of bond of osmium in compounds from L_{III} absorption spectra, 2=14693
 Nadzhakov, E.G. See Barinskii, R.L., 2=14209
 Nadzhakov, G., Antonov, A. and Zadorozhnyi, G. Conditions determining the preservation in the dark of photopolarization in photoelectrets, 2=10562
 Nadzhakov, G., Balabanov, S. and Dzheurova, V. Effect of gas discharge on the contact potential of metal surfaces, 2=6401
 Nag, B.R. An oscillatory memory device, 2=17744
 Nag, B.R. See Deb, S., 2=14528
 Nag, K.R. Disturbance due to shearing-stress discontinuity in a semi-infinite elastic medium, 2=15676
 Nagaev, E.L. Conduction mechanism in semiconductors of low mobility, 2=4004
 Nagaev, E.L. Conduction mechanism in semiconductors of low mobility, 2=6433
 Nagaev, E.L. Antiferromagnetic semiconductors with small mobility, 2=18668
 Nagahama, Y. See Takahashi, N., 2=868
 Nagai, H. The excited 0^+ state and center-of-mass effects in Oxygen-16, 2=12139
 Nagai, K. Local steric hindrances and conformations of linear polymer molecules in solutions. II. Generalization, 2=20894
 Nagai, K. and Ishikawa, T. Local steric hindrances and conformations of linear polymer molecules in solutions. III. Polyethylene, 2=20895
 Nagai, K. and Kobayashi, M. Method for determining conformations of polymer molecules in crystalline state from fiber identity distances, 2=6816
 Nagai, M. See Hakura, Y., 2=4700
 Nagai, R. Surface patterns of aluminum single crystals subjected to cyclic stresses, 2=10785
 Nagamiya, T. Modification of spin screw structure due to anisotropy energy and applied magnetic field, 2=12640
 Nagamiya, T., Nagata, K. and Kitano, Y. Magnetization process of a spin system screw, 2=14761
 Nagamunswara Rao, K. See Ramanadham, R., 2=15192
 Nagao, S. See Murooka, Y., 2=7228
 Nagaoka, Y. Theory of ultrasonic attenuation in metals, 2=3829
 Nagaraja, J.V., Kumaraswamy, M.P. and Subramanian, N.R. On the vibration frequencies of skew cantilever triangular plates, 2=5000
 Nagarajan, A.S. See Sastri, M.L.N., 2=15790
 Nagarajan, G. Potential constant and thermodynamic properties of vanadium oxytrichloride, 2=14246
 Nagarajan, G. Thermodynamic properties of some Boron trihalides. II, 2=21940
 Nagarajan, T.S., Sastri, M.V.C. and Kuriacose, J.C. Chemisorption of hydrogen and carbon monoxide on zinc oxide, 2=8916
 Nagasawa, M. See Kotin, L., 2=7206
 Nagasawa, S. Some relations between the intensity of the green coronal line and sunspot groups, 2=15358
 Nagashima, K. Intensity-Time relationship of cosmic-ray unusual increase, not characterized by impact zone effects, 2=12056
 Nagashima, K. See Pomerantz, M.A., 2=12047
 Nagashima, Y. See Hara, Y., 2=16130
 Nagata, K. See Nagamiya, T., 2=14761
 Nagata, S. See Ohkura, H., 2=18619
 Nagata, S. See Tomoda, Y., 2=10955
 Nagata, T. Polar magnetic storms, especially in the southern polar region, 2=13074
 Nagata, T. and Kaneda, E. A photoelectric analyzer of all-sky camera auroral photographs, 2=4672
 Nagata, T. and Kokubun, S. A particular geomagnetic daily variation (S_{gp}) in the polar regions on geomagnetically quiet days, 2=2408
 Nagata, T., Kokubun, S. and Fukushima, N. Similarity and simultaneity of magnetic disturbance in the northern and southern hemispheres, 2=13069
 Nagata, T. and Rikitake, T. Geomagnetic secular variation and poloidal magnetic fields produced by convective motions in the earth's core, 2=19260
 Nagata, T., Tohmatsu, T. and Kaneda, E. Lunar time variation of the oxygen green line in the airglow, 2=15250
 Nagata, T. See Oguti, T., 2=4670
 Nagata, T. See Oguti, T., 2=13043
 Nagata, T. See Tohmatsu, T., 2=11076
 Nagata, T. See Yoshida, S., 2=15267
 Nagatani, T. and Sakaki, Y. Increase of pulse height in a proportional counter by means of a radial thermal gradient, 2=16088

- agel, B. See Hultberg, S., 2=3709
- agel, B. See Sujkowski, Z., 2=1967
- agel, R.J. See Mann, L.G., 2=20552
- agelberg, E.R. See Albini, F.A., 2=11794
- agender Naidu, S.V. See Krishna Rao, K.V., 2=14385
- ageswara Rao, B.D. High resolution nuclear magnetic resonance spectroscopy and molecular structures, 2=14323
- aghizadeh, J. and Rice, S.A. Kinetic theory of dense fluids/ X. Measurement and interpretation of self-diffusion in liquid Ar, Xe, and CH₄, 2=13328
- agle, D.E., Craig, P.P., Barrett, P., Cochran, D.R.F., Olsen, C.E. and Taylor, R.D. Internal fields at low temperatures in CoPd alloys, 2=4216
- agle, D.E. See Craig, P.P., 2=21294
- agle, D.E. See Frauenfelder, H., 2=12125
- agle, R.J. See Mann, L.G., 2=10049
- agornaya, L.L., Bezuglyi, V.D. and Grekov, A.P. A study of the photoluminescence and scintillation properties of some 1, 3, 4-oxadiazole derivatives in polystyrene, 2=1160
- agornaya, L.L. and Kilimov, A.P. Plastic scintillators containing 1,2-di-(naphthyl)-ethylene, 2=2258
- agornaya, L.L. See Kukushkin, L.S., 2=6638
- agornaya, L.L. See Malkes, L.Ya., 2=722
- agy, K.L. A Model with multipole-type ghosts, 2=16109
- agy, K.L. Dispersion relations in theories with indefinite metric, 2=16154
- agy, S.B. See Szabó, G., 2=17767
- ahmani, G. and Davids, N. Scabbing of steel by plane stress waves, 2=14905
- ahorniak, V. See Mateescu, N., 2=20351
- ahorniak, V. See Mateescu, N., 2=20356
- ahorniak, V. See Mateescu, N., 2=20358
- ahorniak, V. See Mateescu, N., 2=20359
- ahum, J. and Halperin, A. Excitation spectra and temperature dependence of luminescence and photoconductivity of diamond, 2=14719
- aidich, Yu.V. and Eremenko, V.N. The "large drop" method for measurement of surface tension and density of molten metals at high temperatures, 2=1788
- aidich, Yu.V. and Eremenko, V.N. The "large drop" method of determining surface tension and the density of molten metals at elevated temperatures, 2=19532
- aidu, S.V. Nagender. See Nagender Naidu, S.V.
- aik, P.K. See Chiplonkar, V.T., 2=9548
- aik, R.C. See Agrawal, R.M., 2=21247
- aike, T. Dynamical theory of the electron microscopic images of crystal lattice and Moiré pattern for a crystal containing a stacking fault, 2=6802
- aiman, C.S. On the effect of [next] nearest neighbour ions on the crystal field splitting of transition metal ions in crystals, 2=23034
- aimark, B.M. Some nonlinear boundary value problems in the theory of a Maxwellian medium, 2=1088
- aish, V.E. and Turov, E.A. The theory of non-collinear ferromagnetism and antiferromagnetism in rhombic crystals. I. 2=23643
- aish, V.E. and Turov, E.A. The theory of non-collinear ferromagnetism and antiferromagnetism in rhombic crystals. II. 2=23644
- aish, V.E. and Turov, E.A. Theory of noncollinear ferromagnetism and antiferromagnetism in orthorhombic crystals. I. 2=8611
- aish, V.E. and Turov, E.A. Theory of noncollinear ferromagnetism and antiferromagnetism in orthorhombic crystals. II. 2=8612
- aismith, R. and Smith, P.A. Further evidence of a long term variation in the relationship of solar activity to the ionosphere, 2=4649
- aish, V.E. and Turov, E.A. Theory of noncollinear ferromagnetism and antiferromagnetism in orthorhombic crystals. II. 2=8612
- aise, J. Experiment and the ρ -meson, 2=18180
- aito, M. See Sakurai, T., 2=17934
- akada, I. The optical properties of anthracene single crystals, 2=6546
- akada, I. and Kaiyoh, H. Effect of gases on the photoconduction of anthracene, 2=6494
- akada, M.P. and Mihalov, J.D. Accretion of solar wind to form a lunar atmosphere, 2=19280
- akada, O. See Okano, K., 2=1070
- akagaki, M. See Heller, W., 2=7404
- akagawa, M. and Oneda, S. Weak interactions in the Sokata model, 2=13734
- akagawa, M. See Maki, Z., 2=11909
- akagawa, M. See Matumoto, K., 2=16131
- akagawa, M. See Oneda, S., 2=22623
- akagawa, S., Kinugasa, M. and Fujiwara, T. Annealing effect on the cleavage-surface fracture of NaCl crystal, 2=8746
- akagawa, Y. See Tamagawa, N., 2=23651
- Nakahara, O. The base resistance of the transistor in the saturated region, 2=4054
- Nakahara, O. Dynatron-type negative resistance observed in the collector-voltage-saturation region of the junction transistor, 2=23439
- Nakai, K., Gotoh, H. and Amano, H. Excitation functions of Ni⁵⁸(n,p)Co⁵⁸ and Zn⁶⁴(n,p)Cu⁶⁴ reactions in the energy region from 1.8 to 4.8 MeV, 2=20643
- Nakai, T. and Sakakibara, T. Effects of gamma radiation on carbon resistors, 2=5294
- Nakai, T. and Sakakibara, T. Effects of gamma ray and neutron irradiation on composition resistors and high megohm resistors, 2=5295
- Nakai, Y. and Teegarden, K. Photoconductivity in RbI and KI, 2=8426
- Nakajima, H. Proton magnetic resonance and the polymorphism of triglycerides, 2=2308
- Nakajima, H., Bhatnagar, V.M. and Cole, A.R.H. Proton magnetic resonance in ammonia-nickel cyanide clathrates, 2=23003
- Nakajima, K. X-ray study of the effect of solute atoms on deformation stacking faults in face-centred cubic solid solutions, 2=600
- Nakajima, T. On newly designed general purpose source unit for emission spectrochemical analysis, 2=5170
- Nakajima, Y. See Morita, S., 2=489
- Nakamichi, T. See Yamamoto, M., 2=14792
- Nakamoto, A. See Doke, T., 2=7787
- Nakamoto, K. See Fujita, J., 2=3745
- Nakamoto, K. See Fujita, J., 2=3746
- Nakamoto, K. See Fujita, J., 2=3747
- Nakamura, E. Measurement of microwave dielectric constants of ferroelectrics. II. Dielectric constants and dielectric losses of NaNO₂ and (glycine)₃H₂SO₄, 2=16768
- Nakamura, H. On a model of nucleon structure and meson-nucleon interaction. II, 2=3327
- Nakamura, H. See Kubo, R., 2=9833
- Nakamura, H. See Kubo, R., 2=13781
- Nakamura, J. Time series of auroral spectra, 2=11080
- Nakamura, J. Time correlation of auroral spectra, 2=13047
- Nakamura, J. See Morino, Y., 2=6124
- Nakamura, J. See Morino, Y., 2=22957
- Nakamura, K. Effect of the electrostatic polarization on the interaction between heavy ions, 2=1762
- Nakamura, K., Fukuda, K., Kato, R., Matsui, A. and Uchida, Y. The optical absorption of localized exciton in KCl-KI crystal, 2=2230
- Nakamura, M. Diurnal variation of OH emission of the nightglow, 2=24046
- Nakamura, M. Height of OH emission layer of the nightglow, 2=24047
- Nakamura, M. and Sasaki, W. The effect of tensile stress on impurity conduction in n-type germanium, 2=23341
- Nakamura, M. See Elbek, B., 2=3203
- Nakamura, S. and Hatsukade, S. Strong interaction of baryons and κ -charge, 2=12004
- Nakamura, S. and Itami, K. Test of the intermediary boson theory, 2=1658
- Nakamura, S. See Sugata, E., 2=9616
- Nakamura, S. See Sugata, E., 2=11693
- Nakamura, S. See Sugata, E., 2=22245
- Nakamura, S. See Sugata, E., 2=22247
- Nakamura, T. Latitude effect of the oxygen red line of night airglow and its relation with the ionospheric F-layer, 2=15249
- Nakamura, T., Takamatsu, K., Masaike, A., Kakigi, S., Dai Ca Nguyen, Yamashita, S. and Yanabu, T. Angular distributions of the alpha particles from the (p, α) reactions on Na²³ and K³⁹ at 6.9 ~ 7.3 MeV, 2=5913
- Nakamura, T. See Yanabu, T., 2=8007
- Nakamura, T. See Yanabu, T., 2=16425
- Nakamura, Y. Effect of quenched-in vacancies on the weak magnetization of nickel, 2=2274
- Nakamura, Y. See Tsuchida, T., 2=3993
- Nakanishi, N. Parametric integral formulas and analytic properties in perturbation theory, 2=1058
- Nakanishi, N. Integral representations for scattering amplitudes in perturbation theory. II, 2=5579
- Nakanishi, N. Proof of partial-wave dispersion relations in perturbation theory, 2=13741
- Nakanishi, N. Fundamental properties of perturbation-theoretical integral representations, 2=20279
- Nakanishi, Y. See Kumagai, S., 2=11788
- Nakano, T. See Daiyasu, K., 2=12080
- Nakashima, S. Absorption bands in KCl crystal containing LiCl, 2=10602
- Nakashima, S. See Miyamoto, S., 2=18618
- Nakashima, T. See Ishimatsu, T., 2=20664

- Nakashima, T. See Maki, T., 2=20665
- Nakasima, R. See Gove, N.B., 2=466
- Nakata, T. See Adachi, I., 2=22050
- Nakata, T. See Masuda, T., 2=14649
- Nakata, T. See Matsushita, S., 2=6582
- Nakatani, H. See Sunakawa, S., 2=11305
- Nakatani, H. See Sunakawa, S., 2=11306
- Nakatani, H. See Sunakawa, S., 2=19468
- Nakayama, K. See Ishu, H., 2=11433
- Nakayama, Y. See Shimizu, S., 2=12172
- Nakazawa, K. See Ishida, S., 2=9912
- Nakazumi, Y. See Kondoh, H., 2=23653
- Nakhodkin, N.G. and Nemtsev, V.P. An instrument for studying dependence of electrical properties of thin condensation films upon their thickness, 2=21101
- Nakhodkin, N.G., Ostroukhov, A.A. and Romanovskii, V.A. Inelastic scattering of electrons by thin films, 2=22266
- Nalbandian, N.A. See Khirmian, A.V., 2=12081
- Nalbandyan, N.A. See Khrimyan, A.V., 2=13924
- Nałęcz, M. Hall effect in measurements of mechanical displacements and vibrations, 2=7269
- Naliboff, Y.D. See Adler, F.T., 2=3589
- Nall, J.C. See Baird, Q.L., 2=20314
- Namba, O. A preliminary report on the observation of infrared lines in solar faculae with special reference to the He I line at 10830 Å, 2=4762
- Namba, O. Note on the structure of the solar chromosphere with some remarks on the Athay-Thomas spicule model, 2=7011
- Nambu, Y. and Lurié, D. Chirality conservation and soft pion production, 2=5574
- Nambu, Y. and Sakurai, J.J. Rare decay modes of the ω (η) meson, 2=18170
- Namikawa, T. Hydromagnetic waves in the exosphere, 2=13052
- Namitkov, K.K. Electron microscope and radiographic investigation of the products of the electric erosion of metals, 2=9561
- Namorodo Rosa, R. See do Carmo Anta, M., 2=22476
- Namysłowski, J. The Dirac equation in general relativity in the vierbein formalism, 2=3249
- Nanchev, N. Breakdown in sand, 2=3025
- Nand, S. See Ghosh, S.N., 2=4537
- Nanda, V.S. and Pathria, R.K. A theoretical study of the changes in the statistical character of a polydisperse polymer system undergoing random degradation, 2=23961
- Nankivell, J.F. Minimum differences in height detectable in electron stereomicroscopy, 2=4513
- Nankivell, J.F. Stereoscopic viewing of metal foils in the electron microscope, 2=4514
- Nankivell, J.F. See Curcio, P., 2=11718
- Naqvi, J.H. A note on the deuteron magnetic moment, 2=20437
- Naqvi, S.I.H. and Hogg, B.G. Some gamma-ray cascades in Rh^{103} , Ce^{140} , and Dy^{160} , 2=22776
- Narahari Rao, K., Brim, W.W., Hoffman, J.M., Jones, L.H. and McDowell, R.S. ν_2 and ν_4 bands of the NT_3 molecule, 2=6163
- Narahari Rao, K., Brim, W.W., Sinnett, V.L. and Wilson, R.H. Wavelength calibrations in the infrared. IV. Use of a 1000-lines-per-inch Bausch and Lomb plane replica grating, 2=17619
- Narasimha Rao, D.V.G.L. and Gordy, W. Electron spin resonance of an irradiated single crystal of deuterated DL-tartaric acid, 2=6691
- Narasimha Rao, D.V.G.L. and Katayama, M. Electron spin resonance of an irradiated single crystal of N-carbamyl glycine, 2=18942
- Narasimham, V.L. Energy levels of Cl^{34} with realistic potentials, 2=13985
- Narasimham, V.L., Shah, S.K. and Pandya, S.P. Separable non-local interactions in nuclei, 2=18225
- Narasimhamurthy, T.S. Ultrasonic methods of determining elastooptic constants of uniaxial and biaxial crystals, 2=10575
- Narasimhan, V.S. See Miyake, S., 2=12074
- Narasimham, V.S. See Miyake, S., 2=12077
- Narasinga Rao, K.V., Verdeyen, J.T. and Goldstein, L. Interaction of microwaves in gaseous plasmas immersed in magnetic fields, 2=5340
- Narath, A. Nuclear magnetic resonance of Cr^{53} in antiferromagnetic CrCl_3 , 2=4283
- Narath, A. and Gwinn, W.D. Phase stabilized klystron system and its application to microwave spectroscopy and microwave frequency standards, 2=3176
- Narath, A. and Wallace, D.C. Nuclear magnetic resonance in cubic sodium tungsten bronzes, 2=18968
- Narath, A. See Flygare, W.H., 2=1993
- Náray, Z. See Janossy, L., 2=11461
- Narayana Rao, M. Directional correlation measurements in xenon-132, 2=16336
- Narayanan, T.K.S. See Saxena, S.C., 2=19584
- Narbutt, K.I., Barinskii, R.L. and Smirnova, I.S. Nuclear X-ray generator for fluorescent analysis, 2=17108
- Nardella, W.R. See Gorman, J.K., 2=12457
- Nardelli, G. See Belletti, S., 2=18284
- Nardelli, G. See Manduchi, C., 2=3201
- Nardelli, G.F. and Tettamanzi, N. Dynamics of cubic crystals with a local change of mass, 2=12372
- Nardi, V. Crystallization kinetics in polyvinylchloride and thermoelastic relaxation induced by ultrasonics, 2=833
- Nardini, R. Particular oscillating fields in the magnetohydrodynamics of a viscous fluid, 2=9693
- Nariai, H. On the invariant spatial distance in a curved space-time with spherical symmetry, 2=11267
- Nariai, H. and Ueno, Y. On the invariant spatial distance in a curved space-time with spherical symmetry. II. The problem of the allowable mean value for the distances among several observers, 2=19390
- Narita, K. and Shimizu, T. Ground state energies of donors in Ge and Si, 2=14542
- Narlikar, J.V. See Hoyle, F., 2=2555
- Narlikar, J.V. See Hoyle, F., 2=15296
- Narumi, H. and Matsuo, S. A remark on rotational transforms in a Stellarator, 2=13576
- Narumi, H. See Matsuo, S., 2=5333
- Nash, W.B. and Standley, K.J. Ferrimagnetic resonance in polycrystalline nickel ferrite, 2=10690
- Nash, W.F. See Bull, R.M., 2=11846
- Nash, W.F. See Bull, R.M., 2=11847
- Nash, W.F. See Bull, R.M., 2=13937
- Nash, W.F. See Cousins, J.E., 2=7916
- Nashel'skii, A.Ya. See Bogorodskii, O.V., 2=4467
- Nasledov, D.N. Electrical properties of crystals of some compounds of the A^{11}B^7 type, 2=23390
- Nasledov, D.N. and Smetannikova, Yu.S. The temperature dependence of the carrier lifetime in indium antimonide, 2=12529
- Nasledov, D.N. and Smetannikova, Yu.S. The temperature dependence of the carrier lifetime in indium antimonide, 2=14558
- Nasledov, D.N., Rogachev, A.A., Ryvkin, S.M. and Tsarenkov, B.V. Recombination radiation in gallium arsenide, 2=21160
- Nasledov, D.N. See Ėmel'yanenko, O.V., 2=2164
- Nasledov, D.N. See Ėmel'yanenko, O.V., 2=18706
- Nasledov, D.N. See Galavanov, V.V., 2=8363
- Nasledov, D.N. See Gutkin, A.A., 2=18746
- Nasledov, D.N. See Gutkin, A.A., 2=23463
- Nasledov, D.N. See Komolova, T.I., 2=10501
- Nasledov, D.N. See Mamaev, S., 2=10486
- Nasledov, D.N. See Mikhailova, M.P., 2=16757
- Nasledov, D.N. See Mikhailova, M.P., 2=23465
- Nasledov, D.N. See Vinogradova, K.I., 2=21151
- Nasledov, D.N. See Zolotarev, V.F., 2=4036
- Nasledov, D.N. See Zolotarev, V.F., 2=6466
- Nasledov, D.N. See Zolotarev, V.F., 2=8488
- Nasledov, D.N. See Zolotarev, V.F., 2=10577
- Nasledov, D.N. See Zolotarev, V.F., 2=16725
- Nasledov, D.N. See Zolotarev, V.F., 2=23480
- Nasledov, D.N. See Zotova, N.V., 2=16724
- Nasledov, D.N. See Zotova, N.V., 2=18707
- Nasledov, D.N. See Zolotarev, V.F., 2=18708
- Nassau, J.J. and Stephenson, C.B. A survey of stars of high luminosity in the northern Milky Way, 2=13155
- Nassau, K. and Broyer, A.M. Calcium tungstate: Czochralski growth, perfection and substitution, 2=23820
- Nassau, K. See Johnson, L.F., 2=12588
- Nassau, K. See Yariv, A., 2=18815
- Nassenstein, H. Electrical control of the critical angle of total reflection, 2=88
- Nassenstein, H. Application of the boundary layer optical effect to image conversion and intensification, 2=9383
- Nassenstein, H. A new process for the electrochemical [electrical] control of light, 2=11463
- Nassibian, G. Bennett, J.R.J. Broadbent, D. Devons, S. Hoisington, R.W.R. and Miller, V.E. A one-MeV/nucleon Sloan and Lawrence heavy ion linear accelerator, 2=1532
- Nassiff, S.J. See Biavati, M.H., 2=5860
- Nassiff, S.J. See Mocorao, A.B., 2=18355
- Nastyukha, A.I. See Sokol'skii, V.V., 2=17796
- Nata, P. See Gallina, V., 2=13739
- Natali, S. See Ely, R.P., 2=18173
- Natali, S. See Ely, P.P., 2=22613

- atali, S.V. See Camerini, U., 2=22624
- anson, L. See Maluszyńska, K., 2=12197
- apoff, M. Some physical aspects of electron-receiving-tube operation, 2=20023
- th, N. See Gupta, J.B., 2=1896
- than, M.I. Current-voltage characteristics of germanium tunnel diodes, 2=10506
- than, M.I. and Moss, S.H. Electron beam microanalysis of germanium tunnel diodes, 2=23427
- than, M.I. and Pual, W. Effect of pressure on the energy levels of impurities in semiconductors. II. Gold in silicon, 2=23354
- than, M.I. and Paul, W. The pressure dependence of tunneling in Esaki diodes, 2=23420
- than, O. Coulomb excitation of lead and bismuth with 20 MeV α -particles, 2=8009
- than, O. See Hansen, O., 2=1823
- than, O. See Hansen, O., 2=20674
- thans, R. See Alperin, H.A., 2=10684
- thans, R. See Pickart, S.J., 2=12729
- the, R., Schintlmeyer, J., Seidenfaden, H. and Weibrecht, R. Focusing properties of a short-lens β -spectrometer, 2=9636
- ther, V. and Sangren, W. Codes for reactor computations, 2=3642
- tion, J.A. See Auer, P.L., 2=1431
- tion, J.A. See Auer, P.L., 2=11652
- ttat, G. Precisely constructed polymers, 2=16574
- ttterer, B. See Kneubühl, F.K., 2=10693
- uenberg, M. Coupling constant for small binding energy in dispersion theory, 2=1665
- uenberg, M. and Pais, A., Woolly cusps, 2=9802
- uenberg, M. and Pais, A. Remark on energy peaks in meson systems, 2=20390
- ugle, J.E. and Kniffen, D.A. The flux and energy spectra of the protons in the inner van Allen belt, 2=15265
- uhol'nikov, B.I. See Morozov, V.P., 2=18446
- umann, R.A. See Graham, R.L., 2=10019
- umann, R.J. Recent information gained from satellite orientation measurement, 2=11195
- umov, G.P. and Nikolaeva, O.V. The efficiency of direct conversion of solar radiation into electrical energy with the aid of a CdTe photocell, 2=8444
- umov, G.P. and Nikolaeva, O.V. The efficiency of direct conversion of solar radiation into electrical energy with the aid of a CdTe photocell, 2=14587
- umov, V.A. The instrumental errors of a photographic zenith telescope and their investigation, 2=24071
- umov, V.A. See Broder, D.L., 2=14175
- umova, I.I. See Lbov, A.A., 2=867
- unton, R.F. See Butler, R.A., 2=24199
- vez, M. and Peyches, I. Study of the changes in the surface of a glass in the course of a polishing operation, 2=2417
- vez, M., Sella, C. and Chaperot, D. Study of the attack on glass by ionic bombardment, 2=4487
- vez, M. See Legrand, C., 2=4477
- awata, S. Study on the anomaly of the Fraunhofer diffraction pattern by an ebert optical arrangement, 2=2895
- awijn, A. and Visser, M.P. Influence of precision of manufacturing of the aspherical corrector plates on the contrast transfer and resolving power of photographic objectives, 2=13471
- awijn, A. See Bouwers, A., 2=1288
- aya, S. A general theory of inequalities based on a matrix of Karle and Hauptman's type, 2=10812
- aymovets', H. Study of self-desorption of residual gases from tungsten in an autoionizing projector, 2=8887
- ayroles, B. On the axioms and laws of force for a three-dimensional elastoplastic body, 2=15512
- ayroles, B. Three-dimensional rheological model which takes into account structural hardening, 2=18989
- ayyar, N.K. The stability of a gravitating cylinder with a prevalent force free magnetic field, 2=20112
- azarenko, V.A. See Lobashov, V.M., 2=3526
- azarenko, V.A. See Lobashov, V.M., 2=10040
- azarenko, V.A. See Lobashov, V.M., 2=10048
- azarenko, V.A. See Sakharov, V.N., 2=1675
- azarewicz, W., Rolland, P., da Silva, E. and Balkanski, M. Abac chart for fast calculation of the absorption and reflection coefficients, 2=17583
- azarewicz, W. See Balkanski, M., 2=16598
- azarov, I.M. See Balyasny, N.D., 2=22142
- azarov, I.S. A high-frequency ion source, 2=1516
- azarov, M.S. See Strizhak, V.I., 2=7990
- azarov, N.I. See Khizhnyak, N.A., 2=11735
- azarov, N.I. See Tolok, V.T., 2=17909
- azarov, N.S. See Strizhak, V.I., 2=18133
- Nazarova, T.N., Investigation of meteoric particles on Sputnik III, 2=9009
- Nazarova, T.N. Results of an investigation of meteoric matter by means of instruments on space rockets, 2=9010
- Nazarova, T.N. See Komissarov, O.D., 2=13118
- Nazarova, V.P. Cathodoluminescence of europium activated strontium phosphates, 2=23617
- Nazimova, N.A. See Sokolov, V.A., 2=7452
- Neagu, D. See Dragomirescu, D., 2=22369
- Neagu, D.V. and Salucvadze, R.G. Interaction of 78 MeV π^+ mesons with hydrogen and carbon, 2=5721
- Neale, W.W. See Goldsack, S.J., 2=9888
- Neamtan, S.M., Darewych, G. and Oczkowski, G. Annihilation of positrons from the H^+e^+ ground state, 2=18406
- Neamu, I. See Hulubei, H., 2=5903
- Neamu, I. See Hulubei, H., 2=14092
- Neamu, I. See Martalogu, N., 2=7794
- Neamu, I. See Martalogu, N., 2=9731
- Neamu, I. See Martalogu, N., 2=20635
- Nebauer, E. See Böer, K.W., 2=2158
- Nebauer, E. See Böer, K.W., 2=4099
- Nebe, W. Moiré rings in the interference pattern of thick glass slabs, 2=11491
- Nechaev, Yu.I. Device for measurement and automatic maintenance of level of liquid nitrogen and hydrogen, 2=19790
- Nechin, Yu.A. See Vernov, S.N., 2=20462
- Nechiporenko, E.P. See Verkhorobin, L.F., 2=23205
- Nechiporenko, V.G. See Gridnev, N.V., 2=6827
- Neckel, H. Photoelectric infrared colour indices of red stars, 2=19336
- Neckel, H. See Labs, D., 2=15333
- Neckel, H. See Labs, D., 2=21711
- Neckenbörger, E. Wave propagation by a longitudinally magnetized ferrite rod in an electrically anisotropic environment, 2=20156
- Nedderman, H.C., Kiang, Y.C. and Unterleitner, F.C. Control of ruby laser oscillation by an inhomogeneous magnetic field, 2=23548
- Nedelec, O. and Pebay-Peyroula, J.C. Modulation of light emitted during magnetic resonance of atomic levels excited by electronic bombardment, 2=12296
- Nedler, V.V. See Mandel'shtam, S.L., 2=863
- Nedlin, G.M. See Gurevich, L.E., 2=655
- Nedlin, L.M. See Gurevich, L.E., 2=4078
- Nedlin, L.M. See Gurevich, L.E., 2=6505
- Nedopil, E. See Fitzer, E., 2=12272
- Nedoseev, S.L. See Borodin, A.V., 2=22223
- Nedovesov, V.G. See Dzhelepov, B.S., 2=3503
- Nedovesov, V.G. See Dzhelepov, B.S., 2=14015
- Nedovessov, V. See Walen, R., 2=379
- Nedovessov, V. See Walen, R.J., 2=14020
- Neduzhii, S.A. Investigation of the process of forming emulsions by means of sonic and ultrasonic vibrations, 2=1237
- Neduzhii, S.A. Influence of ultrasonic intensity on the disperse phase of an emulsion at the instant of formation, 2=6896
- Neduzhii, S.A. Investigation of the process of forming emulsions by means of sonic and ultrasonic vibrations, 2=7303
- Nedyalkov, I.P. Reduction of the solution of differential equations of elliptic type, 2=21782
- Nedzvetskii, D.S. See Gross, E.F., 2=10600
- Need, J.L. See Gleason, G.I., 2=20530
- Néel, L. Effect of magnetocrystalline coupling on the superantiferromagnetism of small particles, 2=10679
- Néel, L. A new method for measuring Bloch wall energies, 2=12770
- Néel, L. See Pauleve, J., 2=6830
- Neelakantan, K.A. and Shukla, P.G. The energy spectrum of nuclei with charge $Z \geq 13$ in the primary cosmic radiation, 2=20450
- Neeland, J.K. See Évtuhov, V., 2=18814
- Neeley, V.I. See Mihalcz, J.T., 2=14156
- Neely, H.H. See Sosin, A., 2=21097
- Ne'eman, Y. Unified interactions in the unitary gauge theory, 2=7813
- Nefedov, N.N. See Karal'nik, S.M., 2=17030
- Nefedov, V.V. See Bochkarev, V.N., 2=19856
- Nefedov, W. Determination of atomic charges in molecules with the aid of X-ray emission spectra, 2=20765
- Nefedov, W. See Meisel, A., 2=7695
- Nefedov, W. See Meisel, A., 2=10212
- Nefedov, W. See Meisel, A., 2=10213
- Nefedov, W. See Meisel, A., 2=21262
- Neff, L. See Blyholder, G., 2=19116
- Neff, L.D. See Blyholder, G., 2=23963
- Negri, J.G. Diffraction of electromagnetic waves by an inhomogeneous sphere, 2=20151
- Negri, P. See Bellini, G., 2=22573
- Neher, D.R., Prosser, F.W., Jr. and Krone, R.W. Gamma radiations from the proton capture of Mg^{25} , 2=10102
- Neher, H.V. Cosmic-ray knee in 1958, 2=3444

- Neher, H.V. The role of experimental work, 2=7101
 Neher, H.V. Air-bearing Maxwell top, 2=13291
 Neher, H.V. A summary of secular variations of cosmic rays, 2=13921
 Neher, H.V. Vibrating vane, absolute gas pressure gauge, 2=19634
 Neher, H.V. and Anderson, H.R. Cosmic rays at balloon altitudes and the solar cycle, 2=16275
 Nehmtow, O. Heat conduction numbers of binary gas mixtures in a dimensionless representation, 2=9315
 Nehra, C.P. Wilson, B.G., 2=12023
 Nel, T. Investigation with the electron microscope of the sublimation of ice crystals at low temperatures, 2=5219
 Nelburger, M. and Wexler, H. Weather satellites, 2=15416
 Neidigh, R.V. See Alexeff, I. 2=17819
 Neighbours, J.R. and Filson, D.H. Easily demountable pressure bomb for use at low temperatures, 2=2941
 Neil, V.K., Stability of thin electron layers, 2=1504
 Neil, V.K. Beam loading of a radio-frequency cavity, 2=7692
 Neiler, J.H. See Kjellman, J., 2=5967
 Neilsen, A.H. See Herget, W.F., 2=20809
 Neilson, A.H. See Coulson, C.A., 2=518
 Neizvestnyi, I.G. See Novototskii-Vlasov, Yu.F., 2=21143
 Neizvestnyi, I.G. See Rzhhanov, A.V., 2=8329
 Neizvestnyi, I.G. See Rzhhanov, A.V., 2=10466
 Neizvestnyi, I.G. See Rzhhanov, A.V., 2=23330
 Nekrashevich, A.M. See Lyubarskii, G.Ya. 2=5398
 Nekrasov, K.G. See Andrejev, E.M., 2=3229
 Nekrasov, K.G. See Andreev, E.M., 2=18041
 Nekrasov, K.G. Morozov, A.G., 2=3426
 Nekrasov, M.M. and Poplavko, Yu.M. Solid solutions in the ternary ferroelectric system $\text{Ba}(\text{Ti}, \text{Zr}, \text{Sn})\text{O}_3$, 2=14606
 Nelissen, B.M. Basic principles of nuclear physics, 2=20695
 Nellen, B. See Knop, G., 2=2076
 Nelkin, M. Phonon-phonon interactions in Bose systems, 2=19467
 Nelkowski, H. See Gobrecht, H., 2=6810
 Nelkowski, H. See Gobrecht, H., 2=14736
 Nelson, B. See Chretien, M., 2=22610
 Nelson, D.F. and Boyle, W.S. A continuously operating ruby optical maser, 2=11783
 Nelson, D.R. See Weinberg, C.J., 2=14758
 Nelson, E.B., Carlson, R.R. and Schlenker, L.D. The $\text{P}^{31}(\text{p}, \gamma)\text{S}^{32}$ reaction at 355 keV and 440 keV proton energy, 2=10103
 Nelson, E.B. See Valerio, J.I., 2=3569
 Nelson, J.W. and Hudspeth, E.L. Radiative proton capture in O^{18} , 2=3574
 Nelson, J.W., Plendl, H.S. and Davis, R.H. (p,n) reaction thresholds in Ti^{48} , Fe^{56} , and Sr^{88} , 2=10105
 Nelson, J.W., Plendl, H.S. and Oberholtzer, J.D. One-minute positron decay activity from $\text{K}^{39}(\alpha, n)\text{Sc}^{42}$, 2=1929
 Nelson, L.S. Intense rapid heating with flash discharge lamps, 2=19162
 Nelson, L.S. and Kuebler, N.A. Absorption spectra of gaseous species formed at flash-heated solid surfaces, 2=17088
 Nelson, L.S. See Kay, J.G., 2=15652
 Nelson, L.S. See Kuebler, N.A., 2=108
 Nelson, R.C. Organic photoconductors. VI. The nature of the conductive excited states, 2=6492
 Nelson, R.C. Organic photoconductors. VII. Collective and localized conduction processes, 2=6493
 Nelson, R.S. The effect of temperature on the propagation of focused collision sequences in gold, 2=12486
 Nelson, R.S. See Barnfield, R.W., 2=11734
 Nelson, R.S. See Beevers, C.J., 2=18565
 Nelson, R.S. See Thompson, M.W., 2=17900
 Nelson, W.F., Siegel, I. and Wagner, R.W. K X-ray absorption spectra of germanium in crystalline and in amorphous GeO_2 , 2=21261
 Nemchenko, A.M. See Romanets', R.G., 2=17482
 Nemchenko, V.F. See L'vov, S.N., 2=8296
 Nemchenko, V.F. See L'vov, S.N., 2=19825
 Nemchenko, V.F. See L'vov, S.N., 2=23378
 Nemchenok, R.L. See Kapitsa, M.L., 2=13586
 Nemenov, L.L. See Blokhintseva, T.D., 2=16227
 Nemenov, L.L., Solov'ev, L.D. and Khomskii, D.I. Role of the bignon π -meson production in nucleon collisions, 2=16188
 Nemenov, L.M. See Arzumanov, A.A., 2=7673
 Nemenov, L.M. See Arzumanov, A.A., 2=7686
 Nemenov, L.M. See Arzumanov, A.A., 2=13619
 Nemenov, L.M. See Arzumanov, A.A., 2=20076
 Nemenov, L.M. See Babichev, A.P. 2=22286
 Németh, L. Determination of the K-shell conversion coefficient of the 143 keV transition in Pr^{141} by means of a 4π scintillation spectrometer, 2=20563
 Németh, G. Calculation of the replacement effect in the statistical theory of lattice damage, 2=611
 Németh, J. The effect of pairing energy on the temperature excitation energy of an interacting fermion system, 2=1081
 Németh, T. See Lőrinczy, A., 2=18723
 Némethy, G. and Scheraga, H.A. Structure of water and hydrophobic bonding in proteins. I. A model for the thermodynamic properties of liquid water, 2=17443
 Némethy, G. and Scheraga, H.A. Structure of water and hydrophobic bonding in proteins. II. Model for the thermodynamic properties of aqueous solutions of hydrocarbons, 2=17444
 Nemets, O.F. and Prokopets, G.A. Spin of the 1.38 MeV level of Mg^{24} , 2=16296
 Nemets, O.F. and Tokareskii, V.V. "Gross structure" of proton spectra in stripping reactions, 2=16431
 Nemets, O.F. See Bin'kovskii, Yu.A., 2=21564
 Nemets, O.F. See Dobrikov, V.N., 2=1534
 Nemets, O.F. See Gofman, Yu.V., 2=5924
 Nemets, O.F. See Gofman, Yu.V., 2=14127
 Nemets, O.F. See Gofman, Yu.V., 2=14132
 Nemets, O.F. See Gofman, Yu.V., 2=14134
 Nemets, O.F. See Koshinov, G.A., 2=7650
 Nemets, O.F. See Zaika, N.I., 2=16297
 Nemets, O.F. See Zaika, N.I., 2=16317
 Nemets, O.F. See Zaika, N.I., 2=16333
 Nemilov, Yu.A., Pisarevskii, A.N. and Soshin, L.D. A form of distortion of total energy lines by NaI:Tl crystals, 2=3211
 Nemilov, Yu.A. See Aleksandrov, Yu.A., 2=13988
 Nemilov, Yu.A. See Belozerskii, G.N., 2=10302
 Nemilov, Yu.A. See Lomonosov, I.I., 2=4188
 Nemilov, Yu.A. See Zhrebtsova, K.I., 2=5962
 Nemilov, Yu.A. See Zhrebtsova, K.I., 2=22849
 Nemirovskii, P.E. See Elagin, Yu.P., 2=22825
 Nemirovskii, P.E. See Gurevich, I.L., 2=294
 Nemirovskii, P.E. See Gurevich, I.L., 2=22533
 Nemnonov, S.A. Fine structure of the principal K absorption edge of transition metals of the iron group, their alloys and compounds, 2=16843
 Nemnonov, S.A. and Sorokina, M.F. Investigation of the principal J absorption edge of nickel in nickel-aluminium alloys, 2=21259
 Nemoshkalenko, V. The structure of electron energy spectrum of iron-cobalt alloys, 2=16621
 Nemoshkalenko, V. The structure of electron energy spectrum of iron-cobalt alloys, 2=20955
 Nemoshkalenko, V.V. See Borisov, N.D., 2=14692
 Nemoshkalenko, V.V. See Borisov, N.D., 2=16626
 Nemtsev, V.P. See Nakhodkin, N.G., 2=21101
 Nensberg, E.D. See Smirnov, I.A., 2=23401
 Neogy, D. and Lal, R.B. A sensitive magnetic balance for measuring absolute susceptibilities of single crystals and dilute solutions, 2=1746
 Neogy, D. See Mookherji, A., 2=16582
 Nepiras, E.A. Problems in the technology of ultrasonic cleaning, 2=1978
 Neporent, B.S. See Bakhshiev, N.G., 2=21947
 Neporent, B.S. See Klochkov, V.P., 2=16506
 Neporent, B.S. See Mazurenko, Yu.T., 2=22943
 Neporent, B.S. See Mirumyants, S.O., 2=14260
 Nercy, A. Bussiere De. See Bussiere De Nercy, A.
 Nereson, N. See Arnold, G., 2=2385
 Nereson, N. See Arnold, G., 2=15011
 Nereson, N.G., Olsen, C.E. and Arnold, G.P., Neutron diffraction studies on EuO , 2=21334
 Nereson, N.G. See Olsen, C.E., 2=12667
 Neronova, N.N. and Belov, N.V. A single scheme for the classical and black-and-white crystallographic symmetry groups, 2=4401
 Nerurkar, N.W. See Escobar, I., 2=5769
 Nerurkar, N.W. See Escobar, I., 2=13907
 Nesbet, R.K. Interaction of two ethylene molecules, 2=6236
 Nesbet, R.K. Approximate Hartree-Fock calculations for the hydrofluoride molecule, 2=8114
 Nesbet, R.K. See Freeman, A.J., 2=10294
 Nesbit, R.K. Theory of superconductivity. I. Electron-lattice interaction, 2=15844
 Nesbitt, E.A. and Gyorgy, E.M. Age-hardened gold Permalloy and gold Perminvar, 2=12734
 Nesbitt, E.A., Williams, H.J., Wernick, J.H. and Sherwood, R.C. Magnetic moments of intermetallic compounds of transition and rare-earth elements, 2=12749
 Neshpor, V.S. Crystal structures of the monosilicides of the transition metals, 2=6809
 Neshpor, V.S., Korolenko, Yu.I. and Karal'nik, S.M. Study of the characteristic X-ray absorption of Group I transition elements and their silicides, 2=8546
 Neshpor, V.S., Nyemchenko, V.K., L'vov, S.N. and Samsonov, G.V. Certain electrophysical properties of titanium compounds with non-metallic Group IV elements, 2=8305

- Shpor, V.S. and Samsonov, G.V. Rhenium disilicide [ReSi₂] as a new refractory semiconductor, 2=8372
- Smyanovich, A.T. The structure of the solar corona of February 15, 1961, from observations at Dzankoy, 2=24119
- Stess, N.F., Skillman, T.L., Searce, C.S. and Heppner, J.P. Magnetic field fluctuations on the earth and in space, 2=13080
- Stess, N.F. See Heppner, J.P., 2=13064
- Stess, M., Kruse, T.H. and Eklund, K.E. Nuclear electric monopole transitions in O¹⁶, Ca⁴⁰, Ge⁷², and Zr⁹⁰, 2=3529
- Stesterko, S.N.A. See Lyutyi, A.I., 2=17679
- Stesterov, V.E. See Savenko, I.A., 2=18210
- Stesterov, V.E. See Savenko, I.A., 2=22668
- Stesterov, V.E. See Sevenko, I.A., 2=18211
- Stesterov, V.E. See Vernov, S.N., 2=920
- Stesterov, V.E. See Vernov, S.N., 2=9028
- Stesterov, V.E. See Vernov, S.N., 2=16256
- Stesterov, V.E. See Vernov, S.N., 2=19250
- Stesterov, V.G. and Smirenkin, G.N. The fission cross section of ²⁴⁰Pu for 0.04-4.0 MeV neutrons, 2=12232
- Stesterova, N.M. See Chudakov, A.E., 2=20460
- Stor, O.H. Heat intensity and current density distributions at the anode of high current, inert gas arcs, 2=11634
- Storov, G. Influence of solar corpuscular radiation on the ionization in the lower ionosphere, 2=15216
- Storov, G. and Taubenheim, J. Investigation of the ionospheric E-layer during the total solar eclipse of 15 February 1961, 2=21649
- Stothaway, D.R. See Wahl, A.C., 2=12236
- Strothercot, A.H.Jr. Superconducting-normal transition time, 2=140
- Strotsky, A. See Gutmann, F., 2=14552
- Strothel, S.J. See Cooper, B.R., 2=14816
- Strothel, F. See Bianchi, G., 2=9865
- Strothel, F. See Corge, C., 2=295
- Strothel, F. See Corge, C., 2=388
- Strothel, F. See Corge, C., 2=415
- Strothel, F. See Corge, C., 2=416
- Strothel, F. See Corge, C., 2=18334
- Strothel, F. See Julien, J., 2=18332
- Strothel, F. See Julien, J., 2=18333
- Strothelton, R.E. Structural and internal state variables in the description of scalar rate processes in fluids, 2=1133
- Strothelton, R.E. Corrected calculations of sound absorption in nonassociated liquids, 2=7208
- Strothelton, R.E. Irreversible processes in liquids and the density matrix: monatomic molecules, 2=13322
- Strothelton, R.E., Zwanzig, R. Molecular collision models and transition probabilities in liquids. Comment on Dr. Nettleton's letter, 2=17441
- Strothelton, H. and Werner, H. Analytical approximation procedure for the calculation of the azimuthal periodic magnetic field in a circular accelerator, 2=3112
- Strothelton, W.G. Sound sources and probes for the measurement of pulsed acoustical waves in water, 2=9349
- Strothelton, J. High-vacuum gallium valve, 2=19638
- Strothelton, T.J. and Reffner, J.A. Thermal bleaching of Cl₂-centres, 2=14476
- Strothelton, V.G. and Orlin, V.N. Giant resonance of dipole absorption of γ -quanta by non-spherical light nuclei and spectroscopic data on excited one-particle levels, 2=10003
- Strothelton, V.G. and Orlin, V.N. Single particle excited states and the model description of light nuclei, 2=22727
- Strothelton, V.G. See Matkhiz, Z., 2=10020
- Strothelton, H. See Bormann, M., 2=467
- Strothelton, H. See Bormann, M., 2=7993
- Strothelton, H. See Bormann, M., 2=9739
- Strothelton, H. See Kraus, K., 2=11616
- Strothelton, H. See Langkau, R., 2=20193
- Strothelton, E.L. See Greenhow, V.S., 2=2498
- Strothelton, J. Electromagnetic properties of a plasma-beam system, 2=17835
- Strothelton, C.A. Structural aspects of the magnetization in ultrathin ferromagnetic films, 2=12778
- Strothelton, C.A. and Webb, M.B. Electrical conduction mechanism in ultrathin, evaporated metal films, 2=2119
- Strothelton, H.E.J. Coherence time of a maser, 2=13676
- Strothelton, T. Experimental possibility of a test for scattering with double frequency by means of the maser effect, 2=17647
- Strothelton, L.N. See Komissarov, O.D., 2=13118
- Strothelton, A.D. See Pal'guev, C.F., 2=18643
- Strothelton, A.D. See Pal'guev, C.F., 2=21107
- Strothelton, G.G. See Glotov, V.P., 2=15690
- Strothelton, C.H., Lazarus, D. and Fitch, D.B. Enhanced nonequilibrium diffusion in plastically deformed AgZn, 2=10408
- Neumann, A.W. and Baschant, E. Boundary surface activity, adsorption and association, 2=23962
- Neumann, A.W. See Wolf, K.L., 2=15142
- Neumann, E.G. Propagation of centimetre electromagnetic waves in an absorptive parallel-wire structure, 2=9711
- Neumann, G.N. See Uhler, J., 2=5873
- Neumann, K.H. See Schmidt, G., 2=6532
- Neumann, L. and Huggins, R.A. Technique for the zone melting of insulators, 2=11229
- Neumann, M.J. and Sherrard, H. Spark chambers for electronic data retrieval, 2=18049
- Neumann, S. and Ewald, H. Focusing parabola spectrographs, 2=20048
- Neumann, W. Argon plasmat power measurements, 2=1458
- Neumann, W. Discussion of the energy balance in modulated and unmodulated high pressure argon arcs, 2=19923
- Neumark, G. See Lempicki, A., 2=23591
- Neumark, G.F. Theory of the anomalous photovoltaic effect of ZnS, 2=4072
- Neumayer, H.R.J. See Lewis, J.C., 2=24234
- Neuringer, L.J. and Bernard, W. Generation-recombination noise and capture cross-sections in p-type gold-doped germanium, 2=8338
- Neuvazhaev, V.E. Flow of a gas into vacuum in the case of a power law of energy distribution, 2=5039
- Neuvazhev, V.E. Flow of a gas into vacuum in the case of a power law of energy distribution, 2=1394
- Neuwirth, W. See Kerler, W., 2=10303
- Neuzil, E.F. See Lindsay, R.H., 2=18323
- Neveau-René, M. See Alitti, J., 2=16229
- Nevedomskaya, I.K. See Koptsik, V.A., 2=14917
- Neven, L. See De Jager, C., 2=4803
- Neveu-René, M. See Alitti, J., 2=18156
- Neville, D.E. Radiative modes of K-meson leptonic decay, 2=1719
- Neville, J.R. Electrochemical device for measuring oxygen, 2=4579
- Nevzglyadov, V.G. Rotation of a deforming body, 2=4973
- Nevzglyadov, V.G. Quantum theory of rotating and deforming particles, 2=11288
- Nevzglyadov, V.G. Rotation of a deforming body, 2=11311
- Nevzglyadov, V.G. Quantum theory of rotating and deforming particles, 2=13262
- Newby, N.D., Jr. Selection rules in the odd-even shift of certain nuclear rotational bands, 2=10004
- Newgard, J.J. See Levoy, M.M., 2=4873
- Newhouse, V.L. See De Sorbo, W., 2=7512
- Newhouse, V.L. See Edwards, H.H., 7503
- Newkirk, G. See Weinberg, J.L., 2=4746
- Newkirk, G.A. and Eddy, J.A. Daytime sky radiance from forty to eighty thousand feet, 2=15195
- Newkirk, J.B. See Jackson, D.M., 2=14965
- Newman, E. Proton transfers in the nitrogen-boron system at 27.5 MeV, 2=3626
- Newman, E. and Penrose, R. An approach to gravitational radiation by a method of spin coefficients, 2=13254
- Newman, E. See Roll, P.G., 2=5973
- Newman, E.T. and Tamburino, L.A. Empty space metrics containing hypersurface orthogonal geodesic rays, 2=21810
- Newman, E.T. and Unti, T.W.J. Behavior of asymptotically flat empty spaces, 2=21809
- Newman, J. and Oppenheimer, F. Absence of any temperature dependence in the ultraviolet reflectivity of platinum and gold, 2=18790
- Newman, J.J. See Erteza, A., 2=11929
- Newman, P.A. See Bay, Z., 2=5754
- Newman, P.C. Ordering in A^{III}B^{VI} compounds, 2=10868
- Newman, P.C. Anomalous Seebeck effect in semiconductors, 2=16760
- Newman, R. See Loh, E., 2=8529
- Newman, R.C. and Wakefield, J. The diffusivity of carbon in silicon, 2=3939
- Newman, R.C. See Bullough, R., 2=6339
- Newman, R.C. See Bullough, R., 2=6340
- Newman, R.C. See Bullough, R., 2=10372
- Newman, R.C. See Bullough, R., 2=23160
- Newman, R.L. and Goldsmith, N. Vapor growth of gallium arsenide, 2=4377
- Newmark, R.A. See Thompson, D.S., 2=18483
- Newnham, R.E. See Puotinen, D., 2=8831
- Newport, R.W. See Cundy, D.C., 2=5716
- Newson, H.W. Collective motion in highly excited nuclei, 2=1786
- Newson, H.W. See Bilpuch, E.G., 2=1901
- Newson, H.W. See Biwman, C.D., 2=10116
- Newton, C.J. and Vacher, H.C. X-ray diffraction measurement of intragranular misorientation in alpha brass subjected to reversed plastic strain, 2=4507
- Newton, C.W. and Persson, A.V. Structural characteristics of the subtropical jet stream and certain lower-stratospheric wind systems, 2=15190

AUTHOR INDEX

- Newton, D., Clegg, A.B., Salmon, G.L., Fisher, P.S. and Foley, K.J. The $^7\text{Li}(p,p')$ reaction at 150 MeV, 2=3568
- Newton, D. See Austin, S.M., 2=1870
- Newton, D. See Austin, S.M., 2=18318
- Newton, D. See Rowe, D.J., 2=1872
- Newton, D. See Rowe, D.J., 2=1873
- Newton, J.C. See Hutchins, D.L., 2=13552
- Newton, P., Copeland, C.S. and Benson, S.W. Dielectric constant of ethanol in the neighborhood of the critical temperature, 2=19575
- Newton, R.C., Jayaraman, A. and Kennedy, G.C. The fusion curves of the alkali metals up to 50 kilobars, 2=17688
- Newton, R.C. See Kennedy, G.C., 2=11544
- Newton, R.G. Construction of potentials from the phase shifts at fixed energy, 2=3278
- Newton, R.G. Nonrelativistic S-matrix poles for complex angular momenta, 2=22443
- Newton, R.R. Ellipticity of the equator deduced from the motion of transit 4A, 2=11193
- Ney, E.P. See Kroening, J.L., 2=17127
- Ney, E.P. See Pepin, T.J., 2=17601
- Ney, E.P. and Stein, W.A. Solar protons, alpha particles, and heavy nuclei in November 1960, 2=18213
- Ney, E.P. and Stein, W. Solar protons in November, 1960, 2=20467
- Ney, J. See Bucka, H., 2=9996
- Neyman, J., Page, T. and Scott, E. [Eds.]. Conference on the Instabilities of Systems of Galaxies, Santa Barbara, California, August 8-9, 1961, 2=2553
- Neyman, J. and Scott, E.L. Magnitude-redshift relation of galaxies in clusters in the presence of instability and absorption, 2=9102
- Neynaber, R.H. See Rothe, E.W., 2=3001
- Neynaber, R.H. See Rothe, E.W., 2=10222
- Neynaber, R.H. See Smith, A.C.H., 2=22174
- Nezlin, M.V. Electrostatic instability of an intense electron beam in a plasma, 2=213
- Ngoc, H., Nguyen. See Nguyen Ngoc, H.
- Ngoc Minh Dang. See Dang Ngoc Minh., 2=1197
- Nguyen Din Ty. See Birger, N.G., 2=3391
- Nguyen Van Kh'eu. Experimental investigation of the structure of a vector current in weak interactions, 2=18072
- Nguyen Van Kh'eu. Angular distributions of the decay products of intermediate vector mesons in the $e^+e^- \rightarrow B^+B^-$ process, 2=16216
- Nguyen Van Kh'eu. See Baldin, A.M., 2=20282
- Nguyen Van Kh'eu. See Markov, M.A., 2=7905
- Nguyen Ca Dai. See Dai Ca Nguyen.
- Nguyen Dai Ca. See Dai Ca Nguyen.
- Nguyen Huu Xuong and Lynch, G.R. Evidence confirming the $T = 0$ three-pion resonance 2=1705
- Nguyen Huu Xuong and Lynch, G.R. Search for a four-pion resonance, and some decay modes of the ρ and ω -mesons, 2=20410
- Nguyen Long-Den. Cross-section for the formation of sodium in the reaction $\text{Al}^{27}(p, 3p3n)\text{Na}^{22}$ at 155 MeV, 2=5918
- Nguyen Ngoc, H. See Perez y Jorba, J.P., 2=433
- Nguyen Phong Chau. Problem of movement in the asymmetric unified theory, 2=9181
- Nguyen Thien Chi. Thermoelectric solar converters, 2=19888
- Nguyen-Trinh Dzoanh. Investigations on very high voltage generators using a stream of electrified particles under internal pressure. Construction of a prototype under 10 kg/cm², 2=19882
- Nguyen Van Dong. Thermoelectric nuclear converters using semi-conductors, 2=23489
- Nguyen Van Dong, Koch, L. and Nguyen Van Tuong. Variation of electron mobility in germanium irradiated at low temperature by fast neutrons, 2=4013
- Nguyen-Van-Thanh, Haessler, C. and Barchewitz, P. Vibration-rotation spectrum of nitrous oxide. Study of the band $3\nu_2$ ($00^{00} \rightarrow 00^{03}$), 2=18463
- Nguyen Van Tuong. See Nguyen Van Dong, 2=4013
- Nguyen Vinh Mau. See Gillet, V., 2=3486
- Nibler, F. The effect of neutrons on transistors, in particular Ge transistors, 2=21180
- Nichiporuk, W. and Brown, H. Platinum and iridium abundances in meteorites, 2=24107
- Nicholas, J.F. Atomic configurations in ideally flat surfaces. II. Description of surface for an arbitrary crystal structure, 2=2382
- Nicholas, J.F. Some ball models of crystals and crystal surfaces, 2=19031
- Nicholas, J.F. See Mackenzie, J.K., 2=14931
- Nicholas, J.F. See Mackenzie, J.K., 2=14932
- Nicholas, J.F. See Moore, A.J.W., 2=2381
- Nicholas, M.E., Joyner, P.A., Tessem, B.M. and Olson, M.D. The effect of various gases and vapors on the surface tension of mercury, 2=1126
- Nicholls, R.W. Franck-Condon factors and r-centroids to high quantum numbers for bands of the $^2\Pi_g-A^2\Pi_u$ system of N_2^+ , 2=1
- Nicholls, R.W. Franck-Condon factors to high vibrational quantum numbers. II. SiO , MgO , SrO , AlO , VO , NO , 2=16521
- Nicholls, R.W. "Condon Parabolas" in molecular spectra, 2=18445
- Nicholls, R.W. See Armstrong, B.H., 2=9318
- Nicholls, R.W. See Krishnamachari, S.L.N.G., 2=10251
- Nicholls, R.W. See Hébert, G.R., 2=543
- Nicholls, R.W. See Robinson, D., 2=3733
- Nichols, B.D. See Aamodt, R.L., 2=13584
- Nichols, J.R. See Gibbons, M.G., 2=2487
- Nicholson, A.F. Bound states and scattering in an r^{-2} potential, 2=1
- Nicholson, A.F. Simple S and D deuteron ground state wave functions assuming central and r^{-2} tensor potentials, 2=18194
- Nicholson, B.J. See Müller, E.K., 2=21492
- Nicholson, M.E. See Sivertsen, J.M., 2=8865
- Nicholson, P.W. See Butt, D.K., 2=10078
- Nickolds, A.M. See Cornish, D.C., 2=2668
- Nickols, N.A., Curtis, S.B. and Prowse, D.J. The observation of very heavy hyperfragments produced by 830 MeV/c K^- mesons, 2=221
- Nickols, N.A. See Barkas, W.H., 2=314
- Nicol, J. See Shapiro, S., 2=9480
- Nicoladide, L. See Grigorovici, R., 2=6470
- Nicolae, I. See Rosenberg, M., 2=10519
- Nicolae, M. Influence of ions adsorbed on AgBr microcrystals on the sensitivity of nuclear emulsions, 2=5555
- Nicolae, M. The influence of foreign ions absorbed in AgBr microcrystals upon the sensitivity of nuclear emulsions, 2=5556
- Nicolae, M. New method (photographic) for the estimation of α -active elements in solution, 2=5558
- Nicolae, M. and Labau, V. Method of sensitization of photographic [AgBr] emulsions by means of triethanolamine, 2=17661
- Nicolaide, L. See Grigorovici, R., 2=8282
- Nicolas, I. See Linck, J., 2=495
- Nicolas, I. See Bourotte, B., 2=496
- Nicolas, J. See Vassiliev, A., 2=750
- Nicolas, J. See Vassiliev, A., 2=6675
- Nicolau, P. See Rosenberg, M., 2=10519
- Nicolet, M. Solar radiation at Uccle, 2=8971
- Nicolet, M. Density and energy in the upper atmosphere, 2=13017
- Nicolet, M. Effects of the solar far-ultraviolet on the atmosphere of the earth and other planets: introductory report, 2=15347
- Nicoll, G.R. and Basu, J. Comparison of microwave and Langmuir probe measurements on a gaseous plasma, 2=3017
- Niederauer, K. See Menzel, E., 2=16986
- Niederer, J.A. See Baker, W.F., 20627
- Niederer, J.A. See Lindenbaum, S.J., 2=1713
- Niekisch, E.A. Contribution to the question of the impurity centres and their nature in CdS, 2=10381
- Niekisch, E.A. The energy levels and the nature of lattice defects in unactivated CdS crystals, 2=10485
- Niekisch, E.A. Trap distributions of CdS crystals, 2=23154
- Niekisch, E.A. See Böer, K.W., 2=6311
- Niekisch, E.A. See Böer, K.W., 2=6312
- Nielsen, A.H. See Herndon, J.A., 2=20808
- Nielsen, E.J. and Dodd, R.A. Effects of composition on clustering kinetics in aluminum-copper alloys, 2=15065
- Nielsen, H.H. See Amat, G., 2=20778
- Nielsen, H.H. See Grenier-Besson, M.L., 2=20779
- Nielsen, H.L. See Gallaher, C.J., Jr., 2=12153
- Nielsen, H.L. See Hansen, P.G., 2=5807
- Nielsen, J.W., Lepore, D.A., Zneimer, J. and Townsend, G.B. Effect of mechanical, thermal, and chemical treatment of the ferrimagnetic resonance linewidth on lithium ferrite crystals, 2=14819
- Nielsen, J.W. and Zneimer, J.E. Nickel aluminum gallium ferrites for use at high signal levels, 2=14805
- Nielsen, L.P. Energy loss and straggling of protons and deuterons, 2=3336
- Nielsen, O.B. The coupling of the $K = 2$ band to the ground state rotational band in deformed even nuclei, 2=1787
- Nielsen, O.B. See Borggreen, J., 2=5806
- Nielsen, O.B. See Bjørnholm, S., 2=7944
- Nielsen, O.B. See Jørgensen, M., 2=20516
- Nielsen, V. See Lindhard, J., 2=22354
- Niemeck, F. See Gobrecht, H., 2=9492
- Niemelä, L. See Hovi, V., 2=18282
- Nieminen, I. Generalized singular functions in lower Lorentz spaces, 2=19370
- Niemoeller, A.F. Reciprocity calibration of electroacoustic transducers in the time domain, 2=2846
- Niemyski, T. and Zawadzki, W. Some properties of pure polycrystalline boron, 2=21149

- enberg, W.A. See Cabezas, A.Y., 2=12295
 enberg, W.A. See Chan, Y.W., 2=18241
 enberg, W.A. See Ehlers, V.J., 2=9991
 e, H. Techniques for measurement of the loudness level from the weighted sound level with regard to the effect of the time function and spectral profile, 2=78
 e, H. Measurement of effective sound and degree of echo distribution in the determination of room acoustics, 2=2850
 e, H. The derivation and quantitative testing of acoustical relationships in auditoria. I, 2=5130
 en, E. D.C. differential current meter, 2=5253
 et, R.T. The basis of the Kalvar system of photography, 2=15759
 wpoort, W.C. See Richardson, J.W., 2=6084
 odniczan'ski, T., Schürmann, P. and Steiger, M.P. $n' \rightarrow \gamma$ angular correlation for $\text{Fe}^{56}(n, n'\gamma)$ at 2.0 MeV, 2=20641
 odniczanski, H. See Freindl, L., 2=1911
 odniczanski, H. See Lozynski, E., 2=22745
 odniczanski, T. See Brugger, H.R., 2=5940
 odniczanski, T. See Brugger, H.R., 2=14103
 ecker, H., Hazoni, Y., Michaudon, A. and Paya, D. Study of fluctuations of partial radiation widths in neutron resonances of Th^{232} , 2=464
 ntov, N.G. Some electric properties of very thin metal films, 2=14496
 ntov, N.G. Preparation of single crystal films, 2=19109
 m, A.N. See Gokhale, B.G., 2=12294
 m, P.D. See Nigam, S.D., 2=4994
 m, S.D. and Nigam, P.D. Wave propagation in rotating liquids, 2=4994
 ul, J. The recovery of radiation damage in molybdenum, 2=10380
 eki, H. See Shoda, K., 2=20591
 h, G.J. See Lingeman, E.W.A., 2=12166
 norov, S.P. and Stepanov, A.V. Temperature dependence of the elastic constants of potassium iodide single crystals, 2=8701
 norov, S.P. and Stepanov, A.V. Temperature dependence of the elastic constants of potassium iodide single crystals, 2=10732
 norov, V.I., Peter, G., Pisarev, A.F. and Poze, Kh. Measurement of the spin correlation coefficient for pp-scattering at 660 MeV, 2=16196
 orov, A.E. See Cherepanov, V.I., 2=4140
 orov, A.E. See Cherepanov, V.I., 2=8513
 orov, I.Ya. The form of the conduction band of iron, 2=8184
 orov, I.Ya. Optimum correction of X-ray spectra for dispersive distortion, 2=14982
 orov, I.Ya. The shape of conduction bands in iron, 2=20962
 orov, V.I. See Belov, I.P., 2=3218
 orov, V.N. See Efremov, A.I., 2=19298
 oruk, P.N. Automatic control through signal polarities, 2=15868
 shin, B.K. See Azimov, S.A., 2=281
 shov, A.I. Absorption of high energy photons in the universe, 2=22473
 tenko, V.I. See Indenbom, V.L., 2=6725
 tenko, V.I. See Indenbom, V.L., 2=12431
 tenko, V.I. See Indenbom, V.L., 2=14441
 tenko, V.I. See Dianov, D.B., 2=23974
 tin, A.V. See Birger, N.G., 2=3391
 tin, E.E. Wave-functions of diatomic molecules with strong spin-orbit coupling, 2=546
 tin, E.E. Nonadiabatic transitions near the turning point in atomic collisions, 2=8133
 tin, E.E. and Sokolov, N.D. Theory of thermal dissociation of diatomic molecules, 2=20875
 tin, E.N., Bazanov, V.G. and Tarasov, V.I. Thermoelectric properties of $\text{Mg}_2\text{Si}-\text{Mg}_2\text{Sn}$ solid solutions, 2=8453
 tin, E.N., Bazanov, V.G. and Tarasov, V.I. Thermoelectric properties of $\text{Mg}_2\text{Si}-\text{Mg}_2\text{Sn}$ solid solutions, 2=14593
 tin, M.K. See Aleksandrov, Yu.A., 2=13988
 tin, M.K. See Bashilov, A.A., 2=16413
 tin, M.K. See Berlovich, E.E., 2=13989
 tin, M.K. See Berlovich, E.E., 2=13990
 tin, M.K. See Berlovich, E.Ye., 2=22765
 tin, M.K. See Grigor'ev, E.P., 2=14012
 tin, M.K. See Grigor'ev, E.P., 2=14065
 tin, S.A. Magnetostriction of Tb and Ho, 2=21331
 tin, S.A. See Belov, K.P., 2=744
 tin, S.A. See Belov, K.P., 2=10666
 tin, S.A. See Belov, K.P., 2=21106
 tin, S.A. See Levitin, R.Z., 2=8646
 tin, S.Ya. Modern methods of evaluation of bubble chamber photographs (Review), 2=18040
 tin, S.Ya. See Ainutdinov, M.S., 2=16234
 tin, S.Ya. See Ainutdinov, M.S., 2=18167
 tin, S.Ya. See Kolganov, V.Z., 2=3225
 Nikitin, V.A. See Ciulli, I., 2=22574
 Nikitin, V.N. A vessel of variable thickness for the infrared region of the spectrum, 2=7362
 Nikitin, V.O. See Vatset, P.I., 2=5536
 Nikitin, V.O. See Vatset, P.I., 2=5546
 Nikitin, V.O. See Vatset, P.I., 2=5549
 Nikitin, V.V. See Berlovich, E.E., 2=13989
 Nikitin, V.V. See Berlovich, E.Ye., 2=22765
 Nikitin, Yu.P., Pomeranchuk, I.Ya. and Shmushkevich, I.M. The formation of high energy π -meson beams, 2=22818
 Nikitina, I.I. See Lozinski, M.G., 2=23777
 Nikitina, O.I. Investigation of the composition of the vapour phase in the spectral analysis of high iron alloys, 2=23981
 Nikitina, O.I., Hudyrina, L.L., Horeva, A.E. and Ivanova, N.K. Effect of the material of the supplementary electrode on the ratio of the elements in the vapour phase in the spectral analysis of ferrous metals, 2=23982
 Nikitina, T.N. and Telesnin, R.V. Apparatus for investigating pulse switching of thin ferromagnetic films, 2=19864
 Nikitina, T.N. See Kolotov, O.S., 2=19865
 Nikitina, T.N. See Kolotov, O.S., 2=19866
 Nikitine, S. Exciton spectra in semiconductors and ionic compounds. I. Theoretical, 2=16820
 Nikitine, S. Exciton spectra in semiconductors and ionic compounds. II. Experimental, 2=16821
 Nikitine, S., Grosmann, M. and Grun, J.B. Application of exciton spectroscopy to the study of the damage produced in solids by nuclear radiation, 2=2105
 Nikitine, S., Grosmann, M. and Grun, J.B. A comparison of the effects of irradiation with neutrons and γ -rays on the exciton absorption spectra of cuprous oxide, 2=23555
 Nikitine, S., Grun, J.B. and Sleskind, M. A spectrophotometric study of the yellow series for Cu_2O at low temperatures, 2=697
 Nikitine, S. See Grun, J.B., 2=4145
 Nikitine, S. See Grun, J.B., 2=8494
 Nikitine, S. See Grun, J.B., 2=12599
 Nikitine, S. See Sleskind, M., 2=6565
 Nikitinskaya, T.I. and Bol'shakova, T.V. Dielectric losses and electrical conductivity of eluorite, 2=8459
 Niklaus, P., Huber, P. and Wagner, R. Inelastic scattering of neutrons from lead, mercury and uranium, 2=3583
 Nikliborc, J. and Szaynok, A. Influence of F-center concentration on the electrification of the dust of KCl monocrystals irradiated with β rays, 2=8255
 Nikliborc, J. See Jakubiszyn, S., 2=14645
 Nikliborc, J. See Meclewski, R., 2=14460
 Nikolaev, M. A new method for the determination of the alpha activity of elements in solution, 2=5828
 Nikolaenko, V.A. See Pravdyuk, N.F., 2=18389
 Nikolaev, A.G. See Vernov, S.N., 2=9029
 Nikolaev, F.A. See Bogdankevich, O.V., 2=1862
 Nikolaev, F.A. See Burgov, N.A., 2=20594
 Nikolaev, I.N. See Kikoin, I.K., 2=6503
 Nikolaev, L.V. See Lopyrev, V.A., 2=21959
 Nikolaev, M.N. See Guseinov, A.G., 13806
 Nikolaev, N.S. and Duk'yan'chev, Yu.A. Determination of the solubility product for thorium tetrafluoride, 2=19554
 Nikolaev, P.N. See Rabinovich, I.B., 2=13324
 Nikolaev, R.M. See Kharchenko, I.F., 2=11665
 Nikolaev, V.I. See Karchevskii, A.I., 2=8292
 Nikolaev, V.I. See Karchevskii, A.I., 2=23243
 Nikolaev, V.S., Fateeva, L.N., Dmitriev, I.S. and Teplova, Ya.A. Capture of several electrons by fast multicharged ions, 2=163
 Nikolaev, V.S., Fateeva, L.N., Dmitriev, I.S. and Teplova, Ya.A. Capture of several electrons by fast multicharged ions, 2=22168
 Nikolaev, V.S. See Dmitriev, I.S., 2=15892
 Nikolaev, V.S. See Teplova, Ya.A., 2=7674
 Nikolaeva, E.L. See Abel's, V.R., 2=8623
 Nikolaeva, L.G. See Karal'nik, S.M., 2=17030
 Nikolaeva, O.V. See Naumov, G.P., 2=8444
 Nikolaeva, O.V. See Naumov, G.P., 2=14587
 Nikolaeva, Z.P. See Sergeev, G.Ia., 2=12927
 Nikolaichuk, A.D. See Bondar, A.D., 2=17978
 Nikolayev, H.T. and Sharevs'kiy, B.A. Effect of the operating conditions of an MM-1000 oil diffusion pump on the composition of the decomposition products of D-1A oil, 2=9323
 Nikolayev, V.S. See Dmitriev, I.S., 2=9535
 Nikolayeva, E.L. See Abel's, V.R., 2=23656
 Nikolayeva, L.H. See Karal'nik, S.M., 2=6590
 Nikoleishvili, U.D. See Chkuaseli, D.V., 2=17788
 Nikolic, M. See Cvijanovich, G.B., 2=5638
 Nikolic, M. See Cvijanovic, G., 2=22515

- Nikol'skii, B.A., Surkova, L.V., Varfolomeev, A.A. and Sulkovskaya, M.M. Search for D^* -mesons, 2=20415
- Nikol'skii, G.M. See Ivanov-Kholodnyi, G.S., 2=978
- Nikol'skii, G.M. See Ivanov-Kholodnyi, G.S., 2=24116
- Nikol'skii, V.K. Atomic centres in NaCl:Ag and KBr:Ag crystal phosphors, 2=14728
- Nikolsky, A.P. On the geophysical distribution of the areas of the solar corpuscular impingements in the Arctic, 2=15281
- Nikolsky, S.I., Murzina, E.A. and Yakovlev, V.I. High energy nuclear-active particles and the extensive air showers which accompany them, 2=22673
- Nikonov, A.G. See Odling, I.A., 2=16966
- Nikonov, A.G. See Odling, I.A., 2=21439
- Nileshwar, V.B. See Garstone, J., 2=830
- Nilma Basu and Sinha, M.S., Absolute differential range-spectrum of sea-level muons at 12°N , 2=13932
- Nillius, O. See Fischer, H., 2=9392
- Nilov, E.V. See Balashov, I.F., 2=1272
- Nilsen, W.G. Operation of a travelling-wave maser in a transverse field superconducting electromagnet, 2=20142
- Nilson, J.A. and Shepherd, G.G. Upper atmospheric temperatures from Doppler line widths. I. Some preliminary measurements on OI 5577 Å in aurora, 2=4677
- Nilson, J.A. See Shepherd, G.G., 2=4666
- Nilson, K. See Kronenberg, S., 2=1495
- Nilsson, A. and Kjellman, J. A study of the reaction $\text{C}^{13}(\alpha, n)\text{O}^{16}$ at 14.1, 13.7 and 12.8 MeV, 2=12220
- Nilsson, A. and Kjellman, J. Neutron angular distributions from the $\text{Be}(\alpha, n)\text{C}^{13}$ reaction at 14.1, 13.9 and 13.5 MeV, 2=12222
- Nilsson, A. See Kjellman, J., 2=3618
- Nilsson, A. See Kjellman, J., 2=5969
- Nilsson, A. See Kjellman, J., 2=12221
- Nilsson, C.S. and Weiss, A.A. Radio-echo observations of meteors in the antarctic, 2=11161
- Nilsson, G. Improved fission counting method for uranium isotope analysis, 2=5989
- Nilsson, J. The mass difference of the neutral k -mesons and the validity of the perturbation expansion in the theory of weak interactions, 2=1721
- Nilsson, J. Forbidden weak interactions at very high energies, 2=9781
- Nilsson, J. On the structure of weak interactions, 2=16136
- Nilsson, R. Half-life measurements of Tl^{204} and Ag^{110m} , 2=3497
- Nilsson, S. Loading device for irradiated samples at a bent crystal gamma-ray spectrometer, 2=20293
- Nilsson, S. See Bartke, J., 2=13883
- Nilsson, S. See Frisk, A., 2=1711
- Nilsson, S.G., Sawicki, J. and Glendenning, N.K. The giant E1 resonance for deformed nuclei, 2=16383
- Nilsson, S.G. See Glendenning, N.K., 2=1798
- Nilsson, S.G. See Kramer, G., 2=14055
- Nimeroff, I., Rosenblatt, J.R. and Dannemiller, M.C. Variability of spectral tristimulus values, 2=5136
- Nimeroff, I., Rosenblatt, J.R. and Dannemiller, M.C. Variability of spectral tristimulus values, 2=15439
- Nimura, H. See Fukushima, E., 2=21503
- Ning Hu. Up-down asymmetries of Λ - and Σ -decays, 2=7904
- Ninio, F. Field dependence of the electric susceptibility of ionic crystals, 2=12554
- Ninomiya, T. See Kanzaki, H., 2=3981
- Ninomiya, T. See Kanzaki, H., 2=8423
- Nisenoff, M. See Maker, P.D., 2=8512
- Nishi, M. Emission spectra from the positive column in the glow discharge through vapors of monohalogen benzenes. II, 2=7257
- Nishi, M. See Ryu, N., 2=17905
- Nishida, A. and Jacobs, J.A. World-wide changes in the geomagnetic field, 2=9036
- Nishida, A. and Jacobs, J.A. World wide changes in the geomagnetic field, 2=13070
- Nishida, M. and Sugimoto, D. Evolution of population II stars in the helium-burning phase, 2=9086
- Nishida, M. See Hayashi, C., 2=987
- Nishida, M. See Hayashi, C., 2=15363
- Nishida, N. The relaxation phenomena in polyelectrolyte solutions, 2=2727
- Nishida, N. Relaxation phenomena in concentrated polyelectrolyte, 2=11380
- Nishida, Y., Herling, G.H. and Breit, G. Theory of transfer reactions, 2=1855
- Nishigaki, M., Yamanaka, C. and Yamamura, Y. The acceleration of plasma by the travelling magnetic wave, 2=11680
- Nishiguchi, K., Arata, Y. and Okada, M. Studies of plasma in heavy current linear pulse discharges, 2=9572
- Nishiguchi, K., Arata, Y. and Okada, M. The behavior of plasma in heavy current linear pulse discharges. II, 2=22213
- Nishijima, K. Unitarity condition and anomalous vertex functions, 2=11894
- Nishikawa, K. On the optical absorption by impurities in semiconductors, 2=18807
- Nishikawa, M. See Getoff, N., 2=23225
- Nishikawa, T., Tanaka, J., Miyahara, A. and Kumagai, H. A linear electron accelerator as the injector of 1 BeV synchrotron, 2=21439
- Nishimura, H. See Fukui, S., 2=22665
- Nishimoto, K. and Fujishiro, R. Electronic spectra of naphthols, 2=18470
- Nishimura, A. See Okamoto, T., 2=21103
- Nishimura, H. Thermal conductivity of Fermi particle systems, 2=23880
- Nishimura, H. Investigation of platinum-molybdenum alloys, 2=23880
- Nishimura, H. and Mori, H. Viscosity of Fermi particle systems, 2=4962
- Nishimura, H. See Fukui, S., 2=13897
- Nishimura, J. X-ray initiated photoconductivity of CdS single crystals, 2=10530
- Nishimura, J. See Aizu, H., 2=22664
- Nishimura, J. See Akashi, M., 2=12083
- Nishimura, K. Acnodes on Landau curves for deuteron photodisintegration, 2=13892
- Nishimura, S. See Hatanaka, T., 2=13148
- Nishimura, S. See Takayanagi, K., 2=4725
- Nishina, Y., Kolodziejczak, J. and Lax, B. Oscillatory interband Faraday rotation and Voigt effect in semiconductors, 2=21230
- Nishiyama, S. See Adachi, I., 2=7330
- Nishiyama, S. See Adachi, I., 2=22050
- Nishiyama, S. See Masuda, T., 2=14649
- Nisimura, K. Breakup of deuterons by the reactions $\text{H}(d, p)\text{pn}$ with $E_d = 18$ MeV and $\text{D}(p, p)\text{pn}$ with $E_p = 9$ MeV, 2=3417
- Nissan, A.H. See Yerazunis, S., 2=19388
- Nitardy, J.H. See Peterson, L.E., 2=1370
- Nitsche, R., Bülsterli, H.U. and Lichtensteiger, M. Crystal growth by chemical transport reactions. I. Binary, ternary, and mixed-crystal chalcogenides, 2=6773
- Nitsche, R. and Merz, W.J. Zinc-indium-sulphide, a new photoconductor, 2=23475
- Nitsche, R. See Beun, J.A., 2=6495
- Nitsche, R. See Fatuzzo, E., 2=4093
- Nitsche, R. See Fatuzzo, E., 2=21214
- Nitta, I. See Ohnishi, S., 2=23022
- Nitz, R. See Klebe, J., 2=7335
- Niu, H. See Shimizu, M., 2=14866
- Niu, K. On the motion of a cylindrical plasma-layer, 2=17831
- Niu, K. See Akashi, M., 2=12083
- Niven, C.D. The friction of heated bismuth, 2=801
- Niwa, H. See Tanaka, K., 2=6313
- Nixon, J.D. See Machlup, S., 2=23454
- Nixon, W.C. X-ray microscopy, 2=23926
- Nixon, W.C. See Swift, D.W., 2=13594
- Nizhnik, L.P. The problem of inelastic scattering, 2=31
- Nizhnik, L.P. Non-stationary one-dimensional Schrödinger equation, 2=7809
- Nomura, S. Some experimental and theoretical studies of ferroelectricity in NaNO_3 , 2=4091
- Nomura, S. and Kawakubo, T. Dielectric properties of $\text{Pb}(\text{FeTa})_{0.9}\text{O}_3$ and $\text{Pb}(\text{FeTa})_{0.9}\text{O}_3\text{-PbZrO}_3$ systems, 2=12567
- Nomura, S. See Sawada, S., 2=2207
- Nomura, S. See Sawada, S., 2=4092
- Nomura, Y. and Harumi, K. Eigenvibration for the membrane between two eccentric circles, 2=5094
- Nonaka, I., Yamaguchi, H., Mikumo, T., Umeda, I., Tabata, T. and Hitaka, T. (α, p) reactions near $Z = 26$, 2=498
- Nooijen, B. van. See van Nooijen, B.
- Norberg, A.L., Jr. See Crowell, A.D., 2=20011
- Norbury, J.R. See Goldsack, S.J., 2=9888
- Nordberg, M.E., Jr., Morinigo, F.B. and Barnes, C.A. Comparisons of beta-alpha angular correlations in the Li^8 and B^8 beta decays, the conserved vector current theory, 2=3508
- Nordby, D.H. See Hwang, C.F., 2=20337
- Nordby, H. See Borggreen, J., 2=5806
- Nordfors, B. The X-ray L-absorption spectrum of silver. A study of bent crystal and proportional counter, 2=1959
- Nordhagen, R. Simple scheme for using the selective storage of a channel pulse height analyser in coincidence counting, 2=2971
- Nordhagen, R. Proton resonance suitable to shape calibrate a scintillation γ -ray spectrometer, 2=5605
- Nordhagen, R. See Andersen, S.L., 2=20612

- heim, L.W. A new calculation of resonance integrals, 2=12249
- io, P.L. See Favero, P., 2=16551
- io, P.L. See Giacometti, G., 2=8115
- illing, C. See Brogren, G., 2=19079
- itvedt, K. and Pagels, H. Electromagnetic plane wave solutions in general relativity, 2=9163
- ilka, A.J. and Francombe, M.H. Factors influencing coercive force values in sputtered Permalloy films, 2=12660
- em, P.C. and Wertheim, G.K. Mössbauer effect isomer shift of Fe^{57} in silicon and germanium, 2=20907
- inder, H. and Knudsen, E. The dispersion of whistlers compared with the geomagnetic latitudes of their sources, 2=4609
- man, A. See Spiegler, P., 2=10990
- man, A. and Spiegler, P. Thermal spikes in protein, 2=18575
- man, G.E. A basis for the quantum defect method, 2=18395
- man, G.E. See Biberman, L.M., 2=20751
- man, R.H. The rolling friction of cylinders on planes, 2=15521
- man, S.L., Zwicker, E.F. and Grossweiner, L.I. Measurement of surface energies of alkali halide crystals, 2=2347
- mantas, E. See Bir, G.L., 2=18661
- mantas, E. See Bir, G.L., 2=23245
- r, M.K. An electrolytic polish and etch for lead telluride, 2=19045
- rish, R.G.W. See Basco, N., 2=20817
- rish, R.G.W. See Callear, A.B., 2=6877
- rish, K. See Rausell-Colom, J.A., 2=8805
- seev, Yu.V. See Abdurazakov, A.A., 2=14025
- seev, Yu.V. See Dalkhsuren, B., 2=14023
- thover, F.H. Reflection of electromagnetic waves from thin ionized gaseous layers, 2=16035
- throp, D.C. and Simpson, O. Semiconductor counters. I. Theory, 2=18026
- throp, D.C. See Clarke, H.B., 2=6636
- throp, D.C. See Gibbons, P.E., 2=6637
- throp, D.C. See Gibbons, P.E., 2=18027
- thwood, T.D. Sound-insulation ratings and the new ASTM sound-transmission class, 2=9356
- ton, J.F. Jitter-free presentation of segment of raster, 2=17761
- ton, K.A. Radio-wave propagation during World War II, 2=16048
- ton, R. See Fronsda, C., 2=20272
- ton, R.E. K^* and K meson pole contributions to leptonic decay, 2=12005
- ton, R.E. See Coleman, S., 2=4918
- wood, M.H. A comparison of theory and experiment for a thermoelectric cooler, 2=1380
- anow, L.H. See Balian, R., 2=17376
- anow, L.H. See Baur, M.E., 2=16576
- ar, O.I. and Smirnov, A.A. Theory of residual electrical resistance of multicomponent ordered alloys, taking into account the distortions of the crystal lattice by different sizes of atoms, 2=6406
- eng-Ch'ang. See No sen-chan, 2=10042
- ck, C. and Roether, W. A cable amplifier for large amplitude impulses, 2=5282
- el, J.de. See de Nobel, J.
- e, B. Integral equation perturbation methods in low frequency diffraction, 2=7748
- e, G.A. and Markham, J.J. An analysis of paramagnetic resonance properties of pure and bleached F centres in potassium chloride, 2=6386
- e, G.A. See Markham, J.J., 2=23214
- e, R. See Daniel, E.D., 2=12725
- es, R.A. Long-range particles from nuclear fission, 2=12230
- g. Spectra of light scattered in the atmosphere at the heights of 5 and 16 km, 2=6913
- lla, S. On the interaction between stream and body in free-molecule flow, 2=5036
- vik, J.S., Duke, C.B. and Melkanoff, M.A. Optical-model analysis of elastic scattering of protons on carbon at intermediate energies, 2=3564
- J.A. See Maycock, J., 2=13672
- J.P. See Bok, J., 2=5530
- J.P. See Bok, J., 2=5686
- rdlinger, P.D. Elimination of the electromagnetic potentials, 2=7807
- le, K. Field emission studies on kinetics of barium oxide on tungsten, 2=17074
- ami, Y. and Varshni, Y.P. Heavy mesons and the charge independence of the nuclear forces, 2=18076
- ami, Y. See Etoh, K., 2=1888
- ami, Y. See Yagi, K., 2=16397
- gle, J.H., Baldeschwieler, J.D. and Colburn, C.B. Analysis of the N.M.R. and double-resonance spectra of the isomers of N_2F_2 , 2=16559
- gle, T.S. and Stiegler, J.O. Fission fragment tracks in metal films, 2=12484
- Noggle, T.S. See Stiegler, J.O., 2=18622
- Noguchi, H. Interactions of plasma proteins and polymeric materials, 2=7049
- Noimann, Kh. On the theory of field emission of a metal covered with a thin layer of a semiconductor, 2=7641
- Noimann, Kh. On the theory of field emission of a metal covered with a thin layer of semiconductor, 2=9614
- Nolan, P.J. See Keefe, D., 2=22164
- Nöldeke, G. and Saksena, G.D. Relative isotope position of Os^{184} , 2=3705
- Nöldeke, G., Steudel, A., Wallach, K.E. and Walther, H. Relative isotope position of Os^{188} , 2=22910
- Nöldeke, G. See Goodman, L., 2=8061
- Nöldeke, G. See Guthohrlein, G., 2=1779
- Noll, P. Electronic instruments in nuclear physics, 2=7780
- Noll, P. See Bieger, W., 2=11677
- Noll, W. See Coleman, B.D., 2=15547
- Nolle, A.W. and Morgan, L.O. E.S.R. linewidths in dilute hexaaquomanganese (II) solutions at 9.4 and 24 kMc, 2=2732
- Nolle, A.W. See Mahendroo, P.P., 2=8680
- Nolle, A.W. See Wrotenbery, P.T., 2=18653
- Nolle, E.L. and Galkin, G.N. Generation centres in diffused silicon p-n junctions, 2=4043
- Nolle, E.L., Malovetskaya, V.M. and Vavilov, V.S. Influence of oxygen on the lifetime of non-equilibrium carriers in p-type silicon, 2=18690
- Nolle, E.L., Malovetskaya, V.M. and Vavilov, V.S. Influence of oxygen on the lifetime of non-equilibrium carriers in p-type silicon, 2=23364
- Nolle, E.L. See Galkin, G.N., 2=637
- Nolle, E.L. See Galkin, G.N., 2=4025
- Nomicos, G. See Parzen, P., 2=9821
- Nomicos, G.N. See Hughes, J.V., 2=11187
- Nomofilov, A.A. See Vishky, T., 2=1684
- Nomofilov, A.A. See Vishky, T., 2=22512
- Nomofilov, E.V. See Subbotin, V.I., 2=15769
- Nomoto, M. Angular distribution of γ radiation following $C^{12}(p_1, p_2, \gamma)C^{12}$, 2=7979
- Nomoto, M. Angular distribution of γ radiation following direct nuclear reaction, 2=20608
- Nomura, K.C. See Blakemore, J.S., 2=16732
- Nomura, K.C. See Blakemore, J.S., 2=18805
- Nosé, H. Exchange integral in Ni and its alloy film from spin wave resonance, 2=4241
- No Sen Chan [No Seng Ch'ang]. See Baskova, K.A., 2=3518
- No Sen-Chan. See Baskova, K.A., 2=10042
- No Seng Ch'ang. See No Sen Chan.
- Nosenko, B.M. and Strukov, N.A. Concerning excitation of crystal phosphors by ions, 2=23614
- Nosenko, B.M., Revzin, L.S., Yaskolko, V.Ya. and Krasnaya, A.R. Thermally stimulated luminescence with different forms of excitation, 2=23623
- Noskov, M.M. See Zverev, L.P., 2=10541
- Noskova, L.M. See Izyumov, Yu.A., 2=12754
- Noskova, L.M. See Izyumov, Yu.A., 2=14760
- Noskova, M.N. See Bundel', A.A., 2=10621
- Noskova, N.I. and Pavlov, V.A. X-ray diffraction analysis of the microstructure of ferro-nickel after γ - α and γ - α - γ transformations, 2=23929
- Noskova, N.I. See Pavlov, V.A., 2=23760
- Noskova, R.I. See Kuz'min, A.D., 2=1021
- Nosov, V.I. The efficiency of absorbing rod systems in a reactor with a reflector, 2=18382
- Nosov, V.G. Effect of zero vibrations of the shape of heavy nuclei on the probability of α -decay, 2=22757
- Nossek, R. An experimental contribution to the theory of the electrical resistance of metals, 2=6405
- Notarrigo, S., Parisi, R., Ricamo, R. and Rubbino, A. Neutrons from Po-Be sources, 2=5690
- Nourse, H.M.E. See Hawksworth, W.A., 2=21936
- Novais, H.M. See do Carmo Anta, M., 2=22476
- Novák, M. and Ružička, T. The change in the parameters of striations in a wave of stratification, 2=7574
- Novick, D.T. See Seraphim, D.P., 2=2413
- Novick, R. See Holloway, W.W., Jr., 2=14202
- Novick, R. See Lurio, A., 2=14188
- Novick, R. See Thaddeus, P., 2=14193
- Novikov, A.K. Spatial correlation of plane bending waves, 2=15671
- Novikov, A.S. See Evdokimov, G.S., 2=15673
- Novikov, B.V. See Griio [Grillot], E., 2=10527
- Novikov, B.V. See Gross, E.F., 2=8400
- Novikov, B.V. See Gross, E.F., 2=18738
- Novikov, B.V. See Gross, E.F., 2=23455
- Novikov, I.D. Note on the space-time metric inside the Schwarzschild singular sphere, 2=23

- Novikov, I.D. Properties of the curvature of the comoving space of some cosmological models considered in a quasi-Newtonian approximation, 2-24080
- Novikov, I.I. See Avdonin, V.I., 2-11427
- Novikov, I.V. See Indenbaum, G.V., 2-12885
- Novikov, I.V. See Indenbaum, G.V., 2-19043
- Novikov, L.S. See Tsin Ch'en-Zhul, 2-10044
- Novikov, M.M. See Hertzriken, S.D., 2-6344
- Novikov, M.T. See Pivovarov, L.I., 2-162
- Novikov, M.T. See Pivovarov, L.I., 2-17792
- Novikov, M.T. See Pivovarov, L.I., 2-22169
- Novikov, N.N. See Gorid'ko, N.Ya., 2-8757
- Novikov, N.N. See Gorid'ko, N.Ya., 2-14910
- Novikov, P.A. An investigation of the process of sublimation in vacuum conditions with motion of solids, 2-9459
- Novikov, S.A. See Ivanov, A.G., 2-2758
- Novikov, S.A. See Ivanov, A.G., 2-14904
- Novikov, S.A. See Ivanov, A.G., 2-12865
- Novikov, V.I. See Efimova, B.A., 2-6462
- Novikov, V.I. See Efimova, B.A., 2-14547
- Novikov, V.I. See Efimova, B.A., 2-18694
- Novikov, V.M. Excitation of nuclei by muons in heavy mesic atoms, 2-363
- Novikov, V.M. Excitation of nuclei by muons in heavy mesic atoms, 2-22722
- Novikov, V.M. See Zaretskii, D.F., 2-362
- Novikov, V.M. See Zaretskii, D.F., 2-511
- Novikov, V.M. See Zaretskii, D.F., 2-1908
- Novikov, V.M. See Zaretskii, D.F., 2-10232
- Novikov, V.M. See Zaretskii, D.F., 2-22721
- Novikov, Yu.M. See Zolototrubov, I.M., 2-3046
- Novikova, G.E. See Trapeznikova, O.N., 2-6544
- Novikovskii, B.S. Voltage regulation in a high-voltage accelerator by means of a braking gap, 2-5409
- Novogrudskii, V.N. and Fakidov, I.G. Hall effect in the metamagnetic compound $MnAu_3$, 2-8291
- Novogrudskii, V.N. and Fakidov, I.G. Hall effect in the metamagnetic compound $MnAu_3$, 2-10441
- Novotockij-Vlasov, J.F. See Ržanov, A.V., 2-23330
- Novototskii-Vlasov, Yu.F. and Neizvestnyi, I.G. Apparatus for study of surface states in germanium, 2-21143
- Novozhilov, A.I. and Shikhov, S.B. A method of averaging nuclear constants in fast reactor calculations taking into account neutron weighting, 2-12255
- Novozhilov, Yu.V. Isospin symmetry as a consequence of the quantum field theory axioms, 2-22402
- Nowacki, P.J. The theory of the magnetohydrodynamic generator with constant area, 2-7728
- Nowacki, W. Formulation of a boundary problem of the theory of elasticity with mixed boundary conditions, 2-14864
- Nowacki, W. See Ignaczak, J., 2-13287
- Nowacki, W. See Iitaka, Y., 2-15035
- Nowacki, W. See Kalishi, S., 2-11439
- Nowacki, W. See Kalishi, S., 2-19645
- Nowak, B. On a new method of determining the focal plane of a spectrograph, 2-2878
- Nowick, A.S. and Berry, B.S. The Zener relaxation as a distribution of relaxation times, 2-21399
- Nowick, A.S. See Dreyfus, R.W., 2-3900
- Nowick, A.S. See Dreyfus, R.W., 2-12501
- Nowick, I. Influence of a resonant absorber whose thickness varies linearly with time on the spectral shape of an incident Lorentzian wave packet, 2-13760
- Nowinski, J. Biharmonic solutions to the steady-state thermoelastic problems in three dimensions, 2-7154
- Nowotny, H. See Schob, O., 2-17045
- Noxon, J.F. Active nitrogen at high pressure, 2-6099
- Noxon, J.F. and Jones, A.V. A balloon-borne spectrometer for study of the airglow beyond 2.0μ , 2-4661
- Noyes, H. Nuclear forces, 2-1757
- Noyes, H.P. The three-pion resonance and its implications, 2-1704
- Noyes, H.P. See Wong, D.Y., 2-13790
- Noyes, J.C. Solar active regions and solar cosmic rays, 2-13136
- Noyes, R.M. Thermodynamics of ion hydration as a measure of effective dielectric properties of water, 2-10982
- Noyes, R.M. Some conditions for validity of statistical thermodynamic treatments of reaction kinetics, 2-21580
- Noyes, R.W. See Leighton, R.B., 2-15330
- Noyes, W.A. Jr., Mulac, J.W.A. and Matheson, M.S. Photochemical primary process in biacetyl vapor at 4358 Å, 2-6890
- Noyes, W.A., Jr. See Ishikawa, H., 2-20844
- Noyes, W.F. Observation of nuclear particle tracks in the electron microscope, 2-22374
- Nozawa, M. Study of the cadmium isotopes. IV. Beta- and gamma spectroscopy of In^{100} , 2-18254
- Nozawa, M. See Katoh, T., 2-12177
- Nozawa, M. See Katoh, T., 2-18253
- Nozdrev, V.F., Osadchii, A.P. and Rubtsov, A.S. Investigation of the sonic velocity in water along the saturation line; including the critical region, 2-1145
- Nozdrev, V.F., Osadchii, A.P. and Rubtsov, A.S. Investigation of the sonic velocity in water along the saturation line, including the critical region, 2-7209
- Nozdrev, V.F. and Tarantova, G.D. Velocity of ultrasound in the benzyl methyl alcohol system in the critical region, 2-15584
- Nozières, P. and Luttinger, J.M. Derivation of the Landau theory of Fermi liquids. I. Formal preliminaries, 2-19457
- Nozières, P. See Luttinger, J.M., 2-19458
- Nozières, P. See Miller, A., 2-19796
- Nozières, P. See Morel, P., 2-15831
- Nozik, Yu.Z. See Yamzin, I.I., 2-4519
- Nudelman, S. The detectivity of infrared photodetectors, 2-22089
- Nugent, L.J. and Cornwell, C.D. Microwave spectrum of methylid-fluoroarsine, 2-20852
- Nugent, L.J., Mann, D.E. and Lide, D.R., Jr. Microwave structure determinations on tertiary butyl acetylene and tertiary butyl cyanide, 2-6127
- Nukushina, H. Space-charge layer width and junction capacitance of hyper-abrupt p-n junction, 2-16742
- Null, M.R. and Lozier, W.W. Carbon arc as a radiation standard, 2-1908
- Numarkura, K. Young's moduli in ordered and in disordered states of Fe_3Al single crystals, 2-4308
- Numata, T. Corrosion of AlSi crystals and growth of needles and ribbons of $Al(OH)_3$, 2-16993
- Numata, T. Phenomenological theory of turnover in point-contact rectifiers, 2-10518
- Nunamaker, T.A. See Baker, S.C., 2-2986
- Nunamaker, T.A. See Bjerke, A.E., 2-17993
- Nunamaker, T.A. See Bjerke, A.E., 2-19863
- Nunez-Lagos, R. See Galindo, A., 2-11294
- Nunez-Lagos, R. See Hung Cheng, 2-22430
- Nuovo, M. Dynamic measurements of elastic and anelastic constants, 2-10730
- Nuralieva, R.D. See Krinchik, G.S., 2-16807
- Nurmia, M., Kauranen, P. and Siivola, A. Pm^{145} : a new alpha activity, 2-18280
- Nurmia, M. See Graeffe, G., 2-5836
- Nurmia, M. See Taagepera, R., 2-5837
- Nurmukhametov, R.N., Shigorin, D.N. and Dokunikhin, N.S. Luminescence of solutions of thioindigo and its di-derivatives at 77°K, 2-1741
- Nuromskii, A.B. See Bredov, M.M., 2-21146
- Nurzyński, J. See Freindl, L., 2-1911
- Nussbaum, A. Group theory and the energy band structure of semiconductors, 2-21122
- Nussbaum, A. See Blakemore, J.S., 2-16732
- Nussbaum, M. See Pevsner, A., 2-5719
- Nussbaum, M. See Pevsner, A., 2-22572
- Nutt, C.W. and Biddlestone, A.J. Theory and application of molecular beam techniques for the design of collision-free sampling systems. III. Knocking-on collisions in the collimating chambers, 2-208
- Nutt, C.W. and Biddlestone, A.J. Theory and application of molecular beam techniques for the design of collision-free sampling systems. IV. Appearance potential and scattering cross-section of oxygen atoms from an r.f. discharge (10 Mc/sec), 2-20890
- Nutt, C.W. and Biddlestone, A.J. Theory and application of molecular beam techniques for the design of collision-free sampling systems. V. Reaction of atomic oxygen with nitrogen dioxide, 2-20891
- Nuttall, J. See Fairlie, D.B., 2-19424
- Nutting, J. See Swann, P.R., 2-3924
- Nuyts, J. Note on polarization in the interaction of form fermions, 2-1908
- Nuyts, J. Weak electromagnetic and pionic decay of hyperons, 2-1908
- Nuyts, J. See Lannoy, F.G., 2-22411
- Nyagu, D. and Salukvadze, R.G. The question of stereoscopic photography with bubble chambers. Graphs of the correction of refraction errors, 2-5548
- Nyagu, D. See Salukvadze, R.G., 2-476
- Nyagu, D. See Salukvadze, R.G., 2-22829
- Nyagu, D.V., Okonov, E.O., Petrov, N.I., Rozanova, A.M. and Rusakov, V. Production of hyperons in lead by K_2^+ mesons with mean energy 100 MeV, 2-10131
- Nyagu, D.V. See Anikina, M.Kh., 2-7898
- Nyamu, I. See Khulubei, Kh., 2-16403
- Nyborg, P. On classical theories of spinning particles, 2-5590
- Nyborg, P. Thomas precession and classical theories of spinning particles, 2-9809

- chenko, V.K. See Neshpor, V.S., 2=8305
chenko, V.P. See L'vov, S.M., 2=18649
d, J.C. and Post, R.F. Recent advances in high power microwave
electron accelerators for physics research, 2=5403
n, D.R. Method of constructing thin-foil spark chamber
ates, 2=9760
n, K.E. See Simons, L., 2=1842
R.J. Magnetic shielding by superconducting films, 2=1336
R.J. See Jurisson, J., 2=22114
shi, H. See Fukui, S., 2=13897
shi, H. See Fukui, S., 2=22665
shi, T. Propagation of solar particles through interplanetary
magnetic fields, 2=13917
shi, T. Propagation of solar corpuscles and interplanetary
magnetic fields, 2=16261
shi, T. Particle precipitations and geomagnetic storms, 2=18206
shi, T. The solar geophysical events of November 1960, 2=18216
shi, T. Geomagnetic storm effects on charged particles, 2=18217
shi, T. Some notes on cosmic radiations and magnetic fields
measured by Pioneer V, 2=1680
shi, T. and Hakura, Y. Enhanced ionization in the polar ionosphere
caused by solar corpuscular emissions, 2=8996
shi, T. Solar corpuscular radiation and polar ionospheric
disturbances, 2=2500
shi, T. and Hakura, Y. Propagation of solar cosmic rays through
the interplanetary magnetic field, 2=3429
shain, F.E. and Page, L.A. Strong electric field experiments on
positronium in gases, 2=3325
H. See Albers, W., 2=14940
uggenberger, H. Registration of cosmic radiation by means of a
counter telescope, 2=9943
ausen, E. See Onstead, C.O., 2=21749
oltzer, J.D. See Nelson, J.W., 2=1929
nan, C. See Dawson, J., 2=11667
ik, H. See Boer, K.W., 2=2263
ki, J. See Wapstra, A.H., 2=12168
ki, J.E.J. See Lark, N.L., 2=16330
t, H. See Linhardt, F., 2=5127
sov, Yu.N. See Mocan, I.V., 2=23319
tsov, Yu.N. See Mochan, I.V., 2=18757
sov, Yu.N. See Mochan, I.V., 2=21204
ko, V.N. Excitation of the Ca II K line in the solar chromo-
sphere, 2=977
en, B.J. Direct observations of dumping of electrons at
1000-kilometer altitude and high latitudes, 2=17201
en, B.J., Laughlin, C.D., Van Allen, J.A. and Frank, L.A. Measure-
ments of the intensity and spectrum of electrons at 1000-kilometer
altitude and high latitudes, 2=17200
en, B.J., Van Allen, J.A., Laughlin, C.D. and Frank, L.A. Absolute
electron intensities in the heart of the earth's outer radiation
zone, 2=11087
en, B.J. See Maehlum, B., 2=22687
en, B.J. See Pizzella, G., 2=24052
en, E.E. Turbulent transport of a passive scalar with a variable
mean gradient, 2=13313
en, H.G. See Mesler, R.B., 2=5995
en, R.R. See Kennedy, D.P., 2=2186
ov, A.I. See Goritchev, P.A., 2=14151
ov, Yu. L. See Benda, F., 2=15971
ov, Yu. L. See Kotov, V.I., 2=1540
ov, Yu. V. See Alikhanov, A.I., 2=11959
ov, Yu. V. See Babaev, A.I., 2=18147
ov-Denisov, V.V. See Kolesnikov, V.N., 2=14219
ov-Denisov, V.V. See Kitaeva, V.F., 2=17844
ni, G. See Masani, A., 2=15369
i, H. See Wada, Y., 2=6732
ppo, K. Ferrari d'. See Ferrari d'Occhieppo, K.
G.R. See Bowles, K.L., 2=16075
G.R. See Carpenter, R.J., 2=16062
G.R. See Sugar, G.R., 2=1601
nell, D.J.K. The Green flash, 2=15199
nell, J.S. Simple broad-range magnetic spectrometer, 2=1521
nell, J.S., Tipler, P.A. and Axel, P. Elastic scattering of
1.5-17.7 MeV photons by Au measured with a bremsstrahlung
monochromator, 2=10081
nell, R.F. See Johnson, W.R., 2=536
nor, D.A. See Black, P.J., 2=23038
nor, J.R. and Bostick, H.A. Radiation effects in CaF₂Sm, 2=12597
wskl, G. See Neamtan, S.M., 2=18406
. See Ackerman, E., 2=2845
Oda, M. and Hasegawa, H. On the configuration of relativistic
particles generated by a supernova in the galactic arm, 2=17301
Oda, M. and Hasegawa, H. Propagation of cosmic rays in the galactic
arm, 2=22666
Oda, M. and Tanaka, Y. Fine structure of the core of extensive air
showers, 2=12075
Oda, M. See Hasegawa, H., 2=13929
Oda, M. See Hasegawa, H., 2=18207
Oda, Z., Sugiyama, K., Arata, H. and Kobayashi, A. Anomalous conduction
of cleaned germanium surfaces at low temperatures, 2=23333
Oda, Z. See Kobayashi, A., 2=3894
Odani, Y. and Gomi, Y. Observations of uniaxial anisotropy in ferro-
magnetic thin films by means of bitter technique, 2=6669
Odé, H. See Biot, M.A., 2=14886
Odeh, F.M. Principles of limiting absorption and limiting amplitude in
scattering theory. I. Schrödinger's equation, 2=32
Odeh, F.M. Principles of limiting absorption and limiting amplitude in
scattering theory. II. The wave equation in an inhomogeneous
medium, 2=33
Odeh, M. See Burget, J., 2=4247
O'Dell, A.W. See Homer, R.J., 2=9844
O'Dell, C.R. A distance scale for planetary nebulae based on emission
line fluxes, 2=15382
O'Dell, F.W., Shapiro, M.M. and Stiller, B. Relative abundances of the
heavy nuclei of the galactic cosmic radiation, 2=12060
Oding, I.A., Nikonov, A.G. and Mar'yanovskaya, T.S. Influence of cyclic
loading on the threshold of cold brittleness in carbon steel, 2=16966
Oding, I.A., Nikonov, A.G. and Mar'yanovskaya, T.S. Influence of cyclic
loading on the threshold of cold brittleness in carbon steel, 2=21439
Oding, I.A. and Zubarev, P.V. The effect of γ -radiation on high tempera-
ture strength of low-carbon steels, 2=19005
Oding, I.A. and Zubarev, P.V. The effect of γ -radiation on high tempera-
ture strength of low-carbon steels, 2=23775
Odintsov, V.I. An atomic beam as light source for studying spectra of
gases, 2=110
Odintsov, V.I. The use of reflected light in work with a Fabry-Perot
etalon, 2=11494
Odom, W.J. See Savage, W.R., 2=21955
Odqvist, F.K.G. and Hult, J. Some aspects of creep rupture, 2=4342
O'Dwyer, M.F., El-Bayoumi, M.A. and Strickler, S.J. Observation of
anomalous phosphorescence-fluorescence intensity ratio in excita-
tion of upper electronic states of certain aromatic hydro-
carbons, 2=10628
Oehme, R. Regge poles in relativistic Schrödinger theory, 2=18074
Oehme, R. and Tiktopoulos, G. Complex angular momentum in
relativistic dispersion theory, 2=22438
Oelsner-Ryde, K. See Persson, L., 2=10068
Oen, O.S. See Leibfried, G., 2=15458
Oen, O.S. See Robinson, M.T., 2=6039
Oertel, G. See Griem, H.R., 2=3698
Oeschger, H. See Geiss, J., 2=4752
Oeschger, H. See Gfeller, C., 2=4751
Oeschger, H. See Gfeller, C., 2=22750
Oettinger, R. and Hauser, H. Electrical chain network to investigate the
mechanical vibrations of the inner ear, 2=2579
Oetjen, R.A. See Eisner, L., 2=4590
Ofelt, G.S. Intensities of crystal spectra of rare-earth ions, 2=18831
Ofer, S. See Bauminger, S., 2=1777
Ofer, S. See Burde, J., 2=1803
Offergeld, G. See Gilles, J.M., 2=12547
Offerhaus, M.J. A note on Kihara's method for calculating transport
coefficients of a gas, 2=5060
Offerhaus, M.J. Theory of relaxation phenomena in a monatomic
gas. I, 2=5061
Offerhaus, M.J. Theory of relaxation phenomena in a monatomic
gas. II, 2=5062
Offerhaus, M.J. Theory of relaxation phenomena in a monatomic
gas. III, 2=5063
Offerhaus, M.J. Theory of relaxation phenomena in a monatomic
gas. IV, 2=5064
Oganesyan, R.S. Gravitational instability of a layer relative to two-
dimensional transverse disturbances, 2=16
Oganesyan, Y. See Indreas, G., 2=7687
Oganesyan, Yu.Ts. See Indreas, G., 2=7688
Oganesyan, Yu.Ts. See Indreas, G.I., 2=11738
Ogata, H., Itoh, H., Masuda, Y., Takamatsu, K., Kawashima, M., Masaike, A.
and Kumabe, I. Numerical differential cross-sections of the (p, α)
reactions on Al²⁷, Mn⁵⁵, and Co⁵⁹, 2=10099
Ogata, H. See Kimura, K., 2=5898
Ogata, T. See Akashi, M., 2=12083
Ogawa, I. Waveforms and pulse-height distributions of the grid pulses
from gridded ionization chambers, 2=3198

- Ogawa, I. and Abe, N. Electron cyclotron resonances in a radiofrequency ion source, 2=20039
- Ogawa, I., Doke, T. and Tsukuda, M. The double-grid ionization chamber, 2=5507
- Ogawa, K. The observation of oscillating anode glow by means of high-speed camera, 2=5315
- Ogawa, K. Anodic oscillation in glow discharge. II. The gap properties, analogous to an ordinary electric oscillator with linear circuit elements, 2=5316
- Ogawa, K. See Adachi, T., 2=16212
- Ogawa, M. See Tanaka, Y., 2=6177
- Ogawa, M. See Tanaka, Y., 2=16524
- Ogawa, S. A possible symmetry in Sakata's composite model, 2=16133
- Ogawa, S. and Morimoto, S. Nuclear magnetic resonance of Fe⁵⁷ in fine powdered iron, 2=2307
- Ogawa, S. and Morimoto, S. Nuclear magnetic resonance of Fe⁵⁷ in various ferrimagnetic oxides, 2=16939
- Ogawa, S. See Fujimoto, Y., 2=11910
- Ogawa, S. See Ikeda, M., 2=11911
- Ogawa, S. See Ino, S., 2=16996
- Ogawa, S. See Yamaguchi, S., 2=17047
- Ogawa, T. The texture of vapour phase grown ZnS crystals, 2=6354
- Ogawa, T. Internal friction of CdS crystal caused by photo-conductivity, 2=10739
- Ogawa, T. Ionosphere observations by Doppler effect, 2=17156
- Ogaza, S. See Bozek, E., 2=20557
- Ogaza, S. See Karlsson, E., 2=12137
- Ogbuehi, P.O. See Onwumechilli, A., 2=11092
- Ogden, P.M. See Hinrichs, C.K., 2=18142
- Oggero, M. See Robotti, A.C., 2=11635
- Ogievetski, V.I. and Polubarinov, I.V. On the meaning of gauge invariance, 2=7811
- Ogievetski, V.I. and Polubarinov, I.V. A gauge invariant formulation of neutral vector field theory, 2=22387
- Ogihara, H. and Ikegami, S. Some phenomena of poling process in reduced BaTiO₃ crystal, 2=18775
- Ogilvie, K.W., Bryant, D.A. and Davis, L.R. Rocket observations of solar protons during the November 1960, events. I, 2=12091
- Ogilvie, K.W., Bryant, D.A. and Davis, L.R. Rocket observations of solar protons during the November 1960 events, 2=13900
- Ogilvie, K.W. See Campbell, M.J., 2=12079
- Ogilvie, K.W. See Campbell, M.J., 2=13935
- Ogilvie, K.W. See Davis, L.R., 2=16259
- Ogilvie, K.W. See Davis, L.R., 2=16260
- Ogilvie, R.E. See Elion, H.A., 2=20086
- Ogilvie, R.E. See Hanneman, R.E., 2=10429
- Ogilvie, R.E. See Teeg, R.O., 2=4322
- Ogimoto, T. Macroscopic causality and lower limit for the energy derivative of the scattering phase shift, 2=3279
- Ogimoto, T. Continuation of S-matrix into second Riemann sheet, 2=11900
- Ogita, N. A study on the extensive air showers, 2=9959
- Ogita, N. See Akashi, M., 2=12083
- Ogita, N. See Imai, T., 2=13919
- Ogle, K.N. Peripheral contrast thresholds and blurring of the retinal image for a point light source, 2=1032
- Ogle, K.N. Blurring of retinal image and foveal contract thresholds of separated point light sources, 2=21763
- Ogloblin, A.A. and Chuev, V.I. Measurement of triton spectra in nuclear reactions, 2=20440
- Ogloblin, A.A. See Vlasov, N.A., 2=14133
- Ogorelec, Z. See Celustka, B., 2=18678
- Ogorodnik, A.F. See Barchuk, I.F., 2=14170
- Oguchi, H. The sharp leading edge problem in hypersonic flow, 2=2742
- Ogura, I. Crystal growth of vacuum evaporated thin films of sodium chloride on the cleavage surface of mica, 2=8786
- Ogura, Y. Energy transfer in a normally distributed and isotropic turbulent velocity field in two dimensions, 2=9239
- Ogura, Y. Energy transfer in an isotropic turbulent flow, 2=24015
- Ogura, Y. and Phillips, N.A. Scale analysis of deep and shallow convection in the atmosphere, 2=17132
- Ogurtsov, G.N. and Flaks, I.P. Charge exchange of Xe³⁺ and Xe⁴⁺ in neon, 2=15891
- Ogurtsov, G.N. See Flaks, I.P., 2=154
- Ogurtsov, G.N. See Flaks, I.P., 2=3718
- Oguti, T. and Nagata, T. Inter-relations among the upper atmosphere disturbance phenomena in the auroral zone, 2=4670
- Oguti, T., Tohmatsu, T. and Nagata, T. Inter-relations among aurora, sporadic ionization and magnetic disturbance, 2=13043
- O'Halloran, T. See Goldhaber, S., 2=22635
- O'Halloran, T. See Slater, W., 2=3403
- Ohama, T. See Kimura, K., 2=5898
- O'Hara, S. See Bennett, A.I., 2=21486
- O'Hara, S. See Melngailis, J., 2=21076
- Oheme, R. See Iizuka, J., 2=9923
- Ohji, M. On four-point dynamical equations in homogeneous turbulence, 2=19525
- Ohkawa, T. and Kerbst, W.D. Multipole magnetic field configuration for stable plasma confinement, 2=3044
- Ohki, K. A quantum chemical picture of biosynthesis, 2=7049
- Ohkura, H. and Murase, K. Electron spin resonance of the M centre in potassium chloride, 2=3966
- Ohkura, H., Murase, K. and Sugimoto, H. Electron spin resonance of A center in KCl crystals, 2=21365
- Ohkura, H. and Nagata, S. Trapping role of the M centre in coloured KCl crystal, 2=18619
- Ohl, A.I. Pulsations during sudden commencements of magnetic storms and long-period pulsations in high latitudes, 2=15285
- Ohlendorf, W. Penetration of a glow discharge into cracks, 2=957
- Ohlsen, W.D. and Holcomb, D.F. Low-temperature paramagnetic relaxation of color centers in KCl, 2=14471
- Ohman, G.P. Universal curves for the horizontal polarization reflection coefficient, 2=22344
- Ohman, Y. Polarized thermal emission from narrow tungsten filaments, 2=122
- Ohman, Y. Solar flares and surges observed at the Stockholm Observatory and the Swedish Astrophysical Station in Anacapri the year 1960, 2=9079
- Ohman, Y. Optics in Sweden, 2=13422
- Ohmori, Y. See Kimura, K., 2=5898
- Ohmura, H. See Etoh, K., 2=1888
- Ohnishi, H. See Uchida, T., 2=15905
- Ohnishi, S., Sugimoto, S. and Nitta, I. Temperature dependence of the e.s.r. spectrum of irradiated oriented polyethylene, 2=23022
- Ohno, A. Cluster expansion of relaxation function and its application to the theory of pressure broadening, 2=3689
- Ohno, E. See Hagihara, S., 2=11963
- Ohnuki, Y., Maki, Z. and Yamamoto, H. Quantum mechanical approach to the composite model of elementary particles, 2=11912
- Ohnuki, Y. See Ikeda, M., 2=11911
- Ohnuki, Y. See Maki, Z., 2=11909
- Ohnuma, H. See Yagi, K., 2=16397
- Ohnuma, H. See Yamazaki, T., 2=20571
- Ohorodnyk, A.F. See Barchuk, I.F., 2=18104
- Ohoyama, T. See Kanematsu, K., 2=16891
- Ohoyama, T. See Kimura, R., 2=21551
- Ohta, K., Hoshino, M. and Araki, Y. Measurement on magnetocrystalline anisotropy of Mn-Zn-Fe ferrites, 2=18919
- Ohtsuki, Y.H. Impurity effects on the plasma oscillation of an electron gas, 2=19998
- Ohyama, N. Propagation of shock waves in inhomogeneous medium. IV. Second order approximation, 2=1181
- Ohyama, N. See Ono, Y., 2=17288
- Oishi, J. High temperature determination by a new gas thermometer with constant bulb temperature. I. Measuring methods, 2=128
- Oishi, M. See Huzimura, R., 2=10463
- Oka, T. and Morino, Y. Calculation of inertia defect. II. Nonlinear symmetric XY₂ molecules, 2=6140
- Oka, T. and Morino, Y. Analysis of the microwave spectrum of hydrogen selenide, 2=14264
- Oka, T. See Morino, Y., 2=10266
- Okabe, H. and McNesby, J.R. Vacuum ultraviolet photochemistry. II. Photolysis of ethylene, 2=4549
- Okabe, H. and McNesby, J.R. Vacuum ultraviolet photochemistry. IV. Photolysis of propane, 2=23969
- Okabe, H. See McNesby, J.R., 2=4550
- Okabe, S., Tabata, T. and Ito, R. Nonobstructive low energy electron beam monitor, 2=1503
- Okabe, T. On the experiment on the analysis of the heavy water by infra-red spectrometry, 2=10997
- Okade, E. See Wakatsuki, T., 2=3567
- Okada, F. Rectangular cavities for measurement of dielectric constants and tensor permeabilities of ferrites, 2=22155
- Okada, M. See Ariyasu, T., 2=3051
- Okada, M. See Nishiguchi, K., 2=9572
- Okada, M. See Nishiguchi, K., 2=22213
- Okada, T., Kano, T. and Sasaki, Y. Epitaxial vapour growth of GaAs on Ge single crystal, 2=8801
- Okai, S. and Tamura, T. Consequences of the channel coupling in the scattering of nucleons by nuclei, 2=10094
- Okamoto, F., Koike, T. and Tosima, S. Experimental evidence for helical instabilities in a semiconductor plasma, 2=16698
- Okamoto, K. Axial asymmetry of the nucleus and the triple split gamma resonance, 2=20596

- oto, K. and Hasegawa, K. Effect of the tensor force on the photo-nuclear sum rule, 2=20583
- oto, N. See Kumagai, S., 2=11788
- oto, T., Tange, H., Nishimura, A. and Tatsumoto, E. Temperature dependence of the Hall effect in iron and nickel, 2=21103
- oto, T. See Tatsumoto, E., 2=8287
- ura, S. See Komaki, A., 2=12837
- o, K. and Nakada, O. Theory of non-linear responses of many ble systems, 2=1070
- ati, A. The atmospheric electric field on the summit of Mt. Hiei (860 m), 2=11031
- aki, S. Microwave breakdown of air, 2=9557
- aki, S. Q value of a resonant cavity for microwave breakdown experiment, 2=11636
- efe, J.A. See Glenn, J.H., Jr., 2=24193
- effe, M. Cation valencies and distributions in spinel structures containing manganese, 2=6792
- effe, M. and Moore, W.J. Diffusion of oxygen in single crystals of nickel oxide, 2=2100
- efe, M. and Moore, W.J. Thermodynamics of the formation and migration of defects in cuprous oxide, 2=14434
- efe, M. and Stone, F.S. The magnetochemistry and stoichiometry of the copper-oxygen system, 2=12756
- efe, M. and Stone, F.S. The magnetic susceptibility of cupric oxide, 2=14811
- ley, G.D. See Eichler, E., 2=16321
- ley, G.D. See Goodman, C.D., 2=9496
- lly, L.B. See Hurst, G.S., 2=22170
- imenko, B.A. See Bil'yi, M.U., 2=17468
- imenko, B.A. See Bel'yi, M.U., 2=21912
- ara, H. See Onuki, M., 2=8424
- . On the electromagnetic field of a rotating magnet, 2=3132
- . See Kimura, M., 2=3018
- uchi, A. See Shoda, K., 2=20591
- . T. Size distribution of large droplets in precipitating clouds, 2=8968
- ovich, V.N. and Smirenkin, G.N. Comparison of the mean kinetic energies of the fission fragments of U^{235} produced by thermal neutrons and neutrons with a mean energy of 15 MeV, 2=20687
- ovich, V.N., Smirenkin, G.N. and Bondarenko, I.I. Precision comparison of the average kinetic energy of the products of U^{235} fission by thermal neutrons and by neutrons with 5 MeV average energy, 2=20690
- ov, E.O. Limits for the possible magnetic moment of the K^0 -meson, 2=16240
- ov, E.O., Podgoretskii, M.I. and Khurstalev, O.A. Concerning the gravitational masses of K^0 - and K^0 -mesons, 2=13876
- ov, E.O. See Anikina, M.Kh., 2=7898
- ov, E.O. See Nyagu, D.V., 2=10131
- okov, V.V. Crystal-controlled pulse generator, 2=1350
- okov, V.V. Time analysers, 2=1366
- olsinski, M. See Cole, H., 2=21499
- uan, J. See Rose, G., 2=6927
- uan, Ya.A., Burlakov, A.V. and Aleksandrov, E.B. The photoelectric properties of polycrystalline cadmium selenide at low temperatures, 2=661
- uan, Ya.A. See Aleksandrov, E.B., 2=17738
- o, S. Note on unitary symmetry in strong interactions, 2=16148
- o, S. Note on unitary symmetry in strong interaction, 2=20252
- o, Y. See Kawabura, H., 2=4261
- aa, A. and Asai, K. Relative concentration of F, M, and R centers, 2=14472
- aa, H. See Kondo, I., 2=12068
- aa, H. See Sekido, Y., 2=12067
- aa, H. See Sekido, Y., 2=12069
- T. The proton-neutron mass difference, 2=13794
- , L.B. and Kobzarev, I.Yu., 2=18065
- , L.B. and Pontekorvo, B. Which is heavier: "Muonium one" or "Muonium two"? 2=22553
- , L.B. See Gribov, V.N., 2=3308
- , L.B. See Kobzarev, I.Yu., 2=299
- , L.B. See Kobzarev, I.Yu., 2=3397
- , L.B. See Kobzarev, I.Yu., 2=16139
- , L.B. See Kobzarev, I.Yu., 2=22403
- , L.B. See Kobzarev, I.Yu., 2=16144
- , L.B. See Kobzarev, I.Yu., 2=22544
- , Yu.B. See Kobzarev, I.Yu., 2=10835
- umi, H. See Hauptman, A., 2=10835
- er, D.R. The influence of physical property variations on liquid-phase mass transfer for various laminar flows, 2=19545
- chski, K. Representations of the space group of rutile (TiO_2), 2=2392
- Olcese, G.L. Structure and magnetic properties of MX compounds of terbium with the metalloids of groups V and VI, 2=8827
- Olde, G.L. See Brannen, E., 2=7792
- Ol'dekop, L.G. See Gorn, L.S., 2=17753
- Oldekop, W. Simple formula for calculation of the effective resonance integral, 2=8034
- Oldekop, W. See Eberth, E., 2=10177
- Oldenberg, O. See Carleton, N.P., 2=16516
- Oldenberg, O. See Junge, C.E., 2=13018
- Olds, D.W. Polarized phosphorescence in crystalline hexachlorobenzene at 77°K, 2=4185
- O'Leary, A.J. Condition that temperature defined by an equation of state be equal to absolute thermodynamic temperature, 2=1297
- Olekhovich, H.M. See Sirota, N.N., 2=12911
- Olekhovich, N.M. See Sirota, N.N., 2=3866
- Oleś, A. See Grigorov, N.L., 2=16254
- Oles', A.A. See Babetski, Ya.S., 2=331
- Oles, A.A. See Babetski, Ya.S., 2=22675
- Olesen, K. See Bisgård, K.M., 2=14021
- Oleson, N.L. See Gardner, A.L., 2=17821
- Olette, M. See Ferrier, A., 2=12383
- Olette, M. See Ferrier, A., 2=20934
- Olfe, D.B. Mean beam length calculations for radiation from non transparent gases, 2=9446
- Olfe, D.B. Equilibrium emissivity calculations for a hydrogen plasma at temperatures up to 10000°K, 2=9568
- Oliin'k, I.M. See Pyeskovats'kii, S.A., 2=19057
- Olijnychenko, P. Theory of measurement in moving systems, 2=11255
- Olner, A.A. and Tamir, T. Backward waves on isotropic plasma slabs, 2=5471
- Oliphant, T.A. An implicit, numerical method for solving two-dimensional time-dependent diffusion problems, 2=9208
- Olive, D.I. Unitarity and the evaluation of discontinuities, 2=22427
- Olive, D.I. and Taylor, J.C. Singularities of scattering amplitudes at isolated real points, 2=13738
- Oliver, G., Cameron, J.F. and Clayton, C.G. A review of high intensity neutron sources and their application in industry, 2=22542
- Oliveira, C.G.de. See de Oliveira, C.G.de,
- Oliver, B.H. See Brown, F., 2=3593
- Oliver, D.R. Electrical properties of n-type gallium arsenide, 2=18705
- Oliver, D.R. Influence of particle rotation on radial migration in the Poiseuille flow of suspensions, 2=21887
- Oliver, J. A summary of observed seismic surface wave dispersion, 2=12986
- Oliver, J.W. See Denney, J.M., 2=13195
- Oliver, P.R. and Girifalco, L.A. Void growth kinetics in strained silver, 2=20997
- Oliver, R. See Warner, G.T., 2=11829
- Oliver, J.P. and Ross, S. On physical adsorption. XVI. The physical interaction of H_2 , D_2 , CH_4 , and CD_4 with graphite, 2=4497
- Olivier, J.P. See Ross, S., 2=15096
- Oliveira, C.G.de. See de Oliveira, C.G.de
- Ol'khov's'kii, V.S. and Tsekhnistrenko, Yu.V. The analytical structure of the S-function of elastic scattering in the case of infinite potentials, 2=5583
- Olkowsky, B. Movement of an ion source by remote control while operating an electrostatic accelerator, 2=5394
- Ollom, J.F. and Goldstein, H.L. Effect of frequency modulation on subsidiary resonance in ferrites, 2=6685
- Olmen, R.W. and Rubens, S.M. Angular dispersion and its relationship with other magnetic parameters in Permalloy films, 2=12654
- olmo, U. Dall'. See Dall'olmo, U.
- Olness, D. See Silver, M., 2=23259
- Olsen, C.E. The electrical resistivity of $ZrZn_2$, 2=2118
- Olsen, C.E. and Elliott, R.O. Effects of impurities and self-irradiation on the electrical resistivity of alpha-phase plutonium below 300°K, 2=23237
- Olsen, C.E., Nereson, N.G. and Arnold, G.P. Neutron diffraction studies on Europium metal, 2=12667
- Olsen, C.E. See Elliott, R.O., 2=21094
- Olsen, C.E. See Nereson, N.G., 2=21334
- Olsen, C.E. See Nagle, D.E., 2=4216
- Olsen, D.A., Joyner, P.A. and Olson, M.D. The sliding of liquid drops on solid surfaces, 2=15560
- Olsen, H. and Maximon, L.C. Pair production as an analyser of circular polarization of -rays from neutral particle decays, 2=12012
- Olsen, H. See Maximon, L.C., 2=9813
- Olsen, H. See Mork, K., 2=20755
- Olsen, H.N. Partition function cutoff and lowering of the ionization potential in an argon plasma, 2=1423
- Olsen, J.L. See Andres, K., 2=7507
- Olsen, J.L. See Bucher, E., 2=7495

AUTHOR INDEX

- Olsen, J.L. See Daunt, J.G., 2=17725
 Olsen, L.O. Francis Weston Sears: Oersted Medallist for 1961, 2=13230
 Olsen, W.C. See Zimmerman, R.L., 2=5692
 Olsmats, C.M. See Axensten, S., 2=347
 Olsmats, C.M., Axensten, S. and Liljegren, G. Hyperfine structure investigation of Po^{209} and Po^{207} , 2=523
 Olson, H.F. Loudspeakers, 2=15699
 Olson, H.F. and Belar, H. A printout system for the automatic recording of the spectral analysis of spoken syllables, 2=7059
 Olson, J.R., Boade, R.R. and Legvold, S. Electric field effect on sound dispersion, 2=15650
 Olson, M.D. See Nicholas, M.E., 2=1126
 Olson, M.D. See Olsen, D.A., 2=15560
 Olson, R.M. See Friedland, S.S., 2=18198
 Olson, W.B. See Allen, H.C., Jr., 2=18435
 Olson, W.B. See Redington, R.L., 2=6159
 Olsson, I.U., Karlén, L., Turnbull, A.H. and Prosser, N.J.D. A determination of the half-life of C^{14} with a proportional counter, 2=10034
 Olsson, I.U. See Caini, V., 2=11589
 Olsson, P. See Hultberg, S., 2=3709
 Olsson, P.O.M. Expansions of wave functions in terms of Bessel functions, 2=1060
 Olszak, W. and Stepien, A. Phenological effect in prestressed bound elements, 2=12855
 Olt, R.D. Synthetic maser ruby, 2=6561
 Olte, A., King, J.S. and Miller, E.K. A coaxial low-density plasma experiment, 2=13575
 Olteanu, I. See Bally, D., 2=7698
 Olumoto, T. See Maeda, K., 2=4593
 O'Malley, T.F., Rosenberg, L. and Spruch, L. Low-energy scattering of a charged particle by a neutral polarizable system, 2=6075
 Oman, R.M. See Dillon, J.A., Jr., 2=23203
 Omar, M.H. and Dokoupil, Z. Some supplementary measurements on the vapour-liquid equilibrium of the system hydrogen-nitrogen at temperatures higher than the triple point of nitrogen, 2=1311
 Omar, M.H. and Dokoupil, Z. Solubility of nitrogen and oxygen in liquid hydrogen at temperatures between 27 and 33°K, 2=11365
 Omar, M.H. and Dokoupil, Z. Solid-gas equilibrium of the binary oxygen-hydrogen system, 2=11541
 Omar, M.H., Dokoupil, Z. and Schroten, H.G.M. Determination of the solid-liquid equilibrium diagram for the nitrogen-methane system, 2=9461
 Ombrellaro, P.A. See Calame, G.P., 2=5658
 O'Meara, T.R. Comments on wide-band shielded r.f. transformers, 2=9516
 Omel'yanovskii, E.M. See Fistul', V.I., 2=21133
 Omel'yanovskii, E.M. See Fistul', V.I., 2=23336
 Omel'yanovskii, E.M. See Fistul', V.I., 2=23338
 Omholt, A. Velocities of very active auroral rays, 2=21670
 Omholt, A. and Stoffregen, W. Norwegian-Swedish collaboration in auroral and ionospheric research, 2=8997
 Omholt, A., Stoffregen, W. and Derblom, H. Hydrogen lines in auroral glow, 2=11077
 Omholt, A. See Harang, L., 2=4668
 Omholt, A. See Holt, O., 2=17185
 Omini, M. See Malvano, R., 2=22785
 Omnes, R. A classification of resonances, 2=18070
 Omnes, R. Some remarks about unitarity, 2=21830
 Omnes, R. See Barloutaud, R., 2=5711
 Omnes, R. See Barloutaud, R., 2=9893
 Omnes, R. See Jacob, M., 2=9896
 Omnes, R. See Jacob, M., 2=22594
 Ômura, Y. and Wakatsuki, M. Pressure dependence of the characteristics of InSb Esaki diode, 2=23431
 Onaka, R. and Fujita, I. A vacuum spectrophotometer for solid state physics, 2=2889
 Onat, E.T. On a variational principle in linear viscoelasticity, 2=21860
 Onat, E.T. See Breuer, S., 2=14887
 Onicescu, M. and Apostol, I. Shielding for neutron sources used in industry, 2=9873
 Onicescu, M. See Apostol, I., 2=22539
 Onicescu, M. See Blănuș, D., 2=7937
 Onicescu, M. See Iorgulescu, A., 2=7936
 Onicescu, M. See Literat, R., 2=4617
 Ondoh, T. Ionospheric currents responsible for sudden commencements observed at the geomagnetic equator, 2=4698
 Ondoh, T. A possibility of the generation of v.l.f. emissions in the outer earth's exosphere, 2=13054
 Ondoh, T. Geomagnetic bay-like disturbances before geomagnetic sudden commencements or sudden impulses, 2=17216
 Ondoh, U. See Maeda, H., 2=17218
 Ondris, M. and Fraitz, Z. Ferromagnetic resonance in thin permalloy films, 2=10685
 Ondris, M. See Fraitz, Z., 2=18912
 Ondris, M. See Fraitz, Z., 2=23694
 O'Neal, C., Jr. and Brokaw, R.S. Relation between thermal conductivity and viscosity for some nonpolar gases, 2=11423
 O'Neal, E. and Benson, S.W. Photolysis of acetone in the presence of HI and the decomposition of the acetyl radical, 2=12980
 Oneal, G., Jr. See Liang, C.Y., 2=21197
 O'Neal, H.E. and Benson, S.W. Kinetics of the reaction between acetylene and HI and the heat of formation of the acetyl radical, 2=19142
 Oneda, S., Hori, S., Nakagawa, M. and Toyoda, A. K_1^0 - K_2^0 mass difference and the boson-pole approximation in strangeness violating non-leptonic weak processes, 2=22623
 Oneda, S. See Hiraki, H., 2=12000
 Oneda, S. See Hori, S., 2=13869
 Oneda, S. See Nakagawa, M., 2=13734
 O'Neill, J.S., Hey, A.W. and Livey, D.T. Density and permeability relationships in fabricated beryllia, 2=4480
 Ong, R.S.B. On the reflection and refraction of hydromagnetic waves in interstellar medium, 2=15996
 Onicescu, O. Anti-Minkowskian universes, 2=21
 Onicheck, I.L. See Prishivalko, A.P., 2=9365
 Onley, J.W. and Boynton, R.M. Visual responses to equally bright stimuli of unequal luminance, 2=17325
 Ono, A. Stress concentration v. fatigue strength in view of yielding of material, 2=8753
 Ono, A. Note to the condition of yielding assumed in investigating the effect of stress concentration on the fatigue strength, 2=87
 Ôno, K. and Ito, A. A Mössbauer study of the internal field at Fe^{57} in $\alpha\text{-Fe}_2\text{O}_3$, 2=16918
 Ôno, K. See Ito, A., 2=10008
 Ono, M. See Takakura, T., 2=13159
 Ono, M. See Takakura, T., 2=13931
 Ono, T., Takahama, T. and Irie, T. The thermoelectric properties of AgSbTe_2 - AgBiTe_2 - PbTe and -SnTe systems, 2=18759
 Ono, Y. and Sakashita, S. On the mechanism of stellar explosion, 2=17288
 Ono, Y., Sakashita, S. and Ohya, N. On the mechanism of stellar explosion, 2=17288
 Onodera, G.C., Corrigan, W.J. and Warner, R.M., Jr., 2=23440
 Onoprienko, M.I. See Broude, V.L., 2=695
 Onoprienko, M.I. The analysis of electron spectra of molecular crystals, 2=18822
 Onstead, C.O., Oberhausen, E. and Keary, F.V. Cesium-137 in man, 2=21749
 Onuki, M. and Okhura, H. Pulse and steady photoconductivities of colored alkali halides, 2=8424
 Onwumechilli, A. and Ogbuehi, P.O. Fluctuations in the geomagnetic horizontal field, 2=11092
 Ooi, T. See Oosawa, F., 2=7049
 Oosawa, F., Asakura, S. and Ooi, T. Physical chemistry of muscle protein "actin", 2=7049
 Oosterhout, G.W. van. See van Oosterhout, G.W.
 Oostrum, K.J. van. See van Oostrum, K.J.
 Oparin, V.A. See Afrosimov, V.V., 2=153
 Oparin, V.A. See Solov'ev, E.S., 2=13540
 Opat, G.I. Electromagnetic sum rules, 2=5788
 Opechowski, W. See McMillan, M., 2=762
 Ophel, T.R., Glover, R.N. and Titterton, E.W. Gamma ray yields from the proton bombardment of B^{10} , 2=16406
 Ophel, T.R. and Lawergren, B.T. The 721, 809, 839 and 954 keV resonances of the Mg^{26} (p, γ) reaction, 2=7982
 Ophel, T.R. and Lawergren, B.T. The 661 keV resonance of the Mg^{26} (p, γ) reaction, 2=20818
 Ophel, T.R. See Bashkin, S., 2=16100
 Ophel, T.R. See Lawergren, B.T., 2=12132
 Ôpik, E.J. The survival of stray bodies in the solar system, 2=47
 Ôpik, E.J. The lunar atmosphere, 2=17243
 Ôpik, U. Mean energies of hybridized valence states, 2=6211
 Opinsky, A.J., Orehot'sky, J.L. and Hoffman, C.W.W. X-ray diffract analysis of crystallite size and lattice strain in tungsten wire, 2=6861
 Oplenko, B.F. See Pasichnyk, M.V., 2=12186
 Oppel, R. See Stein, R., 2=20211
 Oppenheim, A.K. and Stern, R.A. The characteristic fundamentals propagation of waves in reactive media, 2=1114
 Oppenheim, A.K. and Stern, R.A. The characteristics of simple waves in reactive media, 2=19528
 Oppenheim, A.K. See Baumann, W., 2=6884
 Oppenheim, U.P. and Even, U. Infrared properties of sapphire at elevated temperatures, 2=21237

- nheimer, F. See Newman, J., 2=18790
 rhauser, H. See Westwood, A.R.C., 2=12886
 rhauser, H., Jr. See Westwood, A.R.C., 2=8229
 rmann, H. See Lange, W., 2=21900
 a, F. and Balta, P. Researches on some metal oxide semi-conductors, 2=6465
 rger, L. See Salisbury, S.R., 2=16405
 rger, L.D. See Silverstein, E.A., 2=493
 s group of the Potsdam Pädagogische Hochschule. Method for determining the focal lengths of optical systems, 2=7334
 vskii, A.N. See Basov, N.G., 2=16572
 ifeartaigh, L. The Dirac matrices and the signature of the metric tensor, 2=3250
 ifeartaigh, L. On the validity of the crossing theorem, 2=17358
 ifeartaigh, L. and Takahashi, Y. Further investigations on the non-local convergent field theory, 2=3238
 ifeartaigh, L. See Kamefuchi, S., 2=3240
 ovskaya, T.V. Luminescence properties of cerium activated aluminium oxide and helenite under cathode-ray excitation, 2=23612
 ovskii, V.E. Investigation of the electroluminescence of zinc sulfide single crystals, 2=16872
 ovskii, V.E. and Khmelinin, B.A. Study of electroluminescence of ZnS-Cu single crystals, 2=8554
 ch, R. Spin-lattice relaxation in rare-earth salt, 2=778
 ch, R. Spin-lattice relaxation in rare-earth salts: field dependence of the two-phonon process, 2=779
 ch, R. Spin-lattice relaxation time of samarium ethyl sulfate, 2=12828
 ch, R. Thermal resistance of holmium ethyl sulphate, 2=14397
 ch, R. Spin-lattice relaxation time of rare-earth ions in strong exchange fields, 2=23711
 ch, R. See Blume, M., 2=18955
 ch, R. See Powell, M.J.D., 2=552
 n'yan, S.S. See Moskalev, V.I., 2=16792
 A. See Holtsmark, T.W., 2=13452
 ison, H.N. See Török, E.J., 2=23664
 otosky, J.L. See Opinsky, A.J., 2=6861
 illy, D.E. Paramagnetic relaxation in metal-ammonia solutions, 2=1167
 illy, D.E. Calculation of electron-coupled nuclear spin-spin interactions in molecules by a variational procedure, 2=2025
 illy, D.E. Calculation of n.m.r. chemical shifts, 2=6223
 r. See Kasha, H., 2=12063
 l, L.E. The Van Vleck temperature-independent magnetism of metals, 2=4205
 nl, R.A. See Sundquist, B.E., 2=13489
 ni, R. and Murphy, W.K. Thermodynamics of ordering alloys. IV. Heats of formation of some alloys of transition metals, 2=21540
 io, S. See della Porta, P., 2=845
 io, S. See della Porta, P., 2=5086
 n-Lecourtois, A. See Aubert, B., 2=18187
 n-Lecourtois, A. See Bellini, G., 2=22573
 n-Lecourtois, A. See Di Corato, M., 2=22627
 n-Lecourtois, A. See Aubert, B., 2=22647
 nko, B.F. See Val'ter, A.K., 2=443
 nko, B.F. See Val'ter, A.K., 2=22805
 n, V.N. See Neudachin, V.G., 2=10003
 n, V.N. See Neudachin, V.G., 2=22727
 y, A.A. A generalization of the Roche Model, 2=988
 y, A.N. Kinetics of dislocations with jogs in a simple cubic lattice, 2=18579
 y, A.N. Kinetics of dislocations with jogs in a simple cubic lattice, 2=21029
 y, A.N. Theory of Frank-Read sources, 2=23175
 y, A.N. See Grinberg, B.A., 2=8215
 y, A.N. See Grinberg, B.A., 2=21025
 y, A.N. See Indenbom, V.L., 2=18993
 y, B.M. See Levshin, V.L., 2=16855
 y, I.N. See Lyamichev, I.Ya., 2=16871
 y, L.G., Usikov, M.P. and Utevsii, L.M. Observations of dislocations in metals with the aid of an electron microscope, 2=12442
 y, L.G. and Utevsii, L.M. The observation of dislocation movement in α -iron with the electron microscope, 2=8227
 y, N.F. See Byurganovskaya, G.V., 2=16667
 y, N.I. See Golant, V.E., 2=7605
 y, V.G. See Valitov, R.A., 2=17951
 y, V.Yu. Linearization of the scales of semiconductor thermoresistor thermometers, 2=19752
 y, Yu.F. and Tarasov, E.K. Excitation of oscillations in an orbital electron accelerator by quantum radiation fluctuations, 2=1535
 y, Yu.F. and Tarasov, E.K. Instability produced by a high gradient in a strong-focusing electron accelerator, 2=1536
 Orlov, Yu.F. See Kheifets, S.A., 2=5420
 Orlov, Yu.F. See Koshkarev, D.G., 2=1537
 Orlov, Yu.V. Direct nuclear photoeffect and the optical model of the nucleus, 2=7965
 Orlov, Yu.V. See Luk'yanov, A.V., 2=3458
 Orlov, Yu.V. See Lukyanov, A.V., 2=13945
 Orlova, M.P. See Astrov, D.N., 18926
 Orlova, M.P. See Gitterman, M.Sh., 2=18704
 Orlova, M.P. See Gitterman, M.Sh., 2=23391
 Orlova, N.D. See Bulanin, M.O., 2=9280
 Orlovskaya, N.A. See Golub, S.I., 2=23600
 Orlovskaya, N.O. See Golub, S.I., 2=18866
 Ormancey, G. See Flechon, J., 2=14497
 Ormrod, J.H. See Barber, R.C., 2=20760
 O'Rourke, M.J. See Anderson, R.L., 2=6474
 Orowan, E. See Argon, A.S., 2=2089
 Orr, R.L. See Roy, P., 2=2402
 Orr, R.S. See DeLuca, L.B., 2=15086
 Orrall, F.Q. See Jefferies, J.T., 2=4784
 Orrall, F.Q. See Jefferies, J.T., 2=4785
 Orsini, L.Q. and Mazzilli, R.H. Sudden increase in the ionosphere F2 region ionization associated with solar flares, 2=9007
 Orszag, A. See Borie, J.C., 2=4125
 Orszag, A. See Borie, J.C., 2=22053
 Ortalli, I. See Castagnoli, C., 2=20328
 Ortenberg, F.S. The relative intensity of the ZrO bands as a criterion for the temperature of M and S stars, 2=994
 Ortenberg, F.S. The question of thermodynamic equilibrium in an arc discharge, 2=5317
 Ortenberg, F.S. The possibility of measuring temperature by means of the relative intensity of bands of the $B^1\Sigma^+ \rightarrow X^1\Sigma^+$ system of the BeO molecule, 2=7441
 Ortenberg, F.S. On the relative vibrational transition probabilities in the $^2\Delta \rightarrow ^2\Delta$ band system of the VO molecule, 2=14254
 Ortenberh, F.S. The dependence of the electronic moment of the transition $^1\Sigma^+ \rightarrow ^1\Sigma^-$ on the internuclear distance for molecules of BaO, CaO, MgO, 2=6192
 Orth, C.J. Diffusion of lanthanides and actinides from graphite at high temperatures, 2=6370
 Orth, J.W. See Fauska, H., 2=3113
 Ortiz, E. An inelastic neutron scattering experiment, 2=18330
 Ortman, H. and Treptow, H. The spectral displacement of emission bands of various activators in (Zn: Cd)S mixed crystal phosphors, 2=4180
 Ortman, H. and Treptow, H. Emission shift in the zinc-cadmium sulphide series in relation to the nature of the incorporated activator, 2=6614
 Ortman, H. and Hartmann, H. Luminescent properties of ZnS:Cu in its dependence on the mode of preparation, 2=6622
 Ortman, H. and Witzmann, H. [Eds.]. Physics and chemistry of crystalline phosphors, 2=4163
 Ortner, J., Hartz, T.R., Holt, O., Hultqvist, B., Brown, R.R., Leinbach, H. and Little, C.G. Sudden commencement noise absorption at the moment of geomagnetic storm sudden commencements, 2=15284
 Ortner, J. See Egeland, A., 2=19243
 Ortner, J. See Pfozter, G., 2=9023
 Orton, J.W. See Wertz, J.E., 2=3907
 Orton, J.W. See Wertz, J.E., 2=12479
 Orttung, W.H. Theory of the anomalous heat capacity in solid hydrogen and deuterium at low o-hydrogen and p-deuterium concentration, 2=6276
 Orudzhaliyev, E.A. Certain relationships in the trans-sonic region of flow under high pressures, 2=5042
 Orville, H.D. See McDonald, J.E., 2=21634
 Orville, R.E. See Salanave, L.E., 2=17148
 Osada, J. Fermion-like treatments of fermion pairs, 2=13279
 Osada, J. See Hama, Y., 2=20270
 Osada, J. See Redondo, D.M., 2=13965
 Osada, K. Method of displaying spectral energy distribution on the cathode-ray tube, 2=2881
 Osadchii, A.P. See Nozdrev, V.F., 2=1145
 Osadchii, A.P. See Nozdrev, V.F., 2=7209
 Ōsaka, Y. The effect of short range order on paramagnetic resonance, 2=4246
 Ōsaka, Y. Higher order correction to screening constant, 2=10363
 Osaka, Y. See Morita, A., 2=8457
 Osaki, K. See Kotaka, T., 2=15583
 Osaki, T. See Kogure, T., 2=2544
 Osanov, D.P. and Kovalev, E.E. The dose factor of adsorption for a cylindrical source in the presence of a protection, 2=20532
 Osanov, D.P. and Popov, V.I. Correction for self-absorption of α -particles in activity measurements on plane specimens, 2=1825

- Osanov, D.P. See Larichev, A.V., 2=22474
- Osawa, S. and Takamami, M. Ribonucleic acid and protein synthesis, 2=7049
- Osborn, A. See Scott, D.W., 2=3732
- Osborne, R.K. See Dalton, G.R., 2=5651
- Osborne, D.G. Equatorial electrojet in Ghana, 2=11093
- Osborne, D.G. Position and movement of the equatorial electrojet over Ghana, 2=17165
- Osborne, D.V. Liquid-vapour equilibrium in helium II, 2=17713
- Osborne, D.W. See Flotow, H.E., 2=6278
- Osborne, M.F. See Morgan, J.G., 2=22873
- Osborne, P.W. Pseudo yield point effects, 2=21419
- Osborne, W.Z. and Howard, R.A. ^4H decay in flight, 2=10001
- Ose, T. On the measurement of response function from the contrast of chart, 2=2869
- Osetinski, G.M. See Govorov, A.M., 2=22659
- Osher, J.E. Trapping and prolonged confinement of an energetic deuterium plasma in a static cusped magnetic field, 2=19971
- Oshio, T. See Higashi, S., 2=3436
- Osiko, V.V. Intracrystalline reactions in crystalline phosphors and the structure of luminescence centres, 2=10612
- Osiko, V.V. See Gorbacheva, N.A., 2=14727
- Oskinski, Z. A nonlinear rheological model, 2=6736
- Ospov, A.I. Vibrational relaxation of I_2 in I_2 -He mixtures, 2=16568
- Ospov, A.I. and Stupochenko, E.V. Energy transfer in molecular collisions, 2=18496
- Ospov, B.D. See Basov, N.G., 2=643
- Ospov, B.D. See Basov, N.G., 2=652
- Ospov, B.D. See Basov, N.G., 2=23474
- Ospov, B.S. See Tolstoi, N.A., 2=23461
- Ospov, I.O. Features of the variation of propagation velocities of elastic waves in anisotropic media, 2=17539
- Ospov, I.O. Transfer of seismic energy in anisotropic media, 2=19189
- Ospov, I.S. See Dokuchaev, L.P., 2=396
- Ospov, K.A. See Ivanov, V.I., 2=8452
- Ospov, K.A. See Ivanov, V.I., 2=23485
- Ospov, M.V. See Bravinski, V.G., 2=18975
- Ospova, L.P. See Zubov, V.G., 2=2243
- Ospova, L.P. See Zubov, V.G., 2=23540
- Ospova, V.A. See Gorbunov, A.N., 2=14077
- Ospova, V.A. See Gorbunov, A.N., 2=20593
- Osp'yan, Yu.A. and Usikov, M.P. Quenching defects in a solid solution of nickel and aluminium, 2=18574
- Osp'yan, Yu.A. See Molotilov, B.V., 2=4309
- Oskam, H.J. See Mittelstadt, V.R., 2=2802
- Osen, H. Mechanical-acoustical behaviour of polystyrene foam, 2=17523
- Oskotskii, V.S. The method of homogeneous static deformation for the calculation of the elastic, piezoelectric and dielectric tensors of ionic crystals, 2=4303
- Oskotskii, V.S. The method of homogeneous static deformation for the calculation of the elastic, piezoelectric and dielectric tensors of ionic crystals, 2=8700
- Osman, E. See Raab, D.H., 2=24209
- Os'min, Yu.P. Thermophysical properties of molten metals, 2=17445
- Osmon, P.E. See Heymann, F.F., 2=277
- Osmond, W.P. Sublattice magnetic moments in manganese ferrite, 2=748
- Osmond, W.P. Indirect magnetic exchange interactions in $\alpha\text{-Fe}_2\text{O}_3$ and Cr_2O_3 , 2=6681
- Osselton, J.W. See Molyneux, L., 2=15867
- Ossip, M. See Shafer, H.J., 2=17123
- Ostanevich, Yu.M. See Alfimenkov, V.P., 2=14357
- Ostanevich, Yu.M. See Alfimenkov, V.P., 2=14358
- Östberg, G. and Attermo, R. Structure transformations in Zircaloy-2 during hot working processes, 2=4460
- Ostenburg, D.O. Van. See Van Ostenburg, D.O.
- Oster, G. See Buddenhagen, D.A., 2=13448
- Oster, G.K. See Buddenhagen, D.A., 2=13448
- Oster, L. Emission and absorption of thermal radio radiation, 2=7031
- Oster, L. Emission, absorption, and conductivity of a fully ionized gas at radio frequencies, 2=7565
- Oster, L. Comments on radiation law for plasmas with non-Maxwellian distributions, 2=7596
- Oster, L. See Brooks, C.C., 2=4835
- Osterberg, H. and Smith, L.W. Defocusing images to increase resolution, 2=5146
- Osterbrock, D.E. The escape of resonance-line radiation from an optically thick nebula, 2=4831
- Østergaard, P. See Bisgard, K.M., 2=14021
- Osterle, J.F. See Shohet, J.L., 2=11770
- Ostrand, H.W. See Yntema, J.L., 2=20074
- Ostroukhov, A.A. See Nakhodkin, N.G., 2=22266
- Ostroumov, A.G. See Efimova, B.A., 2=6462
- Ostroumov, A.G. See Efimova, B.A., 2=14547
- Ostroumov, A.G. See Efimova, B.A., 2=18694
- Ostroumov, G.A. The results of measurement of the electrical conductivity of electrically insulated liquids, 2=21923
- Ostroumov, V.I. See Darovskikh, V.F., 2=7956
- Ostroumov, V.I. See Darovskikh, V.F., 2=3535
- Ostrovskaya, G.V. See Zaidel', A.N., 2=1971
- Ostrovskaya, V.Z. See Bogorodskii, O.V., 1=4467
- Ostrovskii, L.F. See Kuz'menko, P.P., 2=18597
- Ostrovskii, L.F. See Kuz'menko, P.P., 2=18608
- Ostrovskii, L.F. See Kuz'menko, P.P., 2=23209
- Ostrovskii, Yu.I. and Penkin, N.P. The measurement of the absolute values of oscillator strengths in atomic spectra. I. Sodium, 2=6098
- Ostrovskii, Yu.I. and Penkin, N.P. Measurement of the absolute values of oscillator strengths in atomic spectra. II. Resonance lines of atoms of Group II, 2=10209
- Ostrov'skiy, L.F. See Kuz'menko, P.P., 2=10416
- Ostrowski, J.W. Collision (Auger) recombination in semiconductor layers of TiS , 2=23411
- O'Sullivan, W.J. See Simmons, W.W., 2=18954
- Otake, S. Experimental study on the anisotropic resistance due to dislocation in bismuth, 2=18631
- Otani, S. See Miura, M., 2=10794
- Oterma, L. Anastigmatic telescope designed for exact measurements especially astronomical triangulation, 2=9377
- Otero, M.J. See Terol, S., 2=2254
- Otero, M.J. See Terol, S., 2=6619
- Othaz, R. See Gerholm, T.R., 2=10032
- Oti, N. Study on $[\text{OI}]-\lambda 5577$ of night airglow. I. Height of $[\text{OI}]-\lambda 5577$ emitting layers, 2=4665
- Oti, N. Photoelectric photometer for observing night airglow $[\text{OI}]-\lambda 5577$, 2=19231
- Oti, N. Study on $[\text{OI}]-\lambda 5577$ of night airglow. II. Diurnal variation of $[\text{OI}]-\lambda 5577$ line, 2=19232
- Oti, N. Study on $[\text{OI}]-\lambda 5577$ of night airglow. III. Seasonal variation of $[\text{OI}]-\lambda 5577$ line, 2=19233
- Otnes, K. See Holmryd, S., 2=5691
- Otnes, K. See Mozer, B., 2=12373
- Otokozawa, J. Dispersion relations for the elastic scattering amplitude with the anomalous imaginary part, 2=16172
- Otomo, Y. See Kasai, P.H., 2=23605
- Otsuka, E. A nuclear resonance study of the recovery process of the plastically deformed potassium iodide, 2=21427
- Otsuka, E. and Day, S.M. Nuclear multi-relaxation at low magnetic fields, 2=18966
- Otsuki, S., Tamagaki, R. and Watari, W. Two-nucleon potential with recoil. III, 2=11939
- Otsuki, S. See Hoshizaki, N., 2=16151
- Ott, H. The propagation of spherical waves in thin plates and fine cracks, 2=9340
- Ott, K. See Küsters, H., 2=14169
- Ottar, B. and Ruigh, W.L. The structure of boric oxide and borate glasses—a preliminary communication, 2=15078
- Ottavi, H. The form of the dispersion signals obtained using a nuclear magnetic resonance spectrograph with circulating pre-polarized liquid, 2=3183
- Otte, H.M. Lattice parameter studies of annealed, of aged and of cold-worked alpha brass, 2=10902
- Otte, H.M. X-ray diffraction line shifts in the Debye-Scherrer pattern from wire specimens with preferred orientation, 2=21501
- Otte, H.M. See Wagner, C.N.J., 2=23840
- Otten, E.W. See Bucka, H., 2=10208
- Ottens, E. See Zeedijk, H.B., 2=3965
- Otter, F.A. and Mapother, D.E. Low-temperature heat capacity of superconducting alloy of aluminum, 2=6281
- Otter, G. Investigation of the stream theory of the diurnal variation, 2=339
- Otter, R.J. See Mysels, K.J., 2=4569
- Otto, A. and Steinmann, W. Film thickness dependence of the lowest characteristic energy loss of 25 keV electrons passing through thin Ag films, 2=22267
- Otto, K. See Flotow, H.E., 2=6278
- Otto, W. See Jäger, G., 2=22172
- Otvos, J.W., Guinn, V.P., Lukens, H.R., Jr. and Wagner, C.D. Photo-activation and photoneutron activation analysis, 2=5891
- Otvos, J.W. and Mendel, H. Investigation of structure in liquid hydrocarbons by X-ray diffraction, 2=15564
- Otvos, J.W. See Lukens, H.R., Jr., 2=5889

- nnès, O. See Alitti, J., 2=16229
 nnès, O. See Alitti, J., 2=18156
 oter, R. De Bruyn. See De Bruyn Ouboter, R.
 u, J. and Iwai, A. V.L.F. phenomena in lower latitudes during magnetically high active periods, 2=13007
 nder, L.N. The connection between the absorption spectrum and the dependence of the Raman spectrum on the frequency of the incident light, 2=3748
 nder, L.N. Raman diffusion in crystals, 2=4114
 nder, L.N. Temperature dependence of the intensity of Raman lines in gases. II, 2=7259
 nder, L.N. The temperature dependence of infrared absorption lines, 2=9279
 nder, L.N. Absorption spectrum of crystal due to the decay of "polaritons", 2=12590
 nder, L.N. Absorption spectrum of crystal due to the decay of "polaritons", 2=14670
 nder, L.N. Raman scattering in piezoelectric crystals of tetragonal system, 2=21254
 nder, L.N. Resonance Raman scattering in crystals, 2=21255
 nder, L.N. See Grechko, L.G., 2=12606
 nder, L.N. See Grechko, L.G., 2=14691
 narenko, N.N. See Geguzin, Ya.E., 2=2420
 narenko, N.N. See Geguzin, Ya.E., 2=2784
 narenko, N.N. See Geguzin, Ya.E., 2=12368
 narenko, N.N. See Geguzin, Ya.E., 2=3928
 narenko, N.N. See Geguzin, Ya.E., 2=4484
 narenko, N.N. See Geguzin, Ya.E., 2=8234
 narenko, N.N. See Geguzin, Ya.E., 2=8874
 narenko, O.M. Determination of the energy of vacancy formation in silver, 2=6316
 narenko, O.N. Quenching experiments with pure silver, 2=8208
 narenko, O.N. Quenching experiments with pure silver, 2=20999
 narenko, V.I. See Konstantinov, B.D., 2=16355
 narenko, V.I. See Korol'ov, O.M., 2=22847
 ninnikov, I.V. The Stark effect and spin-phonon interaction in paramagnetic crystals, 2=21378
 chkis, N.S. See Antonov, S.M., 2=17245
 all, D.W. Paramagnetic resonance absorption in molecular crystals: some comments on the paper by Wigen and Cowen, 2=8666
 all, D.W. and Müller, K.A. Electron spin resonance in γ -irradiated troglycine sulfate, 2=8673
 ras, H. See Citron, A., 2=5703
 ras, H. See Citron, A., 2=13841
 ras, H. See Citron, A., 2=20658
 rbeek, J.T.G. See Lyklema, J., 2=2997
 rbeek, J.T.G. See Vrij, A., 2=23978
 rberg, R.J. and Leaderman, H. Viscoelastometer for measurement of flow and elastic recovery, 2=4984
 rhauser, A.W. Note on the magnetic structure of AuMn, 2=23690
 rhauser, A.W. See Brailsford, A.D., 2=3979
 ley, J.C. and Whaling, W. Highly excited states in C^{11} . Elastic scattering of protons by B^{10} , 2=22729
 rton, H.L. Lithium-iodide scintillators for fast neutron detection, 2=20360
 rton, W.C., Jr. Relation between ultrasonically measured properties and the coefficients in the solid equation of state, 2=16578
 rton, W.C., Jr. Correlation between the electron gas bulk modulus and C_{12} - C_{44} of monovalent metals, 2=18979
 rova, A.V. See Fomin, V.G., 2=2363
 rannikov, V.A., Bul'ginskii, D.G., Galaktionov, B.V. and Dolmatova, K.A. Method of measuring plasma temperature in magnetic mirror system. I. Electron model, 2=5356
 rannikova, I.A. and Borovskii, I.B. Investigation of the fine structure of the K X-ray spectra of some sulphides, 2=21258
 rannikova, S.P. See Mil'vidskii, M.G., 2=803
 n, A.E. Properties of glasses in the system $CaO-B_2O_3-Al_2O_3$, 2=658
 n, B.B., Miller, R.C., Milner, C.E. and Cogan, H.L. The dielectric constant of water as a function of temperature and pressure, 2=1163
 n, G.E. See Lambert, J.M., 2=1890
 n, G.E. See Zdanis, R.A., 2=1920
 n, H.A. See Vail, C.R., 2=1341
 n, J. Spin resonance of ion pairs in crystal lattices, 2=4245
 n, J. See Brown, M.R., 2=4218
 n, J. See Cipollini, E., 2=12337
 n, J. See Thornley, J.H.M., 2=6248
 n, J. See Windsor, C.G., 2=20832
 n, R.B. Pulse shape discrimination—a survey of current techniques, 2=17747
 Owen, W.S. See Gilbert, A., 2=8840
 Owen, W.S. See Reid, C.N., 2=10743
 Owens, E.B. Mechanical developer for mass spectrographic plates, 2=1287
 Owens, M.L. Symposium on the physics of graphite-moderated reactors, Bournemouth, April, 1962, 2=16447
 Owings, D. See Gehrels, T., 2=15318
 Oxenham, J.K. Electronic simulation of the effect of lens aberrations on electron beam cross sections. Appendix, 2=13598
 Oxenius, J. See Cuperman, S., 2=22206
 Oxenius, J. See Engelmann, F., 2=3058
 Oxley, D.L. See Bigg, P.H., 2=19364
 Oxley, D.P., Slack, C.T., Tebble, R.S. and Williams, K.C. An antiferromagnetic Heusler alloy, Cu_2MnSb , 2=14812
 Oyama, S. See Akashi, M., 2=12083
 Oyasato, M. and Hamamura, S. Note on the interrelation between the moving striations in a cross type discharge tube, 2=7571
 Ozaki, S. See Baker, W.F., 2=20627
 Ozaki, S. See Lindenbaum, S.J., 2=1713
 Ozarov, V. and Hysell, R.E. Space-charge-limited currents in single-crystal silicon carbide, 2=23408
 Ozdoğan, I. Geomagnetic bays in Turkey. I. Statistical study, 2=17222-3
 Özemre, A.Y. The expression for the extrapolation length in the case of one-group time-dependent neutron diffusion, 2=7863
 Ozerov, V.D. See Gringauz, K.I., 2=8988
 Ozerov, V.D. See Gringauz, K.I., 2=9070
 Ozerov, V.D. See Gringauz, K.I., 2=15301
 Ozhdyan, L., Pantuev, V.S., Khachaturyan, M.N. and Chuvilo, I.V. Total cross-section for interaction between protons and 8-3 BeV neutrons, 2=9841
 Ozhdyan, L., Pantuev, V.S. and Khachaturyan, M.N. Tracing of neutral particle beams by means of gamma sources, 2=20217
 Ozhigov, G.E., Smirnov, V.G. and Sokovishin, Yu.A. The production of a thermopile and a method of experimentally determining its relaxation time, 2=10548
 Ozias, Y., Roux, H., Boivin, P. and Calvet, E. Microcalorimetric determination of the characteristics of radioactive element, 2=5819
 Ozima, M. See Donnelly, R.J., 2=5454
 Ozsváth, I. and Schücking, E. Finite rotating universe, 2=13255
 Paalman, H.H. and Pings, C.J. Numerical evaluation of X-ray absorption factors for cylindrical samples and annular sample cells, 2=17434
 Paalman, H.H. See Pings, C.J., 2=21894
 Paananen, R. See Statz, H., 2=16025
 Paccanoni, F. and Pagliola, E. KN and KN energy dependent s-wave scattering lengths, 2=22638
 Pace, E.L. and Petrella, R.V. Thermodynamic properties of trifluorophosphine from 12°K to its boiling point. Entropy from molecular and spectroscopic data, 2=13484
 Pace, E.L. See Buckhoff, F.J., 2=20935
 Pace, J.H. See Thorp, J.S., 2=2372
 Pačes, J. See Šuda, P., 2=16915
 Pacey, A.J. See Bates, L.F., 2=739
 Pacheva, I.Kh. Isotope shift in the spectrum of gadolinium, 2=6095
 Pacheva, I.Kh. See Kaliteevskii, N.I., 2=16298
 Pachner, J. The gravitational field of a point mass in the expanding universe, 2=1054
 Pachner, J. General relativity theory of time dilatation for accelerated straight-line motion, 2=11261
 Pachner, J. Erratum: On the influence of a magnetic dipole upon the gravitational field, 2=13256
 Pachner, J. Formation and stability of nebular clusters, 2=21735
 Pacholczyk, A.G. The magneto-gravitational instability of a stratified medium, 2=7723
 Pacholczyk, A.G. The upper limit of the intensity of the magnetic field in a protogalaxy, 2=9106
 Pachowska, R. See Blaquièrre, A., 2=1945
 Pachowska, R. See Blaquièrre, A., 2=6003
 Pack, D.C. See Helliwell, J.B., 2=16006
 Pack, J.L., Voshall, R.E. and Phelps, A.V. Drift velocities of slow electrons in krypton, Xenon, dewater, carbon monoxide, carbon dioxide, water vapor, nitrous oxide, and ammonia, 2=19900
 Packer, D.M. Altitudes of the night airglow radiations, 2=910
 Pacault, A., Marchand, A., Boy, F. and Poquet, E. Increase of diamagnetism of a natural graphite by grinding, 2=12755
 Padalia, B.D. See Deodhar, G.B., 2=10214
 Padalia, B.D. See Deodhar, G.B., 2=14212
 Padalia, B.D. See Deodhar, G.B., 2=20746
 Padalka, V.G. and Shklyarevskii, I.N. Determination of the micro-characteristics of silver and gold from the infrared optical constants and the conductivity at 82 and 295°K., 2=6538

AUTHOR INDEX

- Padalka, V.G. and Shklyarevskii, I.N. Determination of the micro-characteristics of copper from its infrared optical constants and its conductivity at 82 and 295°K, 2=16624
- Padalka, V.G. See Borisov, M.D., 2=14657
- Paddi Reddy, S. See Krishna Rao, S.V., 2=6160
- Padley, P.J. See Bulewicz, E.M., 2=22946
- Padmanabhan, V. See Srinivasan, D., 2=11454
- Padmini, P.R.K.L. and Ramachandra Rao, B. Molar sound velocity in solutions of metal organic compounds, 2=15589
- Pado, G.S. See Giterman, M.Sh., 2=18704
- Pado, G.S. See Giterman, M.Sh., 2=23391
- Paemel, O. Van. See Van Paemel, O.
- Pafomov, V.E. See Muzikár, C., 2=4113
- Pagani, A. The ionic sensitivity of calcium silicate screens bombarded by lithium ions, 2=724
- Pagani, A. See Couchet, G., 2=21279
- Pagano, R., Damerell, C.J.S. and Cherry, R.D. Effect of photocathode-to-first dynode voltage on photomultiplier noise pulses, 2=22133
- Page, C.H. Physical entities and mathematical representation, 2=4910
- Page, L.A. See Obenshain, F.E., 2=3325
- Page, R.M. See Blitzer, L., 2=7042
- Page, T. Dahn, C.C. and F.F. Morrison. Statistics of the double galaxies, and their formation, 2=7023
- Page, T. See Neyman, F. [Eds.], 2=2553
- Pagel, B. Colours, spectral types and the identification of subdwarfs, 2=24145
- Pagel, B.E.J. The distribution of temperature near the solar limb from continuum observations, 2=4802
- Pagel, B.E.J. The recombination spectrum of OI, 2=4804
- Pagels, H. See Nordtvedt, K., 2=9163
- Paghis, I. Sun-earth relations and associated periodicities, 2=4702
- Paghis, I. Magnetic impulses and sun-earth relations, 2=13067
- Pagiola, E. Effects of the Y* on the K-N low energy S-wave parameters, 2=16242
- Pagiola, E. See Paccanoni, F., 2=22638
- Pagnia, H. Structure investigations in thin polymerized and hydrocarbon films, 2=12920
- Pagnia, H. The hole conduction in evaporated germanium films, 2=14539
- Pahl, M. New results on secondary processes of slow ions in gases, 2=15881
- Pai, G.L. See Sarabhai, V.A., 2=13904
- Pai, G.L. See Sarabhai, V.A., 2=18221
- Pai, H.L., Ma, P.Y., Wang, S.C. and Lee, W.S. Measurement of epithermal neutron spectra by resonance detectors, 2=7870
- Pai, S.I. Wave motions of small amplitude in a fully ionized plasma under applied magnetic field, 2=5364
- Pait, M. See Antolkovic, B., 2=7876
- Paige, E.G.S. See Gibson, A.F., 2=2199
- Paige, E.G.S. See McLean, T.P., 2=16829
- Paik, S.F. A note on the parametric amplifier theory for plasmas, 2=9567
- Paik, S.F. Coupling of modes between a slow-wave plasma mode and a helix, 2=17857
- Pain, H.J. and Rogers, E.W.E. Shock waves in gases, 2=13358
- Pair, C. Le. See Le Pair, C.
- Pais, A. Remark on the algebra of interactions, 2=260
- Pais, A. Theorem on local action of lepton currents, 2=20254
- Pais, A. See Feinberg, G., 2=265
- Pais, A. See Feinberg, G., 2=13865
- Pais, A. See Feinberg, G., 2=20277
- Pais, A. See Nauenberg, M., 2=9802
- Pais, A. See Nauenberg, M., 2=20390
- Paix, D. Temperature rise in a barrier-layer photocell exposed to sunlight, 2=6504
- Pajot, B. Conversion of an infrared prism spectrometer to a grating spectrometer, 2=19713
- Pak, W. and Greisen, K. Nuclear interactions of high-energy cosmic rays observed near Sea level, 2=5771
- Pakhomov, L.P. See Golant, V.E., 2=7605
- Pakhomov, V.I., Aleksin, V.F. and Stepanov, K.N. The radiation from an electron moving in a spiral in a magnetoactive plasma, 2=22210
- Pakhomov, V.I. See Tkach, V.S., 2=1231
- Pakhomycheva, L.A. See Alentsev, M.N., 2=17475
- Pakhomycheva, L.A. See Alentsev, M.N., 2=22941
- Pál, L. and Tarnóczy, T. Investigation of the anomalous magnetic properties due to the ordering process in iron-rich aluminum alloys, 2=16902
- Pal, M.K. See Goswami, A., 2=16301
- Pal, M.K. See Mitra, D., 2=18236
- Pal Varshini, Y. Landau's equation for the alpha decay intensities, 2=14019
- Pal, Y. and Rengarajan, T.N. Observations on neutral π mesons produced in nuclear interactions of 24 GeV protons with carbon nuclei, 2=303
- Pal, Y. and Rengarajan, T.N. Observations on neutral π -meson production in nuclear interactions of 24 GeV protons with carbon nuclei, 2=12192
- Pal, Y. See Babu, P., 2=12078
- Pal, Y. See Lal, S., 2=9890
- Paladino, A.E. and Kingery, W.D. Aluminium ion diffusion in alumina oxide, 2=21056
- Palatnik, I.B. See Vulis, L.A., 2=9293
- Palatnik, I.B. See Vulis, L.A., 2=15624
- Palatnik, L.S. and Boiko, B.T. Equilibrium diagram of Al-Cu alloy thin films, 2=21530
- Palatnik, L.S., Kononov, O.M., Gladkikh, N.T. and Kolesnikov, V.N. Investigation of the ternary semiconductor compound PbBiSe₂, 2=21155
- Palatnik, L.S., Koshkin, V.M., Gal'chinskii, L.P., Kolesnikov, V.I. and Komnik, Yu. F. Some properties of semiconducting compounds A₂B^{IV}X₃^{III} type, 2=23370
- Palatnik, L.S., Fedorov, G.V. and Ravlik, A.G., Electron diffraction analysis of iron-carbon alloys of variable composition prepared by the electron bombardment method, 2=23800
- Palatnik, L.S., Kosevich, V.M. and Tyrina, L.V. Electron diffraction examination of the metastable phases in the alloys Au-Sb, In-In-Bi and In-Bi-Sb, 2=23865
- Palatnik, L.S., Fuks, M.Ya., Boiko, B.T. and Pariiskii, V.B. Electron diffraction investigation of the substructure of fine aluminium condensates with the microbeam method, 2=23936
- Palatnik, L.S., Boiko, B.T., Fuks, M.Ya. and Pariiskii, V.B. Electron diffraction analysis of the substructure of thin films of aluminium silver and gold condensed in a vacuum, 2=23937
- Palatnik, L.S., Fedorov, G.V. and Il'inskii, A.I. Substructure and microhardness of vacuum condensates of copper, 2=8876
- Palatnik, L.S., Fuks, M.Ya., Boiko, B.T. and Pariiskii, V.B. An electron diffraction study of the block structure of thin aluminium condensates using the "microbeam" method, 2=8877
- Palatnik, L.S. and Gladkikh, N.T. Microheterogeneous condensation of metals in vacuum, 2=1308
- Palatnik, L.S. and Gladkikh, N.T. The mechanism of condensation of Cu-Ni alloys, 2=4449
- Palatnik, L.S. and Gladkikh, N.T. Microheterogeneous condensation of metals in vacuum, 2=7468
- Palatnik, L.S. and Gladkikh, N.T. The mechanism of condensation of Cu-Ni alloys, 2=8843
- Palatnik, L.S. and Gladkikh, N.T. Conditions during condensation of lead and cadmium in the second (lower) limiting temperature range, 2=17697
- Palatnik, L.S., Gladkikh, N.T. and Naboka, M.N. The second (lower) boundary temperature of condensation for indium, tin, lead and bismuth, 2=15811
- Palatnik, L.S., Gladkikh, N.T. and Naboka, M.N. The second (lower) boundary temperature of condensation for indium, tin, lead and bismuth, 2=17696
- Palatnik, L.S. and Il'inskii, A.I. Strength of vacuum-deposited copper films, 2=6745
- Palatnik, L.S., Kononov, O.M., Gladkikh, N.T. and Kolesnikov, V.N. Investigation of the ternary semiconducting compound PbBiSe₂, 2=8366
- Palatnik, L.S. and Levchenko, A.A. A vacancy-quenching effect in lead under the action of spark discharges, 2=8204
- Palatnik, L.S. and Levchenko, A.A. A vacancy-quenching effect in lead under the action of spark discharges, 2=10378
- Palatnyk, L.S. and Il'yinskii, O.I. Wear properties of vacuum-evaporated Cu films, 2=19021
- Paldus, J. See Koutecký, J., 2=16538
- Paleev, V.I. See Zandberg, E.Ya., 2=19904
- Palevsky, H. See Chrien, R.E., 2=3581
- Palevsky, H. See Chrien, R.E., 2=20524
- Palevsky, H. See Zimmerman, R.L., 2=5692
- Pal'guev, C.F. and Neumin, A.D. Nature of electrical conductivity of beryllium, magnesium, calcium and strontium oxides at high temperatures, 2=18643
- Pal'guev, C.F. and Neumin, A.D. Nature of electrical conductivity of beryllium, magnesium, calcium and strontium oxides at high temperatures, 2=21107
- Paligé, Ya. See Andreev, L.A., 2=1475
- Paligé, Ya. See Andreev, L.A., 2=7636
- Palik, E.D., Picus, G.S., Tettler, S. and Wallis, R.F. Infrared cyclotron resonance absorption in compound semiconductors, 2=23129
- Palistrant, A.F. See Zamorzaev, A.M., 2=2374
- Palit, S.R. See Bhattacharyya, S.N., 2=17455

- ko, A.A., Begun, G.M. and Landau, L. Equilibrium constant for boron isotope exchange between BF_3 and $\text{BF}_3 \cdot \text{O}(\text{CH}_3)_2$, 2=19137
- ladino, R.W. See Hirschberg, J.G., 2=1454
- ma, M.U. See Agnetta, G., 2=8522
- ma-Vittorelli, M.B. See Agnetta, G., 2=8522
- ma-Vittorelli, M.B. See Bellomonte, L., 2=20968
- ma, M.U. See Bellomonte, L., 2=20968
- mai, M. See Adler, A., 2=5276
- mer, A.R. The emission of fission product rare gases from UO_2 -BeO and UO_2 - ThO_2 -BeO specimens during neutron irradiation in BEPO [Reactor], 2=20727
- mer, C.E. and Taylor, R.C. The antarctic stratospheric vortex in 1958, 2=2475
- mer, C.E. See Libby, W.F., 2=873
- mer, C.E. See Libby, W.F., 2=875
- mer, C.H., Jr. Comment on the article by Yakovlev and Gerasimov on the intensity distribution in the spectrum of diffraction gratings, 2=1276
- mer, D.A. Measurement of the horizontal extent of Panum's area by a method of constant stimuli
- mer, D.W. See Walters, W.L., 2=449
- mer, D.W. See Walters, W.L., 2=10106
- mer, F. Electric production of ripples, 2=2688
- mer, H.P. See Anderson, B., 2=21739
- mer, P.L. See Tims, D.W., 2=19589
- mer, R. See Bertanza, L., 2=13854
- mer, R.B. See Barford, N.C., 2=284
- mer, R.B.J. The stopping power for alpha particles of ethyl alcohol and carbon tetrachloride in the liquid and vapour states, 2=326
- mer, T.M. and Freiheiter, J. A versatile switching arrangement for a permeameter, 2=17923
- mer, W. Low temperature anisotropy of manganese-iron ferrites, 2=12693
- mieri, G. Electronic circuits and memory of the first PAPA machine, 2=21791
- mieri, G. A proposal for a high-speed PAPA, 2=21793
- mieri, G. and Sanna, R. A new PAPA machine, 2=21792
- mieri, G. See Gamba, A., 2=2588
- mieri, G. See Gamba, A., 2=2589
- mork, K.H. See Brun, T.S., 2=8919
- omares Casado, M. Physical similarity and two-dimensional study of meteorological phenomena of medium scale, 2=17125
- sedge, J.A. See Boley, F.I., 2=330
- sedge, J.A. See Boley, F.I., 2=9954
- truchev, B.I. See Kovan, I.A., 2=19953
- Y.-L. See Ely, R.P., 2=5747
- alotov, L.A. The compensation of refraction effects with the aid of a vacuum prism, 2=926
- alotov, L.A. A camera with a moving film for photographing faint artificial satellites - design and results of preliminary tests, 2=1030
- asyuk, I.S. The determination of the age of the elements and the time required for their formation, 2=938
- asyuk, L.M. See Symashkevych, A.V., 2=6463
- attoni, C. and Frasson, E. Automation of crystallographic computations. Programmes for class 9000 Elea computers Note IV: Programme for the correction of intensities and for the computation of the atomic scattering factors, 2=10854
- attoni, C. See Frasson, E., 2=10855
- chapakasan, N. See Kothari, D.S., 2=22116
- chev, S. On the solution of a particular differential equations of the statistical theory of turbulence, 2=13302
- choli, S.C. and Saha, N.K. Design and use of a self-monitoring coincidence arrangement of nanosecond resolution, 2=10025
- choly, M. and Singal, S.P. Ultrasonic studies in aqueous solutions of electrolytes, 2=11369
- choly, M. See Parthasarathy, S., 2=17460
- dey, S.N. and Rao, J.K. Some relativistic fields of electromagnetic and gravitational radiation, 2=21802
- dres, D., Jr. Derivation of admissibility conditions for wave-functions from general quantum-mechanical principles, 2=9806
- dres, D., Jr. On forces and interactions between fields, 2=19425
- dres, D., Jr and Matsen, F.A. Interaction of degenerate configurations, 2=20777
- dya, B.G. Exact magnetostatic spherical models for rotating liquid stars, 2=9087
- dya, I.M. and Vaidya, P.C. Wave solutions in general relativity, I, 2=7130
- dya, N.S. and Balasubramaniam, A.P. Inclined dislocations in zinc crystals, 2=21024
- dya, N.S., Shah, C.J. and Bhatt, V.P. Micro-hardness along tri-crystal boundaries in tin, 2=4346
- Pandya, S.P. See Narasimham, V.L., 2=18225
- Pandya, S.P. See Shah, S.K., 2=1754
- Pandya, S.P. See Thankappan, V.K., 2=1784
- Panenko, V.V. Influence of the pH medium upon the absorption and luminescence spectra of fluorescein, 2=19565
- Panin, B.V. Secondary-ion emission from metals under the action of ions with energies between 10 and 100 keV, 2=220
- Panin, B.V. Interaction between medium energy (10-100 keV) atomic particles and solid bodies (energy spectra of secondary ions), 2=9640
- Panin, B.V. Secondary-ion emission from metals under the action of ions with energies between 10 and 100 keV, 2=22273
- Panin, V.E., Zenkova, E.K. and Fadin, V.P. Study of the ordering effect in the alloy Cu-Al. I. Homogeneous solid solutions, 2=23882
- Panish, M.B. and Reif, L. Vaporization of ruthenium and osmium, 2=17694
- Pankey, T. Suspension balance employing a large permanent magnet, 2=9229
- Pankeyeva, A.Yu. Influence of the temperature upon the phosphorescence of organic dyes, 2=18875
- Pan'kova, T.F. See Zolotarev, V.F., 2=22134
- Pankove, J.I. Some new measurements of infrared luminescence in tunnel diodes, 2=10631
- Pankove, J.I. Optical and electrical properties of very impure germanium, 2=23561
- Pankove, J.I. and Algrain, P. Optical absorption of arsenic-doped degenerate germanium, 2=12587
- Pankrat'ev, Yu.V. See Egorov, Yu.A., 2=5684
- Pankratov, A.K. See Dvoryashin, A.S., 2=24124
- Pankratov, N.A. Nonselective optico-acoustic radiation detectors with electrodynamic microphone, 2=13483
- Pankrushina, D.K. See Yalovlev, K.A., 2=19871
- Pannetier, G., Goudmand, P., Dessaux, O. and Tavernier, N. Spectroscopic study of the reaction of active nitrogen with H_2S . Observation of emission of a band-system ascribed to the NS radical, 2=20818
- Pannetier, G. and Marsigny, L. Rotational analysis of the band (20,16) of the violet system CN, 2=12331
- Pannetier, G. and Marsigny, L. Observation and characterisation of new bands of the ($\text{B}^2\Sigma_u^+ - \text{X}^2\Sigma_g^+$) system CN in the spectrum of the high voltage discharge through acetonitrile, 2=18452
- Pannetier, G., Marsigny, L. and Mohamed Ben Caid. Spectroscopic study of the reaction of atomic oxygen and active nitrogen with chlorinated or brominated hydrocarbons. Observation of the $\text{B}^2\Sigma_u^+ - \text{X}^2\Sigma_g^+$ transition of N_2^+ in certain reactions, 2=12961
- Panofsky, H.A. Similarity theory and temperature structure in the lower atmosphere, 2=2470
- Panofsky, H.A. Scale of analysis of atmospheric turbulence at 2 m, 2=12999
- Panofsky, H.A. The budget of turbulent energy in the lowest 100 meters, 2=24017
- Panov, D.A. See Golovin, I.N., 2=7632
- Panov, E.A. See Egorov, Yu.A., 2=9816
- Panov, E.A. See Egorov, Yu.A., 2=20298
- Panov, Yu.N. See Zaitseva, A.D., 2=8585
- Panova, G.Kh., Sekoyan, S.S. and Vereshchagin, L.F. Phase diagram of bismuth at 500°C and pressures up to 100 000 kg/cm², 2=8845
- Panova, G.Kh., Sekoyan, S.S. and Vereshchagin, L.F. Phase diagram of bismuth at pressures of up to 100 000 kg/cm² and temperatures of 500°C, 2=23872
- Panova, L.M. See Popov, L.E., 2=10909
- Panova, L.M. See Popov, L.E., 2=15058
- Panova, N.M. See Adamovich, M.I., 2=5713
- Panova, V.P. See Belyaev, L.M., 2=9937
- Panteleev, L.D. See Konobeevski, S.T., 2=12926
- Panteleyev, L.D. See Dubrov, K.P., 2=23769
- Pantell, R.H. See DiDomenico, M., Jr., 2=12563
- Pantell, R.H. See Fontana, J.R., 2=13674
- Pantell, R.H. See Fontana, J.R., 2=20143
- Panter, C.H. See Yates, B., 2=18534
- Pantuev, V.S. and Khachatryan, M.N. Cross-section for the interaction of neutrons with atoms at energies of 8-3 BeV, 2=16416
- Pantuev, V.S. See Ozhdyan, L., 2=9841
- Pantuev, V.S. See Ozhdyan, L., 2=20217
- Panussi, P. See Jung, H., 2=1486
- Pao Lu. See Carlson, B.C. 2=3536
- Pao Shib-mao. See Bao Shchi-mao, 21132
- Pao, Y.-H. Quantum mechanical description of maser action at optical frequencies, 2=17604
- Pao, Y.-H. See Menefee, E., 2=16673
- Paoletti, A. See Caglioti, G., 2=9868
- Paoluzi, L. See Beneventano, M., 2=22558

AUTHOR INDEX

- Papa, R.J. and Allis, W.P., Waves in a plasma in a magnetic field, 2=3057
- Papaliolios, C. See Carleton, N.P., 2=20811
- Papapetrou, A. The question of the existence of non-singular solutions of the field equations of general relativity. III, 2=15471
- Papapetrou, A. and Treder, H. Non-existence of static, everywhere regular solutions in general relativity, 2=19408
- Papazian, H.A. Color centers in the alkali metal azides, 2=3961
- Papazian, H.A. The optical F absorption band, 2=8253
- Papazian, H.A. See Jacobs, P.W.M., 2=19161
- Papée, H.M. The role of activated salts in ice nucleation, 2=14948
- Papée, H.M., Montefinale, A. and Zawidzki, T.W. A new laboratory all-glass circulation pump for gases, 2=17497
- Papet-Lépine, J. Electromagnetic radiation and physical structure of lightning discharges, 2=4607
- Papillon, Y. See De Montgolfier, C., 2=11577
- Papineau, A. See Beurtey, R., 2=20073
- Papineau, A. See Chaminade, R., 2=3194
- Papineau, A. See Thirion, J., 2=5750
- Papineau, L. See Cassagnou, Y., 2=452
- Papineau, I. See Cassagnou, Y., 2=1887
- Papineau, L. See Cassagnou, Y., 2=22845
- Papirov, I.I. and Tikhinskii, G.F. Temperature dependence on the coefficient of condensation [of molecules on a solid surface], 2=7476
- Papkov, S.F., Pisarenko, N.F., Savenko, I.A., Tupikin, A.F. and Shavrin, P.I. Radiometric apparatus on board the second Soviet spaceship, 2=19357
- Papkov, V.S. See Govorkov, V.G., 2=21031
- Papmehl, N. and Schwalm, D. Calculation of fast neutron spectra in hydrogen containing media, 2=18116
- Papoular, M. Homogenization of the magnetic field vector on the axis of a helix, 2=7711
- Papoular, M. See Seiden, J., 2=3980
- Papoular, M. See Seiden, J., 2=14392
- Papoular, R. Proagation of a plane electromagnetic wave in a plasma at cutoff and beyond, 2=5343
- Papoular, R. Dielectric properties of some plastic materials for millimetre waves, 2=12556
- Papp, A. Contribution to the study of a method of measuring the angle of loss of a dielectric, based on an accurate method for measuring the conductance of a parallel oscillating circuit, 2=7548
- Papp, G. Limits of resolution in magnetically focused image converter tubes, 2=11699
- Pappalardo, G. See Agodi, A., 2=12178
- Pappalardo, R., Wood, D.L. and Linares, R.C., Jr. Optical absorption study of Co-doped oxide systems. II, 2=4142
- Pappas, A.C. See Rudstam, G., 2=14097
- Pappert, R.A. and Penner, S.S. Approximate continuous opacity calculations for polyelectronic atoms at high temperatures, 2=9317
- Papulov, Yu.G. Interactions of pairs of atoms and the properties X-substituted methanes and their radicals, 2=18490
- Păpăreanu, V. Differential one-channel amplitude analyser with improved resolving power, 2=7545
- Paramonova, R.A. and Rzhanov, A.V. Investigation of volume recombination in germanium crystals with copper as an impurity, 2=21137
- Paranjape, B.V. and Stewart, B.U. Role of electron-electron collisions in galvanomagnetic effects, 2=14503
- Paratella, A. A mercury column with $\pm 10^{-5}$ accuracy, 2=11319
- Parcelier, P. A quartz frequency standard: application of a new comparison technique, 2=11320
- Pardeshi, P.A. See Saxena, S.C., 2=13364
- Pardo, G. See Catalá, J., 2=8008
- Parè, V.K. and Thompson, D.O. Temperature dependence from 250°K to 370°K of dislocation pinning in copper single crystals by radiation defects, 2=21015
- Parekh, C.H. On the operational characteristics of a gas flow counter, 2=20179
- Parfen'ev, R.V., Pogarskii, A.M., Farbshtein, I.I. and Shalyt, S.S. The effect of annealing on the anisotropy of galvanomagnetic properties of tellurium, 2=3990
- Parfen'ev, R.V. See Moizhes, B.Ya., 2=10312
- Parfianovich, I.A. and Shuraleva, E.I. Details of the mechanism of phosphorescence stimulated by light from the F-band region, 2=714
- Parfianovich, I.A. and Shuraleva, E.I. The ratio of the optical and thermal light sums in a NaCl:Ni phosphor, 2=2251
- Parfianovich, I.A. and Shuraleva, E.I. Concerning the mechanism of optical flash decay, 2=14709
- Parfitti, G.G. and Snowdon, J.C. Incidence and prevention of damage due to mechanical shock, 2=9224
- Pargamanik, L.É. The energy level shift in plasma atoms, 2=517
- Pargamanik, L.É. The energy level shift in plasma atoms, 2=22890
- Pargamanik, L.É. See Tsirlin, Yu.A., 2=15748
- Parham, A.G. Factors affecting the velocity resolution of gas Čerenkov counters, 2=22362
- Parham, A.G. See De Beer, J.F., 2=7914
- Paria, G. On magneto-thermo-elastic plane waves, 2=15677
- Parickij, L.G. See Ardadyeva, E.N., 2=23453
- Pariiskii, N.N. The influence of earth tides on the secular retardation of the earth's rotation, 2=871
- Pariiskii, N.N. See Gindilis, L.M., 2=912
- Pariiskii, V.B. See Palatnik, L.S., 2=8877
- Pariiskii, V.B. See Palatnik, L.S., 2=23936
- Pariiskii, V.B. See Palatnik, L.S., 2=23937
- Pariiskii, Yu.N. Structure of the nucleus of the galaxy, 2=1012
- Pariiskii, Yu.N. The distribution of optical and radio emission in M 17, 2=1024
- Pariiskii, Yu.N. The exchange of gas between the nucleus and the corona of the galaxy, 2=2551
- Pariisky, G.B. See Kazansky, V.B., 2=12482
- Parikh, P. See Müller-Warmuth, W., 2=5500
- Parisi, R. See Notarrigo, S., 2=5690
- Paritskaya, L.N. See Geguzin, Ya.E., 2=3928
- Paritskaya, L.N. See Geguzin, Ya.E., 2=4354
- Paritskaya, L.N. See Geguzin, Ya.E., 2=8234
- Paritskaya, L.N. See Geguzin, Ya.E., 2=12876
- Pariiskii, L.G. Characteristics of impurity photoconductivity in the presence of several types of local levels in the forbidden band of a semiconductor, 2=18729
- Pariiskii, L.G. and Ryvkin, S.M. The study of "non-linear" relaxation processes of photoconduction in the presence of trapping levels, 2=4057
- Paritskii, L.G. See Arkad'eva, E.N., 2=21125
- Paritskii, L.G. See Mekhtiev, R.F., 2=18745
- Paritskii, L.G. See Mekhtiev, R.F., 2=23462
- Park, F.R. An all-sky camera for auroral photography, 2=19238
- Park, J.J. See Wyman, L.L., 2=21536
- Park, K.C. See Garland, C.W., 2=18977
- Park, R.A. See Mickelwait, A.B., 2=19354
- Parkash, S. See Puri, B.R., 2=15102
- Parke, S. The velocities of elastic waves in solid argon, 2=14375
- Parker, A.B. See Churchill, R.J., 2=3012
- Parker, C.A. Spectrofluorometer calibration in the ultra violet region, 2=11483
- Parker, E.N. The solar wind, 2=7008
- Parker, E.N. Interplanetary dynamics and cosmic ray modulation, 2=13914
- Parker, E.N. Theory of magnetic storms, 2=15282
- Parker, E.N. Kinetic properties of interplanetary matter, 2=21691
- Parker, E.N. See Dessler, A.J., 2=4695
- Parker, E.N. See Dessler, A.J., 2=13076
- Parker, G.W. See Hanauer, S.H., 2=393
- Parker, J.B. See Batchelor, R., 2=5524
- Parker, J.B., Towle, J.H., Sams, D. and Jones, P.G. Multiple scatter corrections by Monte Carlo, 2=5653
- Parker, J.G. Effect of adsorption on acoustic boundary-layer losses, 2=7255
- Parker, J.H., Jr. and Warren, R.W. Kelvin device to scan large areas for variations in contact potential, 2=22131
- Parker, P.M. and Mayer, W.G. Method for the determination of elastic constants for some crystallographic groups, 2=10729
- Parker, P.M. See Mayer, W.G., 2=10728
- Parker, R. and Lord, H. The electrical properties of nickel ferrites containing a manganese impurity, 2=6471
- Parker, R. and Smith, M.C. The solubility of nickel in nickel ferrite, 2=2415
- Parker, R.A. Lorentz corrections in rutile, 2=2201
- Parker, R.A. Static dielectric constant of rutile (TiO₂), 1'6-1060°K, 2=2202
- Parker, R.P. Beryllium-7 and fission products in surface air, 2=17150
- Parker, S. and Penman, S. Search for the decay $\mu^+ \rightarrow e^+ + e^- + e^+$, 2=9
- Parker, W., Andreen, C.J. and Slätis, H. A simple electron gun for use in electron scattering studies, 2=13595
- Parker, W. See Andreen, C.J., 2=16087
- Parker, W.C. and Grunditz, Y. Rapid carrier free separation technique, 2=4545
- Parker, W.J. See Rudkin, R.L., 2=2906
- Parkerson, C.R. See Wieder, H.H., 2=12564
- Parkhouse, P.G., J.T. See Finney, P.J., 2=5717
- Parkin, D.W., Hunter, W. and Brownlow, A.E. Metallic cosmic dust and amorphous attachments, 2=11121
- Parkins, W.E. Surface filmformation in heterogeneous and homogeneous reactors, 2=6042
- Parkinson, D.H. Very low temperature engineering, 2=2940

- kinson, D.H. International Conference on high magnetic fields, Massachusetts Institute of Technology, November 1961. 2=22296
- kinson, D.H. Some aspects of the infra-red absorption spectra of semiconductors, 2=23569
- kinson, W.C. Comments on the interpretation of gross structure studied, 2=1790
- kinson, W.C. and Maxwell, J.R. Gross structure and 1d-shell nuclei, 2=12111
- kinson, W.C. See Green, J.A., 2=18350
- kinson, W.D. The influence of continents and oceans on geomagnetic variations, 2=15276
- kinson, W.H. Time resolved absorption studies in a shock tube: a new band system of BaO, 2=696
- kinson, W.H. See Garton, W.R.S., 2=22897
- ks, A.M. See Callinan, T.D. [Eds] 2=5289
- ks, D.E. The effects of atomic motions on the moderations of neutrons, 2=5669
- ks, D.E. Beyster, J.R. and Wikner, N.F. Thermal neutron spectra in graphite, 2=20355
- ks, G.S. and Mosher, H.P. Heats of combustion and formation of seven organic compounds containing oxygen, 2=21585
- ks, J.G. See Blue, M.H., 2=5637
- ks, R.D. See Little, W.A., 2=22124
- ky, D.G. Satellite 1958₅ data analysis, 2=11181
- lah, O.M. See Hrishayev, I.O., 2=18317
- er, R.G. and Snyder, L.C. Perturbation theory calculations, 2=3681
- er, R.G. See Companion, A.L., 2=3769
- ra, F. Apparatus for the measurement of differential chromatic thresholds of the human eye, 2=17328
- ra, F. See Chanu, J., 2=17592
- ra, F. See Matsuo, H., 2=17331
- rent, G., Jr. See Beran, M., 2=2856
- rent, G.B., Jr. A bibliography on coherence theory, 2=7315
- rent, G.B., Jr. Shore, R.A. and Skinner, T.J. On the mutual coherence function in an inhomogeneous medium, 2=20132
- rish, J.R. Packing of spheres, 2=1130
- rott, J.E. See Gasson, D.B. 2=23417
- rott, J.E. See Holmes, P.J., 2=10917
- ry, G.S. Studies in domain crystallography. I The composite reciprocal lattice of a multidomain ("hybrid") crystal, 2=15004
- ry, G.S. Studies in domain crystallography. II. A new low-temperature crystal structure of potassium cyanide, 2=15005
- ry, L.G. See Stacey, F.D. 2=11119
- ry, W.E. and Turner, R.E. Temperature-dependent Green functions and neutron scattering in liquid helium II, 2=7488
- ry, W.E. See ter Haar, D., 2=15497
- rshin, P.F. See Kiselev, B.A., 2=15729
- sonage, N.G. and Scott, R.L. Contribution of octopole-octopole interactions to the excess properties of mixtures of tetrahedral molecules, 2=18499
- sons, L.W. and Wiatr, Z.M. Rubidium vapour magnetometer, 2=13646
- sons, N.R. See Phillips, J. 2=12052
- sons, P.L. Junction diodes made on plastically deformed germanium, 2=16735
- sons, R. See Mott, N.F., 2=8922
- sy, F. See Mandel, J., 2=19478
- sy, F. See Mandel, J., 2=19479
- thasarathy, R. Determination of the anomalous scattering factor A_f for chlorine, 2=10860
- thasarathy, R. Effect α to errors of atomic co-ordinates on structure amplitude and Bijvoet inequality, 2=21507
- thasarathy, S. Pancholy, M. Bindal, V.N. and Saksena, T.K. Ultrasonic absorption in chloral and chloral hydrate, 2=17460
- ctovi, F. Theoretical treatment of ellipsometry, 2=17652
- tridge, P.G. See Harris, J.E., 2=18996
- tridge, P.G. See Segall, R.L., 2=6335
- tridge, R.B. See Field, G.B. 2=4856
- ruz, H. Measurement of crystal lattice parameters in the solid solution uranium-plutonium, 2=19087
- rvan, R. Fast electrons in a continuous current discharge in a gas, 2=15894
- rov, V.F. See Shubnikov, A.V., 2=4387
- zen, P. Scattering of an electron beam by a neutral gas, 2=13601
- zen, P. and Nomicos, G. Traveling-wave technique of cyclotron radiation, 2=9821
- scalau, M. and Muller, A. Adaptation of a type PTI-4A leak detector to mass spectrometric analysis, 2=5391
- scălu, M. Weissman, E. and Tătaru, E. Fabry-Perot interferometry magnetoostrictive scanning, 2=9403
- scălu, M. See Weissman, E., 2=9393
- scaru, I. and Valeriu, A. Spectrograph for the study of electronic paramagnetic resonance in the domain of microwaves, 2=3179
- Paschke, F. See Caulton, M. 2=7662
- Pascual, P. Particles and symmetries, 2=3245
- Pasechnik, L.L. See Gabovich, M.D., 2=9575
- Pasechnik, M.V. Pucherov, N.N. and Chirko, V.I. Angular distribution of protons inelastically scattered from Cr and Ni isotopes, 2=16394
- Pasechnik, M.V. See Val'ter, A.K., 2=443
- Pasechnik, M.V. See Val'ter, A.K., 2=22805
- Pashaev, B.P. Change of thermal conductivity of some Cd-Sn and Bi-Sn alloys on melting, 1 2=3856
- Pashinin, P.P. See Konyukhov, V.K. 2=18948
- Pashinin, P.P. See Kornienko, L.S., 2=6696
- Pashinin, P.P. See Konyukhov, V.K. 2=14826
- Pashkov, P.P. See Shaskol'skaya, M.P., 2=4376
- Pashkovskii, M.V. Rybalka, V.V. and Savitskii, I.V. Processes of conduction in mercury sulphide monocrystals, 2=23405
- Pashkov's'kyi, M.V. Savyt's'kyi, I.V. and Lutsiv, R.V. Gowing single crystals of mercuric sulphide, 2=8797
- Pashkov's'kyi, M.V. and Volzhens'kyi, D.S. A study of the properties of the semiconductor systems Cu₂O.Nb₂O₅ and Cu₂O. V₂O₅, 2=8359
- Pashley, D.W. and Presland, A.E.B., The movement of dislocation during the observation of metal films inside an electron microscope, 2=23195
- Pashley, D.W. See Menter, J.W., 2=23150
- Pasichnyk, M.V. Barchuk, I.F. and Kl'mentov, V.B. Experimental investigation of the physical parameters of the VVR-M reactor of the Institute of Physics of the Academy of Sciences of the Ukrainian SSR, 2=18387
- Pasichnyk, M.V. and Ivanyts'kyi, P.I. Ground-state spins and parities of Ni isotopes, 2=10138
- Pasichnyk, M.V., Oplenko, B.F., Prokolenki, V.S., Pucherov, M.M., and Chyrko, V.I. Scattering of [6.8 MeV] protons by Pb isotopes [Pb¹¹⁶, ¹¹⁷, ¹¹⁹, ¹²⁴] 2=12186
- Pasichnyk, M.V. and Tambovtsev, D.I. Proton polarization in the reaction Be⁹(d,p)Be¹⁰, 2=18353
- Pasinetti, L.E. See Fracassini, M., 2=11124
- Pasinetti, L.E. See Fracassini, M., 2=17297
- Paskin, A. and Weiss, R.J. Image of the Fermi surface in lead, 2=23115
- Pasotti, G. See Evangelisti, R. 2=20100
- Pasquarelli, A. See Broveto, P., 2=9826
- Pasquier, R. See Radvanyi, P., 2=1892
- Pasquill, F. Some observed properties of medium-scale diffusion in the atmosphere, 2=12996
- Passatore, G. See Carrassi, M. 2=7839
- Passell, L. See Dickinson, W.C., 2=9853
- Passell, T.O. and Heath, R.L. Cross sections of threshold reactions for fission neutrons: Nickel as a fast flux monitor, 2=5941
- Passow, C. See Citron, A. 2=6043
- Pasternak, J. Davisson, J.W. and Vaughan, W.H. Structure of <100> dielectric breakdown dendrites, 2=8775
- Pasternak, R.A. See Hopkins, T.E. 2=17060
- Pastor, A. Esteve. See Esteve Pastor, A.
- Pastor, J. Influence of sight limitation on the measurement of the modulation function of an optical system, 2=17594
- Pastor, J. and Ramos, C. Removal of cross-hatching, 2=15753
- Pastor, J. and Ramos, C. Half-tone screens and information content. Tramado, Destramado E Informacion, 2=17669
- Pastor, J. See Hidalgo, A. 2=22056
- Pastrák, J. The structure of the absorption curve and the character of optical transitions in cuprous oxide crystals, 2=23553
- Pastur, A.L. See Kosevich, A.M. 2=21466
- Pastur, L.A. See Kosevich, A.M., 2=2345
- Pastushuk, N.S. See Korsunskii, M.I., 2=6489
- Pasynkov, R.E. An investigation of nonlinear properties in a BaTiO₃ single crystal and a polarized BaTiO₃ ceramic in strongly alternating fields, 2=672
- Pasynkov, R.E. See Velyukhanova, G.A., 2=14627
- Pasynkov, R.E., See Zaitseva, V.I. 2=14626
- Pataki, G., On the time dependence of irreversible processes, 2=2642
- Pataraya, A.D. The propagation along a magnetic field of nonlinear oscillations in a plasma, 2=20006
- Pataraya, A.D. and Lominadze, D.G. Excitation of magnetohydrodynamic waves in an anisotropic plasma, 2=22239
- Patashinskii, A.Z. The position of singularities of Feynman diagrams, 2=16152
- Patch, R.W. Shock-tube measurement of dissociation rates of hydrogen, 2=12346
- Pátek, K. A new method of growing ZnS single crystals by sublimation, 2=4384
- Pátek, K. The basic growth parameters of ZnS single crystal grown by sublimation, 2=10789
- Pátek, K. Skála, M. and Součková, L. The growing of luminescent and electroluminescent ZnS-Cu, Cl crystals, 2=16987

- Patel, A.R. Mechanism of etching and development of etch figures on octahedral faces of diamond, 2=2349
- Patel, A.R. and Goswami, K.N. Some micro-disk patterns on topaz, 2=8774
- Patel, A.R. and Goswami, K.N. Etching of calcite cleavages, 2=10786
- Patel, C.K.N. See Bennett, W.R., Jr., 2=22908
- Patel, J.R., Wagner, R.S. and Moss, S. X-ray investigation of the perfection of silicon, 2=21574
- Patel, J.R. and Chaudhuri, A.R. Oxygen precipitation effects on the deformation of dislocation-free silicon, 2=16956
- Patel, J.R. See Chaudhuri, A.R., 2=21033
- Patel, J.R. See Pfann, W.G., 2=16991
- Patel, P.M., Carroll, A., Strax, N. and Miller, D. Measurement of the triple scattering parameter Dt in the free n - p system, 2=18122
- Patel, S.A. and Venkatraman, B. Creep bending of compressible plates, 2=14889
- Patel, V.L. and Maeda, K. Short-term variations in meson and nucleon component of cosmic rays, 2=341
- Patel, V.L. See Maeda, K., 2=337
- Paterson, J.M. See Rutherglen, J.G., 2=9758
- Pathak, K.M. See Deka, G.C., 2=22836
- Pathria, R.K. and Kawatra, M.P. Quantum statistical mechanics of a many-body system with square-well interaction, 2=11299
- Pathria, R.K. and Kawatra, M.P. Quantum statistical mechanics of a many-body system of interacting particles, 2=15495
- Pathria, R.K. See Nanda, V.S., 2=23961
- Paton, J. Exploring the upper atmosphere, 2=15246
- Paton, J.E. See Mandelstam, S. 2=16155
- Patrick, J.W. and Barkas, W.H. The grain-density of emulsion tracks, 2=11843
- Patrick, J.W. See Barbaro-Galtieri, A. 2=20434
- Patrick, L. Inequivalent sites and multiple donor and acceptor levels in SiC polytypes, 2=23124
- Patrick, L. See Choyke, W.J. 2=23123
- Patrick, L. See Choyke, W.J., 2=23562
- Patro, A.P. and Basu, B. Decay of antimony-113, 2=16358
- Patro, A.P. and Basu, B. Decay of Ag^{109} , 2=18293
- Patro, A.P. and Basu, B. Decay of yttrium-85, 2=20554
- Patro, A.P. See Basu, B., 2=5871
- Patro, A.P. See Basu, B., 2=16357
- Patro, A.P. See Dutt, P.K. 2=20036
- Patronis, E.I. See Wyly, L.D., 2=406
- Patrushev, B.I. See Zavoiskii, E.K., 2=3063
- Patrushev, S.L. See Borodin, A.V. 2=22223
- Patser, G.V. and Swann, P.R. Double tilting specimen holder for the Siemens Elmiskop I. 2=4511
- Patt, H.J. See Schmitz, G., 2=15646
- Patten, C.G. See Jungerman, J.A., 2=13774
- Patten, R.A. See Bouldin, W.V., 2=20917
- Pattenden, S.K. and Patterson, C.R. Measurement of the fission ratio for several configurations of uranium oxide rod clusters, 2=20699
- Patter, D.M. Van. See Van Patter, D.M.
- Patterson, A., Jr. See Berns, D.S., 2=1142
- Patterson, C.L. Application of the lateral photoeffect to a tracking system, 2=21200
- Patterson, C.R. See Pattenden, S.K., 2=20699
- Patterson, D. Modern trends in the design of balances, 2=17404
- Patterson, D.A. Effects of oxygen and water vapor on the "OH" absorption in melt-grown alkali halides, 2=18834
- Patterson, D.A. Controlled atmosphere Kyropoulos growth of alkali halide single crystals, 2=19051
- Patterson, G.W. See Serrell, R. 2=15455
- Patterson, H. and Tomlin, D.H. Experiments by radioactive tracer methods on sputtering by rare-gas ions, 2=3098
- Patterson, H. and Wilson, H.W. New mass spectrometer solid source arrangement for the simultaneous analysis of two samples, 2=3099
- Patterson, J. See Anderson, R., 2=22907
- Patterson, J.D. Use of a pseudopotential in color center calculations, 2=3955
- Patterson, J.H. See Kennedy, S.W., 2=21047
- Patterson, T.N.L. Whistler dispersions for a model of the ionic distribution in the exosphere, 2=9026
- Patterson, T.N.L. See Bates, D.R., 2=4680
- Patterson, T.N.L. See Bates, D.R. 2=4682
- Patterson, T.N.L. See Best, G.T., 2=24006
- Patterson, W.L., Jr and Greene, E.F. Kinetic study of the formation and reaction of CN molecules in shock waves, 2=6879
- Patton, B.J. and Fitch, J.L. An hysteretic remanent magnetization in small steady fields, 2=6671
- Patty, R.R. and Williams, D. Further studies of pressure-modulated infrared absorption, 2=104
- Patty, R.R. and Williams, D. Use of pressure modulation in studies of "hot bands", 2=2777
- Patty, R.R. and Williams, D. Infrared emission from a pressure-modulated gas, 2=11429
- Patty, R.R. and Williams, D. Pressure-modulation study of the absorption on non-black thermal radiation, 2=11430
- Patwardhan, P.K. A multi-channel pulse height analyser, 2=11587
- Paul, D.E. and Dalby, F.W. Kinetics of disappearance of the CN radical formed from C_2N_2 , 2=20882
- Paul, D.I. Nuclear magnetic resonance within an antiferromagnetic Bloch wall, 2=16937
- Paul, E.B., Evans, J.E. and Montague, J.H. The 2.2 MeV level in Al^{27} , 2=1793
- Paul, E.B. See Montague, J.H., 2=5923
- Paul, H. Reduction of noise in the 6342-A photomultiplier, 2=22243
- Paul, E.B. See Montague, J.H., 2=5923
- Paul, H. Reduction of noise in the 6342-A photomultiplier, 2=2224
- Paul, H. See Brunner, W., 2=8019
- Paul, H. See Brunner, W., 2=5978
- Paul, H. See Brunner, W. 2=10159
- Paul, H.S. Deformation of piezoelectric plates, 2=10566
- Paul, H.S. Rotating disk of piezoelectric crystals, 2=16795
- Paul, R. and Srivastava, I.B. Mutual diffusion of the gas pairs H_2 - Ne , H_2 - Ar , and H_2 - Xe at different temperatures, 2=1194
- Paul, R. and Srivastava, I.B. Studies in binary diffusion of the gas pairs O_2 - Ar , O_2 - Xe and O_2 - He , 2=5050
- Paul, R. and Srivastava, I.B. Studies in binary diffusion of the gas pairs N_2 - Ar , N_2 - Xe and N_2 - He , 2=5051
- Paul, R. See Srivastava, B.N., 2=17506
- Paul, W. See v. Busch, F., 2=228
- Paul, W. See v. Busch, F., 2=535
- Paul, W. See Holland, M.G., 2=23353
- Paul, W. See Holland, M.G., 2=23355
- Paul, W. See Nathan, M.I., 2=23354
- Paul, W. See Nathan, M.I., 2=23430
- Paulevé, J., Dautreppe, D., Laugier, J. and Neel, L. The establishment of ordered structure in Fe-Ni irradiation with neutrons, 2=683
- Paulevé, J. See Dautreppe, D., 2=12475
- Paulevé, J. See Dautreppe, D., 2=21084
- Pauli, E. See Good, R.H., 2=13875
- Paulikas, G.A. and Pyle, R.V. Macroscopic instability of the positive column in a magnetic field, 2=7582
- Paulin, A. Operating conditions of a microtron with a composite magnet, 2=3118
- Paulin, A. State of development of the microtron, 2=11744
- Paulin, A. Length of accelerating gap for the microtron, 2=7918
- Pauliny-Toth, I.I.K. and Shakeshaft, J.R. A survey of the background radiation at a frequency of 404 Mc/s, 2=15393
- Pauliny-Toth, I.I.K. See Turtle, A.J., 2=24177
- Paulnack, C.L. and Chaplin, N.J. Minimal maintenance probe for precise resistivity measurement of semiconductors, 2=21128
- Paulson, K.V. See Shepherd, G.C., 2=4666
- Paulus, M. Crystal growth and the energy of dislocations in ferrites, 2=23174
- Paulus, M. Kinetics of normal crystal growth in polycrystalline ferrites, 2=23821
- Pauly, H. See Berkling, K., 2=6238
- Pauncz, R., de Heer, J. and Löwdin, P.O. Studies on the alternant molecular orbital method. I. General energy expression for an alternant system with closed-shell structure, 2=14306
- Pauncz, R., de Heer, J. and Löwdin, P.O. Studies on the alternant molecular orbital method. II. Application to cyclic systems, 2=1430
- Paund [Pound] R.V. On the weight of photons, 2=7837
- Pauthenet, R. A new apparatus for measuring magnetizations: application to a cobalt crystal, 2=8625
- Pauthenet, R. See Alsonard, R., 2=12695
- Pauthenet, R. See Bertaut, E.F., 2=6814
- Pauthenet, R. See Bertaut, E.F., 2=12662
- Pauthenet, R. See Bin, M., 2=14809
- Pauthenet, R. See Bloch, D., 2=12753
- Pauthenet, R. See Fontaine, R., 2=8604
- Pauthier, M., Gautier, R., Delness, S. and Amat, G. Experimental study of the light emitted by a ruby laser, 2=10585
- Pauty, M., Hartmann, P. and Vernier, P. Method of studying the vector effect of the photoelectric emission with the aid of an electron image converter, 2=7647
- Pauty, M. See Hartmann, P. 2=13590
- Pavlichenko, O.S. and Dushin, L.A. Spectroscopic study of the plasma in the Phillips pulse discharge, 2=22181
- Pavlichenkov, I.M. See Grin, Yu.T., 2=22710
- Pavlina, T.S. See Ryazanova, E.F., 2=14749
- Pavlov, A.A. See Vitman, V.D., 2=14051
- Pavlov, B.V. See Vashko, A., 2=18845
- Pavlov, S.T. See Kudinov, E.K., 2=14420

- ov, V.A., Gaidukov, M.G., Noskova, N.I. and Mel'nikova, B. Shear and diffusion plastic deformation during creep in alloys of nickel and copper, 2=23760
with copper, 2=23760
- ov, V.A. See Noskova, N.I., 2=23929
- ov, V.S. See Kovtun, H.P., 2=11537
- ov, V.S. See Kovtun, H.P., 2=19784
- ov, V.S. See Kovtun, H.P., 2=19786
- ov, V.S. See Kruhlykh, A.A., 2=12445
- ova, N.P. See Boos, E.G., 2=7856
- ova, N.P. See Botvin, V.A., 2=288
- ova, N.P. See Botvin, V.A., 2=22511
- ova, O.I. See Petrusevich, R.L., 2=18588
- ova, O.I. See Petrusevich, R.L., 2=23196
- ovskaya, V.S. and Stark, Yu.S. A study of work hardening of copper using nuclear magnetic resonance, 2=12860
- ovskaya, V.S. and Stark, Yu.S. A study of work hardening of copper using nuclear magnetic resonance, 2=14897
- ovskii, A.I. See Sklizkov, G.V., 2=22146
- lyna, V.S. See Pidstryhach, Ya.S., 2=8857
- lyna, V.S. See Pidstryhach, Y.S. 2=23896
- lyuchenko, M.M. Crystal lattice energy and the reactivity of solids, 2=15139
- elski, B. See Stobo, J.J., 2=6392
- ley, G.S. Mosaics for colour antisymmetry groups, 2=4403
- ley, G.S. Plane groups on polyhedra, 2=10811
- ley, G.S. Coloured polyhedra, 2=8766
- łowska, M. See Auleyner, J., 2=6860
- ton, H.W. See Cooper, H.W., 2=2291
- a, D. See Nifenecker, H., 2=464
- an, R. and Rasigni, G. Variations in the optical constants of very thin films of copper as a function of wavelengths, 2=12576
- en de la Garanderie, H. Luminescent complexes of manganese chloride with amines, 2=12620
- mal, J. Action corpuscular radiations on vitreous structure, 2=8869
- mal, J. See Susse, C., 2=792
- ne, G.L. and Snider, D.R. Theoretical neutron cross sections for the direct excitation of the 3^- collective state in O^{16} and Pb^{208} , 2=18264
- ne, L.E. See Bramble, J.H., 2=4971
- ne, R.M. See Jordan, B., 2=7631
- ton, A.D. and Turner, J.C.R. Soret coefficients and heats of transport of some salts of alkaline earth metals in water at $5^\circ C$, 2=7200
- y, A. and Goshen, S. The thermal utilization in a rectangular cell, 2=6028
- elin, V.A. See Polevoi, R.M. 2=9730
- ch, G. See Seaton, M.J., 2=15485
- cock, A.G. See Moss, T.S., 2=10568
- cock, D.E. and Johnson, A.A. Point defects in niobium, molybdenum and tantalum, 2=23151
- cock, R.N., Hahn, B., Hugentobler, E. and Steinrisser, F. Total inelastic cross-section for negative pions and protons in Cu, Cd, and Pb at high energies, 2=8002
- cock, T.E. and Wilkinson, P.T. The electronic structure and spectrum of benzonitrile, 2=3756
- cor, D.R. and Prewitt, C.T. Drilling coordinates for crystal structure models, 2=12910
- cor, D.R. See Buerger, M.J., 2=15032
- ke, N.G. See Salem, S.I., 2=15977
- ke, W.T., Goldstein, M.H., Jr and Kiang, N.Y.S. Responses of the auditory nerve to repetitive acoustic stimuli, 2=13212
- ke, W.T., Kiang, N.Y.S. and Goldstein, M.H., Jr. Rate functions for auditory nerve responses to bursts of noise: Effect of changes in stimulus parameters, 2=13213
- rce, R.M. The Doppler effect in thermal reactors, 2=3676
- rlstein, E. New bridge circuit for comparing four-terminal resistors, 2=17737
- rlstein, L.D. See Tang, Y.C., 2=13957
- rlstein, L.D. See Wildermuth, K., 2=1763
- erson, A. Note on search coil errors in the measurement of axial magnetic fields, 2=1546
- erson, A. See Davis, H.L., 2=20717
- erson, B.D. See Doyle, W.P., 2=12598
- erson, C.A. See Butler, S.T., 2=1879
- erson, C.A. See Butler, S.T., 2=14098
- erson, G.L. and Vogel, F.L. Plastic deformation of semiconductors, 2=16951
- erson, I.M. and Garner, C.S. Vapour-phase G-M counters for studying isotopic exchange, 2=4526
- erson, J.J. Anisotropic superexchange in β MnS, 2=12797
- erson, J.M. The effects of weak magnetism and the induced pseudoscalar interaction on the shapes of high-energy beta-spectra, 2=12162
- Pearson, J.M. Induced pseudoscalar interaction and the low-energy anomalies in beta spectra, 2=12164
- Pearson, R.F. Magnetocrystalline anisotropy of rare-earth iron garnets, 2=12710
- Pearson, R.G. and Buch, T. Electron paramagnetic relaxation in ionic solutions, 2=7231
- Pearson, W.B. Relative atomic size in semiconductor chemistry, 2=10462
- Pearson, W.B. Activation energies of semiconductors with diamond and sphalerite-type structures, 2=23307
- Pearson, W.B. See Kjekshus, A., 2=4081
- Pearson, W.B. See MacDonald, D.K.C., 2=6508
- Pearson, W.B. See MacDonald, D.K.C., 2=6509
- Pearson, W.B. See Mooser, E., 2=6244
- Pearsons, K.S. See Kryter, K.D., 2=13210
- Peart, R.F., Graham, D. and Tomlin, D.H. Tracer diffusion in niobium and molybdenum, 2=14463
- Peart, R.F. and Tomlin, D.H. Diffusion of solute elements in beta-titanium, 2=6375
- Pease, G. See Rubin, V.C., 2=24151
- Pease, M.C. A method for the study of nonuniform conservative linear systems, 2=15669
- Peaslee, D.C. Two-body potential in nuclear matter, 2=344
- Peaslee, D.C. See Bashkin, S., 2=4718
- Peaslee, D.C. See Carver, J.H., 2=20506
- Pebay-Peyroula, J.C. See Nedelec, O., 2=12296
- Pebler, A. and Wallace, W.E. Crystal structures of some lanthanide hydrides, 2=6812
- Pech, M. and Zarudiansky, A. Anomalies found in the cyclotron resonance of a beam of electrons, 2=22259
- Pechenkina, R.S. See Florinskaya, V.A., 2=4124
- Peck, C.C., Jones, L.W. and Perl, M.L. Evidence concerning pion-pion interactions below the 765 MeV pion-pion resonance, 2=13844
- Peck, E.R. Polarization properties of corner reflectors and cavities, 2=5190
- Peck, E.R. and Khanna, B.N. Dispersion of air in the near-infrared, 2=7343
- Peck, E.R., Khanna, B.N. and Anderholm, N.C. Secondary standards of Ar I and $Hg^{190}I$ in the near infrared, 2=10207
- Peck, J.M. See Aarajs, S., 2=12739
- Peck, R.A., Jr. See Hassler, F.L., 2=3598
- Peck, R.A., Jr. See Iyengar, K.V.K., 2=3582
- Peck, W.G. See Pegis, R.J., 2=17590
- Pecker, C. and Rohrlch, F. Forbidden lines in the ground configurations with special regard to the coronal emission spectrum, 2=15336
- Pecker, C. and Rohrlch, F. Identification of permitted lines in the solar ultraviolet spectrum, 2=15342
- Pecker, C. and Thomas, R.N. Excitation of the red and green coronal lines, 2=15352
- Pecker, C.W. See Jefferies, J.T., 2=17280
- Pecker, J.C. The convective zone in stars, 2=4818
- Pecker, J.C. Effects and equilibrium of circumstellar dust envelopes, 2=9091
- Pecker, J.C. Prediction of the ultraviolet spectrum of the stars, and of the sun: introductory report, 2=17294
- Pecker, J.C. See Blamont, J., 2=13041
- Pecker, J.C. See Cuny, Y., 2=4776
- Pecker, J.C. See Dumont, S., 2=17271
- Pecul, K. See Kolos, W., 2=1965
- Peculea, M. Thermodynamic behaviour of the principal cooling cycles with cold gas permitting the obtaining of low and very low temperatures, and indications of some constructive principles, 2=19789
- Peculea, M. See Hanganut, M., 2=2673
- Pedenko, N.S. See Kharchenko, I.F., 2=11685
- Pedersen, B. See Holcomb, D.F., 2=16934
- Pedersen, G. See Kjekshus, A., 2=10875
- Pederson, E.C.B. and Bell, R.E. Corrigendum: the half life of the first excited state of Tl^{203} , 2=5835
- Pedinoff, M.E. Absorption of ultrasonic waves in pure methylcyclohexane, 2=5014
- Ped'ko, A.V. Anomalies in the physical properties of gadolinium ferrite garnet in the low temperature region, 2=23682
- Ped'ko, A.V. See Belov, K.P., 2=744
- Ped'ko, A.V. See Belov, K.P., 2=6680
- Pedlosky, J. Spectral considerations in two-dimensional incompressible flow, 2=15548
- Pedrotti, F.L. and Reynolds, D.C. Spin-orbit splitting in CdS:Se single crystals, 2=20956
- Peebles, P.J. and Dicke, R.H. Significance of spatial isotropy, 2=17338
- Peek, N.F. See Jungerman, J.A., 2=13774

- Peeva, A. and Karatoteva, T. Effect of the anode material on the temperature dependence of self-quenching G.M. counters, 2=13701
- Peeva, A.T. See Zlateva, A.I., 2=9842
- Pegis, R.J. and Peck, W.G. First-order design theory for linearly compensated zoom systems, 2=17590
- Pehek, J. See Bratt, P., 2=7454
- Pehl, R.H. See Cerny, J., 2=3616
- Pehl, R.H. See Elliott, J.H., 2=18029
- Peierls, R.E. Velocity-dependent nuclear forces, 2=3450
- Peierls, R.F. and Treiman, S.B. Pionic nuclei, 2=13863
- Peierls, R.F. See Ashmore, A., 2=18118
- Peierls, R.F. See Mandelstam, S., 2=16155
- Peintre, M.Le. See Le Peintre, M.
- Peirson, D.H. Transfer of stratospheric fission products into the troposphere, 2=4615
- Peisakhson, I.V. Effect of spectrographic camera objective distortion on spectral line curvature, 2=7363
- Peiser, H.S. See Almer, H.E., 2=9228
- Peisl, H. Investigations of lattice defects in neutron-irradiated lithium fluoride, 2=23158
- Peisl, H. and Waidelich, W. Changes in lattice constant by colour centre formation due to neutron bombardment in LiF, 2=23218
- Peissker, E., Haasen, P. and Alexander, H. Anisotropic plastic deformation of indium antimonide, 2=23189
- Petrokowsky, P. The partial constitutional diagram $\text{TiAu}_2\text{-Au}$: lattice parameters of the alpha solid solutions and the intermediate phase TiAu_4 , 2=17031
- Peka, G.P. Investigation of the effect of an electric field, applied at the surface, on luminescence and electrical conductivity of cuprous oxide, 2=18859
- Peka, G.P. Investigation of the effect of an electric field, applied at the surface, on luminescence and electrical conductivity of cuprous oxide, 2=23592
- Peka, G.P. and Karkhanin, Yu.I. The dependence of luminescence of cuprous oxide on external electric field, 2=4172
- Peka, G.P. and Karkhanin, Yu.I. The dependence of luminescence of cuprous oxide on external electric field, 2=8572
- Peka, G.P. See Karkhanin, Yu.I., 2=23380
- Peka, H.P. See Karkhanin, Yu.I., 2=8437
- Pekar, S.I. Theory of the additional electromagnetic waves in crystals in a region of excited absorption, 2=18792
- Pekar, S.I. Theory of local electron centres in crystals, 2=23213
- Pekar, S.I. Theory of the additional electromagnetic waves in crystals in a region of excited absorption, 2=23519
- Pekárek, L. Time production and spatial distribution of macroscopic space charges in d.c. discharge plasma, 2=19933
- Pekárek, L. and Krejčí, V. The physical nature of the production of moving striations in a d.c. discharge plasma, 2=1399
- Pekárek, L. and Krejčí, V. The mechanism of the amplification of moving striations in a d-c discharge, 2=15895
- Pekárek, L. and Krejčí, V. Theory of moving striations in plasma of d.c. discharge. I. Basic equation and its general solution, 2=19910
- Pekárek, L. and Krpata, V. Time changes in velocity and length of striations in wave of stratification in hydrogen discharge, 2=7573
- Peker, L.K. Rotational levels in deformed odd-odd nuclei, 2=13987
- Peker, L.K. Contribution to the interpretation of the high-lying levels of W^{182} , 2=14003
- Peker, L.K. and Varshalovich, D.A. Magnetic moments of deformed nuclei with $K = \frac{1}{2}$, 2=13968
- Peker, L.K. See Gol'danskii, V.I., 2=7928
- Pekeris, C.L. 1^1S , 2^1S and 2^3S states of Li^* , 2=10203
- Pekeris, C.L. 1^1S , 2^1S and 2^3S states of H^- and of He , 2=12284
- Pekeris, C.L. Excited S states of helium, 2=16472
- Pekeris, C.L., Schiff, B. and Lifson, H. Fine structure of the 2^3P and 3^3P states of helium, 2=12285
- Pelanne, C.M. and Bradley, C.B. A rapid heat-flow meter thermal-conductivity apparatus, 2=19744
- Pelekhov, V.I. See Groshev, L.V., 2=5799
- Pelekhov, V.I. See Groshev, L.V., 2=7930
- Pelekis, L. See Bakhmat, A., 2=20565
- Peletninskii, S.V. See Akhiezer, A.I., 2=9585
- Pellam, J.R. See Koehler, T.R., 2=2947
- Pelle, J.S. Ultramicroanalysis, 2=6852
- Pellegrini, C. The total energy-momentum vector of a closed system in general relativity, 2=2616
- Pellegrini, C. A calculation of radiation effects on electron oscillations in a circular accelerator, 2=11737
- Pellegrini, F. and Wiktor, S. The $\text{Al}^{27}(\text{d}, \text{He}^3)\text{Mg}^{26}$ reaction, 2=22844
- Pellegrini, U. Evolution of multichannel pulse height analysers as data handling and processing systems, 2=19843
- Pellegrini, U. See Bologna, G., 2=5610
- Pellegrini, U. See Caglioti, G., 2=9868
- Peller, L. Matrix formulation of copolymerization statistics, 2=143
- Peller, M.L. See Blinder, S.M., 2=3778
- Pellin, R.A. See Braun, J.H., 2=8793
- Pelosi, V. See Baldassarre, F., 2=22562
- Pelosi, V. See Evans, D., 2=22492
- Pelt, G. See Ziembra, F.P., 2=18016
- Pelykh, A.N. and Pronyushkin, A.V. An instrument for the measurement of time intervals, 2=19510
- Pemberton, E.V. See Hay, D.R., 2=24004
- Pement, F.W. See Lindsay, W.T.Jr., 2=6410
- Pemova, F.D. See Bogomolov, S.G., 2=17472
- Pena Diaz, M. See Diaz Pena, M.
- Penchko, E.A. Wide-range ionization manometer, 2=7266
- Penchko, E.A. An emission stabilizer for the cathodes of ionization gauges which are based on crystal triodes, 2=21956
- Penchko, E.A., Khavkin, L.P. and Borodkin, A.S. Problem of producing an ultra-high vacuum, 2=2783
- Pendleton, H.N. See Barshay, S., 2=1710
- Penev, V.N. See Arbuzov, B.A., 2=13888
- Penfield, P. See Bers, A., 2=11642
- Peng Tse Kim. See Kim Tse Peng.
- Penhale, L.G. and Vaughan, D.E. The suppression of resonance absorption in indium antimonide, 2=20642
- Penkin, N.P. and Shabanova, L.N. The oscillator strengths of spectral lines of magnesium, strontium and barium, 2=14200
- Penkin, N.P. See Ostrovskii, Yu.I., 2=6098
- Penkin, N.P. See Ostrovskii, Yu.I., 2=10209
- Penkina, N.V. See Leksina, I.E., 2=8478
- Pen'kov, S.N. On the possibility of measuring optical anisotropy of liquids in the field of the sound velocity gradient, 2=54
- Pen'kovskii, V.V. See Samsonov, G.V., 2=7453
- Penley, J. Aging of Al-aluminum oxide-Al thin film sandwiches, 2=16963
- Penley, J.C. A note on the anomalous capacitance of thin dielectric structures, 2=22152
- Penley, J.C. and Witte, R.S. Thermal bleaching of additively coloured KCl, 2=19171
- Penman, S. The muon, 2=13828
- Penman, S. See Parker, S., 2=9879
- Penndorf, R. Angular Mie scattering, 2=7406
- Penndorf, R. Mie scattering in the forward area, 2=17650
- Penndorf, R. Scattering and extinction coefficients of small spherical aerosols, 2=19169
- Penndorf, R. Geographic distribution of spread F in the arctic, 2=19169
- Penndorf, R. Diurnal and seasonal variation of spread F in the arctic, 2=19227
- Penndorf, R. A spread-F index, 2=20165
- Penndorf, R. Classification of spread-F ionograms, 2=24040
- Penndorf, R.B. Approximation formula for forward scattering, 2=19169
- Penndorf, R.B. Scattering and extinction coefficients for small absorbing and nonabsorbing aerosols, 2=17104
- Pennebaker, W.B. See Lindenfeld, P., 2=20948
- Penner, S. See Schrack, R.A., 2=20597
- Penner, S.S. On iraser detectors for radiation emitted from diatomic gases and coherent infrared sources, 2=9449
- Penner, S.S., Sulzmann, K.G.P. and Ludwig, C.B. Approximate infrared emissivity calculations for NO at elevated temperatures, 2=10169
- Penner, S.S. See Guttman, A., 2=2027
- Penner, S.S. See Pappert, R.A., 2=9317
- Penning, P. and Polder, D. Anomalous transmission of X-rays in elastically deformed crystals, 2=10836
- Pennington, K.S. and Petch, H.E. Nuclear magnetic resonance spectra of B^{11} in lesserite, 2=14851
- Pennington, K.S. See Petch, H.E., 2=8691
- Penny, S.K. and Zerby, C.D. Examination of the range of applicability of conditional Monte Carlo to deep penetration problems, 2=56028
- Penoyer, R.F. See Calhoun, B.A., 2=12716
- Penrose, O. and Percival, I.C. The direction of time, 2=9144
- Penrose, R. See Newman, E., 2=13254
- Penselin, S., Moran, T., Cohen, V.W. and Winkler, G. Hyperfine structure of the electronic ground states of Rb^{85} and Rb^{87} , 2=16478
- Penselin, S. See Cohen, V.W., 2=16477
- Penkso, J. See Szepeke, R., 2=10029
- Penso, G. See Conforto, G., 2=22831
- Penso, G. See Conversi, M., 2=13834
- Penstone, S.R. See Heikkila, W.J., 2=4639
- Penster, C.J. and Husing, W.H. Extended range extensometer for determining elongation of elastometer, 2=7163
- Penzar, J. Empirical relation between global radiation and cloudiness, 2=17142
- Peperle, W. See Jaechel, R., 2=7477
- Peperone, S.J. X-band measurement of shock-tube plasma temperature, 2=7243

- n,R.O. See Merrihue,C.M., 2=17267
- n,T.J. and Ney,E.P. Manufacture of solid organic standard light sources of low intensity, 2=17601
- nsky,R. See Futama,H., 2=23523
- ard,D.F. See Ziomek,J.S., 2=12330
- erhoff,W. and Pusch,R. Contrast improvement in incident-light microscopy by reflection-increasing evaporated films, 2=7351
- akis,N. Antiferromagnetic behaviour of the nickel oxide-oxygen system, 2=10681
- chereau,J. See Barjon,R., 2=9866
- chereau,J. See Barjon,R., 2=18329
- cival,I.C. Addendum: Almost periodicity and the quantal H theorem, 2=9202
- cival,I.C. See Burke,P.G., 2=18409
- cival,I.C. See Penrose,O., 2=9144
- cus,J. See Auffray,J.P., 2=18412
- cus,J.K. and Rotenberg,A. Exact eigenfunctions of angular momentum by rotational projection, 2=21828
- cus,J.K. See Lebowitz,J.L., 2=1074
- cus,J.K. See Auffray,J.P., 2=16465
- dijk,H.J.R. Structure of barium getter films, 2=839
- drisat,C.F., Brunner,J.H. and Leisi,H.J. Study of the positon spectra of Bi^{208} and Bi^{208} decays, 2=16356
- drisat,C.F., Leisi,H.J. and Brunner,J.H. Mono-energetic positons in Bi^{208} , 2=10052
- drisat,C.F., Leisi,H.J., Brunner,J.H. and Piaggio,L. Mono-energetic positons in Eu^{152} , 2=10053
- drisat,C.F. See Brunner,J.H., 2=10050
- el,V.I. See Kagan,Yu.M., 2=17602
- el,V.I. See Konstantinov,O.V., 2=177
- el,V.I. See Zakharova,V.M., 2=15901
- elló,M. See Lozano,J., 2=3047
- el'man,A.M. See Mukharev,L.A., 2=22156
- el'man,T.L. A boundary value problem for equations of mixed type in the theory of heat transfer, 2=9425
- elomov,A.M. Rotation of the plane of polarization of light in the case of nonconservation of parity, 2=512
- elomov,A.M. Rotation of the plane of polarization of light in the case of nonconservation of parity, 2=22892
- elygin,V.P., Almazova,S.P., Gvozdev,B.A. and Chuburkov,Yu.T. Spontaneous fission with an anomalously small period. II, 2=16443
- elygin,V.P., Myachkova,S.A. and Tolstov,K.D. Loading of photographic emulsion with beryllium grains, 2=22373
- epechko,I.I. and Yakovlev,V.F. Absorption of ultrasound in monatomic gases, 2=7256
- epelkin,V.V. See Konstantinov,A.A., 2=14045
- epelkin,V.V. See Konstantinov,A.A., 2=14213
- es,A. Electromagnetism, geometry, and the equivalence principle, 2=19405
- es,A. On Cauchy's problem in general relativity. II, 2=21811
- es,A. On Cauchy's problem in general relativity, III, 2=21812
- etti,J. Change of the Debye temperature of germanium with donor concentration, 2=14384
- eue,J.H. See Boley,F.I., 2=330
- everzyeva,A.V. See Pybalka,V.V., 2=12519
- ey,F. and Buck,B. A non-local potential model for the scattering of neutrons by nuclei, 2=14105
- ey,F. See Buck,B., 2=20855
- eyaslova,N.K. and Kirdina,G.A. The growth of CsI crystals and the investigation of their luminescent properties, 2=2249
- eyaslova,N.K. See Kirdina,G.A., 2=2259
- ez-Belles,R., Kingston,J.D. and DeSaussure,G. A measurement of the effective delayed neutron fraction for the bulk shielding reactor-I, 2=12253
- ez-Belles,R. See DeSaussure,G., 2=6036
- ez Ferreira,E. Pion production in pion-nucleon collisions and the pion-pion interaction, 2=3379
- ez-Ferreira,E. See Abbattista,N., 2=5951
- ez-Mendez,V. See Adler,A., 2=5276
- ez-Mendez,V. See Caris,J.C., 2=10125
- ez-Mendez,V. See Devlin,T.J., 2=3386
- ez y Jorba,J. Study of electron Bremsstrahlung in the case of nuclear excitation, 2=3307
- ez y Jorba,J.P. and Nguyen Ngoc,H. Study of the giant resonance of Ca^{40} by the inelastic scattering of electrons, 2=433
- filov,G.A. See Gorichev,P.A., 2=22860
- filov,N.A. Fissionability of nuclei by high energy protons, 2=22861
- filov,N.A., Solov'eva,Z.I. and Filov,R.A. Tripple fission of uranium [U^{238}] induced by fast [14 MeV] neutrons, 2=508
- filov,N.A., Solov'eva,Z.I. and Filov,R.A. Triple fission of uranium [U^{238}] induced by fast [14 MeV] neutrons, 2=22858
- Perfilov,N.A. See Gorichev,P.A., 2=448
- Perfilov,N.A. See Gorichev,P.A., 2=22814
- Perfilov,N.A. See Gorichev,P.A., 2=14151
- Pério,P. See Belbeoch,B., 2=10885
- Perio,P. See Hauptman,A., 2=10835
- Perkampus,H.H. U.V. absorption spectra of some simple quinoxaline compounds, 2=22996
- Perkas,M.D. See Kardonskii,V.M., 2=8740
- Perkas,M.D. See Kardonskii,V.M., 2=8741
- Perkas,M.D. See Kardonskii,V.M., 2=23790
- Perkas,M.D. See Kardonskii,V.M., 2=23791
- Perkin,J.L. and Coleman,R.F. Cross-section for the (n,2n) reactions of ^{232}Th , ^{238}U and ^{237}Np with 14 MeV neutrons, 2=3610
- Perkin,J.L., Coleman,R.F. and Herbert,D.N. An experimental survey of (^{19}F , ^{18}F) neutron transfer reactions, 2=10148
- Perkin,J.L. See Allen,K.W., 2=3637
- Perkin,J.L. See Coleman,R.F., 2=3628
- Perkin,J.L. See Barry,J.F., 2=473
- Perkins,D.H. See Duthie,J., 2=12102
- Perkins,J.F. Monte Carlo calculation of transport of fast electrons, 2=14423
- Perkins,M.A. See Tuzzolino,A.J., 2=2195
- Perkins,R.B. and Simmons,J.E. T(d,n) He^4 reaction as a source of polarized neutrons, 2=293
- Perkins,R.B. See Fitch,V.L., 2=5733
- Perkins,R.B. See Simmons,J.E., 2=9863
- Perkins,W.A. See Caris,J.C., 2=10125
- Perkins,W.H. See Lohmann,W., 2=5523
- Perl,M.L. The status of the scintillation chamber, 2=18046
- Perl,M.L. See Jones,L.W., 2=3204
- Perl,M.L. See Peck,C.C., 2=13844
- Perlin,Yu.E., Marinchuk,A.E. and Zon,A.Z. The theory of thermoluminescence of impurity crystals, 2=4194
- Perlman,I., Asaro,F., Ghiorso,A., Larsh,A. and Latimer,R. Isomeric state of Po^{212} , 2=18268
- Perlman,I. See Asaro,F., 2=1831
- Perlow,G.J. See Johnson,C.E., 2=12123
- Permogorov,V.I. See Kizel',V.A., 2=2902
- Pernegr,Ya., Sedlak,Ya., Tuckek,I. and Shimak,V. Consecutive interactions of heavy nuclei of the primary cosmic radiation, 2=1745
- Perengr,Ya. See Votruba,M., 2=342
- Pernick,B.J. See Schwartz,F.R., 2=19710
- Perny,G. and Lorang,R. Anomalies in the absolute absorption index of CuI , PbI_2 , and AgI at the critical thickness, 2=689
- Perović,B.D. Cathode sputtering of Cu and Pb single crystals by high energy A^+ ions, 2=3094
- Perrier,A.L. On some inertial effects of steady currents, 2=7552
- Perrier,F. See Dupouy,G., 2=4434
- Perrier,F. See Dupouy,G., 2=23941
- Perrin,A. Rapid detector for intermediate neutrons (1 to 100 keV) and its use in time-of-flight spectrometry, 2=5688
- Perrin,A., Surget,G., Thibault,C. and Verrière,F. Neutron cross-section for beryllium in the neighbourhood of 200 keV, 2=20640
- Perrin,P. See Bouchez,R., 2=12133
- Perring,J.K. An analysis of proton-proton scattering from 68 to 142 MeV, 2=7857
- Perring,J.K. and Phillips,R.J.N. Intermediate mesons in nucleon-nucleon scattering, 2=20332
- Perring,J.K. and Skyrme,T.H.R. A model unified field equation, 2=11877
- Perrot,M., Millett,J. and Jarry,G. An experiment on thermionic conversion using a Cs vapour valve, 2=7553
- Perrot,M. See Cortes,H., 2=11469
- Perry,C.L. See Adams,R.O., 2=11418
- Perry,D.C. See McNiven,H.D., 2=9333
- Perry,K.E.G. See Croft,J.F., 2=20536
- Perry,R.B. See Beyer,N.S., 2=5427
- Perry,R.L. Experimental determination of the current-density-electric field relationship of silicon field emitters, 2=11688
- Persen,L.N. See Kestin,J., 2=15770
- Persham,P.S. Absence of antiferromagnetic domain walls in MnF_2 , 2=758
- Pershan,P.S. See Armstrong,J.A., 2=19665
- Pershin,G.G. See Lyamichev,I.Ya., 2=16871
- Pershin,I.I. Physical measurements on photographs of particle tracks in bubble chambers, 2=7803
- Pershin,I.I., Barmin,V.V., Kanavets,V.P. and Morozov,B.V. Application of the method of second differences in the measurement of multiple scattering in a propane bubble chamber, 2=3227
- Person,L.W. and Rasmussen,J.O. Rotational energies for the asymmetric rotor model for odd-mass nuclei, 2=20505
- Person,W.B. Thermodynamic properties of donor-acceptor complexes, 2=10968

- Person, W.B. See Anderson, G.R., 2-4149
- Personov, R.I. Absorption and fluorescence spectra of perylene at low temperatures, 2-16867
- Persson, A.V. See Newton, C.W., 2-15190
- Persson, K.B. A method for measuring the conductivity in a high electron density plasma, 2-1446
- Persson, L., Ryde, H., and Oelsner-Ryde, K. The K α electron spectrum of terbium, 2-10068
- Perthel, R. Field induced anisotropy in cobalt-substituted nickel ferrite, 2-12791
- Perthel, R. Determination of the constants F and G of the uni-axial induced anisotropy for finite field strengths, 2-23654
- Perulli, M. See Etievant, C., 2-22199
- Peruzzo, L. See Carrara, R., 2-22559
- Pervakov, V.A., Merisov, B.A. and Khotkevich, V.I. Influence of the nature of lattice distortion on the temperature of the electrical resistivity in silver and gold, 2-23235
- Pervakov, V.O. and Khotkevich, V.H. Application of the pulse calorimetric method for the determination of the energy of solution of oxygen in silver, 2-12928
- Pervakov, V.O. and Khotkevich, V.H. Thermal capacity of plastically deformed copper, 2-6274
- Pervushin, I.I. and Filippov, L.P. Method of measuring ultrasonic velocity in solid bodies and in liquids, 2-1239
- Pervushin, I.I. and Filippov, L.P. Method of measuring ultrasonic velocity in solid bodies and in liquids, 2-7312
- Pescia, J. See Bassompierre, A., 2-20168
- Peschev, P.D. and Tsyrnorechki, O.St. Investigations of raw materials for the preparation of ferrites with rectangular hysteresis loops, 2-14798
- Peselnick, L. and Robie, R.A. Elastic constants of calcite, 2-21390
- Peshikov, E.V. and Starodubtsev, S.V. Effects of radiation on properties of Rochelle salt crystals (in weak electric fields), 2-12565
- Peshikov, E.V. and Starodubtsev, S.V. Effects of radiation on properties of Rochelle salt crystals (in weak electric fields), 2-14609
- Peshkin, M. and Tobocman, W. Flux quantization and time-reversal degeneracy, 2-19807
- Peshkin, M. See Lipkin, H.J., 2-9477
- Peshkin, M. See Tassie, L.J., 2-1068
- Peshkov, V.P. and Stryukov, V.B. Is v_s or $v_s - v_n$ the cause of destruction of superfluidity? 2-2946
- Peshkov, V.P. and Tkachenko, V.K. Kinetics of destruction of superfluidity in helium, 2-2948
- Pesin, M.S. See Alekov, V.K., 2-17633
- Peskovatskii, S.A. and Chernets, A.N. Spin lattice relaxation in gadolinium ethylsulphate, 2-18950
- Peskovatskii, S.A. and Chernets, A.N. Concentration dependence of relaxation times of gadolinium ethylsulphate at helium temperatures, 2-18951
- Pesotskaya, E.A. See Vaisenberg, A.O., 2-298
- Pesotskaya, E.A. See Vaisenberg, A.O., 2-18042
- Pesotskaya, E.A. See Vaisenberg, A.O., 2-22545
- Pestil, P. See Ciais, A., 2-12595
- Petarra, D.P. and Beshers, D.N. Correlation between the cold-work peak and the Snoek peak in the iron-nitrogen and iron-carbon systems, 2-21409
- Petch, H.E. and Pennington, K.S. Nuclear quadrupole coupling tensors for Na^{23} and Al^{27} in natrolite, a fibrous zeolite, 2-8691
- Petch, H.E. See Brodie, D.E., 2-12629
- Petch, H.E. See Pennington, K.S., 2-14851
- Petch, N.J. See Armstrong, R., 2-6733
- Petelina, N.G. See Zverev, G.M., 2-14824
- Peter, G. See Nikanorov, V.I., 2-16196
- Peter, K. The growth of etch pits on glass as a result of a uniform etching attack, 2-23902
- Peter, M., Shaltiel, D., Wernick, J.H., Williams, H.J., Mock, J.B. and Sherwood, R.C. Long-range polarization effects in rare-earth-doped palladium, 2-21372
- Peter, M. See Clogston, A.M., 2-4197
- Peter, M. and Moriya, T. Antiferromagnetic and paramagnetic resonance in $\text{CuF}_2 \cdot 2\text{H}_2\text{O}$, 2-12808
- Peter, M., Shaltiel, D., Wernick, J.H., Williams, H.J., Mock, J.B. and Sherwood, R.C. Paramagnetic resonance of S-state ions in metals, 2-12821
- Peter, M. See Wolff, P.A., 2-12683
- Peterkop, R. See Damburg, R., 2-22921
- Peterkop, R.K. Role of exchange in the excitation of 2s and 2p levels in the hydrogen atom by electrons, 2-14218
- Peterkop, R.K. Partial excitation cross-sections for hydrogen atoms, 2-16471
- Peterkop, R.K. Ionization of hydrogen atoms by electrons taking account of interference, 2-5303
- Peterlin, A., Fischer, E.W. and Reinbold, C. Thermodynamic stability of polymer crystals. II. Torsional vibrations of chain molecules, 2-23801
- Petermann, L.A., Lux, B., Degras, D.A. and Schram, A. The pulsed thermal desorption of stainless steel NS-225 in high vacuum, 2-23920
- Peters, B. Primary cosmic radiation and extensive air showers, 2-5758
- Peters, B. The role of hyperons in extensive air showers and in other high-energy phenomena, 2-5763
- Peters, C.W. and Snyder, A.L. Optimum location of BF $_3$ counters in a neutron moderator, 2-5693
- Peters, C.W. See Bass, M., 2-9388
- Peters, C.W. See Edwards, D.F., 2-23528
- Peters, C.W. See Fox, K., 2-16544
- Peters, D. Population analyses of the S.C.F. wave functions of ammonia, 2-14317
- Peters, F.G. See Sinclair, W.R., 2-17901
- Peters, L., Jr and Green, R.B. Echo area of a plasma-coated sphere, 2-3170
- Petersen, E.L. See Clark, D.J., 2-9662
- Petersen, F.R. and Shugart, H.A. Nuclear spin, hyperfine structure, and nuclear moments of 64-hour yttrium-90, 2-3462
- Petersen, F.R. and Shugart, H.A. Nuclear spin, hyperfine structure, and nuclear moments of 6-8-day lutetium-177, 2-9994
- Petersen, G.F. See Cathcart, J.V., 2-17066
- Peterson, A.M. See Egan, R.D., 2-9020
- Peterson, A.M. See Eshleman, V.R., 2-15394
- Peterson, D.G. Noise performance of transistors, 2-16745
- Peterson, D.T. and Fattore, V.G. Calcium-calcium hydride phase system, 2-2405
- Peterson, G.A. Magnetic form-factors by 180° electron scattering, 2-23798
- Peterson, G.A. and Barber, W.C. Deuteron magnetic dipole disintegration by 180° electron scattering, 2-22658
- Peterson, G.E. and Bridenbaugh, P.M. Direct observation of rise of fluorescence in Tb^{3+} following a short burst of ultraviolet excitation, 2-23602
- Peterson, J.M. Neutron giant resonances—nuclear Ramsauer effect, 2-3588
- Peterson, J.R. See Cook, C.J., 2-17897
- Peterson, J.R. See Cook, C.J., 2-22175
- Peterson, J.W. See Jones, L.M., 2-24001
- Peterson, L.E. and Howard, R.L. Gamma-ray astronomy in space in the 50 keV to 1 MeV region, 2-4707
- Peterson, L.E. and Nitardy, J.H. Simple circuit for a phoswich scintillation counter, 2-1370
- Peterson, R.L. See Schieve, W.C., 2-13282
- Peterson, R.W. The field induced by eddy currents in a semi-infinite solid, 2-11751
- Peterson, T.J., Jr and Tomboulis, D.H. Low-energy continuous X-ray spectrum in the 80 Å to 180 Å region, 2-3311
- Peterson, V.Z. See Bertanza, L., 2-13799
- Peterson, V.Z. See Roos, C.E., 2-438
- Petford, A.D. True-intensity attachment for a MBII micro-photometer, 2-22010
- Pethica, B.A. See Bell, G.M., 2-17429
- Pethica, B.A. See Hill, M.P., 2-15942
- Petiau, J. Dielectric dispersion in crystals of lithium fluoride irradiated with neutrons, 2-23492
- Peticolas, W.L. Molecular weight distribution of polymers from rheological measurements in dilute solution, 2-2036
- Petin, G.P. Waves in electron streams, 2-20010
- Petit, G. and Delbove, F. Determination of the heat and entropy of fusion of alkaline-earth fluorides, by the cryometric method at high temperature, 2-9463
- Petit, G.Y. See Bragança, F., 2-410
- Petit, J.L. See Eyraud, L., 2-20933
- Petmezas, G. See Dowell, J.D., 2-22641
- Petrakis, L. See Lamport, J.E., 2-5756
- Petrakis, L. Lattice energy and stability of chromium monohalides, 2-10296
- Petrakis, L. and Sederholm, C.H. Remarks on J.I. Musher's's comment to our paper, 2-10282
- Petrakis, M. Singularities of Jost functions and potentials, 2-11244
- Petrascu, E. Calculation of the performance of travelling-wave line accelerators, 2-20067
- Petrascu, M.G. See Ignatenko, A.E., 2-14226
- Petrascu, M.G. See Ignatenko, A.E., 2-14232
- Petrash, G.G. See Zubov, V.A., 2-1264
- Petrashen', M.I. See Abarenkov, I.V., 2-608
- Petrashku, M.G. See Egorov, L.B., 2-22548

- rashku, M.G. See Ignatenko, A.E., 2=22930
- ravić, M. See Ilakovac, K., 2=1689
- ravić, M. See Ilakovac, K., 2=1728
- ravić, M. See Ilakovac, K., 2=1729
- ravić, M. See Ilakovac, K., 2=1900
- ravić, M. See Kuo, L.G., 2=3200
- ré, G. See Defay, R., 2=21884
- rella, R.V. See Pace, E.L., 2=13484
- říček, V. See Burget, J., 2=4247
- rie, D.P.R. See Rout, V.M., 2=5535
- rie, H.E. See Koch, J.W., 2=16064
- rie, M. See Hamilton, W.C., 2=4358
- rie, R.M. The Scorpio—Centaurus cluster and the galactic distance scale, 2=4830
- rina, D.Ya. Analytical properties of partial waves of scattering amplitude in perturbation theory, 2=21833
- ritz, R.L. Contributions of materials technology to semiconductor devices, 2=16748
- ritz, R.L. See Adams, H.D., 2=407
- riu, I. See Literat, R., 2=4617
- rov, A.A. See Yakovleva, T.V., 2=16547
- rov, V.M. Nonlinear properties of ferroelectrics at microwave frequencies, 2=16786
- rov, Yu.I. A new method of evaporation of aluminium from tungsten wire, 2=22093
- rocelli, A.W. See Fineman, M.A., 2=1385
- rocelli, A.W. See Fineman, M.A., 2=3788
- roff, I. See Hershberger, W.D., 2=3035
- rosyan, Z.A. See Vartapetyan, G.A., 2=3489
- rov, A.M. Angular distribution of α -particles from the $\text{Li}^7(p, \alpha)\text{He}^4$ reaction, 2=20624
- rov, A.V. and Shtrum, E.L. Thermal conductivity and chemical binding of ABX₃ compounds, 2=20947
- rov, N.I. See Nyagu, D.V., 2=10131
- rov, A.A. See Zaidel', A.N., 2=1971
- rov, Iu.G. See Bak, M.A., 2=1939
- rov, N.I. See Anikina, M.Kh., 2=7898
- rov, V.A. See Kirillin, V.A., 2=18528
- rov, V.I. Characteristics of an ion beam from a radio-frequency source, 2=223
- rov, V.I. Zirconium targets on copper and silver base-layers, 2=17979
- rov, V.I. See Komarov, R.M., 2=222
- rov, V.I. See Serbinov, A.N., 2=1515
- rov, Yu.I. See Gen, M.Ya., 2=3337
- rukhin, V.I. See Dunaitsev, A.F., 2=11973
- rukhin, V.I. See Dunaitsev, A.F., 2=11974
- rukhin, V.I. See Dunaitsev, A.F., 2=20383
- rukhin, V.I. See Dunaitsev, A.F., 2=20384
- rukhin, V.I. See Dunaitsev, A.F., 2=22587
- rukhin, V.I. See Dunaitsev, A.F., 2=22588
- runin, A.P. See Al'tshuler, L.V., 2=2759
- runin, A.P. See Al'tshuler, L.V., 2=12847
- rusevich, R.L., Sollertinskaya, E.S. and Pavlova, O.I. Detection of dislocations on the plane (111) of gallium arsenide by means of etching, 2=18588
- rusevich, V.A. Determination of semiconductor parameters by means of the photoconductive compensation of the photomagnetic effect, 2=18669
- rusevich, V.A. and Lobanova, T.N. Investigation of nonlinear photoconductivity in silicon, 2=10538
- rusevich, V.A., Sorokin, O.V. and Kruglov, V.I. Concerning the applicability of "the effective surface recombination velocity" parameter in Ge and Si, 2=10476
- rusević, V.A. See Žuze, V.P., 2=23399
- rusevich, R.L., Sollertinskaya, E.S. and Pavlova, O.I. Detection of dislocations on the plane (111) of gallium arsenide by means of etching, 2=23196
- rzhak, K. See Adamov, V., 2=10111
- rzhak, K. See Graudinya, L., 2=22819
- rzhak, K.A. and Flerov, G.N. Spontaneous fission of nuclei, 2=8012
- rzhak, K.A. and Yakunin, M.I. Investigation of the α -radioactivity of a natural platinum, 2=3502
- rzhak, K.A. and Sedletsii, R.V. $4-\pi$ counter for measuring weak activities, 2=20203
- rzhak, K.A. See Adamov, V.M., 2=16446
- rzhak, K.A. See Bak, M.A., 2=1939
- rzhak, K.A. See Bak, M.A., 2=16417
- rzhak, K.A. See Graudinya, L.Ya., 2=10114
- rzhak, K.A. See Vasil'ev, I.A., 2=20316
- žilka, V. See Ciulli, I., 2=22574
- schek, H. See Fishman, F.J., 2=13363
- Pettengill, G.H. A new technique for investigation of meteor echoes at u.h.f., 2=9114
- Pettengill, G.H., Briscoe, H.W., Evans, J.V., Gehrels, E., Hyde, G.M., Kraft, L.G., Price, R. and Smith, W.B. A radar investigation of Venus, 2=13174
- Pettengill, G.H. See Arthur, J.S., 2=13202
- Pettersson, A.V. and Lindgren, B. The $b^1\Pi-d^1\Sigma$ transition of TiO , 2=22975
- Pettersson, B.G., Croft, W.L. and Hamilton, J.H. Search for the anomalous beta-gamma directional correlation in Au^{198} , 2=18296
- Pettersson, B.G. See Gerholm, T.R., 2=10060
- Pettersson, H. Cosmic spherules and meteoritic dust, 2=17269
- Pettit, G.D. See Sorokin, P.P., 2=16815
- Pettit, G.D. See Title, R.S., 2=23708
- Pettus, W.G. Neutron age measurements in metal-water lattices, 2=5680
- Petty, E.R. Hot hardness and other properties of some binary intermetallic compounds of aluminium, 2=2337
- Petty, R.L. See Pretzel, F.E., 2=18572
- Petukhov, V.A., et al. Model of a ring phasotron, 2=3120
- Petukhov, V.A. See Benda, F., 2=15971
- Petukhov, V.A. See Burshtein, E.L., 2=5412
- Petukhov, V.A. See Burshtein, E.L., 2=9660
- Petukhov, V.A. See Burshtein, E.L., 2=17913
- Petukhova, T.M. See Bogachev, I.N., 2=21441
- Petushkov, A.A. and Estulin, I.V. Nuclear matrix elements for the $\text{La}^{140}\beta$ -transition, 2=16354
- Petushkov, A.A. See Estulin, I.V., 2=18288
- Petushkov, A.A. See Melioranskii, A.S., 2=7544
- Petzel, B. The temperature dependence of secondary electron emission from ionic crystals, 2=7652
- Pevsner, A., Kraemer, R., Nussbaum, M., Richardson, C., Schlein, P., Strand, R., Toohig, T., Block, M., Engler, A., Gessaroli, R. and Meltzer, C. Evidence for a three-pion resonance near 550 MeV, 2=5719
- Pevsner, A., Kraemer, R., Nussbaum, M., Schlein, P., Toohig, T., Block, M., Kovacs, A. and Meltzer, C. Three-pion resonances in π^+-D reactions, 2=22572
- Pevzner, M.I. See Efimov, B.V., 2=18140
- Peyses, I. See Navez, M., 2=2417
- Peyerimhoff, S. See Löb, H., 2=20042
- Peyrou, C. See Bartke, J., 2=13883
- Pezzoli, G. The energy method in the study of wave motions, 2=13315
- Pfahnl, A. Preparation and properties of ZnO phosphors, 2=16854
- Pfann, W.G. Improvement of semiconducting devices by elastic strain, 2=10499
- Pfann, W.G. Zone melting, 2=13229
- Pfann, W.G. Isotropically piezoresistive semiconductor, 2=14540
- Pfann, W.G., Patel, J.R. and Theurer, H.C. Batch evaporation of crystallization at constant composition by a two-container method, 2=16991
- Pfann, W.G. See van Roosbroeck, W., 2=14520
- Pfeffer, G., Lami, H., Laustriat, G. and Coche, A. A spectrophotometer for low-intensity pulsed light sources, 2=7357
- Pfeffer, G., Laustriat, G. and Coche, A. Apparatus for analysis of the pulse of a fast photomultiplier, 2=5266
- Pfeffer, R.L. A multi-layer model for the study of acoustic-gravity wave propagation in the earth's atmosphere, 2=15185
- Pfeffer, R.L. and Zarichny, J. Acoustic-gravity wave propagation from nuclear explosions in the earth's atmosphere, 2=15186
- Pfeffer, W. Specific heat of $\text{LuCl}_3 \cdot 6\text{H}_2\text{O}$ between 1.4°K and 220°K — the upper ground state levels of Ho-, Er- and Nd-chlorides, 2=16606
- Pfeffer, W. See Hellwege, K.H., 2=20936
- Pfeifer, H. Spin echoes, 2=7776
- Pfeifer, H. Proton relaxation and hydration in aqueous solutions of manganese ions, 2=15620
- Pfeifer, H. See Frigge, K., 2=5501
- Pfeiffer, A. The proof of Schuler's theorem, 2=13296
- Pfeiffer, A. On the optimal forms of mechanical motions, 2=17391
- Pfeiffer, H. Investigation of the flow past cylinders at high velocities, 2=15534
- Pfeiffer, W. and Seeger, A. Plastic properties of nickel-cobalt single crystals, 2=16958
- Pfender, E. and Bloss, W. On the possibility of continuous control of electron-currents in rarified gases, 2=9627
- Pfirsch, D. Electrostatic stability of a non-Maxwellian homogeneous plasma, 2=13560
- Pfister, J.C. See Baruch, P., 2=12458
- Pfisterer, H., Fuchs, E. and Liesk, W. Electron microscopy of ferroelectric domains in thin single-crystal laminae of BaTiO_3 , 2=14642
- Pflegler, J., Schmidt-Rohr, U. and Turek, P. The proton spectra of (d, p) reactions on heavy nuclei with deuteron energies less than 12 MeV, 2=10135

AUTHOR INDEX

- Pflug, K. See Jäger, F.W., 2=11127
 Pfohl, R., Gegauß, C. and Lonchamp, J.P. Reactions of 200 MeV Ne^{20} with the constituents of nuclear emulsions, 2=505
 Pfohl, R. See Cüer, P., 2=504
 Pfozter, G., Ehmert, A., Erbe, H., Keppler, E., Hultqvist, B. and Ortnier, J. A contribution to the morphology of X-ray burst in the auroral zone, 2=9023
 Pfundner, J. Strike notes of bells, 2=19657
 Phaal, C. See Evans, T., 2=23180
 Pham-Dinh-Lien and Marquez, L. Study of the reaction $\text{C}^{12}(\text{Li}^6, \alpha)\text{N}^{14}$, 2=16440
 Pham-Dinh-Lien. See Marquez, L., 2=502
 Pham, F. See Iztykson, C., 2=13868
 Pham Xuan Yem. Lorentz condition and Coulomb interaction in non-local theory, 2=9762
 Pham Zuy Hien. See Fam Zui Khien.
 Phan Van Chuong. See Colombie, N., 2=1494
 Pharo, W. See Mandelkorn, J., 2=10543
 Phat Vinh, A. Le. See Le Phat Vinh, A.
 Phelps, A.V. See Frost, L.S., 2=20885
 Phelps, A.V. See Pack, J., 2=19900
 Phelps, F.T. 1961 Midwest Solid State Conference, 2=12359
 Philbert, G. See Bastard, C., 2=5715
 Philbert, G. See Burdet, A., 2=14094
 Philip, R. See Barras, H., 2=23917
 Philipp, H.R., Dash, W.C. and Ehrenreich, H. Piezoreflectance in Ge, 2=18799
 Philipp, H.R. and Ehrenreich, H. Observation of d bands in 3-5 semiconductors, 2=16809
 Philipp, H.R. and Taft, E.A. Optical properties of diamond in the vacuum ultraviolet, 2=16831
 Philipp, H.R. See Ehrenreich, H., 2=18673
 Philipp, W. Evidence of metallic bonding in TiN, 2=14350
 Philippoff, W. See Gerrard, J.E., 2=19523
 Phillips, D.C. See Arndt, U.W., 2=10814
 Phillips, G.C. See Jones, C.M., 2=10673
 Phillips, J. and Bratoz, S. The calculation of vibration wave functions for OH...O systems linked by hydrogen bonds, 2=12315
 Phillips, J. and Parsons, N.R. Some experiments with a mobile neutron monitor, 2=12052
 Phillips, J.C. Band structure of silicon, germanium, and related semiconductors, 2=8345
 Phillips, J.C. Crystal hybridisation and the covalent bond, 2=23027
 Phillips, J.C. and Cohen, M.H. A new approach to ionic character in solids, 2=3806
 Phillips, J.C. and Liu, L. Bonding and antibonding spin-orbit splittings, 2=14537
 Phillips, J.C. See Brust, D., 2=21117
 Phillips, J.C. See Cohen, M.H., 2=2041
 Phillips, J.C. See Cohen, M.H., 2=15847
 Phillips, J.C. See Ehrenreich, H., 2=18673
 Phillips, J.C. See Kleinman, L., 2=3808
 Phillips, L.F. and Schiff, H.I. Mass spectrometric studies of atom reactions. I. Reactions in the atomic nitrogen-ozone system, 2=8909
 Phillips, L.F. and Schiff, H.I. Mass spectrometric studies of atom reactions. II. Vibrationally excited N_2 formed by the reaction of N atoms with NO, 2=17086
 Phillips, L.F. and Schiff, H.I. Mass spectrometric studies of atomic reactions. III. Reactions of hydrogen atoms with nitrogen dioxide and with ozone, 2=23953
 Phillips, L.F. and Schiff, H.I. Vibrationally excited O_2 molecules from the reactions of O atoms with NO_2 and with O_3 , 2=23954
 Phillips, L.W. Some results of a survey made in preparation for the conference on curricula for undergraduate majors in physics, 2=7104
 Phillips, M. See Gillam, E., 2=2426
 Phillips, N.A. See Ogura, Y., 2=17132
 Phillips, N.E. See Catalano, E., 2=23075
 Phillips, N.J. The formation and implosion of a current sheet in a gas discharge containing reversed magnetic fields, 2=3039
 Phillips, N.J. On the initial stages of a pinch discharge, 2=19967
 Phillips, R. and Lucas, J.H. Jigs to shape tips of hard specimens for use with the ultra microtome, 2=11235
 Phillips, R. and Lucas, J.H. Apparatus for the controlled orientation of crystallographic specimens for ultra-thin sectioning, 2=2373
 Phillips, R.J.N. On the analysis of the reaction $\pi^- + p \rightarrow \Lambda^0 + K^0$, 2=3385
 Phillips, R.J.N. Complex phase shifts and peripheral processes in N-N scattering, 2=5634
 Phillips, R.J.N. Neutron-neutron scattering length from final state interactions, 2=11949
 Phillips, R.J.N. A remark on peripheral interactions, 2=16142
 Phillips, R.J.N. Triangle inequalities for spin effects, 2=22429
 Phillips, R.J.N. See Hadjioannou, F., 2=20339
 Phillips, R.J.N. See Perring, J.K., 2=20332
 Phillips, T.G. See Lewis, M.F., 2=18913
 Phillips, V.A. Role of defects in evaporated silver films on the nucleation of sulfide "patches", 2=6846
 Phillips, V.A. and Dash, W.C. Electron microscopy of prismatic dislocations in silicon, 2=6347
 Phillips, V.A. and Hugo, J.A. Tilting stretching stage for the Elmia electron microscope, 2=19129
 Phillips, W.C. See Wang, S.P., 2=6868
 Phillips, W.D. See Eaton, D.R., 2=18466
 Phillips, W.R. See Marques, A., 2=18285
 Phillipson, P.E. Repulsive interaction between two ground-state helium atoms, 2=10221
 Phipps, R.L. and Bloom, J.H. Self degassing oil manometer, 2=5000
 Phipps, T.E. Re-entrant motion in special relativity, 2=19403
 Phipps, R.L. See Bloom, J.H., 2=5087
 Phong Chau Nguyen. See Nguyen Phong Chau.
 Piaggio, L. See Perdrisat, C.F., 2=10053
 Piattelli, M. Results of radio observations made during the total eclipse of the sun, February 15, 1961, 2=4838
 Piattelli, M. Solar radioastronomy research at Arcetri. IIIa. Measurement at 186 Mc/s-general principles, 2=7037
 Piaud, J.J. Apparatus for measurement of molecular optical anisotropy by Rayleigh scattering, 2=18474
 Piazzesi, G. See Bassi, A., 2=17057
 Picard, J. See Williamson, C., 2=470
 Picca, R. See Bardeau, H., 2=11690
 Piccioni, O. See Good, R.H., 2=317
 Piccioni, O. See Good, R.H., 2=22628
 Piccirelli, R.A. See Jackson, J.L., 2=5334
 Pichakhchi, L.D. The stability of the tangential burst in a rarefied plasma, 2=5336
 Pichakhchi, L.D. Magnetohydrodynamic waves in the second approximation, 2=11775
 Picht, W. See Gobrecht, H., 2=23406
 Pick, M. See Boischoat, A., 2=13158
 Pick, R. and Saint-James, D. On the transparency of Bloch walls, 2=12771
 Pick-Gutmann, M. See Martres-Trope, M.J., 2=21715
 Pick-Gutmann, M. See Martres-Trope, M.J., 2=21716
 Pickard, R.M. See Turner, J.A., 2=1213
 Pickard, R.W. See Simms, D.L., 2=11535
 Pickard, W.F. An explanation of the d.c. Sumoto effect, 2=7547
 Pickart, S.J. and Nathans, R. Alloys of the first transition series with Pd and Pt, 2=12729
 Pickart, S.J. See Alperin, H.A., 2=10684
 Pickup, E., Robinson, D.K. and Salant, E.O. Erratum: $\pi-\pi$ resonances $\pi-p$ interactions at 1.25 BeV, 2=5720
 Pickup, E., Robinson, D.K. and Salant, E.O., $p-p$ interactions at 2 BeV. II. Multiple pion production, 2=9839
 Pickup, E., Robinson, D.K. and Salant, E.O. Evidence for a $\pi-\pi$ resonance, 2=22571
 Pickup, E., Robinson, D.K. and Salant, E.O. Departures from one-pion exchange in 1.25 BeV $\pi-p$ interactions, 2=22576
 Pickup, E. See Fickinger, W.J., 2=9838
 Pickup, E. See Fickinger, W.J., 2=22505
 Picman, L. See Gottfried, K., 2=4961
 Picot, P. See Lévy, C., 2=2397
 Picou, J.L. See Cotton, E., 2=351
 Picou, J.L. See Gastebois, J., 2=487
 Picus, G.E. and Blir, G.L. The theory of deformation potential for semiconductors with complex bands, 2=23271
 Picus, G.S. Recombination processes in far infrared photoconductors, 2=8406
 Picus, G.S. See Palik, E.D., 2=23129
 Piddington, J.H. The cis-lunar magnetic field, 2=19277
 Piddington, J.H. Cosmic magnetic fields, 2=24081
 Pidgeon, C.R. See Smith, S.D., 2=23530
 Pidorya, M.M. See Andrievskii, A.I., 2=12392
 Pidorya, M.M. See Andrievskii, A.I., 2=14393
 Pidstryhach, Ya.S. and Pavlyna, V.S. General relations of the thermodynamics of solid solutions, 2=8857
 Pidstryhach, Y.S. and Pavlyna, V.S. Diffusion in a non-uniformly heated strained layer in the presence of mass exchange with surrounding medium, 2=23896
 Pidzirailo, M.S. See Vishnevskii, V.N., 2=6540
 Pidzirailo, N.S. See Vishnevskiy, V.N., 2=8570
 Piechele, P. See Bisi, F., 2=3719
 Piekara, A. Dielectric saturation and hydrogen bonding, 2=13355
 Piekarski, C. See Belbeoch, B., 2=10885
 Pien Nang-hua. See Byan' Nan-khua, 2=13446
 Pierce, C.B., Sander, H.H. and Kantz, A.D. Radiation induced humphreys structure in the I-V characteristics of Esaki diodes, 2=2342

- Arce, E.T. Attenuation coefficients for propagation at very low frequencies (v.l.f.) during a sudden ionospheric disturbance (s.i.d.), 2-5491
- Arce, E.T. See Schmidt, V.A., 2-9331
- Arce, J.R. Momentum and energy of waves, 2-1043
- Arce, J.R. Modes in sequences of lenses, 2-5140
- Arce, J.R. Communication satellites, 2-15417
- Arce, J.R. History of the microwave-tube art, 2-16051
- Arce, L., Jackson, R. and DiCianni, N. Microwave spectrum, structure, and dipole moment of F_2O , 2-3737
- Arce, W.L. See Brun, E., 2-18961
- Arce, W.L. See Brun, E., 2-22709
- Arcey, D.C. The transmission of thermal neutrons along air filled ducts in water, 2-22536
- Arcey, D.C. and Bendall, D.E. The transmission of fast neutrons along air filled ducts in water, 2-22535
- Arcey, G.R. The use of precipitation-hardened materials in radiation fields, 2-8264
- Arcey, G.R. The detection of displacement spikes by measuring the effect of particle size on the dissolution of precipitate particles by fast-neutron irradiation, 2-16647
- Arcey, G.R. and Whittin, J.L. Investigation of radiation damage in pure aluminium and aluminium-1% magnesium alloy by transmission electron microscopy, 2-16660
- Armarini, G.J. and Weir, C.E. A diamond cell for X-ray diffraction studies at high pressures, 2-23834
- Armen, A.P. See Korvezee, A.E., 2-17081
- Arnold, H. Neurophysiological mechanisms of critical flicker frequency and harmonic phenomena, 2-11222
- Aroni, J.J. See Attree, R.W., 5834
- Arroti, R.A. Verification of the inverse cube law in physical adsorption, 2-17070
- Arson, W.J., Jr. Perturbation analysis of the Navier-Stokes equations in Lagrangian form with selected linear solutions, 2-24016
- Arson, W.R., Griffin, H.C. and Coryell, C.D. Characterization of Ru^{107} , Ru^{108} , Rh^{107} and Rh^{108} , 2-20539
- Aucci, M. Further estimation of the age of universe: contemporaneity problem in relativistic physics, 2-6981
- Aucci, M. Circularity tendency due to relativistic effects in the orbits of low-velocity charged material particles in particular Coulomb fields, 2-7557
- Auri, G. Progress in photomultiplier tubes for scintillation counting and nuclear physics, 2-18005
- Arzak, J. On variations in the domain structure and dielectric permittivity of $BaTiO_3$ single crystals due to one-dimensional pressure, 2-2209
- Arschmann, H. Renormalization of two-component quantum electrodynamics, 2-1650
- Arschmann, H. Renormalization of two component quantum electrodynamics, 2-20225
- Arschmann, H. See Balachandran, A.P., 2-22651
- Arschmann, H. See Czapek, G., 2-20266
- Ate, L.H., Sharp, J.H., Kuwana, T. and Pitts, J.N., Jr. Paramagnetic resonance of some benzophenone derivatives in their phosphorescent state, 2-18476
- Arov, Yu.D. and Morozov, P.M. Ionization of nitrogen and oxygen in a pulsed discharge, 2-1387
- Arov, Yu.D. and Morozov, P.M. Ionization of neon, argon, helium, and hydrogen in a pulsed discharge, 2-1388
- Ayat, G. See Courtel, R., 2-21449
- Aud, P. Study of a perfect fluid distribution in the Jordan-Thiry unified field theory, 2-9180
- Att, M.T., Whitmarsh, D.C. and Brown, J.L., Jr. Scanned line hydrophone method of determining angle of arrival of sound in water, 2-9350
- Att, W.R. Note on the autocorrelation coefficients of K_p and its relation to M regions, 2-4766
- Azov, Yu.V. See Estrin, E.I., 2-23873
- Azov, Yu.V. See Vekilov, Yu.Kh., 2-23737
- Azov, Yu.V. See Vekilov, Yu.Kh., 2-18984
- Bachak, G.A. Fission barrier of a rotating nucleus, 2-16293
- Bachak, E.R. Focusing geometry in X-ray powder diffractometers, 2-10821
- Bal'ner, S.B. Formation of coronal condensations above active regions, 2-973
- Bal'ner, S.B. The influence of cosmic rays on the character of magnetic fields and filament formation in the shells of supernovae, 2-1022
- Balik, L.G. Effect of temperature on the electronic spectra of complex molecules in solutions, 2-14291
- Balik, L.G. and Sevchenko, A.N. Temperature dependence of the fluorescence efficiency of some phthalimides in different solvents, 2-17474
- Pikus, G. A new method for calculation of the energy spectrum of current carriers in semiconductors. I. Case when spin-orbit interaction is not taken into account, 2-633
- Pikus, G.E. A new method for calculating the energy spectrum of current carriers in semiconductors. II. Spin-orbit coupling is taken into account, 2-4010
- Pikus, G.E. Energy spectrum in crystals with tellurium lattice, allowing for spin-orbit interaction, 2-18711
- Pikus, G.E. A new method for calculation of the energy spectrum of current carriers in semiconductors. I. Case when spin-orbit interaction is not taken into account, 2-23302
- Pikus, G.E., Skvortsov, N.S. and Yur'ev, V.G. Measurement of electron mobility according to the variation of plasma resistance in a magnetic field, 2-9537
- Pikus, G.E. See Bir, G.L., 2-18661
- Pikus, G.E. See Bir, G.L., 2-21152
- Pikus, G.E. See Bir, G.L., 2-23245
- Pilat, I.M., Anatychuk, L.I. and Lyubchenko, A.V. Thermal conductivity of cadmium antimonide, 2-20949
- Pilipenko, D.V. and Fogel', Ya.M. Electron capture and loss by fast hydrogen atoms passing through molecular gases, 2-14182
- Pilipenko, Yu.K. See Buyanov, R.A., 2-9469
- Pilipenko, Yu.K. See Buyanov, R.A., 2-17706
- Pilipenko, Yu.K. See Zel'dovich, A.G., 2-7467
- Pilipenko, Yu.K. See Zel'dovich, A.G., 2-17708
- Pilkun, H. Charge branching ratios for peripheral meson-nucleon collisions, 2-5633
- Pilkun, H. Differences between cross-sections in the multiperipheral model, 2-22599
- Pillai, M.G. Krishna. See Krishna Pillai, M.G.
- Piller, H. and Potter, R.F. Faraday rotation near the band edge of silicon, 2-23534
- Pillow, M.E. and Smallwood, S.E.F. Intensity ratios in a v' progression of the second positive system of N_2 , 2-20812
- Pil'nik, G.P. The origin of $\Delta\alpha$ errors, 2-21683
- Pilod, P. and Sonier, F. Electron sources with high brilliance, 2-3067
- Pil'shchikov, A.I., Slovokhotova, Z.D. and Bazaron, U.B. Dependence of the resonance field in ferrite monocrystals on temperature and sample dimensions, 2-16929
- Pil'shchikov, A.I., Slovokhotova, Z.D. and Bazaron, U.B. Dependence of the resonance field in ferrite monocrystals on temperature and sample dimensions, 2-18935
- Pilyankevich, A.N. See Vyatskin, A.Ya., 2-17891
- Pilyankevich, A.N. See Vyatskin, A.Ya., 2-20035
- Pimbley, W.T. and Müller, E.W. A search for polarization of field emitted electrons, 2-5368
- Pimentel, G.C., Bulanin, M.O. and Van Thiel, M. Infrared spectra of ammonia suspended in solid nitrogen, 2-4151
- Pimentel, G.C. See Brocklehurst, B., 2-12637
- Pin Tsun'-Tsin, See Vysochanskii, M., 2-19860
- Pinard, J. See Connes, P., 2-11492
- Pinard, J. See Connes, P., 2-15740
- Pincherle, L. and Lee, P.M. The electronic band structure of a model of a cubic crystal, 2-2063
- Pincherle, L. and Lee, P.M. On the momentum eigenfunctions for the periodic problem, 2-20963
- Pincherle, L. and Lee, P.M. The effect of the potential on the band structure of a model of a simple cubic lattice, 2-23104
- Pincus, A.G. See Bean, C.P., 2-22119
- Pincus, P. Propagation effects on ferromagnetic resonance in dielectric slabs, 2-6684
- Pincus, P. and Winter, J. Influence of magnon-phonon coupling on the low-temperature magnetic properties of an antiferromagnet, 2-755
- Pincus, P.A. See de Gennes, P.G., 2-12829
- Pincus, P.A. See de Gennes, P.G., 2-21353
- Pine, J. See Yount, D., 2-16187
- Pineo, V.C. and Briscoe, H.W. Discussion of incoherent backscatter power measurements at 440 Mc/s, 2-7767
- Pines, B.Ya. The problem of directional self-diffusion in solids under the action of a temperature gradient, 2-8237
- Pines, B.Ya. and Chaikovskii, E.F. Does plastic deformation accelerate or slow down diffusion in metals? 2-8250
- Pines, B.Ya. and Chaikovskii, E.F. Investigation of the recrystallization kinetics of cold-deformed iron, 2-8851
- Pines, B.Ya. and Chaikovskii, E.F. Do plastic deformations accelerate or retard diffusion in metals? 2-23210
- Pines, B.Ya. and Chaikovskii, E.F. Investigation of the kinetics of recrystallization in cold-deformed iron, 2-23888
- Pines, B.Ya. and Grebennik, I.P. High-temperature electron diffraction apparatus with three magnetic lenses and an evaporation chamber, 2-8900

- Pines, B. Ya., Ivanov, I. G. and Smushkov, I. V. Partial diffusion and self-diffusion coefficients of alloys of the copper-nickel system, 2=21059
- Pines, B. Ya. and Kuznetsova, R. I. Variation of submicroscopic porosity in electrodeposited iron films after annealing under a load, 2=19108
- Pines, B. Ya. and Kuznetsova, R. I. Variation of submicroscopic porosity in electrodeposited iron films after annealing under a load, 2=23916
- Pines, B. Ya. and Sirenko, A. F. Dependence of the rate of creep and lifetime under load on the composition of the metal alloy systems iron-carbon and iron-copper at high temperatures, 2=23761
- Pines, B. Ya. and Sivochub, V. A. Structural changes in copper single crystals during creep at elevated temperatures, 2=21435
- Pines, D. and Schrieffer, J. R. Approach to equilibrium of electrons, plasmons, and phonons in quantum and classical plasma, 2=3881
- Pines, D. See Ichimaru, S., 2=11683
- Pines, D. See Miller, A., 2=19796
- Pines, D. See Wyld, H. W., Jr., 2=19937
- Pingel, H. and Siekmeier, E. W. Determination of line form from the line contour of self-reversing lines. III. Confirmation of the method by direct measurements, 2=7366
- Pings, C. J. and Paalman, H. H. Structure of liquid nitrogen, 2=21894
- Pings, C. J. See Paalman, H. H., 2=17434
- Pinho, A. De. See De Pinho, A.
- Pinho, A. G. De. See De Pinho, A. G.
- Pinkau, K. See Duthie, J., 2=12102
- Pinkel, B. and Young, G. B. W. A discussion of the correlation of critical conditions for bare homogeneous reactors, 2=8023
- Pinkston, W. T. Nuclear parameters of the $\text{Be}^9(\text{d}, \text{p})\text{Be}^{10}$ reaction, 2=5960
- Pinkston, W. T. Shell theory and Pb^{208} II, 2=20517
- Pinnington, E. H. The argon II spectrum enhanced by a magnetic field, 2=20744
- Pinnow, D. A., Li Che-Yu and Spencer, C. W., Determination of thermal diffusivity by utilization of the thermoelectric effect, 2=4080
- Pinsker, Z. G. See Alieva, A. G., 2=2393
- Pinsker, Z. G. See Troitskaya, N. V., 2=4416
- Pinski, G. Resonant statistical model of particle production, 2=13731
- Pinsky, M. A. See Jordan, T. F., 2=21816
- Pintar, M. See Blinc, R., 2=2208
- Pintar, M. See Maricic, S., 2=14855
- Pinter, T. On an osmotic deviation coefficient, 2=17454
- Piper, J. Hall effect in single-crystal TiC, 2=16684
- Piper, J. See Harris, L., 2=4153
- Piper, T. S. Intensities and optical activity of trisoxal-atometallates, 2=18796
- Piper, T. S. and Carlin, R. L. Crystal spectrum of chromium acetylacetonate and the ligand field in trigonal coordination compounds, 2=16836
- Piper, T. S. and Drago, R. S. Spin-forbidden transition of NO observed in solution spectra, 2=1148
- Piper, T. S. and Karipides, A. Optical activity of trigonal coordination compounds, 2=23524
- Piper, T. S. See Johnson, K. E., 2=17463
- Piper, W. W. See Halsted, R. E., 2=23593
- Pipinis, P. A. A simultaneous study of photostimulated and thermally stimulated luminescence and electron emission in alkali halide phosphors, 2=4167
- Pipinis, P. A. See Levshin, V. L., 2=16846
- Pipinis, P. A. See Levshin, V. L., 2=16877
- Pipinis, P. A. See Shamovskii, L. M., 2=14711
- Pipkin, A. C. and Rivlin, R. S. Electrical conduction in a noncircular rod, 2=2995
- Pipkin, A. C. and Rivlin, R. S. Non-rectilinear current flow in a straight conductor, 2=9515
- Pipkin, F. M. and Lambert, R. H. Hyperfine splittings of hydrogen and tritium. II, 2=18407
- Pipkin, F. M. See Lambert, R. H., 2=22911
- Pipkin, F. M. See Frankel, S., 2=13831
- Pippard, A. B. Quantization of coupled orbits in metals, 2=23101
- Pippel, W. See Lange, W., 2=21900
- Pippia, J. E. See Rodrigue, G. P., 2=14804
- Pirenne, J. and Renson, P. Thermodynamic properties of the monoatomic linear chain, 2=10332
- Pirlogea, P. See Teutsch, H., 2=5694
- Pirlogea, P. See Teutsch, H., 2=5695
- Pirogova, L. B. See Vereschagin, L. F., 2=23780
- Pirogova, N. V. Fine structure of absorption spectra of polycrystalline CdS films, 2=4133
- Pirogova, N. V. Reflection spectra of polycrystalline cadmium sulphide films at 77.3°K, 2=4134
- Pirogova, N. V. See Shalimova, K. V., 2=4132
- Piron, C. Lattice structure of certain quantum variables, 2=15483
- Piron, C. See Stueckelberg, E. C. G., 2=2629
- Piroué, P. A. See Fitch, V. L., 2=5733
- Piroué, P. A. See Fitch, V. L., 2=14095
- Piroué, P. A. See Von Dardel, G., 2=22592
- Pirozhkov, B. I. The measurement of sound velocity and absorption solids, 2=19653
- Pirozhkov, S. V. See Baranov, S. A., 2=3490
- Pirozhkov, S. V. See Baranov, S. A., 2=3501
- Pirson, A. and Wert, C. The Zener relaxation in ternary Au-Ag-Zr alloys, 2=21397
- Pisanko, A. I. See Averin, V. G., 2=170
- Pisanko, A. I. See Averin, V. G., 2=22189
- Pisarenko, N. F. See Papkov, S. F., 2=19357
- Pisarenko, N. F. See Savenko, I. A., 2=18210
- Pisarenko, N. F. See Savenko, I. A., 2=18211
- Pisarenko, N. F. See Savenko, I. A., 2=19356
- Pisarenko, N. F. See Savenko, I. A., 2=22668
- Pisarenko, N. F. See Vernov, S. N., 2=920
- Pisarenko, N. F. See Vernov, S. N., 2=9028
- Pisarenko, N. F. See Vernov, S. N., 2=11084
- Pisarenko, N. F. See Vernov, S. N., 2=16256
- Pisarenko, N. F. See Vernov, S. N., 2=19250
- Pisarenko, N. F. See Vernov, S. N., 2=19252
- Pisarenko, V. F. Prebreakdown phenomena in KCl at temperatures 250°-350°C, 2=8470
- Pisarev, A. F. See Nikanorov, V. I., 2=16196
- Pisareva, V. V. On the question of the limits of applicability of the method of smooth perturbations in the problem of propagation of radiation through a medium containing inhomogeneities, 2=1229
- Pisareva, V. V. On the question of the limits of applicability of the method of smooth perturbations in the problem of propagation of radiation through a medium containing inhomogeneities, 2=7298
- Pisarevskii, A. N. See Belozerskii, G. N., 2=8586
- Pisarevskii, A. N. See Lomonosov, I. I., 2=5522
- Pisarevskii, A. N. See Nemilov, Yu. A., 2=3211
- Pisarevskii, A. N. See Vyazemskii, V. O., 2=1353
- Pisarevskii, A. N. See Vyazemskii, V. O., 2=1367
- Pisarevskii, A. N. See Vyazemskii, V. O., 2=19858
- Pisarevskii, A. N. See Vyazemskii, V. O., 2=22360
- Pisent, G. See Demanins, F., 2=3420
- Pisharoty, P. R. and Srivastava, B. J. Rise times versus magnitudes of sudden commencements of geomagnetic storms, 2=19263
- Piskorz, Sh. See Aleksandrov, Yu. A., 2=13988
- Piskov, M. P. and Usova, I. N. Differential ionization chamber as a bremsstrahlung monitor for a synchrotron, 2=1623
- Piskovoi, V. N. Frenkel exciton in crystals of various symmetries, 2=20973
- Piskunov, A. K. See Muromtsev, V. I., 2=19841
- Pis'mennyi, V. A. See Shafranovskii, I. I., 2=4365
- Pistunovich, V. I. and Shafranov, V. D. Cyclotron radiation by ions in plasma, 2=192
- Pistunovich, V. I. See Golovin, I. N., 2=7632
- Pitaevskii, L. P. See Dzyaloshinskii, I. E., 2=6243
- Pitaevskii, L. P. See Gor'kov, L. P., 2=9473
- Pitaevskii, L. P. Recombination of electrons in a monoatomic gas, 2=15890
- Pitcher, E., Buckingham, A. D. and Stone, F. G. A. Spectroscopic studies of organometallic compounds. V. Fluorine nuclear magnetic resonance spectra of some perfluoroalkyl and perfluoroacyl compounds, 2=2021
- Pither, C. M. The cusp caps of Venus, 2=13107
- Pithey, E. R. See Lord, P., 2=4300
- Pitteway, M. L. V. and Cohen, R. A waveguide interpretation of "tent latitude spread F" on equatorial ionograms, 2=11065
- Pittman, C. W. See Schroeder, W., 2=11204
- Pitts, E. and Priestley, P. T. Constant sensitivity bridge for thermometers, 2=2968
- Pitts, E. and Willets, F. W. The determination of crystallite size from diffraction profiles using standard deviation as a measure of breadth, 2=4503
- Pitts, E. See Farnell, G. C., 2=602
- Pitts, J. N., Jr. See Piette, L. H., 2=18476
- Pitwell, L. R. Equations for working curves in emission spectroscopy, 2=19180
- Pitzer, K. S. Solubility and the nature of bonding in fused alkali halide metal systems, 2=17449
- Pitzer, K. S. See Beckman, T. A., 2=1151
- Pitzer, K. S. See Danon, F., 2=2677
- Pitzer, K. S. See Danon, F., 2=15643
- Pitzer, R. M., Kern, C. W. and Lipscomb, W. N. Evaluation of molecular integrals by solid spherical harmonic expansions, 2=18440
- Pivovar, L. I., Tubaev, V. M. and Novikov, M. T. Electron loss and capture by 200-1500 keV helium ions in [various] gases, 2=22169

- var,L.I.,Novikov,M.Y. and Tubaev,V.M. Electron capture by helium ions in various gases in the 300-1500 keV energy range, 2=17792
- var,L.I.,Tubaev,V.M. and Novikov,M.T. Electron loss and capture by 200-1500 keV helium ions in [various] gases, 2=162
- onka,R. Luminescence of mixed crystals of calcium tungstate under X-ray excitation, 2=6597
- ey,R.E.,Szostak,R. and Gobbi,B. Excited state lifetime measurements using a pulsed beam accelerator and coincidence methods, 2=20501
- ey,R.E. See Gobbi,B., 2=20614
- ey,R.E. See Gobbi,B., 2=5902
- a,A.F.T. See Goldman,D., 2=16382
- er,H.I. New pulse encoder, 2=5279
- arello,F.A. Preparation of solid solutions of GaP and GaAs by a gas phase reaction, 2=10921
- ella,G.,Laughlin,C.D. and O'Brien,B.J. Note on the electron energy spectrum in the inner Van Allen belt, 2=24052
- ella,G.,McIlwain,C.E. and Van Allen,J.A. Time variations of intensity in the earth's inner radiation zone, October 1959 through December 1960, 2=17206
- zini,S. See Bertozzi,G., 2=13704
- rrou,G.M.,Prowse,D.J.,Schlein,P.,Slater,W.E.,Stork,D.H. and Ticho,H.K. Resonance in the $(-\pi)$ system at 1.53 GeV, 2=22634
- rrou,G.M. See Goldhaber,S., 2=22635
- ca,S.La. See La Placa,S.
- ce,H. Rapid modulation of microwaves (S-band) on a coaxial line using ferrites, 2=1597
- khov,A.G. See Butslov,M.M., 2=19981
- ksin,I.N.,Deer,Yu.S. and Starchik,L.P. Method of preparation of low-activity Polonium α -emitters, 2=20444
- ne,D.E. See Cundy,D.C., 2=5716
- no,R. See Samios,N.P., 2=13842
- nta,C.van. See van Planta,C.
- ntinga,G.H. The noise temperature of a plasma, 2=9596
- s,T.van der. See van der Plas,T.
- skett,H.H. Limb darkening and solar rotation, 2=13125
- ss,G.N. See Stull,V.R., 2=22978
- ss,G.N. See Wyatt,P.J., 2=22939
- ss,K. See Kuttruff,H., 2=2725
- onov,A.K. See Enseev,T.M., 2=9119
- onov,P.A. See Dubrovin,K.P., 2=23769
- onov,P.A. See Pravdyuk,N.F., 2=23765
- onov,V.M. See Ermakov,V.I., 2=17975
- ttner,R. See Huber,P., 2=5925
- ttner,R. See Huber,P., 2=9867
- ttner,R. See Wagner,R., 2=7672
- tzman,G.W. The analytical dynamics of the spectral vorticity equation, 2=24018
- tzman,P.M. Ground-state energy of bound polarons, 2=10362
- tzman,P.M. See Feynman,R.P., 2=18557
- tzman,R.L. See Durup,J., 2=12480
- vina,I.Z. See Levinson,I.B., 2=15756
- vina,I.Z. See Levinson,I.B., 2=19733
- bański,J. On algebraical properties of skew tensors, 2=15989
- bański,J. On some applications of algebraical properties of skew tensors, 2=15990
- bański,J. and Rytén,J. Projections as observables, 2=2613
- bański,J. See Mielnik,B., 2=11259
- ndl,H.S. See Nelson,J.W., 2=1929
- ndl,H.S. See Nelson,J.W., 2=10105
- ndl,J.N. and Gielisse,P.J. Hardness of nonmetallic solids on an atomic basis, 2=4348
- shvltsev,N.V. Measurement of current density in ion beams by means of cathode sputtering, 2=20045
- shko,M.P. See Khirmian,A.V., 2=12081
- shko,M.P. See Khirmian,A.V., 2=13924
- shkov,A.V. See Popov,L.E., 2=10909
- shkov,A.V. See Popov,L.E., 2=15058
- shkova,T.F. The $L\alpha$ radiation field in planetary nebulae, 2=24155
- skov,Yu.V. Electrochemical behaviour of gallium arsenide, 2=16754
- skov,Yu.V. The nature of free carriers in reduction reactions on germanium cathode in aqueous solutions, 2=23966
- skov,Yu.V. See Krotova,M.D., 2=10474
- skov,Yu.V. See Tyagai,V.A., 2=19153
- ss,I.A. See Chretien,M., 2=22610
- ss,M.S. See Hsieh,D.-Y., 2=9277
- ve,A.A. See Polikanov,S.M., 2=16442
- shocki,Z. See Kaliski,S., 2=21800
- nsky,R. Surface current measurements with an electric probe, 2=17734
- us,M.A. Diffraction of a plane wave by a perfectly conducting sphere with a concentric shell, 2=7751
- Plotinaru,D. See Martalogu,N., 2=5808
- Plotinaru,D. See Martalogu,N., 2=5809
- Plotnikov,A.F.,Vavilov,V.S. and Smirnov,L.S. Kinetics of photoconductivity of neutron irradiated P-type silicon, 2=8401
- Plotnikov,A.F.,Vavilov,V.S. and Smirnov,L.S. Kinetics of photoconductivity of neutron irradiated P-type silicon, 2=10536
- Plotnikov,A.F. See Vavilov,V.S., 2=651
- Plotnikov,A.F. See Vavilov,V.S., 2=4068
- Plotnikov,A.F. See Vavilov,V.S., 2=8396
- Plotnikov,A.F. See Vavilov,V.S., 2=23365
- Plotnikov,R.I. See Ab,E.A., 2=7875
- Ploughe,W.D.,Bleuler,E. and Tendam,D.J. Angular distributions of protons from the 19 MeV alpha-particle bombardment of Na^{23} , Al^{27} , and Si^{28} , 2=497
- Pluchery,M. Contribution of crystallographic analysis using X-rays to the study of irradiation defects in graphite, 2=23844
- Plumb,H.H. See Cataland,G., 2=17559
- Plumb,R.C. See Swaine,J.W.Jr., 2=15090
- Plumier,R. Magnetostatic modes in a sphere and polarization current corrections, 2=10671
- Plumier,R. See Legrand,E., 2=12799
- Plumier,R. See Legrand,E., 2=18916
- Plusquellec,J.,Veyseyre,H.,Azou,P. and Bastien,P. Determination of hydrogen diffusion parameters in iron and extra mild steel, 2=23204
- Pluinage,P. See Munschy,G., 2=12286
- Plyatsok,Z.A. See Levitskii,A.M., 2=19982
- Plyler,E.K.,Tidwell,E.D. and Benedict,W.S. Absorption bands of carbon dioxide from 2.8-4.2 μ , 2=20827
- Plyler,E.K.,Yates,D.J.C. and Gebbie,H.A. Radiant energy from sources in the far infrared, 2=17685
- Plyler,E.K. See Agar,D., 2=16525
- Plyler,E.K. See Blaine,L.R., 2=17617
- Plyler,E.K. See Maki,A.G., 2=14252
- Plyler,E.K. See Tidwell,E.D., 2=14279
- Plyutto,A.A. and Kervalidze,K.N. Calculation of the radial motion of a plasma in an inductive pinch, 2=196
- Plyutto,A.A. See Murguliya,G.E., 2=20369
- Pniewski,J. and Danysz,M. A note on the ΔHe^+ hyperfragments, 2=13975
- Pniewski,J. See Gajewski,W., 2=14099
- Pniewski,J. See Gajewski,W., 2=20626
- Pniewski,T. See Gajewski,W., 2=14099
- Pniewski,T. See Gajewski,W., 2=20626
- Pobeguín,T. See Caillère,S., 2=17000
- Pobell,F. See Wiedemann,W.H., 2=3817
- Poberaj,S. See Blinc,R., 2=2208
- Pochtarev,B.I.,Raspletin,K.K. and Fetisov,D.V. Instrument for determining the parameters of fluorescent screens, 2=16880
- Pochtarev,B.I. Attachment for the PRS instrument for investigating phosphors from the bombarded side, 2=16881
- Pócs,L. See Zimányi,J., 2=16426
- Pócsik,G. Many-body propagators of a self-coupled spinor field in Edwards-Lieb's approximation, 2=3247
- Podgoretskii,M.I. See Bannik,B.P., 2=3602
- Podgoretskii,M.I. See Birger,N.G., 2=3391
- Podgoretskii,M.I. See Kopylov,G.I., 2=1670
- Podgoretskii,M.I. See Okonov,E.O., 2=13876
- Podgoretskii,M.J. See Vishky,T., 2=1684
- Podgoretskii,M.J. See Vishky,T., 2=22512
- Podgornyi,I.M. See Luk'yanov,S.Yu., 2=9603
- Podgornyi,I.M. See Luk'yanov,S.Yu., 2=15923
- Podgurski,H.H. and Davis,F.N. Thermal transpiration at low pressure. The vapor pressure of xenon below 90°K, 2=1175
- Podkopaev,Yu.N. See Dzhelepov,B.S., 2=14026
- Podlaha,M. The reaction kinetic description of processes in an alkaline metal solution in liquid ammonia, 2=2447
- Podmoshenskii,A.L. See Efremov,A.I., 2=19297
- Podmoshenskii,A.L. See Efremov,A.I., 2=19298
- Podol'ner,N.A. See Smazhevskaya,E.G., 2=14634
- Podolsky,B. and Sherman,A. Influence of tensor conductivity on end currents in crossed field M.H.D. channels with skewed electrodes, 2=9705
- Poeverlein,H. Resonance of the space between earth and ionosphere, 2=4631
- Poffé,N.,Albouy,G.,Gusakow,M. and Sarrouy,J.L. Excitation functions for (p,xn) reactions on gold between 40 and 155 MeV, 2=457
- Poffé,N. See Albouy,G., 2=1882
- Poffé,N. See Gusakov,M., 2=1881
- Poffé,N. See Gusakov,M., 2=456
- Pogarskii,A.M. See Parfen'ev,R.V., 2=3990
- Poggio,M.A. Interpretation of the fringe structure of a wave front reflected from a concave diffraction grating, 2=22059

AUTHOR INDEX

- Pogodaev, K.N. and Vilutis, E.S. Temperature dependence of the X-ray luminescence and dark conductivity of Yakutsk diamonds, 2-23253
- Pogorelov, A.V. Supercritical (Zakritsheskie) deformation of cylindrical shells in torsion, 2-9218
- Pogoryelov, V.Yu. See Kondilenko, I.I., 2-18447
- Pogozhev, V.A. See Telesnin, R.V., 2-18898
- Pohl, H.A. Nonuniform electric fields, 2-15861
- Pohl, H.J. See Eckardt, A., 2-22254
- Pohl, H.J. See Görlich, P., 2-5375
- Pohl, R.O. Thermal conductivity and phonon resonance scattering, 2-20946
- Pohlack, H. Optics of thin films. A review of the present situation in theory and practice, 2-22041
- Pohlit, W. See Breuer, H., 2-7972
- Pohlit, W. See Kretschko, J., 2-20026
- Pöhlis, M. Measurements on loudspeakers, 2-15700
- Pohn, H., Murray, B.C. and Brown, H. New applications of lunar shadow studies, 2-21700
- Poiani, G. See Demanins, F., 2-3420
- Poincelot, P. See Robin, L., 2-1591
- Poindexter, E.H. Paramagnetic relaxation in asphalt solutions, 2-2734
- Poindexter, E.H. Double resonance and proton relaxation in asphalt solutions, 2-19582
- Poindexter, E.H. and Uebersfeld, J. Dynamic polarization in asphaltene solutions, 2-13353
- Poinsot, P., Gerbaux, X., Strimer, P. and Hadni, A. Grating spectrometer for the far infrared, study of barium titanate, quartz and liquid water, 2-21249
- Pointe, M. La. See La Pointe, M.
- Pointu, P., Azou, P. and Bastien, P. Twinning of beryllium at a high temperature and recrystallization after twinning studied by an optical method and by X-rays, 2-2346
- Pointu, P. See Bastien, P., 2-4317
- Pointu, P. See Bastien, P., 2-6836
- Poirier, J.A. See Bqwan, W.C., 2-18095
- Poirier, J.A. See Hess, W.N., 2-17210
- Poirier, J.A. See Hinrichs, C.K., 2-18142
- Poirier, J.C. See Hoover, W.G., 2-21852
- Poirier, Y. See Causse, R., 2-7722
- Poirier, Y. See Crausse, E., 2-3140
- Pokalyakin, V.I. See Stepanov, G.V., 2-2182
- Pokhunkov, A.A. Mass-spectrometry investigations of the structural parameters of the earth's atmosphere at altitudes between 100 and 210 km, 2-8986
- Pokhunkov, A.A. Mass-spectrometry investigations of the structural parameters of the earth's atmosphere at altitudes between 100 and 200 km, 2-17152
- Pokrovskaya-Soboleva, A.S. and Klyarfel'd, B.N. Applicability of the law of similarity to ignition of a gas discharge in hydrogen, 2-9539
- Pokrovskaya, S.V. See Ržanov, A.V., 2-23330
- Pokrovskii, V.L. and Khalatnikov, I.M. Superbarrier reflection of high-energy particles, 2-226
- Pokrovskii, V.L. and Rývkin, M.S. Effect of anisotropy on threshold phenomena in superconductors, 2-138
- Pokrovskii, V.L. and Rývkin, M.S. Thermodynamics of anisotropic superconductors, 2-19813
- Pokrovskii, V.N. See Zaitseva, N.G., 2-14001
- Pokrovskii, V.P. See Dalkshuren, B., 2-14023
- Pokrovskii, V.V. See Kuznetsova, M.Ya., 2-16412
- Pokrovskii, Ya.E. and Svistunova, K.I. Radiative electron capture by indium in silicon, 2-2157
- Pokrovskii, Ya.E. and Svistunova, K.I. Radiative electron capture by indium in silicon, 2-6458
- Pokrovskiy, Yu.I. See Pravdyuk, N.F., 2-18983
- Pokrovsky, Y.E. and Svistunova, K.J. Recombination processes in silicon doped with Ga, In and Sb, 2-8397
- Polacka, B. See Kawski, A., 2-9281
- Polacka, B. See Kawski, A., 2-12631
- Polacka, B. See Kawski, A., 2-19566
- Polacki, Z. See Kawski, A., 2-9281
- Polák, J. and Mišek, K. Thermoelectric power of quenched platinum, 2-23486
- Poland, D.E. See Green, J.W., 2-7561
- Polanyi, J.C. and Sandowski, C.M. Reactions of sodium with active hydrogen, 2-15137
- Polanyi, J.C. See Getty, R.R., 2-6132
- Polcarová, M. The effect of the vertical divergence of an X-ray beam on rocking curves of a mosaic crystal, 2-4505
- Polcarová, M. The study of the misorientation of mosaic blocks in the surface deformed Fe-Si single crystal by X-ray measurement, 2-6357
- Polder, D. See Harten, H.U., 2-23261
- Polder, D. See Penning, P., 2-10836
- Poletti, G. See Felcher, G.P., 2-3670
- Polevoi, R.M. and Pchelin, V.A. Measurement of beta-active species with an activity of 5×10^{-13} curie, 2-9730
- Polevoi, R.M. See Baranov, S.A., 2-16344
- Pollicarpo, A.J.P.L. See Marques, A., 2-18285
- Polikanov, S.M., Druin, V.A., Karnaukhov, V.A., Mikheev, V.L., Pleve, A., Skobelev, N.K., Subbotin, V.G., Ter-Akopyan, G.M. and Fomichev, Spontaneous fission with an anomalously short period. I, 2-16
- Polis, B.D. See Sever, R.J., 2-24222
- Politycki, A. Magnetic properties of electrolytically prepared Permalloy layers with uniaxial anisotropy, 2-14790
- Politycki, A. and Gotthard, H. Influence of preparation conditions on magnetic properties of electrolytically produced layers of permalloy, 2-14793
- Politycki, A. See Fuchs, E., 2-8640
- Polivanov, K.M. and Frumkin, A.L. Thin magnetic films in present physics and technology, 2-20088
- Polivanov, M.K. See Medvedev, B.V., 2-258
- Polivanov, M.K. See Medvedev, B.V., 2-22434
- Polivanov, V.V. See Stoianov, P.A., 2-1508
- Polk, C. and Fitchen, F. Schumann resonances of the earth-ionosphere cavity — extremely low frequency reception at Kingston, R.I., 2-16066
- Polkinghorne, J.C. Analyticity and unitarity, 2-7825
- Polkinghorne, J.C. Analyticity and unitarity. II, 2-22426
- Polkinghorne, J.C. See Fairlie, D.B., 2-19424
- Poll, J.D. and Van Kranendonk, J. Theory of the phonon branches in the infrared spectrum of solid hydrogen, 2-6576
- Pollack, E. See Salop, A., 2-534
- Pollack, S.A. and Satten, R.A. Electron-optical phonon interaction in paramagnetic ions in crystalline fields, 2-6265
- Pollack, S.R. and Atkins, K.R. Specific heat of ferrites at liquid helium temperatures, 2-6283
- Pollak, S.S., Robinson, W.H., Chiang, R. and Flory, P.J. X-ray diffraction of linear polyethylene crystallized at 131°C, 2-4504
- Pollak, H. Lattice parameter effect on the isomeric shift, 2-10306
- Pollak, H. Three nucleon configurations in Pb^{207} and Pb^{208} , 2-1211
- Pollak, H. The isomeric state of Po^{211} , 2-12141
- Pollak, H. Fe^{3+} ion lifetime in CoO deduced from the Auger and Mössbauer effects, 2-14356
- Pollak, H. See Bouten, M., 2-390
- Pollak, H.O. See Lewis, J.A., 2-1094
- Pollak, M. and Geballe, T.H. Incipient impurity conduction in silicon, 2-23356
- Pollak, P.I. See McAleer, W.J., 2-10793
- Pollara, L.Z. and Freeman, A.J. Quantum chemistry and solid-state physics, 2-4520
- Pollard, H.F. See Caddy, R.S., 2-17561
- Pollard, J.H. See Jones, R.V., 2-6635
- Pollard, J.P. See Hines, K.C., 2-10118
- Pollard, J.P. See Keane, A., 2-12248
- Pollehn, H. See Bormann, M., 2-467
- Polly, P. Dead-time problem of anti-coincidence measurements. I. anti-coincidence circuit with zero dead-time, 2-13525
- Polly, P. Transistorized single channel pulse height analyser, 2-1
- Polly, P. Transistorized triple pulse generator, 2-19867
- Pollyul, Y.P. Connection of the spectral reproducibility with the process of the flow of [electrode] material into the plasma of an electric discharge, 2-17807
- Polonis, D.H. See Kasen, M.B., 2-20998
- Poloskov, S.M. See Komissarov, O.D., 2-13118
- Polotskii, I.G. and Taborov, V.F. Influence of heat treatment and plastic deformation on ultrasonic absorption in copper single crystals, 2-16599
- Polotskii, I.G. See Benieva, T.Ya., 2-23735
- Polovin, R.V. Magnetohydrodynamic characteristics, 2-9702
- Polovin, R.V. Criteria for instability and gain, 2-15918
- Polovin, R.V. The "evolutionality" conditions of stationary flows, 2-21928
- Polovin, R.V. and Cherkasova, K.P. Disintegration of nonevolutionary shock waves, 2-11776
- Polovin, R.V. and Cherkasova, K.P. Disintegration of nonevolutionary shock waves, 2-22317
- Polovin, R.V. and Demutskii, V.P. Hydromagnetic Rankine-Hugoniot relations, 2-1569
- Polovin, R.V. and Demutskii, V.P. Magnetohydrodynamic combustion, 2-1570
- Polovin, R.V. See Demutskii, V.P., 2-1576
- Pol'skii, V.G. See Berkovskii, A.G., 2-15946
- Polskii, Yu.E. See Vinokurov, V.M., 2-4252
- Pol'skii, Yu.E. See Vinokurov, V.M., 2-21360

- z,H. See Fritz,W., 2=15571
- abarinov,I.V. See Ogievetski,V.I., 2=7811
- abarinov,I.V. See Ogievetski,V.I., 2=22387
- ektov,I.A. See Vainshtein,L.A., 2=20735
- yakov,A.A. See Yurova,L.N., 2=18127
- yakov,L.M. See Kan,Ya.S., 2=17408
- yakov,L.M. See Kan,Ya.S., 2=19508
- yakov,Yu.A. and Mit'kina,E.A. A thin-film resistance thermometer, 2=19755
- yakova,A.L., Soluyan,S.I. and Khokhlov,R.V. Propagation of finite disturbances in a relaxing medium, 2=21943
- anskii,A.A. On some characteristics of extensive air showers, 2=3432
- nelas,E. See Ballini,R., 2=2983
- neranchuk,I.Ya. See Akhiezer,A.I., 2=21851
- neranchuk,I.Ya. See Gribov,V.N., 2=16173
- neranchuk,I.Ya. See Gribov,V.N., 2=16179
- neranchuk,I.Ya. See Gribov,V.N., 2=16189
- neranchuk,I.Ya. See Gribov,V.N., 2=20264
- neranchuk,I.Ya. See Gribov,V.N., 2=20271
- neranchuk,I.Ya. See Gribov,V.N., 2=22446
- neranchuk,I.Ya. See Gribov,V.N., 2=22451
- neranchuk,I.Ya. See Kobzarev,I.Yu., 2=22544
- neranchuk,I.Ya. See Nikitin,Yu.P., 2=22818
- nerantz,J. The influence of the absorption of radiation in shock tube phenomena, 2=9307
- nerantz,M. Excitation of spin-wave resonance by microwave phonons, 2=2301
- nerantz,M., Freedman,J.F. and Suits,J.C. Ferromagnetic resonance in single-crystal nickel films, 2=12678
- nerantz,M.A. and Agarwal,S.P. Spatial distribution of cosmic ray intensity and geomagnetic theory, 2=22683
- nerantz,M.A. and Duggal,S.P. Anisotropy in solar particles incident on polar regions during July 1961, 2=16271
- nerantz,M.A., Duggal,S.P. and Nagashima,K. Solar diurnal variation of cosmic ray intensity, 2=12047
- nerantz,M.A. and Witten,L. Satellite investigation of time variations of heavy nuclei in the primary cosmic radiation, 2=12061
- nerantz,M.A. See Duggal,S.P., 2=16266
- nerantz,M.A. See Duggal,S.P., 2=18219
- nerantz,M.A. See Schwed,P., 2=3424
- orski,L. See Flerov,G.N., 2=3629
- orski,L. See Florov,G.N., 2=10146
- orskii,L. See Volkov,V.V., 2=12226
- chel,B. See Gabillard,R., 2=16079
- nd,H.L. See Champion,K.S.W., 2=11047
- g,W. and Marcaccio,W. Subharmonic oscillations in a piecewise linear system, 2=13390
- omarenko,A.G. See Dubovoi,L.V., 2=17846
- omarev,E.A. The propagation of low-frequency oscillations along the magnetic field in a viscous compressible plasma, 2=22238
- omarev-Stepnoi,N.N. Zonal profiling of reactors, 2=18376
- omarev-Stepnoi,N.N. and Glushkov,E.S. On the problem of the physical profiling of heat production in heterogeneous power reactors, 2=18377
- omarev-Stepnoi,N.N. and Glushkov,E.S. Solutions of the reactor equations with account of the varying moderator density associated with physical profiling, 2=18378
- osov,A.K. See Demidov,V.S., 2=18344
- osov,A.K. See Volynskii,V.Kh., 2=20215
- s,L. See Larbre,J., 2=19019
- tecorvo,B. Small probability of the $X \mu \rightarrow e + \gamma$ and $\mu \rightarrow e + e + e$ processes and neutral currents in weak interactions, 2=20257
- tecorvo,B. See Falomkin,I.V., 2=20381
- tecorvo,B. See Pontekorvo,B.
- tekorvo,B. See Okun,L.B., 2=22553
- tekorvo,B. See Zaimidoroga,O.A., 2=3369
- yatovskii,E.G. Melting points of lithium and sodium at pressures up to 30 000 kg/cm², 2=8179
- yatovskii,E.G. The melting point of lithium and rodium at pressures of up to 30 000 kg/cm², 2=23080
- yatovskii,E.G. See Shakhovskoi,G.P., 2=24235
- zano,G. See Molinari,A., 2=20587
- l,M.L. See Bhat,M.R., 2=20551
- l,M.L. See Claflin,A.B., 2=20569
- le,D.M. and Thomas,P.M. Quantitative electron-probe microanalysis, 2=10999
- le,L.M.G. Recent studies of meteors in the Soviet Union, 2=9067
- ley,D. Free radicals in irradiated crystals, 2=12485
- ley,D. See McConnell,H.M., 2=16634
- rtman,F. See Ceulemans,H., 2=371
- ts,G. Laminar natural convection flow in magneto-hydrodynamics, 2=5447
- Poots,G. An approximate treatment of a heat conduction problem involving a two-dimensional solidification front, 2=15785
- Poots,G. On the application of integral-methods to the solution of problems involving the solidification of liquids initially at fusion temperature, 2=15820
- Pop,V. See Mihul,C., 2=7221
- Pop,V. See Mihul,C., 2=9285
- Pope,J.H. Some comments on obtaining electron densities in the exosphere using nose whistlers, 2=891
- Pope,J.H. A correction to the exospheric electron density estimate using the nose whistlers of March 19, 1959, 2=9027
- Pope,M. Surface ionization energies of organic compounds: phthalocyanines, 2=17793
- Pope,M. Electrostatic determination of photo-ionization potentials of solids and liquids, 2=22180
- Pope,M., Kallmann,H.P., Chen,A. and Gordon,P. Charge injection into organic crystals: influence of electrodes on dark- and photo-conductivity, 2=14579
- Pope,M. See Kallmann,H.P., 2=14521
- Pope,R.A. See Jordan,B., 2=7631
- Popescu,I. Mobility of positive ions in dense ionized gases, 2=22162
- Popescu,I. See Agirbiceanu,I., 2=6090
- Popescu,I. See Badareu,E., 2=1407
- Popescu,I.M. See Davidovici,M., 2=7412
- Popescu,I.M. See Davidovici,M., 2=17977
- Popescu Khash,D. See Lungu,S.N., 2=6783
- Popescu,M. See Titeica,R., 2=8107
- Popesku,P. See Agÿrbichanu,I., 2=14220
- Popesku,K. See Birnbaum,M., 2=20300
- Popkov,G.K. See Matveev,V.V., 2=3076
- Poplavko,Yu.M. Ferroelectric properties of barium titanate at centimetre wavelengths, 2=21216
- Poplavko,Yu.M. See Nekrasov,M.M., 2=14606
- Poplawsky,R. Electron microscopy of hard ferrite powders, 2=6867
- Pople,J.A. Molecular-orbital theory of diamagnetism. I. An approximate L.C.A.O. scheme, 2=16500
- Pople,J.A. Molecular-orbital theory of diamagnetism. II. Calculation of Pascal constants for some noncyclic molecules, 2=16501
- Pople,J.A. and Karasz,F.E. A theory of fusion of molecular crystals. I. The effects of hindered rotation, 2=8180
- Pople,J.A. and Walmsley,S.H. Bond alternation defects in long polyene molecules, 2=6241
- Pople,J.A. and Walmsley,S.H. Electronic states of long polyenes with alternating bond lengths, 2=14344
- Pople,J.A. See Karasz,F.E., 2=1309
- Pople,J.A. See Musgrave,M.J.P., 2=14873
- Pople,J.A. See Musgrave,M.J.P., 2=16580
- Popov,A.I. See Deineko,A.S., 2=16099
- Popov,A.I. See Ivanov,R.B., 2=17926
- Popov,A.M. See Gitsu,D.V., 2=14590
- Popov,A.M. See Gitsu,D.V., 2=18755
- Popov,B.N. See Anikiev,Yu.G., 2=1497
- Popov,D.N. See Indenbaum,G.V., 2=12885
- Popov,D.N. See Indenbaum,G.V., 2=19043
- Popov,E.I. Evaluating the accuracy of gravimeter measurement at sea, 2=19184
- Popov,E.I. Determination of the correction for the Eötvös effect during measurement of the gravity acceleration from flying aircraft, 2=21611
- Popov,E.M. and Kagan,G.I. Vibrational spectra of vinyl alkyl ethers. Theoretical analysis, 2=16548
- Popov,F.D. See Lun'kin,Yu.P., 2=14336
- Popov,G.A. See Kartashov,N.P., 2=20531
- Popov,L.E., Karpov,G.I., Panova,L.M. and Pleshnov,A.V. Mechanism of the formation of the K-state in cold-worked nickel-chromium alloys, 2=10909
- Popov,L.E., Karpov,G.I., Panova,L.M. and Pleshnov,A.V. Mechanism of the formation of the K-state in cold-worked nickel-chromium alloys, 2=15058
- Popov,M. See Gribov,L.A., 2=22942
- Popov,M.I. See Andrejev,E.M., 2=3229
- Popov,M.I. See Andreev,E.M., 2=18041
- Popov,M.I. See Morozov,A.G., 2=3426
- Popov,S.N. Role of the emission channel in an ion source, 2=17893
- Popov,S.N. A study of Ardenne's duoplasmatron, 2=20041
- Popov,S.N. Measurement of loss of ions in an ion-optical system, 2=20046
- Popov,V.A. Scattering of slow neutrons in antiferromagnetics, 2=6678
- Popov,V.A. See Zimin,E.P., 2=17513
- Popov,V.I. See Bakov,A.T., 2=20638
- Popov,V.I. See Larichev,A.V., 2=22474
- Popov,V.I. See Osanov,D.P., 2=1825

AUTHOR INDEX

- Popov, V.O. Energy spectra of an antiferromagnet in a magnetic field, 2=4236
- Popov, V.O. See Bar'yakhtar, V.H., 2=12800
- Popov, V.S. See Blokhintsev, L.D., 2=18058
- Popov, V.S. See Geshkenbein, B.V., 2=398
- Popov, V.S. See Geshkenbein, B.V., 2=22763
- Popov, Yu. See Loskutov, Yu., 2=20244
- Popov, Yu.M. See Basov, N.G., 2=645
- Popov, Yu.M. See Krokhn, O.N., 2=23274
- Popov, Yu.P. and Shapiro, F.L. Energy dependence of the cross-sections for (n, γ) reactions of a number of odd Z nuclei, 2=14112
- Popov, Yu.P. See Kashukeev, N.T., 2=3594
- Popova, A.M. See Komarov, V.V., 2=18309
- Popova, A.M. See Komarov, V.V., 2=18343
- Popova, A.M. See Vasil'ev, S.S., 2=3619
- Popova, A.M. See Vasil'ev, S.S., 2=18324
- Popova, E.A. See Goletskaya, A.D., 2=4079
- Popova, E.A. See Goletskaya, A.D., 2=8449
- Popova, L.A. See Mes'kin, V.S., 2=21093
- Popova, L.G. See Do In Seb, 2=5640
- Popova, L.T. See Kormer, S.B., 2=10747
- Popova, M.D. The curvature of the paths of some meteors during their motion through the earth's atmosphere, 2=952
- Popova, S.V. See Vereshchagin, L.F., 2=618
- Popova, S.V. See Vereshchagin, L.F., 2=619
- Popova, S.V. See Vereshchagin, L.F., 2=10435
- Popova, T.P. See Yatsenko, A.F., 2=14619
- Popova, V.M. See Adamovich, M.I., 2=304
- Popova, V.M. See Adamovich, M.I., 2=5713
- Popovici, C. See Badareu, E., 2=6883
- Popovici, C. See Badareu, E., 2=21588
- Popp, E.C. See Damm, C.C., 2=15912
- Poppa, H. See Medved, D.B., 2=11724
- Poppe, C.H. Evidence for an excited state of the alpha particle from $d + t$ neutron spectra, 2=22661
- Poppelbaum, C. See Huber, P., 2=5925
- Poppelbaum, C. See Huber, P., 2=9867
- Poppelbaum, C. See Wagner, R., 2=7672
- Popplewell, D.S. The specific alpha activity and half-life of ^{233}U , 2=5840
- Poppoff, I.G. See Whitten, R.C., 2=15233
- Poquet, E. See Pacault, A., 2=12755
- Porat, D.I. and Ramavartam, K. Differential energy loss and ranges of Ne, N and He ions, 2=1931
- Porfirjev, V.V. The equations of internal structure of a rotating star, 2=11141
- Porges, K.G. See De Volpi, A., 2=18013
- Porile, N.T. Simple nuclear reactions of Ga^{69} and Ga^{71} with high-energy protons, 2=5922
- Porile, N.T. Study of the $\text{Al}^{27}(\alpha, \text{Be}^7)\text{Na}^{24}$ reaction from threshold to 41 MeV, 2=16436
- Porile, N.T., Poskanzer, A.M. and Rho, M. Recoil studies of reactions of indium with medium energy protons and alpha particles, 2=22811
- Poritsky, H. Motion of a satellite around an oblate earth, 2=13189
- Porneuf, A. Optical and electron microscopy of sintered uranium dioxide, 2=4518
- Porod, G. See Mittelbach, P., 2=8937
- Porod, G. See Mittelbach, P., 2=15169
- Poroshina, M.S. See Belov, I.P., 2=3218
- Porozhnikova, G.N. and Kholuyanov, G.F. On the photoconductivity of the α -modification of silicon carbide, 2=8441
- Porozhnikova, G.N. and Kholuyanov, G.F. On the photoconductivity of the α -modification of silicon carbide, 2=14585
- Porreca, F. On the effects of quartz crystals irradiation by means of electrons, 2=10428
- Porreca, F. See Carrelli, A., 2=9246
- Porsev, G.D. See Borovikov, A.V., 2=20315
- Porstendorfer, G. Observations of linear terrestrial polarization during the electromagnetic storm of 1 April 1960 at Conradsdorf/Freiberg and the problem of its application for geophysical investigation purposes in mountain building regions, 2=6905
- Port, M. See Gorodetzky, S., 2=13520
- Port, M. See Gorodetzky, S., 2=22552
- Porta, P. della. See della Porta, P.
- Porte, A.L., Gutowsky, H.S. and Boggs, J.E. Proton magnetic resonance studies of polycrystalline uranium oxide hydrates. I. $\text{B-}\text{UO}_2\cdot 2\text{H}_2\text{O}$, 2=10725
- Porte, A.L., Gutowsky, H.S. and Boggs, J.E. Proton magnetic resonance studies of polycrystalline uranium oxide hydrates. II. $\beta\text{-}\text{UO}_2\cdot \text{H}_2\text{O}$, 2=10726
- Porter, G. See Hoffman, M.Z., 2=15610
- Porter, G.B. See Taylor, G.A., 2=6230
- Porter, J.F., Jr. Fluorescence excitation by the absorption of two consecutive photons, 2=4175
- Porter, N.A. and Hill, D.A. Photography of extensive air showers in Cherenkov light, 2=20461
- Porter, R.F., Bidinosti, D.R. and Watterson, K.F. Mass spectrometry study of the reactions of $\text{BF}_3(\text{g})$ with $\text{BCl}_3(\text{g})$ and $\text{B}_2\text{O}_3(1)^*$, 2=15127
- Porter, R.F. and Sholette, W.P. Stabilities of gaseous boroxine and fluoro derivatives, 2=19140
- Porter, R.N. See Wall, F.T., 2=17078
- Porter, T.L. Band-spectrum analysis of mercury hydride, 2=2290
- Porter, T.L. and Davis, S.P. Isotope shift in the spectrum of mercury hydride, 2=22973
- Porteus, J.O. Optimized method for correcting smearing aberrations in complex X-ray spectra, 2=7696
- Portevin, P.A. See Bastien, P., 2=12930
- Portis, A.M. and Kanomori, J. Magnetism and crystallography. International Conference in Kyoto, 2=14762
- Portis, A.M. and Kanamori, J. Interpretation of n.m.r. spectra in ferromagnetic alloys, 2=14843
- Portis, A.M. See Gossard, A.C., 2=785
- Portis, A.M. See Heeger, A.J., 2=2305
- Portnov, I.G. Exact solution of a freezing problem with an arbitrary temperature change along a fixed boundary, 2=13492
- Portnov, I.G. Exact solution of a freezing problem with an arbitrary temperature change along a fixed boundary, 2=17690
- Porto, S.P.S. and Lambert, C.A. Molecular constants of the ground state of H_2 derived from theoretical calculations, 2=18453
- Porto, S.P.S. and Wood, D.L. Ruby Optical maser as a Raman source, 2=5171
- Porto, S.P.S. and Yariv, A. Trigonal sites and 2.24 - micron coherent emission of U^{3+} in CaF_2 , 2=16812
- Porto, S.P.S. See Boyd, G.D., 2=14667
- Porto, S.P.S. See Yariv, A., 2=18815
- Poryatui, V.S. See V'yuhov, P.M., 2=22538
- Pöschl, K. and Veith, W. Generalized Brillouin flows, 2=11708
- Pose, R. See Andrejev, E.M., 2=3229
- Posen, A. See McCrosky, R.E., 2=19289
- Poshusta, R.D. See Browne, J.C., 2=12278
- Poskanzer, A.M. See Cumming, J.B., 2=18326
- Poskanzer, A.M. See Porile, N.T., 2=22811
- Pospergelis, M.M. See Martynov, D.Ya., 2=946
- Pospelov, L.A. Scattering of radio waves by a sum of scatterers, 2=5475
- Posselle, G. See Segard, N., 2=9347
- Posselle, G. See Segard, N., 2=11452
- Post, B. See La Placa, S., 2=10881
- Post, B. See Young, R.A., 2=10310
- Post, E.J. Threshold and stability of a simplified model optical maser, 2=9386
- Post, H.R. Many-particle systems. III. Determination of the ground state energy of a system of N particles interacting by attractive inverse square forces, 2=9204
- Post, R.F. See Damm, C.C., 2=15912
- Post, R.F. See Nygard, J.C., 2=5403
- Postma, H. DCX-1 instrumentation, 2=7627
- Postma, H., Marshak, H., Sailor, V.L., Shore, F.J. and Reynolds, C.A. Transmission of polarized neutrons through samples of polarized Ho^{165} nuclei, 2=12207
- Postma, H. See Sailor, V.L., 2=18511
- Postohvard, H.I. See Pyeskovats'kii, S.A., 2=19057
- Potapkov, N.A. The Hamiltonian for a uniaxial ferromagnetic, 2=20461
- Potapkov, N.A. The Hamiltonian for a uniaxial ferromagnetic, 2=20461
- Potapkov, N.A. Resonance in uniaxial ferromagnetics, 2=23693
- Potapov, L.I. See Daion, M.I., 2=17989
- Potemkin, V.V. and Vasil'ev, Yu.V. Investigation of the memory effect in ferrites, 2=10669
- Potenza, G. See de Carvalho, H.G., 2=20688
- Potenza, R. See Cavallaro, S., 2=20509
- Potoceanu, C. See Balea, E., 2=18325
- Potoceanu, C. See Balea, E., 2=20479
- Pottasch, S.R. The effect of optical depth in the spectrum of helium (triplets) in nebulae, 2=15383
- Pottasch, S.R. The ultraviolet radiation from O stars in diffuse nebulae, 2=17296
- Pottasch, S.R. See Courtès, G., 2=17298
- Potter, A.C. See Allen, C.H., 2=15711
- Potter, A.E., Jr. See Schalla, R.L., 2=16696
- Potter, D.J.B. See McGlashan, M.L., 2=11415
- Potter, D.S. and Murphy, S.R. Solution of the wave equation in a medium with a particular velocity variation, 2=17553
- Potter, Kh.I. and Bystrov, N.F. A study of the figure of the moon from photographs obtained near topocentric full moon, 2=24088

- Potter, R. An X-ray single-crystal linear diffractometer, 2=17001
 Potter, R.A. See Harris, L.A., 2=17020
 Potter, R.F. and Eisenman, W.L. Infrared photodetectors: A review of operational detectors, 2=22086
 Potter, R.F. See Piller, H., 2=23534
 Potter, R.F. See Stierwalt, D.L., 2=10582
 Potter, R.L., Shores, R.G. and Dye, J.L. Attempts to find photoconductivity in dilute sodium-ammonia solutions, 2=2731
 Potters, M.L. See de Vroomen, A.R., 2=653
 Potzschke, M. See Schubert, K., 2=17016
 Pouillen, P. and Saurel, J. Variations with the degree of hydration of thermal anomalies at low temperature in crystals of cobalt nitrate, 2=18530
 Pouillen, P. and Saurel, J. Variation of a transformation temperature of crystals of cobalt nitrate associated with thermal cycles to low temperatures in sulphuric ether, 2=23094
 Poulain, P. See Ecker, J., 2=2915
 Poularikas, A. See Bramlitt, E.T., 2=3597
 Poularikas, A.D. See Gardner, D.G., 2=14109
 Poulet, H. See Moncuit, C., 2=18817
 Poulet, M. See Yuasa, T., 2=5540
 Pouliquen, J. See Segard, N., 2=9347
 Pouliquen, J. See Segard, N., 2=11452
 Pouliquen, J. See Segard, N., 2=17645
 Poulis, J.A. Application of fluctuation theory to the static measurements of magnetic susceptibilities, 2=22293
 Poulis, J.A., Massen, C.H. and v.d. Leeden, P. Magnetic determination of the partial vapour pressure of diatomic sulphur in the saturated vapour, 2=7474
 Poulis, J.A., Massen, C.H. and v.d. Leeden, P. Magnetic susceptibility of liquid sulphur, 2=15616
 Poulis, N.J. See David, R., 2=10323
 Poulis, N.J. See Hass, W.P.A., 2=780
 Poulis, N.J. See Roest, R., 2=2019
 Poulis, N.J. See van der Lugt, W., 2=6711
 Poulsen, N.O.R. See Bryde, L., 2=14136
 Poultney, S.K. and Waters, J.R. Observation of the focused ring of Cerenkov light from a single particle using an image intensifier system, 2=18098
 Pound, G.M. See Lothe, J., 2=13488
 Pound, G.M. See Madonna, L.A., 2=1313
 Pound, R.V., Benedek, G.B. and Drever, R. Effect of hydrostatic compression on the energy of the 14.4 keV gamma-ray from Fe^{57} in iron, 2=5868
 Pound, R.V. See Pound, R.V.
 Pounds, K.A. The soft X-ray absorption of aluminium and rocket measurements of solar radiation, 2=13127
 Pounds, K.A. and Bowen, P.J. A simple rocket-borne X-radiation monitor - its scope and results of an early flight, 2=9034
 Pounds, K.A. See Cooke, B.A., 2=12611
 Pouradier, J. See Chateau, H., 2=10895
 Pourrier, Y. See Crausse, E., 2=5451
 Povich, B. See Kregar, M., 2=22791
 Povich, B. See Stierlin, U., 2=22781
 Powell, A. On aerodynamic sound from dilation and momentum fluctuations, 2=2815
 Powell, A. On the vortex action in edgetones, 2=5102
 Powell, A. Three-sound-pressures theorem, and its application, in aerodynamically generated sound, 2=17543
 Powell, A. Theory and experiment in aerodynamic noise, with a critique of research on jet flows in their relationship to sound. 2nd Symposium. Naval Hydrodynamics (Washington, D.C., 1958), 2=21968
 Powell, A. and Shulman, A. Effects of wire resonance on aeolian tones, 2=17544
 Powell, A. See Chanaud, R.C., 2=17424
 Powell, A.L.T. See Medford, R.D., 2=1450
 Powell, M.J.D. and Orbach, R. The crystalline field parameters for dysprosium ethyl sulphate, 2=552
 Powell, M.J.D. See Gabriel, J.R., 2=553
 Powell, R.L. See McDermott, P.S., 2=8479
 Powell, R.R. See Richardson, J.W., 2=6084
 Powell, R.W., Woodman, M.J. and Tye, R.P. The thermal conductivity and electrical resistivity of indium, 2=23088
 Powell, W.M. See Camerini, U., 2=22624
 Powell, W.M. See Ely, R.P., 2=5747
 Powell, W.M. See Ely, R.P., 2=18173
 Powell, W.M. See Ely, P.P., 2=22613
 Powell, W.M. See Good, R.H., 2=317
 Powell, W.M. See Good, R.H., 2=22628
 Power, B.A. Relationship between density of newly fallen snow and form of snow crystals, 2=13004
 Power, G. and Jackson, H.L.W. The use of bounds in electrical problems involving anisotropic material, 2=17741
 Power, G. and Tunbridge, A. Two-dimensional flow of conducting liquid past a magnetized circular cylinder, 2=11763
 Powers, D. and Whaling, W. Range of heavy ions in solids, 2=9645
 Powers, J.C., Jr. See Kumamoto, J., 2=14664
 Powles, J.G. Nuclear resonance effects in some molecular crystals having thermal transitions in the solid state, 2=783
 Powles, J.G. and Mansfield, P. Double pulse nuclear resonance transients in solids, 2=23723
 Powles, J.G. See Cutler, D., 2=17488
 Poyen, J. See Berley, D., 2=22633
 Pozdnev, V.P. An investigation of the electrical conductivity of liquid semiconductors of the $As_2Se_3-As_2Te_3$ system using a contactless method, 2=17480
 Pozdnev, V.P. An investigation of the electrical conductivity of liquid semiconductors of the $As_2Se_3-As_2Te_3$ system using a contactless method, 2=19579
 Pozdnyak, S.I. See Koval'ev, A.A., 2=13694
 Pozdnyakov, A.A. See Lavrukina, A.K., 2=1894
 Poze, Kh. See Nikanorov, V.I., 2=16196
 Poze, R. See Andreev, E.M., 2=18041
 Pozern, V.I. See Velvukhanova, G.A., 2=14627
 Pozern, V.I. See Zaitseva, V.I., 2=14626
 Pozhela, Yu.K. and Shila'nikov, V.I. Emission of "hot" electrons from germanium, 2=20017
 Pozo Martinez, M. Theory of ferromagnetic films, 2=14782
 Pozwolski, A. Potential energy of an atmosphere in equilibrium in the gravitational field, 2=19197
 Pozzi, A. Circular jet of conductive fluids in the presence of a magnetic field, 2=9701
 Pradal, F. See Gout, C., 2=12411
 Pradel, J. See Bricard, J., 2=2491
 Pradhan, B.P. and Gupta, R.C., 2=6513
 Pradhan, T. Causality and the dispersion formulas for waves in a plasma, 2=9604
 Pradhan, T. Exact solution of a relativistic field theory, 2=16115
 Prager, R. See Eckardt, A., 2=22434
 Prager, S. Viscous flow through porous media, 2=1111
 Prager, S. See Schrader, D.M., 2=22932
 Prager, W. On higher rates of stress and deformation, 2=9217
 Pragout, J. See Batailler, G., 2=5265
 Prakash, P. On the decay $\Sigma^0 \rightarrow \Lambda^0 + \gamma$ in the charge independent pion interaction, 2=7906
 Prakash, Y. See Ismail, A.Z.M., 2=18247
 Pramila, G.C. See Gupta, R.K., 2=14061
 Pramila, G.C. See Jha, S., 2=16373
 Prange, R.E. The moment of inertia of large systems at finite temperature, 2=2646
 Prange, R.E. The moment of inertia of superfluid Fermion systems of finite temperature, 2=2647
 Prasad, K. See Prasad, S.S., 2=18457
 Prasad, N.D. See Daniel, R.R., 2=18201
 Prasad, S. Radiation field of the corner-driven square loop antenna, 2=16055
 Prasad, S.S. Franck-Condon factors and r-centroids for the α -system of TiO, 2=14253
 Prasad, S.S. and Prasad, K. Franck-Condon factors and r-centroids for the B-X system of MgO, 2=18457
 Prasada Rao, T.A. and Tiruvenganna Rao, P. The emission band spectra of SbF and BiF, 2=14288
 Prasada Rao, T.A. and Tiruvenganna Rao, P. Rotational analysis of the visible band system of the BiF molecule, 2=20797
 Prask, H.J., Bichard, J.W., Funk, E.G., Jr. and Mihelich, J.W. The character of the 1315 keV state in Yb^{174} , 2=3491
 Prask, H.J., Reidy, J.J., Funk, E.G., Jr. and Mihelich, J.W. The electron capture decay of Gd^{149} , 2=20558
 Prask, H.J. See Schwerdtfeger, C.F., 2=14047
 Prat, R. Influence of diffraction on the image structure for extended objects, 2=5148
 Prat, R. See Besnaïnou, S., 2=6156
 Prat, T. and Gay, R. Short-range order in Cu_3Au -type solid solutions of composition A_3B , 2=10920
 Pratesi, R., Toraldo di Francia, G., Ronchi, L. and Scheggi, A.M. Radiation from a charged particle in uniform straight motion through a particular stratified medium, 2=22325
 Prato, G.Da. See Da Prato, G.
 Pratt, A.W. Analysis of error due to edge heat loss in measuring thermal conductivity by the hot plate method, 2=2904
 Pratt, A.W. Heat transfer in porous material, 2=12939
 Pratt, R.H. See Drell, S.D., 2=5573
 Pratt, W.W. A survey of gamma ray branching ratios, 2=3530

- Pratt, W. W. See Thwaites, T. T., 2=391
- Prausnitz, J. M. See Anderson, R., 2=1304
- Prausnitz, J. M. See Myers, A. L., 2=11412
- Pravdyuk, N. F., Amaev, A. D., Platonov, P. A., Kuznetsov, N. V. and Golyanov, V. M. The effect of neutron irradiation on the properties of structural materials, 2=23765
- Pravdyuk, N. F. and Golyanov, V. M. Examination of uranium fission with an electron microscope, 2=19131
- Pravdyuk, N. F., Nikolaenko, V. A., Karpuchin, V. I. and Kuznetsov, V. N. Investigation of diamond and silicon carbide as indicators of irradiation conditions, 2=18389
- Pravdyuk, N. F., Pokrovskiy, Yu. I. and Vikhrov, V. I. The influence of neutron irradiation on the fatigue properties of magnesium as determined by internal friction measurements, 2=18983
- Pravdyuk, N. F. See Dubrovin, K. P., 2=23769
- Predazzi, E. and Regge, T. The maximum analyticity principle in the angular momentum, 2=11886
- Predazzi, E., Regge, T. and Rossetti, C. High energy limit of scattering amplitudes, 2=21832
- Predazzi, E. See McMillan, M., 2=20323
- Predvoditelev, A. A. Device for the investigation of creep in metals and the recording of the start of creep, 2=19001
- Predvoditelev, A. S. The nature of the motion of heat in liquids, 2=5005
- Predvoditelev, A. S. The nature of heat motion in liquids. II, 2=9259
- Predvoditelev, A. S. The nature of heat motion in liquids III, 2=9260
- Preibisz, Z. See Chojnacki, S., 2=1839
- Preining, O. See Goetz, A., 2=4568
- Preining, O. See Goetz, A., 2=6897
- Preiss, I. L. See Ladenbauer-Bellis, I. M., 2=3627
- Prener, J. S. Physical chemistry of compound semi-conductors, 2=4006
- Prener, J. S. and Kingsley, J. D. Preparation and optical transmission of cadmium fluoride crystals, 2=4128
- Prener, J. S. See Halsted, R. E., 2=23593
- Prener, J. S. See Kingsley, J. D., 2=10588
- Prener, J. S. See Kingsley, J. D., 2=14551
- Prentice, J. D. and McNeill, K. G. Measurement of the beta spectrum of ^{128}I in an undergraduate laboratory, 2=1837
- Prentice, J. D. See McNeill, K. G., 2=402
- Prentki, J. See d'Espannat, B., 2=11875
- Preobrazhenskii, A. Ya. and Stepanov, V. A. Graphite mold-furnace for growing single crystal, 2=21483
- Prepost, R. See Zlock, K., 2=18169
- Prescott, J. R. and Takhar, P. S. Resolution and line shape in scintillation counters, 2=17994
- Prescott, L. E. An aluminium foil oven, 2=11435
- Presland, A. E. B. and Hutchinson, R. I. The nucleation of grain-boundary cavities in magnesium, 2=16998
- Presland, A. E. B. See Menter, J. W., 2=23150
- Presland, A. E. B. See Pashley, D. W., 2=23195
- Presnov, V. A. Concerning the calculation of the width of the forbidden zone ΔE in $A^{III}B^V$ type semiconductors, 2=18672
- Presnyakova, H. M. See Mykhailov, H. S., 2=11542
- Presnyakova, H. M. See Mykhailov, H. S., 2=17518
- Presperin, V. and Kul'chitskii, L. A. Yield of fast photoneutrons from C^{12} and Al^{27} , 2=422
- Presperin, V. and Kul'chitskii, L. A. Yield of fast photoneutrons from C^{12} and Al^{27} , 2=22792
- Pressman, A. Ya. Outflow of rarefied gas from a point source into vacuum, 2=1173
- Pressman, J. See Marmo, F. F., 2=4688
- Presswood, B. A. Estimate of a parity non-conserving contribution to π^+ -meson production by polarized protons, 2=3381
- Preston, J. S. Photometric standards and the unit of light, 2=19673
- Preston, M. A., Armstrong, P. J. and Bhaduri, R. K. On the velocity-dependent nucleon-nuclear potential of Green, 2=22698
- Preston, R. L. See Martin, H. J., Jr., 2=3492
- Prestwich, W. V., Fritze, K. and Kennett, T. J. Decay of ^{93}Sr , 2=20570
- Pretzel, F. E., Gritton, G. V., Rushing, C. C., Friauf, R. J., Lewis, W. B. and Waldstein, P. Properties of lithium hydride. IV. F-center formation at low temperatures, 2=14473
- Pretzel, F. E., Lewis, W. B., Szklarz, E. G. and Vier, D. T. Properties of lithium hydride. V. Vacancy formation, cavitation, and lithium precipitation in irradiated lithium hydride, 2=21000
- Pretzel, F. E. and Petty, R. L. X-ray study of interstitial defects in radiation-damaged alkali halides and LiH, 2=18572
- Preusch, H. See Fendler, H. G., 2=8041
- Preuss, H. See Bingel, W. A., 2=14309
- Preuss, H. See Bingel, W. A., 2=6217
- Preuss, H. See Schmidtke, H. H., 2=538
- Prewitt, C. T. See Peacor, D. R., 2=12910
- Preziosi, S., Soden, R. R. and Van Uitert, L. G. Large alkali metal and alkaline earth tungstate and molybdate crystals for resonant and emission studies, 2=14939
- Preziosi, S. See Van Uitert, L. G., 2=22330
- Pribičević, S. See Gal, O., 2=18372
- Price, A. H. See Corfield, M. G., 2=1161
- Price, A. M. See Sutton, A. L., 2=23831
- Price, C. D. See Morris, D. P., 2=10682
- Price, E. G. and Taylor, B. Temperature coefficient of electrical resistance of high-purity rhodium, 2=21096
- Price, F. P. Copolymerization mathematics and the description of stereoregular polymers, 2=2449
- Price, F. P. See Cormia, R. L., 2=23823
- Price, J. F. See Hains, F. D., 2=7175
- Price, J. H. See Fuller, P. J. A., 2=8276
- Price, J. M., Kaihara, M. and Howerton, H. K. Influence of scattering of fluorescence spectra of dilute solutions obtained with the Aminco-Bowman spectrophotofluorometer, 2=17469
- Price, N. H. See Hide, R., 2=19602
- Price, P. B. and Nadeau, J. S. Deformation of dislocation-free platelets of nickel bromide, 2=10749
- Price, P. B. and Walker, R. M. Electron microscope observation of a radiation-nucleated phase transformation in mica, 2=16977
- Price, P. B. and Walker, R. M. Electron microscope observation of etched tracks from spallation recoils in mica, 2=18051
- Price, R. See Pettengill, G. H., 2=13174
- Price, R. E. See Cohen, B. L., 2=1824
- Price, W. C. and Wilkinson, G. R. The study of molecular motion in crystals by infrared spectroscopy, 2=699
- Price, W. E. See Harris, K. K., 2=7798
- Pridmore-Brown, D. C. Sound propagation in a temperature- and wavelength-stratified medium, 2=11456
- Priebsch, J. Contribution to isotope separation by the hot-cold process, 2=6115
- Priem, M. Method for sealing thermocouple wire through fused silica for use at high temperatures, 2=7095
- Priest, J. and Caswell, H. L. Annealing of residual stress in silicon monoxide films, 2=838
- Priest, J. R. Apparatus for the measurement of stress in vacuum evaporated films, 2=2422
- Priester, W. Solar activity effect and diurnal variation in the upper atmosphere, 2=4620
- Priester, W. and Cattani, D. On the semiannual variation of geomagnetic activity and its relation to the solar corpuscular radiation, 2=15287
- Priester, W. See Harris, I., 2=24027
- Priestley, H. Can liberal arts colleges produce doctoral candidates, 2=17334
- Priestley, P. T. See Pitts, E., 2=2968
- Priestly, C. H. B. Free convection in a wind, 2=17128
- Prigogine, I. and Henin, F. Radiation damping and equation of motion in classical electrodynamics, 2=9687
- Prigogine, I. and Henin, F. Motion of a relativistic charged particle, 2=20109
- Prigogine, I. See Glandsdorff, P., 2=5006
- Prigogine, I. See Resibois, P., 2=2651
- Prikhot'ko, A. F. See Brodin, M. S., 2=8475
- Primachenko, V. E., Litovchenko, V. G., Lyashenko, V. I. and Snitko, O. V. Investigation of fast and slow electron states on a real germanium surface, 2=6454
- Primakoff, H. See Dennery, P., 2=13747
- Primakoff, H. See Dreitlein, J., 2=5743
- Primakoff, H. See Dreitlein, J., 2=9881
- Primeau, D. B. See Hanna, G. C., 2=1902
- Primich, R. I. Microwave techniques for hypersonic ballistic ranges, 2=4880
- Prince, E. See Abrahams, S. C., 2=2389
- Prins, C. See Michels, A., 2=5220
- Prins, J. De. See De Prins, J.
- Prins, J. A. On practical and atomic units, 2=7107
- Prior, A. C. See Coates, D. G., 2=8447
- Prior, A. C. See Kimmitt, M. F., 2=8446
- Priqueler, M. Migration of protons in silica glass containing alumina subjected to an electric field, 2=12461
- Priqueler, M. See Garino Canina, V., 2=10410
- Prishivalko, A. P. Accuracy of determining optical constants of absorbing substances by reflection in an arrangement using a polarizer and analyzer, 2=5139
- Prishivalko, A. P., Gusak, G. M. and Onichek, I. L. Tables of Fresnel's coefficients for absorbing media, 2=9365
- Pritchard, J. A simple surface potential method for the determination of small metal film areas, 2=15092

- Pritchard, R.M. Stabilized images on the retina, 2=15436
- Prits, A.K. Stationary states of open systems and the theory of colour vision, 2=17327
- Privorotskii, I.A. Anisotropy of absorption of ultrasound in superconductors, 2=9479
- Probst, R.F. See Hung-Ta Ho, 2=2743
- Probyn, B.A. See Siddall, G., 2=2120
- Proca, G.A. See Bishop, G.R., 2=380
- Prochukhan, V.D. See Goryunova, N.A., 2=14548
- Prodell, A. See Samios, N.P., 2=13842
- Prodell, A. See Bertanza, L., 2=13854
- Prod'homme, L. Influence of temperature on specific refractivity, 2=6543
- Prod'homme, L. A new approach to the thermal change in the refractive index of glasses, 2=10572
- Prodi, V. See Alberigi-Quaranta, A., 2=5822
- Pröger, H.J. Electron microscope study of diffraction gratings, 2=7398
- Prohászka, J. Variation of the thermal expansion coefficient of cold-worked metals during annealing, 2=20938
- Prohrushchenko, A.V. See Zhmud'skii, O.Z., 2=18634
- Prois, Kh. See Rumsh, M.A., 2=13589
- Prois, Kh. See Rumsh, M.A., 2=17866
- Prokhorov, A.M. See Kaitmazov, S.D., 2=1611
- Prokhorov, A.M. See Konyukhov, V.K., 2=14826
- Prokhorov, A.M. See Konyukhov, V.K., 2=18948
- Prokhorov, A.M. See Kornienko, L.S., 2=768
- Prokhorov, A.M. See Kornienko, L.S., 2=6696
- Prokhorov, A.M. See Manenkov, A.A., 2=771
- Prokhorov, A.M. See Manenkov, A.A., 2=6697
- Prokhorov, A.M. See Manenkov, A.A., 2=16935
- Prokhorov, A.M. See Manenkov, A.A., 2=18941
- Prokhorov, A.M. See Zverev, G.M., 2=18944
- Prokof'ev, V.A. Equation of relativistic hydrodynamics with radiation, 2=1566
- Prokof'ev, V.A. Equation of relativistic hydrodynamics with radiation, 2=11767
- Prokof'ev, V.K. See Bruns, A.V., 2=19302
- Prokof'ev, V.K. See Bruns, A.V., 2=19303
- Prokof'ev, Yu.A. and Sosnovskii, A.N. Wire-construction gaseous-source counters, 2=5532
- Prokolenko, V.S. See Pasichnyk, M.V., 2=12186
- Prokopalo, O.I. See Fesenko, E.G., 2=4359
- Prokopenko, V.S. See Ivlev, V.F., 2=14783
- Prokopenko, V.S. See Val'ter, A.K., 2=443
- Prokopenko, V.S. See Val'ter, A.K., 2=22805
- Prokopenko, V.S. See Zaika, N.I., 2=16297
- Prokopets, G.A. See Nemets, O.F., 2=16296
- Prokopova, G. See Vashko, A., 2=18845
- Prokoshkin, Yu.D. See Dunaitsev, A.F., 2=11973
- Prokoshkin, Yu.D. See Dunaitsev, A.F., 2=11974
- Prokoshkin, Yu.D. See Dunaitsev, A.F., 2=20383
- Prokoshkin, Yu.D. See Dunaitsev, A.F., 2=20384
- Prokoshkin, Yu.D. See Dunaitsev, A.F., 2=22587
- Prokoshkin, Yu.D. See Dunaitsev, A.F., 2=22588
- Pronik, V.I. Diffuse nebulae and early-type star models, 2=1000
- Pronik, V.I. Maximum thermal radio emissions in the galaxy in the direction $l = 353^\circ$, $b = 0^\circ$, 2=1013
- Pronina, I.H. See Mykhailov, H.S., 2=11542
- Pronyushkin, A.V. See Pelykh, A.N., 2=19510
- Propin, R.Kh. Calculation of the probability of autoionization in He^+ and Be^+ ions, 2=152
- Pros, Z. See Klíma, K., 2=20924
- Prosen, R.J., Holmen, J.O., Gran, B.E. and Cebulla, T.J. Stratification in thin permalloy films, 2=12674
- Proskura, O.I. See Gol'dman, O.G., 2=18881
- Prospéri, D. See Giannini, M., 2=378
- Prospéri, D. See Giannini, M., 2=5798
- Prospéri, D. See Giannini, M., 2=20549
- Prospéri, D. See Giannini, M., 2=22756
- Prospéri, G.M. Ergodicity conditions in quantum mechanics and Van Hove's Hamiltonians, 2=11292
- Prospéri, G.M. On the uniqueness of the analytic continuation of the S matrix in angular momentum, 2=16161
- Prospéri, G.M. See Daneri, A., 2=17357
- Prospero, J.M. See Graham, R.L., 2=10019
- Prosser, F.P. and Blanchard, C.H. On the evaluation of two-center integrals, 2=8055
- Prosser, F.W., Jr., Unruh, W.P., Wildenthal, B.H. and Krone, R.W. Gamma radiation from proton capture in Na^{23} , 2=3573
- Prosser, F.W., Jr. See Neher, D.R., 2=10102
- Prosser, J.M. See John, W., 2=16386
- Prosser, N.J.D. See Olsson, I.U., 2=10034
- Prosser, V. Band structure of selenium from optical and photoelectric properties in visible spectral region, 2=23107
- Prosvirin, V.I. The mechanism of oriented deformation of a metal on thermal cycling, 2=21424
- Prosz, J. See Kollár, G., 2=17695
- Protasov, V.P. See Demidov, V.S., 2=18344
- Protheroe, W.M. Stellar scintillation, 2=2486
- Protopapadakis, P.A. Mass-difference and strangeness effects in hyperon-nucleon scattering, 2=22643
- Protopopov, A.N., Selitskii, Yu.A. and Solov'ev, S.M. Investigation of ultraviolet radiation converters in a gas scintillation counter, 2=1626
- Protopopov, A.N. See Baranov, I.A., 2=509
- Protopopov, A.N. See Baranov, I.A., 2=14154
- Protopopov, A.N. See Baranov, I.A., 2=22859
- Protopopov, A.N. See Blinov, M.V., 2=14149
- Protopopov, N.A. and Kul'gavchuk, V.M. Mechanism for interruption of current flow and production of shock waves in a metal heated by high-density current pulses, 2=5205
- Protopopov, N.A. and Kul'gavchuk, V.M. The pulse method of determining energy of sublimation of metals and alloys, 2=9457
- Protopopov, N.A. and Kul'gavchuk, V.M. The determination of energy of sublimation of the system $\text{Pd}-\text{H}$ by the pulse method, 2=9458
- Proverbio, E. Calculation of the orbits of long period double stars allowing for the law of areas, 2=4791
- Proverbio, E. Reduction theory for the diameters of the outer planets, 2=6988
- Provotorov, B.N. On magnetic resonance saturation in crystals, 2=4281
- Provotorov, B.N. Nuclear magnetic resonance in solids, 2=12830
- Provotorov, B.N. Quantum-statistical theory of cross-relaxation, 2=13267
- Provotorov, B.N. Theory of double magnetic resonance in solids, 2=23715
- Prowse, D.J. An example of an N^{14} hyperfragment, 2=18246
- Prowse, D.J., Stork, D.H., Taher-Zadeh, M. and Ticho, H.K. An examination of the reaction $\text{K} + n \rightarrow \Lambda^0 + \pi^0$ at 765 MeV/c, 2=1722
- Prowse, D.J. See Fisk, H.E., 2=1727
- Prowse, D.J. See Helmy, E., 2=16243
- Prowse, D.J. See Nickols, N.A., 2=22716
- Prowse, D.J. See Pjerrou, G.M., 2=22634
- Prowse, D.J. See Smith, L.T., 2=22620
- Prowse, W.A., Rowbotham, J.R. and Monk, P.G. Time lags associated with ultra-high frequency gas breakdown, 2=3024
- Prozumenshchikov, S.M. See Likhter, Ya.I., 2=7543
- Prudnikov, A.G. and Sagalovich, V.N. Statistical description of a tubulent stream, 2=19524
- Prue, J.E. See Guggenheim, E.A., 2=2039
- Pruitt, J.S. and Domen, S.R. Determination of total X-ray beam energy with a calibrated ionization chamber, 2=2036
- Prushchak, T.A. See Korolyuk, A.P., 2=6264
- Prupton, M., Stress and magnetic anisotropy in thin permalloy films, 2=10660
- Prupton, M. See Leaver, K.D., 2=12650
- Prütz, W. See Sommermeyer, K., 2=7222
- Pryakhina, L.I., Snetkov, A.Ya. and Ryabtsev, L.A. X-ray diffraction investigation of multi-component solid solutions of nickel, 2=21531
- Pryce, M.H. The double resonance of cobalt ions in magnesium oxide. Appendix, 2=4278
- Pryce, M.H.L. Electronic structure of point defects in crystals, 2=3909
- Prýmachenko, V.Ye. and Snitko, O.V. The effect of an external electric field on the condenser photo e.m.f. in germanium and silicon, 2=6498
- Przhevuskii, A.K. See Kaplyanskii, A.A., 2=712
- Przhevuskii, A.K. See Kaplyanski, A.A., 2=10578
- Przhevuskii, A.K. See Kaplyanski, A.A., 2=14669
- Przybyski, A. Gas-ionizing radiation of a discharge in N_2-O_2 mixtures, 2=7570
- Przybylski, A. Investigation of the gas-ionizing radiation of a discharge. II, 2=17795
- Pshenichkin, P.A. See Volkov, D.I., 2=8601
- Pshenichkin, P.A. See Volkov, D.I., 2=23634
- Pshenichnov, E.A. Tunnel effect on a double potential barrier, 2=17082
- Pshenichnov, E.A. On tunnelling through a system of identical potential barriers, 2=17356
- Pshenichnov, E.A. On tunnelling through a system of identical potential barriers, 2=21821
- Pshenichnov, E.A. and Sokolov, N.D. Quantum effects in a double potential well and spectroscopy of the hydrogen bond, 2=6212
- Pskovskii, Yu.P. Some systematic effects and the calibration of the extragalactic distance scale, 2=999

- Pskovskii, Y.P. The luminosity effect of radio galaxies, 2=24180
- Ptaik, M. See Gautron, R., 2=775
- Ptitsyn, A.R. The spatial-energy distribution of neutrons from a plane source in an infinite medium, 2=13814
- Ptitsyn, O.B. and Eizner, Yu.E. Hydrodynamic properties of semi-hard macro-molecules in solution, 2=11330
- Ptitsyn, O.B. See Gotlib, Yu.Ya., 2=8868
- Ptitsyn, O.B. See Gotlib, Yu.Ya., 2=10925
- Ptuhka, T.P. Thermal conductivity and diffusion of weak $\text{He}^3\text{-He}^4$ solutions in the temperature range from the λ -point to 0-6°K, 2=134
- Ptushinskii, Yu.G. Influence of adsorption on the resistance of thin metallic films. I. Dipole molecules, 2=621
- Ptushyn's'kii, Yu.H. and Chuikov, B.O. Certain peculiarities of the partial adsorption of residual gases in ultra high vacuum. II, 2=19121
- Ptushyn's'kii, Yu.H. See Medvedev, V.K., 2=9618
- Pu, R. See Mittleman, M.H., 2=11286
- Pucel, R.A. Theory of the Esaki diode frequency converter, 2=10510
- Puchalska, I.B. and Spain, R.J. Observation of the mechanisms of magnetic hysteresis in thin films, 2=10662
- Puchalska, I.B. and Spain, R.J. Interactions between magnetic (domain) walls in superposed thin layers, 2=12768
- Pucherov, M.M. See Pasichnyk, M.V., 2=12186
- Pucherov, N.N. See Pasechnik, M.V., 2=16394
- Pucherov, N.N. See Val'ter, A.K., 2=443
- Pucherov, N.N. See Val'ter, A.K., 2=22805
- Puchkiv's'ka, A.D. See Krasnova, S.I., 2=19176
- Pucker, N. Remarks on the Gaussian optics of the electrostatic single aperture lens, 2=20030
- Pudovkin, M. and Korotin, I. Magnetic bay-form disturbances and their connection to the phenomena in the ionosphere, 2=15278
- Puechl, K.H. An approach to reactor physics using results of integral experiments, 2=5992
- Puechl, K.H. The potential of plutonium as a fuel in near-thermal converter reactors, 2=8047
- Puechl, K.H. The potential of plutonium as a fuel in near-thermal burner reactors, 2=8048
- Puente, H.A. An empirical logical foundation to classical thermodynamics, 2=1318
- Puff, H. Theory of photoelectron emission in metals. I. Calculation of the external energy angular distribution, 2=3074
- Puff, H. Theory of photoelectron emission in metals. II. Distribution of the photoelectrons, 2=3075
- Pugachev, N.S. See Verkhorobin, L.F., 2=23205
- Pugh, D., Rhys-Roberts, C. and Tredgold, R.H. Unstable solutions and surface states, 2=18563
- Pugh, E.M. See Bryan, G.M., 2=6729
- Pugh, E.N. and Samuels, L.E. A metallographic investigation of the damaged layer in abraded germanium surfaces, 2=8759
- Pugh, E.N. and Samuels, L.E. Etching of abraded germanium surfaces with CP-4 reagent, 2=16973
- Pugh, E.W. and Argyle, B.E. Pyromagnetic test of spin wave theory in metallic nickel, 2=12684
- Pugh, E.W. See Suits, J.C., 2=13631
- Pugh, H.G. and Riley, K.F. Binding-energies of proton states in light nuclei, 2=1774
- Pugh, J.F. See Turtle, A.J., 2=24177
- Pugh, S.F. Swelling in alpha uranium due to irradiation, 2=3674
- Pujols, C. See Laffitte, E., 2=4164
- Pujols, C. See Laffitte, E., 2=6630
- Pulacci, A. See Barabaschi, S., 2=8042
- Pullan, B.R. A closed circuit television system providing automatic track-centring and track-following in cloud chamber photographs, 2=9753
- Pullen, D.J., Litherland, A.E., Hinds, S. and Middleton, R. Be^{11} : a shell model anomaly, 2=18232
- Pullen, D.J., Wilkinson, D.H. and Whitehead, A.B. Deuteron structure effects in low-Q stripping, 2=1918
- Pullen, D.J. See Hinds, S., 2=16430
- Puitorak, J. Alloyed junction p-n-n* germanium diode, 2=23423
- Pun, W.M. See Spalding, D.B., 2=11322
- Pun, W.M. See Spalding, D.B., 2=15774
- Puolakka, H. See Kohonen, T., 2=11935
- Puotinen, D. and Newnham, R.E. The crystal structure of MoTe_2 , 2=8831
- Pupezin, J., Ćirić, M. and Lazarević, D. The isotopic analysis of lithium on a mass spectrometer, 2=23985
- Pupezin, J.D. See Ćirić, M.M., 2=22924
- Pupke, H. See Behlke, H., 2=1449
- Puppi, G. See Alitti, J., 2=16229
- Puppi, G. See Alitti, J., 2=18156
- Puranik, P.G. and Ramiah, K.V. The infrared and Raman spectroscopic studies of amides, 2=7218
- Puranik, P.G. and Ramiah, K.V. Raman and infrared spectra of amide Toluidines and para-amino-acetophenone, 2=7219
- Purcell, J.D. and Tousey, R. Photography of the sun in Lyman-alpha and other wavelengths, 2=15343
- Purcell, J.D. and Tousey, R. The profile of solar Lyman- α , 2=1534
- Purcell, J.D. See Detwiler, C.R., 2=2480
- Purcell, J.D. See Detwiler, C.R., 2=15341
- Purcell, J.D. See Morton, D.C., 2=21663
- Purchas, J.G. See Dunn, P.D., 2=19886
- Purdy, G.R. See Kirkaldy, J.S., 2=6363
- Purdy, G.R. See Kirkaldy, J.S., 2=6840
- Puri, B.R., Parkash, S. and Singh, D.D. Studies in properties of charcoal-silica mixed adsorbent systems, 2=15102
- Puri, S.P. See Kent, D.W., 2=1903
- Purika, I. See Purika, I.
- Purika, I. See Bebeshef [Bebeşel], P., 2=8930
- Purika, I. See Khulubei, Kh., 2=20716
- Purl, O.T. See Frost, R.D., 2=20027
- Purohit, S.N. Neutron thermalization and diffusion in pulsed media, 2=5657
- Purohit, S.N. Time-dependent thermal-neutron energy spectra in a monatomic heavy gas, 2=5667
- Purohit, S.N. and Rajagopal, A.K. Scattering of thermal neutrons in the Doppler approximation, 2=18117
- Purser, K.H. See Glover, R.N., 2=3358
- Purser, W.F.C. and Syngé, J.L. Water waves and Hamilton's method, 2=11341
- Pursey, D.L. See Fried, H.M., 2=264
- Pursey, H. A note on the Carr-Purcell method of measuring nuclear magnetic resonance relaxation times, 2=3185
- Pusch, R. See Pepperhoff, W., 2=7351
- Püschel, W., Tietge, J., Monti, D., Giacomelli, G. and Vignudelli, A.Q. Evidence for the radiative decay mode $K^+ \rightarrow \pi^+ + \pi^+ + \pi^- + \gamma$, 2=21
- Püschel, W. See Cester, R., 2=3409
- Püschel, W. See Tietge, J., 2=18150
- Pushkarev, O.E. See Gubanov, A.I., 2=3042
- Pushkin, A.I. See Bezuglyi, P.A., 2=8162
- Pushkin, E.V. See Avakyan, R.O., 2=22764
- Pushkov, N.V. See Dolginov, S.Sh., 2=11082
- Pushkov, N.V. See Dolginov, S.Sh., 2=13063
- Pushtarik, V.A. See Kotov, V.I., 2=1540
- Puskás, F. See Ursu, I., 2=23416
- Pusterla, M. See Galzenati, E., 2=7885
- Pustovoi, V.I. and Gertsenshtein, M.E. Gravitational radiation by a relativistic particle, 2=7116
- Putley, E.H. Impurity photoconductivity in n-type InSb, 2=8417
- Putlitz, G.Zu. See Bucka, H., 2=348
- Putnam, A.A. Vortex shedding from the end of a tube as a result of buoyancy effects, 2=9247
- Putner, T. See Holland, L., 2=838
- Putseiko, E.K. See Akimov, I.A., 2=23445
- Putseiko, E.K. See Mýl'nikov, V.S., 2=16825
- Putseiko, E.K. See Mýl'nikov, V.S., 2=18829
- Puttock, M.J. A simple device for the measurement of fringe displacement in a gauge interferometer, 2=22052
- Putzolu, G. See Da Prato, G., 2=5628
- Puzei, I.M. The temperature and field dependences of the magnetic anisotropy energy of Invar, 2=8621
- Puzei, I.M. The temperature dependence of the magnetic anisotropy energy of iron-nickel [alloy] monocrystals, 2=8622
- Puzei, I.M. The dependence of the anisotropy energy in invar on temperature and field, 2=23648
- Puzei, I.M. Temperature dependence of the magnetic anisotropy energy of iron-nickel monocrystals, 2=23649
- Puzikov, L.D. See Baz', A.I., 2=16174
- Puzynovich, Yu.T. See Dzhelepov, B.S., 2=14015
- P'yarov, I.I. See Izmailov, S.V., 2=447
- P'yarov, I.I. See Izmailov, S.V., 2=22815
- Pyatnitskii, L.N. and Tsukhanova, O.A. The calculation of the state of explosion products by the method of measuring parameters of shock waves, 2=19145
- Pyatnitskii, L.N. The mechanism of flame acceleration during a passage from normal burning to a detonation, 2=21587
- Pyatov, N.I. See Zakhar'ev, B.N., 2=3521
- Pybalka, V.V. and Pereverzyeva, A.V. Effect of heat treatment of G on its magneto-resistance, 2=12519
- Pýchachchý, L.D. Gaps in a rarefied plasma in the Chew, Goldberg and Low approximation, 2=7609
- Pyeskova's'kii, S.A., Chernets, A.N., Postohvard, H.I., Sheyina, T.H. and Olinýk, I.M. Growing lanthanum ethyl sulphate single crystals with gadolinium and cerium ethyl sulphate impurities and their physical properties, 2=19057

- Yka, M. The H_2 bubble chamber used as a low-energy neutron spectrometer and the application of this technique to the determination of the Panofsky ratio, 2=9862
- Yka, M. See Cronin, J.W., 2=22489
- Yka, M. See Engels, E., 2=18048
- yle, R.V. See Paulikas, G.A., 2=7582
- yne, I.B. See Serrell, R., 2=15455
- ytte, A. A note on perturbation theory in nearly periodic systems, 2=13243
- uader, M.A. Anelastic measurement of diffusion in α -AgCd alloys, 2=3945
- uader, M.A. Internal friction in Al-Cu alloy, 2=14872
- uader, M.A. Dislocation damping in α -AgCd alloy, 2=15062
- uader, M.A. and Dey, B.N. Lattice expansion and Debye temperature of α -phase Ag-Cd alloys, 2=12389
- uan Dang Tran. See Dang Tran Quan.
- uaranta, A.A. and Righini, B. Fast transistorized pulse height analyzer, 2=2970
- uaranta, A.A. and Righini, B. Single channel transistorized pulse height analyzer, 2=9504
- uarrell, A.G. See Sellars, C.M., 2=18999
- uarrell, A.G. See Wright, J.A., 2=10771
- uattropani, A. and Baltensperger, W. Heat transport by spin-wave-spin-wave scattering in ferromagnetics, 2=6293
- uattropani, A. See Cotti, P., 2=18513
- uelli-Lefèvre, C. and Cagniard, L. Calculation of the geomagnetic dipole from "associated moments", 2=19256
- ueisser, H.J. Forward characteristics and efficiencies of silicon solar cells, 2=9522
- ueisser, H.J., Finch, R.H. and Washburn, J. Stacking faults in epitaxial silicon, 2=1404
- uelle, F.W., Jr. Energy bands in semiconductors, 2=23269
- uémada, D. See Delcroix, J.L., 2=1432
- uenby, J.J. and Wenk, G.J. Cosmic ray threshold rigidities and the earth's magnetic field, 2=22681
- uenby, J.J., Wenk, G.J. and Bland, C.J. Cosmic ray threshold rigidities, 2=16252
- uercia, I.F. See Iaci, G., 2=13776
- uerzoli, R. See Bernardini, C., 2=7690
- uerzoli, R. See Deutsch, M., 2=22557
- uerzoli, R. See Mencuccini, C., 2=11976
- uerzoli, R. See Mencuccini, C., 2=22520
- uesser, H.J. See Schwutke, G.H., 2=10397
- uetler, M. and Rappeneau, J. Energy stored by irradiated graphite. Variation of the energy as a function of successive annealings, 2=18573
- uidort, J. See Gastebois, J., 2=487
- uidort, J. See Gastebois, J., 2=3468
- uillet, A. Optical absorption of mercury telluride and selenide between 3 and 15 microns, 2=10608
- uinn, C.M. and Robert, M.W. Adsorption of carbon dioxide on nickel and the influence of adsorbed species on subsequent hydrogen chemisorption, 2=15103
- uinn, D.J. III and Itner, W.B. III. Resistance in a superconductor, 2=11562
- uinn, D.J. See Seraphim, D.P., 2=7494
- uinn, H.F. See Hamaker, R.W., 2=18720
- uinn, J.J. Range of excited electrons in metals, 2=12403
- uinn, J.J. and Rodriguez, S. Magnetic field dependence of the velocity of sound in metals, 2=23058
- uinn, R.G. See McDuffie, G.E., Jr., 2=19574
- uinn, T.F.J. Role of oxidation in the mild wear of steel, 2=4349
- uinn, W.E. See Little, E.M., 2=5351
- uinton, A.R. and Lawrence, G.P. The energy levels of Mg^{24} , 2=20518
- uinton, A.R. See Britt, H.C., 2=499
- urk, J.P. See Millington, R.J., 2=6843
- uist, T.M. See Keyes, R.J., 2=23393
- uitmann, D. See Brix, P., 2=14230
- ulvy, M. See Boscher, J., 2=23818
- ulvy, P. See Bouchez, R., 2=12133
- urashi, M.M. See Ahsanullah, A.K.M., 2=15567
- ivist, B. See Brene, N., 2=7897
- ab, D.H. and Osman, E. Effect of temporal overlap on brightness matching of adjacent flashes, 2=24209
- ab, F. See Linnell, R.H., 2=10961
- aaum, F. See Grønvald, F., 2=15041
- ay, H.B. van der. See van der Raay, H.B.
- abani, J. On the two forms of hydrogen atoms in neutral solutions irradiated by X-rays, 2=12979
- Rabben, H.H. Spectral observations of the solar radio phenomenon of 25 and 26 August 1959, 2=15400
- Rabe, E. Additional periodic trojan orbits and further studies of their stability features, 2=17252
- Rabin, H. and Schulman, J.H. Color centers in CsCl-type alkali halides, 2=6384
- Rabin, H. and Schulman, J.H., The F-center in CsCl and CsBr, 2=23217
- Rabin, N.B., and Kolganova, E.D. Measurements of mass of single charged particles emitted by absorption of mesons in emulsion nuclei, 2=22579
- Rabin, N.V. See Vaisenberg, A.O., 2=18042
- Rabinovich, I.B. and Nikolaev, P.N. Isotope effect in the heat capacity of some deuterium compounds, 2=13324
- Rabinovich, S.G. and Tkachenko, A.N. A universal photocompensation amplifier, 2=19840
- Rabinovich, V.A. An analysis of experimental thermal values and the equation of state for hydrogen, 2=17507
- Rabinovich, V.A. and Tsoiman, G.I. The equation of state and thermodynamic properties of liquid ammonia, 2=2707
- Rabinovich, V.A. See Kazavichinskii, Ya.Z., 2=11411
- Rabinovitch, B.S. and Current, J.H. On the classical approximation in unimolecular reactions and mass spectra, 2=10241
- Rabinovitch, B.S. See Bradley, J.N., 2=23009
- Rabinovitch, B.S. See Kubin, R.F., 2=21586
- Rabinowitz, M. Vacuum calorimetry in exploding wire studies, 2=22082
- Rabinowitz, P., Jacobs, S. and Gould, G. Continuous optically pumped Cs laser, 2=20139
- Rabinowitz, P., Jacobs, S.F., Shultz, T. and Gould, G. Cube-corner Fabry-Perot interferometer, 2=7385
- Rabinowitz, P. See Jacobs, S., 2=6101
- Rabkin, L.M. See Yatsenko, A.F., 2=14353
- Rabkin, L.M. See Yatsenko, A.F., 2=16824
- Rabkin, L.M. See Yatsenko, A.F., 2=18828
- Rabotkin, V.L. and Sokolov, V.A. Investigation of the electroluminescence of some phosphors with excitation by unipolar pulses, 2=14754
- Rabotkina, L.R. See Litvinova, P.S., 2=6646
- Raboy, S. See Monahan, J.E., 2=18308
- Rabson, T.A. Utilization of tunnel diodes in fast trigger circuits, 2=2977
- Rabson, T.A. A small, linear, wide range nuclear radiation detector, 2=22358
- Rack, E.P. and Gordus, A.A. Reactions of high-energy, excited I^{128} ions with gaseous molecules, 2=4564
- Raczy, L. See Constant, E., 2=2728
- Radak, B., Markovic, V. and Draganić, I. Radiation dosimetry of the reactor R.A. at Vinča. Measurements by isothermal calorimeter, 2=6000
- Radak, B.B. and Draganić, I.G. The " $2kC$ " ^{60}Co radiation unit of the Boris Kidrich Institute at Vinča, 2=18092
- Radaucan, S.I. Investigation of some complex semiconducting solid solutions and compounds on the basis of indium, 2=17053
- Radautsan, S.I. and Malkovich, B.E.-Sh. Some electrical properties of indium arseno-selenides, 2=10489
- Radchenko, I.V. See Lytvynenko, H.V., 2=21898
- Radchik, V.S. See Kobus, G.L., 2=4351
- Radchik, V.S. See Kobus, G.L., 2=12872
- Radcliffe, S.V. and Schatz, M. The effect of high pressure on the martensitic reaction in iron-carbon alloys, 2=8841
- Radell, J. and Harrah, L.A. Carbonyl stretching frequencies of some partially fluorinated esters, 2=8088
- Radeloff, C. See Boersch, H., 2=4187
- Radeloff, J. See Bodenstedt, E., 2=12136
- Radeloff, J. See Bodenstedt, E., 2=16300
- Rademacher, K. See Hess, H., 2=1405
- Rademacher, K. See Seliger, K., 2=9587
- Radford, H.E. Microwave Zeeman effect of free hydroxyl radicals: $^2\pi$ levels, 2=12335
- Radford, H.E. and Broida, H.P. Rotational perturbations in CN. Zero-field theory, optical Zeeman effect, and microwave transition probabilities, 2=22962
- Radford, L.E. See Hexner, P.E., 2=4521
- Radha, T.K. See Bhamathi, G., 2=1654
- Radha, T.K. See Bhamathi, G., 2=5745
- Radha, T.K. See Bhamathi, G., 2=13884
- Radha, T.K. See Ramakrishnan, A., 2=5744
- Radha, T.K. See Ramakrishnan, A., 2=13887
- Radha, T.K. See Ramakrishnan, A., 2=13889
- Radha, T.K. See Ramakrishnan, A., 2=20431
- Radha, T.K. See Ramakrishnan, A., 2=22563
- Radhakrishnan, M. See Venkateswarlu, K., 2=14247
- Radhakrishnan, V. See Clark, B.G., 2=4851
- Radicati, L.A. and Speiser, D. Global symmetries and selection rules for weak interactions, 2=11874

- Radnik, J. See Langer, G., 2=4570
- Rado, G.T. Simple derivation of the electron-nucleus contact hyperfine interaction, 2=22889
- Rado, G.T. and Folen, V.J. Observation of the magnetically induced magnetoelectric effect and evidence for antiferromagnetic domains, 2=2124
- Rado, G.T. and Folen, V.J. Magnetoelectric effects in antiferromagnetics, 2=12665
- Rado, G.T. See Schnitzler, A.D., 2=12803
- Radojčić, D. See Chadwick, G.B., 2=22522
- Radojčić, D. See Dodd, P., 2=22508
- Radojčić, D. See Goldsack, S.J., 2=9888
- Rădulescu, C. See Dragomirescu, D., 2=22369
- Rădulescu, C. See Teutsch, H., 2=5694
- Rădulescu, C. See Teutsch, H., 2=5695
- Rădulescu, G. See Mihul, C., 2=9285
- Radvanyi, P., Génin, J., Brissaud, I., Detraz, C., Benoist, P., Pasquier, R., Yoccoz, J. and d'Hulst. Emission of energetic deuterons and tritons and the existence of correlations in nuclei, 2=1892
- Radvanyi, P., Génin, J. and Detraz, C. Separation of the final states of the residual nucleus in the pickup reaction $C^{12}(p,d)C^{11}$ at 154 MeV, 2=3571
- Radvanyi, P. See Génin, J., 2=453
- Radyuk, G.A. See Zlobin, L.I., 2=17874
- Radzievskii, V.V. and Artem'ev, A.V. The influence of solar radiation pressure on the motion of artificial earth satellites, 2=24189
- Rae, A.I.M. and Barker, W.W. A correction to photometrically measured intensities to allow for α_1 , α_2 splitting, 2=10829
- Rae, D. Yield stress exerted on a body immersed in a Bingham fluid, 2=13307
- Raemer, H.R. On the spectrum of terrestrial radio noise at extremely low frequencies, 2=6919
- Raemer, H.R. Radiation from linear electric or magnetic antennas surrounded by a spherical plasma shell, 2=13688
- Raether, H. See Kunz, C., 2=10365
- Raetz, K. and Saur, E. Investigation of superconductivity in the system niobium-aluminium, 2=22120
- Rafalowicz, J. See Mazur, J., 2=14964
- Rafalski, W. and Minc, S. Mechanism of the cathode process during the preparation of thorium-zinc alloys in molten salts. I. The ThF_4 and ThF_4 - CaF_2 systems, 2=15149
- Rafalski, W. and Minc, S. Mechanism of the cathode process during the preparation of thorium-zinc alloys in molten salts. II. A study of ZnF_2 , 2=15150
- Rafiqullah, A.K. Alpha decay of nonaxial nuclei, 2=18279
- Raghavacharyulu, I.V.V. Normal modes of vibrations of crystals, 2=559
- Raghavacharyulu, I.V.V. and Bhavanacharyulu, I. Simplification in finding the allowable representations of space groups, 2=23833
- Raghavacharyulu, I.V.V. and Shrestha, C.B. Irreducible representations of plane groups, 2=6128
- Raghava Rao, R. and Ramachandra Rao, B. Height gradient of horizontal drifts in the E-region over Waltair, 2=896
- Raghava Rao, R. See Ramachandra Rao, B., 2=892
- Raghavan, K.S. See Kuhlmann-Wilsdorf, D., 2=19509
- Raghavan, R. See Lal, S., 2=8890
- Raghavan, R.S. See Gupta, R.K., 2=14061
- Raghavan, R. Srinivasa. See Srinivasa Raghavan, R.
- Raghupathi Rao, C. Distribution of intensity among various ultrasonic diffraction orders, 2=1234
- Raghupathi Rao, C. Dependence of the intensity of the first-order diffraction on sound wavelength, 2=11457
- Ragone, D.V. and Zumwalt, L.R. Gaseous corrosion of graphite, 2=23956
- Ragusa, S. See Itô, D., 2=9780
- Rahman, A. Scattering of slow neutrons by molecules, 2=3763
- Rahman, A., Singwi, K.S. and Sjölander, A. Stochastic model of a liquid and cold neutron scattering: II, 2=11353
- Rahman, A., Singwi, K.S. and Sjölander, A. Theory of slow neutron scattering by liquids, 2=11352
- Rahman, R. See Ali, M.I., 2=18177
- Rahn, R. See Dorain, P.B., 2=8671
- Raichenko, A.I. A study of self-diffusion in powder mixtures using concentration distributions, 2=8242
- Raichenko, A.I. Studying interdiffusion in powder mixtures by means of concentration distributions, 2=23894
- Raikhbaum, Ya.D. and Mal'kh, V.D. A possible cause of the "carrier" effect in spectral analysis, 2=864
- Raines, G.E. See Townley, C.W., 2=4577
- Raith, H. See Boersch, H., 2=11499
- Raith, W. See Boersch, H., 2=20984
- Raith, W. See Lemmerich, J., 2=14226
- Raizer, M.D. See Grebenshchikov, S.E., 2=1577
- Rajagopal, A.K. Closed shell ion-ion interactions in calcium fluoride, 2=16588
- Rajagopal, A.K. See Purohit, S.N., 2=18117
- Rajagopal, A.K. and Srinivasan, R. Lattice dynamics of cubic Perovskite structures, in particular $SrTiO_3$, 2=16589
- Rajagopal, E.S. Compressibility and sound velocity in two phase mixtures, 2=2828
- Rajagopal, E.S. On the exact theory of the elastic wave propagation in classical piezoelectric media, 2=15680
- Rajagopal, E.S. See Gopalan, K., 2=5281
- Rajagopal, E.S. See Viswanathan, R., 2=4305
- Rajagopal, E.S. See Viswanathan, R., 2=6268
- Rajagopal, V. Determination of reactor transfer functions by statistical correlation methods, 2=8032
- Rajagopala Rao, P. An expression for minimum deviation of a small angled double prism, 2=5151
- Rajagopalan, K. See Krishnan, K.G., 2=5325
- Rajagopalan, K. See Krishnan, K.G., 2=16485
- Rajalakshmi, K.V. Urey-Bradley force field-planar XY_3 molecules, 2=22934
- Rajalakshmi, K.Y. See Venkateswarlu, K., 2=20825
- Rajan, R. Electron spin resonance in copper (II) malonate, 2=213
- Rajasekharan, G. See Dalitz, R.H., 2=13974
- Rajeswari, G.K. See Rathna, S.L., 2=4985
- Rajeswari, G.K. and Rathna, S.L. Flow of a particular class of non-Newtonian visco-elastic and visco-inelastic fluids near a stagnation point, 2=11333
- Rajewsky, M.F. X-ray microanalysis of a radioactive particle with the aid of the electron microscope, 2=23989
- Rajopadhye, V.Y. Inelastic collisions of 6 BeV protons, 2=16192
- Raju, M.R. and Jnanananda, S. The absorption of beta radiation as a function of atomic number, 2=16186
- Raju, M.R. and Jnanananda, S. Determination of the end-point energy of beta emitters, 2=16346
- Rakavy, G. A note on the perturbation method in neutron transport theory, 2=41
- Rakavy, G. See Many, A., 2=14524
- Rakavy, M. See Burde, J., 2=1803
- Rakavy, M. See Burde, J., 2=16329
- Rakavy, M. See Burde, J., 2=22741
- Rakhimov, R.R. See Arifov, U.A., 2=13591
- Rakhimov, R.R. See Arifov, U.A., 2=17876
- Rakobol'skaya, I.V. Calculation of the fraction of high energy electrons and photons near the axis of a broad atmospheric shower, 2=26680
- Rakov, A.V. Temperature dependence of line width in the Raman spectra of crystalline substances, 2=703
- Rakowski, A. The application of the autocorrelation method to the spectral analysis of sound records, 2=80
- Raleigh, D.O. and Sommer, A.W. Thermodynamic significance of heat transport in interstitial solid solutions, 2=3932
- Rama and Honda, M. Cosmic-ray-induced radioactivity in terrestrial materials, 2=2460
- Rama and Honda, M. Natural radioactivity in the atmosphere, 2=2
- Rama Murthy, V. Isotopic anomalies of molybdenum in some iron meteorites, 2=11117
- Rama Murthy, V. and Urey, H.C. The time of formation of the solar system relative to nucleosynthesis, 2=15303
- Rama Rao, B. A note on the crystal structure of anhydrous copper sulphate, 2=8833
- Rama Rao, J., Lakshminarayana, V. and Jnanananda, S. Effective atomic numbers of alloys and compounds, 2=4431
- Rama Rao, P. and Anantharaman, T.R. A method for determining domain size and lattice strain in a deformed metal, 2=15107
- Rama Rao, P. and Anantharaman, T.R. The structure of nickel filings, 2=17014
- Ramachandra Rao, B. and Raghava Rao, R. A new type of ionospheric drift recorder, 2=892
- Ramachandra Rao, B. See Abhirama Reddy, C., 2=11804
- Ramachandra Rao, B. See Padmini, P.R.K.L., 2=15589
- Ramachandra Rao, B. See Raghava Rao, R., 2=896
- Ramachandra Rao, B. See Ramana, K.V.V., 2=11058
- Ramachandra Rao, B. See Seshagiri Rao, M.G., 2=19560
- Ramachandra Rao, D. and Venkateswarlu, P. Emission spectrum of SiF_2 . I. The band system in the region 2755-2179 Å, 2=6182
- Ramachandran, A. See Sreenivasan, K., 2=7421
- Ramachandran, G.N. A problem in probability related to the passage of light through a cloud of particles, 2=120
- Ramakanth, J. Dislocation of the first order, 2=21011
- Ramakoteswara Rao, P., Asundi, R.K. and Brody, J.K. Structure of the band spectrum of $CuCl$ molecule. II. Rotational structure of the F-X band system of $Cu^{85}Cl^{38}$, 2=10252

- makoteswara Rao, P., Asundi, R.K. and Brody, J.K. Structure of the band spectrum of CuCl molecule. III. Rotational structure of the B and C systems of $\text{Cu}^{63}\text{Cl}^{35}$, 2-10253
- makoteswara Rao, P., Brody, J.K. and Asundi, R.K. Structure of the band spectrum of CuCl molecule. IV. Rotational structure of the D and E systems of $\text{Cu}^{63}\text{Cl}^{35}$, 2-22964
- makoteswara Rao, P. See Asundi, R.K., 2-1983
- makrishna, B.S. See Ramaswamy, T.K., 2-9344
- makrishna, J. Temperature dependence of the iodine pure quadrupole resonance frequency in methyl iodide, 2-10727
- makrishna, S. See Krishnamurthi, M., 2-11151
- makrishna Rao, M. and Anantharaman, T.R. A replica technique for electron microscopic examination of copper-base alloys, 2-10958
- makrishna Rao, M. See Ramesam, J., 2-12933
- makrishnan, A. and Balachandran, A.P. Partial wave dispersion relations for lambda-nucleon scattering, 2-13886
- makrishnan, A., Balachandran, A.P. and Raman, K. Low energy K⁺-nucleon scattering, 2-12002
- makrishnan, A., Bhamathi, G. and Indumathi, S. A limiting process in quantum electrodynamics, 2-3244
- makrishnan, A., Bhamathi, G., Indumathi, S., Radha, T.K. and Thunga, R. Some consequences of spin $\frac{1}{2}$ for Ξ , 2-5744
- makrishnan, A., Devanathan, V. and Venkatesan, K. On the scattering of pions by deuterons, 2-5725
- makrishnan, A., Radha, T.K. and Thunga, R. Possible resonances in Ξ p reactions, 2-13889
- makrishnan, A., Radha, T.K., Thunga, R. and Balachandran, A.P. On the Y^{*}-resonances, 2-13887
- makrishnan, A., Radha, T.K., Thunga, R. and Balachandran, A.P. On the spin and parity of the Y^{*}-resonance, 2-20431
- makrishnan, A., Radha, T.K., Thunga, R. and Balachandran, A.P. Photoproduction of pions on A-hyperons, 2-22563
- makrishnan, D. See Agrawal, R.M., 2-21247
- man, C.V. Flow between two concentric rotating cylinders with a radial magnetic field, 2-1568
- man, C.V. The vibrations of the MgO crystal structure and its infrared absorption spectrum. I. The results of experimental study, 2-6254
- man, C.V. The vibrations of the MgO crystal structure and its infrared absorption spectrum. II. Dynamical theory, 2-6255
- man, C.V. The vibrations of the MgO crystal structure and its infrared absorption spectrum. III. Comparison of theory and experiment, 2-6256
- man, C.V. The vibrations of the MgO crystal structure and its infrared absorption spectrum. IV. Evaluation of its specific heat, 2-6257
- man, C.V. The spectroscopic behaviour of rock-salt and the evaluation of its specific heat. I. The structure and its free vibrations, 2-6258
- man, C.V. The spectroscopic behaviour of rock-salt and the evaluation of its specific heat. II. Its infrared activity, 2-6259
- man, C.V. The spectroscopic behaviour of rock-salt and the evaluation of its specific heat. III. The spectrum of light scattering, 2-6260
- man, C.V. The spectroscopic behaviour of rock-salt and the evaluation of its specific heat. IV. Specific heat and spectral frequencies, 2-6261
- man, C.V. The infra-red absorption by diamond and its significance. I. Materials and methods, 2-8497
- man, C.V. The infra-red absorption by diamond and its significance. II. A general survey of the results, 2-8498
- man, C.V. The infra-red absorption by diamond and its significance. III. The perfect diamonds and their spectral behaviour, 2-8499
- man, C.V. The infra-red absorption by diamond and its significance. IV. The non-luminescent diamonds, 2-8500
- man, C.V. The infra-red absorption by diamond and its significance. V. The composite diamonds, 2-8501
- man, C.V. The infra-red absorption by diamond and its significance. VI. The free vibrations of the structure, 2-8502
- man, C.V. The infra-red absorption by diamond and its significance. VII. The characteristic frequencies, 2-8503
- man, C.V. The infra-red absorption by diamond and its significance. VIII. Dynamical theory, 2-8504
- man, C.V. The infra-red absorption by diamond and its significance. IX. The activity of the normal modes, 2-8505
- man, C.V. The infra-red absorption by diamond and its significance. X. Evaluation of the specific heat, 2-8506
- man, C.V. Optics in India: the spectroscopic behavior of rock salt, 2-13425
- man, C.V. The vibration spectrum of lithium fluoride and the evaluation of its specific heat, 2-14373
- man, K. Three-particle associated production in pion-nucleon collisions, 2-22575
- man, K. See Ramakrishnan, A., 2-12002
- Raman, S. Syntheses for the deconvolution of the Patterson function. III. Theory for centrosymmetric crystals, 2-6804
- Raman, S. Some aspects of minimum-function diagrams [for Patterson functions], 2-10852
- Raman, S. and Saxena, S.C. Thermal-diffusion column-shape factors for a gas composed of rigid spherical molecules, 2-17503
- Ramana, K.V.V. and Ramachandra Rao, B. Lunar daily variation of horizontal drifts in the ionosphere at Waltair, 2-11058
- Ramanadham, R., Mohana Rao, K.M. and Nagamunswara Rao, K. Raindrop spectrum analysis, 2-15192
- Ramanadham, R., Reddy, B.M. and Alluraiah, A. A winter anomaly in the variation of total absorption at high frequencies reflected by the F₂ layer of the ionosphere, 2-17174
- Ramanathan, K.G. Faraday's law of induction and the force on a body due to change in its magnetization in an electric field, 2-22303
- Ramanathan, K.R. July 1959 events and associated phenomena, 2-887
- Ramanamurthy, P.V. See Miyake, S., 2-12074
- Ramanamurthy, P.V. See Miyake, S., 2-12077
- Ramasastri, C. Energy states associated with crystal defects in semi-conductors, 2-14515
- Ramasehan, S. See Viswamitra, M.A., 2-10337
- Ramaswamy, K., Sathianandan, K. and Cleveland, F.F. Molecular constants of NSF₃, 2-20838
- Ramaswamy, K. See Sathianandan, K., 2-16541
- Ramaswamy, M.K. Studies in K-capture positron branching ratios-Co⁵⁸, 2-7948
- Ramaswamy, M.K. A determination of the mean L-fluorescence yield in thallium, 2-16844
- Ramaswamy, M.K. On the possible existence of a O⁺ first excited state in ²⁶Mg, 2-22733
- Ramaswamy, M.K. See Vanderleeden, J.C., 2-7952
- Ramaswamy, T.K. and Ramakrishna, B.S. Simple laboratory setup for obtaining sound spectrograms, 2-9344
- Ramavaram, K. See Porat, D.I., 2-1931
- Ramavaram, K. See Calvert, J.M., 2-10142
- Ramazanov, K.A. Electrical properties of alloys of the system Bi-Sb in thin films, 2-3986
- Ramazanov, P.E. Dielectric changes in ZnS:Cu:Fe phosphor during thermostimulation, 2-21283
- Ramazanov, P.E. See Litvinova, P.S., 2-6646
- Ramberg, E.G. See Schlesinger, K., 2-15955
- Rambidi, N.G. See Akishin, P.A., 2-22951
- Ramdas, A.K. See Fan, H.Y., 23570
- Ramesam, J., Ramakrishna Rao, M. and Anantharaman, T.R. Electron-metallographic studies of precipitation in an aluminium-zinc-magnesium alloy, 2-12933
- Rami Reddy, G. See Arnkar, H.J., 2-3190
- Ramiah, K.V. See Puranik, P.G., 2-7218
- Ramiah, K.V. See Puranik, P.G., 2-7219
- Ramirez de Arellano, M.E. See Moreno Moreno, A., 2-4616
- Ramler, W.J. See Benaroya, R., 2-3110
- Ramler, W.J. See Johnson, K., 2-9656
- Ramos, C. See Pastor, J., 15753
- Ramos, C. See Pastor, J., 2-17669
- Ramos, F. and Wilman, H. Electron diffraction study of thin films of sodium chloride condensed in vacuo, 2-15091
- Ramšak, V. See Cvelbar, F., 2-16181
- Ramsay, D.A. See Bancroft, J.L., 2-10257
- Ramsay, J.V. The optical performance of windows with axial temperature gradients, 2-97
- Ramsay, J.V. A rapid-scanning Fabry-Perot interferometer with automatic parallelism control, 2-17643
- Ramsay, J.V. and Kobler, H. A stellar image monitor, 2-24073
- Ramsay, W. See Finkelstein, R., 2-9774
- Ramsden, D. See Watt, D.E., 2-5832
- Ramsden, S.A. and McLean, E.A. Optical refractivity of free electrons, 2-19980
- Ramsden, S.A. See Hearn, A.G., 2-7620
- Ramsey, A.T. See Anderson, I.W., 2-1964
- Ramsey, N.F. See Fox, R., 2-5905
- Ramsey, N.F. See Kleppner, D., 2-6102
- Ramsey, N.F. See Kleppner, D., 2-11785
- Ramsey, R.C. Spectral irradiance from stars and planets, above the atmosphere, from 0.1 to 100.0 microns, 2-19270
- Ramsey, T.H., Jr., Steinfink, H. and Weiss, E.J. A study of neodymium substituted yttrium iron garnet, 2-21339
- Ramsteiner, F., Schüle, W. and Seeger, A. Investigation of atomic defects in deformed and quenched silver, 2-18570
- Rançon, P. See Aubert, B., 2-18187
- Rançon, P. See Aubert, B., 2-22647
- Rançon, P. See Bellini, G., 2-22573
- Rançon, P. See Bloch, M., 2-1640

- Rancon, P. See Di Corato, M., 2-22627
- Rand, M.H. [Ed.] The measurement and interpretation of diffraction line profiles, 2-23831
- Rand, M.H., Fox, A.C. and Street, R.S. Radiation self damage in plutonium compounds, 2-23172
- Rand, M.J. The adsorption of water vapour by porous glass, 2-15101
- Rand, R.E. See Jennings, R.E., 2-9501
- Rand, R.P. and Calvert, L.D. The crystal structure of Ag_2Ca_2 , 2-10883
- Rand, S. Erratum: Plasma as a microwave amplifier, 2-7608
- Randall, J. Aspects of the life and work of James Clerk Maxwell, 2-21778
- Randić, M. C matrix for XY_2 -- UW_2 and related molecules, 2-6135
- Randić, M. Ligand field splitting of d orbitals in eight coordinated complexes of dodecahedral structure, 2-14304
- Randić, M. Quadricovalent maximum overlap hybrid orbitals, 2-16496
- Randolph, H.D. See Muschlitz, E.E., 2-9642
- Randolph, P.D. See Strong, K.A., 2-3764
- Rands, J.B. and Bigg, P.H. Hydrometers and hydrometry, 2-7165
- Rane, S.R. See Chiplonkar, V.T., 2-17852
- Ranft, J. A calculation of the H-H and C^{13} -H coupling constants using V-B eigenfunctions, 2-14302
- Rangan, L.K. Harris, G.I. and Seagondollar, L.W. Properties of the two states in Ca^{40} near 9.87 MeV, 2-20620
- Range, W.H. See Ashmore, A., 2-18118
- Rank, D.H., Eastman, D.P., Rao, B.S. and Wiggins, T.A. Rotational and vibrational constants of the HC^{13} and DC^{13} molecules, 2-3728
- Rank, D.H., Rao, B.S., Sitaram, P., Slomba, A.F. and Wiggins, T.A. Quadrupole and induced dipole spectrum of molecular hydrogen, 2-20803
- Rank, D.H., Rao, B.S., Slomba, A.F., Sitaram, P. and Wiggins, T.A. Fundamental band of the quadrupole spectrum of the hydrogen molecule, 2-20802
- Rank, D.H., Slomba, A.F., Gardner, E.F. and Wiggins, T.A. Abundance of N_2O in the atmosphere, 2-17126
- Ranninger, J. The collection and single particle excitations of a high density electron gas, 2-20976
- Ransil, B.J. See Fraga, S., 2-2010
- Ransil, B.J. See Fraga, S., 2-6196
- Ransil, B.J. See Fraga, S., 2-20810
- Ranyuk, A.I. See Miloslavskii, V.K., 2-6553
- Ranyuk, Yu.N. See Bolotin, L.I., 2-16439
- Ranzetta, G.V.T. and Scott, V.D. Storage oscilloscope used in conjunction with the scanning electron probe microanalyser, 2-4500
- Ranzi, A. Minguzzi. See Minguzzi Ranzi, A.
- Rao, A. Bhaskara. See Bhaskara Rao, A.
- Rao, A. Muralidhara. See Muralidhara Rao, A.,
- Rao, B.D. Nageswara. See Nageswara Rao, B.D.,
- Rao, B.N. Subba. See Subba Rao, B.N.
- Rao, B. Rama. See Rama Rao, B.
- Rao, B. Ramachandra. See Ramachandra Rao, B.
- Rao, B.S. See Rank, D.H., 2-3728
- Rao, B.S. See Rank, D.H., 2-20802
- Rao, B.S. See Rank, D.H., 2-20803
- Rao, C.N.R. See Vratny, F., 2-6578
- Rao, C. Raghupathi. See Raghupathi Rao, C.
- Rao, C.S.R. Study of the geomagnetic anomaly during sunspot maximum, 2-21654
- Rao, C.V.S. and Mitra, S.N., Spread F and geomagnetic activity, 2-6947
- Rao, D.A.A.S.N. See Mani, G.S., 2-1794
- Rao, D. Ramachandra. See Ramachandra Rao, D.
- Rao, D.V.G.L. Narasimha. See Narasimha Rao, D.V.G.L.
- Rao, G.N.V. Method for obtaining minimum noise in a general purpose hot wire amplifier, 2-1176
- Rao J., Rama. See Rama Rao J.
- Rao, J.K. See Pandey, S.N., 2-21802
- Rao, K.K. Electrical resistivity recovery in cold-worked 60 per cent silver-40 per cent palladium alloy, 2-23231
- Rao, K.M. Mohana. See Mohana Rao, K.M.
- Rao, K. Nagamuneswara. See Nagamuneswara Rao, K.
- Rao, K. Narahari. See Narahari Rao, K.
- Rao, K.V. On the dielectric loss and thermal bleaching of calcite irradiated by X-rays, 2-4085
- Rao, K.V. and Sharma, J. Colour centres and thermal bleaching of sodium chloride and lithium fluoride, 2-16668
- Rao, K.V. Krishna. See Krishna Rao, K.V.
- Rao, K.V. Narasinga. See Narasinga Rao, K.V.
- Rao, M.G.B. Movement of electrolytes by the combined action of alternating electric and magnetic fields, 2-5297
- Rao, M.K., Mazumdar, S.C. and Mitra, S.N. Investigation of ionospheric absorption at Delhi, 2-9718
- Rao, M. Narayana. See Narayana Rao, M.
- Rao, M. Ramakrishna. See Ramakrishna Rao, M.
- Rao, M.V.K. Appa. See Appa Rao, M.V.K.
- Rao, N. Kameswara. See Kameswara Rao, N.
- Rao, P. Rajagopala. See Rajagopala Rao, P.
- Rao, P. Rama. See Rama Rao, P.
- Rao, P. Tiruvenganna. See Tiruvenganna Rao, P.
- Rao, R.D. See Edkie, R.G., 2-5199
- Rao, R. Raghava. See Raghava Rao, R.
- Rao, R.V.G., Keer, H.V. and Das, C.D. Vapour pressure and intermolecular energy constants of liquids, 2-19538
- Rao, S.K. Lakshmana. See Lakshmana Rao, S.K.
- Rao, Shankar, V.U. See Shankar Rao, V.U.
- Rao, S. Srinivasa. See Srinivasa Rao, S.
- Rao, S. Thyagaraja. See Thyagaraja Rao, S.
- Rao, S.V. Krishna. See Krishna Rao, K.V.
- Rao, T.A. Prasada. See Prasada Rao, T.
- Rao, T. Seshagiri. See Seshagiri Rao, T.
- Rao, U.R. See Sarabhai, V.A., 2-13904
- Rao, V.S.R. See Varadaiah, V.V., 2-5017
- Rao, Y.P. Transequatorial exchange of angular momentum, 2-129
- Raoult, G., Adamski, J., Cueille, J.P., Laval, C. and Roux, M.R. Obtaining of homogeneous magnetic fields, 2-11750
- Rapier, P.M. A proposed test of the constancy of the velocity of light, 2-2612
- Rapier, P.M. See Ruderfer, 2-21805
- Rapkin, E. and Gibbs, J.A. A system for continuous measurement of radioactivity in flowing streams, 2-14009
- Rapoport, I.D. A pulse amplitude integrator, 2-1360
- Rapoport, I.D. A hodoscope with a successive transmission of signals, 2-1740
- Rapoport, I.D. See Grigorov, N.L., 2-5288
- Rapoport, I.D. See Grigorov, N.L., 2-19276
- Rapp, D. and Weston, R.E., Jr. Comment on the calculation of rate constants from transition-state theory, 2-19133
- Rappeneau, J. See Jouquet, G., 2-23766
- Rappeneau, J. See Quetier, M., 2-18573
- Rarita, W. See Hadjiannou, F., 2-20339
- Rasba, E.I. Semiconductors with a loop of extrema, 2-23268
- Rasbirin, B.S. See Gross, E.F., 2-6571
- Rasche, G. Investigation of the statistical model of meson Theory, 2-13822
- Rashba, E.I. Properties of semiconductors with an extremum loop. Cyclotron and "combinational" resonance in a magnetic field perpendicular to the plane of the loop, 2-16688
- Rashba, E.I. and Gurgenshvili, G.E. Contribution to the theory of absorption edge in semiconductors, 2-21234
- Rashba, E.I. and Sheka, V.I. Combined resonance of band electrons in crystals having a zinc blende lattice, 2-2303
- Rashba, E.I. and Sheka, V.I. Combined resonance in n-type InSb, 2-2304
- Rashba, E.I. and Sheka, V.I. The properties of semiconductors with extremal loops. IV. Angular dependence of combined resonance in strong magnetic fields, 2-4003
- Rashba, E.I. See Broude, V.L., 2-2234
- Rashba, E.I. See Broude, V.L., 2-4157
- Rashba, E.I. See Broude, V.L., 2-10592
- Rashevsky, N. [Ed.] Physicomathematical aspects of Biology, 2-24
- Rashid, M.A. The reduction of the product of three 8-dimensional representations of $U(3)$ and $SU(3)$ into irreducible representations, 2-22412
- Rasigni, G. Variation of the optical properties of very thin films of iron as a function of wavelength, 2-4112
- Rasigni, G. A resonance phenomenon occurring in thin films of silver, 2-8476
- Rasigni, G. The development, under the influence of air, of a resonance phenomenon in thin films of silver, 2-8477
- Rasigni, G. Influence of the structure of thin silver films on resonance phenomena, 2-19111
- Rasigni, G. Resonance phenomenon occurring in thin films of gold, 2-23513
- Rasigni, G., Belzons, M., Emeric, N. and Emeric, A. Investigation on absorption of very thin layers of iron, nickel and cobalt as a function of wavelengths, 2-11488
- Rasigni, G. and Rivoira, R. Study in vacuum of optical properties of thin films alterable in air, 2-5176
- Rasigni, G. and Rouard, P. Experimental study of a resonance phenomenon occurring in thin films of silver, 2-16800
- Rasigni, G. See Payan, R., 2-12576
- Raskin, V.F. See Shifrin, K.S., 2-9407
- Rasmussen, J.C. See Mang, H.J., 2-1832
- Rasmussen, J.G. Prediction of fatigue failure using ultrasonic surface waves, 2-12870

- asmussen, J.O. See Person, L.W., 2=20505
- asmussen, R.A. Application of thermistors to measurements in moving fluids, 2=2689
- asmussen, R.A. Resonance absorption in solid cyclohexane, 2=12376
- aspletin, K.K. See Pochtarev, B.I., 2=16880
- ass, R. See Broser, I., 2=8413
- assmann, G. and Henkel, O. Origin of the magnetic hardness of cold-worked Fe—Ni—Cr alloys, 2=2281
- assmann, G. and Henkel, O. The micromagnetics of cold worked Fe—Ni—Cr alloys, 2=12762
- assow, J. Graphical procedure for the polarization-optical determination of the thickness and refractive index of arbitrarily thick, non-absorbing homogeneous films on glass, 2=15736
- assudova, G.N. and Gerasimov, F.M. Precision diffraction gratings for metrology, 2=5187
- assushin, V.A. See Bogdanov, S.V., 2=18693
- ast, H.E., Jr. See Keller, R.A., 2=14510
- astall, P. Another form of quantum electrodynamics, 2=9764
- astall, P. A simplified quantum electrodynamics, 2=20228
- astall, P. A perturbation calculation for a "g-2" experiment, 2=22923
- astin, B.C. See Bull, R.M., 2=11846
- astin, B.C. See Bull, R.M., 2=11847
- astin, B.C. See Bull, R.M., 2=13937
- astogi, B.P. and Singh, R.S. Absorption on the 6.7 eV resonance of U^{238} , 2=7999
- astogi, B.P. See Desai, R.C., 2=5998
- astogi, R.G. The morphology of lunar semi-diurnal variation in f_oF_2 near solar noon, 2=4650
- astogi, R.G. Some effects of geomagnetic activity of the F2 region of the ionosphere over Leopoldville (4.4° S, 15.3° E), 2=4656
- astogi, R.G. Thunderstorms and sporadic-E layer ionization over Ottawa, Canada, 2=17168
- astogi, R.G. The effect of geomagnetic activity on the F_2 region over Central Africa, 2=17173
- astogi, R.P. and Girdhar, H.L. Molecular interaction in saturated hydrocarbons, 2=6233
- astogi, R.P. and Girdhar, H.L. Statistical mechanics of associated mixtures, 2=21896
- astoin, J. See Bok, J., 2=5686
- astcliffe, E.H. The thermal conductivity of ice. New data on the temperature coefficient, 2=23089
- astley, J.A. Some aspects of ionosphere storms, 2=15319
- astenau, G.W. See de Jong, M., 2=8842
- athgeber, H.D. See Campbell, M.J., 2=12079
- athgeber, H.D. See Campbell, M.J., 2=13935
- athjens, G.W.Jr. Microwave investigation of cyclopentene, 2=14268
- athna, S.L. and Rajeswari, G.K. Superposability in non-Newtonian fluids with variable viscosity and cross-viscosity coefficients, 2=4985
- athna, S.L. See Rajeswari, G.K., 2=11333
- atier, J.L. See Mustelier, J.P., 2=18626
- atner, A.M. Mean light yield of scintillators, 2=3205
- atner, A.M. and Rom-Krichevskaya, I.A. Theory of the energy resolution of a scintillation counter, 2=18003
- atner, A.M. and Zil'berman, G.E. Contribution to the theory of luminescence of activated phosphors, 2=14707
- atner, L. See Marcowitz, S., 2=11916
- atner, S.B. Similarity effect in wear [due to abrasion], 2=19020
- atner, S.B. Similarity effect in wear [due to abrasion], 2=23797
- atti, J.N. See Muschlitz, E.E., 2=9642
- atti, S. See Abate, E., 2=5920
- atti, S. See Bellini, G., 2=22573
- atti, S. See Block, M.M., 2=9883
- au, O.I. See Grinev, V.S., 2=6900
- au, R.R. See Bertanza, L., 2=20424
- au, R.R. See Bertanza, L., 2=22652
- uber, A. and Schneider, J. Paramagnetic resonance of Fe^{3+} ions in synthetic cubic ZnS crystals, 2=12825
- uber, A. Schneider, J. and Matossi, F. Investigations of paramagnetic centres in self-activated cubic ZnS single crystals, 2=21274
- uh, E.G. See Ackermann, R.J., 2=2937
- uls, W. See Hofmann, W., 2=19009
- umann, G. The anisotropy of the shear moduli of drawn polyethylene, 2=14870
- ushenbakh, B.V. and Tokar, E.N. Some control problems in interplanetary space, 2=11202
- ussel-Colom, J.A. and Norrish, K. Low-angle diffractometer for studying the swelling of clay minerals, 2=8805
- utenbach, W.L. Experimental verification of the space charge law ($I = k(e/m)^{1/2} v^3$) for ion beams from a plasma ion source, 2=3087
- Rautian, S.G. and Sobel'man, I.I. Photo-dissociation of molecules as a method of obtaining a medium with the negative absorption coefficient, 2=10286
- Rautian, S.G. and Sobel'man, I.I. Line shape and dispersion within the absorption band when forced transitions are taken into account, 2=22341
- Raven, K.D. See Mullin, J.W., 2=21489
- Ravenhall, D.G. See Hetherington, J.H., 2=12214
- Ravich, Yu I. A contribution to the theory of photomagnetic effect in strong magnetic fields, 2=23479
- Ravich, Yu I. See Subashiev, V.K., 2=21167
- Ravlik, A.G. See Palatnik, L.S., 2=23800
- Raw, C.J.G. and Kuenz, C. Approximate mean-square amplitudes of characteristic two-atom vibrations, 2=1980
- Raw, C.J.G. See Hawksworth, W.A., 2=21936
- Rawer, K. Propagation problems with space radio communications, 2=17316
- Rawer, K. See Aarons, J., 2=4618
- Rawitscher, G.H. Scattering of μ mesons from the nuclei of bromine and silver, 2=1906
- Ray, D.K. On the electron paramagnetic resonance line corresponding to a transition $\Delta M_s = \pm 2$ for ions with effective spin $s = 1$, 2=763
- Ray, D.K. See Rosset, J., 2=21288
- Ray, E.C. Re-entrant cosmic-ray albedo, 2=22693
- Ray, J.A. See Barnett, C.F., 2=15929
- Ray, J.H. See Krumbein, A.D., 2=16458
- Ray, T.C. See Hallam, H.E., 2=20788
- Raychaudhuri, A.K. and Som, M.M. Stationary cylindrically symmetric clusters of particles in general relativity, 2=11264
- Raymond, M. See Crayton, N., 2=3472
- Raymund, M. See Abdedo, D., 2=5791
- Raymund, M. See Crayton, N., 2=22718
- Raymund, M. See Davis, D.H., 2=18191
- Raynal, J. Determination of phase-shifts by the scattering of polarized protons from a target of polarized protons, 2=290
- Raynal, J. - Scattering of polarized protons by a target of polarized protons, 2=3334
- Raynard, J. See Gautier, P., 2=11597
- Rayne, J.A. Magneto-acoustic oscillations in thallium, 2=23116
- Rayne, J.A. and Chandrasekhar, B.S. Fermi surface of indium from magnetoacoustic measurements, 2=10355
- Rayne, J.A. and Sell, H. Magnetoacoustic oscillations in tungsten, 2=14376
- Raynes, W.T. Buckingham, A.D. and Bernstein, H.J. Medium effects in proton magnetic resonance I. Gases, 2=16556
- Raynor, G.V. See Evans, D.S., 2=4475
- Raynor, G.V. See Henderson, B., 2=12935
- Raynor, G.V. See Henderson, B., 2=17037
- Raynor, G.V. See Henderson, B., 2=21537
- Raynor, J.B. See Allday, W.J., 2=21885
- Rayrole, J. See Charvin, P., 2=11481
- Rayski, J. Relative parities of baryons, 2=5589
- Rayski, J. Localization of energy and quantization of the gravitational field, 2=9151
- Rayward, J. See Lacoste, R., 2=9490
- Raz, B.J. See Macfarlane, M.H., 2=1914
- Raz, B.J. See Macfarlane, M.H., 2=16432
- Razavy, M. Field, G. and Levinger, J.S. Analytical solutions for velocity-dependent nuclear potentials, 2=3451
- Razbash, R Ya. See Bogdanov, S.V., 2=4106
- Razbash, R Ya. See Bogdanov, S.V., 2=4107
- Razbirin, B.S. See Gross, E.F., 2=4120
- Razbirin, B.S. See Gross, E.F., 2=4138
- Razbirin, B.S. See Gross, E.F., 2=8487
- Razbirin, B.S. See Gross, E.F., 2=10597
- Razbirin, B.S. See Gross, E.F., 2=12596
- Razbirin, B.S. See Gross, E.F., 2=12616
- Razbirin, B.S. See Gross, E.F., 2=14671
- Razbirin, B.S. See Gross, E.F., 2=14715
- Razbitnaya, E.P. A particular case of the restricted three-body problem with variable masses, 2=937
- Razikov, K.Kh. See Berestnev, V.A., 2=4481
- Razin, V.A. Criticism of hypotheses on the metagalactic origin of cosmic rays, 2=20471
- Razorenov, L.A. See Dragun, G.S., 2=17314
- Razorenov, L.A. See Ginzburg, V.L., 2=15266
- Razorenov, L.A. See Ginsburg, V.L., 2=19249
- Razorenov, L.A. See Kurnosova, L.V., 2=7917
- Razorenov, L.A. See Kurnosova, L.V., 2=9947
- Razorenov, L.A. See Kurnosova, L.V., 2=9948
- Razorenov, L.A. See Kurnosova, L.V., 2=11085
- Razorenov, L.A. See Kurnosova, L.V., 2=12090

AUTHOR INDEX

- Razorenov, L.A. See Kurnosova, L.V., 2=16273
 Razorenov, L.A. See Kurnosova, L.V., 2=20475
 Razorenov, L.A. See Kurnosova, L.V., 2=21674
 Razorenov, L.A. See Veprik, Ya.M., 2=19360
 Razumovskaya, A.I. See Vil'dgrube, G.S., 2=20019
 Razumovskaya, L.P. See Bochkova, O.P. 2=11627
 Razumovskii, A.N. and Chaika, M.P. Measurement of isotopic shifts of the resonance line of barium, 2=18414
 Read, A.L. See Baker, W.F., 2=20627
 Read, B.E. and Williams, G. Analysis of curves of loss factor against reciprocal temperature for dielectric and dynamic mechanical relaxation, 2=6511
 Read, J.B.J., Ladenbauer-Bellis, I.M. and Wolfgang, R. Compound nucleus formation mechanisms in reaction of heavy ions with medium-mass elements, 2=20679
 Read, S.F.J. Dynamic nuclear polarization in a perylene-iodine complex, 2=18965
 Read, S.M. and Vanderslice, J.T. Potential energy curves for C_2 , 2=14299
 Read, S.M., Vanderslice, J.T. and Fenč, F. Potential curves for BeH^+ and CH^+ , 2=18451
 Read, S.M. See Svrbely, W.J., 2=15580
 Reading, D.H. See Chapman, K.R., 2=16433
 Ready, J.F. Time coherence in ruby lasers, 2=23551
 Reagan, J.B. See Smith, R.V., 2=17995
 Reale, A. See Berkelman, K., 2=9913
 Reale-Scafati, A. Diffusion in a linear cell system, 2=15575
 Ream, J.T. and Varnes, R.P. Transient thermal behavior of experimental UO_2 fuel elements in the sodium reactor experiment (SRE), 2=20726
 Rebane, K. and Sil'd, O. Distribution of the quantum mechanical transition probabilities by method of moments, 2=22878
 Rebane, K.K. and Sil'd, O.I. Calculation of the probability of electronic-vibrational transitions for an anharmonic oscillator, 2=14293
 Rebane, K.K. and Sil'd, O.I. Contribution to the theory of electronic vibrational transitions in crystals and molecules, 2=14706
 Rebane, K.S.K. Variation of the steady state luminescence of ZnS phosphors with the excitation intensity, 2=16857
 Rebane, K.S.K. The steady-state luminescence of ZnS phosphors. I, 2=16858
 Rebane, K.S.K. The steady-state luminescence of ZnS phosphors. II. Electroluminescence and infrared quenching, 2=21273
 Rebert, R.F. and Ausloos, P. Intramolecular rearrangements in the solid phase photolysis of 4-methyl-2-hexanone and secbutyl acetate, 2=23968
 Reber, H. See Kortum, G., 2=19553
 Reber, L.H. See Hamburger, E.W., 2=22842
 Reboul, T.T. See Hendel, H.W., 2=7569
 Reboul, T.T. See Swartz, G.A., 2=17838
 Rebut, P.H. Non-magnetohydrodynamic instabilities in plasmas of high current density, 2=17824
 Rechen, J.B. See Ruby, L., 2=13819
 Redaelli, C. See Cavalleri, C., 2=22377
 Reddish, V.C. Star formation and the age of the Galaxy, 2=13143
 Reddish, V.C. The rate of star formation as a function of gas density, 2=15362
 Reddish, V.C. Radio stars, 2=19353
 Reddoch, A.H. and Ritter, G.J. Nuclear magnetic resonance of Lu^{175} , 2=12834
 Reddy, B.M. See Ramanadham, R., 2=17174
 Reddy, C. Abhirama. See Abhirama Reddy, C.
 Reddy, G.Rami. See Rami Reddy, G.
 Reddy, G.S. and Goldstein, J.H. The proton magnetic resonance spectra of $H_2C = C^{13}H_2$ and $H_2C = CHD$, 2=16561
 Reddy, G.S. See Goldstein, J.H., 2=13698
 Reddy, G.S. See Hobgood, R.T., 2=3782
 Reddy, K.C. and Subrahmanyam, S.V. Empirical formula for the excess compressibility of binary liquid mixtures, 2=15543
 Reddy, P.J. See Satyavati, T., 2=17459
 Reddy, S.P. See Krishna Rao, S.V., 2=10261
 Reddy, S.Paddi. See Paddi Reddy, S.
 Redei, L.B. Remarks on the quantum mechanical interpretation of the Stark effect in the hydrogen atom, 2=16470
 Redfield, A.G. See Masuda, Y., 2=2957
 Redfield, D. Theory for the photoemission from a space-charge region of a semiconductor, 2=2132
 Redhardt, A. See Reithböck, H., 2=17947
 Rediker, R.H. See Melngailis, I., 2=14570
 Rediker, R.H. See McWhorter, A.L., 2=23315
 Redington, R.L., Olson, W.B. and Cross, P.C. Studies of hydrogen peroxide: The infrared spectrum and the internal rotation problem, 2=6159
 Redlich, M.G. Matrix elements of the $n-p$ interaction and the odd- g model for a heavy nucleus, 2=16286
 Redlich, O. Generalized coordinates and forces, 2=15459
 Redlich, O. and Kister, A.T. On the thermodynamics of solutions. VII. Critical properties of mixtures, 2=21897
 Redlich, R. Stability of thin metal foils levitated by a.c. fields, 2=544
 Redman, M.J. and Steward, E.G. Cobaltous oxide with the zinc blende wurtzite-type crystal structure, 2=19076
 Redondo, D.M., Machado, W.M. and Osada, J. Deuterons in the nuclear matter, 2=13965
 Redshaw, S.C. [Conf. Rep.]. Third International Conference on Analog Computation, Opatija, September, 1961, 2=4914
 Redshaw, S.C. and Rushton, K.R. Various electrical analogues, incorporating negative resistances, for the solution of problems in elasticity, 2=1089
 Redwood, M. Determination of the parameters of a piezoelectric transducer from the decay of resonant vibrations, 2=17545
 Ree, F.H. Thermodynamic functions at liquid-vapor transition range of the van der Waals, the Berthelot, and the Dieterici equations of state, 2=17392
 Ree, T. See Ree, T.S., 2=2445
 Ree, T.A. See Gabrysh, A.F., 2=2102
 Ree, T.S., Ree, T., Eyring, H. and Fueno, T. Activated complexes of fast bimolecular reactions, 2=2445
 Reed, L.D. See Cooke, I., 2=18001
 Reed, R.J. Evidence of geostrophic motion in the equatorial stratosphere, 2=21628
 Reed, R.J. and Rogers, D.G. The circulation of the tropical stratosphere in the years 1954-1960, 2=15183
 Reed, T.B. Growth of refractory crystals using the induction plasmatron torch, 2=2365
 Reed, T.B. and Gatos, H.C. Synthesis and superconducting properties of Nb_3Sn_2 and Nb_3Sn_3 , 2=19815
 Reed, T.B., Roddy, J.T. and Mariano, A.N. Vapor growth of tin oxide crystals, 2=8792
 Reed, T.B. See Banus, M.D., 2=17729
 Reed, W.A. and Marcus, J.A. Topology of the Fermi surface of gallium, 2=12400
 Reeh, H. and Schlieder, S. Observations on the unitary equivalence of Lorentz-invariant fields, 2=3239
 Reeh, H. and Schlieder, S. Reduction of the field operator algebra in the case of vacuum degeneracy, 2=22384
 Rees, D. See Hall, G.G., 2=9530
 Rees, D. See Hall, G.G., 2=16510
 Rees, M.H. The aurorally-associated Lyman- α radiation, 2=15259
 Rees, M.H. and Deehr, C.S. Twilight enhancement of atmospheric sodium emission at College, Alaska, 2=19229
 Rees, J.A. Diffusion coefficients determined from sodium vapour trails, 2=7046
 Rees, M.H. Excitation of high altitude red auroral arcs, 2=9016
 Rees, M.H. On the excitation of subvisual OI $\lambda\lambda$ 6300-6364 arcs at middle latitudes, 2=11079
 Rees, M.H., Belon, A.E. and Romick, G.J. The systematic behaviour of hydrogen emission in the aurora. I, 2=4675
 Rees, M.H. and Deehr, C.S. The aurora of 27 November 1959 at College, Alaska including observations of a high altitude red arc, 2=9015
 Rees, M.H. See Reid, G.C., 2=4676
 Reese, R.M. Mass spectrometry, 2=17903
 Reese, W. and Steyert, W.A., Jr. Properties of lead thermal switches at low temperatures, 2=2942
 Reese, W. See Anderson, A.C., 2=17712
 Reese, W. See Anderson, A.C., 2=19800
 Reese, W.E. See Turner, W.J., 2=16838
 Reese, W.E. See Turner, W.J., 2=23373
 Reeve, F.P. See Dugan, F.A., 2=16459
 Reeves, E.M. See Garton, W.R.S., 2=22897
 Reeves, H. Carbon, oxygen, and neon thermonuclear reaction rates, 2=14159
 Reeves, T.V. See Zingery, W.L., 2=7713
 Reffner, J.A. See Neubert, T.J., 2=14476
 Refsdal, I.N. See Holtsmark, T.W., 2=13452
 Refsdal, S. Rate difference between a clock in an artificial satellite and a clock on the earth, 2=17355
 Regel, A.R. See Ablova, M.S., 2=19023
 Regel, A.R. See Komarov, G.V., 2=19893
 Regel, A.R. See In' Shi-daun', 2=2172
 Regel, A.R., Chudnovskii, F.A. and Shul'man, S.G. The influence of uniaxial plastic deformation upon the electrical properties of n-type Ge, 2=8331
 Regel, A.R., Chudnovskii, F.A. and Shul'man, S.G. The influence of uniaxial plastic deformation upon the electrical properties of n-type Ge, 2=14532

- egel, A.R. See Ablova, M.S., 2=16971
 egel, A.R. See In' Shi'-duan, 2=8284
 egel, A.R. See In' Shu-duan, 2=14500
 egel, A.R. See Züze, A.P., 2=21917
 egel, V.R. and Leksovskii, A.M. The dependence of strength on time under static and alternating loads, 2=19007
 egel, V.R. and Dubov, G.A. Photoelectric birefringence meter, 2=1283
 egel, V.R. and Govorkov, V.G. A recording scanning micro-meter, 2=1100
 egel, V.R. See Berezhkova, G.V., 2=6723
 egemorter, H.van. See van Regemorter, H.
 egener, V.H. Solar diurnal variation of cosmic rays underground near the geomagnetic equator, 2=16274
 egge, T. and Viano, G.A. The interpolation problem in the theory of complex angular momentum, 2=21789
 egge, T. See Bottino, A., 2=9798
 egge, T. See De Alfaro, V., 2=21825
 egge, T. See Predazzi, E., 2=11886
 egge, T. See Predazzi, E., 2=21832
 egis, R. See Jouty, R., 2=12960
 ehme, H. and Sachs, K. Comparison of [different] electron microscopic emission and reproduction images of steel surfaces due to target preparation, 2=6866
 éi, D.K. The electron paramagnetic resonance spectrum of the V^{4+} ion in rutile (TiO_2), 2=2300
 éi, D.K. Analysis of the electron paramagnetic resonance spectrum of V^{3+} in corundum ($\alpha-Al_2O_3$), 2=4250
 éi, D.K. Theory of covalent bonding in the salts of cobalt and an analysis of the electron paramagnetic resonance spectrum of Co^{3+} in corundum, 2=4251
 éi, D.K. The electron paramagnetic resonance spectrum of the V^{4+} ion in rutile (TiO_2), 2=6692
 éi, D.K. Theoretical analysis of the g-factors on Ti^{3+} ion in several compounds, 2=18947
 eibel, K. See Dobbs, J.M., 2=11995
 eich, A.D., Arai, T. and Madigan, J.R. Transient effects in Peltier coolers, 2=149
 eich, W.C., Schumann, R.P., Berreth, J.R., Brice, M.K. and Heath, R.L. Radioactivity decay of Pm^{148} and Pm^{148m} , 2=16369
 eich, R. and Montariol, F. Conditions for the validity of electrical resistivity measurements on tin, 2=12490
 eich, R. See Montariol, F., 2=14487
 eich, R. See Montariol, F., 2=18630
 eichardt, W. Should acoustic power or acoustic pressure level be specified for machine noises? 2=2844
 eichardt, H. and Ermschaus, R. Momentum and heat exchange in turbulent wakes behind rotating bodies, 2=15775
 eichel, A. Trends in the temperature dependence of effective resonance integrals, 2=20709
 eichel, W. Contrast transfer function [CTF], a measure of image quality, and its application in conjunction with wavefront aberration to the design of optimized optical systems, 2=7331
 eichold, P. See Baumgärtner, F., 2=1942
 eid, A.F. and Half, A.H. Direct determination of density of solids, 2=7166
 eid, A.M. Turbulence measurement using a glow discharge as an anemometer, 2=19591
 eid, C.E. Electronic energy of HF as a power series in the inter-nuclear distance, 2=6184
 eid, C.N. and Owen, W.S. The thermal activation of yielding in low-carbon iron, 2=10743
 eid, G.C. A study of the enhanced ionization produced by solar protons during a polar cap absorption event, 2=4630
 eid, G.C. The electron density profile of the lower ionosphere during a polar cap absorption event, 2=13033
 eid, G.C. The systematic behaviour of hydrogen emission in the aurora. II, 2=4676
 eid, G.C. See Axford, W.I., 2=21644
 eid, G.C. See Leinbach, H., 2=886
 eid, G.C. See Little, G.C., 2=17160
 eid, J.H. See Ellison, M.A., 2=9962
 eid, J.H. See Ellison, M.A., 2=24126
 eid, K.J. Diffusion and equilibrium in two-phase binary liquid systems, 2=9263
 eid, W.M. See Hay, D.R., 2=3173
 eidy, J.J. See Prask, H.J., 2=20558
 eidy, W.P., Haymes, R.C. and Korfi, S.A. A measurement of slow cosmic-ray neutrons up to 200 kilometers, 2=9973
 eidy, W.P. See Haymes, R.C., 2=13896
 eier, M. The diffusion length of thermal neutrons in poisoned water, 2=3349
 eier, M. and de Juren, J.A. Diffusion length of thermal neutrons in water from $23^\circ C$ to $244^\circ C$, 2=3348
 Reier, M. See de Juren, J.A., 2=6549
 Reif, F. Superfluidity and "quasi-particles", 2=15837
 Reif, L. See Panish, M.B., 2=17694
 Reifenschweiler, O. Sealed-off neutron tube: the underlying research work, 2=9870
 Reigner, J. Definition of nuclear phases shifts by use of the experimental elastic scattering of charged particles, 2=16156
 Reik, H.G. and Risken, H. Drift velocity and anisotropy of hot electrons in germanium, 2=14536
 Reikhrudel', E.M. See Bbim, A.B., 2=9541
 Reikhrudel', E.M. See Kamoldinov, M.G., 2=4064
 Reiling, G.H. Low-voltage mercury-alkali metal arc, 2=17802
 Reilly, C.A. N.M.R. parameters in cis and trans 2-fluoro-3-chloro-propene-2, 2=20874
 Reilly, C.A. See Swalen, J.D., 2=16553
 Reilly, R.E. and Teichner, W.H. Effects of shape and degree of structure of the visual field on target detection and location, 2=7077
 Reimann, C.W. See Berry, R.S., 2=3697
 Reimann, R. Structure of the proton magnetic resonance line in DPPH at low temperatures, 2=4288
 Reimer, L. Measurement of the dependence of image contrast in the electron microscope on atomic number, accelerating voltage and aperture, 2=8903
 Reimer, L. Alternating magnetization of thin layers (films), 2=16910
 Reimer, I. Variation of electron microscope image contrast at the amorphous-to-crystalline and liquid-to-crystalline transition, 2=22099
 Reimer, L. and Christenhuss, R. A reversible temperature indicator in the form of an evaporated layer for estimating the temperature of an object in the electron microscope, 2=10956
 Reimer, L. and Gadacz, H. Film thickness control by the electron microscopic oblique overshadowing method, 2=6851
 Reimer, L. and Hermann, W. Density and particle size determination on platinum-carbon films for oblique shadowing in the electron microscope, 2=23946
 Reina, F. Mayana. See Mayana Reina, F.
 Reinberg, A.R. See Marshall, S.A., 2=4263
 Reinbold, F. See Hausser, K.H., 2=23011
 Reiner, A.S. and Wilets, L. Effects of nuclear polarizability on isotope and isomer shifts, 2=20496
 Reiner, M.T. See Favella, L., 2=9794
 Reines, F. See Giamati, C.C., 2=13785
 Reinfelds, J. A derivation of the probability density for the Bethe-Salpeter equation, 2=16150
 Reinhardt, G.C. and Whitehead, W.D. Angular distribution of fast photoneutrons, 2=7966
 Reinhardt, J. See Buchet, G., 2=19928
 Reinhardt, R.G. See Barnett, C.F., 2=15929
 Reinhold, C. See Peterlin, A., 2=23801
 Reinhold, F. See Hausser, K.H., 2=9290
 Reinitz, K. and Huntington, H.B. Unpinning of dislocations in rock salt by illumination in the visible, 2=10389
 Reinov, N.M. See Kolchin, A.M., 2=142
 Reinsch, C. and Springer, T. Measurement of the differential scattering cross-section and of the mean energy change in the scattering of slow neutrons in water and ice, 2=3346
 Reinsch, C. and Springer, T. Measurement of the differential scattering cross-section and the mean energy variation in the scattering of slow neutrons by water and ice, 2=20346
 Reiser, M. Ion capture and initial orbits in the isochronous cyclotron, Karlsruhe, 2=5417
 Reisfeld, R. See Glasner, A., 2=10412
 Reiss, C. See Gubler, M., 2=7407
 Reiss, E.L. and Locke, S. On the theory of plane stress, 2=2661
 Reiss, H., Katz, J.L. and Kleppa, O.J. Theory of the heats of mixing of certain fused salts, 2=1137
 Reiss, H. See Lehrer, F.A., 2=14469
 Reiss, H.R. Absorption of light by light, 2=3298
 Reiss, H.R. A convergent perturbation on expansion in first-quantized electrodynamics, 2=16119
 Reiss, K.H. On the mode of operation of moveable X-ray grids, 2=7699
 Reiss, R. Absorption spectrum and pleochroism of amethyst from Madagascar, 2=18800
 Reitan, A. Quasi-deuteron production by high-energy dipole γ -rays in ^{18}O , 2=18314
 Reitan, A. Quasi-deuteron production by dipole γ -rays in 4He , 2=20441
 Reitböck, H. and Redhardt, A. A molecular amplifier for a working temperature of $90^\circ K$, 2=17947
 Reiter, H.J. See Gobrecht, H., 2=8374
 Reiter, R. The present state of atmospheric contamination by nuclear fission products, 2=11041

- Reitz, J.R. See Wood, V.E., 2=14405
- Reiz, A. and Torgård, I. Evolution of stars without heavy elements, 2=9090
- Reizins, L. The computation and improvement of proper motions of stars by means of electronic computers, 2=24128
- Rejoan, A. See Glasner, A., 2=10412
- Rekalo, M.P. See Volkov, D.V., 2=20382
- Remaev, V.V., Gritsyna, V.T. and Klyucharev, A.P. New short-period isomers Nd^{140m} , Pm^{144m} , Eu^{146m} and Gd^{150m}
- Remaut, G. Calculation of the charge on dislocations in NaCl, 2=14444
- Remaut, G., Deketelaere, A. and Dekeyser, W. Recovery of quench-hardened sodium chloride crystals, 2=23772
- Reme, H. See Ambrosino, G., 2=7996
- Rème, H. See Blanc, D., 2=12202
- Remeika, J.P. See Geschwind, S., 2=3811
- Remeika, J.P. See Geschwind, S., 2=14712
- Remeika, J.P. See Gossard, A.C., 2=12685
- Remeika, J.P. See Miller, R.C., 2=12571
- Remy, H. The unification of atomic weights and the new atomic weight tables, 2=20759
- Rémy-Battiau, L. Behaviour of forbidden oxygen lines in comets. II. Relations with solar activity and excitation mechanisms, 2=17262
- Renaud, P. Parametric increment of an experimental system, 2=1049
- Renaud, P. A class of abstract potential spaces representing experimental systems of the domain Δ_2 , 2=13242
- Renaud, P. and Baudoin, R. Evidence of a luminous emission in the cathode zone observed in transmitted light during electrocrystallization, 2=856
- Renault, M. See Maréchal, A., 2=7342
- Rengarajan, T.N. See Pal, Y., 2=303
- Rengarajan, T.N. See Pal, Y., 2=12192
- Renk, H. See Mościcki, W., 2=3191
- Renk, K.F. and Genzel, L. Interference filters and Fabry-Perot interferometers for the far infrared, 2=22051
- Renken, C.J. See Fisher, E.S., 2=4306
- Rennert, J. See Kallmann, H., 2=9414
- Renninger, M. Increase of resolving power of double spectrometer with asymmetrical Bragg reflection from an ideal crystal, 2=4407
- Renninger, M. Lattice plane interferometry, 2=14979
- Renninger, M. "Frozen" and "reversible" lattice distortions, 2=16650
- Renon, C. See Martinod, H., 2=6739
- Renouf, T.J. A comparison of the structures Zr_2Al_3 and ZrAl_2 , 2=10886
- Renoux, A. See Bricard, J., 2=2491
- Rense, W.A., Stuart, F.E. and Todd, E.P. A high resolution echelle spectrophotometer for the solar ultraviolet, 2=13123
- Renson, P. On the classification of leptons, 2=1653
- Renson, P. See Pirenne, J., 2=10332
- Renton, C.A. See Hobstetter, J.N., 2=6449
- Rentsch, M. Temperature dependence of the uniaxial anisotropy of Ni and Co films deposited electrolytically, 2=4227
- Repucci, A. See Smakula, A., 2=3912
- Rérat, B. and Rérat, C. Theoretical three-dimensional Patterson diagrams for structures containing two atoms per asymmetric unit (monoclinic and triclinic systems), 2=15006
- Rérat, B. See Laurent, A., 2=2380
- Rérat, C. See Laurent, A., 2=2380
- Rérat, C. See Rérat, B., 2=15006
- Reshetnikov, A.M. See Gromov, Yu.K., 2=20031
- Résibois, P. On the structure of the three-particle scattering operator in classical gases, 2=21850
- Résibois, P. and Prigogine, I. On the statistical theory of superfluidity, 2=2651
- Résibois, P. See Brocas, J., 2=1085
- Resing, H.A. and Nachtrieb, N.H. Self-diffusion of lead, thallium and bismuth in the solid lead-thallium system, 2=3941
- Resnick, R. and Seigle, L.L. The self-diffusion of alpha-uranium, 2=6376
- Restelli, G. See Bertolini, G., 2=10026
- Restelli, G.B. See Bassi, P., 2=14111
- Rethmeier, J., Boersma, H.J. and Jonker, C.C. An improved circuit for pulse shape discrimination between neutrons and gamma rays, 2=5270
- Rettschnick, R.P.H. See Ketelaar, J.A.A., 2=3742
- Reucroft, P.J. On the nature of the electrode effects in the conductivity of anthracene monocrystals, 2=8295
- Reugg, H. See Freund, P.G.O., 2=22421
- Reupert, W. See Witzmann, H., 2=6595
- Reuss, J., Toet, D.Z. and Van Eijnsbergen, B. Description of a 30 cm H_2 bubble chamber, 2=11840
- Reuter, B. and Sitte, K. A phenomenological model for high-energy interactions. II. The energy spectrum of the secondaries, 2=5631
- Reuth, E.C. van. See van Reuth, E.C.
- Reva, N.I. See Suprunenko, V.A., 2=15924
- Revel, D. See Grard, F., 2=1715
- Revel, D. See Grard, F., 2=22513
- Revo, A.L. Determination of the effect of a slight admixture of cadmium on the parameters of volume and grain-boundary diffusion of cadmium in copper, 2=6383
- Revo, A.L. Investigation of the effect of a small cadmium impurity on the parameters of volume and grain-boundary diffusion of cadmium in copper, 2=8240
- Revo, A.L. Investigation of the influence of small amounts of cadmium on the bulk and boundary diffusion constants of cadmium in copper, 2=12075
- Revo, A.L. See Hertzriken, S.D., 2=12451
- Revo, A.L. See Hertzriken, S.D., 2=6380
- Revutskii, E.I. See Bolotin, L.I., 2=16439
- Revutskii, E.I. See Bolotin, L.I., 2=17912
- Revuts'kii, Ye.I. See Bolotin, L.I., 2=5410
- Revuts'kii, Ye.I. See Bolotin, L.I., 2=5411
- Revutskiy, Ye.I. See Bolotin, L.I., 2=17911
- Revzin, L.S. See Nosenko, B.M., 2=23623
- Rewaj, T. On the effects of X-ray irradiation on transient phenomena in Rochelle salt, 2=23500
- Rexroad, H.N. and Gordy, W. Electron spin resonance of free radicals produced by gamma irradiation of various substances at 4.2° K, 2=3791
- Rey, C. See Anderson, H.L., 2=22830
- Reyerson, L.H., Solbakken, A. and Zuehlke, R.W. The magnetic susceptibility of small palladium crystals, 2=4208
- Reyes-Suter, P. and Suter, T. Determination of a 2.8 nsec half-life for the first excited state in Au^{198} , 2=1802
- Reyes-Suter, P. and Suter, T. Electromagnetic transition probabilities in odd-A mercury isotopes, 2=3484
- Reyes-Suter, P. See Suter, T., 2=3528
- Reyes-Suter, P. See Suter, T., 2=3531
- Reynolds, A. On the dynamics of turbulent vortical flow, 2=11338
- Reynolds, C.A. See Postma, H., 2=12207
- Reynolds, C.A. See Sailor, V.L., 2=18511
- Reynolds, C.E. and Seay, G.E. Two-wave shock structures in the ferroelectric ceramics barium titanate and lead zirconate titanate, 2=14641
- Reynolds, D.C. See Czyzak, S.J., 2=2351
- Reynolds, D.C. See Litton, C.W., 2=4196
- Reynolds, D.C. See Pedrotti, F.L., 2=20956
- Reynolds, G.T., Scarl, D.B., Swanson, R.A., Waters, J.R. and Zdanis, R.A. Filament scintillation chamber experiments in weak interactions, 2=9733
- Reynolds, G.T. See Waters, J.R., 2=18012
- Reynolds, H.L. See Kerlee, D.D., 2=18362
- Reynolds, J.H. The age of the elements in the solar system, 2=15304
- Reynolds, J.H. See Pepin, R.O., 2=17267
- Reynolds, W.F. See Campbell, A.N., 2=4438
- Reynolds, W.N. See Bell, J.C., 2=1947
- Rez, I.S. See Gurevich, V.M., 2=668
- Rez, I.S. See Gurevich, V.M., 2=16685
- Řezanka, I., Frána, J. and Adam, J. Bremsstrahlung spectrum in beta decay, 2=9824
- Řezanka, I., Frána, J., Maštálka, A. and Beneš, J. Hard gamma radiation in the decay of Lu^{176m} , 2=20566
- Rezanov, A.I. and Masharov, S.I. The theory of the thermal capacity of weak substitutional solid solutions at low temperatures, 2=23070
- Rezanov, A.I. See Masharov, S.I., 2=8270
- Rezanov, A.I. See Masharov, S.I., 2=20991
- Rezek, J. and Craig, G.B. Striations in melt grown zinc single crystals, 2=14451
- Reznikova, I.I. See Zelinskii, V.V., 2=14741
- Reznikova, I.I. See Zhmyreva, I.A., 2=15595
- Rhead, G.E. and Mykura, H. Thermal etching of silver, 2=14934
- Rhead, G.E. and Mykura, H. Thermal etching of silver in various atmospheres, 2=21470
- Rhines, F.N. See De Hoff, R.T., 2=17058
- Rho, M. See Porile, N.T., 2=22811
- Rhoads, H.U. and Weber, A.H. Improved technique for preparation of carbon substrates, 2=10940
- Rhoads, H.U. See Esquivel, A.L., 2=17068
- Rhoderick, E.H. Resistance transitions of thin superconducting films in magnetic fields, 2=11566
- Rhoderick, E.H. and Wilson, E.M. Current distribution in thin superconducting films, 2=22117
- Rhoderick, E.H. See Broom, R.F., 2=5244
- Rhoderick, E.H. See Broom, R.F., 2=9487
- Rhodes, E. See Cleaver, B., 2=16666
- Rhodes, E. See Cleaver, B., 2=16822
- Rhodes, D.F., Stallwood, R.A. and Mott, W.E. Intensity of unscattered gamma rays inside cylindrical self-absorbing sources, 2=3302

- hodes, J.R. A simple formula for mass absorption coefficients near the K-absorption edge, 2-23578
- hodes, R.S. See Burgess, J.H., 2-12738
- hude, H.V. See Horak, J.A., 2-3975
- hys-Roberts, C. See Pugh, D., 2-18563
- lach, W. See Elliott, D.N., 2-7062
- laño, E. and Amoros, J.L. Technique of obtaining large single crystals of organic substances, 2-8794
- lazuddin and Fayyazuddin. K^* and $K^+ - 3\pi$ decay, 2-9915
- lazuddin. See Fayyazuddin, 2-11994
- lbco, L. See Nachman, M., 2-8931
- lbens, W.B. A quasi-cascaded parametric amplifier, 2-11787
- ibe, F.L. See Baker, D.A., 2-1455
- ibin, A.M. Anechoic sound measuring chamber, 2-7310
- ibin, A.N. Anechoic sound measuring chamber, 2-84
- ibin, S.N. See Arzumanov, A.A., 2-7686
- ibin, S.N. See Arzumanov, A.A., 2-20076
- ibko, L. See Maxim, I., 2-18761
- ibon, P., Dimitrijevic, Z., Michaudon, A. and Wagner, P. Time of flight study of the neutron resonances in Rh^{103} between 4 eV and 10 keV, 2-462
- ibon, P., Michaudon, A. and Dimitrijevic, Z. Study of the distribution of spacing and small neutron widths of the level of rhodium 104 obtained by the interaction of slow neutrons with rhodium 103, 2-12143
- ibon, P. See Michaudon, A., 2-463
- ibrag, M. See Genin, R., 2-547
- icamo, R. See Agodi, A., 2-12178
- icamo, R. See Milone, C., 2-480
- icamo, R. See Notarrigo, S., 2-5690
- icca, F. and della Porta, P. Carbon monoxide sorption by barium films, 2-844
- icci, F.P. See Caglioti, G., 2-9868
- icci, F.P. See Caglioti, G., 2-11348
- icci, F.P. See Caglioti, G., 2-14969
- icci, R.A., van Lieshout, R., Vingiani, G.B., Monaro, S. and van Nooijen, B. Levels in ^{150}Sm from the decay of ^{150}Eu , 2-1400
- icci, R.A. See Monaro, S., 2-1840
- icci, R.A. See Vingiani, G.B., 2-10079
- ice, G. See Dunn, P.D., 2-19886
- ice, J.T. See Deresiewicz, H., 2-17536
- ica, M.H. and Good, R.H., Jr. Stark effect in hydrogen, 2-6089
- ice, O.K. The thermodynamics of nonuniform systems, and the interfacial tension near a critical point, 2-1115
- ice, O.K. and MacQueen, J.T. The effect of an impurity on the phase transition in a binary liquid system. II, 2-15579
- ice, S.A. Kinetic theory of ideal ionic melts, 2-15570
- ice, S.A. A conjecture concerning the electrical conductance of metal-molten salt mixtures, 2-15613
- ice, S.A. See Choi, S., 2-14580
- ice, S.A. See Davis, H.T., 2-1116
- ice, S.A. See Davis, H.T., 2-21895
- ice, S.A. See Meyer, L., 2-15832
- ice, S.A. See Naghizadeh, J., 2-13328
- ich, J.B., Walters, G.P. and Barnes, R.S. The mechanical properties of some highly irradiated beryllium, 2-4338
- ichard, C. See Citron, A., 2-20658
- ichard, J. Experimental study of the optical properties of thin films of gold in the near infrared, 2-14656
- ichard, J. Study of the optical properties of thin films of silver, 2-18798
- ichard, J. Experimental study of the properties of thin films of aluminium in the visible and near i.r., 2-23538
- ichard, M. Investigations at high pressures on barium titanate ceramics, 2-2669
- ichards, C.N. See Salanave, L.E., 2-17140
- ichards, E.W.T., Ridgeley, A., Atherton, N.J. and Wise, H.S. Nuclear spin protoactinium-231 from hyperfine splitting, 2-3460
- ichards, H.T. See Salisbury, S.R., 2-13991
- ichards, J.D. See Davies, P.W., 2-16962
- ichards, J.R. Age of the earth's crust and lead model ages, 2-21616
- ichards, I.E. See Strauss, S.W., 2-5004
- ichards, I.E. See Strauss, S.W., 2-7204
- ichards, L.W. See Kistiakowsky, G.B., 2-12963
- ichards, M.J. See Sorsby, A., 2-13226
- ichards, P.L. Anisotropy of the superconducting energy gap in pure and impure tin, 2-5243
- ichards, P.L. Magnetic field dependence of the surface impedance of superconducting tin at 3 kMc/sec, 2-11565
- ichards, P.M. and Shaw, H.J. Observation on space-average harmonic component of magnetization due to spin waves in ferrites, 2-16924
- ichards, R.E. and Schaefer, T. Motional narrowing and line shapes in some ammonium salts, 2-4291
- Richards, W.C. See Law, J.M., 2-11598
- Richardson, A.C.B. See Spiegel, V., Jr., 2-5671
- Richardson, C. See Pevsner, A., 2-5719
- Richardson, J.R. See Catura, R.C., 2-10033
- Richardson, J.R. See Clark, D.J., 2-9662
- Richardson, J.R. See Clark, D.J., 2-9677
- Richardson, J.R. See Clark, D.J., 2-20077
- Richardson, J.R., See Schweizer, F., 2-16374
- Richardson, J.W., Nieuwpoort, W.C., Powell, R.R. and Edgell, W.F. Approximate radial functions for first-row transition-metal atoms and ions. I. Inner-shell, 3d and 4s atomic orbitals, 2-6084
- Richert, R. A contribution to fast-coincidence techniques and a study of the probabilities of E2 transitions in some light nuclei, 2-14039
- Richert, R. See Gorodetzky, S., 2-365
- Richert, R. See Gorodetzky, S., 2-382
- Richert, R. See Gorodetzky, S., 2-12174
- Richert, S. See McLeod, D., 2-5709
- Richey, F. Radar contrast patterns of airport runways, 2-1596
- Richez, E.J. See Gnaedinger, R.J., Jr., 2-21175
- Richman, I. See Wong, E.Y., 2-10595
- Richmond, C.N. See Leifer, I., 2-99
- Richmond, J.H. Transmission through inhomogeneous plane layers, 2-16028
- Richter, E. Statement of Kraichman's theory for isotropic hydro-magnetic turbulence, 2-17940
- Richter, E. See Böttger, O., 2-23368
- Richter, E. See Böttger, O., 2-23369
- Richter, F.W. and Wiegandt, D. Measurement of the lifetime of the 87 keV level of Dy^{160} , 2-20513
- Richter, G. Inducible scattering centres in InSb, 2-12531
- Richter, G. and Dzong, T.K. Determination of the diffusion constant, the drift mobility and the lifetime of minority charge carriers in semiconductors from distance-time measurements, 2-2148
- Richter, H. and Breiling, G. The evaluation of scattering diagrams of monatomic molten metals, 2-17439
- Richter, H. See Brözel, R., 2-15566
- Richter, H. See Brözel, R., 2-17435
- Richter, H. See Brözel, R., 2-17436
- Richter, H. See Leonhardt, R., 2-837
- Richter, J. Diffusion processes in arcs, 2-5319
- Richter, J. and Lorenz, W. Comparative radiochemical and electrochemical study of ion adsorption on platinum, 2-15105
- Richter, N. Photometric observations of the Arend-Roland comet by means of interference filters in the light of typical comet emissions, and the determination of polarization in the comet head and tail, 2-9066
- Richter, R.M. See Allison, R.W., Jr., 2-1533
- Richter, W. See Klebe, J., 2-7322
- Rickards, G.A. See Harris, J.E., 2-19098
- Rickel, A.M. See Albers, W.A., Jr., 2-21138
- Rickett, R. See Mayer, L., 2-6788
- Riddiford, L. See Barnes, V.E., 2-285
- Riddiford, L. See Dodd, W.P., 2-5542
- Riddiford, L. See Goldsack, S.J., 2-9888
- Rider, N.E. and Bradley, E.F. Digitization and integration of reflecting galvanometer deflections, 2-2964
- Ridgeley, A. See Richards, E.W.T., 2-3460
- Ridley, B.K. and Watkins, T.B. The dependence of capture rate on electric field and the possibility of negative resistance in semiconductors, 2-628
- Ridley, B.K. and Watkins, T.B. Negative resistance and high electric field capture rates in semiconductors, 2-8332
- Ridley, B.W. A large aperture detector for slow positive ions, 2-9741
- Ridyard, H.W. Comparison of the ionized shock layer about two- and three-dimensional blunt shapes at hypersonic speeds, 2-4878
- Rieck, G.D. The effect of temperature and deformation on the recrystallization of doped tungsten wires, 2-6834
- Riecke, W.D. Imaging properties of the pre-field of a magnetic objective lens of the Glaser bell-shaped field type, 2-9633
- Riecke, W.D. Narrow-beam electron diffraction with a three-stage condenser and a final condenser stage with long focal length, 2-11719
- Riecke, W.D. New method for the production of electron diffraction patterns of extremely small, selected areas of electron microscope transmission specimens, 2-12952
- Riecke, W.D. Small-area electron diffraction on orientable specimens with simultaneous observation of the specimen image and diffraction pattern, 2-17077
- Riedel, H. Propagation of slow electric waves in a plasma cable closely approximating a plasma waveguide, in the presence of a longitudinal magnetic field, 2-7764
- Riedel, O. Co-acting of classical Doppler shift and time dilation, 2-17353

- Riedl, A. See Fränz, K., 2=20155
- Riedl, H.R. Free-carrier absorption in p-type PbTe, 2=16839
- Rief, H. The fast effect in uranium and beryllium systems, 2=6014
- Reiger, H., Kronmüller, H. and Seeger, A. Investigation changes in magnetic properties of deformed, and of neutron-irradiated, nickel single crystals, 2=10652
- Reiger, H. See Kronmüller, H., 2=14898
- Rieger, P.H. See Bernal, I., 2=23007
- Riehl, C. Reactions of the type Cs(p,pxn), 2=7986
- Riehl, C. See Gusakov, M., 2=456
- Riehl, N. and Sizmann, R. Effects of high energy radiation on phosphors. I, 2=4166
- Rieker, R. The influence of construction errors on the performance of beam signal lamps, 2=7348
- Rieker, R. and Minkwitz, G. Non-rotationally symmetrical aspherics, 2=5142
- Rieker, R. and Minkwitz, G. Non-rotationally symmetric aspherics, 2=21994
- Riekstyn'sh, E.Ya. See Shteins, K.A., 2=948
- Riel, G.K. and Irons, H. Circuits to operate a scintillation spectrometer probe with single conductor cable, 2=9510
- Riel, G.K. and Simons, D.G. Underwater cosmic ray measurements, 2=12095
- Riemann, M. On ionization equilibria and intensities of spectral line in thermal multicomponent plasmas, 2=1419
- Rientitz, J. New interference microscopes, 2=100
- Rientitz, J. Effect of partially transparent films on the efficiency of two-beam interferometers, 2=19720
- Rientitz, J. New interference microscopes, 2=22055
- Riepe, G. and Hahn, B. Investigation of the mechanism of bubble formation in freon-12 and propane by alpha-ray recoil, 2=2697
- Ries, H.E., Jr. Monomolecular films, 2=15093
- Ries, H.E., Jr. and Walker, D.C. Films of mixed horizontally and vertically oriented compounds, 2=2424
- Riesel, H. Thermodynamic state functions of steam for machine computation, 2=13368
- Riess, F. See Rose, H.J., 2=20519
- Riessler, W. and Kleinhenz, K. Electron-optical observations on germanium after plastic deformation and cathodic sputtering, 2=10959
- Reisz, R.P. High speed semiconductor photodiodes, 2=23482
- Riet, R. Van. See Van Riet, R.
- Rietveld, H.M. See Clews, C.J.B., 2=827
- Riezler, W. and Schepers, H. Ionization and energy loss of α -particles in various gases, 2=150
- Rigamonti, A. See Bonera, G., 2=4544
- Rigamonti, A. See Bonera, G., 2=23960
- Rigatti, G. See Favero, P., 2=16551
- Rigatti, G. See Giacometti, G., 2=8115
- Rigaux, C. Study of the band structure of tellurium log transport phenomena, 2=16628
- Rigden, J.S., Hopkins, R.C. and Baldeschwieler, J.D. Absence of $B^{10}-B^{11}$ coupling in B_4H_{10} , 2=2020
- Rigg, S. See Atkinson, J.R., 2=10425
- Riggleman, B.M. and Drickamer, H.G. Temperature coefficient of resistance of iodine and selenium at high pressure, 2=21156
- Riggleman, B.M. See Samara, G.A., 2=22988
- Riggs, F.B., Jr. Preparation of bent crystals for monochromatizing X-rays, 2=23837
- Riggs, L.A. See Keesey, U.T., 2=15431
- Righini, B. See Alberigi-Quaranta, A., 2=5822
- Righini, B. See Quaranta, A.A., 2=9504
- Righini, B. See Quaranta, A.A., 2=2970
- Righini, G. East-west asymmetry of the solar prominences according to the observations carried out at the Arcetri astrophysical observatory from 1933 to 1960, 2=13130
- Righini, G. Solar radioastronomy in Italy, 2=13169
- Righini, G. See Russo, D., 2=7005
- Righini, G. See Russo, D., 2=7006
- Righini, G. See Tagliaferri, G., 2=6920
- Righini, G. See Tagliaferri, G., 2=9077
- Rigrod, W.W., Kogelnik, H., Brangaccio, D.J. and Herriott, D.R. Gaseous optical maser with external concave mirrors, 2=7346
- Rigutti, M. and Russo, D. Spectrum of the solar corona at the eclipse of February 15, 1961, 2=4783
- Riis, E. The stability of Couette-flow in non-stratified and stratified viscous fluids, 2=21878
- Rijks, H.J. Stabilizing a scintillation spectrometer by means of a low frequency modulated light source, 2=5609
- Rik, G.R. See Volkov, G.A., 2=274
- Rik, G.R. See Volkov, G.A., 2=7848
- Rikenglaz, L.E. See Kaganov, M.I., 2=11707
- Rikhvitskii, S.V. See Vysochanskii, M., 2=19860
- Rikitake, T. Geomagnetic bays in Turkey. II. A theory on current systems of geomagnetic bays, 2=17223
- Rikitake, T. Supplement to paper "Sq and ocean", 2=21619
- Rikitake, T. and Yukatake, T. A theory of s.f.e. current systems, 2=90
- Rikitake, T. See Nagata, T., 2=19260
- Riley, E.C. See Jackson, J.E., 2=7063
- Riley, K.F. See Pugh, H.G., 2=1774
- Rimai, L. and deMars, G.A. Electron paramagnetic resonance of trivalent gadolinium in the yttrium gallium and yttrium aluminum garnets, 2=12714
- Rimai, L. and deMars, G.A. Electron paramagnetic resonance of trivalent gadolinium ions in strontium and barium titanates, 2=1894
- Rimmrott, M. See Simonsohn, G., 2=23915
- Rimondi, O. See Alberigi-Quaranta, A., 2=5822
- Rimpault, M. See Gourdin, M., 2=12011
- Rimskii-Korsakov, A.A. and Smirnov, V.V. Investigation of the angular distribution of photoelectrons ejected by Cs^{137} γ -rays from targets with various Z values, 2=7646
- Rimskii-Korsakov, A.A. See Lozhkin, O.V., 2=328
- Rimsky, A. See Curien, H., 2=2386
- Rinaudo, G. See Cester, R., 2=3409
- Rinaudo, G. See Garelli, C.M., 2=5737
- Rincón, A. See Tanarro, A., 2=11585
- Rindner, W. Resistance of elastically deformed shallow p-n junctions, 2=18714
- Rindner, W. and Ellis, R.C., Jr. Electrolytic etching of germanium in water, 2=19046
- Rindner, W. and Lavine, J.M. Trace-plating — a new semiconductor-device fabrication technique, 2=16749
- Rinehart, J.S. Determination of Poisson's ratio dynamically, 2=14867
- Rinehart, J.S. and Auberger, M. Authors' reply to the preceding discussion, 2=20925
- Rinfret, M. See Sicotte, Y., 2=17462
- Ring, J. See Beer, R., 2=7383
- Ring, J. See Grainger, J.F., 2=17177
- Ringnes, T.S. and Jensen, E. On the relation between magnetic fields and areas of sunspots in the interval 1917-56, 2=2536
- Ringström, U. The emission spectrum of silver deutride, 2=6175
- Ringwood, A.E. See Kaufman, L., 2=2399
- Ringwood, A.E. See Tarte, P., 2=12603
- Rink, J.P. Shock-tube determination of dissociation rates of hydrogen, 2=1183
- Rink, J.P. Relative efficiencies of inert third bodies in dissociating oxygen, 2=10981
- Rink, J.P. Dissociation rates of deuterium, 2=12345
- Rinn, F.H. See Honrath-Barkhausen, M., 2=11926
- Rinzivillo, R. See de Carvalho, H.G., 2=20688
- Río, C. Sánchez del. See Sánchez del Río, C.
- Riopel, A. See Le Bot, J., 2=4088
- Riou, M. See Garron, J.P., 2=455
- Riou, M. See Garron, J.P., 2=1893
- Riou, M. See Garron, J.P., 2=1895
- Riou, M. See Garron, J.P., 2=20625
- Riou, M. See Ruhla, C., 2=20617
- Ripeanu, S. See Bally, D., 2=7995
- Ripeanu, S. See Bally, D., 2=20352
- Ripeanu, S. See Rypyanu, S.
- Ripamonti, A. See Dickens, P.G., 2=3726
- Rischbieter, F. See Kuttruff, H., 2=5114
- Rishbeth, H. Atmospheric composition and the F layer of the ionosphere, 2=15245
- Rishbeth, H. See Lyon, A.J., 2=4654
- Risken, H. See Reik, H.G., 2=14536
- Risley, A.S. and Kaufman, I. Efficient frequency doubling from ferrites at the 100-watt level, 2=13681
- Risley, A.S. See Douthett, D.D., 2=9710
- Rispoli, B. See Bologna, G., 2=5610
- Risset, J.C. See Bishop, G.R., 2=10087
- Ristinen, R.A. See Wilson, R.R., 2=7929
- Ritchie, G.L.D. See Malcolm, G.N., 2=15821
- Ritchie, R.H. and Eldridge, H.B. Optical emission from irradiated foils. I, 2=14751
- Ritchie, R.H. See Dalton, G.R., 2=9859
- Ritchie, R.K. and Walsh, A.D. The 1650-1350 Å absorption spectrum of nitrogen dioxide, 2=12334
- Ritchie, R.K., Walsh, A.D. and Warsop, P.A. The 2491 Å transition of nitrogen dioxide. I. Rotational analysis, 2=6147
- Ritow, H. Emission fields, work functions, ionization potentials and normal cathode falls of potential — empirical relations, 2=15890
- Ritsma, R.J. Existence region of the tonal residue. I, 2=24205
- Ritter, E. Knowledge of the SiO and Si₂O₃ phase in thin films, 2=8884

Atter, G.J. Hyperfine structure and nuclear moments of Lu¹⁷⁵, 2=9993
 Atter, G.J. See Reddoch, A.H., 2=12834
 Attner, E.S. Comments on "the limits of the small signal theory of transistors", 2=18721
 Attner, E.S. Comment on "theoretical bound on the thermoelectric figure of merit from irreversible thermodynamics", 2=19891
 Attner, E.S. and Levi, R. Role of carburization in the suppression of emission from barium-activated tungsten and molybdenum surfaces, 2=15943
 Attner, E.S. and Milch, A. On contact ionization in thermionic converters, 2=3010
 Attus, V.I. Photoproduction of neutrinos on electrons and the neutrino radiation from stars, 2=273
 Atz, V.H. and Attix, F.H. An ionization chamber for kilocurie source calibrations, 2=17987
 Auvet, P. See Astier, A., 2=22614
 Auvier, D. The phenomenology of the Hall effect in unsaturated ferromagnetics at low temperatures, 2=23247
 Auvier, D. See Dubois, J., 2=6421
 Auvier, D. See Huguenin, R., 2=6420
 Auvier, D. See Wu, Ta-You, 2=2641
 Auviere, A.C. and Sweetman, D.R. A search for vibrational energy effects in the dissociation of H₂⁺ ions by hydrogen gas, 2=2026
 Auviere, A.C. See Julian, F.A., 2=17907
 Auviere, J.C. The work function of uranium, 2=17858
 Auviere, J.C. The work function of thorium, 2=17859
 Aivkin, S.L. The density of heavy water, 2=4998
 Aivkin, S.L. and Egorov, B.N. Specific heat of heavy water, 2=5000
 Aivkin, V.I. See Smazhevskaya, E.G., 2=14635
 Aivlin, R.S. See Hayes, M., 2=15679
 Aivlin, R.S. See Pipkin, A.C., 2=2995
 Aivlin, R.S. See Pipkin, A.C., 2=9515
 Aivoir, L. See Smith, P., 2=10896
 Aivoira, R. See Barras, H., 2=23917
 Aivoira, R. See Rassigni, G., 2=5176
 Aiznichenko, Yu.V. See Vanek, I., 2=19187
 Roach, F.E. Mid-latitude auroras, 2=15257
 Roach, F.E., Barbier, D. and Weill, G. Auroral observations made in an aeroplane, 2=17181
 Roach, F.E. See Barbier, D., 2=15247
 Roach, F.E. See Tohmatsu, T., 2=17184
 Roach, K.E. See Wehmeyer, D.B., 2=3658
 Roach, W.T. The absorption of solar radiation by water vapour and carbon dioxide in a cloudless atmosphere, 2=2482
 Roach, W.T. Some aircraft observations of fluxes of solar radiation in the atmosphere, 2=2483
 Roaf, D. See Hopkins, H.W.K., 2=5541
 Roake, W.E. See Bates, J.L., 2=12235
 Rob, L. See Vishky, T., 2=1684
 Rob, L. See Vishky, L., 2=22512
 Robaye, G. Study of long counters by the Monte-Carlo method, 2=7869
 Robb, J.C. Lehrle, R.S., 2=20053
 Robben, F. See Monson, P.R., 2=2769
 Robbins, A.B., Grotowski, K.A. and Greenlees, G.W. Polarization of 9.4 MeV protons elastically scattered from copper, 2=1875
 Robbins, C.R. See Fang, P.H., 2=12569
 Robbins, H. Junction delineation in silicon, 2=10507
 Robbrecht, G.G. Ferrimagnetic resonance in rare-earth garnets, 2=4242
 Robbrecht, G., Jacobs, E. and Iserentant, C. The expansion coefficient of copper, 2=12390
 Robbrecht, G., Jacobs, E. and Iserentant, C. The thermal dilatation of a mixed nickel-zinc ferrite, 2=12391
 Robbrecht, G.G. See Verhaeghe, J.L., 2=19494
 Robert, C. and Winter, J.M. Experimental study of the nuclear relaxation of Fe⁵⁷ in yttrium garnet, 2=6705
 Robert, J. See Causse, R., 2=11332
 Roberts, A. See Burleson, G.R., 2=9755
 Roberts, A.C. See Higgins, P.R.B., 2=613
 Roberts, A.P. and Makinson, R.E.B. Electron eigenstates in a one-dimensional liquid, 2=9258
 Roberts, A.P. See Makinson, R.E.B., 2=5003
 Roberts, A.R.V. See Hayes, R.E., 2=15661
 Roberts, A.R.V. See Hayes, R.E., 2=17521
 Roberts, D.H., Townsend, P. and Wilson, B.L.H. Electron tunnelling devices. I, 2=8375
 Roberts, E. Some observations of gas bubble formation in irradiated boron steels, 2=23224
 Roberts, E.M., Foster, M.R. and Selig, F.F. On the theory of spin-orbit and hyperfine interactions in molecules. Application to the hydrogen molecule-ion, 2=10804
 Roberts, F.E. Impurity concentrations in the regrown region of In-Ge alloyed junctions, 2=12536

Roberts, G. and Derbyshire, W. Universal crystal mount for electron paramagnetic resonance measurements, 2=1614
 Roberts, G.G. and Tredgold, R.H. On the metal-semiconductor contact, 2=23442
 Roberts, H.J. See Hyde, F.J., 2=4055
 Roberts, H.J. See Hyde, F.J., 2=6480
 Roberts, J. Dynamic yield stress of "Perspex", 2=21431
 Roberts, J.H. See Crayton, N., 2=3472
 Roberts, J.H. See Crayton, N., 2=22718
 Roberts, J.M. and Brown, N. Low frequency internal friction in zinc single crystals, 2=21406
 Roberts, J.P. and Moulson, A.J., 2=6378
 Roberts, K.V. and Taylor, J.B. Magnetohydrodynamic equations for finite Larmor radius, 2=17942
 Roberts, K.V. See Taylor, J.B., 2=19970
 Roberts, L.D. See Hanauer, S.H., 2=393
 Roberts, M.W. See Quinn, C.M., 2=15103
 Roberts, M.E. See Feinberg, R., 2=9551
 Roberts, M.S. The galactic distribution of the Wolf-Rayet stars, 2=7026
 Roberts, M.S. A study of neutral hydrogen in IC 10, 2=21741
 Roberts, M.S. The neutral hydrogen content of late-type spiral galaxies, 2=21742
 Roberts, P.H. and Boardman, A.D. The effect of a vertical magnetic field on the propagation of gravity waves along the plane surface of a semi-infinite viscous, electrically conducting fluid, 2=13661
 Roberts, R. See Hargreaves, J.K., 2=16070
 Roberts, R.W., Auld, B.A. and Schell, R.R. Magnetodynamic mode ferrite amplifier, 2=13680
 Robert, S. and Coon, D.D. Far-infrared properties of quartz and sapphire, 2=18791
 Roberts, W.K. See Liu, D.C., 2=22494
 Robertson, H.M., McNamara, J.E. and Warner, R.M., Jr. A note on silicon oxide film thickness measurement, 2=21863
 Robertson, J.C., Lynch, J.G. and Jack, W. The luminescence of CsBr:Tl and CsI:Tl as a function of temperature, 2=2257
 Robertson, L.P., White, B.L. and Erdman, K.L. Beam heating effects in gas targets, 2=3338
 Robertson, L.P. See Griffiths, G.M., 2=9848
 Robertson, W.D. See Breedis, J.F., 2=23870
 Robertson, W.H. Precise observations of minor planets at Sydney Observatory during 1959 and 1960, 2=15312
 Robertson, W.W. See Benton, E.E., 2=22894
 Robie, R.A. See Peselnick, L., 2=21390
 Robin, L. Spheroidal electromagnetic radiator, 2=1580
 Robin, L. and Poincelot, P. The spherical electromagnetic radiator, 2=1591
 Robin, M.B. and Simpson, W.R. Assignment of electronic transitions in azo dye prototypes, 2=6186
 Robins, D.A. See Smart, R.F., 2=2401
 Robins, J.L. Characteristic electron energy loss spectra of the noble metals and their neighbours, 2=2073
 Robins, J.L. Characteristic electron energy loss spectra of a number of solid elements, 2=3890
 Robins, J.L. and Best, P.E. Characteristic electron energy loss spectra of some alkali metals and alkaline earths, 2=3888
 Robins, R.G. Uranium dioxide single crystals in electro-deposition, 2=4385
 Robins, R.G. Twinning, slip and cleavage in U₃O₈, 2=12883
 Robins, R.G., Wilks, R.S. and Bradbury, B.T. The crystal habit of uranium dioxide, 2=14941
 Robinson, B.B. Relativistic universes with shear, 2=4720
 Robinson, B.B. and Bernstein, I.B. A variational description of transport phenomena in a plasma, 2=13556
 Robinson, D. and Nicholls, R.W. Intensity measurements on overlapped molecular bands, 2=3733
 Robinson, D.K. See Fickinger, W.J., 2=9838
 Robinson, D.K. See Fickinger, W.J., 2=22505
 Robinson, D.K. See Pickup, E., 2=5720
 Robinson, D.K. See Pickup, E., 2=9839
 Robinson, D.K. See Pickup, E., 2=22571
 Robinson, D.K. See Pickup, E., 2=22576
 Robinson, D.W. A note on k-commutative matrices, 2=3
 Robinson, D.W. Statistical aspects of the relation between binaural and monaural thresholds, 2=2580
 Robinson, D.W. Zero-mass representations of the inhomogeneous Lorentz group, 2=11257
 Robinson, D.W., Whittle, L.S. and Bowsher, J.M. The loudness of diffuse sound fields, 2=7306
 Robinson, D.W. See Bowsher, J.M., 2=7070
 Robinson, D.W. See Lafferty, W.J., 2=4150
 Robinson, D.Z. See McDaniel, G.W., 2=15726

- Robinson, E.A. See Gillespie, R.J., 2=1154
 Robinson, G.W. See El-Sayed, M.A., 2=12630
 Robinson, G.W. See Kwok, J., 2=17464
 Robinson, I. and Trautman, A. Some spherical gravitational waves in general relativity, 2=2620
 Robinson, I. See Bergmann, P.G., 2=13248
 Robinson, J. See Bassani, F., 2=20957
 Robinson, J.E., Bassani, F., Knox, R.S. and Schrieffer, J.R. Screening correction to the Slater exchange potential, 2=23110
 Robinson, L.B. Effect of Compton scatterings by air molecules on the sharpness of a beam of gamma rays, 2=13761
 Robinson, L.B. Theoretical elastic collision frequency between electrons and neutral atoms in a cesium plasma, 2=19991
 Robinson, L.B. See Alexander, T.K., 2=949
 Robinson, I.B. See Alexander, T.K., 2=17751
 Robinson, L.J. Observations of the rotation of Saturn, 2=9063
 Robinson, A. A history of the electric wind, 2=11630
 Robinson, M.T., Oen, O.S. and Holmes, D.K. Fast neutron energy spectra in graphite-moderated reactors, 2=6039
 Robinson, P.D. H_2^+ : A problem in perturbation theory, 2=2008
 Robinson, R.A. See McCool, W.J., 2=3644
 Robinson, R.J. See Brophy, J.J., 2=23375
 Robinson, R.L., Johnson, N.R. and Eichler, E. Decay of Cs^{132} , 2=22767
 Robinson, R.L., McGowan, F.K. and Stelson, P.H. Coulomb excitation of levels in Se^7 , 2=5970
 Robinson, R.L. See Eichler, E., 2=16321
 Robinson, R.O. Some matrix calculations on the Ising model, 2=18506
 Robinson, S.M. Computing wind profile parameters, 2=17138
 Robinson, W.A. See Simmons, W.W., 2=18954
 Robinson, W.H. See Banerjee, B.R., 2=12703
 Robinson, W.H. See Pollack, S.S., 2=4504
 Robone, R. See Blake, B., 2=22773
 Robotti, A.C. and Oggero, M. Research on the electric arc as plasma generator. Note I, 2=11635
 Robouch, B. Remarks on possible simplifications in the calculation of the vector potential in magnetostatics, 2=15984
 Robrieux, B. See Gonella, J.R., 2=8882
 Robson, B.A. The spin-orbit interaction in the scattering of 147-220 MeV nucleons by light nuclei, 2=7974
 Robson, B.A. See Bradford, E., 2=5901
 Robson, D. The distorted wave theory of heavy particle stripping, 2=18310
 Robson, D. On the origin of heavy particle stripping, 2=22779
 Robson, E.M. The vacuum use of molecular sieves and other desiccants, 2=5085
 Rocard, J.M. Diffusion of caesium through a hot wall of tantalum, 2=11705
 Rocard, Y. See Ferrieu, J., 2=5991
 Rocchiccioli, C., Infrared spectra of some hydroxylammonium salts and their deuterated homologues, 2=540
 Rocco, A.G. De. See De Rocco, A.G.
 Roch, J. See Gautron, R., 2=775
 Rocher, E. Behaviour of a semiconductor p-n transition for high current densities, 2=16744
 Rocher, Y.A. Crystal structure of the rare earths, 2=15016
 Rocher, Y.A. The electronic structure of the rare earth metals, 2=23105
 Rocher, Y.A. and Friedel, J. Electronic structure of liquid transition metals and of certain complex phases, 2=7197
 Rochesku [Rădescu], T. and Sabău [Sabău], M. Distribution of neutron and γ -ray fluxes in the VVR-S reactor of the IAF (Institute of Atomic Physics) in Bucharest (Bucharest), 2=8043
 Rock, I. and Kaufman, L. The moon illusion. II, 2=21768
 Rock, I. See Kaufman, L., 2=27167
 Rockmore, R.M. Spin susceptibility of normal fermion systems, 2=7147
 Rockwood, C.C. and Strauss, M.G. Three-parameter multichannel recorder-analyzer system, 2=1364
 Rocquet, P. See Jegaden, G., 2=21429
 Rodbell, D.S. Temperature dependence of the magnetocrystalline anisotropy of face-centered cubic cobalt, 2=12664
 Rodbell, D.S. and Bean, C.P. Some magnetic first-order transitions, 2=12641
 Rodbell, D.S. See Bean, C.P., 2=8618
 Rodden, W.P. and Whittier, J.S. Damping of shaker-excited beams calculated solely from displacement amplitude measurements, 2=9332
 Rodden, W.P. and Whittier, J.S. Authors' reply to "comments on 'damping of shaker-excited beams calculated solely from displacement amplitude measurements'", 2=17532
 Roddier, F. See Blamont, J.E., 2=11125
 Roddy, J.T. See Reed, T.B., 2=8792
 Rode, A. See Barjon, R., 2=9866
 Rode, A. See Barjon, R., 2=18329
 Rodeback, G.W. See Zink, J.W., 2=3649
 Rodenberg, R. Inelastic positron scattering by nuclei, 2=5895
 Rodenberg, R. Symmetry behaviour in the influence of a finite nuclear boundary on (e,N) and (e,N) transition processes, 2=7830
 Rodenberg, R. Contributions of the many-quantum exchange terms to the Coulomb correction in the ratio of the total (e,N) to the total (γ ,N) effective cross-section, 2=9785
 Rodenberg, R. Introduction of form factors in elastic and inelastic electron-nucleus scattering, 2=20599
 Rodenberg, R. Relative behaviour of the cross-sections for inelastic electron and inelastic positron scattering by the atomic nucleus, 2=20601
 Rodenberg, R. Influence of finite nuclear size on the inelastic scattering of electrons and positrons by the atomic nucleus, 2=22800
 Roder, H.M. See Goodwin, R.D., 2=7191
 Roder, H.M. See Weber, L.A., 2=15805
 Roder, O. Measurement of absolute oscillator strengths of some Fe I and Fe II lines, 2=14198
 Rodgers, A.L. On the momentum spectrum of cosmic-ray muons at sea level, 2=334
 Rodgers, M.F. See Allcock, G.McK., 2=6917
 Rodhe, B. The effect of turbulence on fog formation, 2=8967
 Rodichev, A.M. Contribution to the theory of high field magnetization reversal in thin films, 2=21324
 Rodichev, A.M. See Kirenskii, L.V., 2=741
 Rodichev, A.M. See Salanskii, N.M., 2=8626
 Rodichev, A.M. See Salanskii, N.M., 2=16905
 Rodichev, A.M. See Salanskii, N.M., 2=21307
 Rodichev, G.M. and Kim, P.D. Investigation of the duration of Barkhausen jumps in an iron film, 2=21323
 Rodimov, B.N. Stereotron with "skiff" focusing, 2=13621
 Rodigin, N.M. Kinetics of reactive diffusion in a binary system, 2=88
 Rodigin, N.M. Kinetics of reaction diffusion in a binary system, 2=23
 Rodin, A.M., Vorob'ev, S.P. and Rodina, A.A. Measurement of the quantum of deuterium absorbed by cathodes in gas discharges, 2=1413
 Rodina, A.A. See Rodin, A.M., 2=1413
 Rodinov, K.P. See Frolov, A.P., 2=21459
 Rodionov, Yu.F. See Baranov, S.A., 2=3490
 Rodionov, Yu.F. See Baranov, S.A., 2=3500
 Rodionov, Yu.F. See Baranov, S.A., 2=3501
 Rodionov, Yu.F. See Baranov, S.A., 2=16344
 Rodot, H. and Triboulet, R. Preparation and properties of mercury telluride of controlled purity, 2=8367
 Rodot, M. Thermoelectric effects and their applications, 2=23488
 Rodot, M. See Leroux-Hugon, P., 2=16613
 Rodrigue, G.P., Pippin, J.E. and Wallace, M.E. Hexagonal ferrites for use at X- to V-band frequencies, 2=14804
 Rodriguez, S. and Tharmalingam, K. Absorption of phonons by an electron gas, 2=23057
 Rodriguez, S. See Ascarelli, G., 2=8310
 Rodriguez, S. See Ascarelli, G., 2=16701
 Rodrigues, S. See Quinn, J.J., 2=23058
 Rodriguez, A.Garcia. See Garcia Rodriguez, A.
 Roe, B.P., Sinclair, D., Brown, J.L., Gläser, D.A., Kadyk, J.A. and Trilling, G.H. New determination of the K^+ -decay branching ratios, 2=3399
 Roe, B.P. See Brown, J.L., 2=5730
 Roe, B.P. See Brown, J.L., 2=20417
 Roellig, L.O. and Gliese, C. Solubility of helium in liquid hydrogen, 2=17451
 Roesch, W.C. See Rossi, H.H., 2=16339
 Roesler, F.I. Mapping of high-quality optical flats without reflection coating, 2=9379
 Roest, R., Poullis, N.J. and Horsman, G. Electron spin resonance of two benzidine complexes in weak fields, 2=2019
 Roether, W. See Noack, C., 2=5282
 Roetling, P.G. and Ganley, W.P. Observations on the dynamic frequency response of fiber bundles, 2=2868
 Roetschi, H. New type of loop tracer for ferroelectrics, 2=9513
 Roetschi, H. See Fatuzzo, E., 2=4093
 Roetschi, H. See Fatuzzo, E., 2=21214
 Rofe, B. Mesospheric density and winds determined by the falling sphere method at Woomera, 2=21623
 Rogachev, A.A. and Chechurin, S.N. The field effect and the photoconductivity of lead sulphide layers, 2=18750
 Rogachev, A.A. and Chechurin, S.N. The field effect and the photoconductivity of lead sulphide layers, 2=23467
 Rogachev, A.A. and Ryvkin, S.M. Temperature dependence of the cross section for radiative recombination in germanium, 2=21162
 Rogachev, A.A. See Nasledov, D.N., 2=21160
 Rogala, T. See Bowness, C., 2=19704

- aganov, V.S. See Evseev, V.S., 2=7872
 aganov, V.S. See Evseev, V.S., 2=22832
 aganov, W.S. See Yeffseyev, W.S., 2=14122
 ager, R.S. See Aarons, J., 2=4618
 agers, D. See Menyuk, N., 2=12671
 agers, D. See Wold, A., 2=12697
 agers, D.G. See Reed, R.J., 2=15183
 agers, D.H. An extension of a theory of mechanical damping due to dislocations, 2=8707
 agers, D.H. See Hutchison, T.S., 2=8708
 agers, D.H. See Hutchison, T.S., 2=21017
 agers, E.S. Experimental tunnel-diode electromechanical transducer elements and their use in tunnel-diode microphones, 2=17546
 agers, E.W.E. See Pain, H.J., 2=13358
 agers, G.L. On a theorem of Hanbury-Brown and Twiss concerning coherence conditions in optics, 2=13431
 agers, G.T. and Edgerton, H.E. Enhanced afterglow in neon by removal of electrical excitation, 2=19908
 agers, J. See Boehm, F., 2=14057
 agers, J.D. and Boehm, F. Evidence for a large B_{ij} contribution in the first-forbidden beta decay of Rb^{86} , 1=4032
 agers, M.D. and Adam, J. Ejection of atoms from uranium by fission fragments, 2=20691
 agers, M.D. See Adam, J., 2=6326
 agers, M.H. See Lance, G.N., 2=4990
 agers, R.M. and Kantor, R.H. Frequency shift magnetometer, 2=1553
 agers, W.A. See Kasner, W.H., 2=3008
 agerson, B.J. See Spitzer, L., 2=13201
 aggen, A.van. See van Roggen, A.
 aggenbuck, A. See Bodenstedt, E., 2=12136
 aggenbuck, A. See Bodenstedt, E., 2=16300
 aginsky, C.Z. See Enikeev, E.Kh., 2=22240
 aglic, V. Some calculations with a phenomenological nuclear potential, 2=3288
 agova, N.A. See Mukharev, L.A., 2=22156
 agozhkin, I.V. See Znonov, N.V., 2=18384
 agozinski, A. See Alitti, J., 2=16229
 agozinski, A. See Alitti, J., 2=18156
 agozinski, V.G. A method of admitting ballast gas into a VN-6 vacuum pump, 2=17517
 agula, D.R. See Kaliski, S., 2=7279
 agula, D. See Kaliski, S., 2=21800
 agulski, W. Ignition of gas mixtures by electric discharges between a heated and a cold electrode: application in breakflash apparatus for intrinsic safety testing, 2=19922
 agti, K.K. The fluorescence lifetimes of fluorescein anion, 2=7225
 ahler, R. Study of the contrast transfer function [C.T.F.] of the dioptric components of the eye, 2=7074
 ahler, R. Evaluation of the discrimination and contrast thresholds for small objects from the optical imaging properties of the media of the eye, 2=24220
 ahler, R. Measurement of the contrast transfer function of animal eyes, 2=24232
 ahler, R. See Wittmann, F., 2=13440
 ahler, R. See Wittmann, V., 2=17663
 ahrbach, F. and Rosselet, P. Determination of the energy of a charged particle by using simultaneously magnetic curvature and multiple Coulomb scattering, 2=3220
 ahrrer, H. See Andres, K., 2=3848
 ahrrer, H. See Andres, K., 2=7507
 ahrrer, R.H. See Dratz, A.F., 2=4888
 ahrrlich, F. The classical description of charged particles, 2=9807
 ahrrlich, F. See Edie, J.W., 2=5298
 ahrrlich, F. See Pecker, G., 2=15336
 ahrrlich, F. See Pecker, C., 2=15342
 ai, N.A. See Isakovich, M.A., 2=13118
 anishvili, N.H. See Manjavidze, Z.Sh., 2=18223
 anishvili, N.N. Analysis of the distributions of transverse momenta of π -mesons and strange particles, 2=22566
 ansen, I.I. and Chernavskii, D.S. Interference between the amplitudes of inelastic processes, 2=9878
 atsin, A.B. Atomic vibrations in an imperfect lattice and the spin-lattice relaxation time, 2=2045
 atsin, A.B. See Deigen, M.F., 2=8665
 atsyn, A.B. Theory of spin-lattice relaxation of local electron centres in crystals. I, 2=8195
 atsyn, A.B. Theory of spin-lattice relaxation of local electron centres in crystals. II, 2=8196
 aizen, L.I. and Gannus, V.K. Automatic device for the supply of liquid nitrogen, 2=17707
 jo, O. and Simmons, L.M. Velocity-dependent nuclear potentials for singlet-even states, 2=3452
 kityanski, V.R. See Kelepikov, N.P., 2=22590
 rol, P.K. See Rothe, E.W., 2=10222
 rol, P.K. See Trujillo, S.M., 2=20888
 Roland, G. See Gebbie, H.A., 2=13108
 Roll, P.G., Newman, E. and Steigert, F.E. $O^{16} + O^{16}$ elastic scattering, 2=5973
 Roll, P.G. and Steigert, F.E. Production of heavy fragments in the reaction $O^{16} + O^{16}$, 2=5974
 Rolland, P. See Lepechinsky, D., 2=24032
 Rolland, P. See Nazarewicz, W., 2=17583
 Rollet, G. See Cabannes, F., 2=22231
 Rollet, J.S. and Higgs, L.A. Correction of spectroscopic line profiles for instrumental broadening by a Fourier analysis method, 2=2877
 Röllig, H.E. See Kürber, W.G., 2=23983
 Rollinger, C.N. and Sunderland, J.E. The performance of a convectively cooled thermoelement used for power generation, 2=11609
 Rom-Krichevskaya, I.A. See Ratner, A.M., 2=18003
 Roman, P. Correlation theory of stationary electromagnetic fields. IV. Second order conservation laws, 2=3133
 Románá, A. and Cardús, J.O. Geomagnetic rapid variations during IGY and IGC, 2=13084
 Romanchuk, P.R. On the nature of the east-west asymmetry of solar activity, 2=959
 Romanchuk, P.R. The visibility of sunspots on the solar disk and the east-west asymmetry of solar activity, 2=21712
 Romanchuk, P.R. The visibility of spots on the solar disk and the east-west asymmetry of solar activity, 2=24113
 Romand, J. See Damany-Astoin, N., 2=14286
 Romand, J. See Fabre, D., 2=7377
 Romand, J. See Vodar, B., 2=22030
 Romanenko, E.V. See Golyamina, I.P., 2=2310
 Romanenko, P.F. See Kostyshin, M.T., 2=23520
 Romanenko, V.N. Induction heater for melting pure materials which is enclosed in a quartz tube, 2=22083
 Romanets', R.G., Nemchenko, A.M. and Bobyl', V.G. The red edge of photoconductivity of ether solutions, 2=17482
 Romanko, G.D. See Kushtan, V.I., 2=22380
 Romano, A. See Abbattista, N., 2=5951
 Romano, A. See Alitti, J., 2=16229
 Romano, A. See Alitti, J., 2=18156
 Romano, A. See Bidán, U., 2=11988
 Romanov, A.M., Myakinin, E.V. and Konstantinova, M.P. Excited levels of Ne^{23} , 2=374
 Romanov, A.M., Myakinin, E.V. and Konstantinova, M.P. Excited levels of Ne^{23} , 2=22737
 Romanov, A.M. See Konstantinova, M.P., 2=492
 Romanov, A.M. See Konstantinova, M.P., 2=22852
 Romanov, O.V. See Konorov, P.P., 2=21135
 Romanov, V.A. Investigation of the effect of an external electrical field upon the kinetics of photoelectric processes in semiconductors, 2=21185
 Romanov, V.A. High-intensity light-modulator with a Kerr cell, 2=22065
 Ramanov, V.A. See Iodka, M.G., 2=16367
 Romanov, V.A. See Tuchkevich, V.V., 2=16366
 Romanov, V.E. Calculation of a cross-section of the free-free transition of an electron in the field of a neutral hydrogen atom, 2=18405
 Romanov, Yu.F. See Gorodyskii, V.A., 2=1829
 Romanova, H.P. See Steplo, I.I., 2=8875
 Romanovskaya, O.S. See Rozhdestvenskaya, M.V., 2=4381
 Romanovskii, E.A. See Vasil'ev, S.S., 2=437
 Romanovskii, E.A. See Vasil'ev, S.S., 2=441
 Romanovskii, E.A. See Vasil'ev, S.S., 2=10096
 Romanovskii, E.A. See Vasil'ev, S.S., 2=22807
 Romanovskii, V.A. See Nakhodkin, N.G., 2=22266
 Romanow, W.J. See Wernick, J.H., 2=735
 Romanowski, T.A. See Burleson, G.R., 2=9755
 Romanowski, T.A. See Eckhause, M., 2=13837
 Romanyuk, A.K. See Akhmanov, S.A., 2=22147
 Romanyuk, L.I. See Gabovich, M.D., 2=182
 Romanyuk, L.I. See Gabovych, M.D., 2=9602
 Romashko, N.D. See Demirkhanov, R.A., 2=22188
 Römelt, G. and Geist, D. The magnetic electron susceptibility of InAs, InSb and GaAs, 2=8600
 Römer, M. A model of the exosphere in the height range 1000-1700 km calculated from the path changes of the satellite Echo 1, 2=6931
 Romick, G.J. See Rees, M.H., 2=4675
 Romo, L.A. Adsorption selectivity and electrostatic fields of rutile powders, 2=2433
 Rompe, R., Ullrich, S. and Wolff, H. Electron interactions in low-pressure plasma regions, 2=1422
 Rompe, R. See Bßer, K.W., 2=1421

- Ron, A., Folman, M. and Schnepf, O. Electronic spectrum of adsorbed benzene, 2=15100
- Ron, A. See Kalman, G., 2=3027
- Ronat, E.E. See Chretien, M., 2=22610
- Ronchi, L. and Ercoles, A.M. Adaptational effects at photopic and mesopic luminances as a function of contrast, 2=15430
- Ronchi, L. and Mori, G.F. Technical notes on the use of the tachistoscopic field meter, 2=15429
- Ronchi, L., Russo, V., Toraldo di Francia, G. and Zaccagnini, C. Scattering of evanescent waves by cylindrical structures, 2=3169
- Ronchi, L. See Carrara, N., 2=11163
- Ronchi, L. See Pratesi, R., 2=22325
- Ronne, B.E., Carlson, P.J. and Danielsson, O. Annihilation of 1.3 GeV antiprotons in complex nuclei, 2=9850
- Ronne, B.E. and Danielsson, O. Interaction of 2 GeV negative π -mesons with emulsion nuclei, 2=13849
- Ronne, B.E. See Frisk, A., 2=1711
- Rood, H.P.C. See van Klinken, J., 2=20546
- Roodenbeke, A. t'Kent de. See t'Kent de Roodenbeke, A.
- Roof, R.B., Jr. Experimental atomic scattering factors and anomalous dispersion corrections for Th, U, and Pu, 2=15010
- Roof, R.B., Jr., Arnold, G.P. and Gschneidner, K.A., Jr. Nuclear coherent scattering amplitudes for thorium, uranium and plutonium, 2=10832
- Roof, R.B., Jr and Kempter, C.P. New orthorhombic phase in the Ru-B and Os-B systems, 2=23866
- Rook, J.R. and Hodgson, P.E. Distorted-wave analysis of $(d, p\gamma)$ reactions, 2=3605
- Rook, J.R. See Bodmer, A.R., 2=9980
- Roos, B.W. and Sangren, W.C. Spectral theory of Dirac's radial relativistic wave equation, 2=22396
- Roos, B.W. See Garrison, J.D., 2=5988
- Roos, C.E. and Peterson, V.Z. Photodissociation of complex nuclei at energies between the mesonic threshold and 1150 MeV, 2=428
- Roos, C.E. See Holladay, W.G., 2=13753
- Roos, M. Low-energy K^- -nucleon scattering and odd $(\Sigma\Lambda)$ parity, 2=3404
- Roos, M. Optimal K^- -p scattering conditions for resolving Dalitz' $(a+)$ and $(a-)$ solutions, 2=13880
- Roos, O. von. See von Roos, O.
- Roosbroeck, V. van. See van Roosbroeck, W.
- Roosen, J. and de Feiter, L.D. Details of the relation between type IV outbursts and s.c.-geomagnetic storms, 2=15277
- Root, C.D. See Lieb, D.P., 2=14568
- Roothaan, C.C.J. See Clementi, E., 2=22888
- Rooymans, C.J.M. A new compound in the $Na_2O-Fe_2O_3$ system, 2=23852
- Röpke, H. See Spehl, H., 2=6110
- Ropp, R.C. Tin-activated magnesium barium pyrophosphate phosphors, 2=8577
- Ropp, R.C. Manganese-activated cadmium pyrophosphate phosphors, 2=18858
- Roppert, J. See Heine, S., 2=17008
- Roquet, J., Schlich, R. and Selzer, E. World-wide disturbances of short duration in the geomagnetic field observed in France at the time of the high-level nuclear explosion on 9 July 1962, 2=24063
- Roquette, B.C. and Futrell, J.H. Flash photolysis of azoethane, 2=19156
- Rorex, J.E. and Frost, W.O. Telemetry considerations for large space vehicles, 2=24192
- Rosa, G. See Brovetto, P., 2=9826
- Rosa, R.J. Hall and ion-slip effects in a nonuniform gas, 2=19625
- Rosa, R.J. See Kantrowitz, A.R., 2=11607
- Rosatelli, C. See Gelato, G., 2=11153
- Rösch, J. See Camichel, H., 2=21702
- Rosćiszewski, J. Wave diagrams for shock tubes with the diaphragm near the divergent cross-sectional area, 2=2760
- Rosćiszewski, J. Analogy between the Rayleigh problem and flow behind the shock wave in magnetohydrodynamics, 2=20126
- Rosćiszewski, J. See Bryson, A.E., 2=5456
- Roscoe, R. The end correction for rotation viscometers, 2=15540
- Rose, A. Photoconductivity in perspective, 2=10522
- Rose, A. Photoconductivity: a probe for the defect structure of solids, 2=23443
- Rose, A. See Lampert, M.A., 2=23228
- Rose, D.C. See Katzman, J., 2=22686
- Rose, D.C. See Lapointe, S.M., 2=16270
- Rose, D.C. See McDiarmid, I.B., 2=4641
- Rose, D.C. See Wilson, B.G., 2=12099
- Rose, D.J. See Lidsky, L.M., 2=17794
- Rose, D.J. See Yoshikawa, S., 2=7602
- Rose, F.E., Taylor, M.T. and Bowers, R. Low-frequency magneto-plasma resonances in sodium, 2=18559
- Rose, G., Oksman, J. and Kataja, E. Round-the-world sound waves produced by the nuclear explosion on October 30, 1961, and their effect on the ionosphere at Sodankylä, 2=6927
- Rose, J.H., Uihlein, F., Riess, F. and Trost, W. Polarization measurements on the 5.83 \rightarrow 5.10 MeV gamma transition in N^{14} , 2=20519
- Rose, H.J., Jr. See Adler, I., 2=10996
- Rose, K. Microwave induced carrier multiplication in indium antimonide, 2=8365
- Rose, M.E. Properties of the irreducible angular momentum tensors, 2=15448
- Rose, M.E. See Good, R.H., Jr., 2=16122
- Rose, M.E. and Yang, C.N. Eigenvalues and eigenvectors of a symmetric matrix of 6j symbols, 2=4912
- Rose, P.H. The three-stage tandem accelerator, 2=5400
- Rose, P.H. See Wittkower, A.B., 2=11723
- Rose, P.H., Wittkower, A.B., Bastide, R.P. and Galejs, A. Quantitative measurements of ion beam properties, 2=5387
- Rose, R.M. and Wulff, J. A ductile, high-field, high-current ternary superconducting alloy, 2=17728
- Rose, W. and Heins, R.W. Moving interfaces and contact angle rate-dependency, 2=9249
- Rosen, B. See Herzberg, G., 2=14284
- Rosen, C.L. See Veleckis, E., 2=6822
- Rosen, G. Symmetries of the Einstein-Maxwell equations, 2=11271
- Rosen, G. Method for the removal of free electrons in a plasma, 2=15933
- Rosen, J. See Bleser, E., 2=16218
- Rosen, J. See Bleser, E., 2=18504
- Rosen, L., Darriulat, P., Faraggi, H. and Garin, A. Elastic scattering of polarized protons by C^{12} , 2=16400
- Rosen, L. and Leland, W.T. Elastic scattering of 14.5 MeV polarized protons by pairs of isotopes and isobars, 2=14085
- Rosen, L. and Stewart, L. Neutron-induced disintegration of Li^6 and Li^7 , 2=12008
- Rosen, M. Semi-classical scattering from a complex nuclear potential, 2=11890
- Rosen, N. Field of a particle in uniform motion and uniform acceleration, 2=7131
- Rosen, N. Quantum geometry, 2=19420
- Rosen, N. and Yaakobi, D. A particle at rest in a static axially symmetric gravitational field, 2=7119
- Rosen, S.P. Theory of nonleptonic hyperon decay, 2=20425
- Rosen, S.P. See Barton, G., 2=13867
- Rosenbaum, M. See Aamodt, R., 2=11947
- Rosenberg, B. Electrical conductivity of proteins. II. Semiconductivity in crystalline bovine hemoglobin, 2=6473
- Rosenberg, B. Electrical conductivity of proteins, 2=8301
- Rosenberg, D. Term analysis of trivalent erbium in various oxide modifications. I. Modification A: $(Er, La)_2O_3$, 2=10605
- Rosenberg, D. and Wehner, G.K. Sputtering yields for low energy He K^{+} , and Xe $^{+}$ ion bombardment, 2=11726
- Rosenberg, G.S. and Youngdahl, C.K. A simplified dynamic model for the vibration frequencies and critical coolant flow velocities for reactor parallel plate fuel assemblies, 2=13400
- Rosenberg, H.M. See Lewis, M.F., 2=18913
- Rosenberg, H.M. See Morton, I.P., 2=16618
- Rosenberg, L. and Spruch, L. Minimum principle for multi-channel scattering, 2=4938
- Rosenberg, L. See O'Malley, T.F., 2=6075
- Rosenberg, L.D. Generation and study of ultrasonic vibrations of great intensity, 2=13400
- Rosenberg, M. See Rozenberg, M.
- Rosenberg, M., Nicolau, P., Nicolae, I., Tănăsioiu, C., Mihalcu, M., Bărbulescu, A., Cohn, Z. and Schöninger, P. Thermistor research in Roumania, 2=10519
- Rosenberg, N.W., Hamilton, W.M. and Lovell, D.J. Rocket exhaust radiation measurements in the upper atmosphere, 2=8982
- Rosenberg, R.I. See Wu, T.-Y., 2=9313
- Rosenberg, W.J. See Fernie, J.O., 2=4819
- Rosenberger, D. Term analysis of trivalent erbium in various oxide modifications. II. The modifications C and B₁: $(Er, Y)_2O_3$ and $(Er, Gd)_2O_3$, 2=10606
- Rosenberger, U. See Low, W., 2=10696
- Rosenblatt, F. See Block, H.D., 2=13207
- Rosenblatt, J.R. See Nimeroff, I., 2=5136
- Rosenblatt, J.R. See Nimeroff, I., 2=15439
- Rosenblith, W.A. See Geisler, C.D., 2=4901
- Rosenblum, B. and Duncan, R.C., Jr. Some quantum aspects of cyclotron resonance of negative masses, 2=23132
- Rosenblum, B. See Duncan, R.C., Jr., 2=4022
- Rosenbluth, M.N. and Rostoker, N. Scattering of electromagnetic waves by a nonequilibrium plasma, 2=17837
- Rosenbluth, M.N. See Frieman, E.A., 2=5358
- Rosenbrock, H.H. The approach to a stable steady state far from equilibrium, 2=21840

- Sendahl, G.R. Discussion of the concept of aplanatism, 2=1252
- Sendahl, G.R. Contributions to the optics of mirror systems and gratings with oblique incidence. II. A discussion of aberrations, 2=7339
- Sendahl, G.R. Contributions to the optics of mirror systems and gratings with oblique incidence. III. Some applications, 2=7340
- Senfeld, A.H., Carmony, D.D. and Van de Walle, R.T. Search for μ -meson decay into $\eta + \pi$, 1=18172
- Senfeld, A.H. and Snyder, J.N. Digital-computer analysis of data from bubble chambers: kinematic analysis of complete events, 2=7801
- Senfeld, A.H. See Bastien, P.L., 2=22608
- Senfeld, A.H. See Button, J., 2=13802
- Senfeld, A.H. See Byers, N., 2=12008
- Senfeld, A.H. See Carmony, D.D., 2=22609
- Senfeld, A.H. See Ferro-Luzzi, M., 2=5728
- Senfeld, A.H. See Stevenson, M.L., 2=22606
- Senfeld, A.R. and Averbach, B.L. Non-elastic unloading of copper and aluminum, 2=8706
- Senfield, A.R. See Wagner, W.J., Jr., 2=10761
- Sengren, K. Method for maintaining and measuring constant power dissipation to a calorimeter circuit over a wide temperature interval, 2=9441
- Senhauser, K. Results of some measurements on binoculars, including the contrast transfer function [CTF], 2=101
- Senson, L. See Chretien, M., 2=22610
- Senstock, H.B. Specific heat of a particle in a box, 2=1075
- Senstock, H.B. Anomalous specific heat of disordered solids, 2=14377
- Senstock, H.B. and McGill, R.E. Vibrational modes of disordered linear chains, 2=3825
- Senstock, H.B. and Maradudin, A.A. On certain combinatorial problems, 2=11246
- Senthal, A.H. Regenerative circulatory multiple-beam interferometry for the study of light-propagation effects, 2=19667
- Senthal, E.J. Physical optics of coherent radiation systems, 2=9396
- Senthal, I.L. On the role of complex nuclei in the origin of development of extensive air showers, 2=20459
- Senthal, J.E. Physical optics of coherent radiation systems, 2=9396
- Şeşcu, T. and Sabău, M. Distribution of neutron flux and gamma radiation in the V.V.R.-S. nuclear reactor, 2=7056
- Şeşcu, T. and Sabău, M. Extension of some experimental possibilities of the VVR-S reactor, 2=20720
- Şeşcu, T. See Filip, A., 2=6057
- Şeşcu, T. See Roshesku, T., 2=6049
- Şeşcu, T. See Sabău, M., 2=6045
- Şeşcu, T. See Sabău, M., 2=6058
- Şeşku, T. See Filip, A., 2=6049
- Şeşku, T. See Khulubei, Kh., 2=20716
- Shko, A. See Liepmann, H.W., 2=15632
- Shko, A. and Baganoff, D. A novel device for bursting shock-tube diaphragms, 2=1186
- Shon, D.D., Jr. Microprobe for measuring magnetic fields, 2=7705
- Shi, F.D. See Blanc, J., 2=23384
- Shier, L. See Avignon, P., 2=482
- Shino, L. and Mammano, A. A year of photographic observations of artificial satellites at the astrophysical observatory of Asiago, 2=11171
- Shinski, J. and Snow, R.H. Secondary particulate matter from meteor vapors, 2=9011
- Shler, U. See Andr , W., 2=10657
- Shner, B. See Goldring, G., 2=16326
- Shner, C.H. See Swartz, P.S., 2=15857
- Śolowski, J.H. Anisotropic diffusion of silver and indium tracers in zinc single crystals, 2=2101
- Śos, D.B. See Belrose, J.S., 2=11801
- Śs, E. The temperature-dependence of the isoperm effect in manganese-zinc ferrite, 2=23684
- Śs, G.G. See Auffray, J.P., 2=16465
- Śs, J. See Choi-S.-I., 2=19440
- Śs, J.S. See Hines, A.P., 2=16482
- Śs, K.J. See Kopkins, B.J., 2=7637
- Śs, M.H. ξ - η degeneracy, 2=13866
- Śs, M.H. and Shaw, G.L., Effective range analysis of s-wave K $^+$ p reactions, 2=11893
- Śs, M.H. See Shaw, G.L., 2=321
- Śs, M.H. See Shaw, G.L., 2=11892
- Śs, R.R. See Byers, N., 2=12008
- Śs, R.R. See Humphrey, W.E., 2=18181
- Śs, S., Saelens, J.K. and Olivier, J.P. On physical adsorption. XVIII. Limiting isosteric heats of adsorption of gases on graphitized carbon by the chromatographic method, 2=15096
- Śs, S. See Machin, W.D., 2=4498
- Ross, S. See Olivier, J.P., 2=4497
- Ross, W.J. See Blumle, I.J., 2=13024
- Rossel, J. See Besson, H., 2=14508
- Rossel, J. See Gibbs, W.R., 2=20633
- Rossel, J. See Gr  bler, W., 2=1922
- Rossel, J. See Gr  bler, W., 2=10137
- Rossel, J. See Urech, S., 2=3592
- Rosselet, P. See Rohrbach, F., 2=3220
- Rosser, W.G.V. Second-order electric field due to a conduction current, 2=13530
- Rosser, W.G.V. Electromagnetism as a second order effect. III. The Biot-Savart law, 2=22301
- Rosset, J. and Ray, D.K. Magnetic susceptibility of ruthenium-yttrium oxide (Ru₂O₄·Y₂O₃) powder, 2=21288
- Rosset, J. See Ayant, Y., 2=16622
- Rossetti, C. See De Alfaro, V., 2=21825
- Rossetti, C. See Predazzi, E., 2=21832
- Rossi, B. Radiation belt—results of the direct measurements of interplanetary plasma and magnetic field by Explorer X, 2=17204
- Rossi, B. See Bridge, H.S., 2=12055
- Rossi, B. See Linsley, J., 2=20458
- Rossi, B.B. See Linsley, J., 2=13930
- Rossi, H.H. and Roesch, W.C. Field equations in dosimetry, 2=16339
- Rossikhin, V.S. and Tsikora, I.L. Mechanism of weakening the CN bands (Violet System) in an arc, 2=14281
- Rossin, A.D. Radiation damage in steel: considerations involving the effect of neutron spectra, 2=6397
- Rossing, T.D. See Wigen, P.E., 2=23695
- R  ssler, C. Determination of the antimony distribution in germanium single crystals by means of Sb¹²⁴, 2=21139
- R  ssler, F. and Vassy, E. Sunlight, scattered by the earth's atmosphere measured from a Veronique rocket: the vertical distribution of aerosols, 2=11023
- R  ssler, F. and Vollrath, K. Apparatus for the measurement of diffuse skylight from a rocket, 2=24020
- Rossmann, M.G. and Blow, D.M. The detection of sub-units within the crystallographic asymmetric unit, 2=10851
- Rossmann, K. Modulation transfer function of radiographic systems using fluorescent screens, 2=17668
- Rossmann, K. Recording of X-ray quantum fluctuations in radio-graphs, 2=19739
- Rossmann, M.G. See Blow, D.M., 2=10849
- Rossteutscher, W. See Leonhardt, R., 2=837
- Rossteutscher, W. See Schubert, K., 2=17016
- Rossum, I. Van. See Van Rossum, L., 2
- Rossykhin, V.S. See Lyutyi, A.I., 2=17679
- Rost, E. See Gronvold, F., 2=10880
- Rostoker, N. and Kolb, A.C. Rotation of plasmas in δ pinches, 2=19968
- Rostoker, N. See Ichimaru, S., 2=11683
- Rostoker, N. See Rosenbluth, M.N., 2=17837
- Rostokinskii, V.V. See Tolkachnik, S.V., 2=12851
- Rostokinskii, V.V. See Tolkachnik, S.V., 2=18990
- Rota, A. See Bassi, P., 2=111
- Rota, A. See Bertolini, G., 2=10026
- Rotenberg, A. See Percus, J.K., 2=21828
- Rotenberg, B.A. See Mikhailov, P.S., 2=14613
- Rotenberg, M. Application of Sturmian functions to the Schroedinger three-body problem: Elastic e⁺-H scattering, 2=20267
- Rotenberg, M.A. See Bonnor, W.B., 2=1053
- Roth, A. Relativity and the clock paradox, 2=15468
- Roth, C. and Sharp, R.T. Distortion of the triton core in the hyper-nucleus $\Lambda^4\text{H}^+$, 2=22714
- Roth, D. See Engels, E., 2=18048
- Roth, E.A., Margerum, E.A. and Amick, J.A. Evaporation of silicon and germanium by r.f. levitation, 2=23914
- Roth, H. and Straub, W.D. Very low offset Hall probe, 2=18727
- Roth, L.M. Theory of Bloch electrons in a magnetic field, 2=14401
- Roth, L.M. Spin-lattice interaction for electrons in semiconductors, 2=23709
- Roth, R. See Cronin, J.W., 2=22489
- Roth, R.F. See Bowen, T., 2=18182
- Roth, R.S. See Pao-Hsien Fang, 2=666
- Roth, W. Duration of hot flow in a one-inch-diameter shock tube, 2=19600
- Roth, W. Charge transfer cross-section for electronically excited N₂⁺ with O atoms at low-energy, 2=22173
- Rothberg, J. See Bleser, E., 2=16218
- Rothberg, J. See Bleser, E., 2=18504
- Rothe, E.D. See Frost, K.J., 2=18096
- Rothe, E.W., Marino, L.L., Neynaber, R.H. and Trujillo, S.M. Electron impact ionization of atomic hydrogen and atomic oxygen, 2=3001

AUTHOR INDEX

- Rothe, E.W., Marino, L.L., Neynaber, R.H., Rol, P.K. and Trujillo, S.M. Scattering of thermal rare gas beams by argon. Influence of the long-range dispersion forces, 2=10222
- Rothe, E.W. See Smith, A.C.H., 2=22174
- Rothe, E.W. See Trujillo, S.M., 2=20888
- Rother, H. Variations of the direction of magnetization, wall spacing and coercive force in thin films, 2=12779
- Rother, H.* Magnetic properties of ferromagnetic films. I. Stochastic theory of magnetization fine structure, 2=14788
- Rother, H. Magnetic properties of ferromagnetic films. II. Theory of domain splitting, 2=14789
- Rother, H. Magnetic properties of ferromagnetic films. III. The wave theory of the coercive force, 2=21329
- Rother, H. See Boer, K.W., 2=1421
- Rotherham, L. Materials problems of nuclear power — historical, 2=20696
- Rothardt, L. Investigation of glow discharges with cathode regions with and without edges. II, 2=169
- Rothardt, L. Investigations of glow discharges with cathode zones, with and without edges. III. Dynamics, 2=7580
- Rothleder, S.D. See Lidsky, L.M., 2=17794
- Rothleitner, J. See Krüger, L., 2=1973
- Rothman, A.B. and Ward, C.E.W. Effective resonance integral of thorium metal, 2=7998
- Rothman, M.A. Things that go faster than light, 2=15460
- Rothman, S.J. The diffusion of gold in gamma uranium, 2=2094
- Rothman, S.J., Gray, J., Jr., Hughes, J.P. and Harkness, A.L. Self-diffusion in beta uranium, 2=3948
- Rothman, S.J., Hines, J.J., Gray, J., Jr. and Harkness, A.L. Anisotropy of self-diffusion in alpha-uranium, 2=14467
- Rothschild, W.G. and Dailey, B.P. Microwave spectrum of bromocyclobutane, 2=14266
- Rothwarf, F. and Muldrew, L. Electrical resistivity and X-ray diffraction study of the beta AgCd—AuCd system, 2=17040
- Rothwell, E. The release of Kr^{85} from irradiated uranium dioxide on post-irradiation annealing, 2=12234
- Rothwell, E. A precise determination of the viscosity of liquid tin, lead, bismuth, and aluminium by an absolute method, 2=15542
- Rothwell, E. High temperature substoichiometry in uranium dioxide, 2=21534
- Rothwell, P. Charged particles in the earth's magnetic field and the ionospheric F2 layer, 2=15236
- Rott, L.A. The theory of melting, 2=17687
- Rotter, R. and Klapukh, M. Development of the first automatic X-ray spectrograph in Czechoslovakia, 2=17111
- Rouard, P. See Rasigni, G., 2=16800
- Rough, F.A. See Hare, A.W., 2=6065
- Roult, G. See Bertaut, E.F., 2=12662
- Rourke, F.M. See White, F.A., 2=22925
- Rouse, C.A. Ionization equilibrium equation of state. II. Mixtures, 2=13367
- Rouse, J.L. See Caro, D.E., 2=3114
- Roussel, J. Propagation of interatomic shocks in solids, 2=6400
- Roussel, J. Measurement of the long-range order parameter in β -brass by neutron diffraction, 2=15049
- Rousset, A. See Aubert, B., 2=18187
- Rousset, A. See Aubert, B., 2=22647
- Rousset, A. See Bellini, G., 2=22573
- Rousset, A. See Bloch, M., 2=1640
- Rousset, A. See Cadas, J.P., 2=12592
- Rousset, A. See Di Corato, M., 2=22627
- Roustan, J. See Devienne, F.M., 2=12355
- Rout, V.M. and Jones, W.M. $Li^{6}(d,p)Li^{7*}$ reaction at 2 MeV bombarding energy, 2=22843
- Rout, V.M., Jones, W.M., Firth, K., Petrie, D.P.R. and Barnard, A.C.L. A magnetic spectrograph for angular distribution measurements, 2=5535
- Rout, V.M., Jones, W.M. and Waters, D.G. Angular distributions for a range of Q-values in $N^{14}(d,p)N^{15*}$, 2=16427
- Roux, H. See Ozias, Y., 2=5819
- Roux, J. Application of the DK effect to the understanding of deep trapping states, 2=6591
- Roux, M. and Cornille, M. Analysis of recent theoretical and experimental work on the diffraction of X-rays and electrons in the case of atoms and small molecules, 2=21495
- Roux, M., Cornille, M. and Burnelle, L. Study of the electron density distribution in the simpler hydrocarbons, 2=20849
- Roux, M.R. See Raoult, G., 2=11750
- Rouze, S.R. See Hill, R.F., 2=11691
- Róvera, S. See Bollini, D., 2=20069
- Rovinskii, A.E. A liquid helium level indicator, 2=7487
- Rovinskii, A.E. Liquid helium level indicator, 2=19793
- Rovinskii, B.M. and Lyuttsau, V.G. Dependence of the relaxation stability of metals and alloys on the binding forces and lattice defects, and the correlation of the relaxation stability with hardness, 2=8713
- Rovinskii, B.M. and Lyuttsau, V.G. Dependence of relaxation stability of metals and alloys on binding forces and lattice distortions and the correlation between relaxation stability and hardness, 2=237
- Rowbotham, J.R. See Prowse, W.A., 2=3024
- Rowe, D.J., Clegg, A.B., Salmon, G.L. and Newton, D. Inelastic scattering of 150 MeV protons from ^{40}Ca , 2=1873
- Rowe, D.J., Salmon, G.L. and Clegg, A.B. Finite geometry corrections for angular correlation measurements, 2=5503
- Rowe, D.J., Salmon, G.L., Clegg, A.B. and Newton, D. Gamma-rays from inelastic scattering of high energy protons from carbon, 2=1872
- Rowe, D.J. See Austin, S.M., 2=1870
- Rowe, D.J. See Salmon, G.L., 2=3565
- Rowe, J.E. and Lee, R.Y. Energy mismatch and cutoff waves in a two dimensional space-charge flow, 2=1589
- Rowe, M.W. and Van Dilla, M.A. On the radioactivity of the Bruderhe chondrite, 2=2530
- Rowell, P.M. See Calverley, A., 2=6292
- Rowland, F.S. See Fireman, E.L., 2=4614
- Rowland, F.S. See Lee, E.K.C., 2=4562
- Rowland, G. Resonance absorption and non-uniform temperature distributions, 2=18132
- Rowland, T.J. Knight shift in silver base solid solutions, 2=4286
- Rowland, T.J. Nuclear magnetic resonance in metals, 2=8681
- Rowlands, G. The application of the variational method to neutron transport theory, 2=2654
- Rowlands, G. See Carter, C., 2=3350
- Rowlands, J.R. See Chantry, G.W., 2=16565
- Rowlands, J.R. See Horsfield, A., 2=16566
- Rowlinson, J.S. See Stubley, D., 2=5009
- Rowson, B. See Anderson, B., 2=21739
- Roy, A.K. International conference on cloud physics, 2=11021
- Roy, A.P. See Iyengar, P.K., 2=8660
- Roy, B.N. See Sinha, S.P., 2=14258
- Roy, D. Non-steady periodic boundary layer, 2=11325
- Roy, D.J. Le. See Le Roy, D.J.
- Roy, J.C. Radioactive decay of W^{188} , 2=16340
- Roy, L.P. Influence of temperature on the electrolytic separation factor of hydrogen isotopes, 2=19149
- Roy, P., Orr, R.L. and Hultgren, R. The thermodynamics of bismuth-lead alloys, 2=2402
- Roy, P.K. On relativistic dispersion relations, 2=22439
- Roy, R.R., Blanchard, C.H., Webb, E.H., Sandhu, H.S. and Mohanty, R.C. Multiplet production by X-rays, 2=5893
- Roy, R.R. See Cresswell, M.W., 2=5943
- Roy, R.R. See Khare, L.R., 2=3196
- Roy, R.R. See Sandhu, H.S., 2=3322
- Roy, S. Dutta. See Dutta Roy, S.
- Roy, S.K. See Eliezer, C.J., 2=12281
- Roy, S.R. See Tiwari, R., 2=21815
- Roy, T.C. A note on the calculation of the density of states, 2=13730
- Rozanova, A.M. See Anikina, M.Kh., 2=7898
- Rozanova, A.M. See Nyagu, D.V., 2=10131
- Rozen [Rozenstein], S. Pile up rejection circuits, 2=2982
- Rozenberg, M. [Rosenberg, M.] and Rýpyanu, S. [Ripeanu, S.]. Temperature dependence of the coercive force in nickel and nickel-iron alloy in various conditions of heat treatment, 2=737
- Rozenberg, V.M. The effect of microstructure on creep of nickel, 2=8736
- Rozenberg, V.M. The influence of substructure on creep in nickel, 2=21433
- Rozenberg, V.M. See Voloshina, L.A., 2=21434
- Rozenblyum, N.D. See Mittel'man, M.G., 2=12156
- Rozenstein, S. See Rozen, S.
- Rozental', I.L. See Gerasimova, N.M., 2=22667
- Rozentsveih, L.N. See Lyubarskii, G.Ya., 2=5398
- Rozhanskii, V.N. See Dekartova, N.V., 2=2316
- Rozhanskii, V.N. See Dekartova, N.V., 2=8697
- Rozhanskii, V.N. See Dekartova, N.V., 2=21569
- Rozhdestvenskaya, M.V. The question of investigating single crystals in the system $MgO-MnO-Fe_2O_3$, synthesized by the Verneuil method, 2=4382
- Rozhdestvenskaya, M.V., Romanovskaya, O.S. and Yur'eva, E.K. Synthesis and some properties of single crystal MgAl ferrites, 2=4381
- Rozhkovskii, D.A. A rapid method of determining the integral brightness of an extended object, 2=924
- Rozhkovskii, D.A. A Universal comparator for stellar photography, 2=931
- Rozics, J.D. See Johnson, W.R., 2=22475

- zis-Saulgeot, A.M. Determination of the continuous background of stars of type G, 2=19330
- zman, I.M. On the possible role of temperature quenching in scintillation of organic substances, 2=14739
- zman, I.M. See Andreeshchev, E.A., 2=23610
- zman, I.M. See Baroni, E.E., 2=19689
- zman, I.M. See Baroni, E.E., 2=21278
- zman, I.M. See Kilin, S.F., 2=7224
- zman, I.M. See Kovyrzina, K.A., 2=15609
- zman, I.M. See Maksimov, M.Z., 2=23586
- zneritsa, Ya.A. See Burdiyan, I.I., 2=2196
- zov, S.P. See Baikov, V.I., 2=17627
- zsa, P. See Litzman, O., 2=6251
- zsival, M. See Gemperle, A., 2=21041
- zsnay, B. Self-consistent nuclear model, 2=345
- zwadowski, M. Effect of pH on the fluorescence of fluorescein solutions, 2=2724
- amps, J. Calculation of the overlap integrals of the wave functions of two different harmonic oscillators. Application to the intensities in diatomic molecular spectra. I, 2=6150
- an, J., Yoshizawa, Y. and Koh, Y. Search for weak gamma-rays of ^{47}V , 2=5854
- an, J., Yoshizawa, Y. and Koh, Y. Study of the cadmium isotopes. V. Beta- and gamma-ray spectroscopy of In^{112} , 2=18255
- banov, A.S. and Stepanov, B.I. The entropy of the distribution of dynamical variables, 2=7148
- banova, G.M. See Martsinovskaya, E.G., 2=11701
- banova, G.M. See Martsinovskaya, E.G., 2=13592
- bbia, C. Muon capture in nuclei, 2=1907
- bbia, C. See Conforto, G., 2=22831
- bbia, C. See Conversi, M., 2=13834
- bbino, A. See Cavallaro, S., 2=20509
- bbino, A. See Emma, V., 2=423
- bbino, A. See Notarrigo, S., 2=5690
- bbra, F.T. and Cowling, T.G. The loss of mass by stars, 2=2539
- bchinskii, S.M. See Burshtein, E.L., 2=5412
- bchinskii, S.M. See Burshtein, E.L., 2=9660
- bchinskii, S.M. See Burshtein, E.L., 2=17913
- bchinskii, S.M. See Vladimirovskii, V.V., 2=20081
- ben, R.J., Fisch, U. and Hudson, W. Properties of the eighth nerve action potential, 2=7069
- bens, S.M. See Olmen, R.W., 2=12654
- bia, J. De La. See De La Rubia, J.
- bin, A.G. Further considerations of the stability of thin metal foils levitated by a.c. fields, 2=17930
- bin, H. See Westwood, A.R.C., 2=14936
- bin, L.G. See Chaudhuri, A.R., 2=21033
- bin, L.G. See Holland, M.G., 2=19745
- bin, R.J. and Zwanzig, R. A lattice with an unusual frequency spectrum, 2=560
- bin, T., Johnston, H.L. and Altman, H.W. The thermal expansion of lead, 2=10339
- bin, T., Johnston, H.L. and Altman, H.W. The thermal expansion of potassium chloride, 2=16610
- bin, V.C., Burley, J., Kiasatpoor, A., Klock, B., Pease, G., Rutscheidt, E. and Smith, C. Kinematic studies of early-type stars. I. Photometric survey, space motions, and comparison with radio observations, 2=24151
- binov, A.N. See Kravtsov, L.A., 2=22944
- binowicz, A. Boundary-value problems in the range of scalar fields defined in an isotropic and homogeneous space by fundamental laws, 2=1044
- binowicz, A. Reciprocity theorem and Babinet's principle in Kirchhoff's theory of diffraction, 2=5185
- binowicz, A. The diffracted wave for an arbitrary incident light wave, 2=11498
- binowicz, A. Uniqueness proof for the electromagnetic boundary value problem, 2=13673
- binowicz, A. Simple derivation of the Miyamoto-Wolf formula for the vector potential associated with a solution of the Helmholtz equation, 2=17580
- binowicz, A. Boundary value problems in the region of linear scalar fields defined from elementary principles in isotropic and homogeneous spaces, 2=19387
- bins, R.S. On the paramagnetic resonance spectrum of divalent iron in zinc fluosilicate, 2=16932
- bins, R.S. See Baker, J.M., 2=4257
- binshtein, L.I. Heating and melting of a solid due to friction, 2=12875
- binshtein, L.I. A version of Stefan's problem, 2=15801
- binshtein, L.I. Heating and melting of a solid due to friction, 2=16974
- binshtein, L.I. A version of Stefan's problem, 2=19771
- Rubinshtein, R. See Chapman, K.R., 2=16433
- Rubinshtein, R.N. See Kozlovskaya, V.M., 2=9452
- Rublev, S.V. Profiles of emission lines formed in moving stellar envelopes. I, 2=993
- Rubtsov, A.S. See Nozdrev, V.F., 2=1145
- Rubtsov, A.S. See Nozdrev, V.F., 2=7209
- Rubtsov, V.K. See Miryasov, N.Z., 2=1559
- Ruby, L. and Rechen, J.B. A fast-neutron activation detector for 14 MeV pulsed neutron sources, 2=13819
- Ruby, R.H., Benoit, H. and Jeffries, C.D. Paramagnetic resonance below 1°K : Spin-lattice relaxation of Ce^{3+} and Nd^{3+} in lanthanum magnesium nitrate, 2=14839
- Ruby, S. See Maradudin, A.A., 2=10301
- Ruby, S.L. and Hicks, J.M. Line shape in Mössbauer Spectroscopy, 2=3471
- Ruby, S.L. See Shirane, G., 2=6663
- Ruby, S.L. See Shirane, G., 2=10299
- Ruckenstein, E. About drop-wise or film condensation on a surface, 2=1129
- Ruckenstein, E. Transport equations for average values of temperatures or concentration, 2=9264
- Ruckenstein, E. Mass or heat transfer coefficient equations, 2=19471
- Ruckenstein, E. On the stability of the homogeneous structure of a fluidized layer, 2=19517
- Rudakov, S.N. See Lyamshev, L.M., 2=7285
- Rudakov, V.A. Some results of 1956-1960 rocket measurements of the electron density in the ionosphere up to heights of 200 km, 2=19215
- Rudakov, V.A. See Gringauz, K.I., 2=8998
- Rudakov, V.A. See Gringauz, K.I., 2=8999
- Rudakov, V.A. See Gringauz, K.I., 2=17153
- Rudakov, V.P. Beta-gamma angular correlation in the decay of La^{140} and V^{141} , 2=14028
- Rudberg, E. and Hulthén, L. Report from the Conference of the Swedish National Committee for Physics in 1961, 2=19361
- Rudd, D.W., Vose, D.W. and Johnson, S. The permeability of niobium to hydrogen, 2=10411
- Ruddock, K.A. See Ward, S.H., 2=15983
- Rudduck, R.C. and Walter, C.H. Luneberg lenses for space communications, 2=13695
- Rudduck, R.C. and Walter, C.H. A general analysis of geodesic Luneberg lenses, 2=22343
- Rudenko, A.A. A coincidence circuit with low resolving time, 2=1352
- Rudenko, V.N. See Braginskii, V.B., 2=19391
- Ruderfer, M. First-order terrestrial ether drift using the Mossbauer radiation, 2=1055
- Ruderfer, M. and Rapier, P.M. A proposed test of the constancy of the velocity of light, 2=21805
- Ruderman, M.A. Upper limits for coupling constants in field theories, 2=16170
- Rudik, A.P. See Gribov, V.N., 2=20264
- Rudinger, G. Effect of boundary-layer growth in a shock tube on shock reflection from a closed end, 2=1188
- Rudisill, J.E. See Doyle, W.D., 2=12677
- Rudkin, R.L., Jenkins, R.J. and Parker, W.J. Thermal diffusivity measurements on metals at high temperatures, 2=2906
- Rudkjøbing, M. See Andrews, A.D., 2=9085
- Rud'ko, B.F. See Bel'ti, M.U., 2=15599
- Rud'ko, B.F. See Belyi, M.U., 2=21912
- Rud'ko, B.F. See Bilyi, M.U., 2=7220
- Rud'ko, S.M. See Gorban', I.S., 2=18836
- Rudko, S.N. See Gorban', I.S., 2=6601
- Rud'ko, S.N. See Gorban', I.S., 2=10615
- Rud'ko, S.N. See Gorban', I.S., 2=14718
- Rudko, S.N. See Gorban', I.S., 2=23587
- Rudloff, W. Absolute density curves of mass spectrographic photo-materials for positive ions, 2=9653
- Rudloff, W. Absolute characteristic curves of mass-spectrographic photo materials for positive ions, 2=19735
- Rudman, P.S. Inhomogeneous ordering due to excess vacancies: an order-strengthening mechanism, 2=8848
- Rudman, P.S. Automatic diffractometric determination of single crystal orientation and perfection, 2=21463
- Rudnev, N.I., Suprunenko, V.A., Volkov, E.D. and Sukhomlin, E.A. The operation of controlled spark discharges with parallel connection and in a "short" circuit, 2=17797
- Rudnev, N.I. See Suprunenko, V.A., 2=9593
- Rudnev, N.I. See Suprunenko, V.A., 2=15924
- Rudnick, I. See Levy, M., 2=11232
- Rudoi, Yu.G. See Klepikov, N.P., 2=22590
- Rudolph, H.D. A high-resolution Stark-effect microwave spectrometer, 2=5494

- Rudolph, H.D. Centrifugal correction to the rotation spectrum of a molecule, investigated for $(\text{CH}_3)_2\text{S}$, 2=14257
- Rudolph, P.S., Lind, S.C. and Melton, C.E. Ionic complexes of Xe and C_2H_2 produced by the radiolysis of these gases, 2=6893
- Rudolph, W. and Gersch, H.U. Measurement of the binding energy of the deuteron, 2=22654
- Rüfford, W. and Bebel, D. Structure and magnetism of ternary copper²⁺ fluorides, 2=23853
- Rudstam, G., Bruninx, E. and Pappas, A.C. Spallation of copper with 24 GeV protons, 2=14097
- Rudstam, G. See Bruninx, E., 2=5824
- Rudstam, S.G. Measuring detector deadtimes accurately, 2=3219
- Rudy, E. Thermodynamics of phase transitions in ternary systems, 2=17044
- Rudy, El. See Rudy, Er., 2=17034
- Rudy, Er., Rudy, El. and Benesovsky, F. Investigations on the system vanadium-molybdenum-carbon, 2=17034
- Ruedenberg, K. The physical nature of the chemical bond, 2=22931
- Ruedl, E. and Bradley, R.C. Vaporization of impurities in copper, including those introduced by ion bombardment, 2=18576
- Ruedl, E., Delavignette, P. and Amelinckx, S. Fission fragment damage to platinum, 2=612
- Ruedl, E., Delavignette, P. and Amelinckx, S. Electron microscopic study of dislocations and fission damage in platinum foils, 2=16661
- Ruedl, E. See Bradley, R.C., 2=7675
- Ruegg, F.W. and Dorsey, W.W. A missile technique for the study of detonation waves, 2=9305
- Ruegg, H. Symmetries of strong interactions and electromagnetic form factors, 2=11857
- Ruegg, H. See Freund, P.G.O., 2=18144
- Ruegg, H. See Stueckelberg, E.C.G., 2=2629
- Ruel, K.H. See Barut, A.O., 2=7886
- Ruelle, D. Domain of holomorphy of the three-point function, 2=2586
- Ruelle, D. On the asymptotic condition in quantum field theory, 2=16107
- Ruelle, D. See Araki, H., 2=16108
- Ruelle, D. See Hepp, K., 2=7141
- Ruelle-Lardinois, J. Nuclear physics applications of the properties of reaction cross-sections in the neighbourhood of their singularities, 2=18312
- Ruetschi, P. See Lewis, G.P., 2=23964
- Ruffa, A.R. and Griffing, V. A quantum mechanical study of the hydrogen bimolecular exchange reaction, 2=8905
- Rufov, J.H. See Enikeev, E.Kh., 2=22240
- Ruge, I. and Schön, R.W. Determination of the electron "Schubweg" in uncoloured alkali-halide crystals by β -excited conductivity, 2=12395
- Ruge, I. See Vidal, C.R., 2=20195
- Rüthl, W. Pair-production cross-sections for photons bombarding protons at high energies, 2=20288
- Ruhla, C., Riou, M., Garron, J.P., Jacmart, J.C. and Massonnet, L. Study of the reactions (p,pd) on Li^6 and Li^7 , 2=20617
- Ruhla, C. See Garron, J.P., 2=20625
- Ruigh, W.L. See Ottar, B., 2=15078
- Ruijgrok, T.W. On the theory of ferromagnetism, 2=21299
- Rukhadze, A.A. See Bakanov, S.P., 2=9251
- Rukhadze, A.A. See Bogdankevich, L.S., 2=22212
- Rukhadze, A.A. See Ginzburg, V.L., 2=14414
- Rukman, G.I. See Braginskii, V.B., 2=19391
- Rukman, G.I. See Braginskii, V.B., 2=21803
- Ruhla, C. See Garron, J.P., 2=455
- Ruhla, C. See Garron, J.P., 2=1893
- Ruhla, C. See Garron, J.P., 2=1895
- Ruijgrok, T.W. The S-matrix for systems with bound states, 2=5582
- Rukhadze, A.A. See Ginzburg, V.L., 2=2067
- Rukhadze, A.A. See Grebenshchikov, S.E., 2=1577
- Rukhadze, A.A. See Kononov, B.P., 2=1453
- Rukhadze, A.A. See Lovetskii, E.E., 2=5337
- Ruland, W. X-ray determination of crystallinity and diffuse disorder scattering, 2=10949
- Rulev, A.V. See Samoilovich, D.M., 2=1643
- Rumanov, E.N. and Fesenko, E.G. An exchange model of a ferro-electric, 2=6519
- Rumanova, I.M. Formulae for weighted electron-density projections for two-dimensional oblique and rectangular black-and-white groups lacking centres of symmetry or antisymmetry, 2=4402
- Rumanova, I.M. Obtaining formulae for the structure factor from formulae for suspended projections of foreign density, 2=6808
- Rumanova, I.M. See Ashirov, A., 2=12917
- Rumanova, I.M. See Ashirov, A., 2=19082
- Rumer, Yu.B. Invariant formulation of the gravitational wave field theory, 2=9159
- Rumiantsev, V.V. On the stability of motion of gyrostats, 2=15522
- Rumiantsev, V.V. The stability of motion of certain types of gyrostats, 2=17397
- Rummel, W. See Hellwege, K.H., 2=16893
- Rumschidt, F.D. and Mason, S.G. Break-up of stationary liquid threads, 2=11344
- Rumsey, N.J. An economical prism system for fast spectrographs, 2=22039
- Rumsh, M.A. and Shchemelev, V.N. Determination of the fluorescence yield by measuring the X-ray photoeffect on a massive cathode, 2=14704
- Rumsh, M.A., Shchemelev, V.N. and Prois, Kh. The question of the mechanism of the external photoeffect from massive photocathode under the action of X-rays, 2=13589
- Rumsh, M.A., Shchemelev, V.N. and Prois, Kh. The question of the mechanism of the external photoeffect from massive photocathode under the action of X-rays, 2=17866
- Rumsh, M.A. and Zimkina, T.M. Interpreting electron diffraction patterns from complex textured films, 2=4491
- Rumsh, M.A. See Lukirskii, A.P., 2=20085
- Rumyantsev, A.P. Calculation of the thickness of the films resulting from vaporization in a vacuum, 2=2423
- Rumyantsev, G.Ya. Boundary conditions in the spherical harmonic method, 2=9209
- Rumtantssev, I.A. See Genkin, Ya.E., 2=15974
- Rumyantsev, V.L. See Dzhelepov, B.S., 2=14064
- Rumyantseva, A.M. See Kolchin, A.M., 2=142
- Runciman, W.A. Electrostatic energy matrices of the f^7 configuration, 2=8112
- Runciman, W.A. and Schroeder, K.A. The spin-orbit interaction in d^3 complexes, 2=3814
- Runciman, W.A. and Stager, C.V. Effect of uniaxial stress on the spectrum CaF_2 (Sm^{2+}), 2=18830
- Runcorn, S.K. Towards a theory of continental drift, 2=6902
- Rund, H. Note on the Lagrangian formalism in relativistic mechanics, 2=11273
- Rundle, R.E. See Tracy, J.W., 2=15023
- Rundo, J. See Dolphin, G.W., 2=13203
- Runge, K. See Hauser, U., 2=1843
- Rupp, E. See Jánosy, L., 2=9972
- Rupp, L.W., Jr. See Walsh, W.M., Jr., 2=12820
- Rupp, W. See Sizmann, R., 2=4361
- Ruppel, H.M. See Breit, G., 2=20330
- Ruppel, H.M. See Hull, M.H., Jr., 2=18121
- Ruppel, H.M. See Lassila, K.E., 2=11895
- Ruppel, W. Ohmic contact photovoltage in CdS, 2=8435
- Ruppel, W. Electron injection and extraction in CdS crystals, 2=8411
- Ruppel, W. See Fatuzzo, E., 2=21214
- Rupprecht, G. The capture of holes in deep-lying acceptor levels in gold-doped germanium, 2=8419
- Rupprecht, G. Capture cross-section of surface and bulk states in semiconductors by pulsed field effect technique, 2=23285
- Rupprecht, G. and Bell, R.O. Microwave losses in strontium titanate above the phase transition, 2=8468
- Rupprecht, G., Ginsberg, D.M. and Leslie, J.D. Pyrolytic graphite transmission polarizer for infrared radiation, 2=13462
- Rupprecht, H. See Bogner, G., 2=8309
- Rusakov, L.Z. See Kachkacheva, M.M., 2=14618
- Rusakov, S.V. See Belousov, A.S., 2=3382
- Rusakov, V.A. See Anikina, M.Kh., 2=7898
- Rusakov, V.A. See Nyagu, D.V., 2=10131
- Rusakova, L.Z. See Komissarov, O.D., 2=13118
- Rusanov, V.D. See Borodin, A.V., 2=22223
- Rusanov, V.D. See Kovan, I.A., 2=19953
- Rusanov, V.D. See Zavoiskii, E.K., 2=3063
- Ruscior, C. Verification of the general theory of relativity in the laboratory, 2=11258
- Ruscior, C. See Mihul, S., 2=9285
- Rush, J.J., Taylor, T.I. and Havens, W.W., Jr. Proton motions in solid by slow neutron scattering cross sections, 2=6249
- Rush, J.J., Taylor, T.I. and Havens, W.W., Jr. Rotational freedom of ammonium ions and methyl groups by cross-section measurements with slow neutrons, 2=18460
- Rushbrooke, G.S. See Morgan, D.J., 2=731
- Rushbrooke, G.S. and Eve, J. High-temperature Ising partition function and related noncrossing polygons for the simple-cubic lattice, 2=4954
- Rushbrooke, G.S. and Scoins, H.I. Cluster sums for the Ising model, 2=4953
- Rushing, C.C. See Pretzel, F.E., 2=14473
- Rushing, S.S. and Gebhart, J.E. Pressure vessel valve, 2=21776
- Rushton, K.R. See Redshaw, S.C., 2=1089

- shon, S. See Bates, L.F., 2=21327
- shworth, F.A. Nuclear magnetic resonance and diffusion in solids, 2=8683
- sin, D.A. and Tatevskii, V.M. Spectroscope with time sweep, 2=1271
- sinov, L.I. Nuclear isomerism, 2=7927
- sinov, L.I. See Gvozdev, V.S., 2=16335
- sk, J.R. and Gordy, W. Millimeter wave molecular beam spectroscopy: alkali, bromides and iodides, 2=18449
- ske, W. The mutual influence of thin nickel layers in Ni-Cu-multiple layer systems with potential induced uniaxial anisotropy, 2=736
- ske, W. Ni-Cu diffusion in electrolytically prepared thin Ni films, 2=6373
- s'kin, V.I. and Chernavskii, D.S. Application of the pole methods for analysis of the experimental data on π -p interactions, 2=22584
- skol, E.L. The origin of the moon. I. Formation of a swarm of bodies around the earth, 2=943
- skov, T. See Alfimenkov, V.P., 2=14357
- skov, T. See Alfimenkov, V.P., 2=14358
- skov, T. See Michalec, R., 2=18304
- sssek, A., Sherman, C.H. and Flinchbaugh, D.E. Simple, analytic, atomic wave functions, 2=10197
- sssek, A. See Fenton, D.G., 2=18443
- ssell, A.M. Electron trajectories in a field emission microscope, 2=7668
- ssell, A.M. Paramagnetic term of the susceptibility and its shift with isotope in LiF, 2=18455
- ssell, A.M. and Torchia, D.A. Harmonic analysis in systems using phase sensitive detectors, 2=9143
- ssell, D.A. Orifice plates in a shock tube, 2=11407
- ssell, J.E. Nonradiative E2 transitions in μ mesonic atoms, 2=16495
- ssell, J.J. See Baker, W.F., 2=20627
- ssell, J.J. See Lindenbaum, S.J., 2=1713
- ssell, P.C. See Cooke, B.A., 2=12611
- ssell, S. See Knecht, R.W., 2=11053
- ssell, S. See Knecht, R.W., 2=15231
- ssell, T.L., Wood, D.S. and Clark, D.S. The influence of grain size on the yield phenomenon in steel, 2=2325
- ssso, D. See Rigutti, M., 2=4783
- ssso, D. and Righini, G. The physical conditions of the solar flare of July 3, 1957, 2=7005
- ssso, D. and Righini, G. Photometric study of solar flares on 3rd July 1957, 2=7006
- ssso-Manduchi, M.T. See Belletti, S., 2=18284
- ssso, V. See Ronchi, L., 2=3169
- ssso-Manduchi, M.T. See Belletti, S., 2=18284
- ssso-Manduchi, M.T. See Manduchi, C., 2=3201
- st, H.H. Acoustic measurement and transmission techniques in water, ground and air. I, 2=19660
- stad, B.M. See Safford, G.J., 2=7866
- stgi, M.L. See Mathur, V.S., 2=20439
- stgi, M.L. See Zickendraht, W., 2=324
- stgi, M.L. See Zickendraht, W., 2=1730
- stgi, O.P. See Davis, R.J., 2=11198
- stgaizer, Yu.S. See Gall, L.N., 2=20043
- stgers, R. Packing of spheres, 2=8867
- stherglen, J.G. and Paterson, J.M. The use of closed circuit television in the selection of spark chamber events, 2=9758
- stkeovich, B.N. Instability of two electron beams in a magnetic field, 2=3083
- stkeovich, N.Ya. See Bolotin, L.I., 2=16439
- tscheidt, E. See Rubin, V.C., 2=24151
- tshtein, T.G. See Gorbacheva, N.A., 2=14713
- ysen, R., Lauwers, A. and Joos, P. Contribution to anti-foaming action, 2=15168
- yyen, L.J. van. See van Ruyven, L.J.
- zhadze, A.A. Electromagnetic waves in interpenetrating plasmas, 2=15919
- žička, T. See Novák, M., 2=7574
- abikov, S.V. See Dobrotin, N.A., 2=13786
- abinin, A.G. and Khozhainov, A.I. Steady-state laminar flow of an electrically conducting fluid in a rectangular tube under the action of ponderomotive forces, 2=22320
- abinkin, L.N. See Aleksandrov, K.S., 2=16949
- abinkin, L.N. See Aleksandrov, K.S., 2=18987
- aboshapka, K.P. and Tikhonov, L.V. Effects of deformation and characteristic broadening of X-ray interference lines. I. The case of elastic isotropy, 2=8724
- aboshapka, K.P. and Tikhonov, L.V. Deformation effects in cold-deformed metals which are related to characteristic dislocations, and the broadening of X-ray diffraction lines. I. The case of elastic isotropism, 2=21026
- Ryaboshapka, K.P. and Tikhonov, L.V. Deformation effects due to the presence of typical dislocations in elastically anisotropic metals with cubic symmetry, 2=21027
- Ryabov, V.D. See Samoilovich, D.M., 2=1643
- Ryabtsev, L.A. See Pryakhina, L.I., 2=21531
- Ryabukhin, Yu.S. See Terent'ev, B.M., 2=5600
- Ryan, C. A doublet scheme for the leptons, 2=20249
- Ryan, F.M. Rotating sample method for measuring the Hall mobility, 2=5249
- Ryan, F.M., Greenberg, I.N., Carter, F.L. and Miller, R.C. Thermo-electric properties of some cerium sulfide semiconductors from 4° to 1300°K, 2=8451
- Ryan, G. See Ziemba, F.P., 2=18016
- Ryan, J.A. The case against thermal fracturing at the lunar surface, 2=19281
- Ryan, R.P., Lutsch, A.G. and Beyer, R.T. Measurement of the distortion of finite ultrasonic waves in liquids by a pulse method, 2=2848
- Ryason, P.R. Raman band intensities in binary liquid solutions, 2=17465
- Ryazanova, E.F., Fadeeva, M.S. and Pavlina, T.S. Correlation between the absorption and luminescence spectra of some organic compounds, 2=14749
- Rybak, S.A. Sound transmission through a periodically inhomogeneous plate in a liquid, 2=21973
- Rybak, S.A. and Tartakovskii, B.D. The impedances of dissipative layered plates executing symmetric or antisymmetric vibrations, 2=15672
- Rybak, S.A. and Tartakovskii, B.D. A case of total acoustic insulation in the transmission of sound through a layer-symmetric wall, 2=15688
- Rybak, S.A. and Tartakovskii, B.D. Applications of transformation matrices to the theory of plane waves in a layered elastic system, 2=21964
- Rybak, V.M. See Sandulova, A.V., 2=2098
- Rybak, V.M. See Sandulova, H.V., 2=21060
- Rybakov, V.N. See Kuznetsova, M.Ya., 2=16412
- Rybakov, V.N. See Sorokin, A.A., 2=14066
- Rybakova, H.I. See Morozov, V.P., 2=18446
- Rybalka, V.V. and Kymov's'ka, A.I. Effect of the trapping levels on the relaxation of non-equilibrium conductivity in Ge with Cu and Ni impurities, 2=8344
- Rybalka, V.V. See Pashkovskii, M.V., 2=23405
- Rybcinskii, R.E. See Gringauz, K.I., 2=9070
- Rybcinskii, R.E. See Gringauz, K.I., 2=15301
- Rybicka, M. See Bozek, E., 2=10013
- Rybicka, M. See Bozek, E., 2=20557
- Rybin, S.N. See Arzumanov, A.A., 2=13619
- Ryde, H. See Alväger, T., 2=12175
- Ryde, H. See Persson, L., 2=10068
- Ryde, H. See Thieberger, P., 2=9815
- Ryde, H. See Thieberger, P., 2=11827
- Rydnik, V.I. and Yavorskii, B.M. Neutralization of slow ions and the de-activation of metastable atoms near the surface of metals, 2=19902
- Rykalin, V.I. See Dunaitsev, A.F., 2=11973
- Rykalin, V.I. See Dunaitsev, A.F., 2=11974
- Rykalin, V.I. See Dunaitsev, A.F., 2=20383
- Rykalin, V.I. See Dunaitsev, A.F., 2=20384
- Rykalin, V.I. See Dunaitsev, A.F., 2=22587
- Rykalin, V.I. See Dunaitsev, A.F., 2=22588
- Ryle, M. The nature of the radio sources, 2=2570
- Ryle, M. The new Cambridge radio telescope, 2=15395
- Rylov, V.S. Separation of potassium isotopes by evaporation of KCl, 2=6114
- Rylov, Yu.A. The singularity of the Schwarzschild solution of the gravitation equations, 2=11
- Rylov, Yu.A. Relative localization of gravitational field, 2=19395
- Rynn, N. Current-induced effects in an alkali-metal plasma, 2=13563
- Ryppanu, S. See Rozenberg, M., 2=737
- Rys, F. See Lombard, R., 2=10051
- Ryskin, A.Ya. See Zakharchenya, B.P., 2=10599
- Ryskin, Ya.I. OH stretching vibrations in the presence of strong hydrogen bonds, 2=23050
- Ryskin, Ya.I. See Stavitskaya, G.P., 2=541
- Rysselberghe, P. Van. See Van Rysselberghe, P.
- Rytén, J. See Plebański, J., 2=2613
- Rytz, A., Staub, H.H. and Winkler, H. Absolute precision determination of several resonance and threshold energies and the alpha particle energy of Po^{210} , 2=5914
- Rytz, A., Staub, H.H., Winkler, H. and Zych, W. Absolute precision determination of several resonance and threshold energies and the α -particle energy of Po^{210} . II, 2=22808
- Rytz, A., Winkler, H., Zamboni, F. and Zych, W. Absolute measurement of the $\text{F}^{19}(\text{p}, \text{n})\text{Ne}^{19}$ reaction threshold at 4.2 MeV, 2=5911

AUTHOR INDEX

- Ryu, N., Hasai, H., Fujinaga, A., Imamura, G. and Nishi, M. A high frequency Cockcroft-Walton accelerator, 2=17905
- Ryukhin, Yu. A. See Vartanov, N. A., 2=22761
- Ryuzan, O. Current-voltage characteristics of plastically deformed germanium p-n junctions, 2=2184
- Ryuzan, O. Activation energy of acceptors introduced into germanium by plastic twisting, 2=4018
- Ryves, T. B. and Scott, M. C. Measurements of subcritical reactivities in BEPO by a source-jerk technique, 2=20700
- Ryves, T. B. and Scott, M. C. Measurement of the reactivity absorption of the BEPO shut-off rods by a source-jerk technique, 2=20701
- Ryvkin, M. S. See Pokrovskii, V. L., 2=138
- Ryvkin, M. S. See Pokrovskii, V. L., 2=19813
- Ryvkin, S. M. Kinetics of impurity photoconductivity, 2=10523
- Ryvkin, S. M., Dobrego, V. P., Konovalevko, B. M. and Yaroshetskii, I. D. Induced impurity breakdown in compensated germanium and current oscillations related with it, 2=23339
- Ryvkin, S. M., Khansevarov, R. Yu. and Yaroshetskii, I. D. Investigation of the impurity photoconductivity of germanium irradiated with gamma rays, 2=8436
- Ryvkin, S. M. See Arkad'eva, E. N., 2=4063
- Ryvkin, S. M. See Arkad'eva, E. N., 2=21125
- Ryvkin, S. M. See Arkadyeva, E. N., 2=23453
- Ryvkin, S. M. See Berkovskii, F. M., 2=8381
- Ryvkin, S. M. See Berkovskii, F. M., 2=10503
- Ryvkin, S. M. See Berkovskii, F. M., 2=18742
- Ryvkin, S. M. See Berkovskii, F. M., 2=18743
- Ryvkin, S. M. See Dobrego, V. P., 2=16755
- Ryvkin, S. M. See Grinberg, A. A., 2=4073
- Ryvkin, S. M. See Ivanov, Yu. L., 2=21193
- Ryvkin, S. M. See Kazarinov, N. M., 2=16094
- Ryvkin, S. M. See Konovalevko, B. M., 2=18578
- Ryvkin, S. M. See Nasledov, D. N., 2=21160
- Ryvkin, S. M. See Paritskii, L. G., 2=4057
- Ryvkin, S. M. See Rogachev, A. A., 2=21162
- Ryvkin, S. M. See Vitovskii, N. A., 2=18028
- Ryvkin, S. M. See Vitovskii, N. A., 2=21145
- Ryzhikov, B. D. See Levshin, V. L., 2=718
- Ryzhikov, B. D. See Levshin, V. L., 2=18868
- Ryzhov, N. M. See Zolototrubov, I. M., 2=3046
- Ryzhova, T. V. See Aleksandrov, K. S., 2=4304
- Ržanov, A. V., Novotockij-Vlasov, J. F., Neizvestnyi, I. G., Galkina, T. I. and Pokrovskaya, S. V. A study of the surface properties of germanium, 2=23330
- Ržany, H. See Janik, J. A., 2=292
- Rzeszot, T. and Weiss, Z. Neutron spectrum temperature measurements by means of boron-glass filters, 2=1949
- Rzewuski, H. The effect of reactor fast neutrons on semiconductors, 2=2149
- Rzhanov, A. V. Surface charge variations on germanium induced by heating in vacuum, 2=2141
- Rzhanov, A. V. Recombination statistics for the capture of charge carriers by the excited states of a recombination centre, 2=10457
- Rzhanov, A. V. Problem of the theory of surface recombination in semiconductors, 2=10458
- Rzhanov, A. V. Recombination statistics for the capture of charge carriers by the excited states of a recombination centre, 2=14516
- Rzhanov, A. V. Problem of the theory of surface recombination in semiconductors, 2=14517
- Rzhanov, A. V. Surface recombination and capture by a continuous spectrum of surface levels, 2=18662
- Rzhanov, A. V. Surface recombination and capture by a continuous spectrum of surface levels, 2=23290
- Rzhanov, A. V. and Arkhipova, I. A. Surface recombination in germanium at high injection levels, 2=10465
- Rzhanov, A. V. and Arkhipova, I. A. Recombination at the surface of germanium which adsorbed a large amount of water, 2=18676
- Rzhanov, A. V. and Arkhipova, I. A. Recombination at the surface of germanium which adsorbed a large amount of water, 2=23337
- Rzhanov, A. V. and Neizvestnyi, I. G. The effect of the adsorption of molecules on germanium on the parameters of surface recombination centres, 2=8329
- Rzhanov, A. V. and Neizvestnyi, I. G. The effect of the adsorption of molecules on germanium on the parameters of surface recombination centres, 2=10466
- Rzhanov, A. V. See Paramonova, R. A., 2=21137
- Rzhiga, O. N. See Kotelnikov, V. A., 2=11174
- Saada, G. Nature of point defects created by the crossing of dislocations, 2=3896
- Saada, G. On dislocation loops produced by quenching, 2=14438
- Saakyan, G. S. See Ambartsumyan, V. A., 2=13144
- Saakyan, G. S. See Ambartsumyan, V. A., 2=17289
- Saakyan, G. S. See Ambartsumyan, V. A., 2=24141
- Saavedra, I. Dispersion relations, "causal" inequalities and the completeness of the set of eigenstates in non-relativistic potential scattering, 2=3283
- Saavedra, I. Remarks on parity conservation and particle-antiparticle conjugation invariance in strong interactions, 2=180
- Saba, W. G., Wallace, W. E., Sandmo, H. and Craig, R. S. Heat capacities and the residual entropy of Ta_2H , 2=2054
- Sabatier, G. Graphical determination of the refractive indices associated with a plane wave traversing a biaxial crystal in any direction, 2=13461
- Sabato, J. A. and Cahn, R. W. The recrystallization of uranium during cold or hot forging, 2=4471
- Sabău, M. and Roşescu, T. Determination of the adjoint thermal flux in the perturbation experiments, 2=6045
- Sabău, M. and Roşescu, T. Determination of thermal neutron flux by perturbation experiments, 2=6058
- Sabău, M. See Roşescu, T., 2=6056
- Sabău, M. See Roşescu, T., 2=20720
- Sabău, M. See Sabău, M., 2=8043
- Sabău, M. See Ştefănescu, A., 2=6046
- Sabău, M. See Ştefănescu, A., 2=6055
- Sabban, K. Nonlinear and controllable inductivity of thin and magnetic layers, 2=15863
- Sabéu, M. See Khulubei, Kh., 2=20716
- Sabéu [Sabău], M. See Roşescu [Roşescu], T., 2=8043
- Sabin, F. D. See Grigorov, N. L., 2=5288
- Sabine, T. M. See Hickman, B. S., 2=21516
- Sabisky, E. S. See Gerritsen, H. J., 2=8672
- Sabisky, E. S. and Gerritsen, H. J. Measurements of the dielectric constant of rutile (TiO_2) at microwave frequencies between 4.2° and $300^\circ K$, 2=10558
- Sabo, P. and Kren, E. A goniometer for the orientation of large single crystals used in the monochromatization of neutrons, 2=16980
- Sabry, A. Fourth order spectral functions for the electron propagator, 2=18059
- Sacerdoti, G. and Tau, L. A double-focussing, alternate-gradient magnetic spectrometer for momenta up to 800 MeV/c, 2=20299
- Sacerdoti, G. See Evangelisti, R., 2=5415
- Sacerdoti, G. See Evangelisti, R., 2=20100
- Šácha, J. See Burget, J., 2=4247
- Sacharidis, E. J. See Homer, R. J., 2=9844
- Sachenko, V. P. and Chechin, G. M. The probability of radiationless transitions in the conduction bands of alkali metals, 2=8185
- Sachenko, V. P. and Chechin, G. M. The probability of radiationless transitions in the conductivity band of alkali metals, 2=20969
- Sachenko, V. P. See Blokhin, M. A., 2=14406
- Sachenkov, A. V. The linearization of equations of the plane problem in the theory of ideally plastic media, 2=8719
- Sachs, A. M. See Bartlett, D., 2=13830
- Sachs, K. See Rehume, H., 2=6866
- Sachs, L. M. Analytical Hartree-Fock self-consistent-field wave functions for some $1s^2 2s^2 2p^6$ configurations, 2=515
- Sachs, M. and Schwebel, S. L. A self-consistent field theory of quantum electrodynamics, 2=5564
- Sachs, M. and Schwebel, S. L. One covariant formulations of the Maxwell-Lorentz theory of electromagnetism, 2=22304
- Sachs, M. See Anderson, C. E., 2=5975
- Sachs, M. See Bromley, D. A., 2=1934
- Sachs, M. W. See Bromley, D. A., 2=9747
- Sachs, R. Gravitational waves in general relativity. VI. The outgoing radiation condition, 2=18
- Sachs, R. G. High-energy behavior of nucleon electromagnetic form factors, 2=13783
- Sachs, R. G. and Treiman, S. B. Test of CP conservation in neutral K-meson decay, 2=18174
- Sachs, R. K. On the characteristic initial value problem in gravitational theory, 2=21801
- Sachs, R. K. Gravitational waves in general relativity VIII. Waves in asymptotically flat space-time, 2=21813
- Sachs, R. K. See Jordan, P., 2=7128
- Sack, H. S. Review of low temperature relaxation peaks, 2=21410
- Sackinger, W. Electron streams in an oscillating electric field, 2=11709
- Sackmann, H. and Kehlen, H. Behaviour of binary liquid mixed phases. IV. Dielectric behaviour of mixed liquid phases of tetrachlorides, 2=19578
- Sacton, J., Beniston, M. J., Davis, D. H., Jones, B. D., Sanjeevaiah, B. and Zakrzewski, J. On the trapping of Λ^0 -hyperons following the absorptions at rest of Σ^- -hyperons in emulsion nuclei, 2=10128

- ton, J. See Jones, B.D., 2=16241
ton, J. See Jones, B.D., 2=22834
eghi, A. See Cassagnou, Y., 2=16408
lan, H., Wimmel, H.K. and Margenau, H. Forbidden helium
line in a plasma spectrum, 2=1416
off, A.J. See Anderson, R.L., 2=22625
owski, C.M. See Polanyi, J.C., 2=15137
owski, M. See Cryzinski, M., 2=20099
ykhov, F.S. See Kerimov, B.K., 2=13778
kova, A.A. and Meiklyar, P.V. Photoconductivity of silver
bromide, 2=23471
ykova, A.I. See Egorova, V.F., 2=22185
ki, B. See Sakisaka, M., 2=244
lens, J.K. See Ross, S., 2=15096
mundsson, T. Statistics of geomagnetic storms and solar
activity, 2=9041
nz, A.W. Spin waves in exchange-coupled complex magnetic
structures and neutron scattering, 2=18915
nz, A.W. See Ferguson, A.W., 2=10667
tta Menichella, E. See Erba, E., 2=5875
vskii, F.V. See Klepikov, N.P., 2=22590
ar, Z.M.El- See El Saffrar, Z.M.
yman, P.G. Flow of a dusty gas between rotating cylinders, 2=7240
ford, G.J., Taylor, T.I., Rustad, B.M. and Havens, W.W., Jr. Precision
measurements of the slow neutron absorption cross-sections
of normal boron standards, 2=7866
in, I.A. Nuclear quadrupole relaxation in some modifications
of cuprous oxide, 2=8689
in, I.A. Nuclear quadrupole relaxation in some modifications
of cuprous oxide, 2=789
in, I.A. Nuclear quadrupole resonance spectra of $Sb^{121, 123}$
in polycrystalline SbI_3 , 2=21388
in, I.A. Nuclear quadrupole resonance spectra of $Sb^{121, 123}$
in polycrystalline SbI_3 , 2=23724
ronov, A.Ya. See Andryukhina, E.D., 2=7268
ronov, B.G., Aseev, G.G. and Azovskii, Yu.S. The propagation of
successive shock waves, 2=9304
ronov, B.G., Churaev, V.A., Azovskii, Yu.S., Aseev, G.G. and
Voitsenya, V.S. Distribution of an alternating magnetic field
in solid single-turn coils, 2=17927
ronov, B.G., Mitin, R.V., Kalmykov, A.A. and Kononov, V.G., Study
of high-frequency oscillations of plasma thread of vacuum
arc, 2=15939
ronov, B.G. See Sinel'nikov, K.D., 2=9586
ronov, S.N. See Muromtsev, V.I., 2=19841
ronov, V.S. The temperature of the dust component of the
protoplanetary cloud, 2=24084
tic, B., Varicak, M. and Zuppa, M. Effect of monoenergetic 14.2
MeV neutron irradiation on the conductivity of germanium, 2=6452
al, M.W. Dielectric relaxation in liquid alcohols and diols, 2=13351
alovich, V.N. See Prudnikov, A.G., 2=19524
alyn, P.L. and Hofmann, J.A. Nuclear magnetic resonance in
metallic single crystals, 2=14845
awa, T. The $L_{II, III}$ emission spectrum of metallic
aluminum, 2=4161
awa, T. See Hayasi, T., 2=4162
deev, R.Z. The fine structure of a shock-wave front propagated
across a magnetic field in a rarefied plasma, 2=15917
deev, R.Z. See Vedenov, A.A., 2=11644
e, B.H. See Venezian, E., 2=15773
e, S.J. High efficiency optical maser parameters, 2=9387
isaka, S. See Kamiya, Y., 2=12076
isaka, S. See Sekido, Y., 2=12067
itov, M.U. See Grushinskii, N.P., 2=21694
C.-T. Effect of surface recombination and channel on p-n
junction and transistor characteristics, 2=10505
P. Application of the augmented plane wave method to a liquid
model, 2=11354
P. See Jain, D.C., 2=18433
P. See Jain, D.C., 2=22961
a, N.K. See Gupta, S.L., 2=13702
a, N.K. See Pancholi, S.C., 2=10025
ini, M. A new formula to determine the Lorentz factor, γ_c ,
in jets of mesons, 2=3365
a, N.K. See Gupta, S.L., 2=5509
g, N.K. See Singh, G., 2=5510
ini, M. See Balea, E., 2=18325
ini, M. See Balea, E., 2=20479
l, K. and Zemann, J. Interatomic distances in $PbCl_2$
(Cotunnite), 2=8832
oo, H.K. and Sharma, M.N. Unlike molecular interactions for
 CO_2-N_2 and a few other gas mixtures, 2=6235
Sahoo, H.K., Sharma, M.N. and Madan, M.P. Unlike molecular
interactions for CO_2-N_2 and a few other gas mixtures, 2=7249
Saibel, E. See Aggarwala, B.D., 2=793
Saiedy, F. Atmospheric observations of line intensity and half-width
in the rotation and ν_2 vibration-rotation bands of water
vapour, 2=2509
Saier, E.L., Cousins, I.R. and Basila, M.R. The doublet nature of
the aldehydic C-H stretching vibration, 2=10248
Sailor, V.L., Schermer, R.I., Shore, F.J., Reynolds, C.A., Marshak, H.
and Postma, H., Nuclear polarization in polycrystalline
holmium-indium alloy, 2=18511
Sailor, V.L. See Bernabei, A., 2=5926
Sailor, V.L. See Postma, H., 2=12207
Sailor, V.L. See Tassan, S., 2=5938
Saintesprit, R. See Baruch, P., 2=12458
St.Iorgulescu See Bally, D., 2=23583
Saint-James, D. The line width in the paramagnetic scattering of
slow neutrons by rare earths, 2=8610
Saint-James, D. See De Gennes, P.G., 2=21353
Saint-James, D. See Pick, R., 2=12771
St.Lorant, S.J. and Lokanathan, S. An example of the Be^7 -
hypernucleus, 2=20500
St.Lorant, S.J. See Zakrzewski, J., 2=20429
St.Pierre, C. See Maiden, C.J., 2=4881
St.Romain, F.A., Bonner, T.W., Bramblett, R.L. and Hanna, J. Low-
energy neutrons from the reaction $Be^9(\alpha, n)C^{12}$, 2=14137
Saito, S. X-ray diffraction micrography on the twin structure of
antiferromagnetic nickel oxide, 2=21467
Saito, Y. The de Haas-van Alphen effect of InBi, 2=18887
Saito, B. Airglow continuum and zodiacal light extending to higher
ecliptic latitudes, 2=17178
Saito, F. Transient phenomena in ruby maser, 2=7734
Saito, H. DNA-mediated transformation in bacteria, 2=7049
Saito, K. The gegenschein and coronal streamers of the
sun, 2=15357
Saito, M. See Takeuchi, H., 2=4735
Saito, M. See Takeuchi, H., 2=12990
Saito, N. See Shinohara, K., 2=4560
Saito, N. See Shinohara, K., 2=17098
Saito, S. Chlorine nuclear quadrupole resonance of
 $CH_3COCHCl_2$, 2=3787
Saito, S. Cl_{35} nuclear quadrupole resonances and Hammett's sigma
values of some chlorotoluenes, 2=10279
Saito, S. and Shimomura, Y. Back-reflection X-ray
micrography, 2=4405
Saito, T. See Kato, Y., 2=13081
Saito, Y. See Itoh, J., 2=10719
Sakai, M. Hindrance phenomena in allowed beta transitions from
medium odd nuclei, 2=14038
Sakai, M., Ikegami, H. and Yamazaki, T. The decay of 1.25-Min
 Rb^{86} , 2=20567
Sakai, M. See Ikegami, H., 2=10022
Sakai, M. See Yamazaki, T., 2=5855
Sakai, M. See Yamazaki, T., 2=20571
Sakaki, Y. See Nagatani, T., 2=16088
Sakakibara, M. See Miyak, A., 2=6240
Sakakibara, S. See Kondo, I., 2=12068
Sakakibara, S. See Sekido, Y., 2=12067
Sakakibara, S. See Sekido, Y., 2=12069
Sakakibara, T. See Nakai, T., 2=5294
Sakakibara, T. See Nakai, T., 2=5295
Sakamoto, M. Observations on the etch patterns in deformed
KCl crystals, 2=2084
Sakamoto, M. See Hamaguchi, Y., 2=12497
Sakamoto, N. Magnetic properties of cobalt titanate, 2=6676
Sakamoto, Y. Inelastic scattering of proton by 4He , 2=18110
Sakamoto, Y. On quasi-free scattering of protons by the
p-proton of Li^6 , 2=22801
Sakamoto, Y., Takemiya, T. and Tanaka, H. On the deuteron
elastically scattered by nuclei, 2=8003
Sakamoto, Y. See Takemiya, T., 2=7975
Sakashita, S. See Ono, Y., 2=17288
Sakashita, S. See Ono, Y., 2=21722
Sakata, S. On a composite model for the new particles, 2=16132
Sakata, S. See Maki, Z., 2=11909
Sakashita, S. and Hayashi, C. Internal structure of very massive
stars, 2=4798
Sakashita, S. and Tanaka, Y. On the origin of planetary
nebulae, 2=9095
Sakata, H. See Morimoto, H., 2=4508
Sakharov, S.L. See Grigor'ev, E.P., 2=14012
Sakharov, S.L. See Grigor'ev, E.P., 2=14060

- Sakharov, S.L. See Grigor'ev, E.P., 2-14065
 Sakharov, V.N., Kolesnikov, V.I., Nazarenko, V.A. and Zabudarov, E.I. The angular distribution of Au^{199} radiation scattered in the air above the ground, 2-1675
 Saklotis, N.G. and Allen, D.E. Slow wave u.h.f. ferrite phase shifters, 2-13679
 Saklotis, N.G. See Hickernell, F.S., 2-13683
 Sakipov, Z.B. See Vulis, L.A., 2-15624
 Sakisaka, M., Saeki, B., Tomita, M. and Fukuzawa, F. Sample sandwiched plastic scintillators for activation measurements by use of fast neutrons, 2-244
 Sakisaka, M. and Tomita, M. Experiments on the possible existence of a bound dt-neutron, 2-11944
 Sakita, B. Angular correlations in $K^- + p \rightarrow \pi^0 + \pi^+ + \pi^-$, 2-5736
 Sakita, B. Low-energy limit of the photodisintegration of the deuteron, 2-20436
 Sakita, B. and Goebel, C.J. Application of dispersion relations to the photodisintegration of the deuteron, 2-20435
 Saksena, B.D. and Jauhari, G.S. Interpretation of the ultraviolet spectrum of oxalyl chloride, 2-14289
 Saksena, G.D. Perturbation in the 00S band of OCS as studied by a double-pass ten meter infrared spectrometer, 2-16546
 Saksena, G.D. See Noldeke, G., 2-3705
 Saksena, T.K. See Parthasarathy, S., 2-17460
 Sakuma, T. See Tsuchida, T., 2-29900
 Sakuntala, M. The decay of the electric conductivity in a moving hydrogen plasma, 2-19934
 Sakurai, J. See Tsuchida, T., 2-3993
 Sakurai, J.J. Existence of two $T = 0$ vector mesons, 2-234
 Sakurai, J.J. New resonances and strong interaction symmetry, 2-2267
 Sakurai, J.J. Method for measuring the decay width of the ω -meson, 2-11998
 Sakurai, J.J. See Glashow, S.L., 2-18145
 Sakurai, J.J. See Nambu, Y., 2-18170
 Sakurai, K. See Maeda, H., 2-17218
 Sakurai, T. and Naito, M. Steady two dimensional channel flow of an incompressible perfect fluid with small electric conductivity in the presence of nonuniform magnetic fields, 2-17934
 Sakurazawa, A. See Tao, K., 2-11805
 Sala, O. See Stammreich, H., 2-1999
 Sala, O. See Stammreich, H., 2-2000
 Salazev, E.Yu. See Khalilov, A.Kh., 2-28601
 Salam, A. Some consequences of the unitary symmetry, 2-9776
 Salam, A. Elementary particle resonances, 2-13065
 Salam, A. Renormalizability of gauge theories, 2-16146
 Salam, A. Elementary particles, 2-18087
 Salam, A. and Tiomno, J. Isotopic spin relations in hyperon production, 2-7907
 Salam, A. See Goldstone, J., 2-18055
 Salam, A. See Kamefuchi, S., 2-3240
 Salam, A. See Levinson, C.A., 2-13797
 Salam, A. See Matthews, P.T., 2-9777
 Salam, A. See Matthews, P.T., 2-18084
 Salam, A. See Matthews, P.T., 2-4086
 Salam, T.M. See Yousef, Y.L., 2-13335
 Salama, K. See Mokhtar, M., 2-4642
 Salaman, R. See Agv, V., 2-1866
 Salander, C. See Brux, P., 2-1866
 Salanave, I.E., Orville, R.E. and Richards, C.N. Slitless spectra of lightning in the region from 3650 to 6900 Angstroms, 17148
 Salandini, G.A. See Chretien, M., 2-22610
 Salanskii, N.M., Rodichev, A.M. and Baravikhin, V.A. Reversible and irreversible processes in magnetization of silicon iron monocrystals, 2-9626
 Salanskii, N.M., Rodichev, A.M. and Baravikhin, V.A. Reversible and irreversible processes in the remagnetization of monocrystals of silicon-iron, 2-21307
 Salanskii, N.M., Rodichev, A.M. and Savchenko, M.K. Barkhausen effect in thin Mo-permalloy films, 2-16905
 Salant, E.O. See Pickinger, W.J., 2-9638
 Salant, E.O. See Pickinger, W.J., 2-22606
 Salant, E.O. See Pickup, E., 2-5720
 Salant, E.O. See Pickup, E., 2-9639
 Salant, E.O. See Pickup, E., 2-22671
 Salant, E.O. See Pickup, E., 2-22576
 Salardenne, J. The Hall coefficient in the case of thin films of bismuth, 2-14502
 Salasyuk, V.M. See Dotsenko, B.B., 2-22699
 Salatskii, V.I. See Gonorov, A.M., 2-22659
 Salceanu, C. Variation of the surface tension of non electrolytic solutions with temperature, 2-21883
 Salceanu, C. and Birku, O. Electric breakdown potential of falling liquid drops, formed by detachment from a level surface, 2-1576

- Salem, L. Quantum-mechanical sum-rule for infinite sums involving the operator $\partial/\partial\lambda$, 2-9191
 Salem, L. and Wilson, E.B., Jr. Reliability of the Hellmann-Feynman theorem for approximate charge densities, 2-16463
 Salem, S.I. and Peake, N.G. Roller X-ray spectrometer, 2-15977
 Salès, A., Cabaret, F. and Guy, J. The contribution to magnetic screening constants from spherically symmetric electron distributions, 2-20764
 Sales, A. See Guy, J., 2-12342
 Sales, G.S. and Bowhill, S.A. Apparent ionospheric motion in the night-time D-region, 2-17166
 Salesse, M. Statistical textures, 2-4367
 Salgank, R.L. See Zel'dovich, Ya.B., 2-15123
 Salhani, R.J. See Alexander, E.J., 2-13640
 Salie, G. See Lorenz, W., 2-12976
 Salikhov, K.M. See Gotlib, Yu.Ya., 2-21856
 Salikhov, S.G. See Arvakumov, V.I., 2-10706
 Salin, P. K-meson form factor in the bispion approximation, 2-5727
 Salinger, G.L. and Anderson, A.C. Specific heat of He^3 under pressure, 2-1322
 Salisbury, J.W. Natural resources of the moon, 2-24094
 Salisbury, J.W. and Tassel, R.A. Van. State of the lunar dust, 2-2409
 Salisbury, S.R., Hardie, G., Opplinger, L. and Dangle, R. Proton-oxygen differential scattering cross sections. II, 2-16405
 Salisbury, S.R. and Richards, H.T. F^{11} level parameters, 2-13991
 Salisbury, S.R. See Silverstein, E.A., 2-493
 Sal'kov, E.A. See Marchenko, A.I., 2-4061
 Sal'kov, E.A. See Lashkarev, V.E., 2-10526
 Sall, A.O. Sensitivity threshold for optical absorption analysis of the composition of liquid or gaseous mixtures, 2-11004
 Sall, A.O. Theory of the selectivity of optical absorption analysers for the composition of gaseous or liquid mixtures. I, 2-11005
 Sall, A.O. Theory of the selectivity of optical absorption analysers for the composition of gaseous or liquid mixtures. II, 2-11006
 Sallo, J.S. and Carr, J.M. Studies of high coercivity cobalt-phosphorous electrodeposits, 2-12722
 Salmang, H.O. The profiles of the wings of $\text{H}\beta$ and $\text{K}(\text{CaII})$ in flash-spectra, 2-4778
 Salmeron, R. See Bellini, G., 2-22573
 Salmeron, R. See Di Corato, M., 2-22627
 Salmeron, R.A. See Berman, S.M., 2-18178
 Salmon, A.J. See Cooper, P.N., 2-10179
 Samara, G.A. and Drickamer, H.G. Effect of pressure on the resistance of pyrolytic graphite, 2-18633
 Samara, G.A. and Drickamer, H.G. Effect of pressure on the resistance of three thallous halides, 2-18651
 Samara, G.A. and Drickamer, H.G. Effect of pressure on the resistance of fused-ring aromatic compounds, 2-18701
 Salmon, G.L., Clegg, A.B., Foley, K.J., Fisher, P.S. and Rowe, D.J. Gamma ray angular correlation in the inelastic scattering of medium energy protons from the first excited state of ^{14}C , 2-3665
 Salmon, G.L. See Austin, S.M., 2-1870
 Salmon, G.L. See Austin, S.M., 2-15315
 Salmon, G.L. See Foley, K.J., 2-10109
 Salmon, G.L. See Foley, K.J., 2-20615
 Salmon, G.L. See Newton, D., 2-3666
 Salmon, G.L. See Rowe, D.J., 2-1872
 Salmon, G.L. See Rowe, D.J., 2-1873
 Salmon, G.L. See Rowe, D.J., 2-5503
 Salmon, J. General study of the relaxation of a system of particles, 2-19458
 Salmon, L. Analysis of gamma-ray scintillation spectra by the method of least squares, 2-10070
 Salokangas, J. See Lehtinen, A., 2-23899
 Salomons, A. See Bryn, D., 2-6072
 Salomonovich, A.E. The localization of solar radio bursts on a wavelength of 8 mm, 2-1006
 Salomonovich, A.E. Thermal radio emission of the moon in the centimetre range and some characteristics of the lunar surface layer, 2-21787
 Salomonovich, A.E. Solar radio emission at 8 mm, 2-24168
 Salomonovich, A.E. See Karachun, A.M., 2-1018
 Salomonovich, A.E. See Karachun, A.M., 2-1017
 Salomonovich, A.E. See Kislyakov, A.G., 2-24171
 Salomonovich, A.E. See Kur'min, A.D., 2-1011
 Salomonovich, A.E. See Kur'min, A.D., 2-1021
 Salomonovich, A.E. See Kur'min, A.D., 2-1023
 Salomonovich, A.E. See Kur'min, A.D., 2-9115
 Salomonovich, A.E. See Kur'min, A.D., 2-17804

- p, A., Pollack, E. and Bederson, B. Measurements of the electric polarizabilities of the alkalis using the E-H gradient balance method, 2=534
- va, G.I. See Lebedinskii, A.I., 2=24098
- eter, E.E. Energy and pressure of a zero-temperature plasma, 2=5328
- eter, E.E. and Zaidi, M.H. Lamb shift excitation energy in the ground state of the helium atom, 2=3707
- eter, E.E. See Hamada, T., 2=9088
- eter, E.W. See Junkes, J., 2=22024
- burg, Z.W. Theory of multicomponent fluid mixtures. III. A pseudo pair potential, 2=13323
- burg, Z.W. and Wood, W.W. Equation of state of classical hard spheres at high density, 2=19465
- anov, N.V. See Tkalic, V.S., 2=16002
- anov, N.V. See Tkalic, V.S., 2=20007
- er, D.C. See Stafford, G.H., 2=13801
- ukov, L.S. See Kosinov, G.A., 2=7650
- ukov, L.S. See Vemets, O.F., 2=16311
- ukov, Yu.S. See Mostovoi, V.I., 2=1940
- zman, B. Finite amplitude free convection as an initial value problem. I. 2=22080
- zman, B. and Fleisher, A. Spectral statistics of the wind at 500 mb, 2=17139
- ukvadze, R.G. See Neagu, D.V., 2=5721
- ukvadze, R.G. See Nyagu, D., 2=5548
- adori, P. The limnescent chamber, 2=16106
- retti, O. Formal simplifications in the calculation of vibration-rotation band-intensity, 2=6153
- rini, G. See Deutsch, M., 2=22557
- rini, G. See Mencuccini, C., 2=11976
- rini, G. See Mencuccini, C., 2=22520
- rinien, J. and Meffroy-Biget, A.M. Graphical representation suggesting the development of double diffusion. Application to quantitative immunodiffusion, 2=21600
- rinien, J. See Durivault, J., 2=11385
- ukvadze, R.G. and Nyagu, D. Interaction of 78 MeV π^+ -mesons in propane, 2=476
- ukvadze, R.G. and Nyagu, D. Interaction of 78 π^+ -mesons in propane, 2=22829
- zano, F.J. and Eshaya, A.M. Sorption of xenon in high density graphite at high temperatures, 2=6855
- berg, C.D. See Herzberger, M., 2=7344
- zman, F. and Salzman, G. Single virtual particle exchange model of high-energy inelastic glancing collisions, 2=7829
- zman, G. See Salzman, F., 2=7829
- addar, S.N. Slow wave propagation along the boundary of two coaxial anisotropic media, 2=16031
- ara, G.A. and Drickamer, H.G. Pressure induced phase transitions in some II-VI compounds, 2=16705
- ara, G.A. and Drickamer, H.G. Effect of pressure on the resistance of PbS and PbTe, 2=23257
- ara, G.A., Riggelman, B.M. and Drickamer, H.G. Effect of pressure on cyanine spectra, 2=22988
- abell, R.A.J. See Clarke, F.J.P., 2=8752
- abongi, T. and Mitui, T. Stress annealing effect in cobalt, 2=4229
- abongi, T., See Mitui, T., 2=16903
- nelson, H. Growth of cubic ZnS single crystals by a chemical transport process, 2=12889
- nelson, H. and Lempicki, A. Fluorescence of Cubic ZnS:C1 compounds, 2=4178
- nelson, H. See Lempicki, A., 2=23591
- ios, N.P., Bachman, A.H., Lea, R.M., Kalogeropoulos, T.E. and Shephard, W.D. Evidence for $\pi^+\pi^-$ resonances at 395- and 520-MeV effective mass, 2=20392
- ios, N.P., Plano, R., Prodell, A., Schwartz M. and Steinberger, J. Parity of the neutral pion and the decay $\pi^0 \rightarrow 2e^+ + 2e^-$, 2=13842
- ios, N.P. See Bertanza, L., 2=13854
- ios, N.P. See Bertanza, L., 2=20424
- ios, N.P. See Bertanza, L., 2=22652
- itov, Yu. Yu. Nuclear magnetic resonance spectrometer with high resolving power, 2=20171
- oilov, B.N., Skilyarevskii, V.V. and Gorobchenko, V.D. Determination of the sign of the local magnetic field on nuclei of gold dissolved in iron and nickel, 2=4219
- oilov, B.N., Skilyarevskii, V.V., Gorobchenko, V.D. and Stepanov, E.P., "Asymmetry of β -rays emitted by nuclei of Co^{60} polarized in a cobalt-iron alloy, 2=399
- oilov, P.S. See Baranov, S.A., 2=3490
- oilov, P.S. See Baranov, S.A., 2=3500
- oilov, P.S. See Baranov, S.A., 2=3501
- oilov, V.P. and Dolya, G.P. Utilization of epoxide resin compounds as vacuum-tight materials, 2=21958
- Samoilovich, A.G. and Korenblit, L.L. Thermoelectric eddy currents in an anisotropic medium, 2=10546
- Samoilovich, A.G., Korenblit, I.Ya., Dakhovskii, I.V. and Iskra, V.D. Solution of the transport equation for anisotropic electron scattering, 2=3893
- Samoilovich, A.G., Korenblit, I.Ya., Dakhovskii, I.V. and Iskra, B.D. Anisotropic scattering of electrons on ionized impurities and acoustical phonons, 2=6440
- Samoilovich, A.G., Korenblit, I.Ya., Dakhovskii, I.V. and Iskra, V.D. Solution of the transport equation for anisotropic electron scattering, 2=8202
- Samoilovich, A.G., Korenblit, I.Ya., Dakhovskii, I.V. and Iskra, B.D. Anisotropic scattering of electrons on ionized impurities and acoustical phonons, 2=10454
- Samoilovich, D.M., Smirnit-skii, V.A., Sukhov, S.A., Ryabov, V.D. and Rulev, A.V. An arrangement for semiautomatic photographic processing of large pellicle stacks, 2=1643
- Samokhvalov, A.A. Ultra-high-frequency dielectric properties of a group of oxides of the 3d transition metals, 2=14601
- Samokhin, G.V. See Fedorov, A.F., 2=13012
- Samokhvalov, A.A. Ultra-high-frequency dielectric properties of a group of oxides of the 3d transition metals, 2=10556
- Samokhvalov, A.A. See Davidenko, N.I., 2=2125
- Sampanthar, S. See Bodmer, A.R., 2=1781
- Sampanthar, S. See Bodmer, A.R., 2=1782
- Sampanthar, S. See Bodmer, A.R., 2=9926
- Sampanthar, S. See Jones, W., 2=20978
- Sampanthar, S. See March, N.H., 2=14400
- Sampson, D.F. See Thorp, J.S., 2=2372
- Sampson, D.H. Electron-positron pairs at very high temperatures, 2=4795
- Sampson, M.B. See Martin, H.J., Jr., 2=3492
- Sams, D. See Parker, J.B., 2=5653
- Sams, J.R., Jr., Constabaris, G. and Halsey, G.D., Jr. Third- and fourth-order interactions of argon with a graphitized carbon black, 2=6854
- Sams, J.R., Jr. See Yaris, R., 2=19117
- Samson, A.M. Luminescence of matter with arbitrary absorption and emission bands in volumes of finite size, 2=14700
- Samson, A.M. and Adzerikho, K.S. A vector-parametric method for investigating polarized luminescence, 2=14708
- Samson, Z.M. See Stepanov, B.I., 2=14701
- Samson, A.M. See Stepanov, B.I., 2=15737
- Samson, A.M. See Stepanov, B.I., 2=16505
- Samson, C.A. and Linfield, R.F. Sferic observations of the severe weather on May 19, 1960, 2=8975
- Samson, J.A.R. Efficiency of aluminized gratings in the spectral range 555 to 1600 Å, 2=11497
- Samson, J.A.R., Marmo, F.F. and Watanabe, K. Absorption and photoionization coefficients of propylene and butene-1 in the vacuum ultraviolet, 2=6178
- Samson, S. Crystal structure of NaCd_2 , 2=23850
- Samsonov, G.V. and Pen'kovskii, V.V. Study of the emissive power of certain high-melting compounds in the infrared region, 2=7453
- Samsonov, G.V. and Tsebulya, G.G. Effect of carbon and titanium additions on the electrical conductivity of silicon nitride, 2=8303
- Samsonov, G.V. See L'vov, S.N., 2=8296
- Samsonov, G.V. See L'vov, S.N., 2=23378
- Samsonov, G.V. See Neshpor, V.S., 2=8305
- Samsonov, G.V. See Neshpor, V.S., 2=8372
- Samsonov, H.V. and Synel'nykova, V.S. The value of the energy gap in boron carbide, 2=8354
- Samsonov, H.V. See L'vov, S.M., 2=18649
- Samsonova, Z.N. On the mechanism of the "carrier" effect on the intensity of spectral lines, 2=20737
- Samsonow, V.N. New note on a remarkable relation between fundamental physical quantities, 2=9141
- Samuel, A.H. Theory of radiation chemistry. V. Generalized spur diffusion model, 2=10989
- Samueli, J. See Bougnot, G., 2=5395
- Samueli, J. See Sarazin, A., 2=2974
- Samueli, J.J. and Sarazin, A. Measurements of the lifetimes of excited nuclear levels by a beam of pulsed protons, 2=364
- Samueli, J.J. See Sarazin, A., 2=11830
- Samuels, G. Design and analysis of the Experimental Gas-Cooled Reactor fuel assemblies, 2=22863
- Samuels, J.C. Theory of stochastic linear systems with Gaussian parameter variations, 2=2639
- Samuels, L.E. See Pugh, E.N., 2=8759
- Samuels, L.E. See Pugh, E.N., 2=16973
- Sanatani, S. and Kothari, L.S. Effect of Bragg cutoff on the diffusion of thermal neutrons in a finite solid medium, 2=5662

- Sánchez del Río, C. See Lozano, J., 2-3047
- Sancho, F. J. See Garrido, L. M., 2-15484
- Sancier, K. M., Fredericks, W. J. and Wise, H. Luminescence of solids excited by surface recombination of atoms. I. Luminescence spectra, 2-18854
- Sancier, K. M., Fredericks, W. J., Hatchett, J. L. and Wise, H. Luminescence of solids excited by surface recombination of atoms. II. Recombination coefficients, 2-18855
- Sancier, K. M., Fredericks, W. J. and Wise, H. Luminescence of solids excited by surface recombination of atoms. III. Measurement of absolute energies released as luminescence and heat, 2-18856
- Sandage, A. The light travel time and the evolutionary correction to magnitudes of distant galaxies, 2-4824
- Sandage, A. R. See Wildey, R. L., 2-4816
- Sandenaw, T. A. Determination of the rate of heat generation of plutonium metal, 2-20572
- Sandenaw, T. A. Effects of self-induced radiation damage on the low temperature heat capacity of a specimen of electro-refined high purity plutonium, 2-23076
- Sander, H. H. See Pierce, C. B., 2-23428
- Sander, W. Electron spin resonance of potassium chloride with oxygen-containing admixtures, 2-21373
- Sander, W. See Berthold, G., 2-10584
- Sander, W. See Heckmann, P. H., 2-727
- Sanders, C. L. A photocell linearity tester, 2-13432
- Sanders, C. L. and Jones, O. C. Problem of realizing the primary standard of light, 2-15715
- Sanders, J. H., Taylor, M. J. and Webb, C. E. Search for light amplification in a mixture of mercury vapour and hydrogen, 2-20743
- Sanders, L. G. An estimate of the neutron flux depression and nuclear heating in the cathode of a plasma diode fuel element, 2-22161
- Sanders, L. G. See Dynn, P. D., 2-19886
- Sanders, L. G. See Myatt, J., 2-9619
- Sanders, N. L. See Farley, T. A., 2-19254
- Sanders, T. M. Jr See Levine, J., 2-15885
- Sanderson, E. A. High energy inelastic proton scattering on carbon, 2-16402
- Sanderson, E. A. and Wall, N. S. A note on the particle-hole description of inelastic alpha-particle excitation, 2-22851
- Sandford, B. P. Polar-glow aurora in polar cap absorption events, 2-9014
- Sandford, F. and Hedvall, J. A. Concerning the cause of the colour of an amazonite preparation, 2-12612
- Sanford, R. L. and Cooter, I. L. Basic magnetic quantities and the measurement of the magnetic properties of materials, 2-17921
- Sandhu, H. S., Webb, E. H., Mohanty, R. C. and Roy, R. R. Experiments on pair and triplet production by 5-90 MeV X-rays, 2-3322
- Sandhu, H. S. See Bloom, M., 2-10709
- Sandhu, H. S. See Bloom, M., 2-14852
- Sandhu, H. S. See Roy, R. R., 2-5893
- Sandiford, D. J. H. and Vincent, P. I. Dynamic yield stress of "Perspex", 2-21430
- Sandig, H. U. Controlled tracking of micrometer filaments, 2-21687
- Sandle, W. J. See Gossard, A. C., 2-785
- Sandler, S. R., McGonigal, P. J. and Tsou, K. C. Correlation of the relative pulse height of organic scintillators with polarity and resonance effects, 2-6626
- Sandmo, H. See Saba, W. G., 2-2054
- Sandomirskii, V. B. See Bakanov, S. P., 2-9251
- Sandor, J. E. See Ing, S. W., Jr, 2-10943
- Sándor, E. Lattice vibrations of molecular chains, 2-10311
- Sándor, T. and Somogyi, A. Density spectrum of extensive air showers measured under moderate and large thicknesses of lead, 2-13926
- Sándor, T., Somogyi, A. and Telbisz, F. On the methods generally used to compensate the atmospheric effects of the muon component of the cosmic radiation, 2-9975
- Sándor, T., Somogyi, A. and Telbisz, F. The 27-day recurrence tendency in the muon intensity of cosmic radiation measured at 40 m W.E. underground, 2-12101
- Sándor, T. See Bhattacharya, P. C., 2-12096
- Sands, D. E., Johnson, Q. C., Zalkin, A., Krikorian, O. H. and Kromholtz, K. L. The crystal structure of ReBe_{23} , 2-21517
- Sands, G. C. See Malinofsky, W. W., 2-12696
- Sands, M. See Barna, A., 2-5268
- Sandmark, R. A. See Schlag, E. W., 2-17085
- Sandström, A. E. An attempt of analyzing cosmic ray storms, 2-12036
- Sandström, A. E. A new study of the cosmic ray diurnal variation in relation to geomagnetic activity, 2-12048
- Sandström, A. E., Dyring, E. and Lindgren, S. Direction of the cosmic ray anisotropy, 2-9968
- Sandström, A. E., Dyring, E. and Lindgren, S. Direction of the cosmic-ray diurnal anisotropy, 2-13909
- Săndulescu, A. Reduced widths for favoured alpha transitions, 2-205
- Săndulescu, A. and Stihl, M. Favoured alpha reduced widths for uranium, plutonium, curium and californium, 2-20543
- Săndulescu, A. See Brandus, I., 2-7961
- Sandulova, A. V., Dronyuk, M. I. and Rybak, V. M. Diffusion parameters for indium in germanium of various grades of purity, 2-2098
- Sandulova, N. V., Dronyuk, M. I., Rybak, V. M. and Shcherbai, K. S. Diffusion of indium in cuprous oxide, 2-21060
- Sandulovici, R. See Grosu, X., 2-7590
- Sandweiss, J. See Brown, H. N., 2-12013
- Sanfeld, A., Steinchen-Sanfeld, A. and Defay, R. Equilibrium distribution of ions and dipoles in an electric field. I. General formulae. Application to electrostriction, 2-12972
- Sanfeld, A., Steinchen-Sanfeld, A., Hurwitz, H. and Defay, R. Equilibrium distribution of ions and dipoles in an electric field. II. The plane diffuse layer, 2-12973
- Sanford, J. R. See Brown, H. N., 2-12013
- San Fu Tuan. Isobar mechanism for pion-baryon higher resonances, 2-7891
- San Fu Tuan. Considerations of the dynamic singularity in the KN scattering amplitude and the Yo^* , 2-22639
- Sanger, R. See Barnes, G. T., 2-6784
- Sänger, R. See Barnes, G. T., 2-14947
- Sänger, R. See Junod, A., 2-23999
- Sangiust, V. See Corno, S., 2-12245
- Sangren, W. See Nather, V., 2-3642
- Sangren, W. C. See Roos, B. W., 2-22396
- Sanikidze, D. G. Some features of the equilibrium diagram for a $\text{He}^3\text{-He}^4$ solution at the λ -point, 2-15835
- Sanin, A. A. and Mitrileva, N. N. Analysis of Rossi-type coincidence circuits, 2-19857
- Sanin, A. A. See Kolotov, O. S., 2-22144
- Sanjeevalah, B. See Jones, B. D., 2-16241
- Sanjeevalah, B. See Jones, B. D., 2-22834
- Sanjeevalah, B. See Sacton, J., 2-10128
- Sankaranarayanan, A. See Mathews, P. M., 2-3251
- Sankaranarayanan, A. See Mathews, P. M., 2-16129
- Sankaranarayanan, S. The ultraviolet band spectrum of silicon difluoride, 2-16532
- San'ko, L. A., Takibaev, Zh. S. and Usik, P. A. An analysis based on the excited nucleon model of cosmic-ray showers produced by high-energy primary particles, 2-332
- San'ko, L. A., Takibaev, Zh. S. and Usik, P. A. An analysis based on the excited nucleon model of cosmic-ray showers produced by high-energy primary particles, 2-22676
- Sanmann, E. E. See Leachman, R. B., 2-14147
- Sanna, R. See Gamba, A., 2-2588
- Sanna, R. See Gamba, A., 2-2589
- Sanna, R. See Palmieri, G., 2-21792
- Sanna, S. See Mattana, N., 2-8952
- Sannikov, D. G. Dispersion in ferroelectrics, 2-662
- Sannikov, D. G. Electromagnetic and sound waves in ferroelectrics, 2-21211
- Sannikov, D. G. Dispersion in ferroelectrics, 2-23498
- Sannikov, S. S. Inelastic photon scattering in the Coulomb field of a nucleus, 2-7840
- Sannikov, S. S. Theory of scattering of high energy photons by photons, 2-22469
- Sano, M. Rearrangement nuclear reactions and optical model, 2-7960
- Sano, Y. See Hakura, Y., 2-4700
- Sanon, L. See Damany-Astoin, N., 2-14286
- Sant'ana Dionisio, J. Study of the low energy electron spectra of some radioelements, 2-400
- Sant'Ana Dionisio, J. The spectra of electrons emitted in the isomeric transition of Mercury 193 and the transmutation of Mercury 193 into Gold 193, 2-18283
- Sant'Ana Dionisio, J. Spectrum of electrons emitted in the transition Au^{181} to Pt^{181} , 2-5842
- Sant'Ana Dionisio, J. The electron spectrum emitted in the β -transmutation of platinum 191, 2-5848
- Sant'Ana Dionisio, J. Spectrum of electrons emitted in the transmutation of mercury 193 to gold 193, 2-10063
- Santangelo, R. See Bellini, G., 2-22573
- Santangelo, R. See Carrara, R., 2-22559
- Santangelo, R. See Chadwick, G. B., 2-22522
- Santangelo, R. See Loria, A., 2-1714
- Santarani, C. V. V. S. N. K. and Tiruvenganna Rao, P. Rotational analysis of the $\text{A}^1\Sigma^+ - \text{X}^1\Sigma^+$ system of the AsO^+ molecule, 2-142

- aram, C.V.V.S.N.K. and Tiruvenganna Rao, P. The band spectrum of PO: Two new doublet systems in the ultraviolet, 2=16519
- arelli, V. Elementary but exact treatment of a dipole ring, 2=4947
- avý, I. On the reversibility of light beams in conducting media, 2=111
- avý, I. Note on the reciprocity of the transmission of light through conducting layers, 2=7374
- avý, I. Theorem on the reversibility of light paths through systems of conducting films, 2=22044
- teler, D.J. Application of vacuum process evaluation to the study of outgassing, 2=5077
- teler, D.J. Pressure measurement in nonbaked ultra-high vacuum systems, 2=9324
- gol'zer, V. Radioactive fallout in the course of 1959-1960 in Czechoslovakia, 2=24025
- ti, S.Delli See Delli Santi, S.
- to, R. See Mayer-Böricke, C., 2=10133
- to, R. See Mayer-Böricke, C., 2=14126
- tos, G.J., Jr See Chaikin, S.W., 2=1347
- tos Ocampo, A.G. and Conway, D.C. L/K-capture ratio of Zn^{65} , 2=22770
- tuil, R. See Fagot, B., 2=13600
- tucci, S. See Alzetta, G., 2=10635
- tucci, S. See Bertanza, L., 2=13799
- erstein, A.M. The contribution of multiple scattering within the nucleus to the elastic scattering of nucleons by nuclei, 2=3559
- orte, R. See Blanc, D., 2=1519
- sford, G. See Vincent, C.H., 2=10185
- a, R.I. See Williams, A., 2=20182
- abhai, V. Review of cosmic ray daily variation and geomagnetic effects, 2=13911
- abhai, V. and Gottlieb, B. Time variation of cosmic ray intensity from North and South directions at low latitudes, 2=12035
- abhai, V.A. Cosmic rays and interplanetary space, 2=16264
- abhai, V.A. Cosmic rays and interplanetary space, 2=20468
- abhai, V.A. and Pai, G.L. Cosmic ray effects associated with polar cap absorption events, 2=18221
- abhai, V.A., Pai, G.L. and Rao, U.R. Anisotropy and changes of energy spectrum during cosmic-ray storms, 2=13904
- aceno, F. See Craik, R.L., 2=17033
- af, B. See Sharma, R.P., 2=10043
- an, G.S. and Held, G. Field strength measurements in fresh water, 2=3167
- aph, H.E. and Seaton, M.J. An iteration-variation method for atomic scattering problems, 2=22913
- azin, A., Samueli, J. and Bougnot, G. Fast amplitude discriminator, 2=2974
- azin, A., Samueli, J.J. and Meynadier, C. Experimental study of the time resolution of scintillation detectors, 2=11830
- azin, A. See Bougnot, G., 2=5395
- azin, A. See Cachon, P., 2=5156
- azin, A. See Samueli, J.J., 2=364
- bei, O.G. See Borzyk, P.G., 2=11686
- bei, O.G. See Katrich, G.A., 2=1482
- bei, O.H. and Katrych, H.A. Photoelectronic emission of dispersed Ag films, 2=11698
- daryan, R.A. See Davydov, A.S., 2=20504
- inyan, M.G. See Tumanyan, V.A., 2=354
- kar, N.H. See De, M.L., 2=7373
- kar, S. Dependence of Möller scattering on initial and final polarizations of electrons, 2=9822
- ker, A.Q. Integral equations for the low-energy pion-pion scattering, 2=5724
- ker, A.Q. See Ali, M.I., 2=20329
- ker, A.Q. See Mandelstam, S., 2=16155
- kisyan, G.S. See Tumanyan, V.A., 2=354
- ksyan, K.A. See Kononov, B.P., 2=17847
- ma, V.R. and Srinivasan, R. Principle of maximum superposition. A method for determining the positions of replaceable atoms in isomorphous crystals, 2=10853
- ma, D.S. and Wilburn, D.K. High energy X-ray fluoroscopy with solid state panel intensifiers, 2=5426
- rouy, J.L. See Poffé, N., 2=457
- rouy, J.L. See Valentin, J., 2=22775
- tor, J.D. Recalculations of cloud electrification based on a general charge-separation mechanism, 2=11028
- tori, S. See Gorini, L., 2=19756
- toris, G. and Touchard, J. Electric quadrupole transitions between some excited states in spherical even-even nuclei, 2=20502
- Sarup, R. See Dieke, G.H., 2=41776
- Sarubashi, K. See Miyake, Y., 2=6924
- Sarver, J.F., Hoffman, M.V. and Hummel, F.A. Phase equilibria and tin-activated luminescence in strontium orthophosphate systems, 2=4177
- Sarychev, V.A. The influence of the earth's oblateness on the rotational motion of an artificial satellite, 2=9127
- Sarzhevskii, A.M. The influence of temperature and viscosity on the polarization of fluorescence in phthalimides, 2=57
- Sasa, Y. See Atoda, T., 2=10867
- Sasakawa, T. See Takahashi, M., 2=16909
- Sasaki, H. On the field errors at low magnetic field of the a.c. magnets for a synchrotron, 2=9665
- Sasaki, S. On the type of the electromagnet and strong mesonic interactions of the fermions, 2=22407
- Sasaki, T. and Ishiguro, K. Optical constants of silicon in the extreme ultraviolet region, 2=18787
- Sasaki, T. See Miya, K., 2=9721
- Sasaki, W., Yamanouchi, C. and Hatoyama, G.M. Negative magnetoresistance effect in semi-conductors, 2=23395
- Sasaki, W. See Nakamura, M., 2=23341
- Sasaki, Y. See Okada, T., 2=6801
- Sasakura, H., Takeuchi, N. and Mizuno, T. Electron spin resonance of irradiated polyoxymethylene, 2=21371
- Sass, S. See Cohen, J.B., 2=21023
- Sassa, N. Optical properties of Ebert spectrograph, 2=2887
- Sassa, N. A high-resolution grating infrared spectrophotometer, 2=17608
- Sassa, N. Resolving power of infrared grating monochromator, 2=17630
- Sassi, E. See de Carvalho, H.G., 2=20688
- Sastri, M.L.N. and Nagarajan, A.S. Spectroscopic methods of measurement of high temperatures, 2=15790
- Sastry, G.S. See Krishnamurthi, M., 2=11150
- Sastri, M.V.C. See Nagarajan, T.S., 2=8916
- Sastry, N.P. and Thosar, B.V. Decay-time of scintillations in CsI (Tl) crystal, 2=6599
- Sastry, P.V. See Bahadur, K., 2=10910
- Sasvári, G.y. Method of calculation of the average temperature of a body of arbitrary shape, 2=15783
- Satake, K. See Uchida, I., 2=4071
- Satalov, A.A. Photochemical transformation in colour centers in alkali halide crystals, 2=23215
- Satarova, L.M. See Lavrukhina, A.K., 2=20689
- Satchler, G.R. See Clegg, A.B., 2=1867
- Satchler, G.R. See Hecht, K.T., 2=12109
- Satchler, G.R. See McDaniels, D.K., 2=22850
- Satchler, G.R. See Zeidman, B., 2=1915
- Sather, N.F. and Dahler, J.S. Molecular friction in dilute gases. II. Thermal relaxation of translational and rotational degrees of freedom, 2=1198
- Sather, N.F. and Dahler, J.S. Approximate theory of viscosity and thermal conductivity in dense polyatomic fluids, 2=15537
- Sathianandan, K., Ramaswamy, K. and Cleveland, F.F. Substituted methanes. XXXI. Molecular constants of carbon tetraiodide from vibrational spectra, 2=16541
- Sathianandan, K. See Ramaswamy, K., 2=20838
- Sathianandan, K. See Venkateswarlu, K., 2=10239
- Sato, A. See Kawarabayashi, K., 2=13659
- Sato, A. See Kawarabayashi, K., 2=20325
- Sato, H. and Astrue, R.W. Checkerboard domain pattern of single-crystal thin iron film, 2=23662
- Sato, H. and Toth, R.S. Effect of additional elements on the period of CuAu II and the origin of the long-period superlattice, 2=2407
- Sato, H. and Toth, R.S. Fermi surface of alloys, 2=12401
- Sato, H. and Toth, R.S. Long-period superlattices in alloys. II, 2=17049
- Sato, H., Toth, R.S. and Astrue, R.W. Bitter patterns on single-crystal thin films of iron and nickel, 2=12657
- Sato, H. See Zimmerman, J.E., 2=2055
- Sato, I. Field theory of nucleon-nucleon scattering, 2=1662
- Sato, I. Field-theoretical calculation of the one-pion-exchange and two-pion-exchange contributions to the phase-shifts with higher angular momenta for nucleon-nucleon scattering, 2=18108
- Sato, M. Particle acceleration and breakdown conditions in an alternating magnetic field, 2=7617
- Sato, M. On the stability of a magnetically compressed plasma surface, 2=11672
- Sato, M. and Hatta, Y. Glowing probe for space potential measurement in gas discharges, 2=19905
- Satô, M. See Mitui, T., 2=16903
- Sato, M. See Uchida, T., 2=15905
- Sato, N. Spectrographic observation of the corona of 1958 total eclipse, 2=7010

- Sato, R. Short-period elastic surface waves propagated along the surface of a semi-infinite isotropic heterogeneous medium, 2=1223
- Sato, R. Love waves propagated across transitional zone, 2=1224
- Sato, S. A note on the treatment of bound state problem, 2=268
- Sato, S. Second quantization and Lorentz invariance. II, 2=15488
- Sato, T. Sudden commencements of geomagnetic storms in high latitudes, 2=17217
- Sato, T. Disturbances in the ionospheric F2 region in high latitudes associated with polar geomagnetic storms, 2=24042
- Sato, T. and Stelzried, C.T. An operational 960 M.C. maser system for deep-space tracking missions, 2=22331
- Sato, T. See Shogenji, K., 2=18696
- Sato, Y., Gesi, K. and Takagi, Y. Study of the phase transition in NaNO_2 by polarized infrared radiation, 2=2238
- Sato, Y. See Usami, T., 2=19190
- Sato, T. Study of aqueous solution of strong electrolyte. An interretation of dielectric properties, 2=9286
- Satten, R.A. See Asawa, C.K., 2=21238
- Satten, R.A. See Pollack, S.A., 2=6265
- Satterthwaite, C.B. Thermal conductivity of normal and superconducting aluminum, 2=3853
- Sattler, A.R. Decay of Sr^{88} , 2=18300
- Sattler, A.R. Decay of Sr^{90} , 2=20538
- Saturno, A.F. Useful integral for one-center calculations, 2=20773
- Satyanarayana, B.S. A note on the apparent contact ferroelectric effect of manganese dioxide, 2=14607
- Satyavati, T., Reddy, P.J. and Subrahmanyam, S.V. Ultrasonic studies in electrolytic mixtures - complex ion formation, 2=17459
- Satyavati, T. and Subrahmanyam, S.V. Molar sound velocity and temperature coefficient of sound velocity in organic melts, 2=5015
- Satyendra, K.N. Trends in space navigation, 2=15408
- Saudinos, J. See Chaminade, R., 2=494
- Saudinos, J. See Chaminade, R., 2=1923
- Saudinos, J. See Chaminade, R., 2=3194
- Sauer, F. and Freise, V. Diffusion in binary mixtures with volume variation, 2=17417
- Sauerbrey, G. See Boersch, H., 2=4187
- Sauermann, G. The treatment of the many-body problem of solid body physics, 2=579
- Sauermann, G. A reduction of the many-body problem of solid-body physics to separate systems of electrons and lattices, 2=20958
- Sauerwald, F. See Budde, J., 2=7182
- Saulnier, A. See Groutzeilles, M., 2=4440
- Saunders, E.M. Ground state of solid He^3 , 2=15840
- Saunders, G. See Blackman, L.C.F., 2=614
- Saunders, J.B. Measurement of wave fronts without a reference standard. I. The wave-front shearing interferometer, 2=5180
- Saunders, J.B. Measurement of wave fronts without a reference standard. II. The wave front-reversing interferometer, 2=15741
- Saunders, J.H. and Green, J.J. Subsidiary absorption effects in ferrimagnetics, 2=12746
- Saunders, P.M. Penetrative convection in stably stratified fluids, 2=17135
- Saunders, R.A. See Beynon, J.H., 2=5302
- Saunders, V.I., Tyler, R.W. and West, W. Displacement of photoelectrons and positive holes in sheet crystals of silver bromide as shown by development techniques, 2=20961
- Saunier, N. See Coste, M., 2=500
- Saunier, N. See Lemelle, C., 2=501
- Saupe, A. and Maier, W. Methods for the determination of the degree of order of nematic crystalline fluid layers [liquid layers with oriented molecules], 2=49
- Saur, E. and Schult, P. Investigations of the superconductivity of sintered Nb-Sn specimens, 2=9486
- Saur, E. and Worm, J. Preparation and superconducting properties of niobium wire samples with Nb-Sn coating, 2=13516
- Saur, E. See Raetz, K., 2=22120
- Saur, W.D. See Kruse, P.W., 2=10534
- Saurel, J. See Pouillen, P., 2=18530
- Saurel, J. See Pouillen, P., 2=23094
- Saussure, J. de See de Saussure, J.
- Sauter, F. and Wagner, D. On the theory of the Mössbauer effect, 2=9999
- Sauteron, X. See Aubert, B., 2=18187
- Sauteron, X. See Aubert, B., 2=22647
- Savage, A. and Miller, R.C. Measurements of second harmonic generation of the ruby laser line in piezoelectric crystals, 2=22012
- Savage, A. See Miller, R.C., 2=12571
- Savage, C.M. See Maker, P.D., 2=8510
- Savage, C.M. See Terhune, R.E., 2=14666
- Savage, R.O. See Tauber, A., 2=14938
- Savage, W.R. and Odom, W.J. A low-cost recording ionization vacuum gauge, 2=21955
- Savarenskii, E.F. See Vanek, I., 2=19187
- Savarov, V.I. See Gross, E.F., 2=4138
- Savarov, V.I. See Gross, E.F., 2=10597
- Savchenko, M.K. See Kirenskii, L.V., 2=16913
- Savchenko, M.K. See Kirenskii, L.V., 2=8636
- Savchenko, M.K. See Kirenskii, L.V., 2=23661
- Savchenko, M.K. See Salanskii, N.M., 2=16905
- Savchenko, M.K. See Sinegubov, V.I., 2=16907
- Savchenko, M.K. See Sudako, N.I., 2=18909
- Savchenko, O.V. A filament scintillator for luminescence chambers, 2=3235
- Savchenko, O.V. See Akimov, Yu.K., 2=286
- Savchenko, O.V. See Akimov, Yu.K., 2=287
- Savchenko, O.V. See Akimov, Yu.K., 2=7889
- Savchenko, O.V. See Akimov, Yu.K., 2=20194
- Savchenko, O.V. See Akimov, Yu.K., 2=22655
- Savchenko, O.Ya. The action of an alternating magnetic field on the propagation of circularly polarized radiation in matter, 2=5191
- Savchenko, V.P. See Komar, A.P., 2=20015
- Savchenko, V.P. See Komar, A.P., 2=22246
- Savedoff, M.P. and van Dyck, S.R. Early evolution at mass ten, 2=989
- Savelli, M. and Teboul, M. Theoretical study of the noise in p-n junctions functioning as current generators, 2=16736
- Savelli, M. and Teboul, M. Experimental results concerning noise in p-n junctions as a function of generation current, 2=18713
- Savelli, M. and Teboul, M. Noise in p-n junctions as a function of generation currents in the case of a linear approximation for the band edges, 2=16737
- Savelli, M. See Couchet, G., 2=21279
- Savenko, I.A., Pisarenko, N.F. and Shavrin, P.I. Dosimetric measurements from the second Soviet spaceship, 2=19356
- Savenko, I.A., Shavrin, P.I., Nesterov, V.E. and Pisarenko, N.F. Cosmic-ray equator according to the data obtained with the second Soviet spaceship, 2=18210
- Savenko, I.A., Nesterov, V.E., Shavrin, P.I. and Pisarenko, N.F. The cosmic-ray equator according to the data obtained with the third Soviet spaceship, 2=18211
- Savenko, I.A., Shavrin, P.I., Nesterov, V.E. and Pisarenko, N.F. The cosmic-ray equator, as determined by the second Soviet satellite, 2=22668
- Savenko, I.A. See Bednyakov, A.A., 2=14086
- Savenko, I.A. Grigorov, N.L., 2=19276
- Savenko, I.A. See Papkov, S.F., 2=19357
- Savenko, I.A. See Vernov, S.N., 2=920
- Savenko, I.A. See Vernov, S.N., 2=9028
- Savenko, I.A. See Vernov, S.N., 2=11084
- Savenko, I.A. See Vernov, S.N., 2=16256
- Savenko, I.A. See Vernov, S.N., 2=19250
- Savenko, I.A. See Vernov, S.N., 2=19252
- Savenko, I.A. See Volodichev, N.N., 2=17919
- Savet, P.H. Satellite orbits derived from a gravitational model of the earth, 2=11188
- Savic, P. and Boul, G.T. A frequency modulation circuit for the measurement of gas conductivity and boundary layer thickness in a shock tube, 2=13521
- Savill, R.A., Carpenter, E.W. and Wright, J.K. The derivation and solution of indicator equations for Seismometer-Galvanometer combinations including the effect of seismometer inductance, 2=15177
- Savin, F.A. See Leskov, L.V., 2=11416
- Savin, I.A. See Vovenko, A.S., 2=13855
- Savin, M.V. See Veretennikov, A.I., 2=12210
- Savin, M.V. See Veretennikov, A.I., 2=18094
- Savins, J.G. See Wallick, G.C., 2=7176
- Savinov, E.G. See Atlaskin, N.N., 2=20075
- Savinov, E.G. See Trostin, I.S., 2=20040
- Savirón, E. Artacho. See Artacho Savirón, E.,
- Savitskii, E.M. See Dashkovskii, A.I., 2=8710
- Savitskii, E.M. See Kripyakevich, P.I., 2=4436
- Savitskii, I.V. See Pashkovskii, M.V., 2=23405
- Savitsky, G.B. and Hornig, D.F. Infrared spectra and structures of the crystalline phases of CH_4 and CD_4 , 2=14683
- Savolainen, J.E. See Franck, E.U., 2=4547
- Savoie, R. and Giguère, P.A. The infrared spectrum of chlorine heptoxide Cl_2O_7 , 2=16527

- Savornin, F., Savornin, J. and Donnadieu, A. The electrical resistance of thin films of silver and the thermoelectric power of a couple bulk silver/silver film, 2=14495
- Savornin, J. See Savornin, F., 2=14495
- Savitskiy, I.V. See Pashkov'skiy, M.V., 2=8797
- Sawa, Z. See Sjögren, B., 2=490
- Sawada, K. and Shibata, H. World maps of f_0F_2 during the I.G.Y., 2=11067
- Sawada, K. See Iwamoto, F., 2=11304
- Sawada, S., Nomura, S. and Asao, Y. Dielectric properties of ferroelectric NaNO_2 , 2=2207
- Sawada, S., Nomura, S. and Asao, Y. Dielectric behaviour of KNO_3 in its ferroelectric phase III, 2=4092
- Sawada, S. See Asao, Y., 2=12498
- Sawada, S. See Yoshida, I., 2=3858
- Sawada, T. On the anomalous threshold and composite particles, 2=16128
- Sawada, T. See Melkanoff, M.A., 2=20662
- Sawaji, K. See Tao, K., 2=11805
- Sawamura, M. On a radiative decay of Σ^+ , 2=3412
- Sawatzky, E. and Bloom, M. The paramagnetic-antiferromagnetic phase transition in $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$, 2=21292
- Sawchuk, W. Instrumentation for the measurement of fluctuations in amplitude and phase of pulsed radio signals, 2=19837
- Sawdye, J.A. See Cowley, C.W., 2=15780
- Sawicki, J. and Soda, T. Theory of collective excitations of spherical nuclei with particular application to the giant dipole state, 2=3473
- Sawicki, J. High random phase approximation and energy spectra of spherical nuclei, 2=13962
- Sawicki, J. See Fano, G., 2=18230
- Sawicki, J. See Glendenning, N.K., 2=1798
- Sawicki, J. See Nilsson, S.G., 2=16383
- Sawicki, J. See Green, A.P., 2=4343
- Sawyer, D.E. Microprobing of functioning semiconductor devices for internal voltage and current distributions, 2=16750
- Sawyer, J.S. The physics of weather forecasting, 2=17122
- Sawyer, R.F. Anomalous thresholds and final state interactions in production processes, 2=308
- Sawyer, R.F. See Lee, B.W., 2=20261
- Sawyer, R.F. See Lee, B.W., 2=20262
- Saxena, A.N. High-energy interference effect of bremsstrahlung production in a single crystal of silicon, 2=7846
- Saxena, S.C. and Agrawal, J.P. Thermal conductivity of polyatomic gases and relaxation phenomena, 2=1206
- Saxena, S.C. and Agrawal, J.P. Interrelation of thermal conductivity and viscosity of binary gas mixtures, 2=19623
- Saxena, S.C. and Joshi, R.K. Thermal diffusion measurements by trennschaukel, 2=21937
- Saxena, S.C. and Narayanan, T.K.S. Multicomponent viscosities of gaseous mixtures at high temperatures, 2=19584
- Saxena, S.C. and Pardeshi, P.A. Various approximations for the isotopic thermal diffusion factor. II. Application to hydrogen isotopes, 2=13364
- Saxena, S.C. See Bhide, K.N., 2=22281
- Saxena, S.C. See Joshi, K.M., 2=5032
- Saxena, S.C. See Raman, S., 2=17503
- Sayasov, Yu.S. The scattering of electromagnetic waves by an ideally conducting sphere in an inhomogeneous medium, 2=239
- Sayasov, Yu.S. See Andriankin, E.I., 2=7611
- Sayer, M. Growth and decay of luminescence intensity under cathode ray excitation, 2=723
- Sayed, A.M. Cherenkov effect under the influence of an external magnetic field, 2=9820
- Sayasov, Yu.S. See Zel'manov, I.L., 2=13623
- Sayasov, Yu.S. See Zel'manov, I.L., 2=17914
- Sayce, L.A. See Wright, W.D., 2=13426
- Sazonova, T.E. See Konstantinov, A.A., 2=14213
- Sazykin, A. See Zhdanov, V., 2=15635
- Sbitnikova, I.S., Dubinina, E.M., Spivak, G.V. and Fetisov, D.V. Accessory for [thermal] emission electron microscope EEM-75 for imaging surfaces with the help of secondary emission, 2=1509
- Scacciati, G. See Gondi, P., 2=812
- Scalf, F.L. See Scarf, F.L., 2=11563
- Scalf, D.E. See Graham, J., 2=10298
- Scala, S.M. See Talbot, L., 2=2754
- Scalco, E.G. See Liang, C.Y., 2=21197
- Scanlon, J.H. and Milford, S.N. Approximate cross-sections for inelastic collisions of electrons with atoms. II. Forbidden transitions, 2=6106
- Scanlon, J.P. See Bowen, P.H., 2=13810
- Scanlon, J.P. See Bowen, P.H., 2=1691
- Scanlon, J.P. See Bowen, P.H., 2=7987
- Scanlon, W.W. Precipitation of Te and Pb in PbTe crystals, 2=10491
- Scaramuzzi, F. See Careri, G., 2=22108
- Scarborough, J.O. See Kneip, G.D.Jr 2=11563
- Scardefield, J.E. See Title, R.S., 2=23708
- Scarf, F.L. Landau damping and the attenuation of whistlers, 2=2490
- Scarf, F.L. Micropulsations and hydromagnetic waves in the exosphere, 2=17196
- Scarf, F.L. and Wess, J. A consistent operator solution for the Thirring model, 2=22385
- Scarf, F.L. See Liemohn, H.B., 2=17198
- Scarfone, L.M. Heavy-body potentials in the Lee model. I, 2=9782
- Scarfone, L.M. Many-body potentials in the Lee model. II, 2=11904
- Scarl, D.B. See Reynolds, G.T., 2=9733
- Scarl, D.B. See Waters, J.R., 2=18012
- Scarsi, L. See Linsley, J., 2=13930
- Scarsi, L. See Linsley, J., 2=20458
- Scarsi, L. See Linsley, J., 2=22662
- Scatchard, G. The Gibbs adsorption isotherm, 2=15095
- Scearce, C.S. See Heppner, 2=13064
- Scearce, C.S. See Ness, N.F., 2=13080
- Schaaffs, W. Velocity of sound in the theorem of corresponding states, 2=5070
- Schaaffs, W. Features of a new theory and systematics for the frequency-independent component of sound absorption in liquids, 2=5108
- Schaaffs, W., Kuhnies, R. and Woelk, H.U. The physical interpretation of "molar sound volumes" and of Rao's rule included in it, 2=19648
- Schaaffs, W. See Kuhnies, R., 2=19559
- Schaal, R.D. See Williams, W.S., 2=6731
- Schaarschmidt, A. See Dahmen, H.D., 2=9740
- Schabalina, O.K. Use of a marked replica process in electron microscopy, 2=6864
- Schade, H. See Busch, G., 2=16711
- Schade, W.J. See Kaplan, J., 2=15252
- Schadt, C.F. and Cadle, R.D. Thermal forces on aerosol particles, 2=2455
- Schaefer, A. Problems of illumination in microscopy, 2=22009
- Schaefer, G.J. A study of the angular response of lead sulfide photoconductors, 2=21196
- Schaefer, K.D. The distribution of light in the image plane of photographic lenses, 2=11515
- Schaefer, T. Long-range proton coupling constants in vinyl formate, 2=14242
- Schaefer, T. See Richards, R.E., 2=4291
- Schaeffer, O.A. and Zähringer, J. Solar flare helium in satellite materials, 2=15360
- Schaeffer, O.A. See Gentner, W., 2=11009
- Schaer, J. See Leutwyler, H., 2=9773
- Schaer, J. See Leutwyler, H., 2=21818
- Schaerf, C. See Beneventano, M., 2=22558
- Schäfer, K. and Stotz, S. The damped energy exchange between solid bodies and adsorbed gas molecules for O-H_2 and p-H_2 , 2=8898
- Schäfer, V. Investigation of luminescence decay of wolframate phosphors after excitation by u.v. light and electrons, 2=6613
- Schäferlingová, W. See Bayer, R., 2=9857
- Schaff, F., Harth, W. and Dommaschk, W. Deflection aberration of a cylindrical electrostatic simultaneous deflection system, 2=20025
- Schäff, F., Harth, W. and Dommaschk, W. Deflection aberration of a cylindrical electrostatic simultaneous deflection system, 2=20025
- Schafft, H.A. and French, J.C. "Second breakdown" in transistors, 2=14573
- Schalén, C. Some results from spectrophotometric work with a Schmidt telescope built by Y. Väisälä, 2=6968
- Schalla, R.L., Thaller, L.H. and Potter, A.E., Jr Effect of the temperature of formation on the crystallinity and electrical properties of germanium films on fluorite, 2=16696
- Schaller, L., Huber, P. and Baumgartner, E. Measurement of the energy per ion pair in nitrogen for protons and helium nuclei at energies below 1 MeV, 2=5304
- Schamp, H.W., Jr, Mason, E.A. and Su, K. Compressibility and intermolecular forces in gases. II. Nitrous oxide, 2=15644
- Schanda, J. Problems in the measurement of fluorescence spectra [of solids], 2=22040
- Schanda, J. See Lendvay, E., 2=8583
- Schapink, F.W. and Wolters, H.B.M. Quench softening of Cu whiskers, 2=4339
- Schapira, J.P. See Gastebois, J., 2=487
- Schara, M. See Blinc, R., 2=2208
- Scharbert, T. See Berényi, D., 2=10075
- Scharbert, T. See Mathé, G., 2=10056

- Scharf, B. Loudness summation and spectrum shape, 2=5104
- Scharff-Goldhaber, G. See Schmorak, M., 2=383
- Scharmann, A. See Bräunlich, P., 2=2265
- Scharmann, A. See Bräunlich, P., 2=16097
- Schatz, A. See Kern, E., 2=12446
- Schatz, M. See Radcliffe, S.V., 2=8841
- Schatz, P.N. See Maeda, S., 2=1270
- Schatz, P.N. See Maeda, S., 2=5072
- Schatzman, E. The influence of accretion on the evolution of white dwarfs, 2=2540
- Schatzman, E. On the possibility of observing radio emission from flare stars, 2=2565
- Schatzman, E. A theory of the role of magnetic activity during star formation, 2=11139
- Schawlow, A.L. Fine-line spectra of chromium ions in crystals, 2=4141
- Schawlow, A.L. Optical masers, 2=16024
- Schawlow, A.L. See Devlin, G.E., 2=6560
- Scheerer, L.D. Production of very stable magnetic fields in the range 0-50 gauss, 2=1555
- Scheerer, L.D. Energy shifts of the magnetic sublevels of $^3\text{S}_1$ helium caused by optical pumping, 2=16490
- Scheerer, L.D. See Walters, G.K., 2=22896
- Schechter, D. Theory of shallow acceptor states in Si and Ge, 2=14541
- Schecter, L. See Iall, P.C., 2=16332
- Scheel, N. and Griffing, V. Interaction energy of an alkali metal with a rare gas, 2=8118
- Scheer, B.T. Electrochemical diffusion, 2=8924
- Scheer, J.J. and van Laar, J. Photo-electric emission from cadmium telluride, 2=9620
- Scheer, J.J. See van Laar, J., 2=23367
- Scheer, M. See Felbinger, K., 2=3309
- Scheer, M.D. and Fine, J. Deactivation of $\text{Hg} (6^3\text{P}_1)$ by CO and N_2 , 2=6087
- Scheer, M.D. and Fine, J. Entropies, heats of sublimation, and dissociation energies of the cesium halides, 2=7463
- Scheer, M.D. and Fine, J. Kinetics of Cs^+ desorption from tungsten, 2=17073
- Scheer, M.D., McNesby, J. and Klein, R. Vacuum photolysis of solid ethane at 77°K, 2=19154
- Scheffler, H. Accuracy requirements in the production of optical surfaces for astronomical telescopes, 2=13090
- Scheggi, A.M. See Caprioli, L., 2=1278
- Scheggi, A.M. See Pratesi, R., 2=22325
- Scheglov, P.V. See Volkov, I.V., 2=19737
- Scheiber, D.J. An ultra low frequency bridge for dielectric measurements, 2=5291
- Scheiber, D.J. and Mead, D.J. Effect of absorbed water upon the dielectric properties of certain acrylic ester polymers, 2=16767
- Scheibling, F. See Gorodetzky, S., 2=376
- Scheibling, F. See Gorodetzky, S., 2=13980
- Scheibling, F. See Gorodetzky, S., 2=13996
- Scheibling, F. See Gorodetzky, S., 2=16327
- Scheibling, F. See Gorodetzky, S., 2=20522
- Scheibling, G. See Leray, J., 2=17655
- Scheidegger, A.E. General theory of dispersion in porous media, 2=13318
- Scheidegger, A.E. Finite strain in tectonic deformations, 2=17115
- Scheidegger, A.E. See Fara, H.D., 2=2419
- Scheidhauer, K. Noise in current loaded conductors in the thermal relaxation region, 2=13529
- Scheidler, G. Effect of divalent ion impurities on the optical absorption spectrum of silver bromide crystals, 2=2226
- Scheidler, G. Photochemical behaviour of illuminated AgBr crystals with divalent ion impurities, 2=22278
- Schell, R.R. See Roberts, R.W., 2=13680
- Schellbach, G. See Freitag, W., 2=11477
- Schellenberg, L. See Kern, J., 2=22752
- Schelleng, J.H. See Friedberg, S.A., 2=23072
- Scheller, H. Table of the principle lines of the visible spectra of 82 elements from 8900 to 3900 Å arranged by wavelengths and by elements, 2=3690
- Scheludko, A. Certain particulars of foam layers. I. Formation thinning, and complementary pressure, 2=17430
- Scheludko, A. Certain particulars of foam layers. II. Kinetic stability, critical thickness and equilibrium thickness, 2=17431
- Scheludko, A. Certain particulars of foam layers. III. Nature and thickness of dark layers and duration of foams, 2=17432
- Schembs, W. See Hellwege, K.H., 2=16892
- Schembs, W. See Hellwege, K.H., 2=16893
- Schenck, H.Jr. On the graphical solution of heat-flow problems having convection boundary conditions, 2=11517
- Schenk, H.L. and Young, F.J. Waveform of the time rate of change of total flux for minimum core loss, 2=13644
- Schenkel, F.W. New developments in photoemissive tubes, 2=18007
- Schepers, H. A new holmium activity with 11.5 minutes half-life, 2=22777
- Schepers, H. See Riezler, W., 2=150
- Scheraga, H.A. See Némethy, G., 2=17443
- Scheraga, H.A. See Nemethy, G., 2=17444
- Scherb, F. See Bridge, H.S., 2=12055
- Scherbakov, Yu, A. See Falomkin, I.V., 2=20381
- Scherer, J.R. Modified Urey-Bradley force field for condensed aromatic rings, 2=16536
- Scheringer, C. See Tracy, J.W., 2=15023
- Schermer, R.I. See Sailor, V.L., 2=18511
- Scherr, C.W. and Silverman, J.N. Perturbation analysis of two- to four-electron variational wave functions, 2=22886
- Scherr, C.W., Silvermann, J.N. and Matsen, F.A. Perturbation energy coefficients and ionization potentials of the ground state of three- to ten-electron isoelectronic atomic series, 2=18397
- Scheuer, W. See Suter, T., 2=3531
- Schey, H.M. See Burke, P.G., 2=10218
- Schey, H.M. See Burke, P.G., 2=10219
- Schiavello, M. and Volpi, G.G. Reactions of hydrogen atoms with hydrazine, ammonia, and nitrous oxide, 2=23952
- Schick, L.H. Multiple-scattering analysis of the three-body scattering problem, 2=3271
- Schieber, M. See Aharoni, A., 2=2288
- Schieber, M. See Aharoni, A., 2=16900
- Schiebold, E., Becker, E. and Vorsprach, F. Thulium-170 in gamma-defectoscopy, 2=21773
- Schieser, D.W. and Zvirblis, P. Detailed hyperfine structure in the electron paramagnetic resonance absorption spectrum of the phenazine semiquinone ion, 2=15618
- Schieve, W.C. and Peterson, R.L. Correlation function calculation of thermal conductivity, 2=13282
- Schiff, B. See Pekeris, C.L., 2=12285
- Schiff, H. A classical theory of bosons, 2=20241
- Schiff, H.I. See Phillips, L.F., 2=8909
- Schiff, H.I. See Phillips, L.F., 2=17086
- Schiff, H.I. See Phillips, L.F., 2=23953
- Schiff, H.I. See Phillips, L.F., 2=23954
- Schiff, L.I. Scattering of waves and particles by inhomogeneous regions, 2=2598
- Schiff, L.I. Particle theory approach to the two-pion and three-pion systems, 2=3389
- Schiff, M. Transfer of negative muons to gases dissolved in a hydrogen bubble chamber, 2=300
- Schiffer, J. and Hornig, D.F. On a reported new form of ice, 2=16834
- Schiffner, F., Agodi, A. and Giordano, R. A.D.W.B.A. analysis of the reaction $\text{Si}^{28}(\text{n}, \text{p})\text{Al}^{28}$, 2=20656
- Schill, W.J. See Barnett, C.F., 2=15929
- Schiller, A. Technical-physical advances and problems of the electron tube industry, 2=15953
- Schiller, P., Kronmüller, H. and Seeger, A. Discussion to the paper by B.S.Berry, 2=21396
- Schiller, P. See Seeger, A., 2=21013
- Schiller, R. Quasi-classical theory of the nonspinning electron, 2=2600
- Schiller, R. Quasi-classical transformation theory, 2=2601
- Schiller, R. Quasi-classical theory of the spinning electron, 2=2602
- Schiller, R. The role of primary processes in the pH dependence of the radiation chemistry of water, 2=10988
- Schiller, R. and Schwartz, M. Structure-independent electrodynamics in the electric-dipole approximation, 2=13722
- Schilling, G.F. A note on the atmosphere of Mars, 2=13110
- Schilling, H.K. Independent study and research in the undergraduate physics curriculum, 2=7102
- Schilling, J. See Häuser, W., 2=21995
- Schilz, W. Investigation of the interaction between the sound field and flow in a duct coated with porous absorbers and Helmholtz resonators, 2=2829
- Schilz, W. Application of plate absorbers to the [acoustic] suppression of wind tunnels, 2=19654
- Schiminovich, S. See Finkelstein, D., 2=9192
- Schiminovich, S. See Finkelstein, D., 2=22399
- Schindler, A.I. See Smith, R.J., 2=14488
- Schindler, K. On the stability of a plasma in static equilibrium, 2=11671
- Schindler, P. See Laves, P., 2=12468
- Schintmeister, J. and Stary, F. Importance of nanosecond techniques in nuclear physics, 2=5816

- hintlmeister, J. See Meiling, W., 2=2984
- hintlmeister, J. See Nathe, R., 2=9636
- hirber, J.E. and Swenson, C.A. The nature of the α - β transition in mercury, 2=14915
- hirber, J.E. and Swenson, C.A. Pressure-effect and thermal expansion for superconducting tin, 2=15853
- hissel, P.O. Production of oxygen and carbon monoxide from carbon dioxide in an ionization gauge, 2=19631
- hlag, E.W. Unimolecular rates due to multiple critical oscillators, 2=4528
- hlag, E.W. and Sandsmark, R.A. Computation of statistical complexions as applied to unimolecular reactions, 2=17085
- hlapp, D.M. Internal friction of glass under high strain, 2=23739
- hlegel, R. Transfinite numbers and cosmology, 2=11103
- hlein, P. See Pevsner, A., 2=5719
- hlein, P. See Pevsner, A., 2=22572
- hlein, P. See Pjerrou, G.M., 2=22634
- hlenk, B. Multichannel amplitude analyzer of the "grey wedge" type, 2=20178
- hlenk, B. See Csikai, J., 2=3193
- hlenker, L.D. See Nelson, E.B., 2=10103
- hlesinger, K. and Ramberg, E.G. Beam-deflection and photo devices, 2=15955
- hlesinger, M. See Halperin, A., 2=23216
- hleter, J.C. See Keegan, H.J., 2=17582
- hlich, R. See Lebeau, A., 2=17214
- hlich, R. See Roquet, J., 2=24063
- hlichta, P.J. A technique for simultaneous zone purification and single crystal growth, 2=16992
- hlieder, S. See Reeh, H., 2=3239
- hlieder, S. See Reeh, H., 2=22384
- hliher, C. See Berkling, K., 2=6238
- hliher, C. See Berkling, K., 2=12301
- hliephake, R.W. and Grimberg, W. Sample changer for radiological analyses, 2=868
- hliephake, R.W. and Grimberg, W. X-ray diffractometer for routine measurements in a small angular range, 2=8806
- hlogl, F. and Schurig, H. An experimental method for the determination of the pore-size in ion-exchange resins, 2=8873
- hlömann, E. Longitudinal susceptibility of ferromagnets in strong r.f. fields, 2=6660
- hlömann, E. A sum rule concerning the inhomogeneous demagnetizing field in nonellipsoidal samples, 2=18903
- hlömann, E. Spin-wave instability at large precession angles, 2=18923
- hlömann, E. See Bady, I., 2=12748
- hlömann, E. See Green, J.J., 2=6661
- hlömann, E. See Green, J.J., 2=12742
- hlömann, E. See White, R.M., 2=16930
- hlömer, H.E. See Krächter, H., 2=21865
- hloss, F. and Strasberg, M. Hydrophone calibration in a vibrating column of liquid, 2=17575
- hlosser, H. Symmetrized combinations of plane waves and matrix elements of the Hamiltonian for cubic lattices, 2=18543
- hlöthter, H. Deformation twins in thin gold films, 2=14454
- hludi, H.N. Power density of compact reactors, 2=10167
- hlumbohm, H. Electron avalanches in electronegative gases: simultaneous measurement of the shock ionization and attachment coefficients α and η for electrons and the velocities of positive and negative ions, 2=3003
- hlumbohm, H. Spatial expansion of a discharge in generation and in streamer formation [Kanalaufbau], 2=3013
- hlüpmann, K. See Goodman, L.S., 2=14194
- hlüter, H. Investigation of Balmer spectra for a high frequency discharge, 2=1398
- hluter, R.A. See Cool, R.L., 2=20430
- hmalberger, D.C. and Wrubel, M.H. Numerical studies of line blending, 2=2876
- hmalzried, H. See Morkel, A., 2=18650
- hmeer, H. See Hock, A., 2=21622
- hmid, E. See Wildermuth, K., 2=1852
- hmid, E.W. A Monte Carlo method for nuclear many body problems, 2=11905
- hmid, G. See Matossi, F., 2=6647
- hmid, G.M. See Hurd, R.M., 2=11347
- hmid, H. See Schwab, G.M., 2=4039
- hmid, J. Gas content and luminescence of a cavitation bubble (study using a glass-sphere model), 2=15566
- hmidbauer, E. See Bauer, H.J., 2=738
- hmidlin, F.W., Learn, A.J., Crittenden, E.C., Jr., and Cooper, J.N. Current-induced switching of superconductive thin films, 2=5238
- hmidt, B. See Bier, K., 2=11404
- Schmidt, E. See Lukes, F., 2=23511
- Schmidt, E. See Mayinger, F., 2=19613
- Schmidt, E.O. and Leidenfrost, W. Optimization of an adiabatic calorimeter for the exact measurement of the true specific heats of substances with low thermal conductivity, 2=15794
- Schmidt, F.H. See Fauska, H., 2=3113
- Schmidt, F.H. See Lieber, A.J., 2=12224
- Schmidt, G. Rotation of plasmas in Θ - pinches, 2=13572
- Schmidt, G. Nonadiabatic particle motion in axialsymmetric fields, 2=19969
- Schmidt, G. and Finkelstein, D. Magnetically confined plasma with a Maxwellian core, 2=13571
- Schmidt, G. and Herr, W. On the kinetics of Br isotope exchange between $[\text{MeBr}]^{2-}$ (Me=Re, Cs, Ir, or Pt) and Br^- ions, 2=852
- Schmidt, G. and Neumann, K.H. The influence of mechanical stresses on the dielectric properties of paraelectric Rochelle salt, 2=6532
- Schmidt, G.B. See Herr, W., 2=17101
- Schmidt, G.B. See Herr, W., 2=21006
- Schmidt, H. See Gobrecht, H., 2=23407
- Schmidt, H.J. The colouration of NaCl:Ag crystals by X-ray irradiation at low temperatures, 2=10422
- Schmidt, H.U. See Biermann, L., 2=4728
- Schmidt-Kaler, T. The spiral structure of the Milky Way, 2=24162
- Schmidt, P.W. See Hight, R., Jr., 2=19167
- Schmidt, V. See Bethge, H., 2=19042
- Schmidt, V.A., Edelman, S., Smith, E.R. and Pierce, E.T. Modulated photoelectric measurement of vibration, 2=9331
- Schmidt, W. See Feher, K., 2=21210
- Schmidt, P. See Lawrence, M., 2=4895
- Schmidt, P.W. See Müller, A., 2=4506
- Schmidt, T. Photometry of the ultraviolet copper resonance lines λ 3248Å and 3274Å on the sun, 2=4769
- Schmidt, V.H. and Uehling, E.A. Random motion of deuterons in KD_2PO_4 , 2=12365
- Schmidt-Kaler, T. On the age of the galaxy and the helium content of the old population I stars, 2=7030
- Schmidt-Rohr, U. See Igo, G., 2=478
- Schmidt-Rohr, U. See Igo, G., 2=10132
- Schmidt-Rohr, U. See Mayer-Böricke, C., 2=10133
- Schmidt-Rohr, U. See Mayer-Böricke, C., 2=14126
- Schmidt-Rohr, U. See Pfeleger, J., 2=10135
- Schmidt-Tiedemann, K.J. Experimental evidence of birefringence by free carriers in semiconductors, 2=4023
- Schmidtke, H.H. Walsh rules in the framework of the MO-LCAO approximation. II. AH_3 molecule, 2=14308
- Schmidtke, H.H. and Preuss, H. Walsh's rule in the framework of the L.C.A.O. MO approximation I. (AH_2 molecule), 2=538
- Schmidtke, H.H. See Bingel, W.A., 2=6217
- Schmidtke, H.H. See Bingel, W.A., 2=14309
- Schmillen, A. and Kramer, K. Fluorescence decay time of some aromatic hydrocarbons following α -particle excitation, 2=6631
- Schmit, J.L. See Lutes, O.S., 2=4223
- Schmitt, H. See Daniel, H., 2=14034
- Schmitt, K.H. See Waldmann, L., 2=11410
- Schmitt, R.W. The discovery of electron tunneling into superconductors, 2=2955
- Schmitz, A. The tunnel diode, 2=4049
- Schmitz, F. and Lindner, R. Diffusion of triply and quadruply charged fission product ions in UO_2 , 2=6377
- Schmitz, F. See Lindner, R., 2=8249
- Schmitz, G. and Patt, H.J. Method for the determination of material functions of gases from the temperature distribution of arcs of cylindrical symmetry, 2=15646
- Schmitz, G. and Uhlenbusch, J. Calculation of the temperature distribution and characteristics of a cylindrical nitrogen arc, 2=7586
- Schmitz, J. See Wilsdorf, H.G.F., 2=12436
- Schmorak, M., Emery, G.T. and Scharff-Goldhaber, G. M3 isomeric transition in tin-113, 2=383
- Schmouker, J. See Caldeiro, J.C., 2=11592
- Schmouker, J. See Cohen-Ganouna, J., 2=442
- Schmugge, T.J. and Jeffries, C.D. Sizeable dynamic proton polarizations, 2=23722
- Schmunk, R.E. and Brugger, R.M. The scattering surface method of measuring dispersion relations with a phased chopper velocity selector, 2=10822
- Schmutzer, E. On some problems and directions of development of relativity theory, 2=15472
- Schmutzer, E. Axiomatics of the Dirac γ - operator in Riemann space, 2=20238
- Schneeber, R. See Cvijanovic, G., 2=22515
- Schneeberger, J.P. See Marti, J.T., 2=14162

- Schneeberger, R. See Cvijanovich, G.B., 2-5638
- Schneider, B. See Hellwege, K.H., 2-16892
- Schneider, B. See Hellwege, K.H., 2-16893
- Schneider, D. See Lautz, G., 2-7521
- Schneider, D. See Lautz, G., 2-11568
- Schneider, E.E. Studies on the substructure of real crystals by optical methods and by magnetic resonance. I. Optical methods, 2-10399
- Schneider, E.E. Studies on the substructure of real crystals by optical methods and by magnetic resonance. II. Magnetic resonance methods, 2-10400
- Schneider, E.E. Role of impurities in radiation effects in ionic solids, 2-12464
- Schneider, E.E. Fundamental effects of the irradiation of solids [studied] by electron [spin] resonance, 2-14410
- Schneider, E.E. See Bansigir, K.G., 2-3929
- Schneider, E.E. See Bansigir, K.G., 2-23220
- Schneider, E.E. See Lancaster, G., 2-23706
- Schneider, H. and Hostettler, H.U. Temperature determination by velocity [Laufzeit] measurements on plasma waves, 2-19977
- Schneider, J. Paramagnetic resonance of Fe^{2+} ion in synthetic ZnO crystals, 2-12819
- Schneider, J. and Sircar, S.R. Paramagnetic resonance of Mn^{2+} ions in AgCl single crystals, 2-10704
- Schneider, J. and Sircar, S.R. Paramagnetic resonance of Mn^{2+} ions in synthetic and natural ZnO crystals. I. "allowed" transitions $\Delta M = 1$, $\Delta m = 0$, 2-23702
- Schneider, J. and Sircar, S.R. Paramagnetic resonance of Mn^{2+} ions in synthetic and natural ZnO crystals. II. Analysis of the forbidden transitions $\Delta M = \pm 1$, $\Delta m = \pm 1$, 2-23703
- Schneider, J. See Räuber, A., 2-12825
- Schneider, J. See Räuber, A., 2-21274
- Schneider, F. Recoil model in quantum field theory, 2-9801
- Schneider, F. Magnetic resonance phenomena in ferromagnetic substances, 2-14814
- Schneider, G. See Emeljanenko, O.V., 2-4042
- Schneider, G. See Justi, E., 2-657
- Schneider, H. and Wassel, H. Temperature dependence of scintillation counters, 2-7789
- Schneider, K. See Brunhart, G., 2-5547
- Schneider, M.V. and Tschopp, W. Properties of thermal mixers, 2-3165
- Schneider, P. Determination of mechanical, chemical and thermionic properties of thoriated tungsten, 2-18992
- Schneider, W. The calibration of gold and manganese foils as probes for neutron flux measurements. I., 2-11965
- Schneider, W. and Lindqvist, T. Automatic analysis of beta-ray spectra, 2-5619
- Schneider, W. See Frisk, Å., 2-1711
- Schneider, W. See Matthias, E., 2-3474
- Schneider, W.G. See Valteau, J.P., 2-2719
- Schnepp, O. See Ron, A., 2-15100
- Schnepps, J. See Kang, Y.W., 2-7909
- Schnitzer, H.J. Pion-pion scattering and low-energy pion production, 2-3396
- Schnitzer, H.J. Analytic properties of direct interactions, 2-20573
- Schnitzer, H.J. See Hatsukade, S., 2-22626
- Schnitzler, A.D., Folen, V.J. and Rado, G.T. Impurity ion effects in the ferrimagnetic resonance of ordered lithium ferrite, 2-12803
- Schnopper, H.W. See Watanabe, T., 2-20758
- Schnurmacher, G.L. Diffuse reflection coating for use with Cerenkov counters, 2-1629
- Schob, O., Nowotny and Benesovsky, F. The ternary systems (titanium, zirconium, hafnium)-aluminium-silicon, 2-17045
- Schober, H. Current views on the origin of visual sensation, 2-24231
- Schoch, A. A discussion of colliding beam techniques, 2-5592
- Schock, A. Electromagnetic acceleration of plasma for space propulsion, 2-3054
- Schock, A. and Eisen, C.L. Thermionic current transmission in a strong magnetic field, 2-1479
- Schodder, G.R. See Albers, W., 2-14940
- Schoeck, G. Correlation between dislocation length and density, 2-12435
- Schoeck, P.A. See Eckert, E.R.G., 2-15904
- Schoemaker, D. and Boesman, E. Paramagnetic resonance in alkaline halides doped with nitrate, 2-4248
- Schoemaker, D. See Boesman, E., 2-773
- Schoemaker, D. See Boesman, E., 2-21083
- Schoen, H.M. and Van den Bogaerde, J. Crystallization—emphasis is on basics, 2-14953
- Schoen, L.J. and Broida, H.P. Glass Dewars for optical and other studies at low temperatures, 2-11547
- Schoen, L.J., Man, D.E., Knobler, C. and White, D. Rotation-vibration spectrum of matrix-isolated hydrogen chloride, 2-22971
- Schoening, F.R.L. and Baltz, A. Twinning in permalloy films as observed by electron diffraction and electron microscopy, 2-10707
- Schoening, F.R.L. See Witt, F., 2-19071
- Schofield, P. See Egelstaff, P.A., 2-11946
- Scholl, H. Formation of hearing and masking thresholds of impulses, 2-15424
- Scholl, H. Dynamic behaviour of the ear in the separation of the sound spectrum into frequency groups, 2-15425
- Scholten, P.C. and Mysels, K.J. Measurement of electrodiffusion. Effect of electrosmosis on diffusion, 2-1141
- Scholten, P.C. and Mysels, K.J. Macroscopic theory of electrodiffusion, 2-2657
- Scholz, W. See Stierlin, U., 2-22781
- Schölze, H. See Ehrlich, G., 2-23984
- Schön, M., Knobloch, J. and Luchner, K. Continuous measurement of the dielectric constants of powdered photoconducting phosphors, I. Experimental part, 2-2190
- Schön, R.W. See Ruge, I., 2-12395
- Schönberger, P. See Rosenberg, M., 2-10519
- Schönert, H. and Sinistri, C. Phenomenological theory of transport phenomena in fused salts, 2-19549
- Schönheit, E. Mass-spectrometric investigations of the photoionization of argon, 2-6104
- Schönhofer, A. Wannier's theorem, 2-18544
- Schooley, J.F., Hoppes, D.D. and Hirshfeld, A.T. The gamma-ray distribution from oriented cerium-141, 2-20568
- Schooley, J.F. See Ambler, E., 2-4913
- Schooley, J.F. See Ambler, E., 2-19367
- Schoolman, S.A. and McBlain, D.A. The measurement of temperature change in an adiabatic expansion, 2-11422
- Schöpf, H.G. On an approximate solution of the Einstein field equations representing a source-free gravitational field, 2-7118
- Schöpf, H.G. On the thermodynamics of negative absolute temperatures, 2-13495
- Schopper, H. See Appel, H., 2-10076
- Schopper, H.F. Some remarks about the validity of the Rosenbluth formula, 2-16185
- Schopper, H.F. See Littauer, R.M., 2-1680
- Schörling, P.O. On the interpretation of X-ray flash spectra, 2-8547
- Schouten, J.F., Cohen, A. and T.Hart, J. Study of time cues in speech perception, 2-11219
- Schove, D.J. Auroral numbers since 500 B.C., 2-15253
- Schowitz, K.H. and Kriegsmann, H. The method and measurements for absolute intensity [determinations] of absorption bands, especially with the UR 10, 2-7367
- Schrack, R.A., Leiss, J.E. and Penner, S. Neutral meson photoproduction from complex nuclei, 2-20597
- Schrader, D.M. and Prager, S. Use of electrostatic variation principles in molecular energy calculations, 2-22932
- Schrader, E.W. See McCool, W.J., 2-3644
- Schrader, G. See Kolk, A., 2-13633
- Schram, A. See Petermann, L.A., 2-23920
- Schramm, K.H. On the theory of the temperature dependence of the bulk modulus of metals, 2-10735
- Schramm, K.H. Ionization and phase equation of a high pressure high temperature plasma, 2-15916
- Schrank, G., Warburton, E.K. and Daehnick, W.W. Inelastic scattering of 17 MeV protons from Be^9 , B^{10} , Ne^{20} , Mg^{24} , and Mg^{26} , 2-20609
- Schroeder, R. See Shorb, A.M., 2-21822
- Schreiber, D.S. See Cloud, W.H., 2-12689
- Schreiber, G. and Wendt, M.O. An apparatus for the manufacture of dielectric multiple-layers, 2-5174
- Schreiber, G. and Wendt, M.O. Apparatus for production of dielectric multilayers, 2-22043
- Schreiber, G. See Freytag, E., 2-14949
- Schreiber, W. See Exner, G., 2-22005
- Schreier, H. See Witzmann, H., 2-12623
- Schreurs, J.W.H. and Kivelson, D., Note on hyperfine interaction tensors in E.S.R. spectra, 2-2016
- Schricker, D. See Anderson, R., 2-22907
- Schrieffer, J.R. The effect of collective excitations on the single particle spectra of nuclei, 2-16289
- Schrieffer, J.R. and Ginsberg, D.M. Calculation of the quasi-particle recombination time in a superconductor, 2-15846
- Schrieffer, J.R. See Bassani, F., 2-20957
- Schrieffer, J.R. See Bardasis, A., 2-5225
- Schrieffer, J.R. See Culler, G.J., 2-15848
- Schrieffer, J.R. See Pines, D., 2-3881
- Schrieffer, J.R. See Robinson, J.E., 2-23110

- hrils, R. See Downs, B.W., 2-18186
- hröder, G.A. Measurement of the static breakdown field strength in a homogeneous field in air for distances between 2-9 cm, 2-9558
- hröder, G.A. On the discharge mechanism in air in a homogeneous field at electrode distances from 2.5 to 9 cm, 2-17813
- hröder, H. Resistance anomaly of magnetite with different degrees of oxidation above the transition point, 2-6427
- hröder, H. Resistance anomalies in magnetite in various states of oxidation above the transition point, 2-12499
- hröder, K. Specific heat of Cr-Fe alloys from -140° to 350°C, 2-6275
- hröder, W. Auroral observations during the year 1958-1960 in Germany, 2-11078
- hroeder, B.W. and Cherry, R.D. Caesium-137 in the seas off the Cape of Good Hope, 2-15182
- hroeder, H. Properties and applications of oxide layers deposited on glass from organic solutions, 2-17639
- hroeder, K.A. See Runciman, W.A., 2-3814
- hroeder, M.R. and Kuttruff, K.H. On frequency response curves in rooms. Comparison of experimental, theoretical, and Monte Carlo results for the average frequency spacing between maxima, 2-2853
- hroeder, R.A., Weir, C.E. and Lippincott, E.R. Lattice frequencies and rotational barriers for inorganic carbonates and nitrates, 2-16835
- hroeder, W. and Pittman, C.W. A guidance technique for interplanetary and lunar vehicles, 2-11204
- hroen, W. See Mayer, H., 2-13546
- hroer, B. See Haag, R., 2-9184
- hroeter, K.E. See Böer, K.W., 2-10561
- hroten, H.G.M. See Omar, M.H., 2-9461
- hröter, E.H. See Mattig, W., 2-4773
- hröter, E.H. See Mattig, W., 2-4774
- hrötter, H.W. and Bernstein, H.J. Absolute Raman intensities, 2-7258
- hrüfer, E. See Felbinger, K., 2-3309
- hrutka-Rechtenstamm, G. Definitive determination of the path of the comet 1957 V (Mrkos), 2-6995
- hubert, D. and Unangst, D. Change in resistance of selenium and of cinnabar on irradiation with X-rays, 2-23469
- hubert, D.C. See Marton, L., 2-3799
- hubert, E.D. and Schultz, M.C. Some aspects of binaural signal selection, 2-13217
- hubert, G. See Müller, G.O., 2-1356
- hubert, K., Meissner, H.G., Pötzschke, M., Rossteutscher, W. and Stolz, E. Some structural data of metallic phases VII, 2-17016
- hubert, M. and Wilhelmi, B. Concerning the possibility of estimating molecular dipole moments from statistical theory, 2-1977
- hubert, P. and Steffen, F. Influence of shape of small studios and listening rooms, 2-17578
- huberth, H. Comparison between phase equilibria of ideal liquid-solid systems with simple eutectic and phase equilibria of strongly non-ideal liquid-vapour systems, 2-8906
- huberth, H. Calculation of vapour-liquid phase equilibria of heteroazeotropic binary systems with relatively small mutual solubility and testing of the same on experimental data I, 2-11540
- huberth, H. Prediction of the vapour-liquid phase equilibrium curves for a binary system containing an azeotrope. II, 2-19785
- huch, R.L. See Van Dilla, M.A., 2-19279
- hücking, E. See Bergmann, P.G., 2-13248
- hücking, E. See Oxsváth, I., 2-13255
- huele, W.J. and Deetscreek, V.D. Appearance of a weak ferromagnetism in fine particles of antiferromagnetic materials, 2-12668
- hug, J.D., Brown, T.H. and Karplus, M. Spin resonance spectra of substituted aromatic ions; superposition model, 2-18478
- huhl, C. and Tzara, C. An orange-sector monochromator of positrons, 2-3320
- huhl, C. See Miller, J., 2-12183
- huhl, G. See Miller, J., 2-20590
- huhmann, H. and Kaltwasser, K. Contribution to the phase diagram of potassium-mercury, 2-21549
- huit, G.C.A. Thermodynamic properties of transition metal compounds and coordination complexes. I. The heats of hydration of divalent cations in the series Ca^{2+} - Zn^{2+} , 2-10967
- huit, G.C.A. Thermodynamic properties of transition metal compounds and coordination complexes, 2-17038
- hüle, W., Seeger, A., Schumacher, D. and King, K. Point defects in gold, 2-23153
- Schüle, W. See Ramsteiner, F., 2-18570
- Schüle, W. See Schumacher, D., 2-12421
- Schuler, C. An electron diffraction equipment for investigating thin films in ultrahigh vacuum, 2-4509
- Schuler, C.J., Çiftan, M., Bradley, L.C., III and Stroke, H.H. Hyperfine structure and isotope shift in the $7^2\text{S}_{1/2}$ - $6^2\text{P}_{1/2}$ transition of natural thallium by atomic beam absorption, 2-10206
- Schuler, F. Magnetic films: nucleation, wall motion, and domain morphology, 2-12774
- Schüler, H. and Arnold, G. Observation of the emission of a triplet-triplet transition of naphthalene in a glow discharge, 2-3015
- Schüler, H. and Arnold, G. Observation of elementary processes in excited molecules. Cyclohexane example, 2-20880
- Schüler, K. Investigation of the adhesion force of oxide permanent magnets bound together with plastics, 2-20101
- Schülke, W. and Brummer, O. Comparative studies of interference with coherent and incoherent position of the X-ray source in crystal lattice, 2-14993
- Schülke, W. See Brummer, O., 2-14997
- Schulkin, M. See Marsh, H.W., 2-17555
- Schuller, D. See Duval, X., 2-21573
- Schulman, J.H. See Rabin, H., 2-6384
- Schulman, J.H. See Rabin, H., 2-23217
- Schult, O.W.B. Precise measurement of the low energy neutron capture gamma radiation in Gd^{160} , Gd^{180} , Sm^{150} , Sm^{153} and Eu^{162} , 2-3595
- Schult, P. See Saur, E., 2-9486
- Schult, R.L. and Capps, R.H. K^- absorption and the Y_0 , 2-7903
- Schulte, E. Production of square pulses by means of transistors in the avalanche mode, 2-11593
- Schulte-Frohlinde, D. and Eiben, K. Solvated electrons in frozen solutions, 2-19151
- Schulten, R. and Kern, E. Method of solution of the general linear differential equation with application to the reactor equation, 2-10174
- Schultz, G. Electroluminescent layers produced by evaporation, 2-8590
- Schultz, G. A simple interference microscope for vertical illumination, 2-9380
- Schultz, G. X-ray and optical investigation of Al_2O_3 - Cr_2O_3 mixed crystals, 2-15022
- Schultz, G. and Bober, M. Measurements of photoconductivity and conductivity in boric acid and chromic oxide crystals, 2-8434
- Schultz, G. See Alberz, J., 2-7318
- Schulz, G. See Kind, E.G., 2-24210
- Schulz, G.J. and Dowell, J.T. Excitation of vibrational and electronic levels in O_2 by electron impact, 2-22974
- Schultz, G.V. Determination of the quantum efficiency of ruby fluorescence with excitation in one of the blue absorption lines, 2-10619
- Schultz, G.V. Shift of the absorption bands of Cr_2O_3 through incorporation in In_2O_3 , 2-21248
- Schultz, G.V. and Haberland, D. Infrared absorption of Ni-centres in corundum, 2-16830
- Schultz, J. See Chambers, R.H., 2-21412
- Schultz, J.M., McHugh, J.P. and Tiller, W.A. Effects of heavy deformation and annealing on the electric properties of Bi_2Te_3 , 2-18697
- Schultz, J.W. and Hornig, D.F. The effect of dissolved alkali halides on the Raman spectrum of water, 2-5021
- Schultz, J.W. See Blakemore, J.S., 2-13480
- Schultz, M.C. See Schubert, E.D., 2-13217
- Schultz, T. See Lieb, E., 2-2290
- Schultze, G. and Ahlf, J. Excited states of uranium-223, 2-5814
- Schultze, G.E.R. See Sippel, D., 2-21502
- Schultze, K. The behaviour of different liquids during electrostatic atomization, 2-4997
- Schulz, D.A. and Searcy, A.W. Effect of channel length on the force exerted by effusing vapours, 2-17494
- Schulz, G. Electrical probe measurements in ionized flame gases at various pressures, 2-5206
- Schulz, G. A theory of two beam interference, 2-19722
- Schulz, G. See Kind, E.G., 2-1035
- Schulz, G.J. Vibrational excitation of nitrogen by electron impact, 2-3729
- Schulz, H. The mechanical relaxation in Ice-HF-crystals with various HF-concentrations, 2-8715
- Schulz, H. See Eckart, F., 2-12526
- Schulz, H.J. See Broser, I., 2-8413
- Schulz, K. Crystal electron terms for the incompletely symmetric ground state of lattice particles, 2-6302

- Schulz, K. Splitting of crystal terms due to the interaction of equivalent lattice particles, 2=18548
- Schulze, G.E.R. Verification of interatomic distance rules in Laves phases, 2=829
- Schulze, R.G. and Kulp, B.A. On the conductivity of cadmium sulfide following electron bombardment, 2=14549
- Schumacher, B.W. A demonstration of the backscattering of electrons from targets of different atomic number, 2=13602
- Schumacher, D., Schüle, W. and Seeger, A. Investigation of atomic defects in deformed and quenched nickel, 2=12421
- Schumacher, D. See Schule, W., 2=23153
- Schumacher, D.P. Polymorphic transition in LiH, 2=14922
- Schumacher, H.J. See Castellano, E., 2=21591
- Schumacher, R.T. and Hall, J.L. Polarization of Li nuclei in irradiated LiH, 2=3815
- Schumacher, R.T. See Hall, J.L., 2=21364
- Schuman, R.P. and Berreth, J.R. Neutron activation cross-sections of Pm^{147} , Pm^{148} , and Pm^{148m} , 2=12204
- Schuman, R.P. See Reich, C.W., 2=16369
- Schuman, R.P. See Simpson, O.D., 2=5980
- Schumann, W.O. Motion of charge carriers in gases under the action of crossed electric and magnetic fields, 2=9688
- Schunk, E. See Meyer, E., 2=2843
- Schupp, A.A. See Ware, A.A., 2=3045
- Schüppel, W. Spontaneous character of the time dependent induced anisotropy of ferromagnetic thin films, 2=23669
- Schüppel, W. and Kambersky, V. Ferromagnetic thin layers. II. (4), Domain and wall structures, 2=23667
- Schüppel, W. See Andrä, W., 2=10657
- Schüppel, W. See Málek, Z., 2=4228
- Schüppel, W. See Málek, Z., 2=10659
- Schurig, H. See Schlögl, R., 2=8873
- Schürmann, P. See Niewodniczanski, T., 2=20641
- Schuster, D. See Levy, G.S., 2=19350
- Schutte, C.J.H. Comment on: "I.R. absorption spectra of platinum (II) nitrohalides in the NaCl-prism range" and an assignment of the anomalous NO_2^- -vibrations in the complexes, 2=18842
- Schutte, C.J.H. and Buijs, K. A difference band of a fundamental and a lattice mode in the infrared spectra of lead and other carbonates, 2=8531
- Schuttler, R. See Bok, J., 2=5686
- Schütz, G. Thickness measurement with composite β -ray sources, 2=19492
- Schwab, G.M. Semiconductors as catalysts, 2=8918
- Schwab, G.M. and Schmid, H. Effect of added oxides on p-conducting nickel oxide, 2=4039
- Schwab, G.M., Sizmann, R. and Todo, N. Alteration of the catalytic activity of copper by α -irradiation, 2=4563
- Schwabe, G. Measurement of small diffusion depths in semiconducting materials, 2=16703
- Schwabe, K. Detection of the dehydration of anodic barrier layers, caused by the electric field, with the aid of T_2O , 2=8921
- Schwabe, K. Adsorption measurements on solid surfaces using radionuclides, 2=19115
- Schwabe, K. See Wiesner, K., 2=5215
- Schwabe, P.H. See Maggs, F.A.P., 2=15795
- Schwabl, F. and Thirring, W. A simple theory of superconductivity, 2=17721
- Schwachheim, G. See De Moura, L.A., 2=3441
- Schwalm, D. Long-term behaviour of a homogeneous spherical natural-uranium heavy-water reactor with outer control rod zone, 2=8022
- Schwalm, D. See Papmehl, N., 2=18116
- Schwaneke, A.E. and Jensen, J.W. Magnetic susceptibility and internal friction of tetragonal manganese-copper alloys containing 70 percent manganese, 2=12737
- Schwartz, C. Electron scattering from hydrogen, 2=531
- Schwartz, C. Variational calculations of scattering, 2=1660
- Schwartz, C. Importance of angular correlations between atomic electrons, 2=12279
- Schwartz, F.R. and Pernick, B.J. Time resolved spectroscopy of high speed events, 2=19710
- Schwartz, J. See Kirz, J., 2=9902
- Schwartz, K. and Hink, W. An X-ray shadow microscope of high resolution with single-stage source demagnification, 2=22292
- Schwartz, L. Causality and analyticity, 2=19376
- Schwartz, L. See Mandelkorn, J., 2=10543
- Schwartz, M. and Gohmann, E.J. Jr Influence of surface coatings on impedance and absorption of urethane foams, 2=9357
- Schwartz, M. See Danby, G., 2=20308
- Schwartz, M. See Eisler, F., 2=22568
- Schwartz, M. See Samios, N.P., 2=13842
- Schwartz, M. See Schiller, R., 2=13722
- Schwartz, M.F. Differential effect of instructions upon the rate of oral reading, 2=7057
- Schwartz, R.B. See Fraser, J.S., 2=7992
- Schwartz, R.N. See Townes, C.H., 2=4863
- Schwarz, E. See Linde, H., 2=13475
- Schwarz, E. See Linde, H., 2=13476
- Schwarz, E. See Linde, H., 2=13477
- Schwarz, H. Lower Pressure limit of common gauges, 2=2798
- Schwarz, H. Remarks on power density, total power, and pressure of electron beams, as a welding, cutting and surfacing tool, 2=17888
- Schwarz, S. See Kjellman, J., 2=5969
- Schwarz, S.E. See McClung, F.J., 2=23545
- Schwarz, U. See Gfeller, C., 2=4751
- Schwarzenbach, D. See Brun, E., 2=4298
- Schwarzschild, M. and Härm, R. Red giants of population II. II, 2=19324
- Schwarzschild, M. and Selberg, H. Red giants of population II. I, 2=19323
- Schwebel, S.L. See Sachs, M., 2=5564
- Schwebel, S.L. See Sachs, M., 2=22304
- Schweber, S.S. On Feynman quantization, 2=21820
- Schwed, P., Pomerantz, M.A., Hanson, H. and Benjamin, H. Satellite-borne instrumentation for observing flux of heavy primary cosmic radiation, 2=3424
- Schweda, S. See Boersch, H., 2=13596
- Schweitzer, D.G. Thermal properties of air-cooled graphite channels, 2=18383
- Schweizer, F. Magnetic shielding factors of a system of concentric spherical shells, 2=7710
- Schweizer, F. and Richardson, J.R. Half-life and high-energy positron end point of Sc^{40} , 2=16374
- Schweizer, G. and Lauber, R. Stability investigation on loose coupled reactor systems, 2=6002
- Schweizerhof, S. Development trends in ferrites for communications techniques, 2=12788
- Schweizerhof, S. Development trends in ferrites for communications techniques, 2=16922
- Schwendeman, R.H. and Jacobs, G.D. Molecular structure of ethyl chloride, 2=6126
- Schwendeman, R.H. The matrix elements of the direction cosines in the Wang symmetric rotator basis, 2=6138
- Schwendeman, R.H. and Jacobs, G.D. Microwave spectrum, structure, quadrupole coupling constants, and barrier to internal rotation of chloromethylsilane, 2=6151
- Schwenker, J.E. and Long, T.R. Support and extension of the rotational model of thin film magnetization, 2=12652
- Schwerdtfeger, C.F., Funk, E.G. Jr and Mihelich, J.W. Decay of Pm^{148} , Pm^{148m} , and Eu^{148} , 2=7946
- Schwerdtfeger, C.F., Prask, H.J. and Mihelich, J.W. The decay of Eu^{147} to levels in Sm^{147} , 2=14047
- Schwidtal, K. Superconductivity of lanthanum foils and of evaporated lanthanum films with addition of gadolinium, 2=22118
- Schwinger, J. Gauge invariance and mass, 2=3236
- Schwinger, J. Non-Abelian gauge fields. Commutation relations, 2=3241
- Schwinger, J. Quantum, variables and the action principle, 2=15479
- Schwinger, J. Non-Abelian gauge fields. Relativistic invariance, 2=16114
- Schwinger, J. Exterior algebra and the action principle. I, 2=19419
- Schwinger, J. See Brown, L., 2=5569
- Schwink, C. and Krause, D. On the coercive force of nickel single crystals, 2=10653
- Schwink, C. See Biller, E., 2=12811
- Schwochau, K. Crystal structure of sodium and silver pertechnetates, 2=23854
- Schwuttké, G.H. X-ray diffraction microscopy study of imperfections in silicon single crystals, 2=10370
- Schwuttké, G.H. X-ray observations of partial dislocations in epitaxial silicon films, 2=10396
- Schwuttké, G.H. Direct observation of imperfections in semiconductor crystals by anomalous transmission of X-rays, 2=21044
- Schwuttké, G.H. and Queisser, H.J. X-ray observations of diffusion-induced dislocations in silicon, 2=10397
- Sciama, D.W. Consequences of an open model of the galactic magnetic field, 2=9105
- Scibor-Marchocki, R.I. Contrapositive, 2=2926
- Scidmore, W.H. and Yoder, P.R., Jr A simple means of demonstrating coma in the laboratory, 2=90
- Scidmore, W.H. See Shenker, M., 2=17596

- esiński, J. See Janik, J.A., 2=292
- ntei, N. See Hulubei, H., 2=14092
- nteie, N. See Martalogu, N., 2=7794
- ulli, C.M. See Madonna, L.A., 2=1313
- ulli, F.J. See Dobbs, J.M., 2=11995
- uti, S. See Giannini, M., 2=378
- uti, S. See Giannini, M., 2=5798
- uti, S. See Giannini, M., 2=20549
- uti, S. See Giannini, M., 2=22756
- ar, N. Energy gaps of the III-V and the (rare earth) - V semiconductors, 2=23310
- oins, H.I. See Rushbrooke, G.S., 2=4953
- oles, G. See Beenakker, J.J.M., 2=19611
- oles, G. See Boato, G., 2=9465
- olnick, M. See Cedarlund, R., 2=5696
- onzo, P. The use of Lambert's theorem in orbit determination, 2=6976
- otoni, I. See Loria, A., 2=1714
- ott, A.B. See Gruzensky, P.M., 2=8297
- ott, A.C. Distributed effects in large-area Esaki diodes, 2=23426
- ott, B.L. and Moszkowski, S.A. Nuclear matter calculations using the separation method, 2=5786
- ott, B.S. Further studies of a 9-cps resonant-frequency effect in the human fovea-cortex system, 2=24226
- ott, D.R. and Becker, R.S. Erratum: Comprehensive investigation of the electronic spectroscopy and theoretical treatments of ferrocene and nickelocene, 2=6183
- ott, D.W., Good, W.D., Todd, S.S., Messerly, J.F., Berg, W.T., Hossenlopp, I.A., Lacina, J.L., Osborn, A., and McCullough, J.P. 3,3-dimethyl-2-thiabutane: chemical thermodynamic properties and barriers to internal rotation, 2=3732
- ott, D.W., Guthrie, G.B., Messerly, J.F., Todd, S.S., Berg, W.T., Hossenlopp, I.A. and McCullough, J.P. Toluene: thermodynamic properties, molecular vibrations, and internal rotation, 2=15822
- ott, D.W., Messerly, J.F., Todd, S.S., Hossenlopp, I.A., Douslin, D.R. and McCullough, J.P. 4-fluorotoluene: chemical thermodynamic properties, vibrational assignment, and internal rotation, 2=20847
- ott, E. See Neyman, J. [Eds.], 2=2553
- ott, E.L. See Neyman, J., 2=9102
- ott, F.R., Dacus, E.N. Tuckfield, R.J., Jr Optical emission line profile analyzer, 2=22034
- ott, F.R. and Eldridge, O.C., Jr High- β injection into a magnetic mirror field, 2=1439
- ott, G.D., Bernal, J.D., Mason, J. and Knight, K.R. Radial distribution of the random close packing of equal spheres, 2=19537
- ott, G.G. Review of gyromagnetic ratio experiments, 2=12760
- ott, G.J. See McDaniel, M.L., 2=19777
- ott, H. See Biggerstaff, J.A., 2=20667
- ott, H.G. Sputtering of gold by low energy inert gas ions, 2=13607
- ott, J.L. See King, J.W., 2=24039
- ott, K.T. and Buddery, J.H. The release of krypton 85 from irradiated uranium on thermal cycling through the phase changes, 2=4457
- ott, K.T. See Buddery, J.H., 2=6061
- ott, P.B. and Greening, J.R. Recombination in parallel plate free-air ionization chambers, 2=3195
- ott, P.L. and Jeffries, C.D. Spin-lattice relaxation in some rare-earth salts at helium temperatures; observation of the phonon bottleneck, 2=14838
- ott, M.C. See Ryves, T.B., 2=20700
- ott, M.C. See Ryves, T.B., 2=20701
- ott, R.L. and Dunlap, R.D. On the determination of second virial coefficients [of gases], 2=15642
- ott, R.L. See Parsonage, N.G., 2=18499
- ott, R.M. Optical engineering, 2=17593
- ott, S.A. See Hall, R.S., 2=5656
- ott, T.A. Nuclear quadrupole resonance of N^{14} in solid N_2 , 2=8692
- ott, V.D. Electron beam micro-analysis of some plutonium-iron alloys, 2=4516
- ott, V.D. See Ranzetta, G.V.T., 2=4500
- ibner, B.F. Emission spectrometry, 2=19181
- ibner, B.F. See Meggers, W.F., 2=3691
- ibner, B.F. See Meggers, W.F., 2=12280
- iven, L.E. See Dahler, J.S., 2=1087
- utton, R.F. A contribution to the thermal analysis of the shear zone in metal cutting, 2=14911
- ll, P.S. See Coxell, H., 2=3189
- rlock, R.G. See Grace, M.A., 2=22731
- borg, G.T. The transuranium elements, 2=7778
- borg, G.T. See Thomas, T.D., 2=14141
- ger, S.L. See Giddings, J.C., 2=4580
- Seagondollar, L.W. See Harris, G.I., 2=22742
- Seagondollar, L.W. See Rangan, L.K., 2=20620
- Searcy, A.W. See Schulz, D.A., 2=17494
- Searl, J.W., Smith, R.C. and Wyard, S.J. Electron spin resonance absorption for polycrystalline substances. II, 2=2297
- Sears, F.W. The most important thing, 2=13231
- Sears, G.W. The origin of spherulites, 2=2361
- Sears, G.W. Ultimate strength of crystals, 2=6748
- Seaton, M.J. The impact parameter method for electron excitation of optically allowed atomic transitions, 2=14222
- Seaton, M.J. and Peach, G. The determination of phases of wave functions, 2=15485
- Seaton, M.J. See Hummer, D.G., 2=17295
- Seaton, M.J. The temperature of the polar corona, 2=24122
- Seaton, M.J. See Saraph, H.E., 2=22913
- Seay, G.E. See Reynolds, C.E., 14641
- Sebaoun, W. The reactions $Cs(\gamma, p)$ and $I(\gamma, p)$ at energies of 14.8 and 17.6 MeV, 2=1863
- Sébaoun, W. and Gauvin, H. On the mechanism of the reaction $C^{12}(\gamma, 3\alpha)$ at 17.6 MeV, 2=7969
- Sébaoun, W. See Kowalski, L., 2=9735
- Seb In Do. See Do In Seb.
- Sebire, N., Cojan, J.L. and Giacomo, P. Multilayer interference filters for the ultra-violet near λ 2500 Å, 2=7379
- Sebring, P.B. See Arthur, J.S., 2=13202
- Sechrist, C.F., Jr. Very low frequency phase perturbations observed during geomagnetic storms, 2=20162
- Secker, P.E., Guile, A.E. and Caton, P.S. Skin effect as a factor in the movement of cold-cathode arcs, 2=13551
- Secrest, D., Cashion, K. and Hirschfelder, J.O. Power-series solutions for energy eigenvalues, 2=19428
- Seddon, B.J. Zirconium data manual. Properties of interest in reactor design, 2=22875
- Sederholm, C.H. See Petrakis, L., 2=10282
- Sederholm, C.H. See Thompson, D.S., 2=18483
- Sedlacek, R. and Halden, F.A. Method for tensile testing of brittle materials, 2=8743
- Sedlak, Ya. See Pernegr, Ya., 2=1745
- Sedletskii, R.V. See Petrzhak, K.A., 2=20203
- Sedney, R. and Kahl, G.D. Interferometric study of the hypersonic blunt body problem, 2=2749
- Sedov, L.I. Orbits of space rockets in the direction of the moon, 2=11170
- Sedov, L.I. Dynamic effects during the motion of artificial earth satellites, 2=11175
- Sedov, L.I. and Eglit, M.E. Construction of non-holonomic models of continuous media, taking into account finite deformations and some physico-chemical effects, 2=11312
- Sedov, V.L. Antiferromagnetism of iron-manganese alloys, 2=6682
- Seebass, R. On "transcritical" and "hypercritical" flows in magneto-gasdynamics, 2=3147
- Seebold, R.E. and Birks, L.S. Elevated temperature diffusion in the systems Nb-Pt, Nb-Se, Nb-Zn, Nb-Co, Ni-Ta, and Fe-Mo, 2=3954
- Seebold, R.E. See Birks, L.S., 2=3943
- Seed, D.P. An evaluation of the trigonal field parameter for vanadium corundum, 2=23035
- Seeger, A. Recent advances in the theory of defects in crystals, 2=3895
- Seeger, A. and Diehl, J. Recent work in Stuttgart on radiation damage and the properties of point defects in metals, 2=20993
- Seeger, A. and Kronmüller, H. Stored energy and recovery of deformed f.c.c. metals, 2=23183
- Seegar, A. and Mader, S. The production of large dislocation jogs by Frank-Read sources with spiral character, 2=6343
- Seeger, A., Mann, E. and v. Jan, R. Interstitial atoms in face centred cubic crystals, in particular in copper, 2=16643
- Seeger, A. and Schiller, P. The formation and diffusion of kinks as the fundamental process of dislocation movement in internal friction measurements, 2=21013
- Seeger, A. and Statz, H. The electrical resistivity of stacking faults, 2=16663
- Seeger, A. See Czjzek, G., 2=14450
- Seeger, A. See Kronmüller, H., 2=14898
- Seeger, A. See Pfeiffer, W., 2=16958
- Seeger, A. See Ramsteiner, F., 2=18570
- Seeger, A. See Rieger, H., 2=10652
- Seeger, A. See Schiller, P., 2=21396
- Seeger, A. See Schüle, W., 2=23153
- Seeger, A. See Schumacher, D., 2=12421
- Seeger, A. See Träuble, H., 2=12772
- Seeger, C.L. See Bracewell, R.N., 2=9110
- Seeger, G. Effect of positive ions on the propagation of electromagnetic waves in magnetized plasmas, 2=7616

- Seeger, K. Hot electrons in germanium and silicon, 2-23347
 Seeger, P.A. See Bardin, R.K., 2-18290
 Seeley, J.S. Synthesis of interference filters, 2-146
 Seeley, J.S. and Houghton, J.T. Spectroscopic observations of the vertical distribution of some minor constituents of the atmosphere, 2-8951
 Seelig, F.F., Huber, W. and Kuhn, H. Analogy methods and analogue computation in the handling of the π -electron correlation. II. Analogue computer from electric oscillation circuits, 2-18442
 Seely, J.L., Baker, G.S. and Gibbs, P. Pressure effects on the internal friction of aluminum, 2-18985
 Seely, L.B. See Blackburn, J.H., 2-17501
 SeEVERS, D.O. See Korrington, J., 2-20174
 Segal', R.B. Path length of slow secondary electrons in tellurium, lead and germanium, 2-594
 Segal', R.B. Path length of slow secondary electrons in tellurium, lead and germanium, 2-3891
 Segall, B. Energy bands of aluminum, 2-2061
 Segall, B. Fermi surface and energy bands of copper, 2-3871
 Segall, B., Ludwig, G.W., Woodbury, H.H. and Johnson, P.D. Electron spin resonance of a center in calcium fluorophosphate, 2-23700
 Segall, B. See Halsted, R.E., 2-8573
 Segall, B. See Ham, F.S., 2-2060
 Segall, R.L., Partridge, P.G. and Hirsch, P.B. The dislocation distribution in face-centred cubic metals after fatigue, 2-6335
 Segar, A.M. See Anderson, H.L., 2-22830
 Segar, A.M. See Gabriel, R., 2-5269
 Segard, N. and Pouliquen, J. Diffraction at infinity of a light wave orthogonal to a plane progressive ultrasonic wave. Calculation of the intensity of the rays, 2-17645
 Segard, N., Pouliquen, J. and Posselle, G. Equivalent diagram of a quartz ultrasonic transducer connected to a liquid impedance, 2-9347
 Segard, N., Pouliquen, J. and Posselle, G. Experimental study of an ultrasound field near a quartz source. Method of adjustment of this transducer, 2-11452
 Segel, R.E. and Bina, M.J. Partial widths of the 16-11 MeV state in C^{12} , 2-367
 Segel, R.E. See Borg, D.C., 2-4574
 Segel, S.L. See Barnes, R.G., 2-4294
 Seger, G. and Genzel, L. Absorption measurements on LiF between the wavelengths 0.3 and 0.9 mm, 2-18813
 Seger, G. See Happ, H., 2-8537
 Seghezzi, H.D. See Gebhardt, E., 2-3983
 Seghezzi, H.D. See Gebhardt, E., 2-4459
 Seghezzi, H.D. See Gebhardt, E., 2-4472
 Segmüller, A. See Lloyd, J.C., 2-4584
 Segnan, R. See Jha, S., 2-22744
 Segovia, J.L. See Martin, C.S., 2-17519
 Segre, M. See Cernuschi, F., 2-2935
 Segre, S.E. See Allen, J.E., 2-235
 Segre, S.E. See Martone, M., 2-7417
 Seguer, J. Infrared emission spectrum of caesium observed with a new monochromator, 2-22899
 Seguinot, J., Teiger, J. and Van Rossum, L. Selection of K^+ mesons in a secondary beam of "Saturne", 2-3405
 Sehgal, M.L. Decay of Sb^{115} , 2-3532
 Sehgal, M.L. See Der Mateosian, E., 2-5861
 Sehgal, S.D. See Bashforth, G.R., 2-17032
 Sehr, R. and Testardi, L.R. The optical properties of p-type Bi_2Te_3 - Sb_2Te_3 alloys between 2-15 microns, 2-23510
 Sehr, R. See Labes, M., 2-23305
 Seibel-Irsid, G. Proportional counters for X-ray spectrometry, 2-1621
 Seidel, H. Electron-nuclear double spin resonance spectra of F-centres in alkali halides, 2-6388
 Seidel, H. The dynamics of the stationary electron-nuclear double resonance of F-centres in alkali halide crystals, 2-6389
 Seidel, H. A microwave bridge with superheterodyne detector for electron spin resonance measurements in the X-band, 2-9727
 Seidel, T. See Kudman, I., 2-8528
 Seidel, T. See Vieland, L.J., 2-16721
 Seidel, T.E. See Kinsel, T.S., 2-8361
 Seiden, J. Interaction between magnetic ions and conduction electrons in the rare earths, 2-617
 Seiden, J. The mathematical theory of resonance line shapes of nuclear spins in slow movement, 2-4279
 Seiden, J. Effect of the thermal motion of a Bloch wall on the nuclear resonance in the wall, 2-6698
 Seiden, J. The effect of the thermal movements of a Bloch wall on the nuclear resonance in the wall, 2-10716
 Seiden, J. The theory of direct scattering of phonons by electronic spins in a paramagnetic crystal, 2-20931
 Seiden, J. and Papoular, M. Theory of the electrical resistivity of gadolinium, 2-3980
 Seiden, J. and Papoular, M. Absence of interference effects in the scattering of conduction electrons in metals by several independent mechanisms, 2-14392
 Seiden, P.E. Relaxation equations for two-magnon and magnophonon processes in ferrimagnetic resonance, 2-10689
 Seiden, P.E. Spinwave and uniform precession linewidths in rare-earth substituted yttrium iron garnet, 2-12709
 Siedenfaden, H. See Nathe, R., 2-9636
 Seidl, F. Special properties and effects of ultrasonics, 2-21979
 Seidl, M. Bunching phenomena during electron injection into the betatron II. Theory of starting conditions, 2-20083
 Seidl, R. On the problem of exo-electron emission from alkali halides, 2-20014
 Seidl, R. and Stelka, V. On the problem of Z-centres in exoelectron emission from alkali halides, 2-6390
 Seidl, R. and Stelka, V. On the problem of exo-electron emission, 2-22244
 Seifarth, H. See Kleint, C., 2-15959
 Seifert, H.S. The spotlight dilemma, 2-7159
 Seigel, S. See Flournoy, J.M., 2-14479
 Seigle, L.L. See Resnick, R., 2-6376
 Seiler, F. See Striebel, H.R., 2-22528
 Seitz, F. Nature of the V_i center, 2-610
 Seitz, F. Radiation effects and point imperfections in metals, 2-2100
 Seitz, F. See Koehler, J.S., 2-12474
 Seiwatz, R. See Green, M., 2-23911
 Seiwert, R. and Tilch, J. The sensitized fluorescence of an Mg-Na vapour mixture, 2-66
 Seiwert, R. See Bunke, H., 2-18426
 Seiwert, R. See Bunke, H., 2-22900
 Seiwert, R. See Döhne, S., 2-862
 Seiwert, R. See Boldt, W., 2-8553
 Seiwert, R. See Hoffman, K., 2-13447
 Seiwert, R. See Link, R., 2-8552
 Seizinger, D.E. See Ferguson, L.A., 2-4582
 Sekera, Z. and Dave, J.V. Determination of the vertical distribution of ozone from the measurement of diffusely reflected ultra-violet solar radiation, 2-4591
 Sekerka, R.F. See Mullins, W.W., 2-14929
 Seki, M. See Katase, A., 2-20341
 Seki, M. See Sonda, M., 2-5433
 Sekido, Y., Kondo, I., Murayama, T., Kamiya, Y., Sagisaka, S., Ueno, H., Mori, S., Okuda, H., Makino, T. and Sakakibara, S. Observation of the point source of cosmic rays, 2-12067
 Sekido, Y., Kondo, I., Murayama, T., Mori, S., Okuda, H., Sakakibara, S., Makino, T. and Honzawa, T. A gas Cerenkov cosmic-ray telescope, 2-12069
 Sekido, Y. See Kamiya, Y., 2-12076
 Sekido, Y. See Kondo, I., 2-12068
 Sekiguchi, H. See Sugiyama, K., 2-10009
 Sekiguchi, N. On the capture of the cosmic matter in space around a star by inelastic collision, 2-2524
 Sekiguti, T. Isothermal volume contraction of amorphous selenium, 2-6287
 Sekine, T. See Kotera, Y., 2-8571
 Sekizawa, H. and Sekizawa, K. Dependence on heat-treatment of the ferromagnetic resonance width in Ni ferrite, 2-10686
 Sekizawa, K. See Sekizawa, H., 2-10686
 Sekoyan, S.S. See Panova, G.Kh., 2-8845
 Sekoyan, S.S. See Panova, G.Kh., 2-23872
 Sekula, S.T. See Sonder, E., 2-8608
 Selberg, H. See Schwarzschild, M., 2-19323
 Selberg, H.L. The dependence of the detonation velocity on the shape of the front, 2-17500
 Sel'chenkov, L.I. See Zisin, Y.A., 2-12209
 Selektor, Ya.M. See Ainutdinov, M.S., 2-16234
 Selektor, Ya.M. See Ainutdinov, M.S., 2-18167
 Selektor, Ya.M. See Beketov, V.A., 2-22370
 Selengut, D.S. Thermal neutron flux in a cell with temperature discontinuities, 2-8030
 Selig, F.F. See Roberts, E.M., 2-20804
 Selig, H., Cafasso, F.A., Gruen, D.M. and Malm, J.G. Magnetic susceptibility of ReF_6 , 2-16889
 Selig, H. See Claassen, H.H., 2-14276
 Selig, H. See Claassen, H.H., 2-14277
 Seliger, K., Hess, H., Morgenroth, H. and Rademacher, K. Plasma acceleration and shock waves in a special discharge chamber, 2-9587
 Seliger, K. See Hess, H., 2-1405

- lin, M.A. and Chambré, P.L. On the unsteady flow of a compressible liquid through a porous medium, 2=4986
- lin, L.E. Analysis of the absorption spectrum of IBr I. Rotational analysis of the near infrared bands, 2=12324
- lin, L.E. Analysis of the absorption spectrum of IBr III. Rotational analysis of the visible bands, 2=12326
- lin, L.E. and Söderberg, B. Analysis of the absorption spectrum of IBr II. Rotational analysis of the red bands, 2=12325
- linov, I.P. See Vartanov, N.A., 2=22761
- lisskii, Ya.P. Strengthening of the alloy Fe₃Al on ordering, 2=21450
- lisskii, Ya.P. See Artsishevskii, M.A., 2=8269
- lisskii, Ya.P. See Artsishevskii, M.A., 2=23233
- litskii, Yu.A. See Protopenov, A.N., 2=1626
- livanenko, A.S. Exciton relaxation times in molecular crystals, 2=12402
- livanov, G.I. See Blokhintseva, T.D., 2=16227
- ll, H. See Rayne, J.A., 2=14376
- lla, C. See Deicha, G., 2=2087
- lla, C. See Navez, M., 2=4487
- llars, C.M. and Quarrell, A.G. The high-temperature creep of gold-nickel alloys, 2=18999
- llen, D.B. See Jerrard, H.G., 2=15746
- llen, L. See Fendler, H.G., 2=8041
- lleri, F. See Boccaletti, D., 2=5706
- lleri, F. See Ericson, T., 2=20574
- lleri, F. See Ferrari, E., 2=3331
- llers, W.D. A simplified derivation of the diabatic wind profile, 2=15189
- love, W., Brody, H., Leboy, E. and Fullwood, R. Use of entrance hodoscope for particle identification in very-high-energy bubble chamber experiments, 2=5539
- love, W., Hagopian, V., Brody, H., Baker, A. and Leboy, E. Evidence for a $T = 0 \pi^+ \pi^-$ resonance at 1250 MeV, 2=22578
- lters, W. and Ward, W.D. Temporary threshold shift with changing duty cycle, 2=4899
- ltzer, M.S. and Wagner, J.B., Jr. Self-diffusion of lead-210 in single crystals of lead selenide, 2=2099
- lwood, P.W. See Den Besten, I.E., 2=10980
- lyanin, Yu.E. See Vyazemskii, V.O., 2=19858
- lylykh, A.I. See Žuze, V.P., 2=23399
- lyutin, V.A. See Dolginov, S.Sh., 2=9133
- lzer, E. See Roquet, J., 2=24063
- man, M.L. and Branscomb, L.M. Structure and photodetachment spectrum of the atomic carbon negative ion, 2=6088
- man, M.L. See Steiner, B., 2=22905
- marshko, N.N. See Golovin, I.N., 2=7632
- mel, M. Determination of the magnetic field of solar granulation, 2=19306
- mel, M. See Charvin, P., 2=11481
- menenko, E.E. and Sudovtsov, A.I. Some features of the temperature dependence of the electrical resistance of ferromagnetic metals at low temperatures, 2=14493
- menenko, E.E., Sudovtsov, A.I. and Shvets, A.D. Temperature dependence of the electrical resistance of iron in the 0.38°-4.2° K range, 2=16679
- menko, S.F. On the shape of the giant resonance in deformed nuclei, 2=22788
- menko, S.F. and Tulupov, B.A. Interaction of γ -quanta with oriented non-spherical nuclei, 2=5885
- menov, L.P. The vibrational spectrum of graphite, 2=18516
- menov, L.P. See Agranovich, V.M., 2=20902
- menov, S.A. See Vitman, V.D., 2=14051
- menov, S.S. See Logunov, V.N., 2=5419
- menova, E.I. See Avvakumov, V.I., 2=10706
- menovskaya, S.V. and Umanski, Ya.S. X-Ray method of determination of Voigt's elastic constants and of transverse branches of the phonon spectrum of disordered substitutional solid solutions with cubic structure, 2=21389
- menyushkin, I.N. See Vysochanskii, M., 2=19860
- meraro, S. See Baldassarre, F., 2=22562
- merchan, A.A. See Vereshchagin, L.F., 2=618
- merchan, A.A. See Vereshchagin, L.F., 2=619
- merchan, A.A. See Vereshchagin, L.F., 2=10435
- merchan, A.A. See Vereshchagin, L.F., 2=24233
- miletov, S.A. Crystal structure of the low-temperature form of In₂Se₃, 2=2391
- miletov, S.A. High voltage photo-e.m.f. in thin cadmium telluride films, 2=21188
- miletov, S.A. High voltage photo-e.m.f. in thin cadmium telluride films, 2=23459
- n, A.R. Problems of deep-water waves. I. The exact and asymptotic solutions, 2=2687
- Sen, D. See Hariharan, P., 2=1273
- Sen, D. See Hariharan, P., 2=7386
- Sen, D. See Hariharan, P., 2=9368
- Sen, H.K., Greenberg, O.W. and Trève, Y.M. Diffusion effects on shock structure in a plasma, 2=3033
- Sen, K.K. and Lee, W.-M. The broadening and polarization of spectral lines due to the thermal Doppler effect in an electron scattering atmosphere, 2=2545
- Sen, P. Parametric dispersion relations for electron Feynman amplitudes, 2=5565
- Sen, S.C. Absorption spectra of aqueous solutions of KCl-TiCl₃, NaCl-TiCl₃ and NH₄Cl-TiCl₃, 2=21911
- Sen, S.C. and Bose, H.N. On the luminescence of TiCl₃ + KCl phosphor, 2=6612
- Sen, S.K. and Hogg, B.G. Total internal conversion coefficients of low energy cascade gamma-rays by a sum coincidence technique, 2=16368
- Sen, S.N. and Ghosh, A.K. Variation of Townsend's second coefficient in electrodeless discharge, 2=3011
- Sen, S.N. and Ghosh, A.K. Variation of Townsend's second coefficient in an electrodeless discharge in crossed electric and magnetic fields, 2=7581
- Sen Gupta, P. Pulsating universe, 2=24083
- Sena, L.A. A study of statistical characteristics of flashbacks, 2=17815
- Senchenkov, A.P. and Kersnovskii, S.V. Electron generator for 500 keV, 2=20070
- Senda, M. and Delahay, P. Electrode processes with specific or non-specific adsorption: Faradaic impedance and rectification, 2=2451
- Senderoff, S. See Wilmshurst, J.K., 2=7214
- Sené, M. See Alitti, J., 2=16229
- Sené, M. See Alitti, J., 2=18156
- Senecal, G. See Dale, E.B., 2=16726
- Senent, F. See Catalá, J., 2=1642
- Senent, F. See Catalá, J., 2=3343
- Senent, F. See Catalá, J., 2=16102
- Senftle, F.E., Martínez, P. and Alekna, V.P. Temperature dependence of decay time and intensity of alpha pulses in pure and thallium-activated cesium iodide, 2=18878
- Senftle, F.E. and Thorpe, A. Oxygen adsorption and the magnetic susceptibility of ice at low temperatures, 2=16895
- Sengers, J.V. See Davis, H.T., 2=1116
- Sen Gupta, B.K. Large-amplitude periodic lee waves in stratified fluids. I. Non-linear solution, 2=11339
- Sengupta, D.L. The electrical conductivity of a partially ionized gas, 2=5074
- Sengupta, S. The harmonic oscillator constant in p shell nuclei and charge dependence of nuclear forces, 2=7919
- Sen Gupta, S.N. and Sinha, M.S. Decay asymmetry of cosmic ray muons, 2=13829
- Senior, T.B.A. A note on impedance boundary conditions, 2=13692
- Senior, T.B.A. See Siegel, K.M., 2=15403
- Senitzky, I.R. Induced and spontaneous emission in a coherent field V. Theory of molecular beam amplification, 2=20135
- Sens, J.C. See Charpak, G., 2=1700
- Sens, J.C. See Charpak, G., 2=3367
- Sens, J.C. See Charpak, G., 2=13832
- Sepetoski, W.K. See Glaser, P.E., 2=2907
- Seppälä, V. The Bernoulli's theory of bending of beams with non-linear strain function, 2=15507
- Seppi, E.J., Henrikson, H., Boehm, F. and Dumonds, J.W.M. A germanium bent-crystal monochromator for nuclear spectroscopy, 2=20292
- Septier, A. and Van Acker, J. Electrostatic quadrupole lenses, 2=5383
- Septier, A. See Becherer, R., 2=20038
- Séra, T.Ya., Serdyuk, V.V. and Shevchenko, I.M. The influence of γ irradiation upon spectral distribution of photoconductivity in CdS monocystals, 2=10528
- Séra, T.Ya. See Serdyuk, V.V., 2=10531
- Séra, T.Ya. See Serdyuk, V.V., 2=16751
- Séra, T.Ya. See Serdyuk, V.V., 2=18735
- Seraphim, D.P. Effects of defects on the superconducting properties of tantalum, 2=9489
- Seraphim, D.P., Chlou, C. and Quinn, D.J. The critical temperature of superconducting alloys, 2=7494
- Seraphim, D.P. and Marcus, P.M. First- and second-order stress effects on the superconducting transitions of tantalum and tin, 2=7518
- Seraphim, D.P., Stemple, N.R. and Novick, D.T. Phase instability in dilute interstitial solid solutions of nitrogen in tantalum, 2=2413
- Seraphim, D.P. See Blumberg, R.H., 2=1340
- Seraphim, H.P. Perceptibility of multiple reflections of speech sound, 2=85
- Seraphim, H.P. See Burgtorf, W., 2=81

- Seraphin, B.O. Phase shift on reflection at a double-layer system, 2=17638
- Serban, D. See Gaspar, E., 2=4523
- Serbinov, A.N. and Petrov, V.I. High-frequency ion sources review, 2=1515
- Serbu, G.P., Bourdeau, R.E. and Donley, J.L. Electron temperature measurements on the Explorer VIII satellite, 2=6936
- Serdjuk, V.V. Photovoltaic effect in thin layers of cadmium selenide, 2=21192
- Serdjuk, V.V. and Šera, T.Ya. Some questions on the photoconductivity of polycrystalline samples of cadmium selenide, 2=10531
- Serdjuk, V.V. and Šera, T.Ya. Long-wavelength photosensitivity and infrared quenching of photocurrent in cadmium sulphide mono-crystals, 2=16751
- Serdjuk, V.V. and Šera, T.Ya. Long-wavelength photosensitivity and infrared quenching of photocurrent in cadmium sulphide mono-crystals, 2=18735
- Serdjuk, V.V. See Šera, T.Ya., 2=10528
- Serebrennikov, P.S. See Bonch-Bruevich, V.L., 2=10509
- Serebrennikov, Yu.I. A graphical method of calculating particle energies in a moving coordinate system from their values in the laboratory coordinate system, 2=17405
- Serebryakov, V.V. and Shirkov, D.V. Some resonance solutions of the equations for low energy pion-pion scattering, 2=9910
- Serebryakov, V.V. and Shirkov, D.V. Properties of resonance solutions of pion-pion scattering, 2=16230
- Serenka, R.G. See Kepes, J.J., 2=22874
- Sergeev, A.G. See Brodskii, A.D., 2=677
- Sergeev, F.M. See Demidov, V.S., 2=18344
- Sergeev, G.Ia., Titova, V.V., Nikolaeva, Z.P. and Kapeltsev, A.M. The heat treatment of uranium, 2=12927
- Sergeev, G.T. Application of similarity theory to investigation on heat and mass transfer processes in liquid vaporization, 2=9451
- Sergeev, V.L. The calculation of thermodynamic functions of a high-temperature air-carbon mixture, 2=5069
- Sergeev, V.O. See Grigor'ev, E.P., 2=14012
- Sergeev, V.O. See Grigor'ev, E.P., 2=14060
- Sergeev, V.O. See Grigor'ev, E.P., 2=14065
- Sergeev, Yu.A. See Broder, D.L., 2=14175
- Sergeeva, L.A. See Kalinkin, I.P., 2=4380
- Sergeeva, L.A. See Kalinkin, I.P., 2=6768
- Sergeeva, V.M. See Žuze, V.P., 2=23399
- Sergienko, R.I. See Mes'kin, V.S., 2=21093
- Sergienko, V.F. See Gubkin, A.N., 2=1373
- Sergienko, V.F. See Gubkin, A.N., 2=17765
- Sergiescu, V. Simplified relaxation theory of the "slow" surface states, 2=10447
- Serikov, A.S. Effect of adsorbent impregnations on scattering of X-rays at small and intermediate angles, 2=6862
- Serin, B. Outline of recent developments in superconductivity, 2=5232
- Serin, B. See Gayley, R.I., Jr., 2=10330
- Serlemittos, P. See Cline, T.L., 2=18105
- Serment, C.A. See Morales y Amado, A., 2=6070
- Serov, V.I. and Guzhovskii, B.Ya. Investigation of the reactions $\text{Li}^2(t, n)$, $\text{Li}^7(t, n)$, $\text{Li}^7(\text{He}^3, n)$, $\text{Be}^9(t, n)$ B^{11} and $\text{Be}^9(\text{He}^3, n)$ C^{11} , 2=18360
- Serova, I.A. See Strelets, P.L., 2=14616
- Serova, N.Sh. See Mes'kin, V.S., 2=23793
- Serpolyar, R. and Toye, M.J. Formation of ice whiskers on particles of ferrosoferric oxide, 2=19058
- Serra, A. See Bologna, G., 2=5610
- Serra, A. See Mattana, N., 2=8952
- Serra, M. and Del Monaco, A. Radioluminescence from beta radiation. Further experimental results, 2=6634
- Serratos, J.M. See Hadalga, A., 2=22056
- Serrell, R., Astrahan, M.M., Patterson, G.W. and Pyne, I.B. The evolution of computing machines and systems, 2=15455
- Sérsic, J.L. On the scale of time of the universe, 2=17228
- Sertorio, L. Remarks on the anomaly in meson production in $p + d$ collisions, 2=297
- Servant, J. and Tanaevsky, O. Natural radioactivity measurement in the Paris region, 2=6923
- Servant, R. and Demau, C. Measurement of the dielectric anisotropy in gypsum at 10 Gc/s, 2=6515
- Servant, R. and Faure, C. Increase of the dielectric anisotropy at hyperfrequencies by absorption of water, 2=2200
- Seshadri, K.S. See Jones, R.N., 2=10255
- Seshadri, S.R. Excitation of surface waves on a unidirectionally conducting screen, 2=22324
- Seshagiri, Rao, M.G. and Ramachandra Rao, B. Dispersion of ultrasonic velocity in liquids, 2=19560
- Seshagiri Rao, T. See Krishnamurthi, M., 2=11150
- Seshagiri Rao, T. See Krishnamurthi, M., 2=13133
- Sessler, A.M. See Laslett, L.J., 2=1542
- Šesták, B., Kroupa, F. and Libovický, S. The distribution of dislocation in slip bands of Fe-3% Si alloy single crystals deformed by bending, 2=14436
- Šesták, B. and Libovický, S. Dislocations in plastically deformed-3% Si alloy single crystals, 2=10386
- Šesták, B. See Gemperle, A., 2=21041
- Seth, K.K. See Weston, L.W., 2=1901
- Seto, T. See Tanaka, K., 2=21527
- Sette, D. and Wanderlingh, F. Nucleation by cosmic rays in ultrasonic cavitation, 2=2686
- Setti, G. See Mannino, G., 2=13168
- Setti, G. See Mannino, G., 2=17303
- Setti, R. Levi. See Levi Setti, R.
- Setton, R. and Bazin, J. Photoelectric effects in graphite-caesium compounds, 2=12546
- Setty, P.L.N. See Krishna Rao, K.V., 2=14385
- Sevast'yanov, B.K. A method of increasing the sensitivity of a magnetic balance with feedback, 2=20095
- Sevast'yanov, B.K. and Sokolina, V.A. The magnetic moment of superconducting tin films, 2=16883
- Sevchenko, A.N. See Pikulik, L.G., 2=17474
- Sevchenko, A.N. See Volod'ko, L.V., 2=15603
- Sever, R.J., Cope, F.W. and Polis, B.D. Generation by visible light of Labile free radicals in the Melanin granules of the eye, 2=24222
- Severi, M. See de Carvalho, H.G., 2=18367
- Severiens, J.C. See Bell, R.E., 2=18256
- Severin, P.J. See de Wijn, H.W., 2=1200
- Sevier, K.D. Stopping of Cf^{252} fission fragments in emulsion, 2=1016
- Sevryukov, Yu.N. See Berezin, A.K., 2=15952
- Sewall, S.T. See Green, D.M., 2=24203
- Seward, F.D. Resonant scattering of gamma rays from nuclear levels with a linear accelerator, 2=1861
- Sewell, P.B., Stockbridge, C.D. and Cohen, M. An electrometric and electron diffraction study of air-formed oxide films on iron, 2=8
- Sexer, N. Some properties of Cd_3As_2 , 2=6266
- Sextl, R. See Baumann, K., 2=1047
- Sextl, R.U. Equivalence principle and light deflection, 2=9177
- Seymour, E.F.W. See Flynn, C.P., 2=16081
- Seymour, J. Current-decay of millisecond duration in thermionic valves (the grid-film effect), 2=3079
- Sgarlata, F. Explanation of thermal agitation phenomena in pyrite and hauerite, 2=10731
- Shabalin, E.P. The $\mu^+ \mu^-$ and $e^+ e^-$ pair production cross-sections for neutrinos scattered by nuclei, 2=20380
- Shabalin, E.P. See Kozhushner, M.A., 2=22465
- Shabanskii, V.P. Particle acceleration by passage of a hydromagnetic wave-front, 2=186
- Shabanskii, V.P. Origin and evolution of solar flares and the generation of cosmic rays in them, 2=24109
- Shabanova, L.N. See Penkin, N.P., 2=14200
- Shackelford, W.L. Approximate continuous opacity calculations for ionized titanium and chromium, 2=15651
- Shadmi, Y. The configurations $3d^n + 3d^{n-1}4s$ in the third spectra of the iron group, 1=14197
- Shadrachev, E.V. See Smirnov, I.A., 2=20951
- Shadrin, V.S. Method for measuring the piezoresistance in semiconductors, 2=19827
- Shafer, H.J., Ossip, M. and Falkowitz, Y. Development of a pressure measuring system for use in meteorological sounding rockets, 2=17123
- Shafer, M.W. High temperature phase relations in the ferrite region of the Ni-Fe-O system, 2=2404
- Shafer, M.W. Preparation and properties of ferrosinels containing Ni^{3+} , 2=12698
- Shafer, Yu.G. and Yarygin, A.V. Measurement of cosmic rays on geophysical rockets, 2=9942
- Shafizade, R.B. See Efendiev, G.A., 2=4355
- Shafizade, R.B. See Efendiev, G.A., 2=6759
- Shafranov, V.D. See Pistunovich, V.I., 2=192
- Shafranov, M.G. See Asimov, S.A., 2=9845
- Shafranov, M.G. See Barashenkov, V.S., 2=1869
- Shafranov, M.G. See Do In Seb., 2=5640
- Shafranovskii, I.I. and Pis'menniy, V.A. General forms of twinned structures, 2=4365
- Shafroth, S.M. The nucleus Y^{88} and the $\text{Y}^{88}-\text{Sr}^{88}$ mass difference, 2=1773
- Shafroth, S.M. See Bearpark, K., 2=18321
- Shah, C.J. See Pandya, N.S., 2=4346
- Shah, G.Z. and Thaker, B.M. Nucleonic polarization of 424 MeV protons by carbon, 2=16393
- Shah, S.K. and Pandya, S.P. Neutron-proton interactions in Li^6 , 2=1754

- Sh.K. See Narasimham, V.L., 2=18225
 Sh.V.L. See Smith, A.G., 2=7422
 Sh.V.T. and Gutwin, O.A., Threshold properties of partially switched ferrite cores, 2=13629
 Shani, M.G. See Gupta, U.C., 2=10065
 Shidurov, G.F. Convective heat transfer in horizontal cylinder, 2=2911
 Shikevich, I.A. See Gorban', N.Ya., 2=11473
 Shinn, C.S., Komesaroff, M.M. and Higgins, C.S. A high resolution galactic survey at 19.7 Mc/s, 2=4852
 Shkeshaft, J.R. See Pauliny-Toth, I.I.K., 2=15393
 Shkhabzayan, B.A. See Azimov, S.A., 2=9845
 Shkhabzayan, B.A. See Do In Seb, 2=5640
 Shkhov, V.I. and Kondorskii, E.I. Resonance of domain boundaries and spin resonance in magnesium-nickel ferrites, 2=14799
 Shkhov, V.I. and Kondorskii, E.I. Resonance of domain boundaries and spin resonance in magnesium-nickel ferrites, 2=18918
 Shkhovskoi, A.M. See Kotelnikov, V.A., 2=11174
 Shkhovskoi, G.P. and Ponyatovskii, E.G. The use of various materials for transmitting pressure, 2=24235
 Shkhovtsova, S.I. See Konozenko, I.D., 2=18737
 Shkhovtsova, S.I. See Konozenko, I.D., 2=21201
 Shkhovtsova, S.I. See Konozenko, I.D., 2=23451
 Shkhparonov, M.I. See Beridze, D.K., 2=9409
 Shkhparonov, M.I. See Tunin, M.S., 2=15586
 Shkidzhanov, S.S. Phase conditions in storage systems for high currents of accelerated particles, 2=20072
 Shkin, C.M. See Kerman, A.K., 2=18235
 Shkina, N.P. See Dobryshman, E.M., 2=19198
 Shklov, O. See Tunin, M.S., 2=15586
 Shlaev, Yu.V. Helium line emission in the solar chromosphere 2=24127
 Shlaeva, O.E. See Bondar, A.D., 2=17978
 Shlagina, E.V. See Kobzev, V.A., 2=22510
 Shlagina, E.V. See Takibaev, S., 2=5916
 Shlagina, E.V. See Takibaev, Zh.S., 2=12188
 Shlamov, Ya.Ya. and Grishin, A.F. Data on π - n interactions derived from π -meson production reactions in π - p collisions, 2=13857
 Shlamov, Ya.Ya. and Grashin, A.F. Data on π - π interaction derived from the π -meson production reaction in π - p collisions. II ρ^0 -meson production, 2=20395
 Shlamov, Ya.Ya. See Bayukov, Yu.D., 2=311
 Shlamov, Ya.Ya. See Bayukov, Yu.D., 2=5722
 Shlamov, Ya.Ya. See Bayukov, Yu.D., 2=5726
 Shlamov, Ya.Ya. See Bayukov, Yu.D., 2=22591
 Shlamov, Ya.Ya. See Bayukov, Yu.D., 2=22600
 Shlamov, Ya.Ya. See Grashin, A.F., 2=13870
 Shlamov, Ya.Ya. See Kuznetsov, Ye.V., 2=22636
 Shlamov, Ya.Ya. See Kuznetsov, E.V., 2=22637
 Shlaye, A.M. See Dekhtyar, I.Ya., 2=8628
 Shlaye, D. A note on the scattering of boson fields, 2=22422
 Shlimova, A.V. See Verner, V.D., 2=8711
 Shlimova, A.V. See Verner, V.D., 2=10737
 Shlimova, K.V. and Pirogova, N.V. The effect of temperature on optical absorption in polycrystalline layers of cadmium sulphide, 2=4132
 Shalit, A.de. See De Shalit, A.,
 Shalcross, F.V. See Dresner, J., 2=18718
 Shalnev, K.K. See Kozyrev, S.P., 2=12873
 Shalnikov, A.I. The motion of charges in liquid and solid helium, 2=135
 Shalnikov, A.I. Some observations on the solidification of helium, 2=137
 Shalnikov, A.I. See Vasilev, D.I., 2=4578
 Shalnikov, A.I. See Zavaritskii, N.V., 2=19753
 Shaltiel, D. See Peter, M., 2=12821
 Shaltiel, D. See Peter, M., 2=21372
 Shalyt, S.S. Effective electron mass in indium arsenide, 2=2165
 Shalyt, S.S. Effective electron mass in indium arsenide, 2=8362
 Shalyt, S.S. Phenomena of charge and heat transport in n-type indium arsenide at low temperatures, 2=23398
 Shalyt, S.S. and Efros, A.L. On the problem of quantum oscillations of galvanomagnetic effects in indium arsenide and antimonide, 2=16683
 Shalyt, S.S. and Efros, A.L. On the problem of quantum oscillations of galvanomagnetic effects in indium arsenide and antimonide, 2=23246
 Shalyt, S.S. See Parfen'ev, R.V., 2=3990
 Shalyt, S.S. See Timchenko, I.N., 2=16765
 Shalyt, S.S. See Timchenko, I.N., 2=18760
 Sham, L.J. Electron-phonon interaction by the method of pseudo-potentials, 2=567
 Sham, L.J. See Austin, B.J., 2=16464
 Shamba, N.A. The solution forms of silicon crystals, 2=2343
 Shamovskii, L.M. and Pipinis, P.A. Investigation of luminescence processes in alkali halide phosphors, 2=14711
 Shamovskii, L.M. and Shibanov, A.S. Structural defects in alkali-halide crystalline phosphors, 2=10384
 Shamovskii, L.M. and Shibanov, A.S. Structural defects in crystal phosphors, 2=23171
 Shamovskii, L.M. See Shibanov, A.S., 2=18614
 Shamu, R.E. High-pressure gas scintillation counters, 2=9738
 Shamu, R.E. The disintegration of neon and krypton by neutrons, 2=10121
 Shamu, R.E. See Austin, S.M., 2=13808
 Shanabarger, M.R. See Wigen, P.E., 2=23695
 Shanastrom, R.T. See Benedict, M., 2=6067
 Shand, J.A. A note on geomagnetic and ionospheric records, 2=21642
 Shand, J.A. See Duffus, H.J., 2=6961
 Shand, J.A. See Duffus, H.J., 2=24057
 Shand, J.A. See Lokken, J.E., 2=4692
 Shand, J.A. See Lokken, J.E., 2=19257
 Shand, J.B. See Stewart, A.T., 2=23118
 Shandor, T. See Bozoki, G., 2=336
 Shandor, T. See Bozoki, G., 2=22684
 Shanefield, D. Simple thermostat with proportional control, 2=1301
 Shankar Rao, V.U. See Dharmatti, S.S., 2=6706
 Shanks, H.R. See Greiner, J.D., 2=4207
 Shanstrom, R.T. and Benedict, M. FUEL CYC, a new computer code for fuel cycle analysis. I. Computational model, 2=6066
 Shao, J. and Wright, G.T. Characteristics of the space-charge-limited dielectric diode at very high frequencies, 2=10567
 Shaovalov, V. See Kudzin, A.Yu., 2=18773
 Shapar, A.V. See Staviskii, Yu.Ya., 2=20637
 Shapiro, A.H. See Kruger, C.H., 2=2033
 Shapiro, A.M. See Chretien, M., 2=22610
 Shapiro, F.L. The Mössbauer effect, 2=9998
 Shapiro, F.L. See Alfimenkov, V.P., 2=14357
 Shapiro, F.L. See Alfimenkov, V.P., 2=14358
 Shapiro, F.L. See Kashukeev, N.T., 2=3594
 Shapiro, F.L. See Popov, Yu.P., 2=14112
 Shapiro, G. and Lederman, L.M. Fundamental constants of the muon, 2=3366
 Shapiro, I.I. and Jones, H.M. Effects of the earth's magnetic field on the orbit of a charged satellite, 2=4865
 Shapiro, I.P. Luminescence of Se-activated cadmium iodide, 2=23595
 Shapiro, I.P. and Kuznetsov, N.I. Effect of ultraviolet irradiation on the luminescence characteristics of an electro-luminophor, 2=16874
 Shapiro, I.R. See Cain, J.C., 2=17145
 Shapiro, I.S. Dispersion theory of direct nuclear reactions, 2=3540
 Shapiro, I.S. On the dispersion theory of direct nuclear reactions, 2=3541
 Shapiro, I.S. Expansion of the scattering amplitude in relativistic spherical functions, 2=20268
 Shapiro, M.M. Supernovae as cosmic-ray sources, 2=3427
 Shapiro, M.M. Minimum critical mass in variable density and epithermal reactors, 2=6017
 Shapiro, M.M. See O'Dell, F.W., 2=12060
 Shapiro, R. See Berkofsky, L., 2=11046
 Shapiro, R. See Silverman, S.M., 2=19230
 Shapiro, R. See Ward, F., 2=9075
 Shapiro, S., Smith, P.H., Nicol, J., Miles, J.L. and Strong, P.F. Superconductivity and electron tunneling, 2=9480
 Shapiro, V.D. Conductivity of a plasma in a strong electric field, 2=1427
 Shapiro, V.D. Effect of electrostatic instabilities on the electrical conductivity and temperature of a plasma, 2=11668
 Shapiro, V.D. and Shevchenko, V.I. Effect of electrostatic instabilities on the distribution function of a beam [of charged particles] interacting with a plasma in a magnetic field, 2=17826
 Shapiro, V.D. and Shevchenko, V.I. The nonlinear theory of interaction between charged particle beams and a plasma in a magnetic field, 2=17856
 Shapiro, V.D. See Fainberg, Ya.B., 2=11647
 Shapiro, V.G. See Fam Zui Khien, 2=13973
 Shapkin, V.V. See Butslov, M.M., 2=19981
 Shapochkin, V.A. See Vereshchagin, L.F., 2=21092
 Shapochkin, V.A. See Vereshchagin, L.F., 2=23780
 Shaposhnikov, N.N. See Kozin, O.G., 2=21970
 Shapov, A.I. See Vasil'ev, I.G., 2=17597
 Shapoval, B.I. See Ivanov, V.E., 2=8844
 Shapoval, B.I. See Ivanov, V.E., 2=21544
 Shapovalov, V. See Kudzin, A.Yu., 2=16788
 Shapovalova, N.F. See Brekhovskikh, S.M., 2=14721

- Sharan, B. Phonon-frequency distribution curve of vanadium on de Launay's model, 2=8159
- Sharapov, V.N. See Bondarenko, A.V., 2=10181
- Sharbaugh, A.H. and Watson, P.K. Conduction and breakdown in liquid dielectrics, 2=19572
- Shardanov, A.Kh. and Shevchenko, V.G. Investigation of the $\text{Li}^7(\gamma, p)\text{He}^6$ reaction, 2=16385
- Sharevs'kiy, B.A. See Nikolayev, H.T., 2=9323
- Sharkhatunyan, R.O. See Alikhanyan, A.I., 2=7918
- Sharlin, H.I. From Faraday to the dynamo, 2=15862
- Sharma, A. See Ghosh, S.N., 2=4537
- Sharma, A.P. On the processing of Ilford G-5 nuclear emulsions for distortionless tracks, 2=16104
- Sharma, A.P. and Gill, P.S. On the ionization measurements and the process of track formation in nuclear emulsions, 2=16103
- Sharma, C.S. A perturbation treatment of the unrestricted Hartree-Fock equations for the ground state of lithium-like ions, 2=22906
- Sharma, C.S. and Coulson, C.A. Hartree-Fock and correlation energies for $1s2s\ ^3S$ and 1S states of helium-like ions, 2=16475
- Sharma, C.S. See Coulson, C.A., 2=10198
- Sharma, J. See Rao, K.V., 2=16668
- Sharma, K.D. See Ghosh, S.N., 2=6930
- Sharma, M.N. and Madan, M.P. Cohesive energies and other properties of ionic crystals, 2=8144
- Sharma, M.N. and Madan, M.P. Interaction energies of heavier salts, 2=12361
- Sharma, M.N. and Vyas, A. Dipole moment and relaxation time of thiocyanacetone and thiocyno-methylethylketone, 2=22997
- Sharma, M.N. See Sahoo, H.K., 2=6235
- Sharma, M.N. See Sahoo, H.K., 2=7249
- Sharma, R.P., Devare, S.H. and Saraf, B. Beta spectra of neodymium-147, 2=10043
- Sharma, R.P. See Ambige, S.Y., 2=5872
- Sharma, R.R. See Khubchandani, P.G., 2=10199
- Sharma, R.R. See Khubchandani, P.G., 2=13807
- Sharnopol'skaya, E.T. See Goldobin, S.N., 2=8473
- Sharnopol'skaya, R.T. See Goldobin, A.N., 2=4105
- Sharonov, V.V. A visual-colorimetric study of the lunar surface, 2=21693
- Sharov, A.S. Comparison of several theoretical laws of galactic rotation with observational data, 2=1001
- Sharov, Yu.B. See Kotenko, L.P., 2=16232
- Sharp, D. See Gell-Mann, M., 2=11997
- Sharp, D. See Wilets, L., 2=7959
- Sharp, D.H. See Baierlein, R.F., 2=13259
- Sharp, G.W., Hanson, W.B. and McKibbin, D.D. Atmospheric density measurements with a satellite-borne microphone gage, 2=15207
- Sharp, J.H. See Piette, L.H., 2=18476
- Sharp, P.H. See Galbraith, W., 2=9757
- Sharp, R.D., Chase, L.F., Jr., Friedman, R.M., Warburton, E.K. and Shelley, E.G. Excitation functions of $\text{K}^{41} + p$ reactions, 2=450
- Sharp, R.T. See Roth, C., 2=22714
- Sharp, T.E. and Johnston, H.S. Hydrogen-deuterium kinetic isotope effect, and experimental and theoretical study over a wide range of temperature, 2=23955
- Sharpe, N.G. The energy of rectangular dislocation loops, 2=23181
- Sharpe, N.G. See Ham, R.K., 2=2083
- Sharpe, R.S. See Cotterell, K., 2=23933
- Sharpless, N.E. and Gregory, D.A. Anomalous dispersion in the infrared, 2=12578
- Shashkin, V.L. See Lenin, S.S., 2=20442
- Shashkina, N.N. See Lenin, S.S., 2=20442
- Shashkov, A.G. The determination of the thermal time constant of a thermistor, 2=8391
- Shashurin, I.P. See Levitskii, S.M., 2=200
- Shaskol'skaya, M.P. and Pashkov, P.P. Growth of a crystal layer on a plastically bent rock-salt single crystal, 2=4376
- Shaskol'skaya, M.P., Van Yan'-ven' [Wang Yang-wen and Gu Shu-chzhao [Ku Shu-chao]. Etch pits and dislocations in potassium chloride crystals, 2=6334
- Shaskol'skaya, M.P., Van Yan'-ven' [Wang Yang-wen] and Gu Shu-chzhao [Ku Shu-chao]. Arrangement of dislocations on the faces rock-salt type crystals, 2=6333
- Shaskol'skaya, M.P. See Tyapunina, N.S., 2=10738
- Shaskol'skaya, M.P. See Tyapunina, N.A., 2=14871
- Shatalov, A.A. See Bezruchko, V.M., 2=20994
- Shatford, P.A. See Hide, R., 2=19602
- Shats, S.Ya. See Lapin, V.I., 2=22145
- Shatsukevich, A.F. See Ipatkin, I.S., 2=7697
- Shaukat, M.A. See Baldassarre, F., 2=22562
- Shaukat, M.A. See Evans, D., 2=22492
- Shavitt, I. and Karplus, M. Multicenter integrals in molecular quantum mechanics, 2=6197
- Shavrin, P.I. See Papkov, S.F., 2=19357
- Shavrin, P.I. See Savenko, I.A., 2=18210
- Shavrin, P.I. See Savenko, I.A., 2=18211
- Shavrin, P.I. See Savenko, I.A., 2=19356
- Shavrin, P.I. See Savenko, I.A., 2=22668
- Shavrin, P.I. See Vernov, S.N., 2=920
- Shavrin, P.I. See Vernov, S.N., 2=9028
- Shavrin, P.I. See Vernov, S.N., 2=11084
- Shavrin, P.I. See Vernov, S.N., 2=16256
- Shavrin, P.I. See Vernov, S.N., 2=19250
- Shavrin, P.I. See Vernov, S.N., 2=19252
- Shavrov, V.G. See Irkhin, Yu.P., 2=14505
- Shavtvalov, L.Ya. See Baskova, K.A., 2=3518
- Shavtvalov, L.Ya. See Baskova, K.A., 2=10042
- Shaw, A.B. See Edels, H., 2=9552
- Shaw, D. Group IVB impurities in aluminium antimonide, 2=16714
- Shaw, D., Jones, P. and Hazelby, D. Zinc diffusion in aluminium antimonide, 2=16665
- Shaw, D.F. See Hopkins, H.W.K., 2=5541
- Shaw, G.L. and Ross, M.H. Λ - π resonance and s-wave K-p reactions, 2=321
- Shaw, G.L. and Ross, M.H. Analysis of multichannel reactions, 2=11
- Shaw, G.L. and Ross, M.H. Effective range analysis of s-wave K-p reactions, 2=11893
- Shaw, G.L. and Wong, D.Y. Quantum numbers of the π meson, 2=138
- Shaw, H.J. See Richards, P.M., 2=16924
- Shaw, J.A. See Crangle, J., 2=6832
- Shaw, J.H. The radiation environment of interplanetary space, 2=90
- Shaw, J.H. See Gryvnak, D.A., 2=11428
- Shaw, P.B. Energy dependence and absorption in the use of recoil polarization from $\pi^- - p$ scattering, 2=1716
- Shaw, R. Length contraction paradox, 2=9160
- Shaw, W.A. See Beck, J., 2=4894
- Shcheglov, P.V. Twilight enhancement of the infrared helium line 10830 Å., 2=21661
- Shchegolev, D.E. See Breido, I.I., 2=17246
- Shchegolev, D.E. See Breido, I.I., 2=24096
- Shchegolev, D.E. See Narkov, A.V., 2=17248
- Shchegolev, I.F. See Karimov, Yu.S., 2=787
- Shchegolev, I.F. See Karimov, Yu.S., 2=23721
- Shchekochikhina, V.V. See Brandt, N.B., 2=4204
- Shchemelev, V.N. See Rumsh, M.A., 2=13589
- Shchemelev, V.N. See Rumsh, M.A., 2=14704
- Shchemelev, V.N. See Rumsh, M.A., 2=17866
- Shcherbai, K.S. See Sandulova, H.V., 2=1060
- Shcherbakov, G.P. See Solol'skaya, I.L., 2=11687
- Shcherbakov, G.P. See Sokol'skaya, I.L., 2=13580
- Shcherbakov, Yu.A. See Zaimidoroga, O.A., 2=3369
- Shcherbina, A.G. See Voronin, A.N., 2=19757
- Shcherbina, V.A. Local regulation of coefficient functions of a scattering matrix, 2=16117
- Shcherbina, V.A. Local regulation of coefficient functions of a scattering matrix, 2=20226
- Shchitnikov, V.K. Heat transfer of bodies of various shapes with a forced liquid flow, 2=9420
- Shchitnikov, V.K. The effect of form on the process of external heat transfer in forced convection, 2=9431
- Shchuchinskii, Ya.M. See Bronshtein, I.M., 2=1496
- Shchuchinskii, Ya.M. See Bronshtein, I.M., 2=17877
- Shchukin, E.D. See Dekartova, N.V., 2=2316
- Shchukin, E.D. See Kochanova, L.A., 2=2334
- Shchukin, G.E. See Dzhelapov, B.S., 2=14064
- Shea, M.A. See Lockwood, J.A., 2=3440
- Shea, M.A. See Lockwood, J.A., 2=13898
- Shear, D.D. See Bennett, F.D., 2=1189
- Shearin, P.E. See Chaplin, R.L., 2=10427
- Shebalin, N.V. See Vanek, I., 2=19187
- Shebanov, V.A. See Bayukov, Yu.D., 2=22600
- Shechbakova, M.N. See Alekseeva, K.I., 2=20451
- Shechter, H. See Freier, S., 2=23630
- Shedlovsky, J.P. and Mott, W.E. Evaluation of quartz for neutron activation studies, 2=17112
- Sheffield, C. The individual source-sink method for systems of finite height, 2=18381
- Sheffield, J.C. See White, F.A., 2=22925
- Shefov, N.N. Helium emission in the upper atmosphere, 2=6955
- Shefov, N.N. See Berg, M.A., 2=15251
- Sheftal', N.N. See Kokorish, E.Yu., 2=8224
- Sheftel', I.T., Kurlina, E.V. and Tekster-Proskuryakova, G.N. The electrical properties and structure of complex oxide semiconductors. III. The systems $\text{CuO}-\text{CoO}-\text{NiO}-\text{O}_2$, 2=8371

- efel', I.T., Zaslavskii, A.I., Kurlina, E.V. and Tekster-Proskuryakova, G.N. The electrical properties and structures of complex oxide semiconductors: III. The systems $\text{MnO}-\text{CoO}-\text{NiO}-\text{O}_2$, 2=8370
- elko, V.P. Choice of optimal parameters of the reflection grating of a diffraction resonator, 2=19723
- einblatt, M. N.M.R. study of the protolysis kinetics in simple amino acids. I. Sarcosine hydrochloride and its ester, 2=17083
- eindlin, A.E. See Kipillin, V.A., 2=12386
- eindlin, A.E. See Kirillin, V.A., 2=3839
- eindlin, A.E. See Kirillin, V.A., 2=8174
- eindlin, A.E. See Kirillin, V.A., 2=18528
- einkman, M.K. and Lyk'yanchikova, N.B. Some features of photo-current noise during the exciton mechanism of carrier generation in insulating photoconductors, 2=23448
- einkman, M.K. and Lyk'yanchikova, N.B. Possibility of determining of photoconductivity mechanism in semiconductors by studying the photocurrent noise, 2=18730
- einkman, M.K. and Lyk'yanchikova, N.B. Some features of photo-current noise during the exciton mechanism of carrier generation in insulating photoconductors, 2=21186
- einkman, M.K. See Holinna, H.I., 2=6496
- einkman, M.K. See Kynev, S., 2=10529
- einkman, M.K. See Lashkarev, V.E., 2=10526
- einkman, M.K. See Syvetchnikov, S.V., 2=21191
- einkman, M.K. See Trofimenko, A.P., 2=23376
- eka, E.F. The nature of the first intrinsic absorption bands in crystalline naphthalene, 2=6566
- eka, E.F. Exciton luminescence of naphthalene- H_2^+ naphthalene- D_2 mixed crystals, 2=21276
- eka, E.F. See Broude, V.L., 2=2234
- eka, E.F. See Broude, V.L., 2=4157
- eka, E.F. See Shpak, M.T., 2=14747
- eka, O.F. Isotopic effect in naphthalene crystal spectra, 2=18821
- eka, V.I. See Rashba, E.I., 2=2303
- eka, V.I. See Rashba, E.I., 2=2304
- eka, V.I. See Rashba, E.I., 2=4003
- ekhar, K.C. Solutions of Einstein's field equations I and II (singular cases), 2=21814
- ekhmamet'ev, R.I. See Gross, E.F., 2=12616
- ekhmamet'ev, R.I. See Gross, E.F., 2=14715
- ekhter, V.M. Isotopic structure of weak interactions and processes during the absorption of neutrinos or antineutrinos by nucleons, 2=3313
- ekhter, V.M. Symmetry properties of strong interactions, 2=22416
- ekhter, V.M. Experimental verification of unitary symmetry of strong interactions, 2=22418
- ekhter, V.M. See Azimov, Ya.I., 2=22482
- ekhter, V.M. See Gribov, V.N., 2=3308
- ekun, L.Ya. Fine structure of the microwave Faraday effect in paramagnetics, 2=10579
- ekun, L.Ya. See Vinokurov, V.M., 2=4252
- ekun, L.Ya. See Vinokurov, V.M., 2=21360
- eldon, E. Angular correlation with statistical reaction theory, 2=5878
- eldon, E. (p, p') triple angular correlation surfaces, 2=20607
- eldon, E. Angular correlation symmetries, 2=22803
- eldon, J.W. Correlation of resonance charge exchange cross-section data in the low energy range, 2=22167
- eldon, R.P. and Blakey, P.R. Liquid-induced crystallization in polymers, 2=23822
- eldon, W.R. and Duller, N.M. Intensities of muons underground at large zenith angles, 2=5772
- elepín, L.A. The Racah method in the theory of relativistic equations, 2=2615
- elepín, L.A. Covariant theory of relativistic wave equations, 2=19429
- elimov, B.N. See Bubnov, N.N., 2=6686
- eline, R.K. Experimental evidence for a one parameter description of collective spectra of deformed even nuclei, 2=9978
- eline, R.K. and Harlan, R.A. Experimental nuclear energy levels of Mg^{25} and their interpretation, 2=5801
- eline, R.K., Silckeland, T. and Chanda, R.N. Experimental observation of a new region of nuclear deformation, 2=5797
- eline, R.K. See Warner, L.B., 2=18263
- elkova, O.P. A simplified method of designing monochromators with plane diffraction gratings, 2=2888
- elley, E.G. See Sharp, R.D., 2=450
- elton, A.J. See Blairs, S., 2=43
- elton, R.A.J. Vapour pressures of the solid copper (I) halides, 2=7473
- elyubskii, V.I. Programmed temperature regulator for a thermostat, 2=2919
- emansky, D.E. and Jones, A.V. New measurements of the night air-glow spectrum in the 1.5μ region, 2=913
- emetenko, B.P. See Kuktevich, V.I., 2=1674
- emetenko, B.P. See Kuktevich, V.I., 2=11919
- Shemilt, L.W. See Dullien, F.A.L., 2=7202
- Shen, C.N. Oscillator bias and frequency response in nonlinear zero power kinetics, 2=12246
- Shen, C.N. See Dougherty, D.E., 2=16452
- Shen, C.S. See Griem, H.R., 2=3699
- Shen, K.Y. See Griem, H.R., 2=3696
- Shen, S.P. See Milford, S.N., 2=5773
- Shenderov, E.L. The diffraction of cylindrical acoustic waves by cylinders, 2=1233
- Shenderov, E.L. The diffraction of cylindrical acoustic waves by cylinders, 2=7298
- Shenderovich, A.M. See Grishaev, I.A., 2=22368
- Shenderovych, A.M. See Smýrnov, S.A., 2=7577
- Shenderovych, O.M. Errors connected with the dead time of the counter during source intensity fluctuations, 2=17982
- Shenker, M., LaRussa, J., Yoder, P.R., Jr and Scidmore, W.H. Overlapping-monoculars—An ultrawide-field viewing system, 2=17596
- Shenyavskaya, E.A., Kuzyakov, Yu.Ya. and Tatevskii, V.M. A new analysis of the vibrational structure of the titanium monochloride spectrum in the 4200 \AA region, 2=18459
- Shepeleva, I.M. and Irkhin, Yu.P. K-spectrum of X-ray absorption of iron, 2=8543
- Sheptytski, T.H. The autocorrelation function of symmetrically folded Gaussian noise, 2=1377
- Shephard, W.D. and Walker, W.D. π^+-p interactions at 1.3 BeV , 2=9899
- Shephard, W.D. See Kenney, V.P., 2=9892
- Shephard, W.D. See Kenney, V.P., 2=11977
- Shephard, W.D. See Samios, N.P., 2=20392
- Shepherd, G.C., Paulson, K.V. and Nilson, J.A. Stereo-projection systems for auroral height measurements, 2=4666
- Shepherd, G.C. See Iyengar, R.S., 2=4667
- Shepherd, G.G. See Nilson, J.A., 2=4677
- Shepherd, G.G. See Turgeon, E.C., 2=19211
- Shepherd, J. A simple calculator for variable star reductions, 2=21686
- Shepherd, W.H. Resistivity changes in quenched p-type silicon, 2=12521
- Sheppard, C.W. See Uffer, M.B., 2=4916
- Shepsenvol, M.A. Methods of modelling on an electrolytic bath with automated calculations of the space charge distribution, 2=215
- Sher, A. See Muller, M.W., 2=14844
- Sher, E.M. See Voronin, A.N., 2=19757
- Sher, E.S. See Smolenskii, G.A., 2=2289
- Sher, R., Kouts, H. and Klein, D. Spatial dependence of thermal-neutron spectra and the interpretation of thermal utilization measurements, 2=16453
- Sher, R., Tassan, S., Weinstock, E.V. and Hellsten, A. Low energy neutron cross sections of Dy^{164} , 2=5937
- Shera, E.B. Further comments on accidental coincidences in fast-slow coincidence systems, 2=9503
- Sherby, O.D. Factors affecting the high temperature strength of polycrystalline solids, 2=8739
- Sherby, O.D. See Meyers, C.L., 2=16961
- Sheremet, N.I. See Shpak, M.T., 2=21277
- Shereshevskii, A.M. See Gall, L.N., 2=20043
- Sheridan, J. Microwave spectroscopy of gases, 2=20785
- Sheridan, J. See Tyler, J.K., 2=14267
- Sheridan, K.V. See Boorman, J.A., 2=2559
- Sheridan, K.V. See Smerd, S.F., 2=19347
- Sheridan, K.V. See Weiss, A.A., 2=13162
- Sherif, H. See El Nadi, M., 2=3542
- Sherif, H. See El Nadi, M., 2=22853
- Sherman, A. and Martinek, F. The thermodynamic and electrical properties of mercury vapor at pressures below atmospheric and high temperatures, 2=2761
- Sherman, A. See Podolsky, B., 2=9705
- Sherman, C. Qualitative considerations of diffusion in the earth's gravitational field, 2=21641
- Sherman, C.H. See Russek, A., 2=10197
- Sherman, H.J. See Dodd, P., 2=22508
- Sherman, I.S. See Kaiser, W.C., 2=18000
- Sherman, J.W., III. Properties of focused apertures in the Fresnel region, 2=22342
- Sherman, M.P. See Grey, J., 2=17680
- Sherman, N.K. Cryotron as ionizing particle detector, 2=11837
- Sherman, N.K. Superconducting nuclear particle detector, 2=22366
- Sherr, R. and Brady, F.P. Spectra of (p, α) and (p, p') reactions and the evaporation model, 2=1889
- Sherrard, H. See Neumann, M.J., 2=18049
- Sherrill, F.A. See Wittels, M.C., 2=4435
- Sherrill, F.A. See Wittels, M.C., 2=18623
- Sherry, H.B. and Berman, A. Stability of shot signals transmitted through the deep ocean, 2=2826

- Sherwood, A.C. See Galbraith, W., 2=9757
 Sherwood, A.C. See Manning, G., 2=9657
 Sherwood, J.E. A source of polarized ions, 2=13604
 Sherwood, J.W.C. and Spencer, T.W. Signal-to-noise ratio and spectra of explosion-generated Rayleigh waves, 2=19186
 Sherwood, R.C. See Glogston, A.M., 2=4197
 Sherwood, R.C. See Geller, S., 2=4424
 Sherwood, R.C. See Geller, S., 2=12690
 Sherwood, R.C. See Morin, F.J., 2=11570
 Sherwood, R.C. See Nesbitt, E.A., 2=12749
 Sherwood, R.C. See Peter, M., 2=12821
 Sherwood, R.C. See Peter, M., 2=21372
 Sherwood, T.R. and Turchinets, W.E. Some photo-disintegration reactions in the titanium isotopes, 2=5890
 Sherwood, T.R. See Carver, J.H., 2=22787
 Sherwood, T.R. See Gregory, A.G., 2=14076
 Sheshunov, V.M. See Butslov, M.M., 2=20305
 Shesterikov, S.A. Buckling in the presence of creep, 2=17384
 Shestopalov, V.P. and Kalmykova, S.S. Theory of a modified conical helix, 2=240
 Shestopalov, V.P. and Tret'yakov, O.A. A qualitative analysis of the dispersion equations of some periodic structures of the cylindrical type, 2=16056
 Shestopalov, V.P. See Yatsuk, K.P., 2=19880
 Shestopalova, S.A. See Dzhelapov, B.S., 2=16364
 Shestopalova, S.A. See Vitman, V.D., 2=14051
 Shestoperov, V.Ya. See Babetski, Ya.S., 2=331
 Shestoperov, V.Ya. See Babetski, Ya.S., 2=22676
 Shestoperov, V.Ya. See Tret'yakov, Ch.A., 2=13928
 Shestopierov, V.J. See Grigorov, N.L., 2=16254
 Shevchenko, I.M. See Sëra, T.Ya., 2=10528
 Shevchenko, O.P. See Teplov, I.B., 2=10100
 Shevchenko, V.G. and Yur'ev, B.A. Photoprotons from Pr^{M1} , 2=3552
 Shevchenko, V.G. and Yur'ev, B.A. Photoprotons from Rh, Pt and Pb, 2=14079
 Shevchenko, V.G. and Yuryev, B.A. Photoprotons from heavy nuclei, 2=22789
 Shevchenko, V.G. See Balashov, V.V., 2=3550
 Shevchenko, V.G. See Shardanov, A.Kh., 2=16385
 Shevchenko, V.I. See Shapiro, V.D., 2=17826
 Shevchenko, V.I. See Shapiro, V.D., 2=17856
 Shevchenko, V.V. Irregular acoustic waveguides, 2=15687
 Shevelev, A.A. Temperature stresses and optimal heating conditions, 2=6296
 Shevera, V.S. See Zapisochnyi, I.P., 2=8065
 Shevera, V.S. See Zapisochnyi, I.P., 2=12289
 Shevera, V.S. See Zapisochnyi, I.P., 2=14192
 Shevera, V.S. See Zapisochnyi, I.P., 2=18424
 Shev'yev, V.S. and Dmitriev, A.B. Characteristics of cylindrical ionization chambers filled with air at atmospheric pressure, 2=20185
 Sheyina, T.H. See Pyskovats'k'yi, S.A., 2=19057
 Shibanov, A.S. and Shamovskii, L.M. Details of the additive coloration of alkali halide crystals in the presence of an activator, 2=18614
 Shibanov, A.S. See Shamovskii, L.M., 2=10384
 Shibanov, A.S. See Shamovskii, L.M., 2=23171
 Shibata, A. Analysis of a tunnel diode, 2=16741
 Shibata, H. and Toyoda, H. Thickness dependence of polarization reversal in BaTiO_3 single crystals, 2=10557
 Shibata, H., Toyoda, H. and Waku, S. Ferroelectric polarization reversal by linear fields, 2=10554
 Shibata, H. See Higashi, S., 2=3436
 Shibata, H. See Higashi, S., 2=20457
 Shibata, H. See Sawada, K., 2=11067
 Shibata, H. See Taguchi, S., 2=11062
 Shibata, K. See Hasegawa, H., 2=13929
 Shibata, S. Electron diffraction study on the molecular structure of chlorine, 2=22956
 Shibata, S. See Hasegawa, H., 2=18207
 Shida, S. See Ueda, H., 2=7232
 Shida, T. See Shinohara, K., 2=4560
 Shida, T. See Shinohara, K., 2=17098
 Shields, F.D. Thermal relaxation in fluorine, 2=8084
 Shields, H. and Hamrick, P. X-irradiation damage of sucrose single crystal, 2=18946
 Shields, W.R., Murphy, T.J., Garner, E.L. and Dibeler, V.H. Absolute isotopic abundance ratio and the atomic weight of chlorine, 2=14227
 Shiffman, C.A. Microsize magnetic field probes with axial symmetry, 2=7706
 Shifrin, G.A. See Vogl, T.P., 2=19765
 Shifrin, K.S. and Rashin, V.F. Spectral transmission and the inverse problem of scattering theory, 2=9407
 Shifrin, Ya.S. Effect of fluctuations in the incident wave on the diffraction pattern in the focal plane of a lens, 2=5116
 Shigin, V.A. Anisotropy of fragments I_0^*/I_{90}^* in the fission of U^{235} by neutrons with energies of 100-1000 keV, 2=8020
 Shigorin, D.N. See Nurmukhametov, R.N., 2=17473
 Shih, Y.Y. See Hastings, R.B., 2=13414
 Shiina, S. See Shoda, K., 2=426
 Shikata, T. See Shinoda, G., 2=9637
 Shikazono, N., Shôji, T., Takekoshi, H. and Tseng, P.K. Recoil-free resonant absorption of 35.5 keV γ -rays of Te^{125} , 2=22713
 Shikazono, N. See Tseng, P.-K., 2=2044
 Shikhov, S.B. See Novoshilov, A.I., 2=12255
 Shikin, I.S. [Contribution] to the general theory of stationary flow in relativistic hydrodynamics, 2=13303
 Shikin, I.S. Interpretation of unsteady relativistic hydrodynamics in Minkowski space, 2=15470
 Shikin, I.S. [Contribution] to the general theory of stationary flow in relativistic hydrodynamics, 2=19414
 Shikin, I.S. Interpretation of unsteady relativistic hydrodynamics in Minkowski space, 2=19415
 Shilal'nikas, V.I. See Pozhela, Yu.K., 2=20017
 Shil'berskii, Z. See Kolotov, O.S., 2=19870
 Shil'berskii, Z. See Kolotov, O.S., 2=22144
 Shilkin, A.I. and Kuliev, A.A. Device for growing tellurium monocrystals according to the method of extraction from the melt, 2=21484
 Shilliday, T.S. See Davis, P.W., 2=8239
 Shilo, V.P. See Vashko, A., 2=18845
 Shil'stein, S.Sh. See Fomin, V.G., 2=2363
 Shilyaev, B.A. See Golovnya, V.Ya., 2=444
 Shilyaev, B.A. See Golovnya, V.Ya., 2=22804
 Shimada, M. See Katsumori, H., 2=278
 Shimak, V. See Pernegr, Ya., 2=1745
 Shimak, V. See Votruba, M., 2=342
 Shimamoto, Y. Graph theory and parametric representations of Feynman amplitudes, 2=22408
 Shimanouchi, T. and Suzuki, I. Infrared spectra and force constants of CH_2Cl_2 , CHDCl_2 , and CD_2Cl_2 , 2=12311
 Shimanouchi, T. See Tsuboi, M., 2=6581
 Shimanskaya, N.S. See Biryukov, E.I., 2=405
 Shimanskaya, N.S. See Biryukov, E.I., 2=16371
 Shimanskaya, N.S. See Biryukov, E.I., 2=18299
 Shimanskaya, N.S. See Biryukov, E.I., 2=22762
 Shimashchek, E. A cryostat for intermediate temperatures, 2=22107
 Shimauchi, M. Arc spectra of pure aluminium in various gases, 2=3608
 Shimauchi, M. Emission and absorption spectra of SbO in the ultraviolet, 2=3750
 Shimchak, M.M. See Evseev, V.S., 2=7872
 Shimchak, M.M. See Evseev, V.S., 2=22832
 Shimizu, H. Effect of molecular shape on nuclear magnetic relaxation, 2=20872
 Shimizu, H. and Fujiwara, S. Erratum: Nuclear relaxation processes of a nonequivalent two-spin system, 2=20870
 Shimizu, H. See Arata, Y., 2=14326
 Shimizu, K. Altitude variation of the charge spectrum of heavy primary cosmic radiation, 2=9951
 Shimizu, K. Direct observation of sub-structures of the martensite in Fe-Ni alloy by means of electron microscopy, 2=10904
 Shimizu, K. See Akashi, M., 2=12083
 Shimizu, K. See Shoda, K., 2=12181
 Shimizu, M. and Niu, H. Effects of noncentral force and an electron gas to [on] the Cauchy relation in metals, 2=14866
 Shimizu, S. and Nakayama, Y. Internal conversion of the 1119 keV transition in ^{65}Cu , 2=12172
 Shimizu, S. See Kimura, K., 2=15970
 Shimizu, S. See Mukoyama, T., 2=14058
 Shimizu, T. Stellar orbits in the Galaxy. II. Motions perpendicular to the galactic plane, 2=19344
 Shimizu, T. See Narita, K., 2=14542
 Shimko, K.I. See Vasil'chenko, G.V., 2=9214
 Shimoda, K. Magnetic perturbation of an ammonia maser on the 3,2 line, 2=1585
 Shimoda, K. Dependence of magnetic coupling constant of ammonia on the inversion state, 2=1586
 Shimoda, K. Theory of masers for higher frequencies, 2=3164
 Shimoda, K. Note on the theory of high-frequency masers, 2=5467
 Shimoda, K. Proposal for an electron accelerator using an optical maser, 2=7684
 Shimoda, K. Threshold condition of masers for higher frequencies, 2=16015
 Shimodaya, I., Tamagaki, R. and Tanaka, H. Interaction between alpha particles, 2=12018
 Shimoda, H. See Igi, K., 2=1668

- himokawa, J. See Ishida, K., 2=7238
- himomura, Y. See Saito, S., 2=4405
- himon, L.L. See Zapisochii, I.P., 2=18424
- himoda, H. On the turbulence and hydromagnetic turbulence in Astrophysics. II, 2=19308
- himura, Y. New type of high temperature X-ray diffractometer, 2=4404
- himura, Y. Temperature variations in d values and expansion coefficient recorded by the X-ray diffractometer, 2=6796
- hinagawa, K. See Miura, M., 2=10794
- hin Kyu Hyung. See Hyung Kyu Shin.
- hinaka, Y. X-ray study on the disordered structure above the ferroelectric Curie point in potassium nitrate, 2=17022
- hinoda, G. and Amano, Y. Effect of quenching and tempering on the structures of a hypo-eutectoid Cu-Al alloy, 2=10913
- hinoda, G., Suzuki, T. and Kato, S. Frequency response of semi-circular magnetic spectroscopy, 2=17899
- hinoda, G., Suzuki, T., Kato, S. and Shikata, T. The construction of a magnetic spectrometer having inclined plane pole-faces for photoelectrons, 2=9637
- hinoda, G. See Suzuki, T., 2=9382
- hinoda, K. and Ito, K. Selective adsorption studies by radio tracer technique: the selective adsorption between calcium and sodium ions at the ionized interface, 2=2431
- hinohara, K., Shida, T. and Saito, N. Remark on the radiolysis of aqueous nitrate solution, 2=4560
- hinohara, K., Shida, T. and Saito, N. Radiation decomposition of aqueous azide solution, 2=17098
- hinohara, S. The shielding of a fixed charged in a metal, 2=2070
- hinohara, Y. and Ballantine, D. Free radicals in irradiated nylon, 2=14337
- hiokawa, T. and Hasegawa, K. A new chemical dosimetry for measuring higher level γ -rays using a titanium sulphate solution, 2=20291
- hiokawa, W. See Toyoda, H., 2=6520
- hionoya, S. See Makishima, S., 2=715
- hionoya, S. See Makishima, S., 2=14714
- hirozawa, K. See Kikuchi, T., 2=18368
- hipley, E.N. See Crayton, N., 2=3472
- hipley, E.N. See Crayton, N., 2=22718
- hipulo, G.P. The rotational spectrum of the cyanamide molecule, 2=1990
- hirafuji, J. See Inuishi, Y., 2=12543
- hirafuji, J. See Inuishi, Y., 2=12544
- hirai, S. and Fukuda, Y. An interpretation of the oriented overgrowth of metal, 2=16995
- hirane, G., Cox, D.E. and Ruby, S.L. Mössbauer study of isomer shift, quadrupole interaction, and hyperfine field in several oxides containing Fe⁵⁷, 2=6663
- hirane, G., Takei, W.J. and Ruby, S.L. Mössbauer study of hyperfine fields and isomer shifts in Fe₂N and (Fe,Ni)₄N, 2=10299
- hirane, G. See Cox, D.E., 2=18921
- hirane, G. See Takei, W.J., 2=8603
- hirkov, D.V. Dispersion theories for low energy scattering, 2=16162
- hirkov, D.V. See Efremov, A.V., 2=7894
- hirkov, D.V. See Efremov, A.V., 2=16233
- hirkov, D.V. See Efremov, A.V., 2=22603
- hirkov, D.V. See Serebryakov, V.V., 2=9910
- hirkov, D.V. See Serebryakov, V.V., 2=16230
- hirley, D.A., Kaplan, M., Grant, R.W. and Keller, D.A. Mössbauer effect in Eu¹⁵¹; possible influence of optical branches, 2=20498
- hirley, D.A. See Kaplan, M., 2=22708
- hirley, D.A. See Lovejoy, D.A., 2=7922
- hirn, G.A. See Busen, K.M., 2=8244
- hirn, G.A. See Lehovec, K., 2=14640
- hirokov, M.F., Vaulin, E.P. and Chesnokov, N.A. Experiments on stationary plasma flow in a homopolar device, 2=5357
- hirokov, M.I. Estimates of the effective particle interaction radius, 2=7835
- hirokov, M.I. Space and charge parities of a proton-antiproton system and its pion annihilation, 2=22501
- hirokov, V.I. See Sveshnikov, B.Ya., 2=21914
- hirokov, Yu.M. See Cheshkov, A.A., 2=7831
- hirokov, Yu.M. See Zelenskaya, N.S., 2=3464
- hirokovskii, V.P. See Volkenshtein, N.V., 2=8290
- hishatskaya, L.P. See Levikov, S.I., 2=11485
- hishkin, G.V. See Baranov, S.A., 2=16344
- hishlovskii, A.A. See Gorban', I.S., 2=14718
- hishlovskii, O.A. See Gorban', I.S., 2=6601
- hishokin, V.P. and Bazilevskii, L.N. Long-term hardness of low-melting alloys at various temperatures, 2=8756
- hishokin, V.P. and Basilevskii, L.N. Long-time hardness of low-melting point alloys at different temperatures, 2=23792
- shitikova, K.V. Giant resonance in photodisintegration of the Zr⁹⁰ nucleus, 2=14081
- shivakumar, P.N. Dislocations of the material whose cross-section is bounded by two concentric ellipses, 2=17383
- shively, F. See Alitti, J., 2=16229
- shively, F. See Alitti, J., 2=18156
- shivrin, O.N. Variations in the mosaic structure of metals as a result of recovery and recrystallization, 2=21049
- shiyarovskaya, I.E. See Frantsevich, I.N., 2=15109
- shiyarovskaya, I.E. See Frantsevich, I.N., 2=16664
- shiyarovskii, V.I. See Kucherov, I.Ya., 2=21189
- shiyarovskii, V.I. See Kucherov, I.Ya., 2=23456
- shiyarovskii, V.I. See Zhmud'skii, O.Z., 2=5429
- shkarofsky, I.P. The a.c. conductivity of air at temperatures of 300°-12 000°K in the presence of a static magnetic field, 2=2778
- shkarofsky, I.P. Generalized Appleton-Hartree equation for any degree of ionization and application to the ionosphere, 2=5488
- shkarofsky, I.P., Bachynski, M.P. and Johnston, T.W. Collision frequency associated with high temperature air and scattering cross-sections of the constituents, 2=3007
- shklarsky, E. and Livneh, M. Equations of slip lines in an anisotropic-cohesion medium, 2=10762
- shklovskii, I.S. Radio galaxies, 2=1020
- shklovskii, I.S. The artificial comet as a method of optical observation of space rockets, 2=9123
- shklovskii, I.S. Optical methods of observation of artificial earth satellites, 2=11173
- shklovskii, I.S. Supernovae explosions and the interstellar medium, 2=24149
- shklovskii, I.S., Moroz, V.I., and Kurt, V.G. The nature of the earth's third radiation belt, 2=919
- shklovskii, I.S. See Gringauz, K.I., 2=918
- shklovskii, I.S. See Gringauz, K.I., 2=9030
- shklovskii, S. See Krasovskii, V.I., 2=9022
- shklyarevskii, G.M. Nucleon correlations in photonuclear reactions. I. Photodisintegration of He³, 2=327
- shklyarevskii, G.M. Nucleon correlations in photonuclear reactions. I. Photodisintegration of He⁴, 2=22660
- shklyarevskii, G.M. Nucleon correlations and photonuclear reactions. II. (γ , p) and (γ , n) reactions in the nonresonance region ($E_{\gamma} \geq 30$ MeV), 2=22793
- shklyarevskii, I.N. On the article "The absorption and dispersion of thin gold films" by A.N. Tekuchev, 2=2891
- shklyarevskii, I.N. and Yarovaya, R.G. Optical properties of beryllium in the infrared spectral region, 2=10569
- shklyarevskii, I.N. See Padalka, V.G., 2=6538
- shklyarevskii, I.N. See Padalka, V.G., 2=16624
- shklyarevskii, I.N. See Vlasenko, N.A., 2=6618
- shkoda-Ul'yanov, V.O. See Hrishayev, I.O., 2=18317
- shmal'gauzen, V.I. See Bukhovtsev, B.B., 2=1349
- shmatov, V.T. Thermodynamic theory of systems with auxiliary parameters, 2=8763
- shmatov, V.T. Thermodynamic theory of systems with complementary parameters, 2=23871
- shmatov, V.T. and Grin', A.V. High-temperature internal friction in metals, 2=23736
- shmayevs'kii, V.Ye. and Metil', T.P. Thermoelectric and electric properties of the section ZnSb-CdSb, 2=18762
- shmidt, V.V. On the effect of interelectron interaction in metals on the fine structure of X-ray spectra, 2=704
- shmidt, V.V. See Borovskii, I.B., 2=14211
- shmoys, J. See Hessel, A., 2=11666
- shmushkevich, I.M. See Bukhovstov, A.P., 2=3720
- shmushkevich, I.M. See Nikitin, Yu.P., 2=22818
- shneider, A.D. and Zhmurko, I.S. Photoelectric properties of mercury-activated cadmium telluride layers, 2=16753
- shneider, A.D. and Zhmurko, I.S. Photoelectric properties of mercury-activated cadmium telluride layers, 2=18733
- shneyerova, R.I. See Miropolsky, Z.L., 2=19529
- shober, R. See De Mastry, J.A., 2=6062
- shockley, W. Diffusion and drift of minority carriers in semiconductors for comparable capture and scattering mean free paths, 2=6438
- shockley, W. Problems related to p-n junctions in silicon, 2=21159
- shockley, W. See Hubner, K., 2=23053
- shoda, K. Reaction O¹⁶(γ , p)N¹⁵ by 20.5 MeV polarized bremsstrahlung, 2=425
- shoda, K., Abe, K., Ishizuka, T., Kawamura, N. and Kimura, M. Photoproton cross-sections for Mg, Al, Si and S, 2=16381
- shoda, K., Ishizuka, T., Kawamura, N., Abe, K. and Kimura, M. Energy spectra of photoprotons from P³¹ and Ca⁴⁰, 2=12180
- shoda, K., Ishizuka, T., Shimizu, K. and Akashi, M. Energy spectrum of photoprotons from Al²⁷, 2=12181

- Shoda, K., Niizeki, H., Fujiwara, N., Okiguchi, A., Watanabe, A. and Midera, M. Photoprotons from potassium, 2=20591
- Shoda, K., Shiina, S., Kobayashi, K., Abe, K. and Kimura, M. Photoprotons from silicon and phosphorus, 2=426
- Shoemaker, D.P. and Sly, W.G. Computer programming strategy for crystallographic Fourier synthesis: Program MIFR1, 2=8820
- Shoenberg, D. The de Haas-van Alphen effect and the electronic structure of metals, 2=4203
- Shoenberg, D. Low temperature physics, 2=17705
- Shogenji, K. and Sato, T. Temperature dependence of Hall coefficient in p-type Bi_2Te_3 crystals, 2=18696
- Shohet, J.L. Velocity and temperature profiles for laminar magneto-hydrodynamic flow in the entrance region of an annular channel, 2=20124
- Shohet, J.L., Osterle, J.F. and Young, F.J. Velocity and temperature profiles for laminar magneto-hydrodynamic flow in the entrance region of a plane channel, 2=11770
- Shoijet, M. See Ciarrapico, J.O., 2=14637
- Shoji, M. Determination of the impurity concentration of the p-type recrystallized layer by thermoelectric power measurements, 2=6450
- Shoji, M. On the impurity concentration of the p-type recrystallized layer of tunnel diode, 2=6451
- Shoji, T. See Shikazono, N., 2=22713
- Shoji, T. See Tseng, P.-K., 2=2044
- Sholette, W.P. and Muschlitz, E.E., Jr. Ionizing collisions of metastable helium atoms in gases, 2=17782
- Sholette, W.P. See Porter, R.F., 2=19140
- Sholokhovitch, M.L. and Fesenko, E.G. Preparation and structure of crystals of some lead-containing ferroelectric substances and their solid solutions, 2=14951
- Sholokhovitch, M.L. See Khodakov, A.L., 2=4095
- Sholokhovitch, M.L. See Khodakov, A.L., 2=8464
- Sholokhovitch, M.L. See Khodakov, A.L., 2=14950
- Sholtz, P.N. and Bakis, R. Spoken digit recognition using vowel-consonant segmentation, 2=4892
- Shoniva, V.M. See Baroni, E.E., 2=19689
- Shoniya, V.M. See Baroni, E.E., 2=21278
- Shono, K. See Tokunaga, M., 2=4046
- Shooter, D. and Farnsworth, H.E. Hydrogen-deuterium exchange on clean nickel surfaces, 2=6871
- Shooter, D. and Farnsworth, H.E. A search for hydrogen-deuterium exchange on clean germanium surfaces, 2=10962
- Shorb, A.M., Schroeder, R. and Lippincott, E.R. Wave functions for anharmonic oscillators by perturbation methods, 2=21822
- Shore, F.J. See Postma, H., 2=12207
- Shore, F.J. See Sailor, V.L., 2=18511
- Shore, R. and Meltz, G. Anisotropic plasma-covered magnetic line source, 2=13689
- Shore, R.A. See Parrent, G.B., Jr., 2=20132
- Shores, R.G. See Potter, R.L., 2=2731
- Shorin, K.N., Metal'nikov, Iu.N., Bozin, G.M. and Eremin, L.V. The use of permalloy transducers for magnetic measurements in accelerators, 2=1544
- Short, M.A. Experimental determination of X-ray Compton scattering from carbon blacks and other non-crystalline materials, 2=5617
- Short, T.H. See Carlson, R.F., 2=20616
- Shortes, S.R. and Miller, D.P. Observations of crystal orientation effects in tin-telluride thin films, 2=8886
- Shor'gin, P.P. See Krushinskii, L.L., 2=6170
- Shor'gin, P.P. See Krushinskii, L.L., 2=6171
- Shoshin, P.B. See Kulikov, O.F., 2=17916
- Shotov, A.P. and Grishechkina, S.P. Temperature dependence of the tunnel current in thin p-n junctions, 2=21161
- Shoup, J.E. Phoneme selection for studies in automatic speech recognition, 2=11217
- Shpak, M.T. Role of impurities in the luminescence of molecular crystals at low temperatures, 2=14742
- Shpak, M.T. and Sheka, E.F. Luminescence of crystalline naphthalene containing minor impurities, 2=14747
- Shpak, M.T., Soloviov, A.V., Sheremet, N.I. and Dmytrenko, Y.P. Spectral investigation of chemical transformations in crystalline triphenylmethane, 2=21277
- Shpetnyi, O.I. See Val'ter, A.K. [Walter], 2=10149
- Shpigel', I.S. See Andryukhina, E.D., 2=7268
- Shpil'rain, E.E. and Asinovskii, E.I. The calculation of thermodynamic properties and the construction of "is" diagrams for lithium, 2=2708
- Shpil'rain, E.E. and Asinovskii, E.I. The calculation of the latent heat of vaporization of alkali metals, 2=17693
- Shpinel', V.S., Bryukhanov, V.A. and Delyagin, N.N. Influence of temperature on the hyperfine structure of γ -radiation, 2=555
- Shpinel', V.S., Bryukhanov, V.A. and Delyagin, N.N. Isomer energy shifts of the 23.8 keV γ -transition in the Sn^{119} nucleus, 2=5810
- Shpinel', V.S. See Bryukhanov, V.A., 2=554
- Shpinel', V.S. See Bryukhanov, V.A., 2=10930
- Shpinel', V.S. See Bryukhanov, V.A., 2=16299
- Shpinel', V.S. See Delyagin, N.N., 2=3553
- Shpinel', V.S. See Fam Zui Khien, 2=13973
- Shpinel', V.S. See Forafontov, N.V., 2=14022
- Shpinel', V.S. See Mitrofanov, K.P., 2=14080
- Shpinel', V.S. See Sorokin, A.A., 2=14066
- Shpunt, A.A. A study of the surface microrelief near an indenter imprint in NaCl-type crystals, 2=16970
- Shpunt, A.A. A study of the surface microrelief near an indenter imprint in NaCl-type crystals, 2=18991
- Shpunt, A.A. See Dikina, L.S., 2=19006
- Shrader, E.F. See Bret, G.C., 2=5275
- Shrader, E.F. See Cranberg, L., 2=5407
- Shrader, E.F. See Eckert, A.C., 2=352
- Shramenko, B.I. See Hrishayev, I.O., 2=18317
- Shrednik, V.N. Investigation of atomic layers of zirconium on the face of a tungsten crystal by means of electron and ion projectors, 2=2
- Shrestha, C.B. See Raghavacharyulu, I.V.V., 2=6128
- Shrubshall, R.G. See Meacock, H.F., 2=15716
- Shtarkov, L.N. On photodisintegration of the deuteron at medium-energies, 2=3416
- Shtarkov, L.N. See Baranov, P.S., 2=3301
- Shtarkov, L.N. See Baranov, P.S., 2=20297
- Shtcherbakov, Yu. See Citron, A., 2=5703
- Shtcherbakov, Yu. See Citron, A., 2=13841
- Shteins, K.A. The diffusion of comets. II. The stationary process, 2=
- Shteins, K.A. The diffusion of comets. III. The case of large perturbations, 2=950
- Shteins, K.A. and Riekstyn'sh, E.Ya., The diffusion of comets. I. 2=94
- Shtepa, N.I. Compensation-null method of exploring plane and axially symmetrical magnetic fields, 2=20094
- Shtil'shtein, G.M. Thermoelectric phenomena on the sun. I. The electrostatic field in the solar corona, 2=971
- Shtanikh, I.V. See Voronkov, A.E., 2=18044
- Shtremel', M.A. See Kidin, I.N., 2=8849
- Shtremel', M.A. See Kidin, I.N., 2=21550
- Shtrikman, S. See Brown, W.F. Jr., 2=4217
- Shtrikman, S. See Doyle, W.D., 2=12677
- Shtrikman, S. See Flanders, P.J., 2=2276
- Shtrikman, S. See Flanders, P.J., 2=12723
- Shtrikman, S. See Hashin, Z., 2=22299
- Shtum, E.L. See Petrov, A.V., 2=20947
- Shuba, Yu., Tyutikov, A.M. and Sorokin, O.M. Photocathodes for studying short-wave solar radiation, 2=19299
- Shubart, F. A solution of the problem of laminar convection with a linear heat source, 2=9430
- Shubina, R.V. See Kopvillem, U.Kh., 2=23627
- Shubko, V.M. See Baranov, S.A., 2=16344
- Shubnikov, A.V. The parallel array formed by ammonium chloride dendrites in a drop of solution, 2=2354
- Shubnikov, A.V. Which is hotter—the growing crystal or the parent medium feeding it? 2=4374
- Shubnikov, A.V. Symmetry and physical properties of growth pyramids, 2=4375
- Shubnikov, A.V. and Parvov, V.F. Formation of crystallization centres in a drop of ammonium chloride solution under the action of an electric field, 2=4387
- Shugart, H.A. See Chan, Y.W., 2=18241
- Shugart, H.A. See Ehlers, V.J., 2=9991
- Shugart, H.A. See Ehlers, V.J., 2=18418
- Shugart, H.A. See Petersen, F.R., 2=3462
- Shugart, H.A. See Petersen, F.R., 2=9994
- Shugurov, V.K. See Éringis, K.K., 2=8058
- Shuiskais, K.F. See Timrot, D.L., 2=4999
- Shukhtin, A.M. Interferometric method for the determination of the gas density and electron concentration in plasma, 2=199
- Shukhtin, A.M. See Dunaev, Yu.A., 2=9309
- Shukla, P.G. See Neelakantan, K.A., 2=20450
- Shukla, R.C. See Varshni, Y.P., 2=6121
- Shuler, K.E., Weiss, G.H. and Anderson, K. Studies in nonequilibrium rate process. V. The relaxation of moments derived from a master equation, 2=15493
- Shuler, K.E. See Mies, F.H., 2=16461
- Shul'ha, S.Z. See Telyatnyk, A.I., 2=18481
- Shulkin, M. and Marsh, H.W. Sound absorption in sea water, 2=17556
- Shull, C.G. See Wang, S.P., 2=6868
- Shull, F.B. See Allas, R.G., 2=3607
- Shull, F.B. See Allas, R.G., 2=18352

- hull, H. The concept of partial ionic character, 2=3805
- hulman, A. See Powell, A., 2=17544
- hul'man, A.R. and Ganichev, D.A. Secondary electron emission and elastic scattering of slow electrons from various faces of monocrystalline tungsten, 2=17878
- hulman, C. See Bergstein, L., 2=22019
- hulman, R.G. and Sugano, S. Origin of the large π bonding in KNiF₃, 2=20835
- hulman, R.G. and Wyluda, B.J. Nuclear magnetic resonance shifts in rare earth nitrides, 2=12835
- hulman, R.G. See Eisinger, J., 2=11393
- hulman, R.G. See Walsh, W.M.Jr., 2=8647
- hul'man, S.G. See Regel', A.R., 2=8331
- hul'man, S.G. See Regel', A.R., 2=14532
- hultz, T. See Rabinowitz, P., 2=7385
- humakov, N.V. See Kudryavtsev, E.V., 2=2908
- humshurov, V.I. See Gniedich, A.V., 2=1512
- humskii, K.P. The condensation of steam into solid in a rarefied medium, 2=7475
- hur, M.Ya. See Zverev, L.P., 2=10541
- hur, Ya.S. See Luzhinskaya, M.G., 2=23650
- hur, Ya.S. See Sokolov, A.D., 2=8655
- hur, Ya.S. See Sokolov, A.D., 2=21337
- hur, Ya.S. See Startseva, I.E., 2=8649
- hur, Ya.S. See Startseva, I.E., 2=23676
- huraleva, E.I. See Parfianovich, I.A., 2=714
- huraleva, E.I. See Parfianovich, I.A., 2=2251
- huraleva, E.I. See Parfianovich, I.A., 2=14709
- huran', P. High energy behaviour of the real part of the scattering amplitude, 2=20265
- hurcliff, W.A. See Livingston, M.S., 2=1538
- hurygin, A.I. See Mandel'shtam, S.L., 2=9069
- hurygin, A.I. See Mandel'shtam, S.L., 2=19300
- hurygin, A.I. See Mandel'shtam, S.L., 2=19301
- hurygin, A.I. See Vasil'ev, B.N., 2=4760
- huskus, A.J. Electron spin resonance of Fe³⁺ and Mn²⁺ in single crystals of CaO, 2=21362
- huskus, A.J. Electron spin resonance of Gd³⁺ and Eu²⁺ in single crystals of CaO, 2=21363
- huskus, A.J. See Wylie, D.W., 2=4266
- hut'ko, Yu.V. See Lebedev, S.Ya., 2=11623
- hutt, R.P. See Brown, H.N., 2=12013
- huttleworth, R.A. Design and sensitivity of a photoconductive recording system applied to the Sucksmith ring balance, 2=3128
- huvaev, A.T. Concerning interpretation of X-ray spectra, 2=14208
- huvalov, L.A. Some features of pulse switching of ferro-electric crystals, 2=16778
- huvalov, L.A. and Likhacheva, Yu.S. Damping of the oscillations of piezoelectric resonators employing ferroelectric single crystals, 2=16797
- huvalov, L.A. and Sonin, A.S. The crystallography of antiferroelectrics, 2=2342
- huvalov, L.A. See Konstantinova, V.P., 2=14620
- huvalov, L.A. See Konstantinova, V.P., 2=16775
- hvangiradze, R.R. and Dzhamagidze, Sh.Z. Use of the frequencies of isotopic molecules for the determination of the force constants of nonlinear symmetric molecules of the type XY₂, 2=18431
- hvarts, K.K. and Vale, G.K. Sensitized luminescence of KCl—Pb—Mn phosphor, 2=23597
- hvarts, Ya.M. Method for determining the electrical potential of bodies located in a plasma, 2=9121
- hvedov, V.P., Gritchenko, Z.G. and Gedeonov, L.I. The concentration of Be⁷ in the ground-touching layer of air and atmosphere fallout, 2=13010
- hvets, A.D. See Esel'son, B.N., 2=13498
- hvets, A.D. See Esel'son, B.N., 2=19791
- hvets, A.D. See Semenenko, E.E., 2=16679
- hvets, O.M. See Dubovoi, L.V., 2=22200
- hvidkovskii, E.G. Some results of measurements of the thermo-dynamic parameters of the stratosphere with the aid of meteorological rockets, 2=12994
- hwe, Hla. See Hla, Shwe.
- hymansk'a, E.T. Investigation of the critical state of matter by Toeppler's method. III. Dependence of the density of an octane solution in hexane on the temperature near the liquid—vapour critical point, 2=7478
- laud, J. See Astier, A., 2=22614
- labahara, R. Transition between three classes of the hyperbolic—elliptic three-body problem, 2=19488
- liblev, A.I. See Zakharchenya, B.P., 2=23526
- liblev, A.I. See Gross, E.F., 2=18556
- liblev, A.I. See Gross, E.F., 2=20971
- Sibilev, A.I. See Zakharchenya, B.P., 2=10599
- Sible, N.J. See Murcray, D.G. 2=8972
- Sibulkin, M. Transition from turbulent to laminar pipe flow, 2=7237
- Sichirolo, A.E. See Baldassarre, F., 2=22562
- Šichová, H. See Kratochvíl, P., 2=2359
- Šichová, H. See Kratochvíl, P., 2=14440
- Sicotte, Y. and Rinfret, M. Scattering of light by binary liquid mixtures, 2=17462
- Siddall, G. and Probyn, B.A. Vacuum-deposited metal film resistors, 2=2120
- Siddiqui, M.M. Some problems connected with Rayleigh distributions, 2=15456
- Sidenius, G. See Jørgensen, M., 2=20516
- Sidorenko, I.S. See Bolotin, L.I., 2=17912
- Sidorenko, L.I. See Afanas'ev, N.G., 2=5432
- Sidorenko, L.I. See Afanas'ev, N.H., 2=5434
- Sidorenko, V.V., Ivanov, V.P. and Ershov, N.A. A universal recording radiometer, 2=20301
- Sidorenko, V.V. See Ivanov, V.P., 2=20180
- Sidorov, A.F. Shock waves in the flow of a polytropic gas, having straight-line characteristics, 2=21932
- Sidorov, E.A. Effect of internal sources of heat on convective heat transfer, 2=19749
- Sidorov, G.K. Theory of Rayleigh and Raman scattering of light by gases placed in an electrostatic field, 2=13378
- Sidorov, V.A. Evaporation neutron spectra, 2=14139
- Sidorov, V.M. See Batusov, Yu.A., 2=310
- Sidorova, I.I. See Bondarenko, A.V. 2=10181
- Sidorovich, E.A. and Kuvshinskii, E.A. Investigation of the shock compression of rubbers, 2=10745
- Sidorovich, E.A. and Kuvshinskii, E.V. Investigation of the shock compression of rubbers, 2=8716
- Sidran, M. See Kallmann, H., 2=9414
- Sidwell, T.W. and Hurst, R.P. Amagnetic susceptibilities of some first row atoms and ions, 2=18394
- Sidyakin, V.G. Mobility of photocarriers in amorphous selenium, 2=10537
- Sidyakin, V.G. See Altaiskii, Yu.M., 2=2800
- Siebert, D. See Matossi, F., 2=10633
- Siedentopf, H. See Giese, R.H., 2=11105
- Siegbahn, K. See Thur, J.E., 2=20547
- Siegel, A. A new expansion of the differential operator for the time development of fluctuation distributions, 2=2637
- Siegel, B.M. See Yoda, E., 2=10831
- Siegel, I. See Nelson, W.F., 2=21261
- Siegel, K.M. Summary of methods and results of estimation of the physical constants of the lunar surface, 2=4733
- Siegel, K.M. The quasi-static radar cross sections of complex bodies of radiation, 2=7745
- Siegel, K.M. and Senior, T.B.A. A lunar theory reasserted, 2=15403
- Siegel, K.M. See Felsen, L.B., 2=7402
- Siegel, M.H. Discrimination of color. I. Comparison of three psychophysical methods, 2=24229
- Siegel, M.H. and Dimmick, F.L. Discrimination of color. II. Sensitivity as a function of spectral wavelength, 510 to 630 mμ, 2=24230
- Siegenthaler, B.M. and Smith, D.G. Speech reception thresholds by different methods of test administration, 2=7058
- Siegert, H.J. On an approximate solution of the diffusion equation by a separation formula for a completely reflected cylindrical reactor, 2=20706
- Siegfried, J.B. See Boynton, R.M., 2=17324
- Siegling, W. See Thiessen, P.A., 2=5292
- Siegmán, A.E. See Inaba, H., 2=22016
- Siegmán, A.E. See Louisell, W.H., 2=1046
- Siegmán, A.E. See McMurtry, B.J., 2=7345
- Siegmán, H.C. Magnetomechanic Chladni figures; an anisotropy in the ΔE effect, 2=4230
- Siekanowicz, W.W. Derivation of ideal electrode shapes for electrostatic beam focusing, 2=11714
- Siekmann, J. Note on an integral equation occurring in stagnation point flow, 2=13304
- Siekmeier, E.W. See Pingel, H., 2=7366
- Siemińska, J. See Gajewski, W., 2=14099
- Siemińska, J. See Gajewski, W., 2=20626
- Siems, R., Delavignette, P. and Amelinckx, S. Direct measurement of stacking fault energies, 2=3927
- Siems, R., Delavignette, P. and Amelinckx, S. The buckling of a thin plate due to the presence of an edge dislocation, 2=12439
- Siems, R., Delavignette, P. and Amelinckx, S. Surface effects associated with dislocations in later crystals, 2=14427
- Siems, R. See Aerts, E., 2=23199
- Sienko, M.J. and Banerjee, B. Studies in non-stoichiometry: Magnetic susceptibilities in the tungsten-oxygen system, 2=2266

- Sienko, M.J. See Gendell, J., 2=18963
- Sierro, J. Paramagnetic resonance of trivalent gadolinium in strontium titanate, 2=12824
- Sieskind, M., Grun, J.B. and Nikitine, S. Quantitative study of the absorption and reflection spectra of crystals of red HgI_2 , 2=6565
- Sieskind, M. See Grun, J.B., 2=4145
- Sieskind, M. See Grun, J.B., 2=8494
- Sieskind, M. See Nikitine, S., 2=697
- Siffert, P. See Coche, A., 2=5527
- Siffert, P. See Coche, A., 2=11834
- Sigal, M.A. See Deryugin, I.A., 2=18930
- Sigmond, R.S. On the fluctuations in the external reactions of a classical thermodynamical system, 2=17703
- Sigmond, R.S. On the fluctuations in the external reactions of a classical thermodynamical system. II., 2=17704
- Signell, P. See Connors, P., 2=3329
- Signell, P. See Yoder, N.R., 2=3453
- Signer, P. See Geiss, J., 2=4752
- Sivola, A. See Nurmia, M., 2=18280
- Sikkeland, T., Haines, E.L. and Viola, V.E.Jr. Momentum transfer in heavy-ion-induced fission, 2=5984
- Sikkeland, T. See Sheline, R.K., 2=5797
- Sikkema, C.P. Energy levels in ^{15}N from $^{15}\text{N}(n,n)^{15}\text{N}$ elastic scattering, 2=14106
- Sikkema, C.P. Note on the Blatt-Biedernharn formalism, 2=22449
- Siklós, T. and Tyablikov, S.V. Resonance formulae for uniaxial anisotropic ferromagnetic materials, 2=12810
- Sikora, D.I. See Hrishayev, I.O., 2=18317
- Sikorski, A. See Griat, W., 2=4033
- Sikorski, M.E. and Andreatch, P. Tunnel diode hydrostatic pressure transducer, 2=6484
- Sikorski, S. Bulk photoelectromagnetic effect in semiconductors, 2=23478
- Sil, N.C. See Mukherjee, S.C., 2=22917
- Silad'i, M. See Yavor, S.Ya., 2=7712
- Silaeva, V.S. See Gorbunov, A.N., 2=14077
- Silant'ev, A.N. Recording photomultiplier pulses by means of a tape recorder and an automatic voltmeter, 2=13523
- Silbar, R. and Überall, H. V-A or V+A interaction in μ -meson capture? 2=3370
- Silber, L. See Heinz, W., 2=12809
- Silber, R. See Hoelker, R.F., 2=11189
- Silbert, M.G. Nuclear energy levels of C^{13} ; two-stage reaction $\text{N}^{14}(t,n)\text{O}^{16}(\alpha)\text{C}^{12}$, 2=20680
- Silbiger, A. Comments on "sound radiation from prolate spheroids", 2=1227
- Silbiger, A. Nonaxisymmetric modes of vibration of thin spherical shells, 2=17534
- Silbiger, H.R. See Elliott, D.N., 2=7062
- Sil'd, O.I. Recurrence formulae in the calculations of moments of distributions of transition probabilities, 2=6193
- Sil'd, O.I. See Rebane, K.K., 2=14293
- Sil'd, O.I. See Rebane, K.K., 2=14706
- Sil'd, O. See Rebane, K., 2=22878
- Silin, N.I. See Do In Seb, 2=5640
- Silin, R.A. Dispersional properties of 2- and 3- dimensional periodic systems (artificial dielectrics), 2=7757
- Silin, V.P. Electron-electron collision interval [for metals], 2=8200
- Silin, V.P. and Fetisov, E.P. The electromagnetic properties of a relativistic plasma. III, 2=1424
- Silin, V.P. and Fetisov, E.P. Interpretation of the electromagnetic radiation from electron passage through metal films, 2=3887
- Silin, V.P. and Fetisov, E.P. The electromagnetic properties of a relativistic plasma. III, 2=22216
- Silin, V.P. See Eleonskii, V.M., 2=8199
- Silin, V.P. See Eleonskii, V.M., 2=13660
- Silin, V.P. See Ginzburg, V.L., 2=2067
- Silin, V.P. See Ginzburg, V.L., 2=14414
- Silin, V.P. See Klimontovich, Yu.L., 2=7610
- Siller, G. Producing pulsed proton beam by phase-focusing, 2=15969
- Silsbee, F.B. Systems of electrical units, 2=15860
- Silsbee, H.B. See Bjorkstam, J.L., 2=18971
- Silsbee, H.B. See McCollum, D.C.Jr., 2=16608
- Silva, E. See Goldman, D., 2=16382
- Silva, J. Andrade e. See Andrade e Silva, J.
- Silveira, A da. See da Silveira, A.
- Silver, A.H. Ultrasonic excitation of nuclear resonance in potassium-iodide, 2=14853
- Silver, A.H., Kushida, T. and Lambe, J. Nuclear magnetic dipole coupling in Al_2O_3 , 2=6700
- Silver, A.H. See Kushida, T., 2=12644
- Silver, M. and Moore, W. Carrier generation in photoconducting anthracene, 2=23449
- Silver, M., Mark, P., Olness, D., Helfrich, W. and Jarnagin, R.C. On the observation of transient space-charge-limited currents in insulators, 2=23259
- Silver, M., Swicord, M., Jarnagin, R.C., Many, A., Weisz, S.Z. and Simhony, M. Transient space-charge-limited photocurrents in anthracene, 2=14578
- Silver, M. See Freeman, J.R., 2=4089
- Silver, S. Microwave aperture antennas and diffraction theory, 2=316
- Silver, S. See Van Atta, L.C., 2=16047
- Silverman, A. See McLeod, D., 2=5709
- Silverman, B.D. Microwave absorption in cubic strontium titanate, 2=2242
- Silverman, B.D. and Kosten, G.F. Infrared active modes of cubic Strontianite titanate, 2=2242
- Silverman, B.D. See Kohane, T., 2=10445
- Silverman, H. See Kidd, W., 2=13184
- Silverman, J.N. See Scherr, C.W., 2=22886
- Silverman, J.N. See Womack, C.M.Jr., 2=10856
- Silverman, S. See Benedict, W.S., 2=3727
- Silverman, S.J. Junction delineation in GaSb by differential chemical etch rate, 2=10508
- Silverman, S.J. See Carlson, R.O., 2=16722
- Silverman, S.M. Comments on lithium in the upper atmosphere, 2=18
- Silverman, S.M. Behaviour of 6300 Å O I in the night airflow at Sacramento Peak, New Mexico during magnetically quiet and magnetically disturbed periods, 2=17180
- Silverman, S.M. Unusual fluctuations of 5577 Å [O I] airglow emission intensity on October 28-29, 1961, 2=24044
- Silverman, S.M., Ward, F. and Shapiro, R. The correlation between the 5577 Å night airglow intensity and geomagnetic activity, 2=19230
- Silverman, J.N. See Scherr, C.W., 2=18397
- Silverstein, E.A., Salisbury, S.R., Hardie, G. and Oppliger, L.D. $\text{N}^{14} + \text{He}^4$ and $\text{O}^{16} + \text{He}^3$ differential cross sections, 2=493
- Silvestri, A.J., Goodman, L. and Dixon, J.A. Molecular diagrams of so nonbenzenoid aromatic hydrocarbons, 2=2015
- Silvestrini, G.V. See Bertanza, L., 2=13799
- Silvestrini, G.V. See Deutsch, M., 2=22557
- Sil'vestrov, L.V. See Aripov, R.A., 2=1718
- Sil'vestrov, L.V. See Bannik, B.P., 2=3602
- Sil'vestrova, I.M. Variation of the elastic constant s'_{33} of triglycine sulphate crystals as a function of the d.c. field in the region of the Curie point, 2=14623
- Sil'vestrova, I.M. Concerning light detectors utilizing the pyroelectric effect, 2=18768
- Sil'vestrova, I.M. See Konstantinova, V.P., 2=14620
- Sil'vestrova, I.M. See Konstantinova, V.P., 2=16775
- Silvidi, A.A. See McGrath, J.W., 2=6709
- Silvidi, A.A. See McGrath, J.W., 2=8693
- Silvidi, A.A. See McGrath, J.W., 2=18970
- Silvy, J. Contribution to the study of multiple scattering of light within the scope of the scattering approximation, 2=5189
- Šimánek, E. The classical theory of nuclear spin interaction in a ferromagnet, 2=4210
- Šimánek, E. Nuclear magnetic resonance in cobalt whiskers, 2=868
- Šimánek, E. and Šroubek, Z. On the mechanism of nuclear spin-lattice relaxation in Bloch wall, 2=4270
- Šimánek, E. and Šroubek, Z. The nuclear magnetic resonance of Co^{59} and Hyperfine fields in Fe-Co alloy, 2=10722
- Simashkevich, A.V. See Kot, M.V., 2=21157
- Simcox, L.N. and March, N.H. High pressure behaviour of solid helium, 2=22109
- Siménel, N. and Calais, D. Thermal attack in vacuo (2×10^{-6} mm) on α and γ -U, 2=4370
- Simenel, N. See Lloyd, L.T., 2=6325
- Simerská, M. The lattice spacings of equilibrium solid solutions of silver in aluminium, 2=6838
- Simha, R. and Boyer, R.F. On a general relation involving the glass temperature and coefficients of expansion of polymers, 2=21557
- Simha, R. and Zakin, J.L. Solution viscosities of linear flexible high polymers, 2=13341
- Simha, R. See Hadden, S.T., 2=7199
- Simhony, M. See Many, A., 2=8422
- Simhony, M. See Many, A., 2=14525
- Simhony, M. See Silver, M., 2=14578
- Simkins, Q.W. The state of the art of magnetic memories, 2=13626
- Simmons, D.A.R. and Evans, T.L. An exploding fireball, 2=17265
- Simmons, F.A., DeBell, A.G. and Anderson, Q.S. A 2000°C slit-aperture blackbody source, 2=2927
- Simmons, J.A. Microwave saturation in radiation-induced free radicals, 2=4269
- Simmons, J.E. and Perkins, R.B. Use of a liquid helium scintillator as a neutron polarimeter, 2=9863
- Simmons, J.E. See Perkins, R.B., 2=293

- mons, J.G. and Moister, D.E. Multiple-heater turret for vapor deposition, 2=21961
- mons, J.H.W. See Bell, J.C., 2=1947
- mons, L.M. See Rojo, O., 2=3452
- mons, R.O. and Baluffi, R.W. Measurement of equilibrium concentrations of lattice vacancies in gold, 2=3903
- mons, W.A. and Douglass, D.H., Jr. Superconducting transition temperature of superimposed films of tin and silver, 2=22122
- mons, W.W., O'Sullivan, W.J. and Robinson, W.A. Nuclear spin-lattice relaxation in dilute paramagnetic sapphire, 2=18954
- ms, D.L., Pickard, R.W. and Hinkley, P.L. Modified Moll thermopiles for measuring thermal radiation of high intensity, 2=11535
- moda, M. On the surface condition for stellar models with convective envelope, 2=15370
- mon, A. See Guest, G., 2=7595
- mon, A. See Guest, G., 2=11653
- mon, F. Influence of p-Ag, in the preparation of a nuclear emulsion, on the diameter of the grains, 2=5551
- mon, G. Propagation of ultrasound in ferromagnetic metals at low temperatures, 2=23139
- mon, G. See Huber, W., 2=18441
- mon, G.W. See Leighton, R.B., 2=15330
- mon, J. The contrast factor; its visual determination and its application in metrology, 2=5158
- mon, P. Meter wave emissive regions and type III bursts, 2=11156
- mon, R. Gravitational instability, 2=4920
- mon, R. Thermoelectric figure of merit of two-band semiconductors, 2=12549
- mon, R. Stability of a cylindrical plasma in magnetohydrodynamics, 2=17829
- mon, R. See Gout, C., 2=12411
- mon, Z. On the loss of radiation by intramolecular transitions, 2=8134
- monet, J. See Deconninck, G., 2=20676
- monoff, G.N. See Brun, C., 2=10098
- monoff, G.N. See Lefort, M., 2=12190
- monov, Yu.N. See Kazarinov, Yu.M., 2=23120
- mons, D.G. See Riel, G.K., 2=12095
- mons, L., Brenner, M., Kald, L., Nystén, K.E. and Spring, E. Gamma-gamma directional correlations in Pb^{208} , 2=1842
- mons, L., Spring, E. and Wendt, G. Excited states of Pt^{192} , 2=5804
- mons, L., Spring, E. and Wendt, G. Gamma-gamma directional correlations in Pt^{192} , 2=10077
- mons, L., Spring, E., Wendt, G. and Kald, L. Measurement of the angular correlations of gamma-gamma cascades of DY^{160} , 2=14059
- mons, L., Wendt, G. and Spring, E. On the decay of Hf^{177} , 2=18259
- monsén, E.B. Annihilation of a coherent boundary by twinning in twins, 2=21464
- monsohn, G., Ehrhardt, C. and Rimmrott, M. Radiation characteristics of a tungsten boat and the calculation of surface densities of evaporated silver deposits, 2=23915
- mpkins, R. See Hildebrandt, A.F., 2=15850
- mpkinson, W.V. See Barnard, A.J., 2=11640
- mpson, A.W. Some superparamagnetic properties of fine particle of $FeOOH$, 2=12694
- mpson, F.B., Burgus, W.H., Evans, J.E. and Kirby, H.W. Total neutron cross section of Pa^{231} , 2=10122
- mpson, F.B. See Moore, M.S., 2=14104
- mpson, J.A. Design of retarding field energy analyzers, 2=1522
- mpson, J.A., Fan, C.Y. and Meyer, P. The cosmic ray intensity gradient in space during solar modulation, 2=12050
- mpson, J.A., Fan, C.Y. and Meyer, P., Dynamics of the outer radiation belt, 2=17209
- mpson, J.A. See Marton, L., 2=10366
- mpson, J.A. See Medlowitz, H., 2=11496
- mpson, J.J., Clark, M.A. and Litherland, A.E. Lifetime of the 3.85 MeV level in C^{13} , 2=16319
- mpson, O. Silicon and gallium arsenide conduction counters, 2=9742
- mpson, O. See Clarke, H.B., 2=6636
- mpson, O. See Gibbons, P.E., 2=6637
- mpson, O. See Northrop, D.C., 2=18026
- mpson, O.D., Marshall, N.H. and Young, R.C. Effect of sample nonuniformity on cross section measurements, 2=20648
- mpson, O.D. and Schuman, R.P. Low energy total neutron cross section of $Pu-241$, 2=5980
- mpson, W.T. Anomalous shapes of hybrid orbitals, 2=20774
- mpson, W.T. See Robin, M.B., 2=6186
- ms, A.L. Warm plate for the microscopic observation of living cells, 2=9134
- ms, A.R. See Sonett, C.P., 2=17213
- ms, G. See Davies, J.A., 2=22276
- ms, S.D. See Li, T., 2=13481
- Simson, P. and Sizmann, R. Reaction-kinetic analysis of the recovery of cold-worked nickel in the temperature range 0-300°C, 2=23774
- Sinanoglu, O. Many-electron theory of atoms and molecules. I. Shells, electron pairs vs many-electron correlations, 2=6076
- Sinanoglu, O. On the reduction of many-electron problems by perturbation theory, 2=6079
- Sinanoglu, O. Many-electron theory of atoms and molecules. II, 2=16462
- Sinanoglu, O. Bonds and intramolecular forces, 2=20771
- Sinanoglu, O., Vardya, M.S., Mortensen, E.M. and Johnson, W.C., Jr. Equilibrium properties of hydrogen gas from 5000° to 20 000° K, 2=13371
- Sinclair, D. See Brown, J.L., 2=5730
- Sinclair, D. See Brown, J.L., 2=20417
- Sinclair, D. See Roe, B.P., 2=3399
- Sinclair, W.R. and Peters, F.G. Method for controlled multicomponent sputtering, 2=17901
- Sinda, T. See Guidini, J., 2=13532
- Sindel, P. Brightness coma and diaphragm coma in rotation-symmetric optical systems. II, 2=17587
- Sinegubov, V.I. and Savchenko, M.K. New procedure for measuring the thickness of domain walls by means of the Kerr effect, 2=16907
- Sinel'nikov, K.D., Safronov, B.G., Azovskii, Yu.S., Aseev, G.G. and Voitsenya, V.S. Study of the magnetic properties of a plasma behind a strong shock wave front, 2=9586
- Sinel'nikov, K.D. See Tolok, V.T., 2=22227
- Singal, S.P. See Pancholy, M., 2=11369
- Singer, J.R. Quantum Electronics. A report on the second international conference, 2=11241
- Singer, P. Nuclear surface effects in muon capture, 2=474
- Singer, P. Relativistic effects and muon capture in heavy nuclei, 2=5948
- Singer, P. Neutron emission following muon capture in heavy nuclei, 2=10127
- Singer, P. See Brown, L.M., 2=18171
- Singer, P. See Brown, L.M., 2=20406
- Singer, S.F. Interaction of West Ford needles with earth's magnetosphere, 2=2577
- Singer, S.F. Interaction of West Ford needles with the earth's magnetosphere and their life-time, 2=7048
- Singer, S.F. Nature and origin of radiation belts, 2=13058
- Singer, S.F. Theory of magnetic storms, 2=15283
- Singer, S.F. Achievements and prospects of artificial earth satellites, 2=15409
- Singer, S.F. Particles in the magnetosphere, 2=17199
- Singer, S.F. Interplanetary dust near the earth, 2=21690
- Singer, S.F., Laster, H. and Lenchek, A.M. Forbush decreases produced by diffusive deceleration mechanism in interplanetary space, 2=12058
- Singer, S.F. See Laster, H., 2=22690
- Singer, S.F. See Lenchek, A.M., 2=4629
- Singer, S.F. See Lenchek, A.M., 2=13056
- Singer, S.F. See Lenchek, A.M., 2=17203
- Singh, A.D. Temperature dependence of the surface tension of He II, 2=2943
- Singh, B. and Guha, B.K. Scattering of positrons by six-fold ionized uranium atom, 2=20754
- Singh, D.D. See Puri, B.R., 2=15102
- Singh, G. and Saha, N.K. A new design of a multiple-wire spark counter and some studies with the single wire-plate spark counter, 2=5510
- Singh, G.P. See Hara, Y., 2=16130
- Singh, J.N. Fine structure of the X-ray K-absorption edge of Fe, 2=10609
- Singh, K.P. and Verma, M.P. Vector tetrads and equations of geodesics, 2=15476
- Singh, M. Lag coefficient of bimetal thermometer of chronometric type radiosone (model 2), 2=8947
- Singh, N.L. and Jain, D.C. Franck-Condon factors and r-centroids for the triplet band system of CO molecule, 2=544
- Singh, N.L. and Jain, D.C. The Rydberg-Klein-Rees method of constructing the true potential energy curves of diatomic molecules, 2=6181
- Singh, N.L. and Jain, D.C. The true potential energy curves of the excited states of LiH and RbH molecules, 2=10238
- Singh, N.L. and Jain, D.C. The true potential energy curves of $A^1\Sigma^+$ state of LiH^+ , $B^3\Sigma^-$ state of O_2 and $A^3\Pi_g$ state of C_2 , 2=12316
- Singh, P.P. See Zimmerman, R.L., 2=5692
- Singh, R.N. See Mazumdar, A.S.G., 2=10184
- Singh, R.S. See Rastogi, B.P., 2=7999
- Singh, S. See Agrawal, R.M., 2=21247
- Singh, S.P. Vibration spectrum and heat capacities of silver, 2=23051

- Singh, S.P. See Dayal, B., 2=6262
 Singh, T. See Gordon, K.F., 2=5203
 Singh, V. and Udgaonkar, B.M. Self-consistent model for nonleptonic decays of Σ and Λ hyperons, 2=13885
 Singh, V.A. Analyticity in the complex angular momentum plane of the Coulomb scattering amplitude, 2=17365
 Singhal, O.P. Magnetic studies on potassium permanganate, 2=6656
 Singleton, D.G. On the apparent long term negative correlation between scintillations and spread-F, 2=2505
 Singleton, D.G. Spread-F and the perturbations of the maximum electron density of the F layer, 2=21652
 Singleton, D.G. and Lynch, G.J.E. The scintillation of the radio transmissions from Explorer VII-I, 2=11056
 Singleton, D.G. and Lynch, G.J.E. The scintillation of the radio transmissions from Explorer VII. II. Some properties of the scintillation producing irregularities, 2=11057
 Singleton, E.B. See Burch, D.E., 2=14272
 Singleton, F. and Durbin, W.G. Aircraft observations of the horizontal distribution of chloride particles and their relation to drop-growth processes in clouds, 2=21635
 Singwi, K.S. See Rahman, A., 2=11352
 Singwi, K.S. See Rahman, A., 2=11353
 Sinha, A.P.B. See Irani, K.S., 2=14923
 Sinha, A.P.B. See Srikantha, S., 2=10898
 Sinha, D.K. Bending of a cantilever of piezoelectric material loaded at one end, 2=15876
 Sinha, D.K. Note on the radial deformation of a piezoelectric, polarized spherical shell with a symmetrical temperature distribution, 2=19876
 Sinha, D.K. Radial deformation of polarised annular disk of piezoelectric material, 2=21421
 Sinha, K.P. The role of empty orbitals in superexchange interaction, 2=4235
 Sinha, K.P. and Upadhyaya, U.N. Phonon-magnon interaction in magnetic crystals, 2=16882
 Sinha, M.S. See Nilima Basu, 2=13932
 Sinha, M.S. See Sen Gupta, S.N., 2=13829
 Sinha, P.P. and Beck, P.A. Effect of solutes on polygonization in bent zinc crystals, 2=8235
 Sinha, S.K. See Ghosh, S.K., 2=6221
 Sinha, S.P. and Roy, B.N. Report on the spectra of diatomic molecules, 2=14258
 Sinigaglia, G. See Gelato, G., 2=11153
 Sinistri, C. Transport numbers in pure fused salts, 2=23967
 Sinistri, C. See Schüner, H., 2=19549
 Sinitsina, L.S. See Verbitskaya, T.N., 2=14615
 Sinitsyn, V.I. See Klebanov, Yu.D., 2=3050
 Sinizer, D.I. See Hare, A.W., 2=6065
 Sinton, W.M. Birefringence of rutile in the infrared, 2=2221
 Sinton, W.M. Infrared spectroscopy of planets and stars, 2=9060
 Sinnett, D.M. An analysis of the maser oscillator equations, 2=9707
 Sinnett, V.L. See Narahari Rao, K., 2=17619
 Sinno, K. Characteristics of solar energetic particles which excite polar-cap blackouts, 2=12020
 Sinno, K. Mechanism of cosmic ray storms inferred from some statistical results, 2=12038
 Sinno, K. Mechanism of cosmic ray storms inferred from some statistical results, 2=12093
 Sinno, K. Magnetism of cosmic ray storms inferred from some statistical results, 2=16280
 Sinno, K. Characteristics of solar energetic particles which excite polar-cap blackouts, 2=18222
 Sinyakov, E.V. and Chernyi, B.K. Electrical conductivity of barium titanate and some barium titanate base solid solutions, 2=18644
 Sinyakov, E.V. and Stafichuk, E.A. Properties of some BaTiO_3 - $\text{A}_2\text{B}_2\text{O}_7$ type solid solutions in strong electric fields, 2=14631
 Sinyakov, E.V. See Stafichuk, E.A., 2=14630
 Siota, Y. Fourier coefficients of the sylvine crystal, 2=4417
 Sippel, D., Kleinstück, K. and Schultze, G.E.R. The verification of the anomalous absorption of thermal neutrons due to interference in an ideal crystal, 2=21502
 Siratori, K. and Iida, S. Anomalous temperature variation of lattice parameters in CrO_2 , 2=23079
 Sircar, S.R. See Schneider, J., 2=10704
 Sircar, S.R. See Schneider, J., 2=23702
 Sircar, S.R. See Schneider, J., 2=23703
 Sirdeshmukh, D.B. See Deshpande, V.T., 2=10336
 Sirenko, A.F. See Pines, B.Ya., 2=23761
 Sirkar, S.C. Electronic absorption spectra of crystals of aromatic compounds at low temperatures, 2=8525
 Sirkis, M.D., Strain, R.M. and Kunz, W.E. Electron beam excitation of a Fabry-Perot interferometer, 2=1590
 Sirlin, A. See Behrends, R.E., 2=18175
 Sirota, N.N. Experimentally determined distribution of electron density in crystals and diamagnetic susceptibility, 2=14764
 Sirota, N.N. Experimentally determined distribution of electron density in crystals and diamagnetic susceptibility, 2=16888
 Sirota, N.N. Dependence of the temperature factor of the X-ray scattering intensity on the form of the lattice frequency spectrum, 2=19067
 Sirota, N.N. The temperature dependence of the electrical conductivity of solids, 2=21091
 Sirota, N.N. The temperature dependence of the electrical conductivity of solids, 2=23229
 Sirota, N.N. and Gololobov, E.M. Distribution of electron density in indium antimonide, 2=14399
 Sirota, N.N. and Gololobov, E.M. Atomic scattering factors and the electron density distribution in aluminium antimonide at 20° and -100°C, 2=23843
 Sirota, N.N. and Olekhovich, N.M. Distribution of the density of electrons in the 3d-shell, which determine the ferromagnetism of nickel, cobalt and iron, 2=3866
 Sirota, N.N. and Olekhovich, H.M. Electron density distribution in aluminium arsenide at 20°C and -100°C, 2=12911
 Sirotenko, I.G. and Spivak, G.V. Detection of edge dislocations in germanium by ionic bombardment, 2=6345
 Sirotenko, I.G. See Spivak, G.V., 2=15094
 Sirotenko, I.G. See Spivak, G.V., 2=21320
 Sirotenko, I.G. See Yurasova, V.E., 2=3097
 Sirotkin, I.A. See Dragun, G.S., 2=17314
 Sirotkin, I.A. See Ginzburg, V.L., 2=19249
 Sirotkin, I.A. See Kurnosova, L.V., 2=11085
 Sirotkin, I.A. See Kurnosova, L.V., 2=21674
 Sirotiyuk, M.G. Behaviour of cavitation bubbles at large ultrasonic intensities, 2=15555
 Sirotiyuk, M.G. An ultrasonic focusing concentrator using solid material, 2=21981
 Sirovich, L. On the kinetic theory of steady gas flows, 2=2735
 Sirovich, L. Kinetic modeling of gas mixtures, 2=19616
 Sirs, J.A. Measurement of rapid temperature changes by thermocouples, 2=1300
 Sisco, W.B. and Fiskin, J.M. Basic hypersonic plasma data of equilibrium air for electromagnetic and other requirements, 2=10000
 Sistiaga, J.M., Hernández, J. and Gómez, L.R. The M_2 temperature in binary aluminium bronzes of composition close to the eutectoid, 2=10907
 Sistiaga, J.M. See Hernández, J., 2=10767
 Sisman, O. See Morgan, J.G., 2=22873
 Sitaram, P. See Rank, D.H., 2=20802
 Sitaram, P. See Rank, D.H., 2=20803
 Sitenko, A.G. Theory of the optical potential, 2=20605
 Sitenko, A.G. See Akhiezer, A.I., 2=22236
 Sitenko, O.G. and Tartakovskiy, V.K. Polarization and quadrupolarization of deuterons elastically scattered on nuclei, 2=8004
 Sitenko, O.H. and Kharchenko, V.F. The possibility of measuring polarization in the scattering of a neutron by a neutron, 2=5654
 Sitenko, O.H. and Tartakovskiy, V.K. The diffraction interaction of deuterons with semi-transparent nuclei having a diffuse edge, 2=5958
 Sitenko, O.H. See Abelinshvili, T.L., 2=5953
 Sitikov, K.P. Thermodynamic properties of the spin systems of copper potassium sulphate and chrome alum, 2=18531
 Sitikov, K.P. Thermodynamic properties of the spin systems of copper potassium sulphate and chrome alum, 2=20937
 Sitnik, M.F. Results of the realization of a model of a black body at different temperatures, 2=22085
 Sitsinskaya, N.M. See Dubovik, A.S., 2=19738
 Sitte, K. The lateral distribution of the Čerenkov radiation in extensive air showers, 2=16268
 Sitte, K. See Kasha, H., 2=12063
 Sitte, K. See Reuter, B., 2=5631
 Sittkus, A. See Mühl, H., 2=12237
 Sivarama Sastry, G. See Krishnamurthy, M., 2=13133
 Sivaramakrishnan, M.V. The origin of electric charge carried by thunderstorm rain in the tropics, 2=2489
 Sivaramamurthy, V. See Haranath, P.B.V., 2=8103
 Sivers, V.N. See Kaplan, S.A., 2=118
 Sivertsen, J.M. Internal friction and modulus behaviour of gamma irradiated NaCl crystals, 2=21404
 Sivertsen, J.M. and Nicholson, M.E. The structure and properties of solid solutions, 2=8865
 Sivertsen, J.M. See Koch, F.B., 2=2411

- vertz, C. and Goldsack, D. Table of values based on a Maxwell-Boltzmann distribution for calculations of the kinetic properties of energized molecules, 2=6234
- Vkov, A.A. See Veingerov, M.L., 2=13446
- Vochub, V.A. See Pines, B.Ya., 2=21435
- x, J. See Aubert, B., 2=18187
- x, J. See Aubert, B., 2=22647
- xus, K. Magnetic annealing of iron-silicon strips with 3-9% Si, 2=12766
- zemore, K.S. See Jones, E., 2=9348
- zmann, R. and Rupp, W. Introduction of Kr into quartz crystals. Contribution to the determination of the quartz-cristobalite transformation point, 2=4361
- zmann, R. See Riehl, N., 2=4166
- zmann, R. See Schwab, G.M., 2=4563
- zmann, R. See Simson, P., 2=23774
- zov, I.V. See Govorov, A.M., 2=22659
- obom, R.K. See Butler, D.K., 2=507
- ögren, B. and Swa, Z. Experimental investigation of three proton groups and one alpha particle group obtained from deuteron bombardment of N^{14} at low energies, 2=490
- ögren, B., Wickenberg, G. and Johansson, N. Energy levels in O^{16} obtained by the reaction $O^{16}(d,p)O^{15}$, 2=3487
- ölander, A. See Rahman, A., 2=11352
- ölander, A. See Rahman, A., 2=11353
- ölin, T. See Johansson, C.H., 2=10978
- östrand, B. See Westermarck, T., 2=7088
- achko, M.A. See Mal'nyev, A.F., 2=7461
- akov, Yu.A. See Lozinskiy, M.G., 2=23885
- akun, M.O., Val'ter, A.K. and Klyucharyev, O.P. Polarization of protons from the reaction $D(d,p)H^3$, 2=20438
- akun, N.A. and Strashinskii, A.G. Gas target chamber for large currents, 2=7785
- kála, M. See Pátek, K., 2=16987
- kalafuris, A. and Whitney, C.A. Radiative cooling behind shock fronts in stellar atmospheres, 2=4813
- kanavi, G.I. See Gorina, Yu.I., 2=4097
- kapardas, D. and Tomaschke, H. Ion gauge power supply, 2=2794
- kavlem, S. The elastic scattering of neutrons by complex nuclei. The optical nuclear model, 2=14101
- kavlem, S. and Myklebost, K. Angular distribution and polarization of neutrons elastically scattered by lead and molybdenum nuclei, 2=14102
- kekhter, V.M. See Ansel'm, A.A., 2=22456
- kerrett, E.J. See Cobbald, T.E., 2=2669
- kilbreid, O. See Gallagher, C.J., Jr., 2=16347
- killicorn, I.O. See Bertanza, L., 2=20424
- killicorn, I.O. See Bertanza, L., 2=22652
- killicorn, I.O. See Dodd, P., 2=22508
- killicorn, I.O. See Goldsack, S.J., 2=9888
- killman, D.C. See Berry, C.R., 2=16981
- killman, S. See Herman, F., 2=23265
- killman, T.L. See Heppner, J.P., 2=13064
- killman, T.L. See Ness, N.F., 2=13080
- kinner, A. Versatile high speed rotating mirror cameras, 2=15761
- kinner, B.G. Effect of $2p_0-2p_{\pm 1}$ coupling on the cross-section for excitation of the $1s-2p$ transition of atomic hydrogen by proton and alpha-particle impact, 2=10215
- kinner, B.G. See Bell, R.J., 2=18408
- kinner, G.T. See Treanor, C.E., 2=3793
- kinner, T.J. See Parrent, G.B., Jr., 2=20132
- kjeggstad, D. See Crayton, N., 2=3472
- kjeggstad, O. See Crayton, N., 2=22718
- kjeggstad, O. See Abeledo, D., 2=5791
- kizkov, G.V., Pavlovskii, A.I. and Zysin, Yu.A. Discharge device for precision switching of high power impulses, 2=22146
- kyankin, A.A. See Koptsik, V.A., 2=14916
- kyar, V.T. See Krasnova, S.I., 2=19176
- kyarevskii, V.V. See Samoilov, B.N., 2=399
- kyarevskii, V.V. See Samoilov, B.N., 2=4219
- kobelev, N.K. See Polikanov, S.M., 2=16442
- koblik, I.P. See Zolototrubov, I.M., 2=3046
- kobov, V.G. See Gurevich, V.L., 2=564
- kobov, V.G. See Kazarinov, R.F., 2=14527
- kobov, V.G. See Kazarinov, R.F., 2=15684
- kofronick, J.G. See Walters, W.L., 2=449
- kofronick, J.G. See Walters, W.L., 2=10106
- kornyakov, G.P. and Kirillova, M.M. Measurements of the coefficient of reflection of metals with an SF-4 spectrophotometer, 2=5168
- kornyakov, G.V. Some problems of the topology of a magnetic field, 2=22226
- kotnikov, M.M. See Vasil'ev, L.A., 2=15622
- kotnikov, M.M. See Vasil'ev, L.A., 2=17491
- Skowronski, J. and Ziemia, S. Criteria of oscillation of certain dynamic systems, 2=15665
- Skripkin, V.A. Discontinuous central-symmetric motions of ultra-relativistic gas in the general theory of relativity, 2=22
- Skripkin, V.A. Relativistic corrections in the problem of a point explosion in an ideal gravitating continuous medium, 2=939
- Skřivánková, M. and Trousil, Z. Experience with semi-conducting detectors, 2=1630
- Skřivánková, M. See Trousil, Z., 2=20198
- Skrotskii, G.V. and Izumova, T.G. Optical orientation of atoms and its applications, 2=8068
- Skrzypczak, E. See Dahl-Jensen, E., 2=11845
- Skrzypczak, E. See Filipkowski, A., 2=16247
- Skubenko, A.F. Electrical and photoelectrical properties of single crystals of antimony selenide and sulphide. II. Electrical and photoelectrical properties of antimony selenide, 2=6461
- Skubenko, A.F. Electrical and photoelectric properties of single crystals of antimony selenide and sulphide. III. Electrical and photoelectric properties of antimony sulphide $[Sb_2S_3]$, 2=8350
- Skubenko, A.F. Electrical and photoelectric properties of single crystals of antimony selenide and sulphide I. Method of obtaining single crystals, 2=8796
- Skubenko, A.F. and Laptii, C.V. Optical properties of Sb_2S_3 mono-crystals, 2=18786
- Skubenko, A.F. See Lyashenko, V.I., 2=4058
- Skubenko, A.F. See Lyashenko, V.I., 2=6425
- Skurnik, E.Z. See Birk, M., 2=10011
- Skvortsov, I.M. See Medvedev, S.A., 2=14937
- Skvortsov, I.M. See Medvedev, S.A., 2=19047
- Skvortsov, N.S. See Pikus, G.E., 2=9537
- Skýntei, N. See Khulubei, Kh., 2=16403
- Skyrme, D.M. The evaporation of neutrons from nuclei bombarded with high energy protons, 2=14088
- Skyrme, T.H.R. A unified theory of mesons and baryons, 2=11967
- Skyrme, T.H.R. See Perring, J.K., 2=11877
- Slack, C.T. See Oxley, D.P., 2=14812
- Slack, G.A. Thermal conductivity of MgO , Al_2O_3 , $MgAl_2O_4$, and Fe_2O_4 crystals from 3° to 300°K, 2=10342
- Slack, G.A. Anisotropic thermal conductivity of pyrolytic graphite, 2=18539
- Slack, G.A. Phonon-spin interactions and the thermal conductivity of solids, 2=23082
- Slade, J.J., Jr. See Imura, T., 2=19094
- Sladek, R.J. and Keyes, R.W. New galvanomagnetic effects in n-type germanium below 4.2°K, 2=23317
- Sladek, R.J. See Keyes, R.W., 2=3854
- Sladkov, A.M. See Mýlnikov, V.S., 2=23371
- Slaggie, E.L. and Wichmann, E.H. Asymptotic properties of the wave function for a bound nonrelativistic three-body system, 2=21824
- Slaidin', G.Ya. and Lukovtsev, P.D. Effect of the nature of the alkali cation of the diffusion of protons in nickel oxide, 2=14462
- Slama, L. See Consoli, T., 2=1466
- Slansky, S. Images of a bright or dark disk in partially coherent light, 2=1274
- Slansky, S. Partially coherent images of feeble contrast, 2=17637
- Slapa, M. See Friendl, L., 2=1911
- Slark, N.A. and Woolgar, A.J. Transmission secondary emission image intensifiers, 2=18010
- Slater, J.C., Koster, G.F. and Wood, J.H. Symmetry and free electron properties of the gallium energy bands, 2=12396
- Slater, W., Stork, D.H., Ticho, H.K., Lee, W., Chinowsky, W., Goldhaber, G., Goldhaber, S. and O'Halloran, T. $K^+ + d$ charge-exchange reaction from 52 to 456 MeV, 2=3403
- Slater, W.E. See Pjerrou, G.M., 2=22634
- Slătis, H. Intensity determination of photographically recorded conversion lines, 2=20317
- Slătis, H. Intensity determination of photographically recorded conversion lines. II, 2=22749
- Slătis, H. See Andreen, C.J., 2=16087
- Slătis, H. See Herrlander, C.J., 2=1678
- Slătis, H. See Parker, W., 2=13595
- Slattery, G.F. See Ambler, J.F.R., 2=4441
- Slattery, J.C. Analysis of the cone-plate viscometer, 2=1119
- Slattery, J.C. and Kemp, R.F. Plasma potential probe using electron time-of-flight, 2=11675
- Slattery, R.E. and Clay, W.G. Measurement of turbulent transition, motion, statistics, and gross radial growth behind hypervelocity objects, 2=15627
- Slaughter, G.G. See Firk, F.W.K., 2=5687
- Šlaus, I. See Cerineo, M., 2=1693
- Šlaus, I. See Ilakovac, K., 2=1689
- Šlaus, I. See Ilakovac, K., 2=1729
- Šlaus, I. See Ilakovac, K., 2=1900

- Slaus, I. See Ilakovic, K., 2=1728
 Slavatinsky, S.A. See Dobrotin, N.A., 2=13786
 Slavić, I., Szymakowski, J., Stachorska, D., Milojević, A. and Ajdačić, V. Temperature distribution in a diffusion cloud chamber, 2=3222
 Slavík, Y.B. Influence of environment on the quality of acoustic perception, 2=5131
 Slavin, W. See McNeirney, J., 2=15735
 Slavnov, D.A. The question of a generalized character of the commutation functions, 2=13721
 Slavnov, D.A. The question of a generalized character of the commutation functions, 2=18056
 Slavnov, D.A. Exclusion of divergences from the scattering matrix, 2=18086
 Slavnov, D.A. and Sukhanov, A.D. Ambiguity in the determination of the interpolating field, 2=3269
 Slawsky, Z.I. See Korobkin, I., 2=18498
 Sledzik, J. See Szaniecki, J.
 Slee, L.J. See Cabell, M.J., 2=14148
 Slee, O.B. Observations of the solar corona out to 100 solar radii, 2=4781
 Slee, O.B. See Mills, B.Y., 2=4858
 Sleeswyk, A.W. Emissary dislocations: theory and experiments on the propagation of deformation twins in α -iron, 2=16654
 Sleeswyk, A.W. Twinning and the origin of cleavage nuclei in α -iron, 2=21468
 Sleeswyk, A.W. and Verbraak, C.A. Incorporation of slip dislocations in mechanical twins, I, 2=2080
 Slepian, J. Two changes in the usual equations of a plasma required for magnetohydrodynamic work, 2=1430
 Slepian, J. On the containment time of a plasma: an important error, 2=7606
 Slepian, J. Independence of containment time of a plasma upon the strength of a magnetic field, 2=15922
 Slepian, J. Some calculations of the currents in the ionic centrifuge, 2=19938
 Slepian, J. Comments on a paper dealing with hydromagnetic stability of a plasma, 2=19950
 Slesareva, L.F. See Kozlov, P.V., 2=23802
 Slesser, C.G.M. and Cleland, D. Surface evaporation by forced convection. I. Simultaneous heat and mass transfer, 2=19780
 Slevogt, H. Notes on the assessment of image quality, 2=7317
 Slevogt, H. Semiautomatic correction of optical systems, 2=7332
 Slifkin, L. See Childs, C.B., 2=17980
 Slifkin, L. See Layer, H., 2=3982
 Slifkin, M.A. Complexes of amino-acids with oxygen, 2=6881
 Sliv, L.A. See Band, I.M., 2=377
 Sliv, L.A. See Band, I.M., 2=13998
 Sliv, L.A. See Guman, V.N., 2=1759
 Sliv, L.A. See Kharitonov, Yu.I., 2=1760
 Śliwiński, A. Fluctuation effects in ultrasonic light diffraction patterns [in systems] near the critical point, 2=2939
 Śliwiński, A. Special case of ultrasonic light diffraction at the critical state, 2=5188
 Śliwiński, A. Influence of density fluctuations on ultrasonic waves in a binary liquid mixture near its critical solution point, 2=13338
 Śliwiński, A. Experimental research over light diffraction figures on a "rectified" ultrasonic wave, 2=15592
 Sloan, C.L. See Barber, W.A., 2=1143
 Sloanaker, R.M. See Mayer, C.H., 2=19352
 Slobodchikov, S.V. See Mikhailova, M.P., 2=16757
 Slobodchikov, S.V. See Mikhailova, M.P., 2=23465
 Slobodrian, R.I. Scattering of 27.7 MeV deuterons on beryllium and boron, 2=14125
 Slobodrian, R.J. Elastic and inelastic scattering of 28 MeV deuterons, 2=3603
 Slobodrian, R.J. Stripping with 28-MeV deuterons, 2=12216
 Slobodrian, R.J. See Erramuspe, H.J., 2=16423
 Slomba, A.F. See Rank, D.H., 2=17126
 Slomba, A.F. See Rank, D.H., 2=20802
 Slomba, A.F. See Rank, D.H., 2=20803
 Slomp, G. Reporting nuclear magnetic resonance shielding data, 2=11817
 Slonczewski, J.C. Magnetocrystalline anisotropy of cobalt-substituted manganese ferrite, 2=747
 Slonczewski, J.C. See Boyd, E.L., 2=12642
 Slonim, Yu.M. The intense chromospheric flares of July 10 and 14, 1959, 2=976
 Slonimskii, G.L. The deformation law for highly elastic polymers, 2=8720
 Slovacek, R.E. See Bach, D.R., 2=6040
 Slovkhotov, L.I. See Baranov, P.S., 2=3301
 Slovkhotov, L.I. See Baranov, P.S., 2=20297
 Slovkhotova, Z.D. See Pil'shchikov, A.I., 2=16929
 Slutskin, A.A. See Lifshits, I.M., 2=22305
 Slutsky, L.J. and Wade, W.H. Adsorption of gases on quartz single crystals, 2=15098
 Slutsky, L.J. See Wade, W.H., 2=7447
 Slutz, R.J. The shape of the geomagnetic field boundary under uniform external pressure, 2=9035
 Sly, W.G. See Shoemaker, D.P., 2=8820
 Slyusar, B.F. See Hertztriken, S.D., 2=8733
 Slyusar, B.P. See Hertztriken, S.D., 2=21548
 Smagin, A.G. Quartz resonators of high quality factor and high stability for the Soviet-Union frequency standard, 2=13301
 Smagin, A.G. Quartz resonators of high quality factor and high stability for the Soviet-Union frequency standard, 2=17410
 Smakula, A. Synthetic crystals and polarizing materials, 2=16799
 Smakula, A. Correlation of absorption spectra of color centers in cubic crystals, 2=23212
 Smakula, A., Maynard, N. and Repucci, A. Defects in mixed crystals of KCl-KBr, 2=3912
 Smakula, A. See Kolbe, W.F., 2=2103
 Small, A.M., Jr., Brandt, J.F. and Cox, P.G. Loudness as a function of signal duration, 2=11218
 Small, K.A. and Butler, S.T. The solar semidiurnal atmospheric oscillation, 2=4594
 Smaller, B. See McMillan, J.A., 2=1166
 Smallman, R.E. See Westmacott, K.H., 2=23179
 Smalley, I.J. Packing of equal O-spheres, 2=21787
 Smallwood, S.E.F. See Pillow, M.E., 2=20812
 Smart, R.F., Angles, R.M. and Robins, D.A. The structure of some electrodeposited tin alloy coatings, 2=2401
 Smavisskii, Yu.Ya. See Lebedev, S.Ya., 2=20005
 Smazhevskaya, E.G. and Podol'ner, N.A. Some results of an investigation of the $\text{PbO}-\text{Nb}_2\text{O}_5-\text{Nd}_2\text{O}_3$ system, 2=14634
 Smazhevskaya, E.G. and Rivkin, V.I. Concerning the influence of low concentrations of various elements on the properties of $(\text{Pb}_{0.97}\text{Ba}_{0.03})\text{Nb}_2\text{O}_6$ solid solutions, 2=14635
 Smazhevskaya, E.G. See Kachkacheva, M.M., 2=14618
 Smazhevskaya, I.G. See Bronnikova, E.G., 2=17946
 Smekalin, V.I. A method for the rapid determination of coefficients of temperature and heat conduction of non-current-conducting materials, 2=17673
 Smend, F. Polarization of the Cherenkov radiation produced by the beta-rays of P^{32} , 2=1677
 Smenkovskaya, P.T. Some results of experimental investigation of drying by sublimation in vacuum, 2=9327
 Smerd, S.F., Wild, J.P. and Sheridan, K.V. On the relative position and origin of harmonics in the spectra of solar radio bursts of spectral types II and III, 2=19347
 Smerdov, B.I. See Chechkin, V.V., 2=9573
 Smet, P. and Tillieu, J. Use of the density operator for determining eigenenergies and eigenfunctions of a cononical ensemble, 2=177
 Smetannikova, Yu.S. See Nasledov, D.N., 2=12529
 Smetannikova, Yu.S. See Nasledov, D.N., 2=14558
 Smets, E. See Van Lierde, W., 2=12890
 Smets, H.B. The effect of burnable fission products in power reactor kinetics, 2=6026
 Smets, H.B. On the stability of homogeneous nuclear reactors with nonlinear reactivity dependence on temperature, 2=6029
 Smets, H.B. General properties of the response of a nuclear reactor of low power undergoing a periodic reactivity variation, 2=8035
 Smialowski, M. See Baranowski, B., 2=15028
 Smidt, F.A., Jr. See Mackintosh, A.R., 2=23239
 Smidt, J. See Mehlkopf, A.F., 2=3178
 Smirenkin, G.N. See Dulin, V.A., 2=18139
 Smirenkin, G.N. See Nesterov, V.G., 2=12232
 Smirenkin, G.N. See Okolovich, V.N., 2=20687
 Smirenkin, G.N. See Oklovich, V.N., 2=20690
 Smirnit-skii, V.A. See Samoilovich, D.M., 2=1643
 Smirnit-skii, V.A. See Vaisenberg, A.O., 2=298
 Smirnit-skii, V.A. See Vaisenberg, A.O., 2=20204
 Smirnit-skii, V.A. See Vaisenberg, A.O., 2=22545
 Smirnov, A.A., Tikhonova, E.A. and Chal'ii, A.V. Effect of crystal lattice distortions, caused by different size of atoms in ordering binary alloys, on the intensity of scattered X-rays, 2=14990
 Slovkhotova, Z.D. See Pil'shchikov, A.I., 2=18935
 Slutsker, A.I. and Egorov, E.A. Apparatus for the measurement of small-angle scattering of X-rays, 2=2438
 Slutsker, A.I. and Marikhin, V.A. Measurement of the transmittance of a light-scattering medium as a method of studying inhomogeneity in it, 2=119
 Slutsker, A.I. See Betekhtin, V.I., 2=15110
 Slutsker, A.I. See Betekhtin, V.I., 2=19125

nirnov,A.A., Tikhonova,E.A. and Chal'ii,A.V. Effect of crystal lattice distortions, caused by different size of atoms in ordering binary alloys, on the intensity of scattered X-rays, 2=19068
 nirnov,A.A. See Nosar,O.I., 2=6406
 nirnov,A.D. See Messel,H., 2=12085
 nirnov,A.I. See Gershman,S.G., 2=15702
 nirnov,A.I. See Sumbaev,O.I., 2=8155
 nirnov,A.I. See Zverev,G.M., 2=18944
 nirnov,A.P. See Kolchin,A.M., 2=142
 nirnov,B.I. See Davidenkov,N.N., 2=2324
 nirnov,B.I. See Vasil'ev,D.M., 2=6743
 nirnov,B.M. Inelastic collisions of light atoms in the adiabatic approximation, 2=20748
 nirnov,E.I., Stepanov,V.S. and Tovchigrechko,S.S. A solar-sidereal synchronous motor (SZSD-1) for driving quartz clocks, 2=44
 nirnov,E.V. See Vovenko,A.S., 2=13855
 nirnov,G.V. See Apalin,V.V., 2=11932
 nirnov,G.V. See Spivak,P.E., 2=429
 nirnov,G.V. See Spivak,P.E., 2=22799
 nirnov,I.A., Moizes,B.Ya., Devyatkov,E.D., Nensberg,E.D. and Averkin,A.A. Scattering and effective mass of current carriers in lead selenide, 2=23401
 nirnov,I.A. and Shadrichiev,E.V. Thermal conductivity of tellurium monocrystals in the 80-650°K temperature range, 2=20951
 nirnov,I.A. See Averkin,A.A., 2=2167
 nirnov,I.A. See Devyatkov,E.D., 2=3857
 nirnov,I.A. See Devyatkov,E.D., 2=4082
 nirnov,I.A. See Devyatkov,E.D., 2=10324
 nirnov,I.A. See Devyatkov,E.D., 2=20950
 nirnov,I.A. See Devyatkov,E.D., 2=22077
 nirnov,I.A. See Zuze,V.P., 2=23399
 nirnov,L.S. See Plotnikov,A.F., 2=8401
 nirnov,L.S. See Plotnikov,A.F., 2=10536
 nirnov,M.S. A system of differential equations of the drying process, 2=9422
 nirnov,M.S. On a system of differential equations for highly intensive heat and mass transfer, 2=15786
 nirnov,V.B. See Bashilov,A.A., 2=16413
 nirnov,V.G. See Ozhigov,G.E., 2=10548
 nirnov,V.V. See Andreev,E.M., 2=18041
 nirnov,V.V. See Andreev,E.M., 2=3229
 nirnov,V.V. See Rimskii-Korsakov,A.A., 2=7646
 nirnov,Yu.F. See Matkhiz,Z., 2=10020
 nirnova,I.S. See Narbutt,K.I., 2=17108
 nirnova,I.V. See Vavilov,V.S., 2=18567
 nirnova,I.V. See Vavilov,V.S., 2=23149
 nirnova,N.P. See Bursian,E.V., 2=21568
 nirnova,R.I. See Markovskii,L.Ya., 2=18867
 nirnova,T.V. See Močan,I.V., 2=23319
 nirnova,T.V. See Mochan,I.V., 2=6467
 nirnova,T.V. See Mochan,I.V., 2=18757
 nirnova,T.V. See Mochan,I.V., 2=21204
 nirous,K. and Vrchovska,V. Single crystals of semiconducting cadmium antimonide (CdSb), 2=21478
 nirous,K. See Mikšovský,M., 2=23889
 nit,J. See Lotgering,F.K., 2=8658
 nith,A. and Dutton,D. Photoconductivity and the external photoelectric effect in PbS, 2=8429
 nith,A.B. Elastic and inelastic scattering of fast neutrons from Th^{232} , 2=10113
 nith,A.C.H., Caplinger,E., Neynaber,R.H., Rothe,E.W. and Trujillo,S.M. Electron impact ionization of atomic nitrogen, 2=22174
 nith,A.C.H. See Fite,W.L., 2=16492
 nith,A.G. and Shah,V.L. Approximate calculation method for heat transfer in laminar boundary layers with constant surface temperature, 2=7422
 nith,A.M. and Steigert,F.E. Elastic scattering in the N-N, C-N and C-C systems, 2=3622
 nith,A.M. See Garvey,G.T., 2=5972
 nith,A.P. See Michell,D., 2=23841
 nith,A.W. and Williams,G.W. On the detection of maser signals by photoelectric mixing, 2=11478
 nith,C. See Rubin,V.C., 2=24151
 nith,C.F., Jr and Conway,D.C. Distortion of proportional counter spectra by counter poisons, 2=17984
 nith,C.H.L. See Taylor,M.A., 2=14037
 nith,C.S. and Spitzer,D.P. A simple method of measuring liquid interfacial tensions especially at high temperatures, with measurements of the surface tension of tellurium, 2=17427
 nith,C.S. See Trivisonno,J., 2=2314
 nith,D.A. See Burge,E.J., 2=1685
 nith,D.E. Determination of the earth's gravitational potential from satellite orbits, 2=6903

Smith,D.E. An evaluation of the odd harmonics in the earth's gravitational field, 2=15175
 Smith,D.G. See Siegenthaler,B.M., 2=7058
 Smith,D.O. and Harte,K.J. Noncoherent switching in permalloy films, 2=10661
 Smith,D.O. See Weiss,G.P., 2=12679
 Smith,D.R. See Hamilton,J.H., 2=20550
 Smith,D.S. See Baird,K.M., 2=11240
 Smith,E.B. Equation of state of liquids at constant volume, 2=9262
 Smith,E.B. and Walkley,J. The thermodynamic properties of gases in solution. I. The partial molal volume, 2=15578
 Smith,E.J. A comparison of Explorer VI and Explorer X magnetometer data, 2=19259
 Smith,E.P. and McIntosh,P.S. On the association between noise storms and solar flares, 2=13167
 Smith,E.R. See Schmidt,V.A., 2=9331
 Smith,E.V. Simple form of balance for the rapid measurement of magnetic susceptibilities, 2=1545
 Smith,F., Jr. See McCann,A.P., 2=15987
 Smith,F.B. The effect of sampling and averaging on the spectrum of turbulence, 2=12998
 Smith,F.J. and Brennan,J.G. Use of normal coordinates in nuclear physics, 2=3449
 Smith,F.J. See Dalgarno,A., 2=9316
 Smith,F.J. See Dalgarno,A., 2=11426
 Smith,F.M. See Barbaro-Galtieri,A., 2=20434
 Smith,F.M. See Barkas,W.H., 2=314
 Smith,F.M. See Hla,Shwe, 2=3374
 Smith,F.T. Scattering matrix and chemical reaction rates, 2=2444
 Smith,F.T. A symmetric representation for three-body problems. I. Motion in a plane, 2=19384
 Smith,F.T. See Gatz,C., 2=151
 Smith,G., Hardy,J., Jr and Klein,D. Comparison of measurements with a Monte Carlo calculated spatial distribution of resonance neutron capture in a uranium rod, 2=3601
 Smith,G.A. See Alexander,G., 2=20427
 Smith,G.A. See Crawford,F.S., 2=22650
 Smith,G.A. See Grard,F., 2=18159
 Smith,G.C. See Boniszewski,T., 2=4415
 Smith,G.C. See Laird,C., 2=23789
 Smith,G.E. The effective mass of holes in bismuth, 2=4031
 Smith,G.E. and Kahng,D. Negative resistance of silicon p-n junctions at 4-2°K, 2=21171
 Smith,G.E. and Wolfe,R. Thermoelectric properties of bismuth-antimony alloys, 2=8450
 Smith,G.F. See Buddenhagen,D.A., 2=5154
 Smith,G.F. See Buddenhagen,D.A., 2=13448
 Smith,G.F. See Evtuhov,V., 2=1490
 Smith,G.G., Hardy,J., Klein,D. and Mitchell,J.A. Experimental studies of U^{238} resonance neutron capture in UO_2 fuel rods, 2=5945
 Smith,G.G. See Hardy,J., Jr, 2=5979
 Smith,G.G. See Hardy,J., Jr, 2=8000
 Smith,G.H. and Burge,R.E. The analytical representation of atomic scattering amplitudes for electrons, 2=10861
 Smith,G.H. See Burge,R.E., 2=9635
 Smith,G.P. and Boston,C.R. Influence of Ba^{2+} , Sr^{2+} , Ca^{2+} , Mg^{2+} , La^{3+} and Y^{3+} on the ultra-violet spectrum of NO_3^- in ionic melts, 2=15593
 Smith,G.P. See Boston,C.R., 2=19563
 Smith,G.W. Proton magnetic resonance studies on hexamethylenetetramine—structure, molecular reorientation, and impurity diffusion, 2=14856
 Smith,H.J. and Evans,J.W. Prismatic attenuators, 2=15717
 Smith,H.J. See Douglas,J.N., 2=4841
 Smith,H.L., Smith,R.K. and Henkel,R.L. Neutron-induced fission of Pu^{241} , 2=5982
 Smith,J. Effect of temperature changes on the maintaining voltage of a normal glow discharge, 2=17799
 Smith,J.A.S. See McCann,A.P., 2=15987
 Smith,J.F. See Allison,R.W., Jr, 2=1533
 Smith,J.F. See Kirkpatrick,M.E., 2=10879
 Smith,J.F. See Kirkpatrick,M.E., 2=21428
 Smith,J.F. See Meyerhoff,R.W., 2=2056
 Smith,J.F. See Sumer,A., 2=14868
 Smith,J.H. and Gaunt,P. The martensitic transformations in gold-manganese alloys near the equiatomic composition, 2=6820
 Smith,J.N., Jr and Fite,W.L. Reflection and dissociation of H_2 on tungsten, 2=20876
 Smith,J.R. See Cundy,D.C., 2=5716
 Smith,J.R.W. See Sparkes,J.J., 2=14575
 Smith,K., McEachran,R.P. and Fraser,P.A. Effect of virtual excitation of the 2s state on the elastic scattering of electrons by atomic hydrogen, 2=3713
 Smith,K. See Burk,P.G., 2=22919

- Smith, K.F. See Alpert, S.S., 2=3465
 Smith, K.F. See Spalding, I.J., 2=9992
 Smith, L.T., Prowse, D.J. and Stork, D.H. On the π - π interaction puzzle in τ decay, 2=22620
 Smith, L.W. See Osterberg, H., 2=5146
 Smith, M.J., Knight, R.J. and Spencer, C.W. Properties of Bi_2Te_3 - Sb_2Te_3 alloys, 2=15050
 Smith, M.J.A. Microwave discriminator for the frequency stabilization of a reflex klystron, 2=7532
 Smith, M.J.A. and Ingram, D.J.E. Electron resonance studies on irradiated silver bromide in relation to the photographic process, 2=16933
 Smith, M.S. See Parker, R., 2=2415
 Smith, P. On the substitution principle in the diabatic flow of a gas, 2=13356
 Smith, P., Garcia-Blanco, S. and Rivoir, L. Crystal structure of zinc metaborate $\text{Zn}_2\text{O}(\text{BO}_2)_6$, 2=10896
 Smith, P.A. See Kang, Y.W., 2=7909
 Smith, P.A. See Naismith, R., 2=4649
 Smith, P.H. See Shapiro, S., 2=9480
 Smith, P.W. See Kipling, A.L., 2=4271
 Smith, P.W., Jr. Comments on "On the propagation of sound in a liquid containing gas bubbles", 2=9276
 Smith, P.W., Jr. Response of nonlinear structures to random excitation, 2=13391
 Smith, P.W., Jr. Response and radiation of structural modes excited by sound, 2=13395
 Smith, R.A. Stimulated emission of radiation and its practical application to masers and lasers, 2=16022
 Smith, R.A. Photoconductivity in semiconductors having a small forbidden-energy gap, 2=23447
 Smith, R.C. and Wyard, S.J. Electron spin resonance measurements of preferred orientation in quickly frozen hydrogen peroxide solutions, 2=4258
 Smith, R.C. See Searl, J.W., 2=2297
 Smith, R.G. See Fontana, J.R., 2=13674
 Smith, R.J., Schindler, A.I. and Kammer, E.W. Electrical resistivity and thermoelectric power of palladium after hydrogen desorption, 2=14488
 Smith, R.K. See Smith, H.L., 2=5982
 Smith, R.L. Electron densities in the outer ionosphere deduced from nose whistlers, 2=890
 Smith, R.L. Propagation characteristics of whistlers trapped in field-aligned columns of enhanced ionization, 2=4603
 Smith, R.L. Properties of the outer ionosphere deduced from nose whistlers, 2=4636
 Smith, R.S. See Behringer, R.E., 2=4225
 Smith, R.S. See Lloyd, J.C., 2=10663
 Smith, R.V., Reagan, J.B. and Alber, R.A. Use of scintillation counters for space radiation measurements, 2=17995
 Smith, R.W. Current saturation in piezoelectric semiconductors, 2=23377
 Smith, R.W. See Hunt, M.D., 2=23862
 Smith, S.D. Design of interference filters for the observation of infrared emission from atmospheric carbon dioxide by an earth satellite, 2=2508
 Smith, S.D. and Pidgeon, C.R. Ellipticity associated with free carrier faraday rotation in semiconductors, 2=23530
 Smith, S.D. and Taylor, W. Optical phononeffects in the infrared spectrum of acceptor centres in semiconducting diamond, 2=14688
 Smith, S.J. See Borowitz, S., 2=12300
 Smith, S.R. See Gordon, A.S., 2=4551
 Smith, T.B. See Clayton, D.B., 2=10923
 Smith, T.F. See Crangle, J., 2=23077
 Smith, W.A. See Cooper, R., 2=676
 Smith, W.B. See Pettengill, G.H., 2=13174
 Smith, W.R. Four-shock configuration, 2=11399
 Smith, W.V. and Jacobs, B.E. Kinetics of disappearance of radicals trapped in irradiated polyethylene, 2=16564
 Smither, R.K. See Weinman, J.A., 2=18004
 Smithers, B.W. Electron energy distribution measurements in gas discharges, 2=1397
 Smits, D.W. See Vos, A., 2=4409
 Smitten, F.J. In der. See In der Smitten, F.J.
 Smolarski, A.Z. See Litwiniszyn, J., 2=15445
 Smolders, C.A. Contact angles; wetting and de-wetting of mercury. III. Contact angles on mercury, 2=4995
 Smolenskii, G.A. Thermodynamic theory of crystals with ferroelectric and ferromagnetic properties, 2=18767
 Smolenskii, G.A. Thermodynamic theory of crystals with ferroelectric and ferromagnetic properties, 2=23495
 Smolenskii, G.A., Chzhan-Tszun [Chang Tsung] and Sher, E.S. Garnet-type structure ferrimagnetics with high initial permeabilities, 2=2289
 Smolenskii, G.A., Isupov, V.A. and Agranovskaya, A.I. Ferroelectricity of oxygen compounds of the octahedral type having lamellar structure, 2=2206
 Smolenskii, G.A. See Bokov, V.A., 2=12562
 Smolianskin, V.T. See Kolganov, V.Z., 2=3225
 Smolik, Ch.K. See Antonov, A.V., 2=18126
 Smolin, M.D. and Frantsevich, I.N. Application of the method of electric transport to the study of metals and alloys, 2=10407
 Smolin, M.D. See Kalinovich, D.F., 2=6372
 Smolin, M.D. See Kalinovich, D.F., 2=8241
 Smolin, M.D. See Kalinovich, D.F., 2=21054
 Smolin, M.D. See Kalinovich, D.F., 2=23201
 Smoluchowski, R. Problem of anomalous resistivity in plutonium, 2=6412
 Smoluchowski, R. and Wiegand, D.A. The formation of interstitials and vacancies in alkali halides, 2=12418
 Smoluchowski, R. See Merriam, M.F., 2=3849
 Smoluchowski, R. See Merriam, M.F., 2=3850
 Smolyanskii, S.A. See Kirzhnits, D.A., 2=22386
 Smorodin, Yu.A. See Birger, N.G., 2=3391
 Smorodin, Yu.A. See Birger, N.G., 2=7818
 Smorodinova, M.I. See Sytaya, E.P., 2=17862
 Smorodinova, M.I. See Sytaya, E.P., 2=20012
 Smorodinskii, Ya.A. and Khu Shi-ke [Hu Shih-ko]. Radiative correction in π -meson decays, 2=22555
 Smorodinskii, Ya.A. See Badalyan, A.M., 2=4937
 Smorodinskii, Ya.A. See Baz', A.I., 2=16174
 Smorodinskii, Ya.A. See Lyuboshits, V.L., 2=13655
 Smotryaev, V.A. See Trostin, I.S., 2=22656
 Smrz, P. On meson emission in analogy with Cherenkov radiation, 2=9875
 Smrz, P. On mesic Čerenkov radiation, 2=13825
 Smrz, P. and Uehla, I. On infra-red divergence in quantum electrodynamics, 2=5566
 Smullin, L. Interaction between plasmas and electromagnetic fields, 2=7593
 Smullin, L.D. and Fiocco, G. Optical echoes from the moon, 2=21699
 Smullin, L.D. and Fiocco, G. Project Luna See, 2=22015
 Smullin, L.D. and Getty, W.D. Generation of a hot, dense plasma by a collective beam-plasma interaction, 2=22204
 Smushkov, I.V. See Pines, B.Ya., 2=21059
 Smuts, J.H.L. Geiger counter dead-time reduction, 2=20181
 Smy, P.R. Alternating current magnetohydrodynamic generator, 2=236
 Smy, P.R. Energy transfer between a moving body and a magnetic field, 2=9686
 Smy, P.R. Electromagnetic shock tube capable of producing a well-formed shock wave of low attenuation, 2=17498
 Smy, P.R., Turner, J.H. and Stonebridge, D. An inexpensive rotating mirror smear camera, 2=13470
 Smȳrnov, A.A. See Matȳsina, Z.A., 2=6819
 Smȳrnov, S.V. and Shenderovȳch, A.M. Spontaneous breakdowns of air spark gaps, 2=7577
 Smyth, C.P. Dielectric evidence of molecular rotation in solids, 3=8456
 Smyth, C.P. See Vaughan, W.E., 2=2726
 Smyth, C.P. See Vaughan, W.E., 2=5026
 Smythe, W.R. Charged right circular cylinder, 2=22151
 Šnajder, J. See Miklavȳiĉ, U., 2=11921
 Snaveley, E.S., Jr. See Hurd, R.M., 2=11347
 Snetkov, A.Ya. See Pryakhina, L.I., 2=21531
 Snider, D.R. See Payne, G.L., 2=18264
 Snitko, O.V. See Lȳašenko, V.L., 2=23351
 Snitko, O.V. See Primachenko, V.E., 2=6454
 Snitko, O.V. See Prymachenko, V.Ye., 2=6498
 Snitzer, E. Optical maser action of Nd^{+3} in a barium crown glass, 2=16191
 Snow, G.A. On the reactions $\bar{p} + p \rightarrow K + \bar{K} + X_0$, 2=16191
 Snow, R.E. See Tendam, D.J., 2=17335
 Snow, R.H. See Rosinski, J., 2=9011
 Snow, W.J. See Miller, W.F., 2=3213
 Snowdon, J.C. Isolation from vibration with a mounting utilizing low and high-damping rubberlike materials, 2=2808
 Snowdon, J.C. See Parfitt, G.G., 2=9224
 Snowdon, S.C. See Kent, D.W., 2=1903
 Snowdon, S.C. See Malmberg, P.R., 2=22821
 Snyder, A.L. See Peters, C.W., 2=5693
 Snyder, H.A. Experiments on the stability of spiral flow at low axial Reynolds numbers, 2=2685
 Snyder, H.A. Use of germanium as a second sound receiver, 2=115

- nyder, J.A. and Steed, E.C. Design and construction of a glass envelope closely coaxial to a high-power electron beam, 2=20024
- nyder, J.N. See Rosenfeld, A.H., 2=7801
- nyder, L.C. See Glarum, S.H., 2=14322
- nyder, L.C. See McLachlan, A.D., 2=6187
- nyder, L.C. See Parr, R.G., 2=3681
- nyder, N.W. Solar-cell power systems for space vehicles, 2=13196
- nyder, R.G. and Ibers, J.A. O—H—O and O—D—O potential energy curves for chromous acid, 2=6203
- oa, E.A. Observation of thin oxide films with the emission microscope, 2=21565
- obel'man, I.I. See Rautian, S.G., 2=10286
- obel'man, I.I. See Rautian, S.G., 2=22341
- obel'man, I.I. See Vainshtein, L.A., 2=16488
- oberman, R.K. See Hemenway, C.L., 2=17264
- obhanadri, J. Dielectric relaxation in relation to viscosity. III. Debye's and Hill's equations, 2=9287
- obiczewski, A. See Dabrowski, J., 2=1868
- obiczewski, A. See Dabrowski, J., 2=10093
- obiczewski, A. See Zielińska, M., 2=13941
- obol, H. and McNichol, J.J. Evaporation of helium I due to current-carrying leads, 2=9471
- obolev, E.V. See Bobrov, A.G., 2=20848
- obolev, E.V. See Bobrov, A.V., 2=22990
- obolev, N.N. See Dronov, A.P., 2=63
- obolev, N.N. See Faizullov, F.S., 2=10223
- obolev, N.N. See Kitaev, V.F., 2=17844
- obolev, N.N. See Kitaeva, V.F., 2=19920
- obolev, V.V. Some relations in the theory of light scattering, 2=19728
- obolev, V.V. and Minin, I.N. Isotropic light scattering in an atmosphere with finite optical thickness, 2=13459
- obolev, V.V. and Minin, I.N. Isotropic light scattering in an atmosphere with finite optical thickness, 2=17648
- obolev, Ya.P. See Likhter, Ya.I., 2=7543
- oboleva, M.S. See Ariya, S.M., 2=8147
- oboleva, N.S. See Korol'kov, D.V., 2=4837
- obouti, Y. Fluorescent scattering in planetary atmospheres II. Coupling among transitions, 2=15311
- obouti, Y. See Chamberlain, J.W., 2=15310
- obrin, L.de. See de Sobrinho, L.
- ochanski, J. Slow changes of surface conductivity and work function of germanium induced by corona discharge in air, 2=2152
- oda, T. and Vasudevan, R. Thermodynamic behavior of liquid helium-three in its possible superfluid phase. I, 2=7490
- oda, T. See Sawicki, J., 2=3473
- odd, V.J. See Wolke, R.L., 2=3117
- oden, R.R. See Johnson, L.F., 2=8509
- oden, R.R. See Johnson, L.F., 2=12588
- oden, R.R. See Preziosi, S., 2=14939
- oden, R.R. See Van Uitert, L.G., 2=4173
- oden, R.R. See Van Uitert, L.G., 2=6609
- oden, R.R. See Van Uitert, L.G., 2=6610
- oden, R.R. See Van Uitert, L.G., 2=10618
- oden, R.R. See Van Uitert, L.G., 2=10629
- oderborg, B. See L. E. Selin, 2=12325
- oderlund, B. See Andersson, I.O., 2=5531
- odha, M.S. Thermionic emission from spherical metallic particles, 2=3066
- odh, M.S. and Varshni, Y.P. Solution of Boltzmann's equation in high electric field, magnetic field and temperature gradient for electrons in a simple model nondegenerate nonuniform semiconductor, 2=23277
- odha, M.S. See Zivanovic, S., 2=15888
- odickson, L., Bowman, W., Stephenson, J. and Weinstein, R. Single-quantum annihilation of positrons, 2=1679
- odickson, L. See Wahlig, M.A., 2=11849
- odin, L.G., Braude, S.Ya. and Men, A.V. Observations of the spectra of very intense solar bursts in the 10-25 Mc/S range, 2=24169
- oepono, R. See Weymouth, J.W., 2=10782
- oete, D.de. See de Soete, D.
- oezima, Y. See Yamada, T., 2=4318
- ofiev, G.N. See Lavrenchik, V.N., 2=23997
- oga, M. See Hiida, K., 2=20576
- ogomonova, G.A. See Guman, V.N., 2=1759
- ogomonova, G.A. See Kharitonov, Yu.I., 2=1760
- oifer, G.B. See Grechishkin, V.S., 2=790
- oifer, G.B. See Grechishkin, V.S., 2=791
- oifer, G.B. See Grechishkin, V.S., 2=4295
- oifer, G.B. See Grechishkin, V.S., 2=8688
- okhor, V. See Benda, F., 2=15971
- okol, G.A. See Baranov, P.S., 2=3301
- Sokol, G.A. See Baranov, P.S., 2=20297
- Sokolik, G.A. See Brodskii, A.M., 2=14
- Sokolik, H.A. See Brodskii, A.M., 2=15463
- Sokolina, G.A. See Krotova, N.A., 2=10775
- Sokolina, V.A. See Sevast'yanov, B.K., 2=16883
- Sokolov, E.N. See Lozinskiy, M.G., 2=23885
- Sokoloff, J. Neutron scattering by the complex harmonic oscillator potential, 2=458
- Sokoloff, J. See Armstrong, B.H., 2=9318
- Sokolov, A.A., Ternov, I.M. and Loskutov, Yu.M. Effect of quantum fluctuation on vertical oscillations of an electron moving in a magnetic field, 2=3135
- Sokolov, A.D. and Shur, Ya.S. Effect of small amounts of cobalt on the hysteresis loop of nickel-zinc ferrites, 2=8655
- Sokolov, A.D. and Shur, Ya.S. The effect of small additions of cobalt on the hysteresis loop of nickel-zinc ferrites, 2=21337
- Sokolov, A.D. See Matveev, V.V., 2=3076
- Sokolov, A.D. See Matveev, V.V., 2=7649
- Sokolov, A.D. See Matveev, V.V., 2=19358
- Sokolov, A.D. See Matveev, V.V., 2=19868
- Sokolov, A.K. See Zubarev, T.N., 2=1948
- Sokolov, A.P. See Kolganov, V.Z., 2=3225
- Sokolov, A.V. See Bolotin, G.A., 2=21231
- Sokolov, M.P. Automatic one-channel amplitude analyser with spectrum recording, 2=1362
- Sokolov, M.V. See Kosinov, G.A., 2=7650
- Sokolov, M.V. See Vemets, O.F., 2=16311
- Sokolov, N.D. See Nikitin, E.E., 2=20875
- Sokolov, N.D. See Pshenichonov, E.A., 2=6212
- Sokolov, U. See Jortner, J., 2=5020
- Sokolov, V.A. and Gorban', A.N. On the question of radical-recombination luminescence of crystal phosphors, 2=23585
- Sokolov, V.A., Gorban', A.N. and Nazimova, N.A. "Selectivity" of the thermal emission of CaO and MgO, 2=7452
- Sokolov, V.A. See Gorban', A.N., 2=21272
- Sokolov, V.A. See Rabotkin, V.L., 2=14754
- Sokolov, V.P. See Atlaskin, N.N., 2=20075
- Sokolov, V.V. See Baier, V.N., 2=5629
- Sokolov, Yu.Ya. See Devochkin, F.K., 2=12159
- Sokolova, E.S. See Medvedev, M.N., 2=1485
- Sokolova, E.S. See Merkulov, L.G., 2=16600
- Sokolova, L.A. See Kuchmin, O.I., 2=4573
- Sokolovskaya, A.I. Raman line intensities in the liquid and gas phase, 2=7217
- Sokolowski, J.S. See Birk, M., 2=10011
- Sokol'skaya, I.L. and Milesheva, N.V. Electron field emission from thin layers of germanium on tungsten, 2=7640
- Sokol'skaya, I.L. and Milesheva, N.V. Electron field emission from thin layers of germanium on tungsten, 2=9613
- Sokol'skaya, I.L. and Shcherbakov, G.P. An experimental check of the causes of nonlinearity of current-voltage characteristics for field emission from CdS monocrystals, 2=11687
- Sokol'skaya, I.L. and Shcherbakov, G.P. An experimental check of the causes of nonlinearity of current-voltage characteristics for field emission from CdS monocrystals, 2=13580
- Sokol'skii, V.V., Nastyukha, A.I. and Lobikov, E.A. Vacuum gap with electron triggering, 2=17796
- Sokol'skii, V.V. See Babichev, A.P., 2=3026
- Sokovishin, V.A. See Aleksandrovich, E.G.B., 2=22541
- Sokovishin, V.A. See Kanunov, M.A., 2=1217
- Sokovishin, Yu.A. See Ozhigov, G.E., 2=10548
- Sokurskii, Yu.N. and Bobkov, Yu.V. An investigation of the increase of internal friction in specimens of polycrystalline uranium during changes of temperature, 2=12843
- Solaini, L. Scientific research in photogrammetry, 2=11508
- Solbakken, A. See Reyerson, L.H., 2=4208
- Solbrig, A.W., Jr. Doppler broadening of low-energy neutron resonances, 2=5931
- Soldatov, A.S. See Aleksandrov, Yu.A., 2=460
- Solís, M. and Catalina, F. Localization of the latent image in photographic emulsions by electron microscopy, 2=15755
- Sollertinskaya, E.S. See Petrushevich, R.L., 2=18588
- Sollertinskaya, E.S. See Petrushevich, R.L., 2=23196
- Sollner, K. See Carr, C.W., 2=11612
- Solntsev, V.M. See Bak, M.A., 2=1939
- Solodilov, L.N. See Evdokimov, G.S., 2=15673
- Solodukhov, G.V. See Kononov, B.P., 2=1453
- Solomatina, E.K. See Feldstein, J.I., 2=19236
- Solomon, I. and Ezratty, J. Magnetic resonance with strong radio-frequency fields in solids, 2=14849
- Solomon, I. See Freycenon, J., 2=4690
- Soloukhin, R.I. Piezo-cell pressure pulse transducer, 2=19502

- Solov'ev, A.M. and Vertsner, V.N. Instrument for X-ray spectroscopic microanalysis, 2=17109
- Solov'ev, A.V. Influence of secondary impurities on the absorption and luminescence spectra of the primary impurity in molecular crystals, 2=16865
- Solov'ev, E.S., Il'in, R.N., Oparin, V.A. and Fedorenko, N.V. Ionization of gases by fast hydrogen atoms and protons, 1=13540
- Solov'ev, E.S. See Afrosimov, V.V., 2=153
- Solov'ev, E.S. See Il'in, R.N., 2=11617
- Solov'ev, L.D. and Chen' Tsun-mo [Ch'eng Ts'ung-mo]. A phenomenological description of pion-pion interaction, 2=9901
- Solov'ev, L.D. See Nemenov, L.L., 2=16188
- Solov'ev, L.E. See Lider, K.F., 2=21244
- Solov'ev, L.S. Magneto-hydrodynamics surface waves, 2=183
- Solov'ev, L.S. See Burshtein E.L., 2=3136
- Solov'ev, L.S. See Gel'fand, I.M., 2=20098
- Solov'ev, L.S. See Korabiev, L.V., 2=15979
- Solov'ev, M.I. See Birger, N.G., 2=3391
- Solov'ev, S.L. See Vanek, I., 2=19187
- Solov'ev, S.M. See Kazarinov, N.M., 2=16094
- Solov'ev, S.M. See Protopopov, A.N., 2=1626
- Solov'ev, S.P., Venetsev, Yu.N. and Zhdanov, G.S. An X-ray study of phase transitions in NaNbO_3 , 2=2341
- Solov'ev, S.P., Venetsev, Yu.N., Zhdanov, G.S. and Ivanova, V.V. Calculating the internal electric fields in a crystal of perovskite (CaTiO_3), 2=3813
- Solov'ev, S.P., Venetsev, Yu.N., Zhdanov, G.S. and Ivanova, V.V. Method of calculating the internal fields in complex dipole structures and application of the method to CaTiO_3 , 2=16774
- Solov'ev, V.A. Relaxation of the excitation of vibrational levels of molecules, 2=3796
- Solov'ev, V.G. Basic properties of the superfluid model of the nucleus, 2=3456
- Solov'ev, V.G. Properties of the ground and excited states of strongly deformed nuclei, 2=20508
- Solov'ev, V.G. The influence of the pairing correlations of superconductivity type on the velocity of α -decays, 2=22755
- Solov'ev, V.V. and Tsukerman, I.S. Production of charged vector bosons (X-mesons) by leptons in the Coulomb field of nuclei, 2=16235
- Solov'ev, V.V. See Mandel'tsweig, V.B., 2=5731
- Solov'ev, V.V. See Zhizhin, E.D., 2=20310
- Solov'ev, Yu.V. See Belov, S.V., 2=20533
- Solov'eva, Z.I. Compound fission of uranium by 2.5 MeV neutrons, 2=8015
- Solov'eva, Z.I. See Perfilov, N.A., 2=508
- Solov'eva, Z.I. See Perfilov, N.A., 2=22858
- Soloviev, V.G. Effect of pairing correlation on energies and β -transition probabilities in deformed nuclei, 2=5793
- Soloviev, V.G. Effect of pairing correlations on the alpha decay rates, 2=18281
- Soloviev, V.G. See Gallasher, C.J., Jr., 2=18248
- Soloviev, A.V. Absorption and luminescence of impurities in crystals of organic compounds at 20°K. IV. Spectra of anthracene in crystals of certain polyphenyls, 2=6567
- Soloviev, A.V. Absorption and luminescence of impurities in crystals of organic compounds at 20°K. V. Spectra of naphthalene in certain mixed crystals of variable composition, 2=6568
- Soloviev, A.V. Absorption and luminescence of impurities in crystals of organic compounds at 20°K, 2=23567
- Soloviev, A.V. Absorption and luminescence of impurities in crystals of organic compounds at 20°K, 2=23568
- Soloviev, A.V. See Shpak, M.T., 2=21277
- Solovieva, V.I. See Vernov, S.N., 2=20462
- Solt, I.H., Jr. Temperature dependence of YIG magnetization, 2=12686
- Soltan, M. See Gajewski, W., 2=14099
- Soltan, M. See Gajewski, W., 2=20626
- Soltyński, K. See Gajewski, W., 2=14099
- Soltyński, K. See Gajewski, W., 2=20626
- Solysik, E.A. See McFarland, R.H., 2=20742
- Soluyan, S.I. Magnetoacoustic waves in a cylindrical plasma column for which nonlinearity and absorption are taken into account, 2=19954
- Soluyan, S.I. and Khokhlov, R.V. Theory of simple finite amplitude magneto-hydrodynamic waves in a dissipative medium, 2=22318
- Soluyan, S.I. See Polyakova, A.L., 2=21943
- Solyakin, G.E. See Komar, A.P., 2=5892
- Solyakin, G.E. See Komar, A.P., 2=12182
- Solymar, L. Exact solution of the one-dimensional bunching problem, 2=3082
- Som, M.M. Does the cylindrically symmetric gravitational wave pulse carry energy, 2=19398
- Som, M.M. See Raychaudhuri, A.K., 2=11264
- Som, S.C. See De, M., 2=7397
- Somers, B.G. See Gutowsky, H.S., 2=8086
- Somerville, W.B. The effect of coupling to $n = 3$ states on Born 1s-2s and 1s-2p e-H collision cross-sections, 2=22920
- Somerville, W.B. and Stewart, A.L. The correlation energies of the helium sequence, 2=16476
- Somló, Á., Tarján, I. and Voszka, R. The influence of impurities on the photoconductivity of X-ray coloured NaCl crystals, 2=18752
- Sommer, A.W. See Raleigh, D.O., 2=3932
- Sommerhalder, R. See Drangeid, K.E., 2=17731
- Sommermeier, K., Prütz, W. and Birkwald, V. Fluorescence excitation by X-rays in highly dilute aqueous solutions of aromatic compounds, 2=7222
- Sommers, H.S., Jr. See Meyerhofer, D., 2=12533
- Sommers, W.P. and Morrison, R.B. Simulation of condensed-explosive detonation phenomena with gases, 2=4542
- Somogyi, A. See Bhattacharya, P.C., 2=12096
- Somogyi, A. See Sandor, T., 2=9975
- Somogyi, A. See Sándor, T., 2=12101
- Somogyi, A. See Sándor, T., 2=13926
- Somorjai, R.L. and Hornig, D.F. Double-minimum potentials in hydrogen-bonded solids, 2=14351
- Somov, A.I. See Verkhorobin, L.F., 2=23205
- Sona, P.G. See Colli, L., 2=22922
- Sonda, M., Katase, A., Seki, M. and Akiyoshi, T. Magnetic field of alternately charged symmetric multipole magnet, 2=5433
- Sonder, E. Magnetism of KCl, 2=6652
- Sonder, E. and Sekula, S.T. Effects of gaseous impurities on the magnetic properties of copper, 2=8608
- Sonder, E. See Busey, R.H., 2=2272
- Sonderegger, P. See Brisson, J.C., 2=22567
- Sondheimer, E.H. The Boltzmann equation for anisotropic metals, 2=16623
- Sonett, C.P. Hyperwaves, shock-like phenomena in the outer exosphere, 2=13053
- Sonett, C.P., Sims, A.R. and Abrams, I.J. The distant geomagnetic field. I. Infinitesimal hydromagnetic waves, 2=17213
- Sonett, C.P. See Coleman, P.J., Jr., 2=4694
- Sonett, C.P., Davis, L., Jr. and Coleman, P.J., Jr. Some aspects of the internal structure of a solar flare plasma cloud, 2=13099
- Sonier, F. See Pilod, P., 2=3067
- Sonin, A.S. The problem of antiferroelectricity in crystals of NH_4I and NH_4Br , 2=6526
- Sonin, A.S., Zheludev, I.S. and Dobrzanski, G.F. On the ferroelectric properties of NaNO_2 , 2=16776
- Sonin, A.S. See Shuvalov, L.A., 2=2342
- Sonoda, M. See Katase, A., 2=20341
- Sonoda, M. See Kimura, K., 2=15970
- Sonoike, S. Charged dislocations in silver halide crystals, 2=14442
- Sood, P.C. Λ -particle binding in nuclear matter, 2=16303
- Sood, P.C. See Taherzadeh, M., 2=5785
- Soohoo, R.F. A microwave magnetic microscope, 2=13641
- Sook Lee and Bray, P.J. Electron-spin paramagnetic resonance studies of irradiated aluminosilicate glasses, 2=10926
- Soonpaa, H.H. An electrolytic method of determining the orientations within the base plane of the hexagonal lattice of Bi_2Te_3 , 2=10899
- Soonpaa, H.H. Some infrared properties of Bi_2Te_3 , 2=14687
- Soonpaa, H.H. Anisotropy of the electrical conductivity and the Seebeck coefficient of Bi_2Te_3 , 2=16717
- Sootha, G.D. See Jain, S.C., 2=12500
- Sopelnikov, M.D. A determination of the nonuniformity of astronomical time by means of a molecular generator, 2=24069
- Sopelnikov, M.D. See Bryzhev, L.D., 2=1582
- Soper, J.M. See Lane, A.M., 2=5789
- Soper, J.M. See Lane, A.M., 2=13967
- Soper, J.M. See Lane, A.M., 2=16295
- Soper, J.M. See Lane, A.M., 2=22809
- Sopkovich, N.J. The annihilations $\bar{N}N \rightarrow \bar{K}K$ and $\bar{Y}Y$, 2=22499
- Sorarrain, O. See Wainstein, C., 2=18429
- Sorarrain, O. See Wainstein, C., 2=20790
- Sorin, P. See Vinh Tuong, N.P., 2=14878
- Sorkin, F.V., Belyaeva, A.P. and Borodin, N.S. Use of electroluminescence for character indicators, 2=16875
- Sorochenko, R.L. Preliminary results of 21 cm observations of a Milky Way field centered at $\alpha = 20^\circ 18'$, $\delta = 42^\circ 30'$, 2=1014
- Sorochenko, R.L. See Vitkevich, V.V., 2=9132
- Sorokin, A.A., Bedesku, A., Klimentovskaya, M.V., Kryukova, L.N., Mitrofanov, K.P., Murav'eva, V.V., Rybakov, V.N., Chandra, G. and Shpinel', V.S. Investigation of the decay of Te^{116} and Te^{116} and the level scheme of Sb^{116} , 2=14066
- Sorokin, O.M. See Shuba, Yu.A., 2=19299
- Sorokin, O.V. See Petrusevich, V.A., 2=10476

- rokin, P.P., Stevenson, M.J., Lankard, J.R. and Pettit, G.D. Spectroscopy and optical maser action in $\text{SrF}_2:\text{Sm}^{2+}$, 2=16815
- rokin, P.P. See Title, R.S., 2=23708
- rokin, P.V. See Deineko, A.S., 2=16099
- rokin, P.V. See Ivanov, R.B., 2=17926
- rokin, P.V. See Val'ter, A.K., 2=16395
- rokin, V.S. Nonlinear phenomena in closed flows near critical Reynolds numbers, 2=17413
- rokina, A. See Adamov, V., 2=10111
- rokina, A. See Graudinya, L., 2=22819
- rokina, A.V. See Bak, M.A., 2=1939
- rokina, A.V. See Gorodyskii, V.A., 2=1829
- rokina, A.V. See Graudinya, L.Ya., 2=10114
- rokina, L.A. See Konorova, E.A., 2=8433
- rokina, M.F. See Nemmonov, S.A., 2=21259
- rokina, V.M. See Zinchenko, N.S., 2=11713
- roko, L.M. See Akimov, Yu.K., 2=286
- roko, L.M. See Akimov, Yu.K., 2=287
- roko, L.M. See Akimov, Yu.K., 2=7889
- roko, L.M. See Akimov, Yu.K., 2=20194
- roko, L.M. See Akimov, Yu.K., 2=22655
- rsby, A., Leary, G.A. and Richards, M.J. The optical components in anisometropia, 2=13226
- shin, L.D. See Lomonosov, I.I., 2=5522
- shin, L.D. See Nemilov, Ya.A., 2=3211
- shnikov, V.N. Absorption of radiation in the band $\nu_0 = 2350 \text{ cm}^{-1}$ of CO_2 at $T = 1000$ to 4000°K , 2=14263
- sin, A. Energy dependence of electron damage in copper, 2=14480
- sin, A. Irradiation pinning and thermal depinning of dislocations, 2=21016
- sin, A. and Brinkman, J.A. Single vacancy and divacancy electron bombardment cross-sections in copper, 2=18571
- sin, A. and Neely, H.H. Influence of foreign solute atoms on stage I recovery in electron-irradiated copper, 2=21097
- sin, A. See Brinkman, J.A., 2=6322
- skin, M.S. Study of the nature of the self-absorption band of a naphthalene crystal in the temperature range 20–290 K, 2=8526
- skin, M.S. Determining the refractive indices of crystals using a Jamin interferometer, 2=17591
- skin, M.S. Investigation of the form of the inherent absorption bands of the naphthalene crystal. II, 2=18837
- skin, M.S. Dispersion and reflection of light in free naphthalene single crystals at 20°K , 2=23541
- skin, M.S. See Brodin, M.S., 2=8475
- snin, V.V. See Kadykova, G.N., 2=8852
- snin, V.V. See Kadykova, G.N., 2=23928
- snina, M.A. See Belorossova, T.S., 2=19682
- snovskii, A.N. See Prokof'ev, Yu.A., 2=5532
- snowski, J. See Blinowski, K., 2=3353
- snowski, L. See Kołodziejczak, J., 2=14556
- snowski, R. See Bartke, J., 2=13883
- snowski, R. See Chojnacki, S., 2=1839
- tskii, B.A. A molecular theory of refraction of light in crystals, 2=6542
- ubbaramayer, M. Particular structure of ionizing shocks, 2=13357
- ucková, L. See Pátek, K., 2=16987
- uguet, J. See Devienne, F.M., 2=3801
- utham, F.H. See Charlton, M.G., 2=843
- uthon, M.J. See Brandon, D.G., 2=23947
- uthworth, G.C. Survey and history of the progress of the microwave arts, 2=16053
- utif, M. Study of a ruby maser, 2=7735
- uty, N. See Lemanceau, B., 2=10283
- vershenny, V.D. and Tirskey, G.A. Sublimation of a solid near a critical point in flat and axisymmetrical gas flows, 2=15813
- winski, M. See Mostovoi, V.I., 2=1940
- owden, R.G. See Hodge, N., 2=3668
- ach, G. See Daune, M., 2=19557
- ain, R.J. See Puchalska, I.B., 2=10662
- ain, R.J. See Puchalska, I.B., 2=12768
- alding, D.B. Heat and mass transfer between the gaseous and liquid phases of a binary mixture, 2=15768
- alding, D.B. and Pun, W.M. A review of methods for predicting heat-transfer coefficients for laminar uniform-property boundary layer flows, 2=15774
- alding, D.B., Pun, W.M. and Chi, S.W. Mass transfer through laminar boundary layers. Further exact "similar" solutions of the b-equation, 2=11322
- alding, I.J. and Smith, K.F. Some rare earth spins, and the hyperfine structure of ^{176}Lu , 2=9992
- alding, I.J. See Bickerton, R.J., 2=17939
- angenberg, K.R. Recent developments in space-charge control tubes, 2=15954
- Spangler, E.R. See McGuire, J.B., 2=17239
- Spänkuch, D. See Foitzik, L., 2=8970
- Sparkes, J.J. and Smith, J.R.W. The influence of traps on transistor switching behaviour, 2=14575
- Sparks, C.J., Jr. See Borie, B., 2=17065
- Sparks, C.R. Design of high-pressure blowoff silencers, 2=13419
- Sparks, M. Two-magnon processes in ferromagnetic relaxation, 2=18931
- Sparnaay, M.J. Corrections of the theory of the stability of hydrophobic colloids (the specific influence of ions), 2=17106
- Sparrow, E.M. and Minkowycz, W.J. Buoyancy effects on horizontal boundary-layer flow and heat transfer, 2=15532
- Sparrow, E.M. See Eckert, E.R.G., 2=5211
- Sparrow, E.M. See Eckert, E.R.G., 2=7424
- Spauschus, H.O. Automatic vapor pressure measurements at moderately high pressures, 2=1310
- Spear, W.E. Carrier mobility and charge transport in monoclinic Se crystals, 2=2170
- Spear, W.E., Lanyon, H.P.D. and Mort, J. Some applications of mercury wetted contact relays, 2=2969
- Spear, W.E. See Mort, J., 2=14550
- Spearman, T.D. An unsubtracted dispersion relation and pion-nucleon forward charge-exchange scattering, 2=20399
- Spearman, T.D. See Hamilton, J., 2=5723
- Spearman, T.D. See Hamilton, J., 2=22596
- Spearman, T.D. See Kennedy, J., 2=13743
- Spearman, T.D. See Kennedy, J., 2=22420
- Spector, H.N. The existence of Kramers-Kronig relations for the magnetoconductivity tensor, 2=622
- Spector, H.N. Magnetoacoustic effects in tilted magnetic fields, 2=6651
- Spector, H.N. Magnetoacoustic effects in nondegenerate semiconductors, 2=8317
- Spector, H.N. Amplification of acoustic waves through interaction with conduction electrons, 2=18507
- Spector, J. and Trivelpiece, A.W. Backward waves in longitudinally magnetized ferrite rods, 2=16059
- Spector, R.M. and Blin-Stoyle, R.J. Beta-decay of RaE ; evidence for the conserved vector current theory, 2=14033
- Spector, R.M. See Blin-Stoyle, R.J., 2=418
- Spedding, F.H. See Born, H.J., 2=2198
- Spedding, F.H. See Gerstein, B.C., 2=21346
- Spedding, F.H. See Gerstein, B.C., 2=23032
- Spedding, F.H. See Strandburg, D.L., 2=21098
- Speerschneider, C.J. and Li, C.H. Some observations on the structure of polytetrafluoroethylene, 2=12938
- Spehl, H. Sensitive method for measurement of the electrostatic charge of a nonconducting target during positive ion bombardment, 2=15967
- Spehl, H. and Röpke, H. Production of a neutral hydrogen atom beam in the MeV region, 2=6110
- Speidel, R. and Graff, K. Production of thin single-crystal metal films between two optically flat surfaces, 2=21562
- Speidel, R. See Möllenstedt, G., 2=10795
- Speiser, D. See Freund, P.G.O., 2=18144
- Speiser, D. See Finkelstein, D., 2=9192
- Speiser, D. See Finkelstein, D., 2=22399
- Speiser, D. See Freund, P.G.O., 2=22421
- Speiser, D. See Misra, B., 2=21836
- Speiser, D. See Radicati, L.A., 2=11874
- Spekhov, Yu.A. See Veretennikov, A.I., 2=12210
- Spekhov, Yu.A. See Veretennikov, A.I., 2=18094
- Spence, G.B. Theory of extended dislocations in symmetry directions in anisotropic infinite crystals and thin plates, 2=6327
- Spence, H.R. and Luhrs, H.N. Structural fatigue under combined random and swept sinusoidal vibration, 2=17525
- Spence, R.D. and El Saffar, Z.M. The coexistence of the paramagnetic and antiferromagnetic states, 2=8609
- Spence, R.D. and Murty, C.R.K. Magnetization and proton relaxation time in antiferromagnetic $\text{LiCuCl}_2 \cdot 2\text{H}_2\text{O}$, 2=4289
- Spencer, A.J.M. Perturbation methods in plasticity. II. Plane strain of slightly irregular bodies, 2=6734
- Spencer, A.J.M. Perturbation methods in plasticity. III. Plane strain of ideal soils and plastic solids with body forces, 2=10752
- Spencer, C.J.D. See Leifer, I., 2=99
- Spencer, C.W. See Pinnow, D.A., 2=4080
- Spencer, C.W. See Smith, M.J., 2=15050
- Spencer, E.G., Denton, R.T. and Chambers, R.P. Temperature dependence of microwave acoustic losses in yttrium iron garnet, 2=10322
- Spencer, E.G. and LeCraw, R.C. Ferromagnetic relaxation in yttrium-iron garnet and the relation to applications, 2=6821
- Spencer, E.G. See Galt, J.K., 2=21355
- Spencer, E.G. See LeCraw, R.C., 2=12688
- Spencer, E.G. See Denton, R.T., 2=12806
- Spencer, G. See Hopkins, R.E., 2=2865

- Spencer, G.H., Jr, Cross, P.C. and Wiberg, K.B. S-tetrazine. I. High-resolution vapor-phase study of the visible $n \rightarrow \pi^*$ vibronic absorption band systems, 2=1987
- Spencer, G.H., Jr, Cross, P.C. and Wiberg, K.B. S-tetrazine. II. Infrared spectra, 2=1988
- Spencer, G.H. and Murty, M.V.R.K. General ray-tracing procedure, 2=13435
- Spencer, J. Observation accuracy in relation to the British Standards Institution's draft recommendation for industrial instrument scale design, 2=1040
- Spencer, N.W., Brace, L.H. and Carignan, G.R. Electron temperature evidence for nonthermal equilibrium in the ionosphere, 2=6935
- Spencer, R.H. See Lassiter, E.W., 2=6940
- Spencer, T.W. See Sherwood, J.W.C., 2=19186
- Spencer, W.J. and Dragsdorf, R.D. KCl whisker on whisker growth, 2=4394
- Sperling, H.G. See Luria, S.M., 2=21766
- Spero, W.I. Getter-ion pump protection circuit, 2=13382
- Spetzler, H.A.W. See Bradshaw, W.W., 2=18032
- Speyer, E. Cloud chamber measurements of visible and infrared absorptivity of aerosols, 2=10995
- Speyer, E. and Brigmanis, E. Forced cycled cooling of thermal detectors, 2=128
- Spicer, W.E. The problem of exciton induced photoemission from CdS, 2=5372
- Spicer, W.E. Photoemission and band structure of the semiconducting compound CsAu, 2=5373
- Spicer, W.E. The production of pairs in semiconductors by low energy electrons, 2=8357
- Spiegel, E.A. Thermal turbulence at very small Prandtl number, 2=24012
- Spiegel, E.A. andunno, W. On convective growth-rates in a polytropic atmosphere, 2=19333
- Spiegel, E.A. See Kraichnan, R.H., 2=11327
- Spiegel, V. Jr and Richardson, A.C.B. Age to indium resonance for D-D neutrons in heavy water, 2=5671
- Spiegler, P., Bumpus, C. and Norman, A. Fission track nucleation of hydrogen bubbles in uranyl sulfate solutions, 2=10990
- Spiegler, P. See Norman, A., 2=18575
- Spielberg, N. Tube target and inherent filtration as factors in the fluorescence excitation of X-rays, 2=13625
- Spielmann, W. and Ziegler, G. Dendritic growth in diamond lattices, 2=6776
- Spier, H.L. See Wanmaker, W.L., 2=8578
- Spighel, M. and Suzor, F. Study of the low-energy electron spectrum emitted in coincidence with β -rays, 2=397
- Spighel, M. and Suzor, F. Study of low energy electrons emitted simultaneously with β -radiation, 2=12163
- Spillers, W.R. See Freudenthal, A.M., 2=19482
- Spillman, G.R. See Wilcox, J.W., 2=19948
- Spindel, W. See Stern, M.J., 2=4527
- Spindler, R.J. and Hurwicz, H. Transient heat flow in translucent non-gray ablating materials, 2=2909
- Spinks, J.W.T. See Mitchell, F.W., 2=8125
- Spinner, S. See Tefft, W.E., 2=15504
- Spinolo, G. See Fieschi, R., 2=10617
- Spinrad, H. Stellar populations in the nuclei of galaxies, 2=15386
- Spinrad, H. A new CO₂-band in Venus, 2=17254
- Spinrad, H. Spectroscopic temperature and pressure measurements in the Venus atmosphere, 2=24101
- Spira, G. See Corry, T.M., 2=11605
- Spirchez, M. See Friedländer, E., 2=5917
- Spirchez, M. See Friedländer, E.M., 2=11918
- Spirchez, M. See Friedländer, E.M., 2=12196
- Spiridonov, V.P. See Akishin, P.A., 2=22951
- Spiridonova, I.K. See Zverev, V.A., 2=17140
- Spitsyn, V.I. See Zimakov, I.E., 2=7469
- Spitzer, D.M., Jr. See Beams, J.W., 2=7265
- Spitzer, D.P. Inter-crystalline energies in the alkali halides, 2=8804
- Spitzer, D.P. See Smith, C.S., 2=17427
- Spitzer, L. and Rogerson, J.B. Princeton Observatory work and plans in connection with satellite spectroscopy, 2=13201
- Spitzer, L., Jr. See Gaustad, J.E., 2=4814
- Spitzer, M. Selective reflection from zinc vapour, 2=1199
- Spitzer, R. Spin and statistics with an indefinite metric, 2=18079
- Spitzer, R. A note on the superselection rules for spin- $\frac{1}{2}$ bosons, 2=20280
- Spitzer, W.G., Crowell, C.R. and Atalla, M.M. Mean free path of photo-excited electrons in Au, 2=18747
- Spitzer, W.G., Miller, R.C., Kleinman, D.A. and Howarth, L.E. Far infrared dielectric dispersion in BaTiO₃, SrTiO₃, and TiO₂, 2=14643
- Spitzer, W.G. See Crowell, C.R., 2=22251
- Spitzer, W.G. See Kaiser, W., 2=21236
- Spitzer, W.G. See Kleinman, D.A., 2=4154
- Spivak, G.V., Kushnir, F.F. and Yurasova, V.E. The UIT-3 unit for etching metals, semiconductors and dielectrics by ion bombardment, 2=23910
- Spivak, G.V., Sirotenko, I.G. and Ivanov, R.D. Micromagnetic structure of films obtained by cathode sputtering, 2=15094
- Spivak, G.V., Sirotenko, I.G. and Ivanov, R.D. Domain structure of ferromagnetic films prepared by cathode sputtering, 2=21320
- Spivak, G.V. See Sbitnikova, I.S., 2=1509
- Spivak, G.V. See Sirotenko, I.G., 2=6345
- Spivak, P.E., Mikaelyan, L.A., Kutikov, I.E., Apalin, V.F., Lukashevich, I. and Smirnov, G.V. Asymmetry of the double Mott scattering of 45-245 keV electrons, 2=429
- Spivak, P.E., Mikaelyan, L.A., Kutikov, I.E., Apalin, V.F., Lukashevich, I. and Smirnov, G.V. Asymmetry of the double Mott scattering of 45-245 keV electrons, 2=22799
- Spivak, P.Ye. See Apalin, V.V., 2=11932
- Spizzichino, A. See du Castel, F., 2=16041
- Spokas, O.E. and Danos, M. Electron resonance magnetometer for alternating magnetic fields, 2=17925
- Spokes, G.N. See Berry, R.S., 2=3697
- Spong, F.W. See Moore, T.W., 2=3884
- Spong, F.W. See Moore, T.W., 2=14421
- Sponsler, G.C. Note on coincidence-detection optimal thresholds, 2=11247
- Spooner, F.J. and Wilson, C.G. The crystal structure of ZrAl, 2=150
- Sposito, A. See Latmiral, G., 2=16034
- Sprague, J.L., Minahan, J.A. and Wied, O.J. Physical and dielectric properties of the metal-silicon dioxide-silicon system, 2=8458
- Spreiter, J.R. and Alksne, A.Y. On the effect of a ring current on the terminal shape of the geomagnetic field, 2=19269
- Spreiter, J.R. and Briggs, B.R. Theoretical determination of the form of the boundary of the solar corpuscular stream produced by interaction with the magnetic dipole field of the earth, 2=6965
- Sprenkel, E.L. and Daughtry, J.W. Gamma-ray studies in Boron-10, 2=417
- Spretnak, J.W. See Cunningham, G.W., 2=14914
- Spriggs, T.E. See Frank, W.M., 2=13858
- Spring, E. See Simons, L., 2=1842
- Spring, E. See Simons, L., 2=5804
- Spring, E. See Simons, L., 2=10077
- Spring, E. See Simons, L., 2=14059
- Spring, E. See Simons, L., 2=18259
- Spring, K.H. and Swift-Hook, D.T. Prospects for large-scale thermoelectric power generation, 2=9523
- Springer, T. See Christ, J., 2=10187
- Springer, T. See Heusch, C.A., 2=5675
- Springer, T. See Maier-Leibnitz, H., 2=9871
- Springer, T. See Reinsch, C., 2=3346
- Springer, T. See Reinsch, C., 2=20346
- Sprokel, G.J. An automatic sample changer, 2=5284
- Sproull, W.T. Flow of a dusty gas between rotating cylinders, 2=72
- Spruch, G.M. and Brown, F.H. Luminescence of organic and inorganic systems, 2=10613
- Spruch, L. See Bartram, R., 2=9793
- Spruch, L. See O'Malley, T.F., 2=6075
- Spruch, L. See Rosenberg, L., 2=4938
- Sprung, D.W.L. The proton-proton spin-orbit interaction and the repulsive core, 2=11941
- Spuy, E. Van Der. See Van Der Spuy, E.
- Spycher, U. See Baldinger, E., 2=16739
- Spycher, U. See Baldinger, E., 2=22135
- Spycher, U. See Baldinger, E., 2=22136
- Squeren, C. Le. See Le Squeren, C.
- Squeren, Malinge, A.M. Le. See Le Squeren-Malinge, A.M.
- Squire, L.E. An incorrigible power factor, 2=6495
- Squire, W. A unified theory of turbulent flow. IV. Cylindrical Couette flow, 2=15553
- Squires, E.J. On the continuation of partial-wave amplitudes to complex l , 2=18077
- Squires, E.J. See Charap, J.M., 2=20263
- Squires, E.J. See Landy, B., 2=13788
- Srb, I. and Vaško, A. Contribution to the absorption spectrum of amorphous selenium in the infrared region, 2=2235
- Sreedhara Murthy, N. See Tawde, N.R., 2=12323
- Sreekantan, B.V. See Miyake, S., 2=12074
- Sreenivasan, K. and Ramachandran, A. Effect of vibration on heat transfer from a horizontal cylinder to a normal air stream, 2=
- Srikanta, S., Tare, V.B., Sinha, A.P.B. and Biswas, A.B. Structural properties of (Ba,Pb)_{1-x}(Ti,Nb)O₃ systems, 2=10898
- Srikantiah, G. See Chernick, J., 2=18379
- Srinivasa Raghavan, R. On the possibility of a new phase-determining method applying the Mossbauer effect, 2=6797

- nivasarao, S. and Anantharaman, T.R. The occurrence of a hexagonal phase in quenched 60:40 brass, 2=8847
- nivasan, D. and Padmanabhan, V. Investigations on the noise due to acoustically induced cavitation in water, 2=11454
- nivasan, K.R. See Desai, R.C., 2=5998
- nivasan, R. The significance of the phase synthesis, 2=4411
- nivasan, R. On the method of least squares as applied to the refinement of crystal structures, 2=10848
- nivasan, R. See Ganesan, S., 2=3819
- nivasan, R. See Ganesan, S., 2=3820
- nivasan, R. See Ganesan, S., 2=21496
- nivasan, R. See Rajagopal, A.K., 2=16589
- nivasan, R. See Sarma, V.R., 2=10853
- nivasan, S.K. and Venkatesan, K. Multiple pion production in the sub-GeV region, 2=5714
- nvastava, B.N. and Paul, R. Multicomponent diffusion in the system $^{85}\text{Kr}-\text{He}-\text{Kr}$, 2=17506
- nvastava, B.N. and Srivastava, I.B. Studies on mutual diffusion of polar-nonpolar gas mixtures, 2=13365
- nvastava, B.N. See Ghosh, S.N., 2=2513
- nvastava, B.N. See Ghosh, S.N., 2=19241
- nvastava, B.J. See Pisharoty, P.R., 2=19263
- nvastava, G.N. See Jain, P.L., 2=283
- nvastava, G.P. and Misra, M. Effect of magnetic field on the characteristics of junction transistor, 2=23441
- nvastava, G.P. See Costain, C.C., 2=3739
- nvastava, H.N. and Lal, K.C. Calculations of relaxation times of polar molecules in solution, 2=11381
- nvastava, I.B. Mutual diffusion of binary mixtures of ammonia with He, Ne and Xe, 2=19608
- nvastava, I.B. See Paul, R., 2=1194
- nvastava, I.B. See Paul, R., 2=5050
- nvastava, I.B. See Paul, R., 2=5051
- nvastava, I.B. See Srivastava, B.M., 2=13365
- nvastava, K.G. Shallow electron traps in single crystals of rutile studied by X-ray irradiation using low frequency dielectric measurements, 2=10374
- nvastava, K.G. Magnetic properties of small particles of antiferromagnetic chromic oxide Cr_2O_3 , 2=12794
- nvastava, K.G. A study by static magnetic techniques of rutile single crystals after various external treatments, 2=23633
- nvastava, K.S. See Gokhale, B.G., 2=12293
- nvastava, P.K. See Gupta, U.C., 2=10065
- nvastava, P.L. Vibration spectrum and specific heats of copper by de Launay's method, 2=16597
- nvastava, R.S. See Khastgir, S.R., 2=21637
- nvastava, V.K. and Verma, A.R. Multiple beam interferometric study of "built-up" films of barium stearate, 2=17069
- oubek, Z. Double quantum transitions in paramagnetic resonance, 2=2296
- oubek, Z. See Šimánek, E., 2=4270
- oubek, Z. See Šimánek, E., 2=10722
- as, F.A. and Taconis, K.W. Superfluid flow in wide capillaries, 2=5229
- as, F.A., Taconis, K.W. and van Alphen, W.M. Experiments on laminar and turbulent flow of He II in wide capillaries, 2=5228
- ats, P.A. See Morgan, H.W., 2=4147
- abilini, G. See Cirelli, R., 2=3290
- abler, R.C. See Byron, S., 2=13543
- abnikov, M.V. See Komar, A.P., 2=1635
- abnikov, M.V. See Komar, A.P., 2=1636
- acey, A.E. See Ladner, W.R., 2=7089
- acey, F.D. Theory of the magnetic susceptibility of stressed rock, 2=24064
- acey, F.D., Lovering, J.F. and Parry, L.G. Reply to the preceding discussion, 2=11119
- ach, V. Influence of electric field on the cooling gas flow in a nuclear reactor, 2=14171
- achorska, D. See Slavić, I., 2=3222
- achowiak, H. The solution of the equation of electric conductivity for a thin plate in an arbitrary magnetic field for a non-constant temperature distribution, 2=2994
- achurski, Z. See Devanathan, M.A.V., 2=23207
- ack, E.R. See McDermott, P.S., 2=8479
- adler, B. See Brix, P., 2=14230
- adler, H.L. Asymmetric piezoelectric hysteresis loops in BaTiO_3 , 2=16798
- adnikova, T. See Balli, D., 2=20630
- afeev, V.I. Photoconductivity in a semiconductor diode, produced by a change in lifetime, 2=6475
- afeev, V.I. See Karakushan, E.I., 2=10513
- afford, F.E. See Ackerman, M., 2=8127
- afford, F.E. See Ackerman, M., 2=8128
- Stafford, G.H., Dickson, J.M., Salter, D.C. and Craddock, M.K. A source for the production of polarized protons, 2=13801
- Stafford, G.H. and Whitehead, C. The polarization in free neutron-proton scattering at 140 MeV, 2=5655
- Stafford, G.H. See Batty, C.J., 2=22517
- Stafiichuk, E.A. Reversible characteristics of some solid solutions of the type $\text{BaTiO}_3-\text{A}_2\text{B}_2\text{O}_7$, 2=21217
- Stafiichuk, E.A. Reversible characteristics of some solid solutions of the type $\text{BaTiO}_3-\text{A}_2\text{B}_2\text{O}_7$, 2=23501
- Stafiichuk, E.A. and Sinyakov, E.V. Electric conductivity of NaTiO_3 base solid solutions of manganese, cobalt and nickel niobates and tantalates, 2=14630
- Stafiichuk, E.A. See Sinyakov, E.A., 2=14631
- Stafiichuk, Ye.A. The effect of NiO and MnO on the ferroelectric properties of BaTiO_3 , 2=6525
- Staflin, T. See Huld, L., 2=23574
- Stager, C.V. See Runciman, W.A., 2=18830
- Stager, R.A., Balchan, A.S. and Drickamer, H.G. High-pressure phase transition in metallic tin, 2=23877
- Staggs, D.W. See Vonnegut, B., 2=11029
- Stahl, W. See Buttlar, H.v., 2=10031
- Staicopolus, D.N. The computation of surface tension and of contact angle by the sessile-drop method, 2=17428
- Stainsby, A.G. [Conf. rep.] Conference on the Physics of Gas Discharge Devices, Leamington Spa, September 1961, 2=5308
- Stajano, A. Energy-dependence of pion asymmetry in anti-proton-proton annihilation, 2=13804
- Stajano, A. and Vitale, B. Quantum numbers of a neutral particle decaying into $(\pi^+ \pi^- \pi^0)$, 2=13873
- Stakhanov, I.P. See Lebedev, S.Ya., 2=20005
- Stallwood, R.A. See Rhodes, D.F., 2=3302
- Stamberger, P. The mechanical stability of colloidal dispersions, 2=8938
- Stamires, D.N. Effect of adsorbed phases on the electrical conductivity of synthetic crystalline zeolites, 2=17071
- Stampacchia, G. See Bettinali, C., 2=8597
- Stampacchia, G. See Bettinali, C., 2=16876
- Stammreich, H., Kawai, K., Sala, O. and Krumholz, P. Raman spectra of metal carbonyl compounds. IV. Raman spectra and structure of cadmium and mercury cobalt carbonyl, 2=2000
- Stammreich, H., Kawai, K., Sala, O. and Krumholz, P. Raman spectra of metal carbonyl compounds. III. Raman spectrum, vibrational analysis, and bond structure of nickel tetracarbonyl, 2=1999
- Stamper, J.G. The absorption spectrum of DBr in the vacuum ultraviolet region, 2=22969
- Stamper, J.G. The vacuum ultraviolet spectrum of DCl, 2=22970
- Stampfl, R.A. See Bandeen, W.R., 2=2574
- Stan, I. Consideration on the isotopic shift, 2=10205
- Standil, S. See Bukata, R.P., 2=9961
- Standil, S. See Chin, F.K., 2=12098
- Standing, K.G. and Jovanovich, J.V. The elastic scattering of Co^{60} γ -rays, 2=11920
- Standley, K.J. and Storey, B.E. Limitation on the use of a circulator in a microwave spectrometer, 2=6651
- Standley, K.J. See Bates, C.A., 2=4254
- Standley, K.J. See Nash, W.B., 2=10690
- Stanek, F.W. Hyperfine structure analysis of recoilless γ -lines. IV. The 80.6 keV level of Er^{166} in Ho_2O_3 and Er_2O_3 , 2=5813
- Stanek, F.W. See Wagner, F.E., 2=5812
- Stanevich, A.E. and Yaroslavskii, N.G. Absorption of liquid water in the long wavelength part of the infrared spectrum (42-2000 μ), 2=1149
- Stanevich, A.E. and Yaroslavskii, N.G. Transmission of organic solvents in the far infrared region of the spectrum, 2=5023
- Stanghellini, A. See Amati, D., 2=13748
- Stankevich, K.S. Monochromatic radio emission of interstellar molecular hydrogen ions, 2=1019
- Stanley, C.V. See Hall, F.F., Jr., 2=11199
- Stanley, R.W. See Davison, A., 2=8064
- Stannard, C., Jr. See Engeler, W., 2=8418
- Stanojević, D. and Juric, M. Angular distribution of protons from the reaction $\text{N}^{14}(\text{d}, \text{p})\text{N}^{15}$, 2=22839
- Stanojević, D. See Cassagnou, Y., 2=452
- Stanojević, D. See Cassagnou, Y., 2=1887
- Stanojević, D.M., Juric, M.K. and Marčičanin, B.S. Measurement of the excitation curve for reaction $\text{C}^{13}(\text{d}, \text{p})\text{C}^{13}$, 2=3606
- Stanton, L. and Lightfoot, D.A. Junction diode semiconductors for X- and gamma-ray dosage measurement, 2=16095
- Stanton, R.E. Hellmann-Feynman theorem and correlation energies, 2=6078
- Stanyukovich, K.P. One-dimensional adiabatic flow of an ultra-relativistic gas, 2=1174

- Stanyukovich, K.P. Self-similar relativistic solutions for the case of exact symmetry, 2=7233
- Stanyukovich, K.P. Elements of the theory of impact of solid bodies at high (cosmic) velocities, 2=9068
- Stanyukovich, K.P. Lagrangian in the relativistic mechanics of continuous media, 2=19450
- Stanyukovich, K.P. Adiabatic one-dimensional motions of an ultra-relativistic gas, 2=21942
- Stanyukovich, K.P. and Bronshtén, V.A. The speed and energy of the Tungus Meteorite, 2=2526
- Stapleton, H.J. See Lammernann, H., 2=4267
- Stapp, H.P. Derivation of the CPT theorem and the connection between spin and statistics from postulates of the S-matrix theory, 2=9772
- Stapp, H.P. Axiomatic S-matrix-theory, 2=22459
- Starchik, L.P. See Plaksin, I.N., 2=20444
- Starfelt, N. See Condé, H., 2=5981
- Starfelt, N. See Johansson, I., 2=2879
- Starinin, K.V. Application of radioactive isotopes for determining the sensitivity of photographic plates, 2=1644
- Starinin, K.V. and Gruz, E.A. Determination of the sensitivity of nuclear emulsions with a betatron, 2=1645
- Stark, E.A., Jr., Cheng, C.H. and Beck, P.A. Low-temperature specific heat of Ti alloys with CsCl-type ordered structure, 2=14382
- Stark, L. Environmental clamping of biological systems: pupil servo-mechanism, 2=21761
- Stark, R.W., Eck, T.G., Gordon, W.L. and Moazed, F. Magnetoresistance investigation of the Fermi surface of magnesium, 2=14409
- Stark, Yu.S. See Malyuchkov, O.T., 2=14850
- Stark, Yu.S. See Pavlovskaya, V.S., 2=12860
- Stark, Yu.S. See Pavlovskaya, V.S., 2=14897
- Starkey, T.V. See Whitmore, R.L., 2=11331
- Starkiewicz, J. and Allen, J.W. Injection electroluminescence at p-n junctions in zinc-doped gallium phosphide, 2=23621
- Starner, J.W. See Bunker, M.E., 2=18292
- Starobinets, S.S. See Gurevich, A.G., 2=10687
- Starobinets, S.S. See Mén' Syan'-chzhen', 2=18936
- Starodubov, Ya.D. See Gindin, I.A., 2=8725
- Starodubov, Ya.D. See Gindin, I.A., 2=21432
- Starodubov, Ya.D. See Gindin, I.A., 2=21543
- Starodubov, Ya.D. See Gindin, I.A., 2=16959
- Starodubov, Ya.D. See Gindin, I.A., 2=16960
- Starodubov, Ya.D. See Gindin, I.A., 2=18998
- Starodubov, Ya.D. See Gindin, I.A., 2=23754
- Starodubov, Ya.D. See Gindin, I.A., 2=23755
- Starodubtsev, S.V. See Peshikov, E.V., 2=12565
- Starodubtsev, S.V. See Peshikov, E.V., 2=14609
- Starosselski, V.I. See Fuchs, N.A., 2=12985
- Starostin, I.I. See Sudako, N.I., 2=18909
- Starostina, L.S. See Brilliantov, N.A., 2=2364
- Starr, W.T. and Endicott, H.S. Progressive stress - a new accelerated approach to voltage endurance, 2=6685
- Startsev, A. See Ivanenko, D., 2=7834
- Startsev, A.A. The electromagnetic structure of the K-meson, 2=312
- Startsev, G.P. See Gerasimova, N.G., 2=17629
- Startsev, V.I. See Bengus, V.Z. 2=4364
- Startsev, V.I. See Bengus, V.Z. 2=8769
- Startseva, I.E. and Shur, Ya.S. Features of the domain structures of magnesium-manganese ferrites with a rectangular hysteresis loop, 2=8649
- Startseva, I.E. and Shur, Ya.S. Features in the domain structure of magnesium-manganese ferrites with a rectangular hysteresis loop, 2=23676
- Sary, F. See Meiling, W., 2=2984
- Sary, F. See Schintlmeister, J., 2=5816
- Stasevich, B.M. See Atlaskin, N.N., 2=20075
- Stasevich, B.M. See Trostin, I.S., 2=20040
- Stasyuk, I.V. and Hlauberman, A.Yu. The many-electron theory of semiconductors with impurities, 2=8322
- Stasyuk, I.V. See Glauberman, A.E., 2=10293
- Statz, H. Optical masers, 2=22328
- Statz, H., Paananen, R. and Koster, G.F. Zeeman effect in gaseous helium-neon optical maser, 2=16025
- Statz, H. See Seeger, A., 2=16663
- Staub, H.H. See Rytz, A., 2=5914
- Staub, H.H. See Rytz, A., 2=22808
- Stauér, E.V. Electroluminescence of barium titanate at audio frequencies, 2=14753
- Stauér, E.V. See Kolomoitsev, F.I., 2=14737
- Stauér, E.V. See Kolomoitsev, F.I., 2=18882
- Stauffer, F. and Strong, J. High altitude atmospheric transmission measurements, 2=8973
- Stauffer, H. On the production ratios of rare gas isotopes in stone meteorites, 2=17268
- Stauffer, H. and Honda, H. Cosmic-ray-produced V^{50} and K^{40} in the iron meteorite Aroos, 2=4756
- Stauffer, H. and Honda, M. Cosmic-ray-produced stable isotopes in iron meteorites, 2=24105
- Staveley, L.A.K. Thermodynamic studies of molecular rotation in solids, 2=8075
- Stavinskii, V.S. and Kovalev, V.P. Calculation of the fission threshold and fragment excitation energies in the drop model of the nucleus by taking into account the Wigner symmetry energy, 2=16441
- Stavinskii, V.S. See Kovalev, V.P., 2=506
- Stavinskii, V.S. See Likhachev, M.F., 2=22581
- Stavinskii, V.S. See Mikhlin, E.Y., 2=12200
- Stavitskii, Yu.Ya. and Shapar, A.V. Fast neutron capture cross-section for chromium, 2=20637
- Stavitskii, Yu.Ya. and Tolstikov, V.A. Measurements of the fast neutron radiative capture cross-sections of gallium isotopes, 2=1904
- Stavitskii, Yu.Ya. See Bondarenko, I.I., 2=3654
- Stavitskii, Yu.Ya. See Lebedev, S.Ya., 2=11623
- Stavitskaya, G.P. and Ryskin, Ya.I. The hydrogen bond in acid germanates. I. The infrared spectrum of strontium dihydro-germanate, 2=541
- Stavroudis, O.N. Ray-tracing formulas for uniaxial crystals, 2=2901
- Stawikowski, A. Spectrum of the comet Mrkos (1957d) in the region 3884-44737, 2=13113
- Stebbins, W.L. See Fite, W.L., 2=16492
- Stebler, B. See Brogren, G., 2=9230
- Stecher, T.P. and Milligan, J.E. Stellar spectrophotometry from above the atmosphere, 2=19316
- Stechkina, I.B. See Fuchs, N.A., 2=12985
- Steckelmacher, W. Seals and gaskets for ultra high vacuum systems, 2=15664
- Steckelmacher, W. and Tinsley, D.M. Thermal conductivity leak detectors suitable for testing equipment by overpressure or vacuum, 2=21951
- Steed, E.C. See Snyder, J.A., 2=20024
- Stegg, M.G. van der. See van der Steeg, M.G.
- Steel, W.H. Adjustable compensators for two-beam interferometers, 2=9401
- Steel, W.H. Precision focusing with photoelectric detection, 2=1968
- Steel, W.H. See Collins, J.G., 2=7410
- Steele, D. and Lippincott, E.R. Construction of reliable internuclear potential curves from equilibrium bond lengths and vibrational frequencies, 2=1979
- Steele, D., Lippincott, E.R. and Vanderslice, J.T. Comparative study of empirical internuclear potential functions, 2=20769
- Steele, D.J. See Collins, K.E., 2=7236
- Steele, K.A. Random digit generation with a noise source and counter, 2=17368
- Steele, L.R. See Cunningham, J., 2=21090
- Steele, M.C. See Larrabee, R.D., 2=23282
- Steenbeck, M. Magnetohydrodynamic interpretation of sunspot activity, 2=7003
- Steenberg, N.R. Nuclear scattering at high energies, 2=14083
- Steenberg, N.R. Nuclear cross sections at high energies, 2=16392
- Steenwinkel, R. von. See von Steenwinkel, R.
- Stefan, D.J.D'. See D'Stefan, D.J.
- Stefănescu, A. Absolute determination of the neutron fluxes in the active zone of the VVR-S reactor, 2=20719
- Stefănescu, A. and Sabău, M. Utilizing the VVR-S reactor for the pile oscillator method, 2=6046
- Stefănescu, A. and Sabău, M. Use of the reactor V.V.R.-S. for the method of the pile oscillator, 2=6055
- Stefănescu, D. See Badareu, E., 2=21588
- Stefano, P. De. See De Stefano, P.
- Stefant, R. See Gendrin, R., 2=13062
- Steffen, F. See Schubert, P., 2=17578
- Steffen, R.M. See Matthias, E., 2=3474
- Steger, E. The use of apparatus and the limitations of the method in infrared spectroscopic structure investigation, 2=7354
- Steggerda, C.A. Transistorized series regulator for analysing magnet, 2=17759
- Stegmeier, H. Nucleation as a model for the reversal of the magnetization of ferrite switching and storage cores, 2=10675
- Stehney, A.F. and Steinberg, E.P. Br^{80} - a new nuclide, 2=18289
- Steigelmann, W.H., Jr. Gamma-ray shielding design curves, 2=3667
- Steiger, M.H. and Bloom, M.H. Linearized swirling wakes, 2=1951
- Steiger, M.P. See Brugger, H.R., 2=5940
- Steiger, M.P. See Brugger, H.R., 2=14103
- Steiger, M.P. See Newodniczan'ski, T., 2=20641
- Steiger, W.R. See Barbier, D., 2=15247
- Steigert, F.E. See Garvey, G.T., 2=5972
- Steigert, F.E. See Kelley, J.G., 2=16489
- Steigert, F.E. See Roll, P.G., 2=5973

- teigert, F.E. See Roll, P.G., 2=5974
 teigert, F.E. See Smith, A.M., 2=3622
 teigert, F.E. See Williams, D.J., 2=8010
 teigmeier, E. See Busch, G., 2=573
 teigmann, G.A. See Goodyear, J., 2=10872
 tein, B.A. See Johnson, P.C., 2=6821
 tein, P.C. Separation of strontium-90 and yttrium-90 with ion exchange papers, 2=11007
 tein, R., Eberle, H. and Oppel, R. Attempts to discriminate charged particles by the ionographic method, 2=20211
 tein, R.P. and Hurlbut, F.C. The sputtering of potassium by noble gas ions, 2=3093
 tein, R.S. and Wilson, P.E. Scattering of light by polymer films possessing correlated orientation fluctuations, 2=14658
 tein, R.S. See Wilson, P.R., 2=2222
 tein, S. Addition theorems for spherical wave functions, 2=1061
 tein, W. See Biswas, S., 2=7913
 tein, W. See Ney, E.P., 2=20467
 tein, W.A. See Ney, E.P., 2=18213
 teinbeiss, E. and Vogler, G. Investigations on the influence of firing on a few characteristic magnetic magnitudes of a square loop Mg-Mn ferrite, 2=12792
 teinberg, E.P. See Stehney, A.F., 2=18289
 teinberg, J.C., Kronengold, M. and Cummings, W.C. Hydrophobe installation for the study of soniferous marine animals, 2=17576
 teinberger, J. See Danby, G., 2=20308
 teinberger, J. See Samios, N.P., 2=13842
 teinchen-Sanfeld, A. See Sanfeld, A., 2=12972
 teinchen-Sanfeld, A. See Sanfeld, A., 2=12973
 teiner, B., Seman, M.L. and Branscomb, L.M. Electron affinity of atomic iodine, 2=22905
 teiner, B. See Elder, F.A., 2=17781
 teiner, E. Stark effect in hydrogen, 2=20740
 teiner, E. See Brown, W.B., 2=20767
 teiner, H. See Amaldi, U., 2=22516
 teinert, C. Resonance absorption of U^{238} in mixtures with moderating components, 2=8026
 teinfink, H. and Gebhart, J.E. Compression apparatus for powder X-ray diffractometry, 2=12900
 teinfink, H. See Ramsey, T.H., Jr., 2=21339
 teinhaus, J.F. See Damm, C.C., 2=15912
 teining, R. See Deutsch, M., 2=22557
 teinke, G. Concerning the troubles of a standard tuning tone, 2=1236
 teinke, G. On the work of the laboratory "Acoustic-musical boundary problems" in the "Betriebslaboratorium für Rundfunk und Fernsehen", 2=17577
 teinlin, U.W. The distribution of extragalactic nebulae: The zone of avoidance, 2=19341
 teinmann, O. See Hepp, K., 2=7141
 teinmann, W. See Otto, A., 2=22267
 teinmetz, D. See Weaver, H., 2=21734
 teinort, E., Cronk, E.R., Garvin, S.J. and Tideman, H. The formation of monocrySTALLINE Alnico magnets by secondary recrystallization methods, 2=12719
 teinrisser, F. See Peacock, R.N., 2=8002
 teins, K.A. and Strure, S.Y. The diffusion of comets, 2=24104
 teinsvoll, O. See Abrahams, K., 2=11961
 tekhanov, A.I. and Chisler, E.V. Temperature dependence of the intensity of Raman spectra from crystals, 2=14690
 tekhanov, A.I. and Eliashberg, M.B. Second order Raman spectra of alkali-halide mixed crystals, 2=702
 tekhanov, A.I. and Gabrichidze, Z.A. On the influence of crystal structure on the vibrational spectrum of the hydrogen bond, 2=6583
 tekhanov, A.I., Korol'kov, A.P. and Eliashberg, M.B. Raman spectrum of lithium chloride crystals, 2=18850
 tekhanov, A.I., Korol'kov, A.P. and Eliashberg, M.B. Raman spectrum of lithium chloride crystals, 2=23577
 tekol'nikov, I.S. New data on the initial stages of a spark, 2=7575
 tekol'nikov, I.S. New data on the initial stages of a spark, 2=11631
 teljes, J.F. See Carmichael, H., 2=12026
 teljes, J.F. See Carmichael, H., 2=12031
 tell, G. Virial expansion of the solution of the Kirkwood integral equation for the radial distribution function of a fluid, 2=11324
 tella, A. See Frova, A., 2=12505
 telson, P.H. and McGowan, F.K. Coulomb excitation of the first 2^+ state of even nuclei with $58 \leq A \leq 82$, 2=13994
 telson, P.H. See McGowan, F.K., 2=10141
 telson, P.H. See Robinson, R.L., 2=5970
 telzried, C.T. See Sato, T., 2=22331
 temple, N.R. See Cole, H., 2=14987
 temple, N.R. See Seraphim, D.P., 2=2413
 tendler, C.B. Cognitive development in children and readiness for high school physics, 2=2
 Stenemann, H. See Mayer, L., 2=6788
 Stenström, T. See Jung, B., 2=18305
 Stenzel, H. See Bethge, H., 2=15118
 Stepanenko, V.A. See Bin'kovskii, Yu.A., 2=21564
 Stepanov, A.V. See Chernov, Yu.M., 2=8705
 Stepanov, A.V. See Kazarnovskii, M.V., 2=10226
 Stepanov, A.V. See Kazarnovskii, M.V., 2=14216
 Stepanov, A.V. See Nikanorov, S.P., 2=8701
 Stepanov, A.V. See Nikanorov, S.P., 2=10732
 Stepanov, B.I. Reflection and transmission of light by plane-parallel layers with a negative absorption coefficient, 2=19717
 Stepanov, B.I. and Kazachenko, L.P. Application of the method of moments to the characterization of spectral bands in complex systems, 2=18444
 Stepanov, B.I. and Samson, A.M. Secondary light absorption and emission processes, 2=14701
 Stepanov, B.I. and Samson, A.M. Calculation of energy resonance in plane-parallel layers, 2=15737
 Stepanov, B.I. and Samson, A.M. The theory of the absorption and luminescence of complex molecules. I. Effect of intermolecular and intramolecular redistribution of vibrational energy and the optical properties of molecules, 2=16505
 Stepanov, B.I. and Gribkovskii, V.P. Nonlinear optical effects in a system of particles with three energy levels, 2=16507
 Stepanov, B.I. See Gribkovskii, V.P., 2=14702
 Stepanov, B.I. See Rubanov, A.S., 2=7148
 Stepanov, B.M. See Ipatkin, I.S., 2=7697
 Stepanov, C.N. See Akhiezer, A.I., 2=201
 Stepanov, E.P. See Samoilov, B.N., 2=399
 Stepanov, G.I. See Burdian, I.I., 2=2196
 Stepanov, G.V., Pokalyakin, V.I. and Elinson, M.I. Emission of hot electrons from natural p-n junctions in SiC crystals, 2=2182
 Stepanov, I.V. See Vasil'eva, M.A., 2=21280
 Stepanov, K.M. See Dolgoplov, V.V., 2=1433
 Stepanov, K.M. See Kitsenko, O.B., 2=11648
 Stepanov, K.N. and Khomeniuk, V.V. Remarks on the energy principle in magnetohydrodynamics, 2=17944
 Stepanov, K.N. See Kitsenko, A.B., 2=22211
 Stepanov, K.N. See Pakhomov, V.I., 2=22210
 Stepanov, V.A. and Vereshchagin, L.F. High-temperature resistance furnace with helical graphite heater for high-pressure vessels, 2=19759
 Stepanov, V.A. See Kurov, I.E., 2=12862
 Stepanov, V.A. See Kurov, I.E., 2=14900
 Stepanov, V.A. See Preobrazhenskii, A.Ya., 2=21483
 Stepanov, V.E. See Boyarchuk, A.A., 2=984
 Stepanov, V.G. See Vinokurov, V.M., 2=4252
 Stepanov, V.G. See Vinokurov, V.M., 2=4260
 Stepanov, V.G. See Vinokurov, V.M., 2=21360
 Stepanov, V.S. See Smirnov, E.I., 2=44
 Stepanova, A.A. See Zhuravlev, N.N., 2=20942
 Stepanova, G.I. The effect of lattice vibrations on the thermodynamic properties of solid solutions of ortho- and para-hydrogen, 2=18541
 Stepanova, G.I. The effect of lattice vibrations on the thermodynamic properties of solid solutions of ortho- and para-hydrogen, 2=23095
 Stepanyan, A.A. and Vladimirovskii, B.M. The emission of high-energy particles by the sun, 2=970
 Stepanyants, A.U. See Byštrov, V.F., 2=7774
 Stephani, H. Phase-constraint imagery of unidimensional phase objects, 2=22003
 Stephas, P. Search for a nuclear thermionic emitter, 2=3069
 Stephas, P. Temperature of a shielded surface, 2=7442
 Stephen, M.J. The magnetic susceptibility of an electron gas, 2=2649
 Stephen, M.J. Charged Boltzmann gas at absolute zero, 2=9205
 Stephen, M.J. The diamagnetic shielding of nuclei by conduction electrons in metals, 2=10718
 Stephens, C. See Goetzberger, A., 2=2183
 Stephens, C. See Goetzberger, A., 2=18604
 Stephens, C.W. See McClelland, D.H., 2=11470
 Stephens, G.A. See Green, L.L., 2=10144
 Stephens, J.J. Spectrally averaged total attenuation, scattering and absorption cross-sections for infrared radiation, 2=11027
 Stephens, J.J. and Gerhardt, J.R. Absorption cross-sections of water drops for infrared radiation, 2=11026
 Stephens, K.G. See Cooper, P.N., 2=10179
 Stephens, K.G. See Cooper, P.N., 2=16457
 Stephens, W.E. See Del Bianco, W.E., 2=10083
 Stephenson, C.B. See Nassau, J.J., 2=13155
 Stephenson, C.C. and Lundell, O.R. The heat capacity of diammonium dicadmium sulfate from 15 to 300°K, 2=16604

- Stephenson, G. A static spherically symmetric solution of the Einstein-Maxwell-Yukawa field equations, 2-19413
- Stephenson, J. See Sodickson, L., 2-1679
- Stephenson, R.L. and McCoy, H.E., Jr. Recording equipment for internal friction measurements, 2-4311
- Stepien, A. See Olszak, W., 2-12855
- Stepin, E.V. See Bakulin, E.A., 2-1527
- Stepko, I.I., Romanova, H.P. and Chmel', M.H. Effect of heat treatment on the evolution of gas from a germanium surface, 2-8875
- Stepniewski, W. See Wesolowski, J., 2-11042
- Steranka, P.T. See Benedict, M., 2-6067
- Sterin, Kh.E. See Bobrov, A.V., 2-20848
- Sterin, Kh.E. See Bobrov, A.V., 2-22990
- Sterk, E., Tardos, M. and Szántó, V. Method for the electron microscope examination of ceramic surfaces, 2-23945
- Stern, D. The low-frequency power spectrum of cosmic-ray variations during I.G.Y., 2-18215
- Stern, D. $\pi\pi\gamma$ decay mode of neutral K mesons, 2-22612
- Stern, E.A. Transition radiation from metal films, 2-8201
- Stern, E.A. See Ferrell, R.A., 2-23126
- Stern, F. Calculation of optical absorption in III-V semiconductors, 2-23560
- Stern, M.E. The relative stability of the solutions in nonlinear convection, 2-7438
- Stern, M.E. The stability of thermoclinic jets, 2-8946
- Stern, M.E. See Charney, J.G., 2-17131
- Stern, M.J., Kauder, L.N. and Spindel, W. Isotopic fractionation of nitrogen in the nitrogen oxide-nitrate exchange system, 2-4527
- Stern, R. See Goodman, R.R., 2-7296
- Stern, R. See Granato, A.V., 2-20930
- Stern, R.A. See Oppenheim, A.K., 2-1114
- Stern, R.A. See Oppenheim, A.K., 2-19528
- Stern, R.M. and Granato, A.V. Overdamped resonance of dislocations in copper, 2-21014
- Stern, T. See Blaquière, A., 2-1945
- Sternberg, S. and Marchidan, D.I. Concerning the polarization voltage of silver chloride in the molten state, 2-12971
- Sternberg, Z. and Tomáš, P. Excitation processes in helium induced by impact of deuterons and protons, 2-526
- Sternberk, J. Effective anisotropy constant of polycrystalline nickel ferrite, 2-8653
- Sternberk, J. Effective anisotropy constants of manganese, and manganese-magnesium ferrites, 2-8654
- Sternberk, J. On the law of approach to saturation in manganese-magnesium ferrite, 2-21336
- Sternglass, E.J. and Goetze, G.W. Field-enhanced transmission secondary emission for high-speed counting, 2-18008
- Sternglass, E.J. See Kanter, H., 2-12409
- Sternheimer, R.M. Second-order quadrupole effect for the nuclear hexadecapole coupling in ions, 2-18396
- Sternheimer, R.M. Electronic polarizabilities of the alkali atoms, 18413
- Steudel, A. See Guthohrlein, G., 2-1779
- Steudel, A. See Loebich, O., 2-3702
- Steudel, A. See Nöldeke, G., 2-22910
- Steudel, H. Relation between invariance properties and conservation laws, 2-9146
- Steudel, H. Extension of the first Noether law, 2-9147
- Stevens, J.M. See Eversteijn, F.C., 2-10573
- Stevens, J.M. See Eversteijn, F.C., 2-10773
- Stevens, K.N. See Bell, C.G., 2-4890
- Stevens, K.W.H. See Bates, C.A., 2-4254
- Stevens, K.W.H. See Bates, C.A., 2-6300
- Stevens, R. See Victor, W.K., 2-21703
- Stevens, R.M., Kern, C.W. and Lipscomb, W.N. Proton chemical shift in $\text{HCo}(\text{CO})_4$, 2-18462
- Stevenson, G.R. The intensity of primary cosmic ray helium nuclei on April 28th, 1961, 2-16262
- Stevenson, M.J. Cyclotron resonance in II-V semiconductors, 2-23133
- Stevenson, M.J. See Sorokin, P.P., 2-16815
- Stevenson, M.J. See Title, R.S., 2-23708
- Stevenson, M.L., Alvarez, L.W., Maglič, B.C. and Rosenfeld, A.H. Spin and parity of the ω meson, 2-22606
- Stevenson, M.L. See Button, J., 2-13802
- Stevenson, R. Susceptibility of iron group compounds in high magnetic fields, 2-23632
- Stevenson, R.W.H. See Brown, M.R., 2-4218
- Stevring, B. and Werner, L. Thermodynamic relaxation of atmospheric gases in shock waves, 2-2756
- Steward, E.G. See Kellett, E.A., 2-14972
- Steward, E.G. See Redman, M.J., 2-19076
- Stewardson, E.A. See Cooke, B.A., 2-12611
- Stewart, A.L. See Somerville, W.B., 2-16476
- Stewart, A.T., Shand, J.B., Donaghy, J.J. and Kusmiss, J.H. Fermi surface of beryllium by positron annihilation, 2-23118
- Stewart, B.U. See Paranjape, B.V., 2-14503
- Stewart, D.M. See Burket, R.E., 2-12704
- Stewart, D.T. See Williams, W.S.C., 2-1860
- Stewart, J.E. A rotating-sector attenuator of adjustable transmittance for precise spectrophotometry, 2-5162
- Stewart, J.E. and Gallaway, W.S. Diffraction anomalies in grating spectrophotometers, 2-17623
- Stewart, J.M. See Tracy, J.W., 2-10871
- Stewart, J.W. Compression and phase transitions of solid HC1 , HBr , SiH_4 , and SF_6 , 2-4357
- Stewart, L. See Rosen, L., 2-12208
- Stewart, M.G. See Clikeman, F.M., 2-14075
- Stewart, W.C. See Vail, C.R., 2-1341
- Stewartson, K. Magneto-fluid-dynamics of thin bodies in oblique fields, 2-7726
- Steyaert, H. Influence of the galactic system on the dissolution of galactic clusters, 2-15388
- Steyaert, J., Bouchat, J. and Delfosse, J.M. Method of measuring charge exchange cross-sections, 2-11622
- Steyert, W.A. and Craig, P.P. Evidence for anharmonic binding of isolated Fe-impurity atoms, 2-23039
- Steyert, W.A. See Anderson, A.C., 2-1322
- Steyert, W.A. See Craig, P.P., 2-21294
- Steyert, W.A., Jr. See Reese, W., 2-2942
- Stickforth, J. Theory of Bremsstrahlung in high-temperature plasmas, 2-193
- Stickforth, J. Self-shielding through Boral of a thermal neutron flux with a Maxwellian distribution of velocity, 2-7862
- Stickler, J.J. and Heller, G.S. Antiferromagnetic resonance in MnTiO_3 , 2-12807
- Stickler, J.J., Zeiger, H.J. and Heller, G.S. Quantum effects in Ge and Si. I., 2-23137
- Stickler, R. See Booker, G.R., 2-21577
- Stief, L.J. and Ausloos, P. Radiolysis of ethane-1, 1, 1- d_3 , 2-15160
- Stiegler, J.O. and Noggle, T.S. Nitrogen ion bombardment of thin Pt films, 2-18622
- Stiegler, J.O. See Noggle, T.S., 2-12484
- Stiegler, J.O. See Wittels, M.C., 2-4435
- Stiegler, J.O. See Wittels, M.C., 2-18623
- Stiegler, K. On the force acting on a slowly moving material particle in a variable gravitational field, 2-19410
- Stieltjes, F.H. Onsager relations in configurations showing photovoltaic effects, 2-23444
- Stienon, F.M. See Cook, A.F., 2-11116
- Stier, H.E. See Kopitzki, K., 2-9649
- Stier, H.-E. See Kopitzki, K., 2-17902
- Stierlin, U., Scholz, W. and Povh, B. Delbrück scattering of 17 MeV photons, 2-22781
- Stierlin, U. See Backenstoss, G., 2-22549
- Stierstadt, K. See Gerlach, W., 2-21638
- Stierstadt, K. See Wieser, P.H., 2-21598
- Stierwald, D.L. and Potter, R.F. Lattice absorption bands observed in silicon by means of spectral emissivity measurements, 2-10582
- Stihi, M. See Sándulescu, A., 2-20543
- Stil'bans, L.S. See Efimova, B.A., 2-12525
- Stil'bans, L.S. See Efimova, B.A., 2-14546
- Stil'bans, L.S. See Golikova, O.A., 2-2144
- Stil'bans, L.S. See Golikova, O.A., 2-8327
- Stil'bans, L.S. See Golidova, O.A., 2-8328
- Stil'bans, L.S. See Joffe, A.F., 2-23483
- Stil'bans, L.S. See Vinogradova, M.N., 2-23312
- Stiles, W.S. Adaptation, chromatic adaptation, colour transformation, 2-7086
- Stiles, W.S. and Wyszecki, G. Field trials of color-mixture functions, 2-1246
- Stiles, W.S. and Wyszecki, G.W. Counting metameric object colors, 2-5135
- Stillier, B. See O'Dell, F.W., 2-12060
- Stillier, H. and Hautecler, S. Energy distribution of cold neutrons scattered in liquid methane, 2-5002
- Stillinger, F.H., Jr. Compressibility of simple fused salts, 2-1136
- Stillinger, F.H., Jr. Some remarks on correlations in classical order-disorder phenomena, 2-12877
- Stillinger, F.H., Jr. and Buff, F.P. Equilibrium statistical mechanics inhomogeneous fluids, 2-17367
- Stiltner, E. See Little, C.G., 2-17160
- Stimson, H.F. International practical temperature scale of 1948. Technical revision of 1960, 2-2916
- Stimson, H.F. Celsius versus centigrade: the nomenclature of the temperature scale of science, 2-11520

- Atchfield, R. See Swanson, H.E., 2=10899
- Atcheson, M. See Wilms, E.V., 2=5093
- Atkinson, O. The study of the decomposition of a potassium solution in liquid ammonia by the paramagnetic electron resonance method, 2=10971
- Atkinson, D. and Thompson, C.W. Diffraction of X-rays by liquid neon, 2=2705
- Atch, M.L. Microwave interaction with matter, 2=17952
- Atch, J.J. and Pawelski, B. The relationship between irradiation growth and other properties of alpha-uranium, 2=6392
- Atchbridge, C.D. See Abrahams, S.C., 2=10804
- Atchbridge, C.D. See Sewell, P.B., 2=8879
- Atchdale, J.A. See Hurst, G.S., 2=22170
- Atchkel, H. Derivation of the three-dimensional diffraction solutions for plane electromagnetic waves from the two-dimensional solutions, 2=7755
- Atchendal, R.V. See Hamilton, J.H., 2=20550
- Atchmann, F. Saturation of photocurrents in strong electric fields, 2=8403
- Atchmann, F. Saturation of photocurrents in strong electric fields, 2=14577
- Atchmayer, W.H. See Gaven, J.V., 2=21924
- Atchmayer, W.H. See Hearst, J.E., 2=23973
- Atchmayer, W.H. See Verdier, P.H., 2=1144
- Atchton, F.D. See Ingle, G.W., 2=19674
- Atchdard, D.E. See Bayley, F.J., 2=1295
- Atchfregan, W. See Omholt, A., 2=8997
- Atchfregan, W. See Omholt, A., 2=11077
- Atchko, E.J. See Weisberg, L.R., 2=19049
- Atchova, V.A. See Ksendzov, Ya.M., 2=23303
- Atchhr, J.A. See Englander, M., 2=20723
- Atchian, D. and Gáláteanu, I. Behaviour of water in the primary circuit of a reactor, 2=6059
- Atchianov, P.A., Polivanov, V.V. and Mikhailovskii, G.A. Magnetic electron microscope UEMB-100, 2=1508
- Atchicheff, B.P. High resolution Raman spectroscopy of gases. XIV. Rotational spectra of C_2H_6 , C_2D_6 , $C_2H_5D_3$ and structure of the ethane molecule, 2=10260
- Atchicheff, B.P. See Lord, R.C., 2=16543
- Atchicovici, E., Baciu, G., Bădănoiu, M., Ciocanta, M. and Haltrich, S. Acceleration chamber of the betatron of the Institute of Atomic Physics, Bucharest, 2=22288
- Atchjanovitch, R. On the reference-state problem in the nonlinear elasticity theory of continua with dislocations, 2=14875
- Atchkes, A.P. See Hale, J.K., 2=5438
- Atchkes, C.S. and Streng, A.G. Miscibility of liquid ozone with fluorine and oxygen, 2=21904
- Atchkes, F.E. See Wadsworth, J., 2=17666
- Atchkes, R.H. See Carlson, R.F., 2=20616
- Atchkes, R.J., Johnston, T.L. and Li, C.H. Kinking and the fracture of ionic solids, 2=2335
- Atchkes, R.J. and Li, C.H. The sodium chloride-silver chloride alloy system, 2=14925
- Atchkes, R.J. See Johnston, T.L., 2=6754
- Atchlarik, J.D. See Cain, J.C., 2=17145
- Atchll, I. Excitation of high frequency oscillations of electron plasma by a diverging beam, 2=5360
- Atchllner, H. Measurement of the elasticity modulus and damping of sintered iron, 2=16945
- Atchlov, A.M. See Vladimirovskii, V.V., 2=20081
- Atchlov, H.L. Bifurcation of the outer Van Allen belt and related auroral phenomena, 2=9032
- Atchlope, C. See Thiessen, P.A., 2=8880
- Atchlyarov, S.N. See Ado, Yu.M., 2=13767
- Atchlyarova, E.L., Kramer-Ageev, E.A. and Federov, G.A. A fast-neutron scintillation spectrometer with boron-containing organic scintillator, 2=18141
- Atchlyarova, E.L. See Doroshenko, G.G., 2=13818
- Atchlyarova, E.L. See Doroshenko, G.G., 2=20365
- Atchlyz, E. See Schubert, K., 2=17016
- Atchlyz, H. The theory of ultrasonic absorption in metals, 2=563
- Atchlyz, H. Quantum theory of the magnetoacoustic effects in metals, 2=2048
- Atchlyz, H. Quantum theory of transverse acoustic vibrations in the plasma model for a metal, 2=2050
- Atchlyz, H. Vectorial electron-phonon interaction in metals, 2=3837
- Atchlyz, H. Quantum theory of the conductivity tensor in the plasma model of a metal in an external magnetic field, 2=18629
- Atchlyz, E.W. and Maki, A.H. Electron spin resonance of semiquinones in aprotic solvents, 2=17486
- Atchlyz, E.W. and Maki, A.H. Hindered internal rotation and e.s.r. spectroscopy, 2=22998
- Atchlyz, F.G.A. See Pitcher, E., 2=2021
- Atchlyz, F.S. See O'Keefe, M., 2=12756
- Atchlyz, F.S. See O'Keefe, M., 2=14811
- Atchlyz, F.T. and McFee, R. Dielectric strength of some common electrical insulators in liquid helium and nitrogen, 2=4101
- Atchlyz, H. Mathematical resolution of overlapping spectral lines, 2=19371
- Atchlyz, J. Problems associated with the measurement of ambient-noise directivity by means of linear additive arrays, 2=9351
- Atchlyz, L.E. Conversion of GaAs to GaP by solid-state diffusion, 2=21064
- Atchlyz, M.L. See Fricker, S.J., 2=4840
- Atchlyz, M.L. See Ingalls, R.P., 2=11809
- Atchlyz, N.J. and Turrell, B.G. Polarization of nuclei of Au^{198} in iron, 2=20911
- Atchlyz, P.M. Cesium oscillator strengths, 2=18416
- Atchlyz, P.M. and Agnew, L. Plasma-broadened cesium lines, 2=18417
- Atchlyz, R.G. and Mintzer, D. Range dependence of acoustic fluctuations in a randomly inhomogeneous medium, 2=13405
- Atchlyz, R.G. See LaCasce, E.O., Jr., 2=19652
- Atchlyz, W. See Thomas, G., 2=15640
- Atchlyz, D. See Smy, P.R., 2=13470
- Atchlyz, D.L. and Kraybill, H.L. Pion-pion interactions in $\pi^+ - p$ collisions, 2=22580
- Atchlyz, A.W. See Gunnink, R., 2=10074
- Atchlyz, R.W. See De Juren, J.A., 2=5649
- Atchlyz, R.W. See De Juren, J.A., 2=18338
- Atchlyz, H.V. Interpretation of quantum physics, 2=15478
- Atchlyz, P.B. Water vapour supply to the middle stratosphere, 2=6909
- Atchlyz, P.B. Rainfall initiation by meteor particles, 2=15193
- Atchlyz, D.H. See Goldhaber, S., 2=22635
- Atchlyz, D.H. See Helmy, E., 2=16243
- Atchlyz, D.H. See Pjerrou, G.M., 2=22634
- Atchlyz, D.H. See Prowse, D.J., 2=1722
- Atchlyz, D.H. See Slater, W., 2=3403
- Atchlyz, D.H. See Smith, L.T., 2=22620
- Atchlyz, L. More accurate measurement of absolute temperature from thermal noise, 2=11526
- Atchlyz, E.K. See Giorgi, A.L., 2=2962
- Atchlyz, W. Immiscibility phenomena for the system copper-oxygen at the surface of single crystals of copper, 2=12962
- Atchlyz, R. and Chiu, H.-Y. The effect of neutrino emission on element abundances in stars, 2=17293
- Atchlyz, S. See Schäfer, K., 2=8898
- Atchlyz, L., Tauc, J. and Závětová, M. Electrical and optical properties of $Zn_{1-x}Cd_xSb$ solid solutions, 2=23415
- Atchlyz, G.E. See Vonnegut, B., 2=11029
- Atchlyz, J.W. and Chisholm, R.C. Heat capacity and entropy of $CuCl_2$ and $CrCl_2$ from 11° to $300^\circ K$. Magnetic ordering in linear chain crystals, 2=6273
- Atchlyz, J.W. See Chisholm, R.C., 2=6272
- Atchlyz, E.D. See Connick, R.E., 2=1170
- Atchlyz, R. and Trischka, J.W. Making small iron spheres by melting iron powder, 2=17059
- Atchlyz, M.J. Internal strains in kink bands in silver chloride crystals, 2=23762
- Atchlyz, R.H. See Evans, D.S., 2=24144
- Atchlyz, D. and Gélésanu, I. On the behaviour of the water of the first contour of the VVR-S reactor in Bucharest (Bucharest), 2=6048
- Atchlyz, I.G. Use of gas microcells in electron microscopy, 2=23942
- Atchlyz, R.A. See Bagguley, D.M.S., 2=14422
- Atchlyz, R.A. See Bagguley, D.M.S., 2=2151
- Atchlyz, R.M. See Sirkis, M.D., 2=1590
- Atchlyz, A.W. See Britt, C.O., 2=7261
- Atchlyz, A.W. See Tolbert, C.W., 2=13171
- Atchlyz, A.W. See Tolbert, C.W., 2=17305
- Atchlyz, L.P. See Kalinkin, I.P., 2=4380
- Atchlyz, L.P. See Kalinkin, I.P., 2=6768
- Atchlyz, V.N. The analytic continuation of two-dimensional potential fields, with applications to the solution of the inverse problem of magnetic and gravitational exploration. I, 2=19378
- Atchlyz, V.N. The analytic continuation of two-dimensional potential fields, with applications to the solution of the inverse problem of magnetic and gravitational exploration. II, 2=19379
- Atchlyz, V.N. See Lapina, M.I., 2=21675
- Atchlyz, G.M. and Tatarenkov, V.M. Radiation of molecules in resonance conditions, 2=16571
- Atchlyz, S.J.D. van. See van Stralen, S.J.D.
- Atchlyz, R. See Pevsner, A., 2=5719
- Atchlyz, M.W.P. Effect of electrostatic interactions on the nuclear magnetic resonance dipolar hyperfine structure with strong correlation-time narrowing, 2=19583
- Atchlyz, M.W.P. See Carr, P.H., 2=18952

- Strandberg, M.W.P. See Josephson, B., Jr. 2-10710
 Strandberg, M.W.P. See Lipsett, M.S., 2-16017
 Strandburg, D.L., Legvold, S. and Spedding, F.H. Electrical and magnetic properties of holmium single crystals, 2-21098
 Stranski, I.N. See Hille, M., 2-8789
 Stransky, E. See Witzmann, H., 2-8564
 Stranz, D. Ozone measurements during solar eclipse, 2-2469
 Strasberg, M. Radiation from un baffled bodies of arbitrary shape at low frequencies, 2-9339
 Strasberg, M. Radiation impedance on an un baffled piston with a back enclosure, 2-13402
 Strasberg, M. See Schloss, F., 2-17575
 Strashinskii, A.G. See Skakun, N.A., 2-7785
 Strashnikova, M.I. See Brodin, M.S., 2-6552
 Strashnikova, M.I. See Brodin, M.S., 2-10596
 Strashnikova, M.I. See Brodin, M.S., 2-23543
 Stratonovich, R.L. Statistics of magnetization in the Ising model, 2-8616
 Stratonovich, R.L. On the theory of magnetization in Ising's two-dimensional model, 2-18894
 Strattan, R.D. and Young, F.J. Iron losses in elliptically rotating fields, 2-14778
 Stratton, R. Theory of field emission from semiconductors, 2-3064
 Stratton, R. Warm electron effect in polar semiconductor, 2-14522
 Stratton, R. Diffusion of hot and cold electrons in semiconductor barriers, 2-14526
 Stratton, R. Dipole scattering from ion pairs in compensated semiconductors, 2-18654
 Stratton, R. Volt-current characteristics for tunneling through insulating films, 2-23111
 Stratton, R. See Fletcher, H., 2-13413
 Stratton, R. See Haisty, R.W., 2-23392
 Stratton, T.F. See Little, E.M., 2-5351
 Straub, W.D. See Klein, C.A., 2-4035
 Straub, W.D. See Roth, H., 2-18727
 Strauch, K. See Chretien, M., 2-22610
 Strauch, K. See Garron, J.P., 2-1895
 Strauch, K. See Garron, J.P., 2-20625
 Strauch, K. See Goloskie, R., 2-5919
 Strauch, K. See Weinberg, A., 2-20405
 Straumanis, M.E., Ejima, T. and James, W.J. The TiO_2 phase explored by the lattice constant and density method, 2-6811
 Straumanis, M.E. and Ejima, T. Imperfections within the phase Ti_2O_3 and its structure found by the lattice parameter and density method, 2-10375
 Straumann, N. Meson and hyperon mass differences, 2-13824
 Strauss, A.J. {100} facets in pulled crystals of InSb, 2-19041
 Strauss, A.J. See Harman, T.C., 2-4034
 Strauss, A.J. See Wright, G.B., 2-8368
 Strauss, H.L. See Coulson, C.A., 2-22983
 Strauss, M.G. See Rockwood, C.C., 2-1364
 Strauss, S.W. An empirical surface tension-temperature relation for liquid metals, 2-4996
 Strauss, S.W. The temperature dependence of the viscosity of liquid metals, 2-11328
 Strauss, S.W. and Richards, L.E. The density of liquid bismuth and of dilute solutions of copper in liquid bismuth, 2-5004
 Strauss, S.W. and Richards, L.E. The density of dilute solutions of copper in liquid lead, 2-7204
 Strax, N. See Patel, P.M., 2-18122
 Streater, R.F. Fields satisfying the asymptotic condition, 2-18054
 Streater, R.F. Analytic properties of products of field operators, 2-9183
 Street, J.C. See Chretien, M., 2-22610
 Street, R.E. Plane Couette flow by the method of moments, 2-2737
 Street, R.S. See Rand, M.H., 2-23172
 Streever, R.L., Jr. See Bennett, L.H., 2-12649
 Streever, R.L., Jr. See Bennett, L.H., 2-13970
 Strehlow, R.A. and Cohen, A. Initiation of detonation, 2-1185
 Streib, W.E. and Lipscomb, W.N. Growth, orientation, and X-ray diffraction of single crystals near liquid helium temperatures, 2-19066
 Strelets, P.L., Serova, I.A., Yatsenko, N.D. and Markus, P.L. Technology and properties of some ceramic ferroelectrics, 2-14616
 Střelka, V. See Seidl, R., 2-6390
 Střelka, V. See Seidl, R., 2-22244
 Strelkov, A.V. See Alfimenkov, V.P., 2-14357
 Strelkov, A.V. See Alfimenkov, V.P., 2-14358
 Strelkov, P.G. See Voronel, A.V., 2-7448
 Strel'nikov, P.I., Fedorenko, A.I. and Chernyi, B.M. Focusing of extended intense electron beams by combined periodic magnetic and electric fields, 2-217
 Strel'tsov, N.S. See Vladimirovskii, V.V., 2-20081
 Strel'tsov, V.N. See Aripov, R.A., 2-1718
 Strel'tsov, V.N. See Vishky, T., 2-1684
 Strel'tsov, V.N. See Vishky, T., 2-22512
 Streng, A.G. See Stokes, C.S., 2-21904
 Strickler, A. Thermal imagery: new medium for demonstrating phenomena in heat and thermal radiation, 2-9435
 Strickler, S.J. and Berg, R.A. Relationships between absorption intensity and fluorescence lifetime of molecules, 2-20782
 Strickler, S.J. See O'Dwyer, M.F., 2-10628
 Stride, A.A. See Brice, J.C., 2-11581
 Striebel, H.R., Seiler, F., Haeberli, W., Baumgartner, E. and Huber, P. Measurement of the polarization of neutrons [originating] from the (d,T)-reaction by means of polarized deuterons, 2-22528
 Strieter, F.J. and Templeton, D.H. Crystal structure of the carbon tetrabromide p-Xylene complex, 2-17027
 Striganov, A.R., Katulin, V.A. and Eliseev, V.V. Peculiarities of the isotopic shift in the samarium spectrum, 2-16483
 Strimer, P. See Poinot, P., 2-21249
 Stringer, P. The oxidation of dilute titanium-iron alloys, 2-10975
 Strizhak, V.I., Bobyr', V.V. and Grona, L.Ya. Angular distribution of 14 MeV neutrons elastically scattered on atomic nuclei, 2-7989
 Strizhak, V.I., Kozar, A.O. and Nazarov, M.S. Angular distribution of 2.9 MeV neutron elastically scattered on atomic nuclei, 2-7990
 Strizhak, V.I. and Nazarov, N.S. Neutron generators, 2-18133
 Strizhak, V.I. See Bobyr', V.V., 2-461
 Strizhak, V.I. See Bobyr', V.V., 2-7988
 Strizhak, V.I. See Bobyr', V.V., 2-22822
 Strizhevskii, V.L. Theory of raman scattering in crystalline media, 2-8492
 Strizhevskii, V.L. Quantization of the electromagnetic field in a crystal medium in the presence of dispersion, 2-20914
 Strizhevskii, V.L. See Kondilenko, I.I., 2-6173
 Strizhevskii, V.L. See Kondilenko, I.I., 2-10239
 Strizhevskii, V.L. See Kondilenko, I.I., 2-18447
 Strizhkov, B.V. See Anan'eva, A.A., 2-14636
 Strizhkov, B.V. See Anan'eva, A.A., 2-16790
 Strnad, J. Separation in a centrifuge-model, 2-5043
 Strnad, J. Momentum distributions for protons in Li^6 in the cluster model, 2-7920
 Strnad, J. Momentum distribution for deuteron clusters in Li^6 , 2-13950
 Strnad, J. Erratum: momentum distributions for protons in Li^6 in the cluster model, 2-13951
 Strnad, J. Quasi-elastic proton scattering on Li^7 and C^{12} , 2-16401
 Strobel, G.L. Additional exponential representations of gamma-ray build-up factors, 2-7843
 Strobel, G. Cayrel De. See Cayrel De Strobel, G.
 Stroffolini, R. See Bertocchi, L., 2-9788
 Stroffolini, R. See Ceolin, C., 2-3393
 Stroffolini, R. See Ceolin, C., 2-22431
 Stroth, A.N. Force on a moving dislocation, 2-23191
 Strohal, P., Cindro, N. and Eman, B. Reaction mechanism and shell effects from the interaction of 14.6 MeV neutrons with nuclei, 2-5930
 Strojnik, A. Current stabilizer for magnetic electron microscopes, 2-11584
 Strokán, N.B. See Berkovskii, F.M., 2-8381
 Strokán, N.B. See Berkovskii, F.M., 2-10503
 Strokán, N.B. See Kazarinov, N.M., 2-16094
 Stroke, G.W. An alignment interferometer for precision straightness measurements and control even of rapidly moving carriages, 2-115
 Stroke, G.W. Attainment of high-resolution gratings by ruling under interferometric control, 2-115
 Stroke, H.H. See Tomlinson, W.J., III, 2-18419
 Strom, K.M. See Grossi, M.D., 2-19345
 Strom, K.M. See Strom, S.E., 2-24179
 Strom, S.E. and Strom, K.M. A possible explanation for Jovian decametric bursts, 2-24170
 Strom, S.E. See Grossi, M.D., 2-19345
 Stromsta, C. Delays associated with certain sidetone pathways, 2-115
 Strong, H. See Butcher, B.R., 2-4470
 Strong, J. See Stauffer, F., 2-8973
 Strong, K.A., Marshall, G.D., Brugger, R.M. and Randolph, P.D. Scattering of slow neutrons from propane gas, 2-3764
 Stroot, J.P. See Dowell, J.D., 2-13890
 Stroot, J.P. See Dowell, J.D., 2-22641
 Strotskite, T.D. See Yutsis, A.P., 2-16466
 Stroud, J.S. Color centers in a cerium-containing silicate glass, 2-115
 Stroud, M.F. and Wilman, H. The proportion of the groove volume removed as wear in abrasion of metals, 2-8758
 Strong, P.F. See Shapiro, S., 2-9480
 Stroud, W.G. See Bandeen, W.R., 2-2574

- Stroud, W.G. See Hanel, R.A., 2=8950
- Struble, R.A. and Fletcher, J.E. General perturbational solution of the harmonically forced van der Pol equation, 2=7
- Strukov, B.A. and Gavrilova, N.D. Concerning the piezoelectric effect in Varikonds, 2=14629
- Strukov, B.A., Koptsik, V.A. and Ligasova, V.D. An experimental investigation of ferroelectric properties of ammonium hydrogen sulphate in the region of its higher phase transition, 2=16784
- Strukov, B.A., Koptsik, V.A. and Ligasova, V.D. An experimental investigation of ferroelectric properties of ammonium hydrogen sulphate in the region of its higher phase transition, 2=23499
- Strukov, B.A. See Koptsik, V.A., 2=7483
- Strukov, B.A. See Koptsik, V.A., 2=14916
- Strukov, B.A. See Koptsik, V.A., 2=14917
- Strukov, M.M. See Akhmanov, S.A., 2=22147
- Strukov, N.A. See Nosenko, B.M., 2=23614
- Strumane, R. See Van Lierde, W., 2=12890
- Strunin, B.M. Statistical theory of the rupture of metals in tension, 2=23783
- Strunz, H. The crystal chemistry of S_7 (addendum), 2=21513
- Strunz, H. and Herda, E. The crystal chemistry of sulphur, in particular S_7 , 2=8825
- Strupczewski, A. See Frankowski, W., 2=3652
- Strure, S.Y. See Steins, K.A., 2=24104
- Struthers, J.D. See Whelan, J.M., 2=23386
- Strutinski, V.M. Angular correlations in statistical nuclear reactions, 2=3543
- Strutinski, V.M. Equilibrium shapes of nuclei in the quasistatic fission model, 2=18364
- Strutt, M.J.O. and von Willisen, F.K. Measurements of the frequency dependence of the Gauss effect in various semiconductors up to 2000 Mc/s, 2=636
- Stryland, J.C. See May, A.D., 2=1204
- Stryuk, Yu.S. See Gofman, Yu.V., 2=14127
- Stryukov, V.B. See Peshkov, V.P., 2=2946
- Stryzhevskiy, V.L. See Kondylenko, I.I., 2=1203
- Strzałkowski, A. Energy dependence of the deuteron elastic scattering for nuclei in the region of $A = 40$, 2=22838
- Strzałkowski, A. See Freindl, L., 2=1911
- Stuart, F.E. See Rense, W.A., 2=13123
- Stuart, H.A. See Draibach, H.C., 2=23923
- Stuart, R.V. and Wehner, G.K. Sputtering yields at very low bombarding ion energies, 2=15966
- Stuart, T.P., Anderson, J.D. and Wong, C. Elastic scattering of 24 MeV neutrons by Al, Fe, Sn, Bi, 2=3580
- Stuart, W.I. See Lawrance, J.J., 2=9440
- Stubbington, C.A. See Forsyth, P.J.E., 2=12869
- Stubbs, F.J. and Walton, G.N. Fission gas emission during temperature changes in a reactor, 2=20692
- Stubbs, T.F. See Goldhaber, S., 2=22635
- Stubble, D. and Rowlinson, J.S. Solubility of mercury in compressed argon, 2=5009
- Stuckes, A.D. Measurement of thermal conductivity of semiconductors at high temperatures, 2=1289
- Stuckes, A.D. See Chasmar, R.P., 2=23084
- Stueckelberg, E.C.G. Thermodynamics, relativity and sound velocity, 2=19389
- Stueckelberg, E.C.G. and Guenin, M. Quantum theory in real Hilbert space. II. (Addenda and errata), 2=2628
- Stueckelberg, E.C.G. and Guenin, M. Antilinear fields and T-, CP-covariance, 2=22379
- Stueckelberg, E.C.G., Guenin, M., Piron, C. and Ruegg, H. Quantum theory in real Hilbert space. III. Fields of the 1st kind (linear field operators), 2=2629
- Stueckelberg, E.C.G. See Guenin, M., 2=7138
- Stuetzer, O.M. Magnetohydrodynamics and electrohydrodynamics, 2=11656
- Stulen, F.B. A model for the mechanical properties of metals, 2=12839
- Stulken, E.J. Remarks on Bobber's paper: "Interference vs frequency in measurements in a shallow lake", 2=2836
- Stull, V.R., Wyatt, P.J. and Plass, G.N. Vibrational energies of the CO_2 molecule, 2=22978
- Stull, V.R. See Wyatt, P.J., 2=22939
- Stulla-Götz, J. The change in the definition of the metre and other important decisions of the International Conference for Weights and Measures, 2=4904
- Stultz, K.F. and Zweig, H.J. Roles of sharpness and graininess in photographic quality and definition, 2=1285
- Stumbur, E.A. See Lebedev, S.Ya., 2=20005
- Stummel, F. Mathematical basis of a generalized multigroup theory, 2=22532
- Stunkel, D. See Mayer, H., 2=23665
- Stupak, V.G. See Berezin, A.K., 2=15952
- Stupegia, D.C. Neutron total cross section of ^{233}U , 2=14119
- Stupegia, D.C., Heinrich, R.R. and McCloud, G.H. Neutron capture cross sections of ^{238}U , 2=5946
- Stupochenko, E.V. See Osipov, A.I., 2=18496
- Sturge, M.D. Optical absorption of gallium arsenide between 0.6 and 2.75 eV, 2=18806
- Sturkey, L. The calculation of electron diffraction intensities, 2=19070
- Sturrock, P.A. Field-theory analogs of the Lagrange and Poincaré invariants, 2=2594
- Sturrock, P.A. Generation of radio noise in the vicinity of the earth, 2=15203
- Sturtevant, B. See Liepmann, H.W., 2=15632
- Styczeń, J. See Božek, E., 2=14002
- Su Vir Lekh. See Lekh Vir Su.
- Su, K. See Schamp, H.W., Jr., 2=15644
- Subachiev, V.K. Rectifying photoeffect at a p-n junction when the generation function is arbitrary, 2=8382
- Subachiev, V.K. Rectifying photoeffect at a p-n junction when the generation function is arbitrary, 2=14565
- Subashiev, V.K. and Druzyak, N.P. Milliwattmeter with Hall-effect pickup, 2=17733
- Subashiev, V.K. and Ravich, Yu.I. Theory of the barrier-layer photoeffect in a p-n junction, 2=21167
- Subashiev, V.K. See Vavilov, V.S., 2=11211
- Subba Rao, B.N. On the levels and transitions in Gd^{155} , 2=3480
- Subba Rao, B.N. Photoelectron scintillation spectrometer and the conversion coefficient of the 279 keV transitions in Tl^{203} , 2=3202
- Subba Rao, B.N. On the levels and transitions in ^{161}Dy , 2=10010
- Subba Rao, B.N. Nuclear structure effect in the internal conversion of the 81 keV transition in Cs^{133} , 2=12173
- Subba Rao, B.N. On the gamma-ray transitions following the electron capture decay of Tb^{155} , 2=14048
- Subba Rao, B.N. Nuclear studies with Gd^{150} , 2=18307
- Subbarao, E.C. A family of ferroelectric bismuth compounds, 2=16781
- Subbotin, M.I. See Gubkin, A.N., 2=1373
- Subbotin, V.G. See Polikanov, S.M., 2=16442
- Subbotin, V.I., Ibragimov, M.K., Ivanovsky, M.N., Arnol'dov, M.N. and Nomofilov, E.V. Turbulent heat transfer in a flow of liquid metals, 2=15769
- Subbotin, V.I. See Ibragimov, M.K., 2=19740
- Subrahmanyam, R.V. See Bhargava, B.N., 2=13039
- Subrahmanyam, R.V. See Bhargava, B.N., 2=4655
- Subrahmanyam, R.V. See Bhargava, B.N., 2=21655
- Subrahmanyam, S.V. Ultrasonic velocity in some inorganic solutions and melts, 2=5011
- Subrahmanyam, S.V. Thermo-elastic behaviour of polycrystalline alkali halides, 2=12841
- Subrahmanyam, S.V. Ultrasonic behaviour of aqueous solutions of zinc halides, 2=15125
- Subrahmanyam, S.V. Ultrasonic behaviour of cadmium iodide in non-aqueous media, 2=15588
- Subrahmanyam, S.V. See Reddy, K.C., 2=15543
- Subrahmanyam, S.V. See Satyavati, T., 2=5015
- Subrahmanyam, S.V. See Satyavati, T., 2=17459
- Subrahmanyam, V. Propagation of microwaves on a single wire. III, 2=13686
- Subramaniam, R. and Vedam, R. Frequency response of current ion chamber, 2=17985
- Subramanian, N.R. See Nagaraja, J.V., 2=5095
- Subramanian, R. Neutron scattering from isotropic lattices, 2=2047
- Subudhi, K.S. and Tiwari, P. Comparison of Simon's and Van de Graaff's theories of the electrostatic generator, 2=11595
- Subudhi, K.S. See Daniel, H., 2=22768
- Suchet, J. Chemical bonding and magnetism, 2=3807
- Suchet, J. See Leroux-Hugon, P., 2=16613
- Suchet, J.P. Nature of the bonds in I-V compounds, 2=6247
- Suchet, J.P. Ionicities, effective charges and electron mobilities in inorganic semiconducting compounds, 2=6437
- Suchet, J.P. Rules for prediction of semiconductivity in transition, 2=6447
- Suchkov, D.A. See Bayukov, Yu.D., 2=20188
- Suchkov, D.A. See Bayukov, Yu.D., 2=22600
- Suchorzewska, J. See Gajewski, W., 2=14099
- Suchorzewska, J. See Gajewski, W., 2=20626
- Suci, M. See Mihul, C., 2=9285
- Suckling, E.E. Lateral line in fish—possible mode of action, 2=7068
- Šuda, P. and Pačes, J. The influence of elastic deformation on the magnetostriction constant of nickel and iron-nickel alloys, 2=16915
- Šuda, P. See Andrä, W., 2=10657
- Sudako, N.I., Savchenko, M.K., Zagirova, E.K. and Starostin, I.I. Measurement of the hysteresis loss in thin films in a rotating magnetic field, 2=18909

- Sudakov, V.V. See Lifshitz, E.M., 2=12
- Sudarshan, E.C.G. and Bardakci, K. Nature of the axioms of relativistic quantum field theory. I, 2=251
- Sudarshan, E.C.G. See Bansal, R.K., 2=21785
- Sudarshan, E.C.G. See Bhattacharjee, A., 2=21831
- Sudarshan, E.C.G. See Jordan, T.F., 2=30
- Sudarshan, E.C.G. See Jordan, T.F., 2=1066
- Sudarshan, E.C.G. See Jordan, T.F., 2=20218
- Sudarshan, E.C.G. See Jordan, T.F., 2=21816
- Suddeth, J.A. See Hörl, E.M., 2=1514
- Sudovtsov, A.I. See Semenenko, E.E., 2=14493
- Sudovtsov, A.I. See Semenenko, E.E., 2=16679
- Sudovtsov, A.Y. Helium liquifier of the Kharkov cryogenic laboratory, 2=7486
- Suemoto, Y. See Mitsuishi, A., 2=21252
- Suemoto, Z. and Hiei, E. Observation of the flash spectrum at the total solar eclipse of October 12, 1958, 2=19304
- Suemoto, Z., Hiei, E. and Hirayama, T. Structure of the flare, 2=13135
- Suess, H.E. Thermodynamic data on the formation of solid carbon and organic compounds in primitive planetary atmospheres, 2=17259
- Suess, H.E. See Bainbridge, A.E., 2=2466
- Suetin, P.E. and Ivakin, B.A. Coefficients of mutual diffusion of some gases measured by an optical method, 2=65
- Suffczyński, M. Numerical values of two-centre integrals for 3d electrons, 2=3862
- Suffczyński, M. Interband Faraday effect in germanium, 2=23531
- Suffczyński, M. See Miasek, M., 2=16630
- Suffert, M., Magnac-Valette, D. and Yoccoz, J. Study of (d, γ) reactions in the excitation region for giant resonances, 2=483
- Suga, K., Escobar, I., Clark, G., Hazen, W., Hendel, A. and Murakami, K. Bolivian air shower joint experiment, 2=12066
- Sugai, I. See Leen, M.W., 2=13657
- Sugano, S. Properties of d-electrons in complex salts. III. Detailed studies of the line spectra, 2=577
- Sugano, S. Molecular-orbital model for alkali halide phosphors activated by heavy metals, 2=2246
- Sugano, S. Recent progress of crystal field theory, 2=3810
- Sugano, S. Spectroscopy for solid-state optical masers, 2=15728
- Sugano, S. See Shulman, R.G., 2=20835
- Sugar, G.R. Loss in channel capacity resulting from starting delay in meteor-burst communication, 2=1600
- Sugar, G.R., Carpenter, R.J. and Ochs, G.R. Elementary considerations of the effects of multipath propagation in meteor-burst communication, 2=1601
- Sugar, J. Light source for producing self-reversed spectral lines, 2=19715
- Sugarman, B. See Symmers, C., 2=14902
- Sugata, E. and Kim, H. A study on behaviour of thorium atoms on tungsten surface by field emission microscope, 2=10947
- Sugata, E. and Kaneda, S. Electron beam focusing with nonsinusoidal periodic magnetic fields, 2=11715
- Sugata, E. and Kaneda, S. Special type periodic magnetic field for small fluctuation of electron beam, 2=11716
- Sugata, E. and Kim, H. Research on the adsorption and desorption of Th-atoms on W-metal surface with field emission microscope, 2=10948
- Sugata, E. and Nakamura, S. Diffusion of Ba in SrO film, 2=9616
- Sugata, E. and Nakamura, S. Correlation of the velocity dispersion to the decay phenomena of thermionic emission from oxide cathode, 2=11693
- Sugata, E. and Nakamura, S. Studies of MgO as a cold cathode (effect of gases on MgO cold cathode), 2=22245
- Sugata, E. and Nakamura, S. Study of field emission cathode by field ion microscopy, 2=22247
- Sugata, E., Terada, M. and Hamada, H. Axially-symmetric resistance network analog and its application for the problems of electron tubes, 2=11706
- Sugawara, A. and Yoshizawa, Y. An investigation on the thermal conductivity of porous materials and its application to porous rock, 2=7435
- Sugawara, A. and Yoshizawa, Y. An experimental investigation on the thermal conductivity of consolidated porous materials, 2=23906
- Sugawara, M. Resonant scattering of photons in Mg and Si, 2=420
- Sugawara, M. and Kanazawa, A. N/D Method, 2=16166
- Sugden, T.M. and Demerdache, A. Emission spectra of sulphur, 2=20823
- Sugie, A., Harada, K. and Horie, H. Imaginary part of the optical potential for nuclei A~60 and A~100, 2=9981
- Sugie, A., Kukuchi, S., Momiyama, S. and Suzuki, T. Analysis of (n, n' γ) cross-section for nuclei A~100, 2=10117
- Sugihara, M. On the magnetic properties of 12 percent aluminium iron alloy, 2=2279
- Sugihara, M. and Tsuboya, I. Structural and magnetic properties of copper-substituted manganese-aluminium alloys, 2=12730
- Sugihara, M. See Aoyagi, K., 2=23685
- Sugihara, M. See Tsuboya, I., 2=10677
- Sugihara, R. See Kihara, T., 2=191
- Sugimoto, D. See Hayashi, C., 2=15363
- Sugimoto, D. See Nishida, M., 2=9086
- Sugimoto, H. See Ohkura, H., 2=21365
- Sugimoto, H. See Ueta, M., 2=12639
- Sugimoto, S. See Ohnishi, S., 2=23022
- Sugioka, E. See Ishiguro, M., 2=10419
- Sugita, M. Feedback mechanism of chemical system from the viewpoint of information technology, 2=7049
- Sugita, Y. Triangular patterns on recrystallized germanium crystals grown from indium melts, 2=23810
- Sugiura, C. See Hayasi, T., 2=10610
- Sugiura, M. Evidence of low-frequency hydromagnetic waves in the exosphere, 2=4681
- Sugiura, M. See Wilson, C.R., 2=4697
- Sugiura, Y. Note on Fe³⁺ ions in spinel structure, 2=769
- Sugiyama, A. and Inoue, T. Theory of nuclear surface on the basis of the Fermi gas model, 2=16287
- Sugiyama, K. Decay of Eu¹⁴⁸, 2=10023
- Sugiyama, K. and Kobayashi, A. Piezoresistance in n-type germanium at low temperatures, 2=12513
- Sugiyama, K., Sekiguchi, H. and Hayashibe, S. Low-lying excited states in Ba¹³⁸, 2=10009
- Sugiyama, K. See Ikegami, H., 2=10022
- Sugiyama, K. See Kobayashi, A., 2=3894
- Sugiyama, K. See Oda, Z., 2=23333
- Suhl, H., Fredkin, D.R., Langer, J.S. and Matthias, B.T. Superconductivity near impurities, 2=19812
- Suhl, H. See Cooper, B.R., 2=14816
- Suhl, H. See Gottlieb, P., 2=10688
- Suhl, H. See Werthamer, N.R., 2=4966
- Suhle, A. See Drescher, K., 2=7773
- Suhrmann, R. and Wedler, G. Recent measurements of work functions of non-crystalline and crystalline metal films, 2=9612
- Suita, T. See Akasaka, K., 2=12638
- Suita, T. See Hiraki, A., 2=12424
- Suita, T. See Itoh, N., 2=10420
- Suita, T. See Itoh, N., 2=23473
- Suito, E. and Uyeda, N. Indented growth front of single micro-crystal of colloidal gold, 2=6774
- Suits, J.C. and Chalmers, B. Plastic microstrain in silicon-iron, 2=67
- Suits, J.C. and Pugh, E.W. Magneto-optically measured high-speed switching of sandwich thin film elements, 2=13631
- Suits, J.C. See Pomerantz, M., 2=12678
- Sujak, B. On the possibility of the analysis of electron traps through external electron emission, 2=3892
- Sujak, B. Further experiments on the problem of exo-electron emission from deformed aluminium, 2=5367
- Sujkowski, Z. Adaption of a $\pi\sqrt{2}$ beta-ray spectrometer for coincidence experiments, 2=3318
- Sujkowski, Z. Beta spectrometric study on the decay of Pb²⁰³ and the K Auger spectrum of Tl, 2=3515
- Sujkowski, Z. and Melin, O. L Auger electron spectrum of thallium in the electron capture decay of Pb²⁰³, 2=1845
- Sujkowski, Z. and Nagel, B. Incoherent scattering of 662 keV gamma rays on the k electrons of lead, 2=1967
- Sujkowski, Z. See Erman, P., 2=3516
- Suk, K. See Kantärek, J., 2=23564
- Suk, M. See Votruba, M., 2=342
- Sukhanov, A.D. On the interaction Hamiltonian in quantum field theory, 2=3237
- Sukhanov, A.D. See Slavnov, D.A., 2=3269
- Sukhanovskii, A.N. See Kokurin, Yu.L., 2=4637
- Sukharevskii, V.G. and Teplov, I.B. Coulomb and nuclear interactions in deuteron stripping reactions, 2=5963
- Sukhomlin, E.A. See Rudnev, N.I., 2=17797
- Sukhomlin, E.A. See Suprunenko, V.A., 2=9593
- Sukhomlin, E.A. See Suprunenko, V.A., 2=15924
- Sukhoruchkin, S.I. See Ignat'ev, K.G., 2=1696
- Sukhov, L.V. See Voronkov, A.E., 2=18044
- Sukhov, S.A. See Samoilovich, D.M., 2=1643
- Sukhovarov, V.F. The temperature and rate dependence of the resistance of nichrome to deformation in the K-state range, 2=23
- Sukiennik, P. See Halaubrenner, J., 2=11309
- Sulkovskaya, M.M. See Nikol'skii, B.A., 2=20415
- Sullivan, D.L. See Fuller, H.W., 2=13634
- Sullivan, J.H. Rates of reaction of hydrogen with iodine. II, 2=10966
- Sullivan, H.M. and Hunten, D.M. Lithium twilight at Saskatoon, 1960-61, 2=17179
- Sullivan, H.M. and Hunten, D.M. Relative abundance of lithium, sodium and potassium in the upper atmosphere, 2=24028

- Sullivan, J.J. See Buser, R., 2=17520
- Sulyaev, R.M. See Falomkin, I.V., 2=20381
- Sulyaev, R.M. See Zaimidoroga, O.A., 2=3369
- Sulzer, J. and Waidehlich, W. Investigations of the dark conductivity and photoconductivity in ferrocyanides, 2=3999
- Sulzmann, K.G.P. See Penner, S.S., 2=10256
- Sumarokova, T.N. See Dembitskii, A.D., 2=18468
- Sumbaev, O.I., Smirnov, A.I. and Zykov, V.S. The Mössbauer effect on tungsten isotopes, 2=8155
- Sumar, A. and Smith, J.F. Elastic constants of single-crystal CaMg_2 , 2=14868
- Sumi, M. See Muriyama, M., 2=11658
- Sumin, L.V. See Brill, O.D., 2=1921
- Sumino, K. Easy operation of dislocation sources in the surface region of crystal during plastic deformation, 2=10750
- Sumino, K. and Yamamoto, M. Work-hardening behaviour of recrystallized copper foils, 2=23763
- Sumizawa, M. On the electron transmission microscope images of dislocations in aluminium thin foils, 2=12441
- Sumizawa, M. A study of initial deformation of aluminium single crystal plates by X-ray diffraction technique. II, 2=12850
- Summerfield, G.C. Production of $\Lambda\Lambda$ pairs in NN collisions, 2=9924
- Summerfield, G.C. See Lichtenberg, D.B., 2=20414
- Summers-Gill, R.G. See Cameron, J.A., 2=18242
- Summers-Gill, R.G. See Cameron, J.A., 2=22706
- Sumner, H.M. The neutron cross-section of Xe^{135} , 2=22824
- Sun, C.R. Gold-doped silicon detectors for the control of bubble chamber photography, 2=18023
- Sun, K.H. See Tsai, H.S., 2=20372
- Sun, K.H. See Wu, Y.F., 2=20361
- Sun Liu Lu. See Lu Sun Liu.
- Sunakawa, S., Yoko-o, Y. and Nakatani, H. Collective description of a system of interacting Bose particles. I, 2=11305
- Sunakawa, S., Yoko-o, Y. and Nakatani, H. On the phonon-phonon interaction in a system of Bose particles, 2=19468
- Sunakawa, S., Nakatani, H. and Yoko-o, Y. Collective description of a system of interacting Bose particles. II, 2=11306
- Sund, L. See Grimeland, B., 2=18131
- Sund, R.E. See Yin, L.I., 2=16351
- Sundahl, R.C. See Koch, F.B., 2=2411
- Sundaram, S. See Daykin, P.N., 2=20851
- Sundaresan, M.K. and Ahuja, S.D.M. Large-angle multiple scattering of μ -mesons in lead, 2=16421
- Sundberg, O. See Tibell, G., 2=20629
- Sundberg, O. See Tibell, G., 2=22802
- Sunderland, J.E. See Rollinger, C.N., 2=11609
- Sunderland, J.E. See Ybarrodo, L.J., 2=19890
- Sunderman, D.N. See Ellemen, T.S., 2=5607
- Sunderman, D.N. See Townley, C.W., 2=4577
- Sundheim, B.R. and Kuk, M. Spectra of manganese and cobalt ions in fused halides, 2=15594
- Sundquist, B.E. and Oriani, R.A. Homogeneous nucleation in a miscibility gap system. A crystal test of nucleation theory, 2=13489
- Sundström, T. Note on moment analysis of delayed coincidence experiments, 2=20529
- Sundström, T. See Bashandy, E., 2=5863
- Sung, Y. See Inuishi, Y., 2=12572
- Sung, Y.K. See Inuishi, Y., 2=4066
- Sunier, J.W. Beta-gamma angular correlations in the Eu^{154} disintegration, 2=10057
- Suprunenko, P.A. See Kuz'menko, P.P., 2=8839
- Suprunenko, V.A., Sukhomlin, E.A., Volkov, E.D. and Rudnev, N.I. Conductivity of a linear pinch, 2=9593
- Suprunenko, V.A., Volkov, E.D., Reva, N.I., Sukhomlin, E.A., Burchenko, P.Ya. and Rudnev, N.I. Study of pinch dynamics in a magnetic field, 2=15924
- Suprunenko, V.A. See Rudnev, N.I., 2=17797
- Suprunenko, V.O. See Bolotin, L.I., 2=17911
- Süptitz, P. The distribution of dissolved impurities in AgCl and AgBr single crystals grown from the melt, 2=2426
- Süptitz, P. See Irmer, J., 2=4070
- Surányi, P. On the experimental evidence for pion-pion interaction in high-energy π -N and N-N events, 2=305
- Surányi, P. See Bozóki, G., 2=11981
- Surdin, M. Trends in nuclear data processing, 2=9728
- Surdin, M. A note on time-varying gravitational potentials, 2=15465
- Surdin, M. Energy conversion by an ionized vapour stream, 2=17778
- Surdin, M. The propagation of ultrasound in a plasma, 2=19956
- Surdin, M. See Klein, S., 2=19883
- Surget, G. See Perrin, A., 2=20640
- Surin, A. Equations of motion in the Kaluza-Klein five-dimensional theory, 2=2623
- Suris, R.A. Theory of a system of interacting Fermi particles, 2=1079
- Suris, R.A. Application of functional methods in the theory of solid solutions, 2=19101
- Suris, R.A. Application of functional methods in the theory of solid solutions, 2=23895
- Suris, R.A. See Bonch-Bruevich, V.L., 2=18542
- Surkov, Yu.A., Chernov, G.M., Lavruchina, A.K. and Khromchenko, Z.V. Investigation of the neutron-deficient isotopes of osmium, 2=14044
- Surkova, L.V. See Nikol'skii, B.A., 2=20415
- Suryan, G. and Susila, G. Lifetime of minority carriers in semiconductor: experimental methods, 2=16694
- Suryanarayana, C.V. and Govindaswamy, S. Variation of internal pressure with temperature in pure liquids, 2=4981
- Suryanarayana, M. See Krishnamurthi, M., 2=5012
- Suryanarayana, M. See Krishnamurthi, M., 2=13334
- Suryanarayana, R.K. Effect of radio fade-out on the F2-layer, 2=5489
- Suryaprakasara, U. The flow of an incompressible viscous fluid under a periodic pressure gradient through the annular space between two porous concentric circular cylinders subjected to suction and injection, 2=4993
- Suryaprakasara, U. Laminar flow in channels with porous walls in the presence of a transverse magnetic field, 2=11762
- Sus, A.N. and Bogdanov, N.N. Instrument for measuring magnetic field intensity over a wide range, 2=1552
- Suschke, E. See Höhle, R., 2=20205
- Sushchinskii, M.M. See Zubov, V.A., 2=1264
- Sushchikovskii, V.D. See Vasiliev, A.I., 2=20316
- Susila, G. See Suryan, G., 2=16694
- Suslina, L.G. See Gross, E.F., 2=14672
- Suslina, L.G. See Gross, E.F., 2=18827
- Susnowski, J.J. and Kozubowski, J. Phonon dispersion relations for copper single crystal in the [100] direction, 2=18526
- Susse, C. and Paymal, J. The influence of pressure on the moduli of rigidity of two glasses containing boron irradiated with thermal neutrons, 2=792
- Sussman, J.A. Electric dipoles due to trapped electrons, 2=10369
- Sussman, M.H. Fresnel diffraction with phase objects, 2=2896
- Sutcliffe, H.K. See Barber, D., 2=24172
- Sutcliffe, H.K. See Barber, D., 2=24173
- Sutcliffe, H.K. See Greenhow, J.S., 2=13178
- Sutcliffe, J.M. See Teeles, W., 2=23156
- Suter, T., Reyes-Suter, P., Gustafsson, S. and Marklund, I. Decay of Sm^{153} to Eu^{153} , 2=3528
- Suter, T., Reyes-Suter, P., Scheuer, W., Aasa, E. and Bäckström, G. Decay of Ag^{105} and Pd^{105} , 2=3531
- Suter, T. See Reyes-Suter, P., 2=1802
- Suter, T. See Reyes-Suter, P., 2=3484
- Sutherland, G.B.B.M. Some recent developments at the National Physical Laboratory, 2=1037
- Sutor, D.J. The C-H...O hydrogen bond in crystals, 2=20900
- Sutter, E. See Kessler, F.R., 2=8536
- Sutter, G. See Gorodetzky, S., 2=376
- Sutter, G. See Gorodetzky, S., 2=13980
- Sutter, G. See Gorodetzky, S., 2=13996
- Sutter, G. See Gorodetzky, S., 2=16327
- Sutter, G. See Gorodetzky, S., 2=20522
- Sutter, P.H. See Gallo, C.F., 2=23087
- Sutton, A.L., Eales, W.T. and Price, A.M. Interatomic distances in α -uranium at 20°C and 630°C, 2=23831
- Sutton, E.A. Measurement of the dissociation rates of hydrogen and deuterium, 2=14333
- Sutton, G. Advancing fronts in meteorology, 2=19193
- Sutton, R.B. See Eckhause, M., 2=13837
- Sutton, W.L. See Jackson, J.E., 2=7063
- Sutula, V.D. Dispersion relations in non-local field theory, 2=7822
- Suwa, S. See Hwang, C.F., 2=20337
- Suwalski, J. and Buras, B. In-pile Hall coefficient measurements of germanium bombarded by fast neutrons, 2=23325
- Suwalski, W. and Weiss, Z. Method of determining the optimum operating conditions of a reactor oscillator, 2=3677
- Suworoff, N.P. A new stellar diagram, 2=15368
- Suydam, B.R. See Lüst, R., 2=9580
- Suzor, F. See Spighele, M., 2=397
- Suzor, F. See Spighele, M., 2=12163
- Suzuki, C. See Kuyama, T., 2=21617
- Suzuki, H. On Chambers' solution of the Boltzmann transport equation, 2=3880
- Suzuki, H. Segregation of solute atoms to stacking faults, 2=10405
- Suzuki, H. On the Azbel-Kaner effect of ellipsoidal energy surfaces, 2=12398
- Suzuki, H. New aspect of cyclotron resonance in thin metallic films, 2=20982

- Suzuki, I. See Shimanouchi, T., 2=12311
 Suzuki, M. Temperature standard below an oxygen point, 2=15793
 Suzuki, S. Studies on solar noise storm at 201 Mc/s, 2=11158
 Suzuki, S. and Morimoto, M. Multiphase interferometer for locating the source of the solar radio emission, 2=7034
 Suzuki, T. and Lee, S.C. Sinusoidal scanning screen for measurement of response function of optical lenses, 2=9367
 Suzuki, T. and Shinoda, G. Variable contrast optical projector, 2=9382
 Suzuki, T. See Ikushima, A., 2=8709
 Suzuki, T. See Shinoda, G., 2=9637
 Suzuki, T. See Shinoda, G., 2=17899
 Suzuki, T. See Sugie, A., 2=10117
 Suzuki, T. See Yoshimatsu, M., 2=15113
 Suzuki, Y. and Asada, E. Crystal distortion of FeO on cooling past its Néel temperature, 2=2267
 Suzuoka, T. See Hirone, T., 2=3942
 Svane, T. Different representation forms of the nucleonic component in cosmic radiation, 2=18208
 Svanheden, A. A cold cathode ion source for a synchrocyclotron, 2=3088
 Svedberg, J. and Jung, B. The internal conversion electron spectrum of $^{82}\text{Pb}^{198}$, 2=411
 Svedberg, J. See Jung, B., 2=373
 Svedberg, J. See Jung, B., 2=412
 Svelto, O. See Faini, G., 2=11747
 Svelto, V. See Fabri, G., 2=20200
 Svelto, V. See Gatti, E., 2=9734
 Svennerstedt, S. See Berglund, S., 2=5348
 Sventits'kiy, M.S. See Kapors'skiy, L.M., 2=17801
 Sverdlov, L.M. A calculational formula for the intensities of the Raman spectra of polyatomic molecules, 2=14282
 Sverdlov, Z.M. Photoelectric photometer for determination of uranium in sodium fluoride beads, 2=17107
 Sverhunenko, L.O. The thermodynamic theory of sound absorption in crystals with defects, 2=6263
 Sverhunenko, L.O. Absorption of sonic vibrations in solid binary solutions, 2=23059
 Sveshnikov, B.Ya. and Shirokov, V.I. Variation of the mean lifetime and yield of luminescence in the process of quenching as a function of the law of molecular interaction, 2=21914
 Sveshnikov, B.Ya. See Aristov, A.V., 2=6625
 Sveshnikov, B.Ya. See Aristov, A.V., 2=8581
 Sveshnikov, B.Ya. See Kiyanskaya, L.A., 2=11377
 Sveshnikov, B.Ya. See Kiyanskaya, L.A., 2=16866
 Sveshnikov, B.Ya. See Kiyanskaya, L.A., 2=19567
 Svet, D.Ya. Various possibilities of radiation pyrometry in the blue-violet and ultraviolet spectral regions, 2=126
 Svet, D.Ya. Various possibilities of radiation pyrometry in the blue-violet and ultraviolet spectral regions, 2=9439
 Svet, D.Ya. New method of pyrometry using the ratio of total radiation fluxes [received by 2 systems]. The "spectrally weighted" temperature of a black body and of metals, 2=11523
 Svet, D.Ya. New method of pyrometry using the ratio of total radiation fluxes [received by 2 systems]. The "spectrally weighted" temperature of a black body and of metals, 2=13478
 Svetlitskii, E.M. See Krasovskii, V.I., 2=9022
 Svetlitskii, E.M. See Krasovskii, V.I., 2=12088
 Svetlov, I.L. See Bokshtein, S.Z., 2=23778
 Svetlov, Yu.G. See Grechishkin, V.S., 2=790
 Svetlov, Yu.G. See Grechishkin, V.S., 2=4295
 Svetov, L.V. See Benda, F., 2=15971
 Svidzinskii, K.K. Calculation of the hyperfine structure of molecular rotational spectra, 2=12313
 Svirbely, W.J. and Read, S.M. The thermodynamic properties of liquid ternary zinc, indium, and gallium solutions, 2=15580
 Sviridov, A.G. See Dronov, A.P., 2=63
 Sviridov, V.A. See Ciulli, I., 2=22574
 Svirina, E.P. See Belov, K.P., 2=3994
 Svirskii, M.S. See Vonsovskii, S.V., 2=578
 Svirskii, M.S. See Vonsovskii, S.V., 2=10314
 Svishchev, G.M. See Grinev, V.S., 2=6900
 Svistunova, K.I. See Pokrovskii, Ya.E., 2=2157
 Svistunova, K.I. See Pokrovskii, Ya.E., 2=6458
 Svistunova, K.J. See Pokrovskii, Ya.E., 2=8397
 Svitashchev, K.K. See Ermolaev, V.L., 2=14746
 Svolopoulos, S.N. See Johnson, H.L., 2=4823
 Svyechkar'ov, I.V. See Yverkin, B.I., 2=18886
 Svyechnikov, S.V. and Chalya, V.H. Certain peculiarities of the longitudinal photoconductivity of single crystals of the CdS type, 2=23458
 Svyechnikov, S.V. Chalya, V.H. and Sheinkman, M.K. Probe characteristics of X-ray and photoelectric currents in single crystals of the CdS type, 2=21191
 Svyechnikov, S.V. See Konozenko, I.D., 2=6497
 Swaine, J.W., Jr. and Plumb, R.C. Specific surface area of evaporated aluminium, 2=15090
 Swalen, J.D. and Ibers, J.A. Potential function for the inversion of ammonia, 2=12308
 Swalen, J.D. and Ibers, J.A. Chemical bonding in the perchromate ion, 2=16528
 Swalen, J.D. and Reilly, C.A. Analysis of complex n.m.r. spectra. An iterative method, 2=16553
 Swalen, J.D. See Gersmann, H.R., 2=16549
 Swalen, J.D. See Gioumousis, G., 2=14324
 Swalen, J.D. See Ibers, J.A., 2=21359
 Swalin, R.A. Diffusion of interstitial impurities in germanium and silicon, 2=12452
 Swalin, R.A. See Ma, C.H., 2=13329
 Swami, M.S. See Balasubrahmanyam, V.K., 2=20448
 Swami, M.S. See Ganguli, S.N., 2=12084
 Swamy, K.S. Krishna. See Krishna Swamy, K.S.,
 Swan, D.W. A review of recent investigations into electrical conduction and breakdown of dielectric liquids, 2=11383
 Swan, P. Distorted wave approximation for tensor force interactions, 2=5636
 Swank, R.K. and Brown, F.C. Lifetime of the excited F-centre, 2=6387
 Swann, P.R. and Nutting, J. The influence of stacking-fault energy on the modes of deformation of polycrystalline copper alloys, 2=3924
 Swann, P.R. and Warlimont, H. The isothermal ordering of a β copper-aluminium alloy, 2=23881
 Swann, P.R. See Patser, G.V., 2=4511
 Swann, S.A. See Graneau, P., 2=3134
 Swann, W.F.G. The history of cosmic rays, 2=329
 Swann, W.F.G. General approach to the electromagnetic origin of cosmic-ray energy, 2=9946
 Swann, W.F.G. A general approach to the electromagnetic origin of cosmic ray energy, 2=16250
 Swanson, H.E., Morris, M.C., Stinchfield, C.R. and Evans, E.H. Standard X-ray diffraction powder patterns. Section 1 — data for 46 substances, 2=10899
 Swanson, M.L. Specific heat anomalies of Mn_3AlC and Mn_3ZnC , 2=16607
 Swanson, N. See Marton, L., 2=10366
 Swanson, R.A. See Reynolds, G.T., 2=9733
 Swanson, W.P. See Gates, D.C., 2=5627
 Swart, E.R. and Kapp, R.O. Does matter have a half-life, 2=15464
 Swart, J.J. De. See De Swart, J.J.
 Swartz, C.E. and Feldman, P. Beryllium foil monitor for external proton beam, 2=15973
 Swartz, G.A. and Reboul, T.T. Frequency dependence of plasma acceleration by radio-frequency field gradient, 2=17838
 Swartz, J.C. Internal friction spectra of copper after low temperature deformation, 2=21403
 Swartz, J.C. Internal friction and modulus changes in cold-worked iron containing carbon, 2=21405
 Swartz, J.C. and Weertman, J. A modification of the Koehler—Granato—Lücke damping theory, 2=21019
 Swartz, J.C. See Couch, W.E., 2=23188
 Swartz, P.S. and Rosner, C.H. Characteristics and new application of high-field superconductors, 2=15857
 Swarup, D. See Bashforth, G.R., 2=17023
 Swarup, G. See Bracewell, R.N., 2=9110
 Sweet, R.F. See Ivash, E.V., 2=4742
 Sweetman, D.R. The achievement of very high pumping speeds in the ultra-high vacuum region, 2=5078
 Sweetman, D.R. [Conf.rep]. Conference of Plasma Physics and Thermonuclear Fusion, Salzburg, September, 1961, 2=5326
 Sweetman, D.R. See Riviere, A.C., 2=2026
 Sweifel, P.F. and Ferziger, J.H. Consistent P_1 criticality calculations, 2=6023
 Swenson, C.A. The temperature and pressure dependence of critical field curves, 2=7517
 Swenson, C.A. See Heltemes, E.C., 2=2949
 Swenson, C.A. See Schirber, J.E., 2=14915
 Swenson, C.A. See Schirber, J.E., 2=15853
 Swenson, G.W. See Lim, E.C., 2=2255
 Swenson, G.W., Jr. See Yeh, K.C., 2=894
 Swets, D.E. Growth of single-crystal rods of 4% silicon iron, 2=1495
 Swets, D.E. See Lee, R.W., 2=6366
 Swets, J.A., Green, D.M. and Tanner, W.P., Jr. On the width of critical bands, 2=4896
 Swets, J.A., Millman, S.H., Fletcher, W.E. and Green, D.M. Learning to identify nonverbal sounds: an application of a computer as a teaching machine, 2=17319
 Swiatecki, W.J. See Bowman, H.R., 2=14145
 Swiatecki, W.J. See Cohen, S., 2=20683

- rick, D.A. Diffraction patterns of electrons elastically and inelastically scattered by gases, 2=22950
- rick, D.A. and Karle, J. Pattern inversion for coherent inelastic electron scattering by Br₂, 2=3760
- ricord, M. See Silver, M., 2=14578
- riderski, J. Application of the photovoltaic effect to the examination of homogeneity of germanium, 2=12510
- riderski, J. Measurements of the surface recombination velocity on germanium on the basis of the photoelectric voltage spectral response, 2=12511
- riderski, J. New applications of bulk photovoltaic effect measurements on germanium, 2=23464
- ricia, J.A. Field propagators singular at zero coupling, 2=17359
- ricia, J.A. See Güttinger, W., 2=5576
- riff, C.D. See Hanson, L.F., 2=7984
- riff, C.D. See Jopson, R.C., 2=20757
- riff, D.A. See Barber, P.B., 2=9555
- riff, D.W. The effect of positive ion collisions on whistler propagation, 2=15202
- riff, D.W. and Nixon, W.C. Characteristics of a point cathode triode electron gun, 2=13594
- riff, D.W. See Fricker, S.J., 2=4840
- riff, I.H. Performance of background-limited systems for space use, 2=11201
- riff, J.D. Effects of finite probe size in the determination of electron energy distribution functions, 2=9599
- riff, T.J. and Connick, R.E. N.M.R.-relaxation mechanisms of O¹⁷ in aqueous solutions of paramagnetic cations and the lifetime of water molecules in the first coordination sphere, 2=19581
- riff-Hook, D.T. See Maycock, J., 2=13672
- riff-Hook, D.T. See Spring, K.H., 2=9523
- riff-Hook, D.T. See Wright, J.K., 2=20130
- rihart, J.C. Solutions of the BCS integral equation and deviations from the law of corresponding states, 2=7498
- ringler, D.L. See Marmet, P., 2=9651
- rings, P. Behaviour of forbidden oxygen lines in comets. I. Observations, 2=17261
- rings, P., Bosman-Crespin, D. and Arpigny, C. Theoretical considerations on the predicted far ultraviolet spectra of comets and polar aurorae: introductory report, 2=17263
- rings, P. See Dossin, F., 2=6994
- rinkels, A.J. See Green, M., 2=4499
- roboda, T.J. See Bither, T.A., 2=12735
- ro, A. and Cabannes, F. Determination of the temperature in the jet of a "plasma blow-lamp", 2=19979
- ro, A. See Chapelle, J., 2=1459
- ran' Din-chan [Hsien Ting-ch'ang] and Chen' Tsun-mo. The minimal number of partial waves in reactions involving the formation of several particles, 2=22466
- ran' Din-chan [Hsien Ting-ch'ang] and Khu Shi-ke [Hu shih-ke]. On the electromagnetic form-factor of the π^0 -meson, 2=22554
- chev, V.V. The relation between the speed of sound in a liquid and in its saturated vapour, 2=2717
- chev, V.V. The speed of sound in water and in water vapour on the saturation line, 2=5010
- chev, V.V. The relation between the speed of sound in a liquid and in its saturated vapour, 2=7207
- rdor, M. See Katzenstein, J., 2=7588
- rdorenko, L.I. See Hordiyenko, A.H., 2=9675
- red, A.S. Solid solubility of gold in germanium, 2=8859
- ers, K. See Hughes, E.E.G., 2=19691
- rke, G. International seminar on automatic control in iron and steel industry, Brussels, February 1962, 2=15073
- rkes, M.F. and Fisher, M.E. Antiferromagnetic susceptibility of the plane square and honeycomb Ising lattices, 2=21344
- rkes, M.F. See Domb, C., 2=23646
- rkes, M.F. See Fisher, M.E., 2=21345
- rmashevych, A.V., Kot, M.V. and Panasyuk, L.M. Conductivity induced by electron bombardment in CdTe and ZnSe, 2=6463
- rmmers, C., Ward, J.B. and Sugarman, B. Studies of the mechanical strength of glass, 2=14902
- rmmons, H.F. and Bogle, G.S. On the exactness of the spin-Hamiltonian description of Fe³⁺ in sapphire, 2=8670
- rmmons, H.F. See Bogle, G.S., 2=770
- rmmons, H.F. See Bogle, G.S., 2=10698
- rmonds, J.L. See Campbell, C.G., 2=20714
- rmons, G.D. and Treacy, P.B. Evidence for a 1.7 MeV level in B⁹, 2=22728
- rmons, G.D. See Gregory, A.G., 2=22837
- rnakh, V.S. See Baier, V.N., 2=3372
- meček, V. Slit-height correction in small-angle scattering without spherical symmetry, 2=14981
- Syneček, V. See Červinka, L., 2=3913
- Syneček, V. See Hadinec, I., 2=824
- Synel'nykova, V.S. See Samsonov, H.V., 2=8354
- Synge, J.L. Gravitational waves in the second approximation, 2=11266
- Synge, J.L. Intuition, geometry and physics in relativity, 2=13244
- Synge, J.L. On a certain non-linear differential equation, 2=13779
- Synge, J.L. Dynamical consequences of the fact that the sun's rotation varies with latitude, 2=24110
- Synge, J.L. See Florides, P.S., 2=11263
- Synge, J.L. See Purser, W.F.C., 2=11341
- Synyakov, O.V. See Avramenko, V.P., 2=8294
- Syrbe, G. The energy distribution of medium-energy electrons in passing through thin layers, 2=2075
- Syrnev, L. Study of the photo effect and lifetime of non-equilibrium current carriers in sensitized surfaces in PbS monocrystals, 2=6499
- Syrovatskii, S.I. See Korchak, A.A., 2=24183
- Syrovatsky, S.I. See Ginzburg, V.L., 2=20473
- Sysoev, L.A. and Krainyuko, N.I. Preparation of photosensitive cadmium sulphide layers from the melt under inert-gas pressure, 2=16989
- Sysoev, L.A. and Krainyukov, N.I. Preparation of photosensitive cadmium sulphide layers from the melt under inert-gas pressure, 2=18734
- Sytaya, E.P., Smorodnova, M.I. and Imangulova. Electron and ion emission from (110) and (100) faces of a large tungsten monocrystal, 2=17862
- Sytaya, E.P., Smorodnova, M.I. and Imangulova, N.I. Electron and ion emission from (110) and (100) faces of a large tungsten monocrystal, 2=20012
- Sytenko, A.H. and Drobachenko, O.V. Allowing for the correlation between nucleons in the photoeffect, 2=20491
- Sytilin, M.S. Preparation of ZnS luminescent screens from chemical compounds, 2=23606
- Syuan-min, L. See Egorov, L.B., 2=22548
- Syui Yan'-shen [Hsui Yen-shêng]. The problem of exciting oscillations in a small gyrotropic sphere, 2=17945
- Syui Yuin-chan. See Likhachev, M.F., 2=22581
- Szablewski, W. Rayleigh's model of small perturbations in a static medium, 2=11335
- Szablewski, W. The behaviour of periodic perturbations of a plane Poiseuille flow at small values of Re α , 2=13311
- Szablewski, W. The relation between temperature and velocity in the theory of compressible turbulent boundary layers, 2=15533
- Szabo, A. Magnetic field dependence of the Al²⁷ polarization time in ruby, 2=4233
- Szabo, A. and Dimock, E.L. Low temperature optical window, 2=2883
- Szabo, G. and Nagy, S.B. A novel instrument for dielectric measurements with applications to chemical analysis, 2=17767
- Szabó, J. and Hargitai, C. The uniqueness of magnetohydrodynamic flow of barotropic conducting media, 2=9694
- Szabó, P. The sensitivity of the correction [of structure factors] for extinction in crystals using polarized X-rays and neutrons, 2=10859
- Szabó Miszenti, G. and Coli, M. Reactivity effects on the Avogadro RS1 reactor, 2=5997
- Szalay, A., Csikai, J. and Bacsó, J. Critical comments on the investigation of the electron-neutrino angular correlation by the cloud chamber method, 2=5618
- Szalay, A. and Kovách, A. Fission product precipitation from the atmosphere in Debrecen, Hungary, between 1958 and 1960, 2=4611
- Szalay, A. and Szilágyi, M. Investigations concerning the retention of fission products on humic acids, 2=6074
- Szaniecki, (Śledzik), J. Spin wave theory for cubic ferromagnetics. I. Dyson's model, 2=4211
- Szaniecki (Śledzik), J. Spin wave theory for cubic ferromagnetics. II. New approach, 2=4212
- Szaniecki (Śledzik), J. Spin wave theory for cubic ferromagnetics. III. Magnetization, 2=6658
- Szaniecki, J. Spin wave theory for cubic ferromagnetics. IV. The coefficient of T⁴ in the magnetization series, 2=10644
- Szántó, I.S. X-ray investigation of yield phenomena in steels with a new method of evaluation, 2=21418
- Szántó, V. See Sterk, E., 2=23945
- Szász, L. Atomic many-body problem, I. General theory of correlated wave functions, 2=10196
- Szász, L. Single substitution configurations, 2=18439
- Szaynok, A. See Jakubiszyn, S., 2=14645
- Szaynok, A. See Nikliborc, J., 2=8255
- Szebeni, P. See Lőrinczy, A., 2=18723
- Szelagowski, F. On general solutions of plane problems of the theory of elasticity, 2=15509
- Szentpétery, I. See Zimányi, J., 2=16426
- Szepke, R., Wardaszkó, T. and Peňsko, J. Practical method of the radioactive air contamination determination in the self-luminous items establishments, 2=10029
- Szeptycka, M. See Dowell, J.D., 2=13890

- Szeptycka, M. See Dowell, J.D., 2=22641
 Szilágyi, M. See Szalay, A., 2=6074
 Szkatula, A. See Janik, J.A., 2=292
 Szklarz, E.G. See Giorgi, A.L., 2=2962
 Szklarz, E.G. See Pretzel, F.E., 2=21000
 Szostak, R., Martin, M. and Marmier, P. Charge exchange of 4 MeV protons in nitrogen, 2=7567
 Szostak, R. See Marmier, P., 2=20177
 Szostak, R. See Pixley, R.E., 2=20501
 Szotkay, Z. See Fechter, H., 2=20207
 Szulc, P. See Zarnowiecki, K., 2=1950
 Szydowski, H., Magnetic annealing effect on the anisotropy of cobalt ferrite single crystals, 2=10668
 Szymakowski, J. See Slavic, I., 2=3222
 Szymanski, B.M. See Eisinger, J., 2=11393
 Szymanski, J.J. See Chretien, M., 2=22610
 Szymanski, Z. Equilibrium deformations of nuclei in the transuranic region, 2=1785
 Szymczak, M. See Yeffseyev, W.S., 2=14122
 Szymczyk, S. See Bozek, E., 2=10013
 Szymczyk, S. See Bozek, E., 2=20557
- Ta Li. Hydrostatics in various gravitational fields, 2=13306
 T'a Mei Ch'en. See Ch'en T'a Mei.
 Taagepera, R. and Nurmia, M. On the relations between half-life and energy release in alpha decay, 2=5837
 Tabarovskii, A.M. The motion and stability of a gyroscope on gimbals in the newtonian central force field, 2=17394
 Tabata, S. and Iwata, M. Vacuum evaporation of Cu, Ag, Sn, Fe, and Cr from a TiC heater, 2=6850
 Tabata, T. See Nonaka, I., 2=498
 Tabata, T. See Okabe, S., 2=1503
 Tabellini, G. See Brini, D., 2=9944
 Tabellini, G.L. See Brini, D., 2=5770
 Tabellini, G.L. See Brini, D., 2=11197
 Tabor, N.I. See Lyamichev, I.Ya., 2=16871
 Taborov, V.F. See Polotskii, I.G., 2=16599
 Tabueva, V.A. Circular motions of the Froude pendulum, 2=17396
 Tachiki, M. See Date, M., 2=6418
 Taconis, K.W. See Le Pair, C., 2=13497
 Taconis, K.W. See Staas, F.A., 2=5228
 Taconis, K.W. See Staas, F.A., 2=5229
 Taczanowski, A. On the phenomena occurring on the surface of pressed cathodes, 2=11692
 Tadić, D. See Eman, B., 2=5841
 Tadzhiyeva, E.M. See Vasil'kovskii, D.N., 2=14930
 Tadzhiyeva, E.M. See Vasil'kovskii, D.N., 2=19040
 Taege, K. On some investigations with transistor studio equipment, 2=15709
 Taffara, L. See Minguzzi, A., 2=7820
 Taffara, L. See Minguzzi, A., 2=11887
 Taffara, S. Calibration of the spectrosensitometer of the Asiago astrophysical observatory by use of the Kienle step-filter, 2=6971
 Taft, E.A. See Philipp, H.R., 2=16831
 Taft, H.D. See Brown, H.N., 2=12013
 Tagantsev, K.V. Quenching and stimulation of the luminescence of zinc oxide under the influence of adsorbed and capillary condensed vapours and gases, 2=16852
 Tager, A.A. and Dreval, V.E. Viscosity and heats of activation of concentrated solutions of polymers as a function of concentration, temperature and nature of the solvent, 2=21890
 Tagirov, V.I. and Kuliev, A.A. A study of the distribution coefficient of tantalum in germanium during crystallization, 2=2356
 Tagirov, V.I. and Kuliev, A.A. A study of the distribution coefficient of tantalum in germanium during crystallization, 2=6770
 Tagirov, V.I. and Kuliev, A.A. Diffusion and solubility of thallium in germanium, 2=12460
 Tagirov, V.I. and Kuliev, A.A. Diffusion and solubility of thallium in germanium, 2=14465
 Taglauer, E. and Waidelich, W. Exciton spectra of silver halides and their mixtures, 2=18839
 Tagliaferri, G. and Righini, G. On the correlation between solar flares and atmospherics of 27 kc/s, 2=6920
 Tagliaferri, G. and Righini, G. Preliminary results on the correlation of solar flares and sudden enhancement of atmospherics (S.E.A.), 2=9077
 Taguchi, S. and Shibata, H., World maps of foEs, 2=11062
 Taherzadeh, M., Moszkowski, S.A. and Sood, P.C. On the binding energy of Λ -hyperons in nuclear matter, 2=5785
 Taher-Zadeh, M. Prowse, D.J., 2=1722
 Tahir-Kheli, R.A. and ter Haar, D. Use of Green functions in the theory of ferromagnetism. I. General discussion of the spin-S case, 2=16898
 Tahir-Kheli, R.A. and ter Haar, D. Use of Green functions in the theory of ferromagnetism. II. Dyson spin waves, 2=16899
 Tai Tsun Wu. Perturbation theory of pion-pion interaction. I. Renormalization, 2=5718
 Tai Tsun Wu. Some properties of impedance as a causal operator, 2=11248
 Tai Tsun Wu. See Grossmann, A., 2=19439
 Taimuty, S.I. Proposed reactor radiation damage monitor, 2=14178
 Tainsh, R.J. and White, G.K. Lattice thermal conductivity of copper- and silver-alloys at low temperatures, 2=23085
 Tainsh, R.J., White, G.K. and Klemens, P.G. Dislocation densities in cold-worked copper-silicon alloys, 2=3916
 Tainsh, R.J. See Klemens, P.G., 2=23048
 Taitel, T. See Birnbaum, M., 2=20300
 Takabayashi, M. Epitaxial vapor growth of single crystal Ge, 2=2382
 Takabayashi, T. Internal algebra of elementary particles and interactions, 2=11907
 Takabayashi, T. Internal algebra of baryons and mesons and the structure of strong interactions, 2=11908
 Takada, K. See Ikeda, K., 2=20520
 Takagi, M. See Honjo, G., 2=23939
 Takagi, S. A new method of analysis of latitude variation, 2=15179
 Takagi, S. See Marumori, T., 2=1768
 Takagi, Y. See Sato, Y., 2=2238
 Takahama, T. See Ono, T., 2=18759
 Takahashi, A. Effect of pion-pion scattering resonance on nucleon structure, 2=7850
 Takahashi, A. Pion-nucleon scattering and pion-pion interaction, 2=11993
 Takahashi, A. Effect of pion-pion scattering resonance on nucleon structure and pion-nucleon scattering at low energies, 2=13784
 Takahashi, A. See Ebata, T., 2=12001
 Takahashi, C. and Huruhashi, M. Integrated colours of some star fields measured from Palomar Atlas, 2=15364
 Takahashi, H. On the relation between the intensity decrease of cosmic-rays during cosmic-ray storms and solar activity, 2=34
 Takahashi, H. Generalization of the singular integral method for an anisotropic scattering medium, 2=5664
 Takahashi, H. The latitude effect of cosmic-ray storm, 2=12039
 Takahashi, H. See Yonezawa, T., 2=9006
 Takahashi, K. Spin-orbit splitting in deformed nuclei, 2=20537
 Takahashi, K. See Kuroyanagi, T., 2=5844
 Takahashi, M. Induced magnetic anisotropy of evaporated films formed in a magnetic field, 2=12653
 Takahashi, M., Sasakawa, T. and Fujimori, H. The magnetic annealing effect and the ordering process in a Ni_3Fe single crystal, 2=169
 Takahashi, N., Ashinuma, K. and Nagahama, Y. Simultaneous recording of the image and the diffraction pattern in electron microscopy, 2=848
 Takahashi, N. See Yamabe, S., 2=16399
 Takahashi, Y. A canonical formalism with a linear supplementary condition. I, 2=21847
 Takahashi, Y. A canonical formalism with a linear supplementary condition. II, 2=21848
 Takahashi, Y. See Atoda, T., 2=10867
 Takahashi, Y. See Kamefuchi, S., 2=17371
 Takahashi, Y. See O'Raifeartaigh, L., 2=3238
 Takaki, H. See Sakurai, J., 2=3993
 Takaku, K. Propagation of elastic waves in spherical symmetric inhomogeneous medium, 2=2811
 Takakura, T. Synchrotron radiation and solar radio outbursts at microwave frequencies, 2=2557
 Takakura, T. Limiting polarization of solar microwave emission, 2=2563
 Takakura, T. Solar radio outbursts and acceleration of electrons, 2=13164
 Takakura, T. Acceleration of electrons in the solar atmosphere and type IV radio outbursts, 2=12724
 Takakura, T. and Ono, M. Yearly variation in activities of outbursts at microwaves and flares during a solar cycle with special reference to unusual cosmic-ray increases, 2=13159
 Takakura, T. and Ono, M., Yearly variation in activities of microwave outbursts and flares during a solar cycle, with special reference to unusual cosmic-ray increases, 2=13931
 Takamatsu, K. (d, α) reactions on F^{19} , Ne^{20} , P^{31} and S^{32} at 14.7 MeV, 2=16424
 Takamatsu, K. See Nakamura, T., 2=5913
 Takamatsu, K. See Ogata, H., 2=10099
 Takamatsu, K. See Yanabu, T., 2=8007
 Takamatsu, K. See Yanabu, T., 2=16425
 Takamoto, T. and Takayama, S. Conversion efficiency of NaI(Tl) crystal, 2=11923

- akamura, J. and Greenfield, I.G. Development of prismatic loops in quenched aluminum—0.5% magnesium, 2=8216
- akamura, J. and Miura, S. Point defects due to plastic deformation in copper, 2=10376
- akanami, M. See Osawa, S., 2=7049
- akano, Y. The singularity of propagators in field theory and the structure of space-time, 2=26
- akano, Y. The singularity of propagators in field theory and the structure of space-time. II, 2=11276
- akao, K. Rarefied gas flow between two parallel plates, 2=2741
- akasaki, H. Photoelectric measurement of polarized light by means of an ADP polarization modulator, III. Measurement of linear birefringence, 2=2899
- akasaki, H. Photoelectric measurement of polarized light by means of an ADP polarization modulator. IV. Lens interferometer, 2=2900
- akasaki, H. Photoelectric measurement of polarized light by means of an ADP polarization modulator. V. A servo system using polarized light, 2=17651
- akayama, K. See Dote, T., 2=6942
- akayama, K. See Miyazaki, S., 2=17154
- akayama, S. See Takamoto, T., 2=11923
- akayanagi, K. and Kaneko, S. Vibrational transition in molecular collision V(2). Another short table of functions useful for calculating the vibrational transition probability, 2=6148
- akayanagi, K. and Nishimura, S. Possibility of observing the 28 μ radiation from the interstellar hydrogen molecules, 2=4725
- akayanagi, K. and Yonezawa, T. Collision processes in the aurorae and ionization in the auroral zone, 2=4671
- akayanagi, K. See Hatanaka, T., 2=13148
- akayanagi, S., Gale, N.H., Garg, J.B. and Calvert, J.M. Neutron threshold measurements in the reactions $^9\text{Be}(p,n)^8\text{B}$, $^{10}\text{B}(p,n)^{10}\text{C}$, $^{11}\text{B}(p,n)^{11}\text{C}$, 2=3570
- akayanagi, S. See Inoue, M., 2=19044
- akayanagi, S. See Teramoto, I., 2=21062
- akeda, G. Existence of $\Delta S = -\Delta Q$ leptonic decays and a model of weak interactions on the intermediate boson basis, 2=16135
- akeda, M. See Yamabe, S., 2=16399
- akeda, T. and Kondoh, H. Chemical etch pits of NiO crystal annealed at high temperature, 2=21046
- akeda, T. and Kondoh, H. Thermal pits of NiO crystals, 2=21471
- akeda, H. See Hara, O., 2=9916
- akei, W.J., Heikes, R.R. and Shirane, G. Magnetic structure of Mn_2N -type compounds, 2=8603
- akei, W.J. See Cox, D.E., 2=18921
- akei, W.J. See Shirane, G., 2=10299
- akeishi, Y. Ejection of electrons from barium oxide by noble gas ions, 2=9626
- akekoshi, E. See Yamazaki, T., 2=20571
- akekoshi, H. See Kimura, K., 2=15970
- akekoshi, H. See Shikazono, N., 2=22713
- akekoshi, H. See Tseng, P.-K., 2=2044
- akemiya, T. and Sakamoto, Y. Scattering of high energy nucleons by heavier nuclei, 2=7975
- akemiya, T. See Sakamoto, Y., 2=8003
- akemoto, S., Hasegawa, T. and Homma, S. Scintillation from solid xenon, 2=725
- akemoto, S. and Hirata, Y. Proton recoil neutron spectrometer using a liquid hydrogen radiator and a CsI(Tl), 2=7873
- akemoto, S. See Kuroda, H., 2=4040
- akeno, S. Energy spectrum of lattices with defects: II, 2=20916
- akesada, Y. On sound channel in stratosphere, 2=11043
- akesada, Y. Sound channel in the ionosphere, 2=19212
- akesawa, S. Asymmetrical double minimum potential in HCl-solvent hydrogen-bonded systems, 2=2723
- akeshima, M. See Matsumoto, H., 2=10702
- aketani, H. Coincidence analyzer for use with pulsed accelerators, 2=9508
- aketani, H. and Alford, W.P. (p,n) cross sections on Ti^{47} , V^{51} , Cr^{52} , Co^{59} and Cu^{63} from 4 to 6.5 MeV, 2=1891
- aketani, H. and Alford, W.P. Reaction mechanisms in low energy inelastic proton scattering, 2=14084
- aketani, M. and Katayama, Y. On the neutrino unified model for elementary particles, 2=11930
- aketani, M. See Hama, Y., 2=20270
- aketani, M. See Katayama, Y., 2=11913
- akeuchi, H., Saito, M. and Kobayashi, N. Free oscillations of the moon, 2=4735
- akeuchi, H., Saito, M. and Kobayashi, N. Static deformations and free oscillations of a model earth, 2=12990
- akeuchi, H. See Imai, T., 2=3433
- akeuchi, N. See Sasakura, H., 2=21371
- Takeuchi, T. Activation energy of Bordoni peak and its relation to Peterls stress, 2=16947
- Takeya, Y. See Maeda, K., 2=4593
- Takeyama, N. On the diffusion model of localized exciton in the photosynthetic system, 2=16633
- Takhar, P.S. See Prescott, J.R., 2=17994
- Takibaev, J.S. See Loctionov, A.A., 2=12082
- Takibaev, Zh.S., Shalagina, E.V. and Tsadikova, G.R. Emission of high-energy α -particles in nuclear disintegrations by protons, 2=5916
- Takibaev, Zh.S., Shalagina, E.V. and Tsadikova, G.R. Emission of high-energy α -particles in nuclear disintegrations by protons, 2=12188
- Takibaev, Zh.S. See Botvin, V.A., 2=288
- Takibaev, Zh.S. See Botvin, V.A., 2=22511
- Takibaev, Zh.S. See Kobzev, V.A., 2=22510
- Takibaev, Zh.S. See San'ko, L.A., 2=332
- Takibaev, Zh.S. See San'ko, L.A., 2=22676
- Takibaev, Zh.S. See Boos, E.G., 2=7856
- Takimoto, K. See Yanabu, T., 2=8007
- Takimoto, K. See Yanabu, T., 2=16425
- Takimoto, N. Dynamical theory of ultrasonic attenuation in metals, 2=562
- Takimoto, N. Dynamical theory of ultrasonic attenuation. II. Note on the Weinreich relation, 2=3830
- Tako, T. Self-absorption of spectral line, 2=519
- Takwale, R.G. See Mande, C., 2=14215
- Talbot, J. See Dabosi, F., 2=8635
- Talbot, L. (Ed.). Rarefied gas dynamics, 2=1171
- Talbot, L. Note on the stagnation-point Langmuir probe, 2=13574
- Talbot, L. and Scala, S.M. Shock wave structure in a relaxing diatomic gas, 2=2754
- Talbot-Besnard, S. See Bigot, J., 2=12881
- Talcott, R.C. The effects of titanium films on secondary electron emission phenomena in resonant cavities and at dielectric surfaces, 2=22256
- Tale, I.A. See Vitol, I.K., 2=23477
- Tallini, B. See Barford, N.C., 2=284
- Tallini, B. See Dodd, P., 2=22508
- Tallini, B. See Dodd, W.P., 2=5542
- Tallini, B. See Goldsack, S.J., 2=9888
- Tallone, L. See Baldassarre, F., 2=22562
- Tallone, L. See Evans, D., 2=22492
- Talman, R. See Diebold, R., 2=1709
- Talman, R.M., Clinesmith, C.R., Gomez, R. and Tollestrup, A.V. Evidence for vector-meson effects on π^0 photoproduction from hydrogen, 2=20389
- Talmi, I. Seniority of the $f_{7/2}^4$ levels in Cr^{52} , 2=12134
- Talmi, I. Neutron $d_{5/2}^n$ configurations in Zr isotopes, 2=13961
- Talmi, I. and Unna, I. Nuclear spectra of oxygen isotopes, 2=7933
- Talmi, I. See Dawson, J.F., 2=16324
- Tal'roze, V.L. Elementary processes involved in collisions between slow ions and molecules, 2=23013
- Tal'roze, V.L. See Gusynin, V.I., 2=14750
- Taluc, G.G. See Vonsovskij, S.V., 2=23267
- Talwar, H.S. The equilibrium of a rotating polytropic fluid star with a magnetic field, 4799
- Talwar, H.S. Refraction and reflection of plane hydromagnetic waves at the boundary of two compressible media, 2=7721
- Talwar, H.S. See Anand, S.P.S., 2=4924
- Talwar, S.P. Helmholtz instability in hydromagnetics, 2=5455
- Talybov, A.G. Electron diffraction study of the structure of SnSb_2Te_4 , 2=4426
- Tamada, K. Flow of a slightly conducting fluid past a circular cylinder with strong, aligned magnetic field, 2=15999
- Tamada, K. Transonic flow of a perfectly conducting gas with aligned magnetic field, 2=20123
- Tamada, K. and Miyagi, T. Laminar viscous flow past a flat plate set normal to the stream, with special reference to high Reynolds numbers, 2=9236
- Tamagaki, R. See Otsuki, S., 2=11939
- Tamagaki, R. See Shimodaya, I., 2=12018
- Tamagawa, N. and Mitui, T. Ferromagnetic anisotropy induced by cold rolling of Cu-Fe alloy, 2=21306
- Tamagawa, N., Nakagawa, Y. and Chikazumi, S. Magnetic anisotropy induced by cold rolling of nickel-cobalt alloys, 2=23651
- Tamai, E. See Aizu, H., 2=20452
- Tamai, T. Absorption spectra of potassium bromide-thallium phosphors, 2=2233
- Tamai, T. Diffusion of thallous ions into potassium bromide single crystals, 2=3946

- Tamai, T. Diffusion of color centers into KBr:Tl phosphors, 2=3956
- Tamano, T. See Kato, Y., 2=13082
- Tamarkin, P. See Field, E.C., 2=11802
- Tamas, G. See Miller, J., 2=20590
- Tamássy-Lentel, I. See Gáspár, R., 2=6200
- Tambovtsev, D.I. Proton polarization in stripping reaction on B^{10} , 2=20672
- Tambovtsev, D.I. See Pasichnyk, M., 2=18353
- Tamburino, L.A. See Newman, E.T., 2=21810
- Tamir, T. See Oliner, A.A., 2=5471
- Tamm, E.I. See Belousov, A.S., 2=3382
- Tamm, K. and Weis, O. Wave propagation in infinite disks and in disk strips, 2=70
- Tamm, K. See Eigen, M., 2=10985
- Tamm, K. See Eigen, M., 2=10986
- Tamor, S. See Bendaniel, D.J., 2=11615
- Tamura, H. See Murakami, Y., 2=21554
- Tamura, M. See Akashi, M., 2=12083
- Tamura, N. Electron spin resonance in irradiated polytetrafluoroethylene: temperature dependence of the spectra, 2=4265
- Tamura, N. Temperature dependence of ESR spectra of irradiated polytetrafluoroethylene, 2=20893
- Tamura, T. The growth of corona discharges in air, 2=5310
- Tamura, T. and Udagawa, T. Nature of the first excited states of the vibrational even-even nuclei, 2=5796
- Tamura, T. and Udagawa, T. Collective E3 and E4 transitions in spherical nuclei and the effective charge, 2=16306
- Tamura, T. and Yoshida, H. Relative phase of the M1 and E2 radiations in the $2^+ \rightarrow 2^+$ transitions in even nuclei, 2=10005
- Tamura, T. See Okai, S., 2=10094
- Tan Syaou-en, See Lavrukhina, A.K., 2=14096
- Tan, Tran van. See Tran van Tan
- Tanabe, Y. Properties of d-electrons in complex salts. II. Theory of the optical spectra with particular reference to the effects of spin-orbit interactions, 2=576
- Tanaevsky, O. See Servant, J., 2=6923
- Tanahashi, G. See Hasegawa, H., 2=13929
- Tanahashi, G. See Hasegawa, H., 2=18207
- Tanaka, E. A low background beta-ray scintillation spectrometer using a coincidence method with a Geiger counter, 2=5623
- Tanaka, H. Observations of solar radio emission at 9.4 Gc/s by 16-element interferometer, 2=7036
- Tanaka, H. See Shimodaya, I., 2=12018
- Tanaka, H. See Marumori, T., 2=1768
- Tanaka, H. See Sakamoto, Y., 2=8003
- Tanaka, I. and McNesby, J.R. Photosensitized reaction between hydrogen (3P) atoms and molecular nitrogen, 2=17096
- Tanaka, I. See Broida, H.P., 2=1389
- Tanaka, I. See Hata, N., 2=15156
- Tanaka, I. See McNesby, J.R., 2=4550
- Tanaka, J. The construction and test operation of INS-linear electron accelerator, 2=1530
- Tanaka, J. See Nishikawa, T., 2=229
- Tanaka, K., Mannami, M., Izumi, K. and Niwa, H. Electron microscopic observation of the aggregates of vacancies in germanium, 2=6313
- Tanaka, K., Tanuma, S. and Fukuroi, T. Transverse galvanomagnetic effect of bismuth single crystal in a strong magnetic field, 2=3989
- Tanaka, K., Seto, T. and Hara, T. Crystal structure of a new form of high-density polyethylene, produced by press, 2=21527
- Tanaka, K. See Hiida, K., 2=20576
- Tanaka, K. See Marinaro, M., 2=9905
- Tanaka, M., Kitamura, N. and Honjo, G. Electron optical studies of barium titanate single crystal films, 2=23938
- Tanaka, M. and Matuura, R. On the relation between activation energy of viscous flow and temperature, 2=17420
- Tanaka, M. See Adachi, T., 2=16212
- Tanaka, M. See Honjo, G., 2=23939
- Tanaka, S. Absorption and reflection spectra of afterglow plasma, 2=1420
- Tanaka, S. Microwave conductivity of bounded plasma, 2=9589
- Tanaka, S. Electron density measurement by microwave interferometer, 2=9597
- Tanaka, S. A study on fatigue process in the vicinity of fracture, 2=19016
- Tanaka, S. Absorption at electron cyclotron resonance in slightly ionized gases, 2=11659
- Tanaka, S. Absorption at electron cyclotron resonance in slightly ionized gases. II., 2=11660
- Tanaka, S. Absorption at electron cyclotron resonance in slightly ionized gases. III., 2=11661
- Tanaka, S. On quantum field theory with indefinite metric, 2=11853
- Tanaka, S. A study on fatigue process in the vicinity of fracture, 2=19017
- Tanaka, S. See Hama, M., 2=5568
- Tanaka, S. See Matukura, Y., 2=10470
- Tanaka, T., Meijer, P.H.E. and Barry, J.H. Theory of relaxation phenomena near the second phase-transition point, 2=23805
- Tanaka, T., Meijer, P.H.E. and Fox, J.N. Complex cluster integrals for an augmented Gaussian gas, 2=5054
- Tanaka, T. and Yamamoto, K. A characteristic of the p.i.g. type discharge tube, 2=19907
- Tanaka, T. See Meijer, P.H.E., 2=19454
- Tanaka, Y. Absorption spectra of nitrogen molecule in the region 600-1500 Å, 2=14285
- Tanaka, Y. and Jursa, A.S. Higher ionization potentials of NO_2 , 2=131
- Tanaka, Y. and Ogawa, M. Emission spectrum of S_2 in the vacuum ultraviolet region, 2=6177
- Tanaka, Y. and Ogawa, M. Rydberg absorption series of CO_2 converging to the $^2\Pi_g$ state of CO_2^+ , 2=16524
- Tanaka, Y. See Hasegawa, H., 2=13929
- Tanaka, Y. See Hasegawa, H., 2=18207
- Tanaka, Y. See Huffman, R.E., 2=16473
- Tanaka, Y. See Ikeda, T., 2=6531
- Tanaka, Y. See Ikeda, T., 2=23508
- Tanaka, Y. See Oda, M., 2=12075
- Tanaka, Y. See Sakashita, S., 2=9095
- Tanaka, Y. See Toyoda, H., 2=6520
- Tanarro, A. and Goñi, J. Redundant safety channel for Argonaut-type reactor, 2=18386
- Tanarro, A., Goñi, J. and De Carlos, J.E. Improvements in the instrumentation of the nuclear reactor "argos", 2=10182
- Tanarro, A. and Rincón, A. Electronic scanning for a single-channel pulse-amplitude analyser, 2=11585
- Tănăsescu, C. See Rosenberg, M., 2=10519
- Tanatarov, L.V. See Kosevych, A.M., 2=6828
- Tandon, S.P. See Mookherji, A., 2=20837
- Taneda, Y. See Yamashita, T., 2=10398
- Tanenbaum, B.S. and Mintzer, D. Energy transfer in a turbulent fluid. II, 2=1113
- T'ang Hsiao en. See Lavrukhina, A.K., 2=14096
- Tang, Y.C., Khanna, F.C., Herndon, R.C. and Wildermuth, K. Be^0 in the cluster model, 2=16290
- Tang, Y.C., Wildermuth, K. and Pearlstein, L.D. Interpretation of generalized cluster wave functions, 2=13957
- Tang, Y.C. See Wildermuth, K., 2=1763
- Tange, H. See Okamoto, T., 2=21103
- Tange, H. See Tatsumoto, E., 2=8287
- Tange, H. See Tatsumoto, E., 2=14771
- Tangherlini, F.R. An introduction to the general theory of relativity, 2=19409
- Tangherlini, F.R. Postulational approach to Schwarzschild's exterior solution with application to a class of interior solutions, 2=19409
- Tangri, K. and Williams, G.I. Metastable phases in the uranium-molybdenum system and their origin, 2=4455
- Tani, K. See Mori, H., 2=10692
- Tani, K. See Morimoto, T., 2=21114
- Tanifuji, M. See Jun-ichi Fujita, 2=5776
- Tangri, K. See Asundi, M.K., 2=19097
- Taniguchi, S., Tebble, R.S. and Williams, D.E.G. The magnetic susceptibilities of some transition metal alloys and the corresponding density of states curves, 2=4209
- Taniguchi, S. See Yamamoto, M., 2=12786
- Tannenbaum, I.R., Lemke, B.J. and Kramer, D. A numerical method for indexing uniaxial power patterns, 2=4408
- Tanner, F. See Heinrich, F., 2=5933
- Tanner, L.H. The design and use of interferometers in aerodynamics, 2=9398
- Tanner, L.H. The optics of the Mach-Zehnder interferometer, 2=93
- Tanner, N.W., Thomas, G.C. and Earle, E.D. The giant dipole resonance in Ca^{40} , 2=1864
- Tanner, N.W., Thomas, G.C. and Earle, E.D. The giant dipole resonance in O^{16} , 2=1865
- Tanner, N.W. See Bearpark, K., 2=18321
- Tanner, N.W. See Cohen, A.V., 2=1874
- Tanner, R.L. See Harris, F.B., Jr., 2=15232
- Tanner, W.P., Jr. See Swets, J.A., 2=4896
- Tannhauser, D.S. Conductivity in iron oxides, 2=10490
- Tantraporn, W. See Emtage, P.R., 2=13582
- Tanttila, W.H. See Brun, E., 2=18961
- Tanttila, W.H. See Verber, C.M., 2=6701
- Tanuma, S. Concentration dependence of electrical properties of bismuth-antimony alloys, 2=4029
- Tanuma, S. Thermoelectric power of bismuth-antimony alloys, 2=4029
- Tanuma, S. See Tanaka, K., 2=3989
- Tanzawa, H. See Yoshino, T., 2=13330

O,K.,Asai,J.,Sakurazawa,A.,Sawaji,K. and Yamaoka,M. Results of long experiments on long-distance (1100 km) propagation in vhf bands, 2=11805

O,L.C. General equations for testing consistency of multicomponent vapor-liquid equilibrium data, 2=15819

Oppen,G. See Clarke,F.J.P., 2=3972

Orlovskii,B.D. See Rybak,S.A., 2=15672

Orlov,A.Ya. See Deineko,A.S., 2=16099

Orlov,A.Ya. See Val'ter,A.K., 2=16395

Orlov,G.D. See Nozdrev,V.F., 2=15584

Orlov,E.K. See Orlov,Yu.F., 2=1535

Orlov,E.K. See Orlov,Yu.E., 2=1536

Orlov,E.K. See Vladimirovskii,V.V., 2=20081

Orlov,K.I. A crossed-dispersion spectrograph built on a new optical design, 2=17612

Orlov,V.I. See Nikitin,E.N., 2=8453

Orlov,V.I. See Nikitin,E.N., 2=14593

Orlov,Yu.I. See Ivanov,A.G., 2=12865

Orlov,Yu.I. See Ivanov,A.G., 2=14904

Orlovova,G.P. Methods of numerical solution of equations of finite differences and their application to calculation of orbits of artificial earth satellites, 2=9120

Orszag-Hornoch,A. Report of the Nagycenk Observatory (Hungary) on the results of earth-current recordings in the year 1959, 2=4587

Orszag,G.E. and Hendrickson,A.A. Yield points in Ag base Zn solids solutions, 2=14888

Orszag,M. See Sterk,E., 2=23945

Orszag,V.B. See Srikanta,S., 2=10898

Orszag,G. See Misra,B., 2=21836

Orszag,N. An axiomatic approach to the theory of renormalization, 2=20247

Orszag,I. See Somló,A., 2=18752

Orszag,I. See Turchányi,G., 2=14961

Orszag,P. See Cutkosky,R.E., 2=13827

Orszag,D.V. See Kazarinov,N.M., 2=16094

Orszag,D.V. See Vitovskii,N.A., 2=18028

Orszag,Yu.P. See Murin,A.N., 2=18605

Orszag,T. See Pál,L., 2=16902

Orszag,T.H. Vowel formant bandwidths and synthetic vowels, 2=21750

Orszag,E.C. See Kompanek,A.J., Jr., 2=12262

Orszag,X. Study of the (α ,n) reactions on thorium bombarded by 155 MeV protons, 2=10110

Orszag,X. See Brun,C., 2=12191

Orszag,X. See Brun,C., 2=18112

Orszag,X. See Lefort,M., 2=12190

Orszag,P. See Catalá,J., 2=16102

Orszag,J. See Blankenbecler,R., 2=3326

Orszag,J. See Cook,L.F., Jr., 2=2595

Ortakovskii,B.D. The spherical aberration of solid sound focussing lenses, 2=74

Ortakovskii,B.D. The phase jump at the focus of spherical beams of sound, 2=5107

Ortakovskii,B.D. The spherical aberration of solid sound focusing lenses, 2=7297

Ortakovskii,B.D. See Maslov,V.P., 2=5096

Ortakovskii,B.D. See Rybak,S.A., 2=15688

Ortakovskii,B.D. See Rybak,S.A., 2=21964

Ortakovskii,V.K. The polarization of nucleons formed during diffraction splitting of a deuteron, 2=5635

Ortakovskii,V.K. See Sitenko., 2=5958

Ortakovskii,V.K. Diffraction scattering of spin-1 particles, 2=7823

Ortakovskii,V.K. Effect of the choice of the deuteron wave-function on the magnitude of the stripping cross-sections and the diffraction splitting, 2=8006

Ortakovskii,V.K. See Sitenko,O.G., 2=8004

Orte,P. and Ringwood,A.E. Infrared spectrum of the spinels Ni_2SiO_4 , Ni_2GeO_4 and their solid solutions, 2=12603

Orui,Y. and Denda,S. Investigation of resistor and capacitor elements in a germanium solid circuit, 2=8388

Orzimanov,A.A. Heat conduction of monatomic gases, 2=11424

Orsman,H.A. and Babeliowsky,T.P.J.H. Influence of the temperature of the condensing wall on the pumping speed of a glass mercury diffusion pump, 2=19627

Orsman,H.A. See Berkowitz,J., 2=13534

Orsman,S.,Hellsten,A. and Sailor,V.L. Low-energy neutron resonances in Eu^{151} , 2=5938

Orsman,S. See Sher,R., 2=5937

Orsman,L.J. Scattering of alpha-particles by a vibrational nucleus, 2=18356

Orsman,L.J. and Peshkin,M. Symmetry theory of the Aharonov-Bohm effect: quantum mechanics in a multiply connected region, 2=1068

Orsman,L.J. See Lipkin,H.J., 2=9477

Tassoul,J. Gravitational instability of a uniformly rotating protogalaxy, 2=21732

Tatarenkov,V.M. See Strakhovskii,G.M., 2=16571

Tatarinskaya,L.S. See Belousov,A.S., 2=3382

Tatarskii,V.I. Application of quantum field theory methods to the problem of decay of homogeneous turbulence, 2=17416

Tătaru,E. See Pascalaú,M., 2=9403

Tatevskii,V.M.,Koptev,G.S. and Mal'tsev,A.A. Vibrational spectra of the B_2O_3 and B_2S_3 molecules, 2=10243

Tatevskii,V.M. See Mal'tsev,A.A., 2=1998

Tatevskii,V.M. See Rubin,A.D., 2=1271

Tatevskii,V.M. See Shenyavskaya,E.A., 2=18459

Tatischeff,B. See De Bouard,X., 2=438

Tatischeff,B. See De Bouard,X., 2=3566

Tatsumoto,E.,Kamigaichi,T.,Fujiwara,H.,Kato,Y. and Tange,H. Effect of high pressures on the intrinsic magnetization of iron, nickel and cobalt, 2=14771

Tatsumoto,E.,Tange,H. and Okamoto,T. Ordinary magnetoresistance effect in silicon iron, 2=8287

Tatsumoto,E. See Goto,M., 2=8641

Tatsumoto,E. See Okamoto,T., 2=21103

Tatsuzaki,I. Electron paramagnetic resonance of $(\text{NH}_4)_2\text{Cd}_2(\text{SO}_4)_3$: Mn^{2+} , 2=12813

Tattersall,H.G. See Clarke,F.J.P., 2=8752

Tatu,V. Spectrophotometric determination of the radioactive lifetime of ^{65}Zn , 2=5853

Tatu,V. See Drăgănescu,V., 2=5182

Tatu,V. See Drăgănescu,V., 2=7381

Tau,L. See Sacerdoti,G., 2=20299

Taub,A.H. Approximate stress energy tensor for gravitational fields, 2=15

Taub,I.A. See Dorfman,L.M., 2=10965

Taub,I.A. See Dorfman,L.M., 2=15161

Taube,H. See Katakis,D., 2=4548

Taube,H. See Lewis,W.B., 2=5029

Taube,M. A proton process as a source of "bypassed nuclides" 2=1972

Taube,M. Plutonium fused salts fuels for fast breeder reactor:nuclear and chemical criterion, 2=8051

Taubenheim,J. Information on the ionizing radiation of solar flares from the ionospheric absorption effect, 2=11054

Taubenheim,J. Ionospheric investigations of the X-rays from solar flares, 2=17164

Taubenheim,J. See Nestorov,G., 2=21649

Tauber,A.,Savage,R.O.,Gambino,R.J. and Whinfrey,C.G. Growth of single-crystal hexagonal ferrites containing Zn, 2=14938

Tauber,A.,Whinfrey,C.G. and Banks,E. The crystal chemistry of some germanium garnets, 2=2369

Tauber,G.E. Transport phenomena in germanium and silicon, 2=14543

Taubert,R. Initial energy in the framework of the statistical theory of the mass spectrum, 2=9655

Taubert,R. See Kaul,W., 2=9534

Tauc,J. and Abrahám,A. Optical investigation of the band structure of Ge-Si alloys, 2=2215

Tauc,J. See Štourač,L., 2=23415

Tauchi,S. An evidence for the existence of a diffusion layer in the melting process of semiconductors, 2=2188

Tauchi,S. Diffusion of impurities in the semi conductor melt, 2=6477

Taurel,L. and Lauginie,P. A study of the growth with time of a monocrystal of glycine sulphate, 2=4094

Tausend,A. See Gobrecht,H., 2=4122

Tausend,A. See Gobrecht,H., 2=8374

Tausend,A. See Gobrecht,H., 2=23406

Tausend,A. See Gobrecht,H., 2=23407

Taushkanova,L.B. See Bundel',A.A., 2=14734

Tausner,M. See Federbush,P.G., 2=11986

Tauster,S. See Brill,R., 2=15138

Tavendale,A.J. Effect of ion recombination luminescence on the linearity of energy response of gas scintillation counters, 2=3207

Tavendale,A.J. Characteristics of a boron-coated proportional neutron counter in the corona zone, 2=5689

Tavendale,A.J. Columnar recombination luminescence in argon-nitrogen mixtures, 2=9320

Tavendale,A.J. Characteristics of an alpha particle corona-streamer counter in air, 2=20445

Tavernier,J. The equation of heat conduction, 2=7434

Tavernier,J. Thermal conduction in solids, 2=20944

Tavernier,N. See Pannetier,G., 2=20818

Tavkelidze,A.N. See Arbusov,B.A., 2=22450

Tavkhelidze,A.N. See Logunov,A.A., 2=9775

Tavkhelidze,A.N. See Logunov,A.A., 2=20246

Tawde,N.R. and Katti,M.R. Comments on "potential energy function for diatomic molecules", 2=20768

- Tawde, N.R. and Korwar, V.M. Franck-Condon factors and r-centroids for the aluminium monoxide $A^2\Sigma^+ - X^2\Sigma^+$ band system, 2=20794
- Tawde, N.R., Sreedhara Murthy, N. and Hegde, S. Efficacy of the parabolic interpolation technique in the derivation of molecular constants, 2=12323
- Taylor, A. Low temperature internal friction in monocrystalline lithium fluoride, 2=21413
- Taylor, A., Kagle, B.J. and Beiter, E.W. Geometrical representation and X-ray fluorescence analysis of ternary alloys, 2=2394
- Taylor, A. See Blaugher, R.D., 2=7522
- Taylor, A. See Goetze, G.W., 2=8810
- Taylor, A.E. See Cocconi, G., 2=5639
- Taylor, A.E. See Cocconi, G., 2=10095
- Taylor, A.E. See Cocconi, G., 2=22503
- Taylor, A.E. See Diddens, A.N., 2=20331
- Taylor, A.E. See Diddens, A.N., 2=20335
- Taylor, A.E. See Diddens, A.N., 2=20336
- Taylor, A.M. The Institute of Physics and the Physical Society's Annual Exhibition, London, January, 1962, 2=11237
- Taylor, A.W.B. Dispersion relations for superconductors, 2=5236
- Taylor, B. See Price, E.G., 2=21096
- Taylor, B.T. See Bishop, K.F., 2=2467
- Taylor, C.A. See Harburn, G., 2=15008
- Taylor, C.G. Some properties of unsupported sprayed zinc films, 2=2427
- Taylor, D. Nuclear electronics, 2=7534
- Taylor, E.H. Irradiation effects on catalysts, 2=6886
- Taylor, F.E. See Brooke, G., 2=20466
- Taylor, F.E. See Gardener, M., 2=20480
- Taylor, F.E. See Jones, D.G., 2=20470
- Taylor, F.L. See Vargo, D.J., 2=22183
- Taylor, G.A. and Porter, G.B. Kinetics of excited molecules. IV. Unimolecular dissociation of ketene, 2=6230
- Taylor, G.E. The apparent shape of Jupiter, Saturn, Saturn's rings and circular satellite orbits, 2=4743
- Taylor, G.E. The diameters of minor planets, 2=21704
- Taylor, H.W. See Whyte, G.N., 2=3493
- Taylor, J.B. and Roberts, K.V. Rotational transforms in a toroidal fast compression experiment, 2=19970
- Taylor, J.B. See Roberts, K.V., 2=17942
- Taylor, J.C. Electromagnetic transitions between vector mesons, 2=22543
- Taylor, J.C. See Coles, B.R., 2=8277
- Taylor, J.C. See Loasby, R.G., 2=625
- Taylor, J.C. See Olive, D.I., 2=13738
- Taylor, J.G. Analyticity and crossing for partial waves, 2=257
- Taylor, J.G. and Truong, T.N. The low-energy two-pion problem, 2=20388
- Taylor, J.G.V. The total internal conversion coefficient of the 279 keV transition following the decay of Hg^{203} as measured by a new coincidence method, 2=10064
- Taylor, J.G.V. and Merritt, J.S. Branching ratio in the decay of Be^{7*} , 2=18298
- Taylor, J.G.V. See Merritt, J.S., 2=22753
- Taylor, J.R. Analyticity of the positions and residues of Regge poles, 2=20260
- Taylor, K.N.R. Thermal expansion of bismuth telluride, 2=3846
- Taylor, K.N.R. The operation of crystal counters with non-uniform electric field distribution, 2=11832
- Taylor, L.A. The evaluation of worth of cylindrical control rods in reflected cylindrical cores with particular reference to the O.M.R., 2=6033
- Taylor, L.S. Conductivity of slightly ionized gases, 2=1208
- Taylor, L.S. R.F. reflectance of plasma sheaths, 2=5486
- Taylor, L.S. See Theimer, O., 2=2501
- Taylor, M.A. The magnetic susceptibilities of aluminium-rich transition metal intermetallic compounds, 2=2270
- Taylor, M.A. and Smith, C.H.L. The electrical resistivity of vanadium and vanadium-chromium solid solutions, 2=10437
- Taylor, M.H. See Konowalow, D.D., 2=1976
- Taylor, M.J. See Sanders, J.H., 2=20743
- Taylor, M.M. Geometry of a visual illusion, 2=11223
- Taylor, M.T. See Mackinnon, L., 2=12377
- Taylor, M.T. See Rose, F.E., 2=18559
- Taylor, N.W. Foveal vision: dependence of threshold energy on the visual angle of a circular target, 2=15434
- Taylor, N.W. and Bailey, V.A. Five-dimensional cosmology and the hypothesis of negatively charged stars, 2=15295
- Taylor, P.L. The inelastic scattering of electrons at impurities in metals, 2=21099
- Taylor, R. See Lehmann, P., 2=11933
- Taylor, R. See Lehmann, P., 2=22486
- Taylor, R.B. See Carver, J.H., 2=20506
- Taylor, R.B. See Fenton, A.G., 2=3447
- Taylor, R.C. See Palmer, C.E., 2=2475
- Taylor, R.D. See Craig, P.P., 2=21294
- Taylor, R.D. See Frauenfelder, H., 2=12125
- Taylor, R.D. See Nagle, D.E., 2=4216
- Taylor, R.E. See Dudelzak, B., 2=431
- Taylor, R.L. and Herskovitz, S.B. A plasma microwave energy detector, 2=5497
- Taylor, R.L. See Camm, J.C., 2=1180
- Taylor, R.T. See Ashmore, A., 2=18118
- Taylor, R.T. See Grace, M.A., 2=22731
- Taylor, T.C. and Bardsley, C.J. The selective melting of germanium thermal radiation, 2=9462
- Taylor, T.D. See Acrivos, A., 2=9423
- Taylor, T.I. See Rush, J.J., 2=6249
- Taylor, T.I. See Rush, J.J., 2=18460
- Taylor, T.I. See Safford, G.J., 2=7866
- Taylor, T.T. Effect of quadrupolar polarizability upon field gradient in tetragonal lattices, 2=16584
- Taylor, T.T. See Hewitt, R.R., 2=4296
- Taylor, W. See Smith, S.D., 2=14688
- Taylor, W.C. Analysis of radio signal interference effects due to ionized layer around a re-entry vehicle, 2=4883
- Taylor, W.C. Analysis and prediction of radio signal interference effects due to ionized layer around a re-entry vehicle, 2=11209
- Tazzari, S. See Beneventano, M., 2=22558
- Tchernogorova, W.A. See Yeffseyev, W.S., 2=14122
- Teale, R.W. Microwave resonance linewidth in single crystals of cobalt-substituted manganese ferrite, 2=12804
- Teale, R.W. and Tweedale, K. Ytterbium-ion relaxation in ferri-magnetic resonance, 2=21356
- Teaney, D.T. See Heeger, A.J., 2=2305
- Teaney, D.T. See Montgomery, H., 2=23689
- Teare, J.D. See Camm, J.C., 2=1180
- Teare, J.D. See Kivel, B., 2=2757
- Teare, J.D. See Wray, K.L., 2=15134
- Tebble, R.S. See Oxley, D.P., 2=14812
- Tebble, R.S. See Taniguchi, S., 2=4209
- Teboul, M. See Savelli, M., 2=16736
- Teboul, M. See Savelli, M., 2=16737
- Teboul, M. See Savelli, M., 2=18713
- Tech, J.L. and Corliss, C.H. Wavelengths and intensities in the first spectrum of Bromine, 2000 to 13 000 Å, 2=3693
- Tedford, D.J. and Blair, D.T.A. The rise-time of pre-breakdown current pulses in nitrogen and air, 2=7587
- Teeg, R.O. and Ogilvie, R.E. Effect of orientation and temperature on the modes of deformation of uranium, 2=4322
- Teegarden, K. See Nakai, Y., 2=8426
- Teeles, W. and Sutcliffe, J.M. Further studies of small angle X-ray scattering by pile-irradiated graphite, 2=23156
- Tefft, W.E. and Spinner, S. Cross-sectional correction for computing Young's modulus from longitudinal resonance vibrations of square and cylindrical rods, 2=15504
- Tegart, W.J.McG. See Hardwick, D., 2=2320
- Tegledi, V.L. See Lathrop, J.L., 2=1975
- Teichner, W.H. See Reilly, R.E., 2=7077
- Teiger, J. See Seguinot, J., 2=3405
- Teikhan, Yu. Vertical field gradient accelerators, 2=20071
- Teillac, J. See Garron, J.P., 2=1895
- Teillac, J. See Garron, J.P., 2=20625
- Teiss, L.A. See Klement, F.D., 2=14722
- Teitler, S. Driven classical system and characteristic functions, 2=2
- Teitler, S. See Palik, E.D., 2=23129
- Tejera, A., Mazari, M., Jádár, A. and López, G. Remeasurement of Q_{α} values in nuclear reactions between light elements, 2=5881
- Tekster-Proskuryakova, G.N. See Sheftel', I.T., 2=8370
- Tekster-Proskuryakova, G.N. See Sheftel', I.T., 2=8371
- Telbisz, F. See Sándor, T., 2=9975
- Telbisz, F. See Sándor, T., 2=12101
- Telegadas, K. See Machta, L., 2=16340
- Telegdi, V.L. Present experimental evidence for a Fermi interaction in muon capture, 2=13839
- Telegdi, V.L. See Charpak, G., 2=1700
- Telegdi, V.L. See Cramer, W.A., 2=13840
- Telegdi, V.L. See Culligan, G., 2=5949
- Telegdi, V.L. See Dick, L., 2=22490
- Telegdi, V.L. See Lundy, R.A., 2=20659
- Telegin, G.S. See Zubarev, V.N., 2=7192
- Telegin, G.S. See Zubarev, V.N., 2=13320
- Telesnin, R.V., Al'meneva, D.V. and Pogozhev, V.A. Investigation of the temperature dependence of some magnetic properties of gadolinium, 2=18898

- eslesnin, R.V., Efimova, A.M. and Yus'kaev, R.A. Temperature dependence of the static magnetic and electrical properties of some ferrites with garnet structure, 2=16920
 eslesnin, R.V. See Nikitina, T.N., 2=19864
 elfair, D. and Brooks, J.T. Motion subject to a central force: An apparatus for demonstrating orbital stability, 2=17389
 el'kovskii, V.G. See Gott, Yu.V., 2=9601
 ellegen, B.D.H. Magnetic-dipole models, 2=20087
 eller, E. On the speed of reactions at high pressures, 2=6873
 elyatnyk, A.I. and Shul'ha, S.Z. Effect of oxygen on the electron paramagnetic resonance of some coals at low temperature, 2=18481
 emesvary, S. The influence of the hydrogen convective zone on the internal constitution of stars, 2=996
 emkin, A. Nonadiabatic theory of electron-hydrogen scattering, 2=10217
 emkin, A.G. Inverse problems of heat, conduction in a symmetrical field, 2=9426
 emkin, A.G. Inverse problems of thermal conduction of an asymmetrical field, 2=9428
 emmer, G.M. On the possibility of resonant transfer processes in nuclear reactions, 2=14069
 emmer, G.M. See Adams, H.S., 2=1878
 empel'man, A.A. An ergodic theorem for random fields which are uniform in the broad sense, 2=21838
 emperley, H.N.V. and Fisher, M.E. Dimer problem in statistical mechanics. An exact result, 2=35
 empest, W. See Holmes, R., 2=6146
 empleton, D.H. See Margulis, T.N., 2=15039
 empleton, D.H. See Strieter, F.J., 2=17027
 empleton, D.H. See Zalkin, A., 2=19078
 empleton, I.M. The use of superconductive devices in research at low temperatures, 2=5247
 empleton, I.M. See MacDonald, D.K.C., 2=6508
 empleton, I.M. See MacDonald, D.K.C., 2=6509
 empleton, I.M. See MacDonald, D.K.C., 2=22105
 empleton, L. See Langer, G., 2=4570
 empus, P. See Graf, P., 2=20535
 endam, D.J. and McLeod, R.R. Production of instructional films with university facilities, 2=13233
 endam, D.J., McLeod, R.R. and Snow, R.E. An experimental evaluation of the use of instructional films in college physics, 2=17335
 endam, D.J. See Plough, W.D., 2=497
 enisheva, T.F. See Lazarev, A.N., 2=8834
 enisheva, T.F. See Lazarev, A.N., 2=16837
 enner, A.G. See Cork, B., 2=18113
 eodorescu, G. See Gheorghita-Oancea, C., 2=2441
 eodorescu, G. See Gheorghita-Oancea, C., 2=6424
 eodorescu, I. See Gheorghita-Oancea, C., 2=2441
 eodorescu, I. See Lăbușcă, E., 2=6763
 eodorescu, I. See Lăbușcă, E., 2=23935
 eodorescu, I. See Lungu, S.N., 2=6783
 eodorescu, I. See Motoc, C., 2=6849
 eodorescu, I. See Moțoc, C., 2=8265
 eodoresku, I. and Glants, G. Electron diffraction study of thin silver films oxidized by heating or irradiation, 2=12959
 eodoresku, I., Makovei, M. and Teodoru, V. Increasing the energy range of the "U-120" cyclotron, 2=11743
 eodoru, V. See Teodoresku, I., 2=11743
 epley, L.R. and Wentworth, R.C. Hydromagnetic emissions, X-ray bursts, and electron bunches. I. Experimental results, 2=24061
 epley, L.R. See Wentworth, R.C., 2=24062
 eplov, I.B. A possible explanation of the variation of the differential cross-section for the reactions (p, α) and (α, p) in the large-angle region, 2=7980
 eplov, I.B., Dmitriev, I.S., Teplova, Ya.A. and Shevchenko, O.P. Investigation of the angular distributions of α -particles from the $Li^{17}(p, \alpha)He^4$ reaction, 2=10100
 eplov, I.B. See Sukharevskii, V.G., 2=5963
 eplova, Ya.A. See Dmitriev, I.S., 2=9535
 eplova, Ya.A. See Dmitriev, I.S., 2=15892
 eplova, Ya.A. See Nikolaev, V.S., 2=163
 eplova, Ya.A. See Nikolaev, V.S., 2=22168
 eplova, Ya.A. See Teplov, I.B., 2=10100
 eplova, Yu.A., Nikolaev, V.S., Dmitriev, I.S. and Fateeva, L.N. Slowing down of multi-charged ions in solid and gaseous media, 2=7674
 eplyakov, P.O. Phosphorescence spectra of phenanthrene solutions, 2=18876
 eplyakov, P.O. and Grosul, V.P. Phosphorescence spectra of benzoic and sulphobenzoic acids in nonane, 2=18877
 erada, K. and Cagle, F.W., Jr. The solid solution of mercury in palladium, 2=4473
 erada, M. See Sugata, E., 2=11706
 Terada, M. See Tsuboi, M., 2=6581
 Ter-Akop'yan, G.M. See Polikanov, S.M., 2=16442
 Teramoto, I. and Takayanagi, S. Behavior of gold in cadmium telluride crystals, 2=21062
 Teramoto, I. See Inoue, M., 2=19044
 Teranishi, E. Study of the $Be^9(p, n)Be^9$ reaction cross-section from the threshold to 2.85 MeV, 2=16411
 Teranishi, E., Furubayashi, B., Kageyama, M., Michikawa, T. and Inoue, Y. Resonances of the $V^{51}(p, n)Cr^{51}$ reaction, 2=12187
 Terasawa, T. See Kawai, M., 2=12185
 Teregulov, I.G. Variational methods in nonlinear theory of elasticity, 2=13286
 Teregulov, I.G. Variational methods in nonlinear theory of elasticity, 2=19480
 Terenin, A. and Akimov, I. On the mechanism of the optical sensitization of semiconductors by organic dyes, 2=6488
 Terenin, A.N. See Akopyan, M.E., 2=156
 Terenin, A.N. See Akopyan, M.E., 2=9528
 Terenin, A.N. See Kurbatov, B.L., 2=9527
 Terenin, A.N. See Myl'nikov, V.S., 2=23371
 Terent'ev, B.M. and Ryabukhin, Yu.S. Absorption of gamma rays in infinite systems, 2=5600
 Tereshchenko, A.I., Korobkin, V.A. and Kovtun, N.M. On the possibility of increasing the tuning range of a rectangular cavity by means of a ferrite, 2=20145
 Tereshchenko, A.I. See Kovtun, N.M., 2=7758
 Tereshchenko, V.I. See Zvonov, N.V., 2=18384
 ter Haar, D. On the use of Green functions in perturbation theory. I, 2=17360
 ter Haar, D. and Lines, M.E. A molecular-field theory of anisotropic ferromagnetics, 2=6665
 ter Haar, D. and Lines, M.E. A spin-wave theory of anisotropic antiferromagnetics, 2=23688
 ter Haar, D. and Parry, W.E. On determining excitation energies from the poles of Green functions, 2=15497
 ter Haar, D. and Wergeland, H. On the use of Green functions in perturbation theory. II, 2=17361
 ter Haar, D. See Doman, B.G.S., 2=21304
 ter Haar, D. See Jeppen, D.W., 2=1104
 ter Haar, D. See Kenworthy, D.J., 2=1332
 ter Haar, D. See Kenworthy, D.J., 2=13511
 ter Haar, D. See Tahir-Kheli, R.A., 2=16898
 ter Haar, D. See Tahir-Kheli, R.S., 2=16899
 Terhune, R.W., Maker, P.D. and Savage, C.M. Optical harmonic generation in calcite, 2=14666
 Terhune, R.W. See Maker, P.D., 2=8512
 Terlecki, J. Measurement of the mobility of negative ions in saturated hydrocarbon liquids with high electric fields, 2=13545
 Terman, L.M. Spectral response of solar-cell structures, 2=10544
 Terman, L.M. An investigation of surface states at a silicon/silicon oxide interface employing metal-oxide-silicon diodes, 2=23435
 Ter-Mikaelyan, M.L. See Alikhanyan, A.I., 2=3295
 Terminasov, Yu.S. See Kuznetsov, A.V., 2=847
 Terminasov, Yu.S. See Kuznetsov, A.V., 2=2437
 Terminasov, Yu.S. See Kuznetsov, A.V., 2=4406
 Terminasov, Yu.S. See Kuznetsov, A.V., 2=19124
 Ter Minassian-Saraga, L. and Luzzati, A. Influence of adsorption layers of ionized molecules on the intensity of the α -radiation emitted by aqueous solutions of polonium chloride [preliminary study], 2=17453
 Ter-Mkrtich' Yan, L.N. Some problems in the theory of elasticity of nonhomogeneous elastic media, 2=17387
 Turner, E. Shock-tube experiments involving phase changes, 2=15633
 Ternov, I.M., Loskutov, Yu.M. and Korovina, L.I. The possibility of polarization of an electron beam due to relativistic radiation in a magnetic field, 2=214
 Ternov, I.M. See Sokolov, A.A., 2=3135
 Terol, S. and Otero, M.J. Anhydrous zinc borate as a host crystal in luminescence, 2=2254
 Terol, S. and Otero, M.J. Luminescence of anhydrous zinc borate. III. Activation of cubic borate with As, Sb, and Bi, 2=6619
 Terrani, M. See Corno, S., 2=12245
 Terrani, S. See Accinri, F., 2=16456
 Terreaux, C. Isobaric space operators from a generalized factorization of the restricted Lorentz group, 2=16127
 Terrell, J. Neutron yields from individual fission fragments, 2=18369
 Terrien, J. and Hamon, J. Measurement of difference of shape between the two wave surfaces in a Michelson interferometer, 2=15742
 Tertoolen, J.F.W. and Buijze, C. Packing of liquids for irradiation in nuclear reactors, 2=20731
 Tesch, K. Scattering of 14 MeV neutrons on boron, carbon and sulphur, 2=22820
 Tesch, K. See Grässler, H., 2=3359

AUTHOR INDEX

- Teslyuk, M.Yu. See Gladyshevskii, E.I., 2=4466
- Tesoriere, G. and Barbaro, D. The use of extensometers to measure deformations in a viscous elastic material, 2=10755
- Tessem, B.M. See Nicholas, M.E., 2=1126
- Testard, D. See Garron, R., 2=1476
- Testard, D. See Garron, R., 2=22242
- Testardi, L.R., Bierly, J.N., Jr. and Donahoe, F.J. Transport properties of p-type Bi_2Te_3 - Sb_2Te_3 alloys in the temperature range 80-370°K, 2=23372
- Testardi, L.R. See Sehr, R., 2=23510
- Testerman, M.K. See Turpin, M.R., 2=10933
- Testoni, J.E. See Mayo, S., 2=20666
- Tetelman, A.S. Dislocation dipole formation in deformed crystals, 2=21022
- Tetelman, A.S. See Wagner, C.N.J., 2=23840
- Tetsch, H. See Eckart, F., 2=12542
- Tettamanzi, N. See Nardelli, G.F., 2=12372
- Teucher, M.W. See Lohrmann, E., 2=20377
- Teutonico, L.J. Moving edge dislocations in cubic and hexagonal materials, 2=6329
- Teutonico, L.J. Uniformly moving dislocations of arbitrary orientation in anisotropic media, 2=16658
- Teutonico, L.J., Granato, A.V. and Lücke, K. Theory of the thermal breakaway of a pinned dislocation line with application to damping phenomena, 2=21020
- Teutsch, H. A nomogram for neutron time-of-flight spectrometry, 2=13821
- Teutsch, H., Mateescu, N., Pirlogea, P., Rădulescu, C., Timiş, P. and Vasiliu, V. Features of the curved-slit neutron chopper of Institute for Atomic Physics at Bucharest, 2=5694
- Teutsch, H., Mateescu, N., Pirlogea, P., Rădulescu, C., Timiş, P. and Vasiliu, V. Characteristics of the neutron chopper with curved slits of the Institute of Atomic Physics, Bucharest, 2=5695
- Teutsch, H., Mateescu, N. and Timiş, P. Determination of the total cross-section of lead for cold neutrons, 2=20353
- Teutsch, H., Mateescu, N. and Timiş, P. Measurement of the absorption cross-section of gold for thermal neutrons, 2=22823
- Teutsch, H. The curved slit neutron chopper, 2=9872
- Tevikyan, R.V. Spectral representations of matrix elements, 2=15451
- Tewary, V.K. See Ahmed, M., 2=15313
- Tewary, V.K. See Jain, A., 2=5838
- Tewes, S. See Harris, M.F., 2=17129
- Tewes, H.A. See Bonner, N.A., 2=16341
- Tewordt, L. Lifetimes of quasi-particles and phonons in a superconductor at zero temperature, 2=17724
- Thach, R.E. See Tobolsky, A.V., 2=19555
- Thaddeus, P. and Novick, R. Optical detection of level crossing in the $(5s5p)^3P_1$ state of Cd^{11} and Cd^{113} , 2=14193
- Thaker, B.M. See Shah, G.Z., 2=16393
- Thaller, L.H. See Schalla, R.L., 2=16696
- Thalmayer, C.E. See Kleppa, O.J., 2=2716
- Thambyahpillai, T. See Mathews, T., 2=3439
- Thams, J.C. See Junod, A., 2=23999
- Thanalakshmi, R. See Venkateswarlu, K., 2=20828
- Thankappan, V.K. Electromagnetic transition in P^{31} , 2=22743
- Thankappan, V.K. and Pandya, S.P. Collective vibration in even-even nuclei, 2=1784
- Thaper, C.L. See Duggal, V.P., 2=3367
- Tharmalingam, K. See Rodriguez, S., 2=23057
- Thart, J. See Schouten, J.F., 2=11219
- Thaxton, H.M. Minimum and maximum velocity of Lamb waves in quartz plates, 2=9338
- Theimer, O. and Canfield, J. Theoretical analysis of light scattering by irregular dislocation networks, 2=6554
- Theimer, O. and Gentry, R. New method for determining the thermodynamic functions of dense gases and plasmas, 2=5330
- Theimer, O. and Taylor, L.S. On the index of refraction in the ionosphere, 2=2501
- Theimer, O. and Theimer, R. Modified bond moment theory for the spectroscopic determination of the C-H bond moment, 2=12339
- Theimer, R. See Theimer, O., 2=12339
- Theis, W.R. Sign of the electric form factor of the neutron, 2=5643
- Thelen, A. See Cox, J.T., 2=19678
- Thelen, J. Backward wave oscillations in a waveguide containing a plasma in an axial magnetic field, 2=15938
- Then, J.W. Experimental study of the motional electromotive force, 2=13656
- Thenard, J. See Amram, Y., 2=10115
- Theobald, J.G. and Ubersfeld, J. Double modulation experiments in electronic resonance, 2=5499
- Theurer, H.C. See Pfann, W.G., 2=16991
- Thibault, C. See Perrin, A., 2=20640
- Thibault, R. Zemplén's theorem in magnetohydrodynamics, 2=22314
- Thie, J.A. Failure of neutron transport approximations in small cells in cylindrical geometry, 2=6013
- Thieberger, P. Wide range time to pulse height converter, 2=11586
- Thieberger, P. and Bergström, I. Use of cathode ray tubes in pulse-height spectroscopy, 2=2972
- Thieberger, P., Bonacalza, E.C.O. and Ryde, H. Experimental study of the influence of non-proportional response of NaI(Tl) scintillation crystals upon the energy resolution for gamma rays, 2=9815
- Thieberger, P., Bonacalza, E.C.O. and Ryde, H. Experimental determination of the influence of non-proportional response of NaI(Tl) crystals upon the resolution of scintillation detectors, 2=11827
- Thieberger, P. See Alväger, T., 2=12175
- Thieberger, P. See Bergström, I., 2=3482
- Thieberger, P. See Bergström, I., 2=10021
- Thieberger, P. See Bergström, I., 2=12121
- Thieberger, P. See Bonacalza, E.C.O., 2=10061
- Thiede, H. Optimum frequency in (sea) water sonar procedures, 2=7
- Thiel, E. and Krempel, H. Investigation of direct current arcs maintained at constant plasma-temperature for spectrochemical analysis, 2=17631
- Thiel, H. See Möhling, W., 2=597
- Thiel, H. See Möhling, W., 2=18585
- Thiel, H.J. See Hellwege, K.H., 2=20936
- Thiel, M. Van. See Van Thiel, M.
- Thiele, E. Comparison of the classical theories of unimolecular reactions, 2=8907
- Thielheim, K.O. Observation on the interpretation of jets, 2=18205
- Thies, J. See Dörr, F., 2=10277
- Thiesbürger, K. See Karolus, A., 2=19643
- Thiessen, G. On the work of A. Behr: 'Remarks on the origin of polarization of starlight', 2=13152
- Thiessen, G.J. See Embleton, T.F.W., 2=13403
- Thiessen, G.J. See Embleton, T.F.W., 2=15710
- Thiessen, K. The recombination of current carriers in semiconductors for arbitrary concentration of recombination centres, 2=632
- Thiessen, K. and Hornung, H. Measurement of an inhomogeneous distribution of recombination centres in germanium by use of photoconductivity and the photoelectromagnetic effect, 2=2334
- Thiessen, K. and Jungk, G. Photo e.m.f. due to impurity and intrinsic excitation in CIS, 2=10539
- Thiessen, K. See Jungk, G., 2=4069
- Thiessen, P.A., Kuhk, E. and Siegling, W. Processes of electrical charging caused by mechanical working of metal surfaces, 2=52
- Thiessen, P.A. and Stolpe, C. Observations of the phase formation in sputtering of metals, 2=8880
- Thirion, J., Beurtey, R. and Papineau, A. Present state of a source of polarized protons and deuterons, 2=5750
- Thirion, J. See Beurtey, R., 2=20073
- Thirion, J. See Chaminade, R., 2=494
- Thirion, J. See Chaminade, R., 2=1923
- Thirriot, C. and Trivellato, D. A simplified numerical method of calculating intumescence utilizing only one system of coordinates, 2=19520
- Thirring, H. The path of theoretical physics from Newton to Schrödinger, 2=9139
- Thirring, W. Lagrangian formulation of the Zachariasen model, 2=11867
- Thirring, W. See Bauman, K., 2=1047
- Thirring, W. See Schwabl, F., 2=17721
- Thirring, W.E. An alternative approach to the theory of gravitation, 2=1050
- Thirring, W.E. Models for compound particles, 2=9770
- Thirugnanasambandam, P. See Venkateswarlu, K., 6133
- Thirugnanasambandam, P. See Venkateswarlu, K., 6134
- Thirugnanasambandam, P. See Venkateswarlu, K., 2=10236
- Thiry, H. New method for measuring the sharpness of photographic emulsions, 2=17660
- Thiry, H. See Hautot, A., 2=15754
- Thom, F. A liquid-level indicating apparatus for liquefied gases, 2=11226
- Thomaes, G., van Steenwinkel, R. and Stone, W. The second virial coefficient of two gas mixtures: (I) Methane-argon, (II) Neon-krypton, 2=15640
- Thomaes, G. and van Steenwinkel, R. The difference between the second virial coefficients of isotopic methanes at low temperatures, 2=15641
- Thomaes, G. and von Steenwinkel, R., 2=5055
- Thomas, A.M. See Botty, M.C., 2=21576

- Thompson, B.N. On the extension of the low-chromosphere model to the region of origin of the U.V. solar spectrum, 2=17279
- Thompson, D.E. See Chynoweth, A.G., 2=4050
- Thompson, D.G. and Hopfield, J.J. Bound exciton complexes, 2=2068
- Thompson, D.G. See Dietz, R.E., 2=16861
- Thompson, D.G. See Hopfield, J.J., 2=23527
- Thompson, D.G. See McSkimin, H.J., 2=2313
- Thompson, D.K. See Charlesby, A., 2=18503
- Thompson, D.W. See Lehrle, R.S., 2=20053
- Thompson, E.L. See Mackworth, N., 2=13218
- Thompson, G. The ageing characteristics of aluminium alloys. Electron transmission studies of Al-Mg-Si alloys, 2=2331
- Thompson, G. and Huffstutler, M.C. The crystal structure of β' -Cu-12% Al, 2=8836
- Thompson, G. See Federighi, T., 2=6314
- Thompson, G.C. See Tanner, N.W., 2=1864
- Thompson, G.C. See Tanner, N.W., 2=1865
- Thompson, H. A theoretical model for partial rotation, 2=12659
- Thompson, H. See Methfessel, S., 2=14794
- Thompson, J. Interpretation of the variation of magnetic susceptibility of neodymium gallate between 20 and 300°K, 2=2271
- Thompson, J.G. See Cundy, D.C., 2=5716
- Thompson, J.J. See Dousmanis, G.C., 2=23131
- Thompson, J.M. See Hughes, E.E.G., 2=21884
- Thompson, J.M. See Hughes, E.E.G., 2=19691
- Thompson, J.R. See Baird, J.C., 2=2733
- Thompson, L. The distribution of dense E_s ionization at high latitudes, 2=21650
- Thompson, L.C. and Chittenden, R.A. Infrared absorption bands associated with the POH group, 2=16531
- Thompson, L.F. See Tyler, J.K., 2=14267
- Thompson, L.H. See King, K.M., 2=514
- Thompson, P. See Béthoux, O., 2=3859
- Thompson, P. See Ilakovic, K., 2=1728
- Thompson, P.M. See Poole, D.M., 2=10999
- Thompson, R.C. See Holonyak, N., Jr., 2=18726
- Thompson, R.H. See Cairns, D.J., 2=3224
- Thompson, R.L. See LaCasce, E.O., Jr., 2=2834
- Thompson, R.N. Comment on the use of net rate processes and the equivalent 2-level atom in non-L.T.E. computations, 2=4807
- Thompson, R.N. and Zirker, J.B. The source function in a non-equilibrium atmosphere. VIII. Solution for a two-level atom in a finite atmosphere, 2=4716
- Thompson, R.N. and Zirker, J.B. Departure from the Saha equation for ionized helium. II. Atmospheric thicknesses too small to satisfy detailed balance in the resonance lines, 2=4717
- Thompson, R.N. See Jefferies, J.T., 2=17280
- Thompson, R.N. See Pecker, C., 2=15352
- Thompson, R.W. See English, A.C., 2=10511
- Thompson, T.D., Gordon, G.E., Latimer, R.M. and Seaborg, G.T. Spallation-fission competition in astatine compound nuclei formed by heavy-ion bombardment, 2=14141
- Thompson, T.Y. The role of gravitation in the creation of matter, 2=19397
- Thompson, W.R. and Whitton, J.L. The behaviour of dislocations in neutron-irradiated aluminum, 2=3974
- Thomasson, R.K. A general method of deriving responses and transfer functions in transient heat conduction phenomena, 2=3663
- Thome, G.D. See Edwards, L.C., 2=20163
- Thommen, K. Increase of X-ray colourability of KCl crystals after initial irradiation with ionizing radiation [and thermal bleaching], 2=6385
- Thommen, K. The relation between F- and M-centres in X-ray coloured KCl, 2=21082
- Thompson, A. See Kundt, W., 2=17352
- Thompson, A.R. Sweep frequency observations of meteor scatter bursts, 2=906
- Thompson, A.R. Type IV (continuum) radio bursts from the sun, 2=12021
- Thompson, A.R. See Maxwell, A., 2=4836
- Thompson, C.T. See Blades, J.D., 2=4494
- Thompson, C.W. See Barton, J.C., 2=16092
- Thompson, D.D. and Brown, R.J.S. Low-field nuclear magnetic resonance of coupled spin-one-half particles, 2=3785
- Thompson, D.D. and Brown, R.J.S. Note on the Earth's field proton free-precession signal of fluorobenzene, 2=14331
- Thompson, D.O. A thermally activated internal friction spectrum in copper following neutron irradiation, 2=21402
- Thompson, D.O. See Paré, V.K., 2=21015
- Thompson, D.S., Newmark, R.A. and Sederholm, C.H. Potential energy as a function of internal rotation in CFCIBr-CFCIBr by N.M.M. measurements, 2=18483
- Thompson, G.H.B. Backward waves in longitudinally magnetized ferrite rods, 2=5470
- Thompson, G.I. The influence of thermal non-coherent scattering on line profiles, 2=4772
- Thompson, G.I. The computation of line intensities, 2=4806
- Thompson, H.W. See Facer, G.H.J., 2=15597
- Thompson, H.W. See Heald, C., 2=15598
- Thompson, H.W. See Jesson, J.P., 2=15596
- Thompson, J.K. See Krebs, J.J., 2=14329
- Thompson, J.R. Radio propagation over a sectionally homogeneous cylindrical surface, 2=11797
- Thompson, M.C., Jr. See Vetter, M.J., 2=17953
- Thompson, M.G. and Wolfendale, A.W. The accuracy of track location in triggered spark counters, 2=11848
- Thompson, M.W. An experiment to clarify the role of point defects in the radiation growth of α -uranium, 2=6398
- Thompson, M.W. Symposium on ion bombardment, Bellevue, Paris, December 1961, 2=10423
- Thompson, M.W., Nelson, R.S. and Farmery, B.W. The energy spectrum of sputtered atoms from Au under 43 keV Xe⁺ ion bombardment, 2=17900
- Thompson, M.W. See Barnfield, R.W., 2=11734
- Thompson, N. Intensities and spectra of vertical wind fluctuations at heights between 100 and 500 ft in neutral and unstable conditions, 2=21631
- Thompson, N.B.W. See Bell, R.L., 2=14895
- Thompson, S.G. See Asaro, F., 2=1831
- Thompson, S.G. See Bowman, H.R., 2=14145
- Thompson, W.E. See Parrington, R.E., 2=17144
- Thomsen, J.S. and Hartka, T.J. Strange Carnot cycles; thermodynamics of a system with a density extremum, 2=1320
- Thomsen, J.S. A restatement of Zeroth law of thermodynamics, 2=9466
- Thomson, A. See Malkmus, W., 2=12327
- Thomson, D.B., Cranberg, L. and Levin, J.S., Scattering of fast neutrons by magnesium, 2=10112
- Thomson, D.M. See Allan, H.R., 2=13927
- Thomson, G. Early work in electron diffraction, 2=219
- Thomson, J. See Aarons, J., 2=4618
- Thomson, J.R. Crystal structures of ThRh₂, ThRu and ThIr, 2=15053
- Thomson, P.F. See Head, A.K., 2=8223
- Thomson, R. See Celli, V., 2=14538
- Thomson, R.M. and Balluffi, R.W. Kinetic theory of dislocation climb. I. General models for edge and screw dislocations, 2=8218
- Thomson, R.M. See Balluffi, R.W., 2=8219
- Thonemann, P.C. See Miyajima, S., 2=195
- Thorn, R.J. and Winslow, G.H. Correction of the potassium vapor pressure equation by use of the second virial coefficient, 2=1312
- Thorn, R.J. and Winslow, G.H. Contribution to the realization of the visual optical pyrometer temperature scale, 2=19751
- Thorndike, A.M. See Brown, H.N., 2=12013
- Thorndike, E.H. Extrapolation of proton-proton scattering data to the one-pion exchange pole, 2=16193
- Thorndike, E.H. See Lobkowitz, R., 2=9847
- Thornley, J.H.M., Mangum, B.W., Griffiths, J.H.E. and Owen, J. σ -bonding in (CuCl₂)₄, 2=6248
- Thornley, J.H.M. See Cipollini, E., 2=12337
- Thornley, J.H.M. See Windsor, C.G., 2=20832
- Thornton, P.R. and Mitchell, T.E. Deformation twinning in alloys at low temperatures, 2=8772
- Thornton, P.R., Mitchell, T.E. and Hirsch, P.B. The strain-rate dependence of the flow stress of copper single crystals, 2=6735
- Thornton, W.A. D.C. electroluminescence in zinc sulfide films, 2=23620
- Thorp, J.M. The dielectric behavior of vapors adsorbed on porous solids, 2=21571
- Thorp, J.S. Anomalies in adiabatic rapid passage in ruby, 2=4158
- Thorp, J.S., Pace, J.H. and Sampson, D.F. Microwave appraisal of maser crystals, 2=2372
- Thorpe, A. See Senthle, F.E., 2=16895
- Thorpe, J.F. On the momentum theorem for a continuous system of variable mass, 2=19485
- Thorsen, A.C. and Berlincourt, T.G. De Haas-van Alphen effect in InBi, 2=4202
- Thorsen, A.C. See Berlincourt, T.G., 2=18641
- Thorsen, R.S. See Weinstein, A., 2=4731
- Thorson, W.R. Quantum-mechanical transition-complex theory of rearrangement collisions, 2=19141
- Thosar, B.V. See Lagu, R.G., 2=4171
- Thosar, B.V. See Sastry, N.P., 2=6599
- Thouless, D.J. and Valatin, J.G. Time-dependent Hartree-Fock equations and rotational states of nuclei, 2=9805
- Thouless, D.J. See Anderson, P.W., 2=18239
- Thouvenin, Y. The influence of electrically inactive ions on the electrolytic Peltier effect, 2=17089

AUTHOR INDEX

- Thouvenin, Y. Theoretical considerations with respect to the definition of the electrolytic Peltier effect, 2=23484
- Thrane, E. See Barrington, R.E., 2=4645
- Thresher, J.J. See Bowen, P.H., 2=1691
- Thresher, J.J. See Bowen, P.H., 2=7987
- Thresher, J.J. See Bowen, P.H., 2=13810
- Thrierr, A. and Hocart, R. The coefficient of dispersion in solid solutions K (Cl, Br) obtained by compression of powders at ordinary temperature: its variation as a function of time, 2=17052
- Thrierr, A. See Hocart, R., 2=12897
- Thrierr, A. See Hocart, R., 2=23799
- Thrierr, J.C. Raman spectrum of ammonium sulphate at ordinary temperature, 2=6584
- Thuera, P. van. See van Thuera, P.
- Thumann, H. See Hempel, H.P., 2=16731
- Thun, J.E., Grabowski, Z., El-Nesr, M.S. and Bruce, G. Possible nuclear structure effects in Lu^{175} , 2=3459
- Thun, J.E., Grabowski, Z., Hamilton, W.D. and El-Nesr, M.S. Angular correlation measurements in Hf^{177} , 2=3524
- Thun, J.E., Hamilton, W.D., Siegbahn, K. and Eriksson, K.E. Single and double internal bremsstrahlung, 2=20547
- Thun, J.E. See Grabowski, Z., 2=7953
- Thun, J.E. See Grabowski, Z., 2=20561
- Thun, J.E. See Hamilton, W.D., 2=3527
- Thunberg, A. See Hultqvist, B., 2=6960
- Thunga, R. See Bhamathi, G., 2=1654
- Thunga, R. See Bhamathi, G., 2=5745
- Thunga, R. See Bhamathi, G., 2=13884
- Thunga, R. See Ramakrishnan, A., 2=5744
- Thunga, R. See Ramakrishnan, A., 2=13887
- Thunga, R. See Ramakrishnan, A., 2=13889
- Thunga, R. See Ramakrishnan, A., 2=20431
- Thunga, R. See Ramakrishnan, A., 2=22563
- Thureau, P. and Benois, J. Measurement of the temperature of the collector junction of an n-p-n mesa-type silicon transistor, 2=646
- Thureau, P., Cabannes, F., Larcher, G. and Benois, J. The conduction of heat through a metal sheet, 2=7436
- Thureau, P. and de Casteljau, M. Determination of the temperature of the boundary of a shock wave using thin metal films as resistance thermometers, 2=7242
- Thureau, P. and Lemière, B. On a manometer for low pressures with a short response time, 2=7168
- Thüring, B. Studies on the so-called gravitational constant, 2=17340
- Thürkauf, M. See Kuhn, W., 2=2663
- Thurmond, C.D. See Ahearn, A.J., 2=15128
- Thurmond, C.D. See Frosch, C.J., 2=15807
- Thurston, G.B. and Shi-Yu Wu. Dilatational-wave transmission through a viscoelastic layer at normal incidence, 2=13399
- Thurston, M.O. See Hood, C.K.B., 2=10800
- Thwaites, J.D. See McCann, A.P., 2=15987
- Thwaites, T.T. and Pratt, W.W., Decay of the Zn^{71} isomers, 2=391
- Thyagarajan, G. Rotational distortion constants for axially symmetric ZX_2Y ($\text{Z} = \text{Si}$ or Ge ; $\text{X}, \text{Y} = \text{H}, \text{D}$, or T) molecules; sign of the constants in some molecules, 2=6143
- Thyagaraja, Rao, S. The relation between electromagnetic and gravitational interactions, 2=5436
- Thyer, J.R.W. See Troup, G.J., 2=6688
- Tibell, G., Sundberg, O. and Miklavžič, U. Quasi-free proton-proton scattering in Li^6 and Li^7 , 2=20629
- Tibell, G., Sundberg, O. and Miklavžič, U. Quasi-free proton-proton scattering from Ca at 180 MeV, 2=22802
- Tibell, G. See Culligan, G., 2=22928
- Tice, W.K. See Lasko, W.R., 2=10803
- Tice, W.K. See Lasko, W.R., 2=14960
- Ticho, H.K. See Goldhaber, S., 2=22635
- Ticho, H.K. See Pjerrou, G.M., 2=22634
- Ticho, H.K. See Prowse, D.J., 2=1722
- Ticho, H.K. See Slater, W., 2=3403
- Tichy, K. See Toman, K., 2=10249
- Tickner, A.W. See Dawson, P.H., 2=22190
- Tickner, A.W. See Knewstubb, P.F., 2=5313
- Tickner, A.W. See Knewstubb, P.F., 2=5314
- Ticknor, L.B. See Howlett, B.W., 2=15796
- Tideman, M. Remarks on the inertia instability of a rolling missile, 2=11315
- Tiderman, H. See Steinort, E., 2=12719
- Tidman, D.A. Radio emission by electrons in the fine-structure electric fields of shock waves, 2=20137
- Tidman, D.A. and Jaggi, R.K. Landau damping of transverse waves in the exosphere by fast-particle fluxes, 2=19247
- Tidman, D.A. See Ek, F., 2=7599
- Tidwell, E.D. and Plyler, E.K. Infrared spectrum of dideutero-acetylene (C_2D_2), 2=14279
- Tidwell, E.D. See Agar, D., 2=16525
- Tidwell, E.D. See Maki, A.G., 2=14252
- Tidwell, E.D. See Plyler, E.K., 2=20827
- Tieche, Y. See Busch, G., 2=21920
- Tiedeken, R. New ideas in the theory of diaphragms, 2=21997
- Tiedeken, R. A representation of the dispersive properties of optical glasses, 2=22000
- Tien, C.L. A hydrodynamic model for nucleate pool boiling, 2=15815
- Tietge, J. and Püschel, W. Mean lifetime of the π^0 meson, 2=18150
- Tietge, J. See Püschel, W., 2=22616
- Tietz, T. The uncertainty principle and the Bohr theory, 2=2631
- Tietz, T. Diamagnetic susceptibility in Thomas-Fermi model for Latter's and Byatt's effective charge distribution, 2=3682
- Tietz, T. Negative hydrogen ion, 2=3759
- Tietz, T. An analytical expression for the potential energy function of diatomic molecules, 2=6118
- Tietz, T. Approximation procedures of Born and Pais for determination of the phase shifts, 2=13735
- Tietz, T. A continuous absorption coefficient of negative hydrogen and lithium ions, 2=14217
- Tietz, T. Analytical method for determining the eigenvalues and eigenfunctions in the statistical theory of atoms, 2=22883
- Tikhinskii, G.F. See Papirov, I.I., 2=7476
- Tikhonov, M.V. See Gur'ev, M.V., 2=18489
- Tikhonov, L.V. See Ryaboshapka, K.P., 2=8724
- Tikhonov, L.V. See Ryaboshapka, K.P., 2=21026
- Tikhonov, L.V. See Ryaboshapka, K.P., 2=21027
- Tikhonova, E.A. See Smirnov, A.A., 2=14990
- Tikhonova, E.A. See Smirnov, A.A., 2=19068
- Tiktin, S.O. The possibility of stabilizing the temperature of heat-generating bodies by means of evaporative cooling, 2=7427
- Tiktin, S.O. Accelerating the process of temperature stabilization of heat-generating bodies by means of evaporative cooling, 2=7428
- Tiktin, S.O. Investigations on the evaporative cooling of u.h.f. electro-vacuum devices, 2=7659
- Tiktopoulos, G. See Oehme, R., 2=22438
- Tilch, J. See Seiwert, R., 2=66
- Tilgner, J. See Kleint, C., 2=15959
- Tilinin, G.N. See Kovan, I.A., 2=19953
- Till, C.E. See James, C.G., 2=18380
- Tiller, W.A. The degree of microsegregation at cell boundaries, 2=16652
- Tiller, W.A. Effect of grain boundaries on solute partitioning during progressive solidification, 2=22100
- Tiller, W.A. See Bolling, G.F., 2=2353
- Tiller, W.A. See Harrison, D.E., 2=19039
- Tiller, W.A. See Kramer, J.J., 2=19774
- Tiller, W.A. See Schultz, J.M., 2=18697
- Tilles, D. A room-temperature diffusion constant for hydrogen in proton-irradiated steel, 2=21069
- Tilles, D. Primordial gas in the Washington County meteorite, 2=2170
- Tillieu, J. See Smet, P., 2=17370
- Tillmann, W. The onset of turbulence in the flow between rotating cylinders, 2=11337
- Tilton, G. See Hirt, B., 2=20541
- Timberlake, A.B. See Davis, P.W., 2=8239
- Timchenko, A.I. See Malkes, L.Ya., 2=722
- Timchenko, I.N. and Shalyt, S.S. Thermoelectric properties of tellurium at low temperatures, 2=16765
- Timchenko, I.N. and Shalyt, S.S. Thermoelectric properties of tellurium at low temperatures, 2=18760
- Timerov, R.Kh. The theory of electron paramagnetic resonance in liquids, 2=11388
- Timerov, R.Kh. and Valiev, K.A. Theory of nuclear resonance in paramagnetic media, 2=4280
- Timerov, R.Kh. See Garif'yanov, N.S., 2=61
- Timerov, R.Kh. See Garif'yanov, N.S., 2=15617
- Timerov, R.Kh. See Garif'yanov, N.S., 2=15621
- Timerov, R.Kh. See Garif'yanov, N.S., 2=17483
- Timerov, R.Kh. See Valiev, K.A., 2=10708
- Timiş, P. See Teutsch, H., 2=5694
- Timiş, P. See Teutsch, H., 2=5695
- Timis, P. See Teutsch, H., 2=20353
- Timis, P. See Teutsch, H., 2=22823
- Timmermans, J. Plastic crystals: a historical review, 2=10306
- Timofeev, A.N. See Klotzman, S.M., 2=8803
- Timofeev, A.V. The instability of the positive column in short discharge tubes in longitudinal magnetic fields, 2=15902
- Timofeev, G.A. Effect of polarization of the medium on development of electron-phonon showers, 2=3437

- imofeev, V.B. See Gorbun', I.S., 2=6545
 imofeev, V.B. See Gorbun', I.S., 2=8482
 imofeev, V.B. See Gorbun', I.S., 2=10581
 imofeev, V.B. See Gorbun', I.S., 2=14659
 imofeeva, T.V. See Grebenskii, B.S., 2=16205
 imofeeva, V.A. A method of determining separately the coefficients of absorption and scattering in turbid media, 2=1280
 imores, M. Calculation of cross sections for (n, γ) reactions, 2=12199
 imoshenkov, Yu.A. See Khlebnikov, N.S., 2=20018
 imoshin, I.Ya. See Kuznetsov, E.V., 2=3226
 imoshuk, D.V. See Zherebin, E.A., 2=1697
 imotin, A. General inertial transformation, 2=7125
 imrot, D.L. and Borisoglebskii, V.P. An experimental investigation of the density of liquid oxygen at temperatures of from -190° to -120° C and pressures to 200 kg/cm², including the saturation curve, 2=2702
 imrot, D.L. and Shuiskaya, K.F. The viscosity of heavy water, 2=4999
 ims, D.W. and Palmer, P.L. Gas flow measurement: a guide to current methods and their limitations, 2=19589
 imson, W.J. See Cowley, C.W., 2=15780
 imushev, G.F. See Vasil'ev, S.S., 2=437
 imushev, G.F. See Vasil'ev, S.S., 2=441
 imushev, G.F. See Vasil'ev, S.S., 2=10096
 imushev, G.F. See Vasil'ev, S.S., 2=22807
 imusk, T. Room temperature luminescence in pure alkali halides, 2=711
 inaut, D. and Catalina, F. Control of the thickness of dielectric layers during evaporation, 2=19107
 indo, I.P. See Mandel'shtam, S.L., 2=9069
 indo, I.P. See Mandel'shtam, S.L., 2=19300
 indo, I.P. See Mandel'shtam, S.L., 2=19301
 indo, I.P. See Vasil'ev, B.N., 2=4760
 ing Ta-ts' ao. See Din Da-tsoo.
 inkham, M. Dependence of the energy gap in superconductors on position and magnetic field, 2=7500
 inkham, M. Far infrared spectra of magnetic materials, 2=12713
 inkham, M. See Barker, A.S., Jr., 2=6524
 inlot, J.H. and Warner, R.E. Polarization in 217 MeV p-n and p-p scattering, 2=289
 inlot, J.H. See Warner, R.E., 2=3335
 in Maung. See Chamberlain, O., 2=7902
 insley, B.A. and Jones, A.V. The seasonal variation of the twilight sodium airglow in the southern hemisphere, 2=11070
 insley, D.M. See Steckelmacher, W., 2=21951
 intă, F., Martalogu, N., Dumitrescu, R. and Magda, T. On the natural pulsing of cyclotron external beams in the nanosecond range, 2=3116
 intă, F. See Martalogu, N., 2=7689
 intea, H., Ungureanu, C. and Weissmann, E. Isotopic analysis by optical spectroscopic methods. I. Atomic spectra, 2=23986
 intea, H., Ungureanu, C. and Weissmann, E. Isotopic analysis by optical spectroscopic methods. II. Molecular spectra, 2=23987
 intea, H. See Weissman, E., 2=9393
 iomno, J. See de Oliveira, C.G., 2=13261
 iomno, J. See Salam, A., 2=7907
 ipler, P.A. See O'Connell, J.S., 2=10081
 ippins, H.H. See Brown, F.C., 2=8519
 irén, L.I. and Jenkins, J.M. Resonance shielding in thorium-graphite mixtures, 2=20721
 iripicchio, A. See Ferrari, A., 2=12901
 irskii, G.A. Conditions on the surface of a strong discontinuity in multicomponent mixtures, 2=17411
 irskii, G.A. Melting of a body in the neighbourhood of the critical point in a plane rotationally symmetric gas flow, 2=22102
 irsky, G.A. See Sovershenny, V.D., 2=15813
 iruvenganna Rao, P. See Krishna Rao, S.V., 2=6157
 iruvenganna Rao, P. See Krishna Rao, S.V., 2=6160
 iruvenganna Rao, P. See Krishna Rao, S.V., 2=10261
 iruvenganna Rao, P. See Prasada Rao, T.A., 2=14288
 iruvenganna Rao, P. See Prasada Rao, T.A., 2=20797
 iruvenganna Rao, P. See Santaram, C.V.V.S.N.K., 2=14250
 iruvenganna Rao, P. See Santaram, C.V.V.S.N.K., 2=16519
 ischer, F.J. Fields excited in a receiving-type antenna, 2=7738
 ischer, R.E. and Drickamer, H.G. Use of pressure to investigate local symmetry and compressibility in glass, 2=23901
 isenbaum, Yu.L. See Kazantsev, V.F., 2=15441
 ishchenko, B.I. and Kresnin, A.A. Study of the properties of light nuclei on the basis of a generalized model, 2=20490
 ishchenko, B.I. See Inopin, Ye.V., 2=12103
 ishchenko, V.D. Disintegration of metals by fast deuterium ions, 2=11727
 Tishechkin, A.S. See Ekatov, A.B., 2=22143
 Titchmarsh, E.C. On the relation between the eigenvalues in relativistic and non-relativistic quantum mechanics, 2=4932
 Tițeica, R., Vîntu, V., Truția, A. and Popescu, M. Relations between perturbation effects on the aromatic state and the ultra-violet absorption spectra of alkybenzenes, 2=8107
 Tițeica, S. See Tsitseika, Sh., 2=9884
 Titheridge, J.E. The effect of collisions on the propagation of radio waves in the ionosphere, 2=897
 Titheridge, J.E. The calculation of the electron density in the ionosphere from elevation-angle measurements on artificial satellites, 2=2504
 Titheridge, J.E. The electron density in the lower ionosphere, 2=9000
 Titheridge, J.E. The stratification of the lower ionosphere, 2=11059
 Title, R.S. Use of paramagnetic resonance to detect optical processes in photoconductors, 2=8416
 Title, R.S., Sorokin, P.P., Stevenson, M.J., Pettit, G.D., Scardefield, J.E. and Lankard, J.R. Optical spectra and paramagnetic resonance of U^{4+} ions in alkaline earth fluoride lattices, 2=23708
 Titman, J.M. Nuclear magnetic resonance in Al-Ag alloys, 2=14848
 Titova, V.V. See Sergeev, G.Ia., 2=12927
 Titterton, E.W. See Earwaker, L.G., 2=22754
 Titterton, E.W. See Gregory, A.G., 2=14076
 Titterton, E.W. See Ophel, T.R., 2=16406
 Titts, T. and Voichek, L. Formula for calculation of phase shifts in case of Thomas-Fermi and Hartree potentials, 2=20734
 Titus, K.H., Jr. See Kotlensky, W.V., 2=14874
 Tiwari, P. See Subudhi, K.S., 2=11595
 Tiwari, R. and Roy, S.R. A composite field in Einstein's unified field theory, 2=21815
 Tixaire, A. Galindo. See Galindo Tixaire, A.
 Tjaden, K. Absorption of longitudinal ultrasonic waves in aluminium at high temperatures, 2=3831
 Tjøtta, S. On magneto-hydrodynamic shock waves, 2=9704
 Tjøtta, S. On quartz-wind, 2=15692
 Tjøtta, S. See Hotter, Ø., 2=9565
 Tjøtta, S. See Lauvstad, V., 2=17565
 Tkach, N.M. See Hlinchuk, K.D., 2=7092
 Tkachenko, A.N. See Rabinovich, S.G., 2=19840
 Tkachenko, F.K. Determination of the density of dislocations in the cementite of hardened white cast iron, 2=10385
 Tkachenko, V.K. See Peshkov, V.P., 2=2948
 Tkalic, V.S. and Pakhomov, V.I. Elastic waves in a thin toroidal tube filled with a liquid, 2=1231
 Tkalic, V.S. and Saltanov, N.V. Waves of finite amplitude in nonideal magnetohydrodynamics, 2=16002
 Tkalic, V.S. and Saltanov, N.V. Nonlinear Langmuir oscillations, 2=20007
 t'Kint de Roodenbeke, A. See Monod-Herzen, G., 2=12636
 Tlamicha, A. Radio emission from Cassiopeia 23 N5A on 130 cm wavelength, 2=11168
 Tobias, J.V. and Jeffress, L.A. Earphone response and onset time, 2=21754
 Tobin, M.C. Symmetry adapted LCAO MO's for long-chain polyenes, 2=3768
 Tobisch, J. See Betzl, M., 2=19075
 Tobocman, W. and Gibbs, W.R. Distortion effects in the $Ca^{40}(d, p)Ca^{41}$ reaction, 2=12217
 Tobocman, W. See Gibbs, W.R., 2=481
 Tobocman, W. See Peshkin, M., 2=19807
 Tobolsky, A.V. Physics of semicrystalline polymers, 2=20892
 Tobolsky, A.V. and Gupta, V.D. Molecular conformation in oriented fibers, 2=4482
 Tobolsky, A.V. and Gupta, V.D. Molecular dimensions in crystalline polymers, 2=10929
 Tobolsky, A.V. and Gupta, V.D. Molecular dimensions in crystalline polymers, 2=12357
 Tobolsky, A.V. and Thach, R.E. Linear associations in hydrogen bonded systems, 2=19555
 Tocci, L. See Cartacci, A.M., 2=3316
 Tocci-Cecchi, L. See Dagliana, M.G., 2=3233
 Tocqueville, J. See Crozon, M., 2=12213
 Toda, M., Kotera, T. and Kogure, K. Localized vibration and random walk, 2=10316
 Todd, E.P. See Rense, W.A., 2=13123
 Todd, J.E. See Weber, K.E., 2=9724
 Todd, S.S. See Scott, D.W., 2=3732
 Todd, S.S. See Scott, D.W., 2=15822
 Todd, S.S. See Scott, D.W., 2=20847
 Todes, O.M. Remarks on the derivation of the vertical distribution law postulated by N.A. Fuks for particles suspended in a turbulent flow, 2=19473
 Todireanu, S. See Bally, D., 2=7995
 Todireanu, S. See Bally, D., 2=20352

- Todo, N. See Schwab, G.M., 2-4563
 Todorov, I.T. See Logunov, A.A., 2-16134
 Toet, D.Z. See Reuss, J., 2-11840
 Tohmatsu, T., Kaneda, E. and Nagata, T. Lunar time variation of oxygen green line in the night airglow, 2-11076
 Tohmatsu, T. and Roach, F.E. The morphology of mid-latitude 6300 Angstrom arcs, 2-17184
 Tohmatsu, T. See Nagata, T., 2-15250
 Tohmatsu, T. See Oguti, T., 2-13043
 Tokar', E.N. Certain properties of a gyrocompass with a seventeen-hour period, 2-17395
 Tokar, E.N. See Raushenbakh, B.V., 2-11202
 Tokarevskii, V.V. See Gofman, Iu.V., 2-5924
 Tokarevskii, V.V. See Nemets, O.F., 2-16431
 Tokunaga, M. and Shono, K. Heavily diffused Si p-n junctions, 2-4046
 Tokunaga, S. See Akashi, M., 2-12083
 Tokuyama, T. Method for visualizing the distribution of current in alloyed germanium p⁺-n junctions, 2-21169
 Tokuyama, T. Zener breakdown in alloyed germanium p⁺-n junctions, 2-21170
 Tolar, J. A possible test of quantum electrodynamics by means of polarization effects in electron-nucleon scattering, 2-5563
 Tolbert, C.W. and Straiton, A.W. Observations of 4.3 mm radiation during the solar eclipse of February 15, 1961, 2-13171
 Tolbert, C.W. and Straiton, A.W. A consideration of microwave radiation associated with particles in the atmosphere of Venus, 2-17305
 Tolbert, C.W. See Britt, C.O., 2-7261
 Tolbert, C.W. See Gerhardt, J.R., 2-4597
 Tolhoek, H.A. g-2 experiment on the magnetic moment of the muon and its significance, 2-3368
 Tolkachev, A.M. See Manzheli, V.H., 2-7201
 Tolkachnik, S.V. and Rostokinskii, V.V. Deformation of clamped thin glass plates under action of uniformly distributed loads, 2-12851
 Tolkachnik, S.V. and Rostokinskii, V.V. Deformation of clamped thin glass plates under action of uniformly distributed loads, 2-18990
 Tolkachev, V.A. See Borisevich, N.A., 2-15654
 Toller, M. See Conforto, G., 2-22831
 Toller, M. See Conversi, M., 2-13834
 Toller, M. See Conversi, M., 2-20213
 Tolles, W.M. and Gwinn, W.D. Structure and dipole moment for SF₆, 2-6125
 Tolles, W.M., Kinsey, J.L., Curl, R.F. and Heidelberg, R.F. Microwave spectrum of chlorine dioxide. V. The Stark and Zeeman effects, 2-20831
 Tollestrup, A.V. See Talman, R.M., 2-20389
 Tollis, B.De. See De Tollis, B.
 Tolmachev, V.V. A logarithmic criterion for superconductivity, 2-139
 Tolmachev, V.V. Divergent levels in the formal perturbation theory for non-ideal Fermi-Dirac systems and their mutual compensation, 2-2652
 Tolmachev, V.V. Branch-point displacement in the mass operator of the formal perturbation theory for a non-ideal Fermi-Dirac system, 2-4967
 Tolmachev, V.V. A logarithmic criterion for superconductivity, 2-9475
 Tolmachev, V.V. Divergent levels in the formal perturbation theory for non-ideal Fermi-Dirac systems and their mutual compensation, 2-11302
 Tolmachev, V.V. Branch-point displacement in the mass operator of the formal perturbation theory for a non-ideal Fermi-Dirac system, 2-11303
 Tolmachev, V.V. Problem of two-particle bound states for a non-ideal Fermi-Dirac system, 2-19452
 Tolnas, E.L. See Cooper, C.D., 2-6169
 Tolok, V.T., Bolotin, L.I., Chechkin, V.V., Nazarov, N.I. and Khizhniak, N.A. A high-current electron accelerator, 2-17909
 Tolok, V.T. and Sinelnikov, K.D. Possible method for injecting plasma into closed magnetic traps, 2-22227
 Tolok, V.T. See Khizhnyak, N.A., 2-11735
 Tolok, V.T. See Zolototrubov, I.M., 2-3046
 Tolpygo, E.I. See Dykman, I.M., 2-18659
 Tolpygo, E.I. See Dykman, I.M., 2-21120
 Tolpygo, K.B. Investigation of long-wavelength vibrations of diamond-type crystals with an allowance for long-range forces, 2-20920
 Tolpygo, K.B. The problem of chemical binding and the part it plays in the theory of band and localized states of electrons in semiconductors, 2-23263
 Tolpygo, K.B. and Chaika, G.V. Thermoelectric emission of ionic semiconductors in strong fields, 2-21203
 Tolpygo, K.B. See Demidenko, Z.A., 2-8158
 Tolpygo, K.B. See Demidenko, Z.A., 2-10315
 Tolpygo, K.B. See Demidenko, Z.A., 2-12371
 Tolpygo, K.B. See Demidenko, Z.A., 2-14368
 Tolpygo, K.B. See Gorkun, Yu.I., 2-4015
 Tolpygo, K.B. See Gorkun, Yu.I., 2-8326
 Tolstikov, V.A. See Stavisskii, Yu.Ya., 2-1904
 Tolstoi, I.S. See Andreev, E.M., 2-18041
 Tolstoi, N.A., Osipov, B.S. and Fomin, G.A. Change of sign of the photoeffect in cuprous oxide, 2-23461
 Tolstoi, I.S. See Andreev, E.M., 2-18041
 Tolstoj, N.S. See Andrejev, E.M., 2-3229
 Tolstov, K.D. See Barashenkov, V.S., 2-1869
 Tolstov, K.D. See Ciulli, I., 2-22574
 Tolstov, K.D. See Perelygin, V.P., 2-22373
 Tolstov, K.D. See Veprik, Ya.M., 2-19360
 Toman, K. The Doppler effect and inertial systems, 2-11194
 Toman, K. The effective earth radius obtained through conformal mapping, 2-17966
 Toman, K. Change in primary extinction of X-rays in solid solution of NaCl-CdCl₂, 2-21521
 Toman, K. and Tichy, K. The temperature vibrations of urea molecules, 2-10249
 Toman, K. See Mikšovský, M., 2-23889
 Tomaš, P. See Cerineo, M., 2-1693
 Tomaš, P. See Ilakovac, K., 2-1900
 Tomaš, P. See Šternberg, Z., 2-526
 Tomaschke, H. See Skaperdas, D., 2-2794
 Tomasek, M. Simple calculation of surface states for one-dimensional models of crystals, 2-14424
 Tomášek, M. See Koutecký, J., 2-6310
 Tomášek, M. See Koutecký, J., 2-23381
 Tomashchik, A.K. A high-pressure bomb for optical studies at low temperatures, 2-7094
 Tomashchik, O.K. Determination of the position of absorption bands in deformed CdS crystals, 2-18847
 Tomashevskii, É.E. See Zhurkov, S.N., 2-2031
 Tomashpol'skii, F.G. and Kholuyanov, G.F. The spectra of recombination radiation in alloyed p-n junctions of SiC, 2-4044
 Tomashpol'skii, F.G. and Kholuyanov, G.F. The spectra of recombination radiation in alloyed p-n junctions of SiC, 2-6476
 Tomasini, G. See Davis, D.H., 2-18191
 Tomboulia, D.H. See Baker, D.J., Jr., 2-529
 Tomboulia, D.H. See Peterson, T.J., Jr., 2-3311
 Tombrello, T.A. See Mani, G.S., 2-1794
 Tomchuk, E. See Kelly, F.M., 2-6093
 Tomchuk, P.M. See Dykman, I.M., 2-10451
 Tomchuk, P.M. See Dykman, I.M., 2-18660
 Tomchuk, P.M. See Dykman, I.M., 2-23289
 Tomczak, Z. See Łada, W., 2-14180
 Tomiki, T. On the A centres of potassium chloride crystals, 2-10418
 Tomiki, T. See Kobayashi, K., 2-8517
 Tomil'chik, L.M. The optical properties of absorbing magnetic crystals. I. Circular optic axes. Crystals of the monoclinic system, 2-4118
 Tomiser, J. Rapid photometry with the oscillograph, 2-11464
 Tomiser, J. and Umrath, W. Lattice constant determination from the measurement of X-ray reflections of weak intensity with regard to the equal density method, 2-14976
 Tomishima, K. See Fukai, M., 2-23135
 Tomita, M. See Sakisaka, M., 2-244
 Tomita, M. See Sakisaka, M., 2-11944
 Tomlin, D.H. See Patterson, H., 2-3098
 Tomlin, D.H. See Peart, R.F., 2-6375
 Tomlin, D.H. See Peart, R.F., 2-14463
 Tomlinson, J.L. See Conger, R.L., 2-13632
 Tomlinson, J.W. See Angell, C.A., 2-15574
 Tomlinson, R.H. See Farrar, H., 2-14157
 Tomlinson, R.H. See Farrar, H., 2-18365
 Tomlinson, R.H. See Farrar, H., 2-18366
 Tomlinson, W.J. Spectrum of the flashtube to be used on the project Anna satellite, 2-7369
 Tomlinson, W.J., III and Stroke, H.H. Nuclear isomer shift in the optical spectrum of Hg¹⁹⁹: interpretation of the odd-even staggering effect in isotope shift, 2-18419
 Tomoda, Y., Nagata, S. and Soezima, Y. Electron diffractometry by scintillation counter, 2-10955
 Tomono, Y. See Ehara, S., 2-18960
 Tomotika, T. Absorption bands in evaporated BaO films, 2-16818
 Tomotsu, T. See Makishima, S., 2-715
 Tomozawa, Y. Higher resonances in pion-nucleon reactions and the isobar model, 2-3384
 Tomozawa, Y. See Lovitch, L., 2-18066
 Tomozei, C. See Gottlieb, I., 2-7106
 Tompa, H. See Englert, A., 2-10392
 Tompkins, E.H., Jr. See Mickelwait, A.B., 2-19354
 Tompkins, F.C. See Damm, J.Z., 2-12472

- mpkins, F.C. See Lamb, E.F., 2=21150
 mpson, C.W. See Gingrich, N.S., 2=13319
 mpson, C.W. See Stirpe, D., 2=2705
 nakanov, O.S. Sound fluctuations during propagation in a shallow layer of water, 2=5115
 napetyan, S.G. See Val'ter, A.K. [Walter], 2=10149
 napetyan, S.H. See Vatset, P.I., 2=5536
 napetyan, S.H. See Vatset, P.I., 2=5546
 napetyan, S.H. See Vatset, P.I., 2=5549
 nin, M. See Bertocchi, L., 2=9788
 nin, M. See Bertocchi, L., 2=18158
 nks, L. Magnetic field reversal by relativistic electrons which slow down while circulating in a uniform impressed magnetic field, 2=13562
 nks, L. Filamentary standing-wave pattern in a solid-state maser, 2=14668
 nks, L. The structure of the Astron E-layer, 2=15930
 ndorf, J. Compressional bone conduction in cochlear models, 2=24197
 nnelat, M.A. Gravitational induction, 2=4922
 nnelat, M.A. Euclidean theory of the gravitational field. Gravitational energy, 2=9154
 nolini, F. See Colli, L., 2=14117
 nolini, F. See Facchini, U., 2=14118
 nolini, F. See Facchini, U., 2=16409
 nolini, F. See Marcazzan, M.G., 2=16210
 ntégode, A.Ya. See Zandberg, E.Ya., 2=19904
 ohig, T. See Pevsner, A., 2=5719
 ohig, T. See Pevsner, A., 2=22572
 or, E.W. See Hofer, L.J.E., 2=11748
 operts, A.S. An integrating sphere attachment to the SF-4 spectrophotometer for measurement of diffuse reflection and transmission coefficients, 2=106
 pp, S.V. and Hereford, F.L. Light detection systems for liquid helium scintillators, 2=5526
 raldo di Francia, G. Electromagnetic theory of antennas and transmission lines, 2=1599
 raldo di Francia, G. Introduction to the theory of synchrotron radiation, 2=3151
 raldo di Francia, G. See Caprioli, L., 2=1278
 raldo di Francia, G. See Pratesi, R., 2=22325
 raldo di Francia, G. See Ronchi, L., 2=3169
 rbin, N.M. See Vorob'ev, A.A., 2=21222
 rchia, D.A. See Russell, A.M., 2=9143
 relli, G. See Fabiani, F., 2=20319
 relli, G. See Fabiani, F., 2=22491
 rgard, I. See Reiz, A., 2=9090
 rge, R. See Kinder, W., 2=5183
 rgeson, D.R. and Barnes, R.G. Nuclear magnetic resonance and Knight shift in solid indium, 2=23720
 riyama, Y. See Murooka, Y., 2=7228
 rizuka, K. Zero-field proton magnetic resonance in barium chloride hydrate, 2=8687
 rok, E.J., White, R.A., Hunt, A.J. and Oredson, H.N. Measurement of the easy-axis and H_K probability density functions for thin ferromagnetic films using the longitudinal permeability hysteresis loop, 2=23664
 rres, S. See Facetti, J., 2=20540
 rrey, H.C. See Korringa, J., 2=20174
 rruella, A.J. See Zickendraht, W., 2=324
 rtia, E. Cyclotron radiation from a hot plasma, 2=7629
 sch, W.C. See Muller, N., 2=23001
 schek, P. Reference cross-section for the scattering of neutral molecules, 2=18502
 schek, P. See Berkling, K., 2=6238
 schek, P. See Berkling, K., 2=12301
 schi, R. See Bologna, G., 2=5610
 si, M.P. and Fumi, F.G. Born model treatment of the polymorphic transitions of the alkali halides, 2=14921
 si, M.P. See Fumi, F.G., 2=14390
 sima, S. See Okamoto, F., 2=16698
 tani, S. Pressure effect of cavitation on photographic emulsion, 2=5192
 th, K.S. Angular distribution and ranges of N^{13} particles resulting from 27.5 MeV N^{14} ions on Mg^{24} , 2=12227
 th, R.S. See Sato, H., 2=2407
 th, R.S. See Sato, H., 2=12401
 th, R.S. See Sato, H., 2=12657
 th, R.S. See Sato, H., 2=17049
 tle, C.R. The relationship between physical properties and the structure of metals, 2=19074
 tle, C.R. Thermal cycling of graphite, 2=23807
 tubalin, V.N. See Kolchin, A.M., 2=142
 Tou, C.P. See Ferraro, A.J., 2=9001
 Touchard, J. See Haglund, M., 2=368
 Touchard, J. See Sartoris, G., 2=20502
 Toulouse, G. Secular variation of the geomagnetic field, 2=13066
 Tourin, R.H. Infrared spectral emissivities of CO_2 in the 2.7 micron region, 2=8094
 Tourin, R.H. and Babrov, H.J. Note on absorption coefficients of hot CO_2 at 4.40μ , 2=19618
 Tournarie, M. See Dubois, M., 2=15020
 Tournaire, M. See Hauptman, A., 2=10835
 Tourneux, J.Le. See Le Tourneux, J.
 Tournier, J. See Delavignette, P., 2=4398
 Tournois, P. and Lowenthal, S. Vibrating rods and their characteristic impedance, 2=11437
 Touschek, B. See Bernardini, C., 2=7690
 Tousey, R. Observational results on the far ultraviolet radiation of the sun, including X-rays, 2=15337
 Tousey, R. See Detwiler, C.R., 2=2480
 Tousey, R. See Detwiler, C.R., 2=15341
 Tousey, R. See Purcell, J.D., 2=15343
 Tousey, R. See Purcell, J.D., 2=15344
 Toussaint, G. See Champier, G., 2=3818
 Tousset, J. and Moussa, A. Disintegration of Mesothorium 1. A proposed scheme, 2=389
 Toutenhoofd, W. See Bogle, G.S., 2=16605
 Tovchigrechko, S.S. See Kamochkin, B.A., 2=21866
 Tovchigrechko, S.S. See Smirnov, E.I., 2=44
 Tove, P.A., Brolin, S. and Hellman, B. Scanning microscope for photoelectric data evaluation, 2=1260
 Tove, P.A. and Falk, K. Transit time of charge carriers in the semiconductor ionization chamber, 2=5529
 Towle, J.H. and Gilboy, W.B. The interaction of neutrons with sodium in the energy range 0.5 to 4 MeV, 2=14107
 Towle, J.H. See Batchelor, R., 2=5524
 Towle, J.H. See Parker, J.B., 2=5653
 Townes, B.M. See Allaby, J.V., 2=10126
 Townes, B.M. See Ashmore, A., 2=18118
 Townes, C.H. and Schwartz, R.N. Interstellar and interplanetary communication by optical masers, 2=4863
 Townes, C.H. See Abella, I.D., 2=5468
 Townley, C.W., Howes, J.E., Jr., Raines, G.E., Diethorn, W.S. and Sunderman, D.N. A radiochemical technique for the determination of short-lived fission gases, 2=4577
 Towns, R.L. See Bopp, C.D., 2=17684
 Townsend, A.A. A continuum theory of the isothermal flow of liquid helium II, 2=1329
 Townsend, A.A. Natural convection in the earth's boundary layer, 2=12995
 Townsend, A.A. Free convection in a wind, 2=17128
 Townsend, G.B. See Nielsen, J.W., 2=14819
 Townsend, J.R. and Handler, G.S. Thomas-Fermi homonuclear diatomic molecule. I. Method of solution and atomic interaction potential, 2=16502
 Townsend, J.R. See Muss, D.R., 2=12842
 Townsend, P. See Roberts, D.H., 2=8375
 Townshend, S.E. See Bowes, P.C., 2=4539
 Toxen, A.M. Critical fields of thin superconducting films. I. Thickness effects, 2=19810
 Toxen, A.M., Chang, G.K. and Jones, R.E. Thermal conductivity of dilute indium-mercury alloys, 2=11561
 Toxen, A.M. See Chang, G.K., 2=7510
 Toye, M.J. See Serpolay, R., 2=19058
 Toyoda, A. See Oneda, S., 2=22623
 Toyoda, H. and Itakura, M. The surface effect on the electrical properties of $BaTiO_3$ single crystals, 2=16793
 Toyoda, H., Tanaka, Y. and Shiohara, W. Growth and electrical properties of ferroelectric glycine sulfate single crystals, 2=6520
 Toyoda, H. See Ikeda, T., 2=6531
 Toyoda, H. See Ikeda, T., 2=23508
 Toyoda, H. See Shibata, H., 2=10554
 Toyoda, H. See Shibata, H., 2=10557
 Toyoda, T. See Lin, I., 2=22817
 Toyoda, Y. On the high-energy electron-photon component in extensive air showers, 2=9956
 Toyozawa, Y. Self-trapping and drift motion of an electron, 2=3875
 Toyozawa, Y. Further contribution to the theory of the line-shape of the exciton absorption band, 2=8192
 Toyozawa, Y. Localized spins and negative magnetoresistance in the impurity conduction at high concentrations, 2=12508
 Toyozawa, Y. Theory of localized spins and negative magnetoresistance in the metallic impurity conduction, 2=16690
 Toyozawa, Y. Theory of impurity conduction, 2=23280

- Toyozawa, Y. See Hanamura, E., 2=16638
 Toyozawa, Y. See Matsubara, T., 2=4008
 Tozer, B.A. See Barber, P.B., 2=9555
 Trabal, E. See Facetti, J., 2=20540
 Tracy, J.W., Gregory, N.W. and Lingafelter, E.C. Crystal structure of chromium (II) bromide, 2=15025
 Tracy, J.W., Gregory, N.W., Lingafelter, E.C., Dunitz, J.D., Mez, H.-C., Rundle, R.E., Scheringer, C., Yakel, H.L., Jr and Wilkinson, M.K. The crystal structure of chromium (II) chloride, 2=15023
 Tracy, J.W., Gregory, N.W., Stewart, J.M. and Lingafelter, E.C. The crystal structure of chromium (II) iodide, 2=10871
 Traetteberg, M. See Almenningen, A., 2=22953
 Trageser, D.A. Future accelerators: intense source for processing, 2=5393
 Trail, C.C. See Monahan, J.E., 2=18308
 Trajmar, S. See Brewer, L., 2=8105
 Trajmar, S. See Brewer, L., 2=14283
 Trakhtbrot, B.M. See Iordanishvili, E.K., 2=16763
 Trakhtbrot, B.M. See Iordanishvili, E.K., 2=18756
 Trakhtenberg, I.Sh. See Klotsman, S.M., 2=8803
 Tralli, N. and Agresta, J. Spherical harmonic calculations for a cylindrical cell of finite height, 2=6016
 Tramer, A. Vibrations spectra and structure of complex thiocyanates. I. Variations of the spectrum of the CNS⁻ ion, 2=18818
 Tramer, A. Vibration spectra and structure of complex thiocyanates. II. Methods and general results of the study of single crystals, 2=18819
 Trammell, G.T. Sound waves in water containing vapor bubbles, 2=11453
 Trammell, G.T. Elastic scattering at resonance from bound nuclei, 2=14361
 Tran Quan Dang. See Dang Tran Quan.
 Tran van Tan. Theory of spinor connections deduced from Euclidian connections, 2=2603
 Tran Van Tan. On the Laplacian of a tensor-spinor in general relativity, 2=21808
 Trapeznikova, O.N., Novikova, G.E. and Minakova, S.V. Light scattering in crystalline polymers. II. Investigation of the temperature dependence of the index of refraction of the crystalline and amorphous phases of polychloroprene and the determination of the degree of crystallization, 2=6544
 Trapp, H. See Van Ostenburg, D.O., 2=12836
 Trasi, M.S. Two-group theory of a ring of N cylindrical rods or zones in a reflected reactor, 2=6019
 Trasi, M.S. See Desai, R.C., 2=5998
 Tratz, H. See Mayinger, F., 2=19613
 Träuble, H. and Seeger, A. The characteristic function of ferromagnetic single crystals, 2=12772
 Traugott, S.C. Evaluation of indeterminate second-order effects for the Rayleigh problem, 2=21873
 Trautman, A. See Robinson, I., 2=2620
 Traving, G. See Baschek, B., 2=7015
 Treacy, E.B. and Beers, Y. Hyperfine structure of the rotational spectrum of HDO, 2=10254
 Treacy, P.B. See Gregory, A.G., 2=22837
 Treacy, P.B. See Symons, G.D., 2=22728
 Treado, P.A. and Chagnon, P.R. Neutron-capture gamma-ray spectra of the tungsten isotopes, 2=16376
 Treanor, C.E. and Marrone, P.V. Effect of dissociation on the rate of vibrational relaxation, 2=19597
 Treanor, C.E. and Skinner, G.T. Molecular interactions at high temperatures, 2=3793
 Trebukhovskii, Yu.V. See Balats, M.Ya., 2=16863
 Trebukhovskii, Yu.V. See Ergakov, V.A., 2=20196
 Treder, H. Role of Planck's elementary length in Dirac's quantum theory of gravitation field, 2=15474
 Treder, H. See Papapetrou, A., 2=19408
 Tredgold, R.H. On very low mobility carriers, 2=23299
 Tredgold, R.H. See Barnes, J.F., 2=629
 Tredgold, R.H. See Branwood, A., 2=14512
 Tredgold, R.H. See Pugh, D., 2=18563
 Tredgold, R.H. See Roberts, G.G., 2=23442
 Trefftz, E. See Lüst, R., 2=13131
 Trehan, P.N. and Van Patter, D.M. Decay of 18-min Br⁸⁰, 2=10071
 Treiman, S.B. and Yang, C.N. Tests of the single-pion exchange model, 2=13750
 Treiman, S.B. See Peierls, R.F., 2=13863
 Treiman, S.B. See Landshoff, P.V., 2=18068
 Treiman, S.B. See Sachs, R.G., 2=18174
 Treinin, A. See Jortner, J., 2=19564
 Treinin, A. See Meyerstein, D., 2=5024
 Treinin, A. See Meyerstein, D., 2=10983
 Treloar, L.R.G. Rubber models of yarns and cords: continuum theory, 2=15084
 Trent, P.T. See Hunter, H.W., 2=9952
 Treptow, H. Investigation of the polarization of the luminescence of Icelandic calcite, 2=6598
 Treptow, H. See Hartmann, H., 2=811
 Treptow, H. See Hartmann, H., 2=8788
 Treptow, H. See Ortmann, H., 2=4180
 Treptow, H. See Örtmann, H., 2=6614
 Tretjakova, M.I. See Alekseeva, K.I., 2=20451
 Tretner, W. Theory of the Farvitron, 2=11729
 Tret'yakov, Ch.A. and Shestoporov, V.Ya. Calculation of fluctuations of the lateral distribution of large atmospheric shower particles, 2=13928
 Tret'yakov, O.A. See Shestopalov, V.P., 2=16056
 Tret'yakova, C.A. See Grigorov, N.L., 2=16254
 Treuting, R.G. See Wagner, R.S., 2=807
 Treve, Y.M. See Sen, H.K., 2=3033
 Treves, D. Magnetic studies of some orthoferrites, 2=8657
 Treves, D. and Alexander, S. Observation of antisymmetric exchange interaction in yttrium orthoferrite, 2=12666
 Treves, D. See Gyorgy, E.M., 2=12702
 Trey, F. See Faninger, G., 2=9678
 Triboulet, R. See Rodot, H., 2=8367
 Tric, (Mme). See Benoit, A. la Guillaume, C., 2=10589
 Triebwasser, S. See Cheroff, G., 2=8399
 Trier, A. See González, L., 2=10123
 Trifonov, V.V. A simple amplifier which cannot be overloaded for scintillation spectroscopy, 2=19853
 Trifonov, V.V. See Vyazemskii, V.O., 2=1353
 Trifonov, V.V. See Vyazemskii, V.O., 2=1367
 Trigunayat, G.C. and Verma, A.R. Interferometric and X-ray investigation of polytypism in cadmium iodide crystals in relation to crystal growth, 2=10869
 Trillat, J.J. See Haymann, P., 2=11700
 Trilling, G.H. See Brown, J.L., 2=5730
 Trilling, G.H. See Brown, J.L., 2=20417
 Trilling, G.H. See Roe, B.P., 2=3399
 Trinkler, E. Effect of gamma radiation on the initial permeability of some ferromagnetics, 2=8617
 Tripa, A. See Bédiké, T., 2=22748
 Tripathi, B.B. Lattice vibrations in potassium iodide, 2=3828
 Tripathi, B.B. See Dayal, B., 2=4310
 Tripathi, B.N. See Dayal, B., 2=14369
 Tripp, R.D., Watson, M.B. and Ferro-Luzzi, M. Determination of the Σ parity, 2=18192
 Tripp, R.D., Watson, M.B. and Ferro-Luzzi, M. Measurement of the Σ asymmetry parameter, 2=20432
 Tripp, R.D. See Ferro-Luzzi, M., 2=5728
 Tripp, R.D. See Ferro-Luzzi, M., 2=5741
 Tripp, R.D. See Kirz, J., 2=9902
 Trischka, J.W. See Stover, R., 2=17059
 Trivedi, G.K. See Chaudhari, K.R., 2=4983
 Trivellato, D. See Thirriot, C., 2=19520
 Trivelpiece, A.W. See Spector, J., 2=16059
 Trivisonno, J. and Smith, C.S. Elastic constants of lithium-magnesium alloys, 2=2314
 Trka, Z. See Birger, N.G., 2=3391
 Trlifaj, L. Replacement of a block of a lattice close to the reflector, 2=18374
 Trlifaj, L. See Burget, J., 2=4247
 Trlifaj, L. See Čermák, I., 2=10180
 Trnka, J. See Dolejší, J., 2=6607
 Trnka, J. See Dolejší, J., 2=18863
 Trocheris, M. Adiabatic approximation and confinement of a particle by magnetic mirrors, 2=22221
 Trocheris, M. See Andreewsky, A., 2=11673
 Trodden, W.G. See Jenkins, R.O., 2=3068
 Trofimenko, A.P. and Sheinkman, M.K. Effect of an electric field on thermally stimulated conductivity of CdS monocrystals, 2=23376
 Trofimenko, N.M. See Gubkin, A.N., 2=17765
 Trofimov, A.K. Luminescence of lanthanides in thorium oxide, 2=14733
 Trognon, J. Chronometer for measuring short time intervals, 2=195
 Tršim, J. See Aarons, J., 2=4618
 Tršim, J. See Harang, L., 2=4679
 Troinar, E. See Batrakov, G.F., 2=15856
 Troitskaya, N.V. and Pinsker, Z.G. The hexagonal nitrides of molybdenum, 2=4416

- bitskaya, V.A., Alperovich, L.A., Melnikova, M.V. and Bulatova, G.A. Fine structure of magnetic storms in respect of micropulsations ($T < 20$ sec), 2=17219
- bitskaya, V.A., Al'perovich, L.V. and Georgio, N.V. The connection between short period oscillation of the earth's electromagnetic field and aurora, 2=19235
- bitskii, V.S. The nature and physical state of the surface layer of the moon, 2=2692
- bitskii, V.S. The mean free path of molecules in a molecular beam, 2=23019
- bitskii, V.S. Radio measurements of the dielectric constant and the density of the outer covering of the lunar surface, 2=24091
- ojan, O.A.D. and McNeill, K.G. Radioactive contamination of soil, 2=12151
- ollet, G. See Dreyfus, B., 2=2051
- olope, R. See Israel, W., 2=27
- ommer, H. Ultrasonic transmitter for use in laboratories and industry, 2=9346
- oncoso, O. See Escobar, I., 2=5769
- oncoso, O. See Escobar, I., 2=13907
- ost, A. Remarks on a stress condition, 2=7153
- opper, H. See Darveniza, M., 2=59
- opper, H. See Winstel, G., 2=23438
- ost, W. See Rose, H.J., 2=20519
- ostin, I.S., Savinov, E.G. and Stasevich, B.M. Nonfilament source for cyclotron, 2=20040
- ostin, I.S., Smotryaev, V.A. and Levintov, I.I. Neutron polarization in the $T(d,d)He^4$, 2=22656
- ostin, I.S. See Atlaskin, N.N., 2=20075
- ostin, S.S. See Abov, Y.G., 2=14031
- ott, W.J. Theory of a passive, reversible, distributed-coupling transducer, 2=7287
- ott, W.J. Reciprocity parameters derived from radiated power, 2=17550
- otter, J. See Catterall, J.A., 2=8545
- otter, J. See Catterall, J.A., 2=23581
- oup, G.J. Design of multimode waveguide cavities for solid state masers, 2=11786
- oup, G.J. Nuclear magnetic resonance and preferred orientation in hot-pressed polycrystalline BeO , 2=23719
- oup, G.J. and Thyer, J.R.W. Electron spin resonance in neutron-irradiated polycrystalline beryllium oxide, 2=6688
- ousil, Z. Glow discharge as a heat source for surface and floating zone melting, 2=11633
- ousil, Z. and Skřivánková, M. Two-barrier detector, 2=20198
- ousil, Z. See Skřivánková, M., 2=1630
- outner, D.E. See Wahl, A.C., 2=12236
- ubenbacher, E. See Waldmann, L., 2=17510
- ubey, D.K. The single-scattering approximation to the solution of the gamma-ray air-scattering problem, 2=5598
- ubitsyn, V.P. and Ulinich, F.R. The transition of solid helium into a metallic state at high pressures, 2=11551
- ubitsyn, V.P. and Ulinich, F.R. The transition of solid helium into a metallic state at high pressures, 2=13501
- ubnikov, B.A. Dynamical principle of stability for magneto-hydrostatic systems, 2=5457
- uby, F.K. Energy transfer in irradiated alkyl disulfides, 2=18480
- udeau, L.P. Radiation damage, brittle fracture and strain ageing in steel, 2=23770
- uell, R. See Einspruch, N.G., 2=23728
- uell, R. See Fitzgerald, T., 2=20987
- uell, R. See Hikata, A., 2=21436
- ueman, T.L. Influence of K-nucleon interactions in pion-hyperon scattering, 2=20403
- uesdell, C. See Kanwal, R.P., 2=9698
- uitt, J. See Evans, R.B., III, 2=19610
- ujillo, S.M., Rol, P.K. and Rothe, E.W. Slotted-disk velocity selector of extended range, 2=20888
- ujillo, S.M. See Rothe, E.W., 2=3001
- ujillo, S.M. See Rothe, E.W., 2=10222
- ujillo, S.M. See Smith, A.C.H., 2=22174
- umbore, F.A., Freeland, P.E. and Mills, A.D. Extent of solid solution in the $GaSb-InSb$ system from crystal-pulling experiments, 2=19102
- ump, J.G. See Wright, K.A., 2=7670
- imper, M. Motion of test bodies in an Einstein gravitational vacuum field, 2=11268
- inin, R.F. See Al'tshuler, L.V., 2=6728
- ong, T.N. See Taylor, J.G., 2=20388
- otla, A. See ŢiŢeica, R., 2=8107
- adikova, G.R. See Kobzev, V.A., 2=22510
- adikova, G.R. See Takibaev, Zh.S., 2=5916
- Tsadikova, G.R. See Takibaev, Zh.S., 2=12188
- Tsai, H.-S., Ho, S.-C. and Sun, K.-H. Photography measures slow-neutron fluxes, 2=20372
- Tsai-Chü. See Baudinet-Robinet, Y., 2=13798
- Tsai-Chü. See Depaux, B., 2=3333
- Tsai Ko-en. Heat transfer in turbulent motion of fluid for large Prandtl numbers, 2=9421
- Tsakadze, D.S. Determination of the coefficient of mutual friction between the superfluid and normal components along vortex lines, 2=13500
- Tsakadze, D.S. See Andronikashvili, É.L., 2=5230
- Tsang, T. Electron correlation in atoms and molecules, 2=10193
- Tsang Tung. See Tung Tsang.
- Tsang, W., Bauer, S.H. and Cowperthwaite, M. Dissociation energy and rate of decomposition of C_2N_2 , 2=12349
- Tsao, C.H. See Blue, M.H., 2=5637
- Tsao, C.J. and Curnutte, B. Linewidths of pressure-broadened spectral lines, 2=12305
- Tsao, G.T.N. Thermal conductivity of two-phase materials, 2=20945
- Tsarenkov, B.V. See Nasledov, D.N., 2=21160
- Tsarev, B.M. See Bondarenko, B.V., 2=1481
- Tsarev, V.P. See Antropov, G.P., 2=20367
- Tsareva, T.V. See Konstantinova, M.P., 2=492
- Tsareva, T.V. See Konstantinova, M.P., 2=22852
- Tschopp, W. See Schneider, M.V., 2=3165
- Tschorn, G. γ -defectoscopy with Co^{60} and the Soviet instrument GUP-150-1, 2=21772
- Tschuikow-Roux, E. See Johnston, H.S., 2=4532
- Tse Peng Kim. See Kim Tse Peng.
- Tsebulya, G.G. See Samsonov, G.V., 2=8303
- Tseitlin, A.B. and Falaleev, L.V. RVA-1-2 mercury vacuum pumping unit, 2=21953
- Tsekhmistrenko, Yu.V. See Ol'khov'skii, V.S., 2=5583
- Tsekhmistrenko, Yu.V. See Vemets, O.F., 2=16311
- Tsekhanskaya, Yu.V. and Iomtev, M.B. A method of measuring diffusion coefficients of solid substances in compressed gases, 2=17502
- Tsekvava, B.E. Dispersion of light in the region of exciton absorption in the case of dipole-forbidden transitions, 2=18801
- Tsellner, V. See Vol'f, Yu., 2=22621
- Tseng, P.-K., Shikazono, N., Takekoshi, H. and Shoji, T. Temperature dependence of nuclear resonances absorption line width in Dy^{161} , 2=2044
- Tseng, P.K. See Shikazono, N., 2=22713
- Tseplyaev, V.I. Equations for the correlation functions of an equilibrium system of Coulomb particles with short-range interactions, 2=13271
- Tseplyaev, V.I. Equations for the correlation functions of an equilibrium system of Coulomb particles with short-range interactions, 2=19451
- Tserineo, M.A. See Zaika, N.I., 2=16317
- Tserkovnikov, Yu.A. On the theory of an imperfect Bose gas at non-vanishing temperature, 2=13276
- Tserkovnikov, Yu.A. On the theory of an imperfect Bose gas at non-vanishing temperature, 2=19464
- Tsertsvadze, A.A. Energy of formation of an exciton in the vicinity of a neutral pair of vacancies in crystals of the NaCl type, 2=10356
- Tsertsvadze, A.A., Chkhartishvili, Yu.V. and Kachlishvili, Z.S. Calculation of the ionic and atomic contributions to binding in silicon carbide crystals, 2=20899
- Tsikin, A.N. See Koikov, S.M., 2=6527
- Tsikin, A.N. See Koikov, S.N., 2=21215
- Tsikin, A.N. See Kunin, V.Ya., 2=18647
- Tsikin, A.N. See Kunin, V.Ya., 2=21209
- Tsiklis, D.S. A membrane type zero instrument for measuring high pressures, 2=19499
- Tsikora, I.L. See Rossikhin, V.S., 2=14281
- Tsilosani, N.N. See Matinyan, S.G., 2=3299
- Tsin Ch'en-Zhui, Ch'ing Ch'eng Jui and Novikov, L.S. Deviations from the allowed form of the P^{32} β -spectrum, 2=10044
- Tsin' Yun'-ven'. See Dzyub, I.P., 2=23040
- Tsintsadze, N.L. and Lominadze, D.G. Interaction of an ion beam with a magnetoacoustic plasma, 2=9574
- Tsintsadze, N.L. See Loladze, Ts.D., 2=15940
- Tsipin, S.G. See Belov, S.P., 2=1692
- Tsirak, Yu. See Benda, F., 2=15971
- Tsirlin, Yu.A. The effect of the pulse-analyser bandwidth on the resolving power of a scintillation spectrometer, 2=5525
- Tsirlin, Yu.A., Pargamanik, L.É. and Daich, A.R. Diffusion of light in scattering media, 2=15748
- Tsisiak, O.N. See Medvedev, M.N., 2=1485
- Tsitovich, V.N. Relativistic radiation of a circular current, 2=15931

- Tsitseika, Sh. See Khulubei, Kh., 2=9884
- Tsoi, P.I. Diffraction of (short) sound waves at an obstacle (cylinder, sphere, cone and plane), 2=17567
- Tsoi, P.I. Diffraction of (short) sound waves at an obstacle (cylinder, sphere, cone and plane), 2=17567
- Tsoi, P.I. Diffraction of plane sound waves (long) at a toroid, 2=17568
- Tsoiman, G.I. See Kazavchinskii, Ya.Z., 2=5057
- Tsoiman, G.I. See Rabinovich, V.A., 2=2707
- Tsou, K.C. See Sandler, S.R., 2=6626
- Tsoucaris, G. Determination of the continuous variation of structure factors as a function of atomic coordinates, 2=2384
- Tsu Yao. Strange particle production in proton-proton collisions, 2=3414
- Tsuboi, M. Infrared spectra and secondary structure of deoxyribonucleic acid, 2=7049
- Tsuboi, M., Terada, M. and Shimanouchi, T. Optically active lattice vibrations of α -uranium trioxide, 2=6581
- Tsuboi, S. Variation of optic axial through zero, 2=23522
- Tsubomura, H. and Lang, R.P. Low-temperature solution spectra of methylcyclohexane and benzene. Effect of oxygen and carbon tetrachloride, 2=14674
- Tsuboya, I. and Sugihara, M. The magnetic properties of the κ -phase in [the] Mn-Al-Co system, 2=10677
- Tsuboya, I. See Sugihara, M., 2=12730
- Tsuchida, T., Nakamura, Y., Mekata, M., Sakurai, J. and Takaki, H. Hall effect in the carbides of transition metals, 2=3993
- Tsuchida, T., Sakuma, T. and Furui, S. Associated production in pion-nucleon collisions and effects of resonant states, 2=9900
- Tsuchiya, A. and Morimoto, M. Anomalous scintillation of solar radio emission, 2=2562
- Tsuchiya, A. and Morimoto, M. Anomalous scintillation of solar radio emission, 2=7038
- Tsuchiya, M. See Yamamoto, K., 2=23255
- Tsuchiya, T. High-kinetic energy fragment ions from aliphatic hydrocarbons under electron impact. II. Propane, 2=13533
- Tsuge, K. and Wada, Y. Effect of sorbed water on dielectric dispersion of cellulose at low frequencies, 2=6514
- Tsujimura, A., Hihara, T. and Koi, Y. Nuclear magnetic resonance in the ferromagnet MnSb, 2=18964
- Tsujimura, A. See Kushida, T., 2=12644
- Tsujuchi, J. Improvement of aberrant images by means of spatial frequency filtering. III. Improvement of the taken image by a two-focus filter, 2=89
- Tsukerman, I.S. See Lyagin, I.V., 2=16213
- Tsukerman, I.S. See Solov'ev, V.V., 2=16235
- Tsukerman, V.A. See Kuznetsov, F.O., 2=21935
- Tsukernik, V.M. See Kaganov, M.I., 2=756
- Tsukernik, V.M. See Kaganov, M.I., 2=23691
- Tsukhanova, O.A. See Pyatniskii, L.N., 2=19145
- Tsukiyama, H. X-ray study on the effect of heating on structures of Nylon 6, 2=10928
- Tsukuda, M. Pulse analyzing system for a gridded ionization chamber, 2=9505
- Tsukuda, M. See Ogawa, I., 2=5507
- Tsun Wu Tai. See Tai Tsun Wu.
- Tsuneto, T. See Maki, K., 2=11557
- Tsuneto, T. See Maki, K., 2=19804
- Tsupko-Sitnikov, V.M. See Falomkin, I.V., 2=20381
- Tsupko-Sitnikov, V.M. See Zaimidoroga, O.A., 2=3369
- Tsurumi, I. See Inuishi, Y., 2=2145
- Tsuya, N. and Ebina, Y. Electronic structures of rare-earth ions in both cubical crystalline field and external magnetic field. I. Tb³⁺ and Tm³⁺, 2=3861
- Tsuyama, H. See Morito, N., 2=20055
- Tsuzuki, Y. Nuclear interactions produced by heavy nuclei of primary cosmic radiation in nuclear emulsions, 2=1936
- Tsvetaev, M.N. A controllable positive ion source which is free from neutral particles, 2=17894
- Tsvetkov, O.S. See Goroshkov, G.V., 2=16206
- Tsvetkov, O.S. See Goroshkov, G.V., 2=20677
- Tsvetkov, O.S. See Grebenskii, B.S., 2=16205
- Tsvirki, Yu.A. Anomalous anisotropy and circular dichroism of optically active crystals in the exciton absorption region, 2=18808
- Tsvirko, Yu.A. Theory of circular dichroism in optically active crystals, 2=8485
- Tsvirko, Yu.A. The formation of an exciton from a wave due to the electromagnetic field of the wave at the surface of an optically active crystal, 2=20970
- Tsyashchenko, Yu.P. See Lisitsa, M.P., 2=1152
- Tsyganov, E.N. Elastic high energy proton-proton scattering, 2=16197
- Tsyganov, E.N. See Asimov, S.A., 2=9845
- Tsyganov, E.N. See Barashenkov, V.S., 2=1869
- Tsyganov, E.N. See Do In Seb, 2=5640
- Tsykora, I.L. See Lyutyi, A.I., 2=17679
- Tsypin, S.G. The use of monodirectional neutron sources for studying shielding (B-2 facility on reactor BR-5), 2=18385
- Tsypin, S.G. See Kukhtevich, V.I., 2=1674
- Tsyrmorechki, O.St. See Peshev, P.D., 2=14798
- Tsytko, S.P. See Antuf'ev, Yu.P., 2=10104
- Tsytko, S.P. See Antuf'ev, Yu.P., 2=16320
- Tsytko, S.P. See Val'ter, A.K., 2=3576
- Tsytko, S.P. See Val'ter, A.K., 2=13997
- Tsytovich, V.N. Spatial dispersion in a relativistic [isotropic] plasma, 2=185
- Tsytovich, V.N. Coherent transition radiation of currents and charges, 2=9689
- Tsytovich, V.N. On the transition radiation of currents passing through the boundary of a plasma, 2=11662
- Tsytovich, V.N. Macroscopic renormalization of the mass and energy losses of charged particles in a medium, 2=11721
- Tsytovich, V.N. Energy losses of charged particles in a plasma, 2=13566
- Tsytovich, V.N. Acceleration of particles by radiation in the presence of a medium, 2=20283
- Tsytovich, V.N. Radiative corrections to the intensity of Cherenkov radiation from charged particles, 2=20304
- Tsytovich, V.N. Radiative corrections to the intensity of Cherenkov radiation from charged particles, 2=22478
- Tsytovich, V.N. See Levin, M.L., 2=9690
- Tsyzan-Yu-tai and Korol'ov, O.M. Stripping reaction theory, 2=2284
- Tuan Fu San. See San Fu Tuan.
- Tuan Hong Duong. See Duong Hong Tuan.
- Tuan, S.F. Threshold mass numerologies and resonances in boson and baryon systems, 2=9876
- Tuan, S.F. See Franklin, J., 2=1724
- Tuan San Fu. See San Fu Tuan.
- Tuan, T.F. On the Doppler profiles for auroral hydrogen emission, 2=19240
- Tubaev, V.M. See Pivovar, L.I., 2=162
- Tubaev, V.M. See Pivovar, L.I., 2=17792
- Tubaev, V.M. See Pivovar, L.I., 2=22169
- Tubbs, M.R. and Forty, A.J. The effects of electron irradiation on crystals of potassium chloride, 2=23222
- Tubis, A. See Frank, W.M., 2=7852
- Tuchek, I. See Pernegr, Ya., 2=1745
- Tuchkevich, V.V., Romanov, V.A. and Idoko, M.G. Relative intensities of Lu¹⁷⁶ and Lu¹⁷⁷ conversion electrons, 2=16366
- Tuchkevich, V.V. See Idoko, M.G., 2=16367
- Tuchscheer, T. Observations on the dosimetry of a large-surface radiation source, 2=13708
- Tuck, J.L. Thermonuclear reaction rates, 2=1943
- Tucker, D.G. Improved directivity using synchronous demodulation, 2=1588
- Tuckey, G.S.G. See Baston, A.H., 2=3596
- Tuckfield, R.J., Jr. See Scott, F.R., 2=22034
- Tuczek, H. See Bieger, W., 2=11677
- Tudge, A.P. Studies in chromatography transport. I. A simplified theory, 2=860
- Tudge, A.P. Studies in chromatographic transport. II. The effect of adsorption isotherm shape, 2=861
- Tudge, A.P. Studies in chromatographic transport. III. Chromatography, 2=11000
- Tufte, O.N. The average conductivity and Hall effect of diffused layers on silicon, 2=10481
- Tul'chinskii, B.S. and Yurasov, V.D. A moisture detecting unit based on porous semiconductor film, 2=19182
- Tul'chinskii, B.S. and Zhukov, A.G. Preparation of materials for electron microscope, 2=21597
- Tulinov, A.F. See Bednyakov, A.A., 2=14086
- Tulinov, V.E. See Charakhchyan, A.N., 2=13903
- Tulinov, V.F. See Charakhchyan, A.N., 2=13902
- Tulinov, V.F. See Charakhchyan, A.N., 2=22669
- Tulub, A.V. Slow electrons in polar crystals, 2=3878
- Tulupov, B.A. See Semenko, S.F., 2=5885
- Tumakaev, G.K. See Dunaev, Yu.A., 2=9309
- Tumanov, V.S. See Klyshko, D.N., 2=21239
- Tumanyan, V.A., Sarinyan, M.G., Galstyan, D.A., Kanetsyan, A.R., Arustamova, M.E. and Sarkisyan, G.S. Investigation of hyper-nuclei produced by 8.8 BeV protons, 2=354
- Tumul'kan, A. Fluctuations of the charge per pulse in halogen-quenched Geiger counters, 2=11822
- Tunbridge, A. See Power, G., 2=11763
- Tung Tsang. See Connor, D., 2=12120
- Tung Tsang. See Hutchison, C.A., 2=18890

- Wang, See Wang Tung.
- Mananova, E.N. See Berlovich, E.E., 2=18258
- Min, M.S., Shakhov, O. and Shakhparonov, M.I. Velocity and absorption of sound in liquids whose molecules have aromatic rings, 2=15586
- unitskii, N.N. See Gur'ev, M.V., 2=18489
- unmer, H. The origin of the belt of galactic radio waves, 2=2566
- unmore, B.G. A simple radiometer for the measurement of radiative heat exchange between buildings and the environment, 2=11536
- unncliff, D.D. and Jones, A.C. Compensator for the polarization sensitivity of a Cary model 81 Raman spectrophotometer, 2=105
- unncliffe, P.R. See Hanna, G.C., 2=1902
- uominen, J. On the layer of the sun in which sunspots are generated, 2=15351
- uong Dinh Guyen. See Guyen Dinh Tong.
- uong, N.P. Vinh. See Vinh Tuong, N.P.
- uong Van Nguyen. See Nguyen Van Tong.
- upikin, A.F. See Papkov, S.F., 2=19357
- urberfield, K.C. The atomic motions in liquid lead, 2=17437
- urberfield, K.C. and Egelstaff, P.A. Phono frequency distribution in vanadium at several temperatures, 2=18523
- urchányi, G., Horváth, T. and Tarján, I. Sodium chloride whiskers, 2=14961
- urchinets, W.E. See Sherwood, T.R., 2=5890
- urchinskaya, M.I. See Volkenshteia, N.V., 2=3131
- urek, P. See Pfeleger, J., 2=10135
- urgeon, E.C. and Shepherd, G.G. Upper atmospheric temperatures from Doppler line widths. II. Measurements on the OI 5577 and OI 6300 A lines in aurora, 2=19211
- urk, E.H. See Cline, J.E., 2=5846
- urk, M. See Antolković, B., 2=7876
- urkalo, A.M. See Low, J.R., Jr., 2=8226
- urkiewicz, J. Structure of the spectrum of protons from the $Te^{122}(n,p)Sb^{122}$ reaction at 14.1 MeV, 2=18337
- urkiewicz, J. See Maluszyńska, K., 2=12197
- urkin, Yu.I. and Chaika, M.P. Anomalous ratio of the h.f.s. component intensities of indium lines, 2=12292
- urko, B. See Konrad, M., 2=5273
- urko, B. See Kuo, L.G., 2=3200
- urkot, F. See Duke, P.J., 2=22504
- urkov, Zh.I. See Zvonov, N.V., 2=18384
- urloy, R. See Brisson, J.C., 2=22567
- urlier, P. See Fétiveau, M., 2=670
- urlo, Z. See Gorgolewski, S., 2=13156
- urnbull, A.H. See Olsson, I.U., 2=10034
- urnbull, D. On the relation between crystallization rate and liquid structure, 2=16988
- urnbull, D. See Cormia, R.L., 2=23823
- urnbull, T.P. and Ehlers, H.H. Preparation of niobium-tin wires for microscopy, 2=23924
- urner, G.L'E. See Müller, E.K., 2=21492
- urner, J.A., Pickard, R.M. and Hoffman, G.R. Ultra high vacuum system, 2=1213
- urner, J.C.R. See Payton, A.D., 2=7200
- urner, J.H. See Smy, P.R., 2=13470
- urner, J.J. See Edsworth, E.A.V., 2=14330
- urner, L.A. Simplification of Caratheodory's treatment of thermodynamics. II, 2=13494
- urner, R.E. See Parry, W.E., 2=7488
- urner, T.J. and Williams, G.P., Jr. Internal friction in silver solid solutions, 2=21398
- urner, W.J., Fischler, A.S. and Reese, W.E. Electrical and optical properties of p-type CdSb, 2=23373
- urner, W.J. and Reese, W.E. Infrared lattice bands in AlSb, 2=16838
- urov, E.A. Conditions of existence of weak ferromagnetism and classification of weakly ferromagnetic structures, 2=16885
- urov, E.A. Longitudinal magnetization effect in an antiferromagnetic by a transverse, circularly-polarized magnetic field, 2=18929
- urov, E.A. See Naish, V.E., 2=8611
- urov, E.A. See Naish, V.E., 2=8612
- urov, E.A. See Naish, V.E., 2=23643
- urov, E.A. See Naish, V.E., 2=23644
- urovskii, B.M. and Mil'vidskii, M.G. Peculiarities in the growth of crystals from the melt by the Czochralski technique, 2=4378
- urovskii, B.M. See Mil'vidskii, M.G., 2=4379
- urovtsev, V.V. See Luk'yanov, A.V., 2=3458
- urovtsev, V.V. See Lukyanov, A.V., 2=13945
- urpin, M.R. and Testerman, M.K. Polarization capacitance determinations of surface roughness, 2=10933
- urrell, B.G. See Stone, N.J., 2=20911
- Turrell, G.C. Characteristics of the zirconium-arc infrared source, 2=17632
- Turrell, G.C. See Bryant, J.I., 2=21250
- Turrisi, E. See Iaci, G., 2=13776
- Turski, W. See Davies, J.G., 2=11120
- Turtle, A.J., Pugh, J.F., Kenderdine, S. and Pauliny-Toth, I.I.K. The spectrum of the galactic radio emission. I. Observations of low resolving power, 2=24177
- Turton, J.S. See Hatton, A.P., 2=15778
- Turusov, A.V. See Broder, D.L., 2=14175
- Turville, C.M. de. See de Turville, C.M.
- Tuska, J.W. See Briggs, G.R., 2=13635
- Tusting, R.F., Kerns, Q.A. and Knudsen, H.K. Photomultiplier single-electron statistics, 2=18011
- Tutter, M. See Hain, K., 2=7613
- Tutubalin, A.I. See Bozhko, V.P., 2=13992
- Tuvdendorzh, D. See Vishky, T., 2=1684
- Tuvdendorzh, D. See Vishky, T., 2=22512
- Tuzhilkin, Yu.I. See Gershman, S.G., 2=15702
- Tuzi, Y. Sorption of water vapour on glass surface in vacuum apparatus, 2=6853
- Tuzzolino, A.J., Hubbard, E.L., Perkins, M.A. and Fan, C.Y. Photoeffects in silicon surface-barrier diodes, 2=2195
- Tverskoi, B.A. The effect of external drift currents on the magnetohydrodynamic self-excitation of earth's magnetic field, 2=2518
- Tverskoi, B.A. One-dimensional self-similar waves moving in a plasma along a magnetic field, 2=13564
- Tverskoi, B.A. Stability of the flow of a well-conducting liquid transverse to a magnetic field, 2=15994
- Tverskoi, B.A. Stability of the flow of a well-conducting liquid transverse to a magnetic field, 2=17933
- Tverskoi, B.S. On the influence of a magnetic field on the increase of amplitude of acoustic waves with decrease of density, 2=22316
- Tweedale, K. See Teale, R.W., 2=21356
- Tweedie, B.J. See Lunn, G.H., 2=11510
- Tweet, A.G. See Dash, W.C., 2=14448
- Twersky, V. Multiple scattering [of waves] by arbitrary configurations in three dimensions, 2=2599
- Twersky, V. Multiple scattering of waves and optical phenomena, 2=2898
- Twersky, V. Multiple scattering of waves, 2=7408
- Twersky, V. Scattering of waves by two objects, 2=7749
- Twersky, V. On scattering of waves by random distributions. I. Free-space scatterer formalism, 2=19381
- Twersky, V. On scattering of waves by random distributions. II. Two-space scatterer formalism, 2=19382
- Twersky, V. On a general class of scattering problems, 2=19383
- Twersky, V. See Beard, C.L., 2=20152
- Twersky, V. See Burke, J.E., 2=19729
- Twidell, J.W. See Hayes, W., 2=16632
- Twigg, L.A., Jr. See Liben, W., 2=2718
- Twitty, B.L. See Kelley, W.D., 2=23988
- Ty Din Nguen. See Nguen Din Ty.
- Tyablikov, S.V. The method of Green's functions in the theory of the adiabatic approximation, 2=8153
- Tyablikov, S.V. The method of Green's functions in the theory of the adiabatic approximation, 2=10308
- Tyablikov, S.V. and Hlauber, A.Yu. Many-electron theory of liquid semiconductors, 2=19540
- Tyablikov, S.V. and Moskalenko, V.A. The method of quantum Greens functions in the theory of optical bands in crystals, 2=687
- Tyablikov, S.V. and Moskalenko, V.A. The method of quantum Greens functions in the theory of optical bands in crystals, 2=4131
- Tyablikov, S.V. and Yakovlev, E.N. On one generalization of the method of spin waves, 2=21297
- Tyablikov, S.V. and Yakovlev, E.N. On one generalization of the method of spin waves, 2=23641
- Tyablikov, S.V. See Siklós, T., 2=12810
- Tyagai, V.A. and Pleskov, Yu.V. Investigation of the rate of surface recombination at the germanium-electrolyte solution boundary, 2=19153
- Tyapkina, N.D. See Kurova, I.A., 2=21194
- Tyapunina, N.A., Shaskol'skaya, M.P., Chza-Tsyzan' [Cha-Chien] and Vekilov, Yu.Kn. Influence of plastic deformation and irradiation on the internal friction of single crystal LiF, 2=10738
- Tyapunina, N.A., Shaskol'skaya, M.P., Chza-Tsyzan' [Cha-Chien] and Vekilov, Yu.Kn. Influence of plastic deformation and irradiation on the internal friction of single crystal LiF, 2=14871
- Tye, R.P. See Powell, R.W., 2=23088
- Tykhinsk'yi, H.F. See Amonenko, V.M., 2=12936
- Tykhinsk'yi, H.F. See Kruhykh, A.A., 2=12445

- Tyler, B.J. Recording Bourdon gauge manometer, 2=4975
 Tyler, J.K., Thomas, L.F. and Sheridan, J. Rotational spectrum of the cyanamide molecule, 2=14267
 Tyler, P.M. Magnetic permeances between iron pole pieces, 2=17928
 Tyler, R.W. See Saunders, V.I., 2=20961
 Tylkina, M.A. See Kripyakevich, P.I., 2=4436
 Tymoshers'kiy, H.F. See Klyucharyev, A.P., 2=20610
 Tyras, G. See Harley, T.P., 2=5487
 Tyrina, L.V. See Palatnik, L.S., 2=23865
 Tyrziu, V.G. See Kot, M.V., 2=21157
 Tys, J. See Florov, G.N., 2=10146
 Tys, Ya. See Flerov, G.N., 2=3629
 Tys, Ya. See Volkov, V.V., 2=12226
 Tyshchenko, B.Y. See Kresnyn, A.A., 2=7973
 Tyson, L. See Frosch, R.A., 2=2841
 Tyurmina, L.O. See Dolginov, S.Sh., 2=11082
 Tyutekin, V.V. See Vovk, A.E., 2=7275
 Tyutitkov, A.M. See Shuba, Yu.A., 2=19299
 Tzara, C. See Miller, J., 2=12183
 Tzara, C. See Miller, J., 2=20590
 Tzara, C. See Schuhl, C., 2=3320
 Tzou, K.-H. On universal weak interactions conserving doublet parity, 2=3258
 Tzou, K.-H. Electromagnetic interaction of the field of Yang and Mills, 2=5572
 Tzou, K.H. Mass doublet fields, 2=5578
 Tzou, K.H. Isotopic gauge-invariance of a vector field of zero proper mass, 2=13720
 Tzou, Kuo-Hsien. A new gauge invariance, 2=7812
 Tzou, K.H. Doublet parity and its conservation in electromagnetic and weak interactions, 2=11871
 Tzou, K.-H. Muon charge and the new general gauge transformation, 2=16157
 Tzou, K.-H. Gauge invariances of particle doublets, 2=16158
 Tzou, K.H. Formulations of gauge invariance, 2=20222
 Tzschachel, R. See Vogt, K.J., 2=12147
 Tzu, H.Y. See Efremov, A.V., 2=7894
 Tzu Hung-yuan. See Chzhu Khun-yuan'.
 Ubbelohde, A.R. Ionic melts, 2=1132
 Ubbelohde, A.R. Systematic studies of barriers to rotation in crystals, 2=8148
 Ubbelohde, A.R., Young, D.A. and Moore, A.W. Behaviour of well-oriented graphite at very high temperatures, 2=10327
 Ubbelohde, A.R. See Blackman, L.C.F., 2=614
 Ubbelohde, A.R. See Blackman, L.C.F., 2=4392
 Ubbelohde, A.R. See Cleaver, B., 2=16666
 Ubbelohde, A.R. See Cleaver, B., 2=16822
 Ubbelohde, A.R. See McCoubrey, J.C., 2=23015
 Ubbelohde, A.R. See Miles, J.E.P., 2=19147
 Ubbelohde, A.R. See Moore, A.W., 2=17683
 Ubelacker, E. and Lucas, L.D. Density of tin, zinc and tin-zinc alloys in the liquid state, 2=9255
 Überall, H. Bremsstrahlung accompanying high-energy meson-proton collisions, 2=9818
 Überall, H. Neutrinos from stopped π and μ mesons, 2=9887
 Überall, H. Neutrino-induced reaction in C^{12} , 2=10145
 Überall, H. Nuclear reactions induced by neutrinos of intermediate energy, 2=12228
 Überall, H. Polarization of quasi-monochromatic bremsstrahlung from a single crystal, 2=16641
 Überall, H. See Silbar, R., 2=3370
 Uberoi, M.S. Optical measurement of spectra of two-dimensional functions, 2=7113
 Uberoi, M.S. Magnetohydrodynamics at small magnetic Reynolds numbers, 2=9699
 Uchevatkin, I.F. See Dzhelepov, B.S., 2=16364
 Uchida, E. See Kondoh, H., 2=23653
 Uchida, I. and Satake, K. Impedance changes induced by light in ZnS, 2=4071
 Uchida, T., Ohnishi, H. and Sato, M. Breakdown condition in an azimuthal discharge, 2=15905
 Uchida, Y. On the formation of solar chromospheric spicules and flare-surges, 2=2537
 Uchida, Y. On the excitors of type II and III solar radio bursts, 2=13163
 Uchida, Y. See Matsumoto, H., 2=10702
 Uchida, Y. See Nakamura, K., 2=2230
 Udagawa, T. See Ikegami, H., 2=384
 Udagawa, T. See Tamura, T., 2=5796
 Udagawa, T. See Tamura, T., 2=16306
 Udalov, N.P. An approximate determination of the temperature of a non-linear resistor of the thermistor-varistor type, 2=8392
 Udal'tsov, V.A. See Kuz'min, A.D., 2=1023
 Udal'tsov, V.A. See Vitkevich, V.V., 2=9132
 Udgaonkar, B.M. High energy cross sections, Pomeranchuk theorems, and Regge poles, 2=13745
 Udgaonkar, B.M. and Gell-Mann, M. High-energy nuclear scattering and Regge poles, 2=13746
 Udgaonkar, B.M. See Singh, V., 2=13885
 Udo, F. See De Vries, L.J., 2=5272
 Udovichenko, Yu.K. See Leont'ev, N.I., 2=20060
 Udrya, I., Mentescu, L. and Kharaga, K. On the characteristics of a reactor needed for the automatization of its start-up, 2=6044
 Uebersfeld, J. Resonance and double resonance in various samples of carbons and charcoals, 2=14841
 Uebersfeld, J. See Poindexter, E.H., 2=13353
 Uebersfeld, J. See Theobald, J.G., 2=5499
 Ueda, A. and McCusker, C.B.A. Extensive air showers and the characteristics of high-energy nuclear interactions at and above 10^{14} eV, 2=9958
 Ueda, H., Kuri, Z. and Shida, S. Electron-spin-resonance studies of DPPH solutions, 2=7232
 Ueda, I. See Ikegami, S., 2=2224
 Ueda, I. See Ikegami, S., 2=23515
 Ueda, R. See Frazer, B.C., 2=10894
 Uehling, E.A. See Bjorkstam, J.L., 2=18971
 Uehling, E.A. See Jones, E.D., 2=8690
 Uehling, E.A. See Jones, E.D., 2=11391
 Uehling, E.A. See Schmidt, V.H., 2=12365
 Ueki, K. and Kanda, E. The specific heat of $Ni(NH_3)_6Cl_2$ and $Ni(NH_3)_6Br_2$ at low temperatures, 2=3841
 Uematsu, S. See Inuishi, Y., 2=12543
 Uemura, Y. See Kimura, K., 2=5898
 Uemura, Y. See Kimura, K., 2=15970
 Ueno, H. See Kamiya, Y., 2=12076
 Ueno, H. See Sekido, Y., 2=12067
 Ueno, Y. See Nariai, H., 2=19390
 Uesugi, A. Non-coherent scattering in a semi-infinite inhomogeneous atmosphere, 2=19334
 Ueta, M., Hirai, M. and Ishii, T. Exciton experiments in alkali halides containing U centres, 2=23221
 Ueta, M. and Sugimoto, H. Thermal glow in a deformed KCl crystals irradiated by the ultraviolet light, 2=12639
 Ueta, M. See Hirai, M., 2=12600
 Ueta, M. See Hirai, M., 2=21081
 Uffer, M.B. and Sheppard, C.W. Least-squares curve fitting with an analog computer, 2=4916
 Ufliand, I.A. See Chekmarev, I.B., 2=17937
 Uflyand, Ya.S. Certain questions in the unsteady flow of a conducting fluid through a tube of constant cross-section in a transverse magnetic field, 2=17941
 Uflyand, Ya.S. and Kanev, A.N. The influence of conductivity anisotropy on the flow of a conducting gas in a tube, 2=22319
 Ugai, Ya.A., Averbakh, E.M., Marshakova, T.A. and Matveev, O.V. Some electrical properties of the intermetallic semiconducting compound $Cd_{1-x}Sb_x$ alloyed with various impurities, 2=18719
 Ugai, Ya.A., Averbakh, E.M., Marshakova, T.A. and Matveev, O.V. Some electrical properties of the intermetallic semiconducting compound $Cd_{1-x}Sb_x$ alloyed with variation impurities, 2=18699
 Uglanova, V.V. See Naboiin, Yu.V., 2=14748
 Ugrin-Sparac, D. Some aspects of the motion of a pendulum in a viscous fluid, 2=15524
 Ugryumova, M.A. See Anan'eva, A.A., 2=14636
 Ugryumova, M.A. See Anan'eva, A.A., 2=16790
 Uhlenbusch, J. See Fucks, W., 2=11768
 Uhlenbusch, J. See Schmitz, G., 2=7586
 Uhler, J., Neumann, G.N., Melin, O. and Alväger, T. Mass number assignments and γ -rays spectra of some neutron rich Sn and Sb isotopes, 2=5873
 Uhler, J. See Bergström, I., 2=3482
 Uhler, J. See Graham, R.L., 2=1846
 Ui, H. See Honda, T., 2=16434
 Ui, H. See Honda, T., 2=16435
 Uihlein, F. See Rose, H.J., 2=20519
 Uitert, L.G. Van. See Van Uitert, L.G.
 Ukaji, T. See Bonham, R.A., 2=1953
 Ukhanov, Yu.I. Optical absorption of germanium and silicon beyond the fundamental absorption edge at high temperatures, 2=10607
 Úlehl, I. See Smrž, P., 2=5566
 Ulinich, F.R. See Trubitsyn, V.P., 2=11551
 Ulinich, F.R. See Trubitsyn, V.P., 2=13501
 Ullman, J. See Gorodetsky, S., 2=440
 Ullman, J.D. Nuclear matrix elements in the beta decay of RaE , 2=20553

- Iman, R. and Benoit, H. Comparison between the thermodynamic theory and a molecular theory of the scattering of light by macromolecular solutions in a binary solvent, 2=7212
- Iman, R. See Caulfield, D., 2=11795
- Irich, H. Two new quadrant electrometers, 2=5290
- Irich, S. See Rompe, R., 2=1422
- Janis, U. Gamma-ray albedo of some radioactive isotopes, 2=7842
- Mer, R. See Kleinpopp, K., 2=22918
- Irich, A.J. Thermionic energy conversion diode using a film boiling liquid metal anode, 2=17776
- Iyanov, G.K. and Vinogradov, K.N. The measurement of constant inhomogeneous magnetic fields, 2=1550
- Iyanov, K.N. See Biberman, L.M., 2=20751
- Iman, M.A. Bead lightning and the pinch effect, 2=4606
- Ivanskii, Ya.S. See Kagan, A.S., 2=2379
- Ivanskii, Ya.S. See Kagan, A.S., 2=6801
- Ivanskii, Ya.S. See Semenovskaya, S.V., 2=21389
- Ivanov, G.Ya. See Abdurazakov, A.A., 2=5857
- Ivanov, G.Ya. See Abdurazakov, A.A., 2=14025
- Ivanov, G.Ya. See Abdurazakov, A.A., 2=18302
- Iweda, I. See Nonaka, I., 2=498
- Iemoto, S. See Honda, M., 2=2528
- Iemura, I. A model for physical nucleon, 2=20322
- Ikezawa, H. See Ezawa, H., 2=9796
- Ikezawa, H. See Ezawa, H., 2=20237
- Ikezawa, H. See Hiraki, H., 2=12000
- Ikezawa, H. See Konuma, M., 2=11888
- Ikezawa, M. Pairings in the shell model (IV), 2=13958
- Ivath, W. See Tomiser, J., 2=14976
- Ivneiko, D.S. See Volod'ko, L.V., 2=15603
- Ivangst, D. and Damaschun, G. Collimation by total reflection of X-ray fine-structure photographs, 2=23927
- Ivangst, D. See Eins, S., 2=14970
- Ivangst, D. See Schubert, D., 2=23469
- Ivbehauen, R. and Hoffmann, H.J. On the reflection of electromagnetic waves at a plane metal surface covered with an absorbing layer, 2=7737
- Ivderhill, A.B. Early-type stars with extended atmospheres, 2=4800
- Ivderhill, A.B. Source-function and monochromatic flux in early-type model atmospheres, 2=4805
- Ivderhill, A.B. Some methods for computing model stellar atmospheres, 2=13150
- Ivderhill, A.B. A method for computing theoretical stellar spectra, 2=15377
- Ivderhill, A.B. An investigation of the spectrum from a high-temperature model atmosphere, 2=15378
- Ivderhill, J. Non-relativistic dispersion relations for a two-channel scattering process, 2=11878
- Ivngar, E.E. Loss factors of viscoelastically damped beam structures, 2=17526
- Ivngar, E.E. and Kerwin, E.M., Jr. Loss factors of viscoelastic systems in terms of energy concepts, 2=17528
- Ivngelenk, J. Polymorphism of thallium halide in evaporated films, 2=21561
- Ivnger, H. Generation of high voltages by means of h.f. oscillations, 2=5254
- Ivnger, K. Theory of slow photoconductivity rise with reference to the re-emission of trapped electrons, 2=2189
- Ivngstrup, E. See Jørgensen, T.S., 2=17193
- Ivngureanu, C. See Tintea, H., 2=23986
- Ivngureanu, C. See Tintea, H., 2=23987
- Ivngureanu, C. See Weissman, E., 2=9393
- Ivnik, J., Day, P. and Vandenbosch, S. The decay scheme of $^{39.3\text{-h}}\text{Es}^{254}$, 2=18287
- Ivna, I. Effective interactions in deformed nuclei, 2=1815
- Ivna, I. See Talmi, I., 2=7933
- Ivno, W. On the applicability of the linear theory to the problem of convection in stellar atmospheres, 2=2546
- Ivno, W. See Hatanaka, T., 2=13148
- Ivno, W. See Spiegel, E.A., 2=19333
- Ivruh, H.G. and Müser, H.E. Rapid ferroelectric after effects, 2=10555
- Ivruh, W.P. See Prosser, F.W., Jr., 2=3573
- Ivstld, A. See Münch, G., 2=15298
- Ivsworth, R. See Blairs, S., 2=43
- Ivsterberg, W. Temperature histories of internally heated thin bodies cooled by convection and/or thermal radiation, 2=22079
- Ivsterleitner, F.C. See Nedderman, H.C., 2=23548
- Ivsterwald, F. See Lander, J.J., 2=19128
- Ivtti, T.W.J. See Newman, E.T., 2=21809
- Ivvala, B.A. Epitaxial growth of silicon by vacuum evaporation, 2=21493
- Ivvy, C. Study of the electrical properties and of the flicker effect of certain metallic or semiconductor thin films, 2=8280
- Uny, C. See Bougnot, J., 2=6482
- Unz, H. Simplified analysis of ionospheric $h'(f)$ records, using wave refractive index, 2=17162
- Unz, H. On the evaluation of electron density distribution in the outer ionosphere by satellite radio signals, 2=17163
- Unz, H. On the origin of "very-low-frequency emissions", 2=21656
- Unz, H. The magnetic-ionic theory for drifting plasma, 2=22201
- Unz, H. On the theory of hybrid whistlers, 2=24024
- Unzicker, A.E. See Chubb, T.A., 2=15339
- Uo, K. The confinement of high temperature plasma by the heliotron magnetic fields, 2=22224
- Upadhyaya, U.N. See Sinha, K.P., 2=16882
- Upatnieks, J. See Leith, E.N., 2=19725
- Upgren, A.R. Parallax and orbital motion of the triple system 26 Draconis from photographs taken with the Sproul 24-inch refractor, 2=24129
- Upgren, A.R., Jr. The space distribution of late-type stars in a north galactic pole region, 2=7025
- Uphoff, H.L. and Healy, J.H. Electrical and thermal properties of materials in the system $\text{As}_2\text{Te}_3\text{-Ti}_2\text{Te-As}_2\text{Se}_3$, 2=21109
- Uranova, T.A. Methods of investigation of thin dark nebulae by means of star counts, 2=24157
- Uray, L. See Bhattacharya, P.C., 2=12096
- Urazakov, E.I. and Granovskii, V.L. On the determination of the values of $\omega_{\text{H}}\tau$ and the effective collision frequencies of plasma electrons and ions in a magnetic field, 2=3040
- Urbach, W., Ackermann, W., Ewald, H. and Ludwig, R. The isotope ratio $\text{Sr}^{87}/\text{Sr}^{86}$ of strontium specimens from limestones, 2=20761
- Urbain, G. See Kozakevitch, P., 2=2692
- Urban, F., Laustriat, G. and Coche, A. Influence of ion density on the light yield of liquid scintillations (α/β ratio), 2=17470
- Urban, M.J. See Jackson, D.M., 2=14965
- Urbanik, K. See Ingarden, R.S., 2=11291
- Urbarz, H. Radiotelescope for measurement of solar radiation at a wavelength of 8 cm, 2=7035
- Ure, R.W., Jr. Comments on "thermal conductivity in two-phase alloys", 2=14394
- Ure, R.W., Jr. Thermoelectric effects in nonlinear junctions, 2=14588
- Ure, R.W., Jr. See Gallo, C.F., 2=23087
- Urech, S., Jannet, E. and Rossel, J. The reactions (n,p) and (n, α) of Ca^{40} with 6 MeV neutrons, 2=3592
- Urey, H.C. Criticism of Dr. B. Mason's paper on "the origin of meteorites", 2=4753
- Urey, H.C. See Rama Murthy, V., 2=15303
- Urick, R.J. Generalized form of the sonar equations, 2=13406
- Urickij, Z.I. See Gurevič, L.E., 2=23525
- Urin, M.G. and Zaretsky, D.G. On collective levels of non-spherical nuclei, 2=13977
- Urin, M.G. See Zaretskii, D.F., 2=10006
- Urin, M.G. See Zaretskii, D.F., 2=22726
- Uritskii, Z.I. See Baryshev, N.S., 2=8314
- Urlin, V.D. See Kormer, S.B., 2=10747
- Urlin, V.D. See Kormer, S.D., 2=14876
- Ursu, I., Puskás, F., Cristea, V. Semiconductor properties of the $\text{ZnO-Al}_2\text{O}_3$ system, 2=23416
- Urteu, P.A. See Baumann, W., 2=6884
- Urushadze, G.I. The theory of thermal conductivity of anti-ferromagnetics at low temperatures, 2=18536
- Urushadze, H.I. Thermal conductivity in antiferromagnets at low temperatures, 2=6295
- Uryū, N. On the magnetism of Mn- and Co-ammonium tutton salts at very low temperatures, 2=2273
- Us, V.S. See Zagorodnov, O.G., 2=5342
- Usachev, Yu.D. "Scalar" form of the Dirac equation and calculation of the matrix elements for reactions with polarized Dirac particles, 2=22397
- Usacheva, N.F. Paramagnetic resonance in solutions of Cr^{3+} salts, 2=5028
- Usacheva, N.F. See Garifyanov, N.S., 2=61
- Usacheva, N.F. See Garifyanov, N.S., 2=15621
- Usami, S. and Funatogawa, Z. Ferromagnetic resonance in single crystals of Fe-Ni ferrite system, 2=18933
- Usami, S., Miyata, N. and Funatogawa, Z. Frequency dependence of ferromagnetic crystalline anisotropy of $\text{Ni}_x\text{Fe}_{3-x}\text{O}_4$, 2=2277
- Usami, T. and Sato, Y. Torsional oscillation of a homogeneous elastic spheroid, 2=19190
- Ushakov, P.A. See Ibragimov, M.K., 2=19740
- Ushakov, V. See Dolgoshein, B., 2=13933
- Ushakov, V.N. See Baryshova, N.M., 2=1214
- Ushakova, L.A. See Klyshko, D.N., 2=21239
- Ushatskii, V.N. See Bak, M.A., 2=1939
- Ushita, T. See Ishiguro, Y., 2=9543
- Usik, P.A. See San'ko, L.A., 2=332

- Usik, P.A. See San'ko, L.A., 2=22676
- Usikov, M.P. and Utevskaia, L.M. "Relay" transmission of plastic deformation, 2=8727
- Usikov, M.P. and Utevskaia, L.M. The "relay race" transmission of plastic deformation, 2=23759
- Usikov, M.P. See Orlov, L.G., 2=12442
- Usikov, M.P. See Osip'yan, Yu.A., 2=18574
- Usikov, O.Ya., Herman, V.L. and Vakser, I.Kh. Investigation of the absorption and scattering of millimetre waves in precipitations, 2=9713
- Usova, I.N. Derivation of the energy flux in a high-energy photon beam from the area under the cascade curve, 2=20289
- Usova, I.N. See Piskov, M.P., 2=1623
- Uspenskii, L.N. See Keirim-Markus, I.B., 2=20190
- Uspenskii, V.I. See Antonov, S.M., 2=17245
- Ust'yanov, V.I. See Konozenko, I.D., 2=8795
- Ustimenko, B.P. See Vulis, L.A., 2=15624
- Ustinova, G.K. Investigation of threshold anomalies in the cross-sections for Compton scattering and photoproduction of π^0 -mesons, 2=22565
- Ustinova, L.B. Electrometer amplifiers (Review), 2=19834
- Ust'yanov, V.I. See Konozenko, I.D., 2=3968
- Ust'yanov, V.I. See Konozenko, I.D., 2=8260
- Ust'yanov, V.I. See Litovchenko, P.G., 2=16752
- Ust'yanov, V.I. See Litovchenko, P.G., 2=18736
- Ust'yanov, V.I. See Litovchenko, P.G., 2=23457
- Utevskaia, L.M. See Orlov, L.G., 2=8227
- Utevskaia, L.M. See Orlov, L.G., 2=12442
- Utevskaia, L.M. See Usikov, M., 2=23759
- Utevskaia, L.M. See Usikov, M.P., 2=8727
- Utiamshev, R.I. Heterodyne instrument for the precise measurement of rotational velocities, 2=1103
- Utiyama, R. Renormalization of quantum electrodynamics in a classical gravitational field, 2=7139
- Utiyama, R. and DeWitt, B.S. Renormalization of a classical gravitational field interacting with quantized matter fields, 2=19396
- Utkin, K.G. Rubber sheet apparatus for the determination of equipotentials with space charge taken into account, 2=1499
- Utkin, V.P. See Zvonov, N.V., 2=18384
- Uto, H. See Dobbs, J.M., 2=11995
- Utterback, N.G. and Miller, G.H. Ionization of nitrogen molecules by nitrogen molecules, 2=1390
- Utyanskaya, E.Z. See Byistrov, V.F., 2=7774
- Uvarov, N.A. Scanning oscillator with a short lag time, 2=19862
- Uyeda, N. See Suito, E., 2=6774
- Uyeda, R. See Watanabe, H., 2=15960
- Uzhik, G.V. and Voloshenko-Klimovitskii, Yu.Ya. Regularity in the variation of the yield point of metals at a high rate of loading and [at] low temperatures and their significance for assessing the danger of brittle rupture, 2=14880
- Uzhik, G.V. and Voloshenko-Klimovitskii, Yu.Ya. Regularity in the variation of the yield point of metals at a high rate of loading and [at] low temperatures and their significance for assessing the danger of brittle rupture, 2=21423
- Vacca, J. Magnetohydrodynamic oscillations in a gaseous electrically conducting atmosphere subject to gravitation, 2=11765
- Vacek, K. The luminescence of AgCl crystals, 2=23599
- Vacek, K. See Bocek, M., 2=2327
- Vachaspati, See Bali, L.M., 2=15469
- Vacher, H.C. See Newton, C.J., 2=4507
- Vachon, L.J. Protection of beryllium metal by anodic films, 2=19104
- Václavík, J. Coherent radiation of synchrotron electron clusters in a closed resonator, 2=20080
- Vager, Z. See Goldring, G., 2=18244
- Vagnard, G. and Manenc, J. The plasticity of ferrous oxide and the influence of deformation on its recrystallization, 2=21422
- Vagner, S.D., Zudov, A.I. and Khakhaev, A.D. Electrical characteristics of r.f. discharges in argon and potassium in a fixed magnetic field, 2=164
- Vaidanych, V.I., Lysskovych, O.B. and Chornil, Z.P. Effect of temperature on the spectral properties of NaI:Tl phosphors, 2=8579
- Vaidya, P.C. See Pandya, I.M., 2=7130
- Vaidyanathan, V.S. A simple derivation of Staudinger's rule, 2=11368
- Vail, C.R., Lucas, M.S.P., Owen, H.A. and Stewart, W.C. An approach to the experimental study of persistent-current devices, 2=1341
- Vaillant, J. Discontinuities of the curvature tensor in the Einstein-Schrödinger theory, 2=9179
- Vaillant, J. Discontinuities of the curvature tensor in the Einstein-Schrödinger theory, 2=19417
- Vainshtein, B.K. and Droryankin, V.F. The mechanism of a ferroelectric phase transition in thiourea at 133°K, 2=8463
- Vainshtein, B.K. and Droryankin, V.F. The mechanism of a ferroelectric phase transition in thiourea at 133°K, 2=667
- Vainshtein, E.E. and Zhurakovskii, E.A. Fine structure of titanium K.X-ray absorption spectra for complex solid solutions of the TiC-TiN system, 2=707
- Vainshtein, E.E. and Zhurakovskii, E.A. Fine structure of titanium K.X-ray absorption spectra for complex solid solutions of the TiC-TiN system, 2=8541
- Vainshtein, L.A. The excitation of atoms and ions by electron impact. I. Calculation ignoring exchange, 2=8069
- Vainshtein, L.A. and Poluektov, I.A. A semiempirical method for calculating the oscillator strengths of intercombination transitions, 2=20735
- Vainshtein, L.A. and Sobel'man, I.I. Methods of calculating the cross-sections for excitation of atoms by electrons, 2=16488
- Vainshtein, L.A. See Kapitza, S.P., 2=13617
- Väisälä, V. Solar eclipse as laboratory experiment for checking the radiation error of radiosondes, 2=6907
- Väisälä, Y. The new zenith tube of the Turku-Tuorla Observatory, 2=1681
- Vaisberg, O.L. A possible mechanism of retardation of the earth's rotation, 2=872
- Vaisenberg, A.O. μ -meson capture in carbon involving the formation of B^{12*} , 2=475
- Vaisenberg, A.O. μ -meson capture in carbon involving the formation of B^{12*} , 2=22833
- Vaisenberg, A.O. Determination of the hyperfine splitting energy of the 1s muonium state, 2=22929
- Vaisenberg, A.O., Kolganova, E.D., Rabin, N.V. and Pesotskaya, E.A. Measurement of ionization in type-R [NKFI-R] emulsions, 2=18042
- Vaisenberg, A.O., Kolganova, E.D. and Minervina, Z.V. Angular distribution of μ -mesons in $\pi-\pi$ decay, 2=22551
- Vaisenberg, A.O., Pesotskaya, E.A. and Smirnskii, V.A. Spectrum of electrons emitted in the decay of negative μ -mesons in a nuclear emulsion, 2=298
- Vaisenberg, A.O., Pesotskaya, E.A. and Smirnskii, V.A. Spectrum of electrons emitted in the decay of negative μ -mesons in a nuclear emulsion, 2=22545
- Vaisenberg, A.O. and Smirnskii, V.A. Semiautomatic apparatus for measurement of multiple scattering, 2=20204
- Vaks, V.G., Galitskii, V.M. and Larkin, A.I. Collective excitations in a superconductor, 2=2952
- Vaks, V.G., Galitskii, V.M. and Larkin, A.I. Collective excitations of particles with non-zero angular momentum pairing, 2=15498
- Vaks, V.G. See Baz', A.I., 2=22589
- Vakselj, M. Nuclear matrix elements for allowed l-forbidden transitions, 2=10055
- Vakser, I.Kh. See Usikov, O.Ya., 2=9713
- Vakulov, P.V. See Vernov, S.N., 2=9029
- Vakulov, P.V. See Vernov, S.N., 2=12089
- Valadares, M. See Foucher, R., 2=22766
- Valat, J. See Blaquière, A., 2=1945
- Valatin, J.G. See Thouless, D.J., 2=9805
- Valbis, Ya.A., Vitol, I.K. and Zirap, V.E. Concerning the mechanism of excitation and de-excitation of recombination luminescence of alkali halide phosphors, 2=23624
- Valčić, A.V. A process for obtaining single crystals with uniform solute concentration, 2=21476
- Valckx, F.P.G. Direct current stabilization of scintillation counters used with pulsed accelerators, 2=2979
- Valckx, F.P.G., Gelsema, E.S. and Kruiskamp, M. The scattering of 87 MeV positive pions on carbons and oxygen, 2=10124
- Válcovici, V. Introduction of frictional slip into analytic mechanics, 2=1096
- Valdés, S. See Casas, J., 2=7320
- Val'dner, O.A. and Glazkov, A.A. Linear electron accelerator operation at an energy of 3 MeV, 2=20068
- Val'dner, O.A. and Vitenberg, I.M. An electrical analogue for a linear accelerator, 2=20066
- Valdre, U. A simple goniometer stage for the Siemens electron microscope, 2=14974
- Valdre, U. See Gondi, P., 2=796
- Valdre, U. See Missiroli, G., 2=14008
- Vale, G.K. See Shvarts, K.K., 2=23597
- Valenta, L. Ferromagnetic thin films. II. Theory of spontaneous magnetization, 2=10658
- Valenta, L. See András, W., 2=10657
- Valentin, J. Auger electrons in lutetium, 2=10067
- Valentin, J. Variations of the decoupling parameter of the $K = \frac{1}{2}$ rotation bands for very deformed nuclei, 2=20497
- Valentin, J. Method of preparing sources for beta spectrometers, 2=22488

- Valentin, J., Horen, D.J. and Hollander, J.M. Energy levels of Lu^{172} , 2=10016
- Valentin, J., Horen, D.J. and Hollander, J.M. The decay of Hf^{173} , 2=10015
- Valentin, J., Sarrouy, J.L. and Chavet, I. γ -spectra and periods of the isotopes 170 and 171 of hafnium and lutetium, 2=22775
- Valentin, P. and Fauquignon, C. The utilization of a shock tube for measuring the electrical conductivity of ionized air, 2=13542
- Valentin, P. and Fauquignon, C. Use of a shock tube to measure the electrical conductivity of ionized air. II, 2=19624
- Valerio, J.I. and Nelson, E.B. Angular correlation studies of the 326, 405 and 630 keV $\text{Al}^{27}(\text{p}, \gamma)$ resonances, 2=3569
- Valeriu, A. Method of the fast adiabatic passage in nuclear magnetic resonance, 2=3182
- Valeriu, A. See Pascaru, I., 2=3179
- Valiev, K.A. On the theory of line widths in vibrational and Raman spectra of molecules in dipole liquids, 2=7216
- Valiev, K.A. and Timerov, R.Kh. Theory of nuclear resonance in paramagnetic media, 2=10708
- Valiev, K.A. and Zaripov, M.M. Effect of the shape of molecules on the magnetic relaxation rate in liquids, 2=9289
- Valiev, K.A. See Timerov, R.Kh., 2=4280
- Valin, J. See Messier, J., 2=9745
- Valitov, R.A., Kukush, V.D. and Orlov, V.G. An experiment in the direct conversion of the energy of an electromagnetic field into mechanical energy, 2=17951
- Vall, A.N. See Didenko, A.N., 2=5421
- Valladas, G. See Brisson, J.C., 2=22567
- Vallauri, M.E. See Boato, G., 2=9465
- Valleau, J.P. and Schneider, W.G. Ultrasonic absorption in aqueous hydrogen peroxide solutions, 2=2719
- Vallee, R.E. Direct reading bellows-actuated mercury manometer, 2=7169
- Vallée, R.E. Simple ice calorimeter, 2=19761
- Vallet, H. Attempt at a general theory of information, 2=10
- Valletta, R. Electrical properties of heavily doped niobium pentoxide, 2=16729
- Valley, L.M. and Legvold, S. Sound dispersion in ethane-ethylene mixtures and in halo-ethane gases, 2=2773
- Val'ter, A.K., Antuf'ev, Yu.P., Gonchar, V. Yu., L'vov, A.N., Kopanets, E.G. and Tsytko, S.P. Investigation of the levels of K^{41} by means of the $\text{A}^{40}(\text{p}, \gamma)\text{K}^{41}$ reaction, 2=13997
- Val'ter, A.K., Antuf'ev, Yu.P., Kopanets, E.G., L'vov, A.N. and Tsytko, S.P. Quantum characteristics of the 6.847 MeV level of P^{30} observed in the reaction $\text{Si}^{28}(\text{p}, \gamma)\text{P}^{30}$, 2=3576
- Val'ter, A.K., Deineko, A.S., Sorokin, P.V. and Taranov, A.Ya. Elastic scattering of protons by Ne^{20} , 2=16395
- Val'ter, [Walter, A.K.], Vats'et, P.I., Kolesnykov, L.Ya., Tonapetyan, S.G., Chernyavs'kii, K.K. and Shpetnyi, O.I. Neutron yield in the reaction $\text{Be}^9(\text{t}, \text{n})$, 2=10149
- Val'ter, A.K., Zalyubovskii, I.I., Klyucharev, A.P., Lutsik, V.A., Orlenko, B.F., Pasechnik, M.V., Prokopenko, V.S. and Pucherov, N.N. Angular distribution of 6.8 MeV protons elastically scattered on nickel and zirconium isotopes, 2=443
- Val'ter, A.K., Zalyubovskii, I.I., Klyucharev, A.P., Lutsik, V.A., Orlenko, B.F., Pasechnik, M.V., Prokopenko, V.S. and Pucherov, N.N. Angular distribution of 6.8 MeV protons elastically scattered on nickel and zirconium isotopes, 2=22805
- Val'ter, A.K. See Antuf'ev, Yu.P., 2=10104
- Val'ter, A.K. See Antuf'ev, Yu.P., 2=16320
- Val'ter, A.K. See Skankun, M.O., 2=20438
- Valuev, V.N. Angular correlations of leptons in K-meson decays, 2=20416
- Valyev, K.A. Theory of energy dissipation processes of molecular vibrations in liquids, 1=51
- Van Bao-kun' [Wang Pao-k'un] and Arsen'eva-Geil', A.N. The influence of additional illumination on photo-emission from gallium arsenide, 2=11697
- Van Bao-kun' [Wang Pao-k'un] and Arsen'eva-Geil', A.N. The influence of additional illumination on photoemission from gallium arsenide, 2=13588
- Van Bao-kun'. See Arsen'eva-Geil', A.N., 2=11696
- Van Bao-kun'. See Arsen'eva-Geil', A.N., 2=13587
- Van I-Tsyu [Wang-I-Ch'iu] and Volodicheva, M. Magnetic screening of the F^{19} nucleus in alkali fluoride crystals, 2=20903
- Van Acker, J. See Septier, A., 2=5383
- Van Agt, Tw.J. See van der Lugt, W., 2=6711
- Van Albada, G.B. Evolution of clusters of galaxies under gravitational forces, 2=11146
- Van Allen, J.A. See O'Brien, B.J., 2=11087
- Van Allen, J.A. See O'Brien, B.J., 2=17200
- Van Allen, J.A. See Pizzella, G., 2=17206
- Van Aller, G. The influence of an elastic stress on the electrical resistance of copper after plastic deformation, 2=23232
- van Alphen, W.M. See Staas, F.A., 2=5228
- Vanasse, G.A. Fejer series approximation to spectral functions obtained by interferometric techniques, 2=19721
- van Aswegen, J.S.T. and Honeycombe, R.W.K. Segregation and precipitation in stacking faults, 2=10403
- van Atta, L.C. and Silver, S. Contribution to the antenna field during world war II, 2=16047
- Van Biesbroeck, G. Anomalies of comet Schwassmann-Wachmann 1925 II, 2=9064
- Van Biesbroeck, G. Comet observations, 2=19286
- Van Bladel, J. Some remarks on Green's dyadic for infinite space, 2=7750
- van Bladel, J. The effect of curvature on the fields in a circular accelerator, 2=9661
- Van Bladel, J. Some remarks on force-free coils, 2=20107
- Van Bladel, J. and Mei, K. On the capacitance of a cube, 2=11596
- Van Dael, W. See Van Isterbeek, A., 2=1138
- van Dael, W. See van Isterbeek, A., 2=21908
- Vandakurov, Yu.V. The question of the stability of a plasma cylinder in the case of a non-uniform distribution of current over the cross-section, 2=17830
- Vandakurov, Yu.V. Effect of finite conductivity on equilibrium in a weakly twisted pinch, I, 2=7623
- Vandakurov, Yu.V. The question of the stability of a plasma cylinder in the case of a non-uniform distribution of current over the cross-section, 2=19946
- van de Hulst, H.C. and Davis, M.M. A multiple scattering problem with an anisotropic phase function, 2=2658
- van de Kamp, P. Interstellar and interplanetary communication by optical masers, 2=4863
- van de Kamp, P. Double stars, 2=13142
- van de Kamp, P. Parallax and proper motion of Wachmann's flare star from photographs taken with the Sproul 24-inch refractor, 2=24132
- van de Kamp, P. Elements of astromechanics. VII. Suborbital flights: orbits of least energy, 2=24190
- van de Kamp, P. and Burton, W.B. Proper motions of six wide double stars from photographs taken with the Sproul 24-inch refractor, 2=24131
- Vandenbelt, J.M. Investigation of screens as spectrophotometric absorption standards, 2=5166
- van den Bergh, S. The luminosity classification of galaxies and stellar evolution, 2=2552
- van den Bergh, S. The luminosity function of galaxies, 2=2554
- van den Bergh, S. Radio sources and clusters of galaxies, 2=4857
- van den Bergh, S. The surface density of galaxies at the positions of radio sources, 2=4860
- van den Bergh, S. Radio sources and clusters of galaxies, 2=7039
- van den Bergh, S. The color of the moon, 2=9054
- van den Bergh, S. Stability of clusters of galaxies, 2=9100
- van den Bergh, S. The stability of clusters of galaxies, 2=13154
- van den Bergh, S. The frequency of stars with different metal abundances, 2=24150
- Van den Bogaerde, J. See Schoen, H.M., 2=14953
- van den Bos, W.H. Micrometer measures of double stars, 2=9083
- van den Bos, W.H. Orbits of three visual binaries, 2=24133
- van den Bos, W.H. Micrometer measures of double stars. II, 2=24134
- Vandenbosch, R. and Huizenga, J.R. Kinetic energy distributions of fragments from the fission of Au, Tl, Pb and Bi, 2=16445
- Vandenbosch, R., Warhanek, H. and Huizenga, J.R. Fission fragment anisotropy and pairing effects on nuclear structure, 2=510
- Vandenbosch, R. See Chaudhry, R., 2=10157
- Vandenbosch, R. See Huizenga, J.R., 2=1937
- Vandenbosch, R. See Huizenga, J.R., 2=10156
- Vandenbosch, R. See Huizenga, J.R., 2=13984
- Vandenbosch, R. See Huizenga, J.R., 2=14150
- Vandenbosch, S. See Unik, J., 2=18287
- Vandenbosch, S.E. and Day, P. The decay scheme of 10.1-h Am^{244} , 2=7938
- van den Brink, G. Measurements of the geometrical aberrations of the eye, 2=24224
- van den Handel, J. See Frikkee, E., 2=10639
- Vandenplas, P.E. See Messiaen, A.M., 2=17828
- Vandenplas, P.E.M. and Gould, R.W. Resonant behaviour of a plasma slab-condenser system, 2=17836
- Van der Borgh, R. The relation between isophotal diameters and redshift of extra galactic nebulae, 2=21731
- van der Burg, M.G.J. See Bondi, H., 2=17345
- Vanderdonck, R. See Verriest, G., 2=24228
- Vanderhaeghe, G. See Amaldi, E., 2=22461
- Vanderhaeghe, G. See Dahl-Jensen, E., 2=5553
- Vanderhaeghe, G. See de Carvalho, H.G., 2=20688

- van der Laan, H. Expanding supernova remnants and galactic radio sources, 2=21720
- van der Laan, H. Intense shell sources of radio emission, 2=24185
- van der Laan, H.R. See David, R., 2=10323
- Vanderleeden, J.C. and Ramaswamy, M.K. Total conversion coefficients with a sum-coincidence NaI spectrometer, 2=7952
- v.d.Leeden, P. See Poulis, J.A., 2=7474
- v.d.Leeden, P. See Poulis, J.A., 2=15616
- van der Leun, C. See Endt, P.M., 2=12131
- Vanderlinden, H.L. and Broucke, D. The high-velocity stars, 2=11137
- van der Lugt, W., Poulis, N.J., van Agt, T.W.J. and Gorter, C.J. Some proton resonance experiments in azurite near the Néel temperature, 2=6711
- van der Plas, T. See Markestein, T., 2=12267
- van der Raay, H.B. See Chapman, K.R., 2=16433
- Vanderslice, J.T. Modification of the Rydberg-Klein-Rees method for obtaining potential curves for doublet states intermediate between Hund's cases (a) and (b), 2=18432
- Vanderslice, J.T., Weissman, S., Mason, E.A. and Fallon, R.J. High-temperature transport properties of dissociating hydrogen, 2=5066
- Vanderslice, J.T. See Cloney, R.D., 2=10237
- Vanderslice, J.T. See Cloney, R.D., 2=12354
- Vanderslice, J.T. See Fallon, R.J., 2=20798
- Vanderslice, J.T. See Read, S.M., 2=14299
- Vanderslice, J.T. See Read, S.M., 2=18451
- Vanderslice, J.T. See Steele, D., 2=20769
- Vanderslice, T.A. and Whetten, N.R. Cleavage of alkali halide single crystals in high vacua. Analysis of evolved gases, 2=19105
- Van Der Spuy, E. A self-consistent cut-off and a baryon-meson model, 2=5587
- van der Spuy, E. A fundamental particle model. II, 2=13751
- van der Steeg, M.G. See de Vos, K.J., 2=12724
- van der Veen, K. See de Wijn, H.W., 2=1200
- Vandervoort, P.O. On the stability of ionization fronts, 2=4724
- Vandervoort, P.O. The character of the equilibrium of a compressible, inviscid fluid of varying density, 2=4978
- van der Waals, J.H. Some observations on clathrates, 2=8076
- van Der Walt, A.J. See Meyer, M.A., 2=3425
- van der Walt, C.M. See Fourie, D.J., 2=21477
- van der Ziel, A. Thermal noise in field effect transistors, 2=21177
- van de Velde, R. See Verriest, G., 2=24228
- van de Vijver, R.E. See Vanhuyse, V.J., 2=15951
- van de Vijver, R.E. See Vanhuyse, V.J., 2=15950
- Vandevyver, M. See Devin, B., 2=19885
- Van de Walle, R.T. See Brown, J.L., 2=5730
- Van de Walle, R.T. See Brown, J.L., 2=20417
- Van de Walle, R.T. See Carmony, D.D., 2=18160
- Van de Walle, R.T. See Carmony, D.D., 2=18163
- Van de Walle, R.T. See Carmony, D.D., 2=22609
- Van de Walle, R.T. See Ericson, T., 2=20574
- Van de Walle, R.T. See Rosenfeld, A.H., 2=18172
- Vandewiele, L.G. See Jacobs, G., 2=14432
- Van Dignenen, W. Systematic study of some cold-neutron sources, 2=20362
- Van Dilla, M.A., Anderson, E.C., Metzger, A.E. and Schuch, R.L. Lunar composition by scintillation spectroscopy, 2=19279
- Van Dilla, M.A. See Rowe, M.W., 2=2530
- Van Dong Guyen, N. See Guyen Van Dong, N.
- Van Dong Nguyen. See Nguyen Van Dong.
- van Doorn, C.Z. See Vink, A.T., 2=21265
- van Dyck, S.R. See Savedoff, M.P., 2=989
- Van Eijnsbergen, B. See Reuss, J., 2=11840
- Vanek, I., Zatopek, A., Karnik, V., Kondorskaya, N.V., Rizinchenko, Yu.V., Savarenski, E.F., Solov'ev, S.L. and Shebalin, N.V. Standardization of [earthquake] magnitude scales, 2=19187
- Vaněk, J. See Klíma, K., 2=20924
- Vanetsian, R.A., Klyucharyev, A.P., Tymoshers'kiy, H.F. and Fedchenko, Ye.D. Calculations of the elastic scattering for 19.6 MeV protons according to an optical model of the nucleus, 2=20610
- Van Fu-Tsin. See Dzhelepov, B.S., 2=5865
- Van Gan-chan [Wang Kang-ch'ang]. See Birger, N.G., 2=3391
- Vangengeim, S.D. See Arkharov, V.I., 2=8802
- Vangengeim, S.D. See Arkharov, V.I., 2=23934
- van Gool, W. and Cleiren, A.P. Remarks on the nature of the luminescence centres in activator-free ZnS phosphors, 2=4181
- Van Heel, A.C.S. Optics in the Netherlands, 2=13424
- van Heijningen, R.J.J. See Knaap, H.F.P., 2=9268
- Vanhorenbeeck, J. Multichannel analyser for high counting rates, 2=7535
- Vanhorenbeeck, J. Study of isomeric levels of Sb^{124} , 2=20560
- Vanhorenbeeck, J. See Binard, L., 2=9511
- van Houten, S. Mechanical losses in Li-doped NiO semiconductors, 2=21415
- van Houten, S. Preparation of single crystals of cadmium oxide, 2=21482
- Van Hove, L. On possible simple forms of the collision matrix for strongly interacting particles at very-high energies, 2=18078
- Van Hove, L. and McVoy, K.W. Pair distribution functions and scattering phenomena, 2=17374
- Van Hove, L. See McVoy, K.W., 2=3555
- Van Hull, A. and Weertman, J. Fast moving edge dislocations in various face-centred cubic metals, 2=12433
- van Hulsteyn, D.B. See Weston, V.H., 2=17120
- Vanhuyse, V.J. and van de Vijver, R.E. Efficiency of secondary emission monitors for electron beams, 2=15951
- Vanhuyse, V.J., Watecamp, E.D., van de Vijver, R.E. and Vanpraet, G.J. Secondary emission beam monitors for 0.5 to 3.5 MeV electrons, 2=15950
- Vanier, J. See Kipling, A.L., 2=4271
- van Itterbeek, A. and Labro, M. Magnetic susceptibility of zinc and brass between room temperature and 1.2°K, 2=21291
- van Itterbeek, A. and Van Dael, W. The specific heats and compressibilities of liquid normal and para hydrogen, 2=1138
- van Itterbeek, A. and van Dael, W. Velocity of sound in liquid oxygen and liquid nitrogen as a function of temperature and pressure, 2=21908
- van Itterbeek, A. and Verbeke, O. Measurements of the pressure dependence of liquid normal hydrogen, 2=4982
- van Itterbeek, A. and Verbeke, O. The variation of the density of liquid nitrogen and liquid oxygen as a function of pressure, 2=7190
- van Itterbeek, A., Zink, H. and Van Paemel, O. Viscosity measurements in liquefied gases, 2=15541
- van Itterbeek, A. See Dupré, A., 2=9456
- van Kempen, H. See Miedema, A.R., 2=6282
- Van Kh'eu Nguen. See Nguen van Kh'eu.
- Van Klinken, J., Rood, H.P.C. and de Waard, H. Allowed beta-decay, 2=20546
- van Kranendonk, J. General formula for the second virial coefficient, 2=36
- van Kranendonk, J. Theoretical considerations on the Mössbauer effect, 2=2042
- van Kranendonk, J. and Gush, H.P. The crystal structure of solid hydrogen, 2=15017
- van Kranendonk, J. See Fiutak, J., 2=20783
- van Kranendonk, J. See Gush, H.P., 2=23575
- van Kranendonk, J. See Poll, J.D., 2=6576
- van Krugten, H. See Van Noolen, B., 2=10054
- van Krugten, H. See van Noolen, B., 2=18261
- Van Kuik-Van Meerten, E. and Janeschitz-Kriegl, H. A new window design for flow birefringence apparatus, 2=11505
- van Laar, J. and Scheer, J.J. Influence of band bending on photoelectric emission from silicon single crystals, 2=23367
- van Laar, J. See Scheer, J.J., 2=9620
- van Leeuwen, J.M.J. Diagram techniques in statistical mechanics. IA, 2=9197
- van Leeuwen, J.M.J. Diagram techniques in statistical mechanics. IB, 2=9198
- van Leeuwen, J.M.J. See Cohen, E.G.D., 2=2650
- Van Lent, P.H. The preparation of gray tin single crystals by transformation of tin-mercury alloys, 2=23827
- Van Leuven, P. Application of the "floating-wire" technique to the study of a magnetic deflector, 2=1518
- van Leuven, P. See Bouten, M., 2=13956
- Van Lierde, W., Strumane, R., Smets, E. and Amelinckx, S. The preparation of uranium oxide single crystals by sublimation, 2=12890
- van Lieshout, R. See Monaro, S., 2=1840
- van Lieshout, R. See Monaro, S., 2=3485
- van Lieshout, R. See Monaro, S., 2=5869
- van Lieshout, R. See Ricci, R.A., 2=14000
- van Lieshout, R. See Vingiani, G.B., 2=10079
- van Lint, V.A.J., Wikner, E.G. and Miller, P.H., Jr. High energy electron irradiation of semiconductors, 2=23349
- van Loef, J.J. A note on activation analysis with neutron-induced threshold reactions, 2=21605
- van Loef, J.J. See González, L., 2=10123
- van Noolen, B., van Krugten, H. and Vingiani, G.B. Gamma-gamma directional correlations in Mo^{95} , 2=18261
- Van Noolen, B., van Krugten, H., Wieseahn, W.J., Wapstra, A.H. The branching ratio of K capture to position emission in the $2^- \rightarrow 2^+$ beta transition in ^{200}Tl and the K-conversion coefficient of the 36 keV E2 transition in ^{200}Hg , 2=10054
- van Noolen, B. See Lewin, W.H.G., 2=1847
- van Noolen, B. See Ricci, R.A., 2=14000
- van Ooijen, D.J. The electrical resistance of hydrogen-charged nickel wires, 2=23236
- van Oosterhout, G.W. The clock paradox in the so-called theory of relativity, 2=2611

- Van Oosterhout, G.W. and Klomp, C.J. On the effect of grinding upon the magnetic properties of magnetite and zinc ferrite, 2=10664
- Van Oostrum, K.J. and Meijer, A.C. Use of (p, γ) reactions in the efficiency calibration of a NaI crystal, 2=3214
- Van Ostenburg, D.O., Trapp, H. and Lam, D.J. Nuclear magnetic resonance of Tc^{99} in Tc metal and Tc^{99} and V^{51} in Tc-V alloys, 2=12836
- Van Outerve, E. See Verhaeghe, J.L., 2=19494
- Van Paemel, O. See Van Isterbeek, A., 2=15541
- Van Patter, D.M. See Trehan, P.N., 2=10071
- Van-Pei. See Barashenkov, V.S., 2=9778
- Van Chuong Phan. See Phan Van Chuong.
- Vanpraet, G.J. See Vanhuyse, V.J., 2=15950
- Van Regemorter, H. Methods of calculating electron impact excitation cross-sections, 2=3711
- Van Reuth, E.C. See Cheng, C.H., 2=16609
- Van Riet, R. Rotational spectra of $S^{33}O_2$, 2=20841
- Van Riet, R. and de Hemptinne, M. Experimental contribution to the study of the infrared spectrum of vinyl chlorides. Bands at 1.6, 1.1 and 0.8, 2=14280
- Van Roggen, A. See Mill, T., 2=2452
- Van Roosbroeck, W. and Pfann, W.G. Transport in a semiconductor with anisotropic mobilities and the photopiezoresistance effect, 2=14520
- Van Rossum, L. See Seguinot, J., 2=3405
- Van Ruyven, L.J. and Dekker, W. Epitaxial growth of Ge on GaP, 2=10808
- Van Rysselberghe, P. General reciprocity relation between the rates and affinities of simultaneous chemical reactions, 2=6875
- Van Rysselberghe, P. On the splitting of entropy production terms into flux and force factors, 2=7481
- Van Rysselberghe, P. Electrochemical potentials and affinities in electrical kinetics, 2=12974
- Vanselow, K. See Kroebel, W., 2=7050
- Van-Shu-Fen', [Wang Shu-fen], Dalkhazhav, N. and Lebedev, R.M. A study of the dependence of distortions and spurious scattering on the dip angle of tracks in nuclear emulsions, 2=18043
- Van Steenwinkel, R. See Thomaes, G., 2=15640
- Van Steenwinkel, R. See Thomaes, G., 2=15641
- Van Stralen, S.J.D. See van Wijk, W.R., 2=5217
- Van Tan, Tran. See Tran van Tan.
- Van Tassel, R.A. See Salisbury, J.W., 2=24093
- Van Thiel, M. See Pimentel, G.C., 2=4151
- Van Tsu-Tszen [Wang Ts'u-tsiang]. See Birger, N.G., 2=3391
- Van Tuong Nguyen. See Nguyen Van Tuong.
- Van-t Veer, F. Determination of the gas pressure in sunspots from the wing strengths of Fraunhofer lines, II, 2=19310
- Van Uitert, L.G. Factors controlling the intensity of emission of Eu^{3+} and Tb^{3+} in scheelites, 2=21263
- Van Uitert, L.G. and Iida, S. Quenching interactions between rare-earth ions, 2=21264
- Van Uitert, L.G., Linares, R.C., Soden, R.R. and Ballman, A.A. Role of f-orbital electron wave function mixing in the concentration quenching of Eu^{3+} , 2=6609
- Van Uitert, L.G. and Preziosi, S. Zinc tungstates for microwave maser applications, 2=22330
- Van Uitert, L.G. and Soden, R.R. Influence of ion size upon the intensity of Eu^{3+} fluorescence in the tungstates, 2=4173
- Van Uitert, L.G. and Soden, R.R. Enhancement of Eu^{3+} emission by Tb^{3+} , 2=6610
- Van Uitert, L.G. and Soden, R.R. Effects of rare-earth ion substitution upon the fluorescence of terbium hexa-antipyrene tri-iodide and sodium europium tungstate, 2=10629
- Van Uitert, L.G., Soden, R.R. and Linares, R.C. Enhancement of rare-earth ion fluorescence by lattice processes in oxides, 2=10618
- Van Uitert, L.G. See Preziosi, S., 2=4939
- Van Vessem, J.C. See Bloem, J., 2=8778
- Van Vleck, J.H. Theory of the magnetic susceptibility of the nitric oxide clathrate, 2=2269
- Van Vleck, J.H. Relaxation mechanisms in nuclear magnetic resonance, 2=3184
- Van Vliet, K.M. See Arntz, F.O., 2=9624
- Van Vliet, K.M. See Klaassen, F.M., 2=8431
- Van Voorhis, G. See Alldredge, L.R., 2=17221
- Van Wageningen, R. Nuclear molecules, 2=5971
- Van Wieringen, J.S. Magnetic resonance in semiconductors, 2=16928
- Van Wijk, A.M. Magnetic effects of high-altitude nuclear detonations, 2=922
- Van Wijk, W.R. and van Stralen, S.J.D. Growth rate of vapour bubbles in water and in a binary mixture boiling at atmospheric pressure, 2=5217
- Vanwormhoudt, M. and Haus, H.A. Thermal noise in linear, lossy, electromagnetic media, 2=17772
- Van Yan'-vén [Wang Yang-wén]. See Shaskol'skaya, M.P., 2=6333
- Van Yan'-vén [Wang Yang-wén]. See Shaskol'skaya, M.P., 2=6334
- Vanyukov, M.P. and Isaenko, V.I. Investigation of light produced by exploding wires, 2=19716
- Vanyukov, M.P., Muratov, V.R. and Mukhitdinova, I.A. Time resolved emission spectra of a spark discharge in inert gases in the region 5000-10 000 Å, 2=7576
- Vanyukov, M.P. See Andreev, S.I., 2=9544
- Vanyukov, M.P. See Andreev, S.I., 2=19698
- Vanyukov, M.P. See Andreev, S.I., 2=22184
- Vanyukov, M.P. See Balashov, I.F., 2=1272
- Van Zandt, T.E. See Knecht, R.W., 2=11053
- Van Zhun. See Barashenkov, V.S., 2=7884
- van Zuilichem, A.G. and Burgers, W.G. Condensation of vacancies in a 95 at.% Au-5 at.% Pt alloy, 2=23184
- Van Zurk, R. Amplitude discriminator circuit using tunnel diodes, 2=19846
- van Zyl, L.L. Man in space. The fourth year of artificial satellites, 2=13193
- Varadaiah, V.V. and Rao, V.S.R. Dissymmetry measurements of high polymer solutions at high dilutions, 2=5017
- Varchenya, S. Experimental study of the interdependence between temperature and thermoelectromotive force and resistance of Mn-Zn ferrites, 2=8454
- Vardya, M.S. Planck and Rosseland mean of Rayleigh scattering by H_2 , 2=11134
- Vardya, M.S. See Sinanoğlu, O., 2=13371
- Varfolomeev, A.A. See Messel, H., 2=12085
- Varfolomeev, A.A. See Nikol'skii, B.A., 2=20415
- Varfolomeev, A.T. Comparison of the excitation energies of B^{11} produced in the reactions $C^{12}(\pi^-, n)B^{11}$ and $C^{12}(p, p)B^{11}$, 2=14121
- Varfolomeev, A.T. High energy fragments emitted during the absorption of slow π^- -mesons by O^{16} nuclei, 2=14123
- Varfolomeev, A.V. See Gross, E.F., 2=684
- Varga, L. Pulse shape discrimination, 2=5514
- Varga, P. See Bakos, J., 2=11490
- Varga, P. See Jánossy, L., 2=11461
- Varghese, T.G. A Philips gauge with enhanced linearity and ruggedness, 2=5081
- Vargo, D.J. and Taylor, F.L. Electrode erosion in spark discharges, 2=22183
- Varićak, M. See Saffić, B., 2=6452
- Varley, E. Flows of dilatant fluids, 2=15535
- Varley, J.H.O. The agglomeration into clusters of interstitial atoms and vacancies generated by fast neutron irradiation, 2=6318
- Varley, J.H.O. Discussion of some mechanisms of F-centre formation in alkali halides, 2=18617
- Varli, K.V. See Lozinskii, M.G., 2=23885
- Varma, J. and Eswaran, M.A. Decay of Se^{75} and the lifetime of the 280 keV state of As^{75} , 2=3533
- Varma, J. and Eswaran, M.A. Inelastic scattering of gamma rays by bound electrons, 2=18090
- Varma, R.K. Kinetic equations for a plasma, 2=11643
- Varnes, R.P. See Ream, J.T., 2=20726
- Varoqui, R., Jacob, M., Freund, L. and Daune, M. The Brownian diffusion of translation at elevated temperature. Method and apparatus, 2=11359
- Varsanyi, F. and Dieke, G.H. Infrared absorption of some hexagonal rare-earth chlorides, 2=6577
- Varsanyi, F. and Dieke, G.H. Ion-pair resonance mechanism of energy transfer in rare-earth crystal fluorescence, 2=6603
- Varsanyi, F. and Dieke, G.H. Energy levels of hexagonal $ErCl_3$, 2=14678
- Varshalovich, D.A. Experimental and theoretical state-mixing coefficients and polarization of nucleons in deformed nuclei, 2=13955
- Varshalovich, D.A. Probabilities for gamma-transitions in odd-odd deformed nuclei, 2=18297
- Varshalovich, D.A. See Peker, L.K., 2=13968
- Varshni, Y.P. Comparison of three equations for the spacing of nuclear levels, 2=355
- Varshni, Y.P. and Shukla, R.C. On the Frost-Musulin reduced potential energy function, 2=6121
- Varshni, Y.P. See Nogami, Y., 2=18076
- Varshni, Y.P. See Sodha, M.S., 2=23277
- Varshni, Y. Pal. See Pal Varshni, Y.
- Vartanov, N.A., Ryukhin, Yu.A., Selinov, I.P., Chikhladze, V.L. and Khulelidze, D.E. β - and γ -spectra of Te^{117} , 2=22761
- Vartanyan, A.T. The semiconducting properties of blood pigments, 2=16718
- Vartanyan, A.T. The semiconducting properties of blood pigments, 2=21158

- Vartapetian, H.A. Nature of the 686 keV level of Re^{187} , 2=12142
- Vartapetian, G.A. The lifetime and nature of the 686 keV level in Re^{187} , 2=3488
- Vartapetian, G.A., Petrosyan, Z.A. and Khudaverdyan, A.G. On forbidden E1 transitions in Th^{150} and Yb^{173} , 2=3489
- Varteva, M. See Arell, A., 2=8762
- Varwig, R.L. See Hartunian, R.A., 2=5049
- Vasaru, G. See Bologa, M., 2=6926
- Vashchek, A. Theory of light reflection from a thin absorbing film deposited on a metal, 2=5175
- Vashko, A., Prokopova, G., Kolomiets, B.T., Pavlov, B.V. and Shilo, V.P. Absorption spectra of glasses of the system $\text{As}_2\text{S}_3 - \text{As}_2\text{Se}_3$, 2=18845
- Vasíček, A. Summation formulae in the theory of thin films, 2=6551
- Vasíček, A. The boundary conditions for amplitude and for energy, 2=19718
- Vasil'chenko, G.V. and Shimko, K.I. An analogy between the solution of certain problems in the theory of elasticity and in hydrodynamics, 2=9214
- Vasilenko, S.S., Kaganskii, M.G. and Kaminskii, D.L. Magnetic spectrometer for investigation of weak positron spectra, 2=20318
- Vasilenko, S.S., Kaganskii, M.G., Kaminskii, D.L. and Koksharova, S.F. Internal conversion with pair production in the decay of Ta^{183} , 2=18303
- Vasil'ev, A.A. See Burshtein, E.L., 2=5412
- Vasil'ev, A.A. See Burshtein, E.L., 2=9660
- Vasil'ev, A.A. See Burshtein, E.L., 2=17913
- Vasil'ev, A.A. See Vladimirovskii, V.V., 2=20081
- Vasil'ev, B.N., Voron'kov, Yu.K., Mandel'shtam, S.L., Tindo, I.P. and Shurygin, A.I. Preliminary results of the investigation of X-radiation from the sun with the aid of rockets and satellites, 2=4760
- Vasil'ev, B.N. See Mandel'shtam, S.L., 2=9069
- Vasil'ev, B.N. See Mandel'shtam, S.L., 2=19300
- Vasil'ev, B.N. See Mandel'shtam, S.L., 2=19301
- Vasil'ev, D.I. Laboratory device for controlling purity in helium flow, 2=2944
- Vasilev, D.I. and Shal'nikov, A.I. A device for the continuous analysis of mixtures of ortho-para-hydrogen and deuterium, 2=4578
- Vasil'ev, D.M. and Dobrodeeva, N.M. An X-ray study of the character of the initial stage of plastic deformation in polycrystalline metals, 2=12853
- Vasil'ev, D.M. and Dobrodeeva, N.M. An X-ray study of the character of the initial stage of plastic deformation in polycrystalline metals, 2=14881
- Vasil'ev, D.M. and Smirnov, B.I. Certain X-ray diffraction methods of investigating cold worked metals, 2=6743
- Vasil'ev, D.M. See Davidenkov, N.N., 2=8722
- Vasil'ev, D.M. See Davidenkov, N.N., 2=23758
- Vasil'ev, G.A. See Balabanov, E.M., 2=9658
- Vasil'ev, I.A., Petrzhak, K.A. and Sushchikovskii, V.D., Determination of absolute activity by end-window counter, 2=20316
- Vasil'ev, I.G. and Shapov, A.I. A sun-tracking head, 2=17597
- Vasil'ev, L.A. and Skotnikov, M.M. Diffraction phenomena associated with the use of the blade-and-slit shadow-photometry method [of gas-flow investigation], 2=15622
- Vasil'ev, L.A. and Skotnikov, M.M. Diffraction phenomena associated with the use of the blade-and-slit shadow-photometry method [of gas-flow investigation], 2=17491
- Vasil'ev, M.P. See Chechkin, V.V., 2=9573
- Vasil'ev, S.S., Komarov, V.V. and Popova, A.M. Investigation of the reaction $\text{C}^{12}(\alpha, \alpha)$, 2=3619
- Vasil'ev, S.S., Komarov, V.V. and Popova, A.M. Energy states of Be^8 in the disintegration of C^{12} into three α -particles under bombardment with protons and neutrons, 2=18324
- Vasil'ev, S.S., Romanovskii, E.A. and Timushev, G.F. Measurement of angular distributions in the reaction $\text{Al}^{27}(p, p')\text{Al}^{27*}$ at 6.6 MeV with a magnetic analyser, 2=437
- Vasil'ev, S.S., Romanovskii, E.A. and Timushev, G.F. Inelastic scattering of protons on F^{19} nuclei, 2=441
- Vasil'ev, S.S., Romanovskii, E.A. and Timushev, G.F. Inelastic scattering of 6.6 MeV protons on Ca^{40} and Mn^{55} , 2=10096
- Vasil'ev, S.S., Romanovskii, E.A. and Timushev, G.F. Inelastic scattering of protons on F^{19} nuclei, 2=22807
- Vasil'ev, S.S. See Baskova, K.A., 2=3518
- Vasil'ev, S.S. See Baskova, K.A., 2=10042
- Vasilev, Ts. See Forafontov, N.V., 2=14022
- Vasil'ev, V.D. See Kurov, G.A., 2=8791
- Vasil'ev, V.D. See Kurov, G.A., 2=10797
- Vasil'ev, V.I., Levchuk, M.S. and Marshak, I.S. Duration of the flash of tubular flash lamps, 2=5157
- Vasil'ev, Ya.V. See Antuf'ev, V.V., 2=21375
- Vasil'ev, Yu.V. See Potemkin, V.V., 2=10669
- Vasil'eva, E.I. See Lur'e, M.S., 2=16789
- Vasil'eva, I.A., Granovskii, V.L. and Chernovolenko, A.F. New data on the influence of a magnetic field on the ion drift from a plasma in helium and argon, 2=1394
- Vasil'eva, M.A., Kuprevich, V.V., Stepanov, I.V. and Feofilov, P.P. single crystal cathodoluminescent screens, 2=21280
- Vasil'eva, N.N. and Morgenshtern, Z.L. Luminescence of nonactivated alkali iodides, 2=14723
- Vasil'eva, N.N. and Morgenshtern, Z.L. Gamma- and photo-luminescence of alkali iodides, 2=23589
- Vasilevskaya, D.P. Start-up of a cyclotron with a spatially varying magnetic field, 2=13616
- Vasilevskaya, D.P. and Denisov, Yu.N. Device for measuring the radial and the azimuthal components of the strength of constant magnetic fields, 2=20090
- Vasilevskaya, M.M. See Kleshchev, G.V., 2=15064
- Vasilevskaya, M.M. See Kleshchev, G.V., 2=19103
- Vasilevskii, K.P. The effect of foreign gases on the absorption of infrared radiation by water vapor, 2=5073
- Vasilevskii, K.P. and Baikov, V.I. The infrared spectrum of lithium fluoride vapor, 2=6158
- Vasilevskii, V.S., Krasnov, N.V. and Mukhovatov, V.S. Drum camera for the vacuum ultra-violet, 2=22069
- Vasilevskis, S. On the flexure of fork-mounted telescopes, 2=21682
- Vasil'kovskii, D.N. and Tadzhiyeva, E.M. On the problem of formation of characteristic surface structure on [tungsten] wires heated by passage of direct electric current, 2=19040
- Vasil'kovskii, D.N. and Tadzhiyeva, E.M. On the problem of formation of characteristic surface structure on [tungsten] wires heated by passage of direct electric current, 2=14930
- Vasil'kovskii, D.N. and Tadzhiyeva, E.M. On the problem of formation of characteristic surface structure on [tungsten] wires heated by passage of direct electric current, 2=19040
- Vasilos, T. See Wuensch, B.J., 2=14466
- Vaško, A. See Srb, I., 2=2235
- Vassails, G. The foundations of statistical optics, 2=7313
- Vassails, G. Propagation and polarization in statistical optics, 2=21986
- Vassallo, A. Determination of the right ascension of Mars in 1960, (and correlation with the of saturn 1959), 2=6989
- Vasserman, A.A. See Zagoruchenko, V.A., 2=9311
- Vasseur, P. See Brachet, C., 2=20140
- Vassiliev, A., Nicolas, J. and Hildebrandt, M. On the properties of mixed yttrium-gadolinium garnets, 2=750
- Vassiliev, A., Nicolas, J. and Hildebrandt, M. A particular example of ferrimagnetism, 2=6675
- Vassy, A. See Israëli, G., 2=11012
- Vassy, E. See Aarons, J., 2=4618
- Vassy, E. See Rossler, F., 2=11023
- Vasudevan, R. See Soda, T., 2=7490
- Vasvári, F. Investigation of the initial phase of cavitation damage, 2=19018
- Vasylevska, V.M., Datsenko, L.I. and Miselyuk, O.H. Investigation of the structural defects in germanium single crystals, 2=21038
- Vasyutinskii, B.M. See Gindin, I.A., 2=8725
- Vasyutinskii, B.M. See Gindin, I.A., 2=23754
- Vasyutinskii, B.M. See Gindin, I.A., 2=23755
- Vasyutyn's'kii, B.M., Kartmazov, H.M. and Finkel', V.O. Investigation of the structure of tantalum at 2700°C by X-ray diffraction, 2=23849
- Vatazhin, A.B. The solution of several boundary problems in magnetohydrodynamics, 2=20120
- Vatset, P.I., Vlasenko, V.H., Voloshchuk, V.I., Doroshenko, H.A., Kolesnikov, L.Ya., Nikitin, V.O. and Tonapetyan, S.H. A diffusion cloud chamber, 2=5536
- Vatset, P.I., Voloshchuk, V.I., Kolesnikov, L.Ya., Nikitin, V.O. and Tonapetyan, S.H. 11 litre propane bubble chamber, 2=5546
- Vatset, P.I., Voloshchuk, V.I., Kolesnikov, L.Ya., Nikitin, V.O. and Tonapetyan, S.H. A liquid hydrogen bubble chamber, 2=5549
- Vatset, P.I. See Val'ter, A.K. [Walter], 2=10149
- Vatul'ov, V.M. Peculiarities of absorption and luminescence spectra of certain alkyl derivatives of anthracene at low temperatures, 2=18823
- Vatul'ov, V.M. Some peculiarities of the absorption spectra and luminescence of anthracene impurities in crystals of its hydrates derivatives, 2=18835
- Vatul'ov, V.M. Absorption and luminescence [spectra] of anthracene impurities in octahydroanthracene crystals at 20°K, 2=18838

- aucher, B., Alder, J.C., Grin, G.A., Joseph, C. and Loude, J.F.
 Measurements of efficiency of shielding of detectors for 14 MeV
 neutrons, 2-20375
- aucher, B. See Grin, G.A., 2-7536
- aucoeurs, G. de. See de Vaucouleurs, G.
- aughan, D.E. Effect of high surface recombination velocity on
 transistor gain, 2-4052
- aughan, D.E. Low dose gamma irradiation of alloy junction
 transistors, 2-14576
- aughan, D.E. Low dose gamma irradiation of semiconductor
 diodes, 2-16743
- aughan, D.E. See Penhale, L.G., 2-20642
- aughan, P. See Langton, N.H., 2-19558
- aughan, W.E., Lovell, W.S. and Smyth, C.P. Microwave absorption and
 molecular structure in liquids. XLV. The dispersion of alkyl
 halides at millimeter wavelengths, 2-5026
- aughan, W.E., Lovell, W.S. and Smyth, C.P. Microwave absorption and
 molecular structure in liquids. XLIV. Investigation of dielectric
 relaxation by an interferometric method for the measurement of
 dielectric constant and loss at 2.2-mm wavelength, 2-2726
- aughan, W.H. See Pasternak, J., 2-8775
- aughn, F.J. See Chase, L.F., Jr., 2-18349
- aughn, F.J. See Imhof, W.L., 2-5935
- aughn, J., Dudley, K. and Lesensky, L. The deactivation of impregnated
 type cathodes due to metal vapors, 2-7642
- aughn, M.T., Aaron, R. and Amador, R.D. Elementary and composite
 particles, 2-252
- aulin, E.P. See Shirokov, M.F., 2-5357
- aulk, H.S. See Goldhammer, P., 2-18195
- autier, C., Bordes, G. and Colombani, A. Electrical conductivity and
 Hall effect in thin films of iron, 2-23241
- autier, P. See Brachet, C., 2-20140
- avilov, B.T. Correction to the paper "A relationship between the
 matrices of various transitions and multiple processes", 2-3294
- avilov, B.T. Correction to the paper "A relationship between the
 matrices of various transitions and multiple processes", 2-22460
- avilov, V.S., Galkin, G.N., Malovetskaya, V.M. and Plotnikov, A.F.
 Energies of photoionization and thermal ionization of deep levels
 of radiation effects in silicon, 2-23365
- avilov, V.S., Landsman, A.P. and Subashiev, V.K. Solar
 batteries, 2-11211
- avilov, V.S., Lotkova, E.N. and Plotnikov, A.F. Photoconductivity and
 infra-red absorption in silicon irradiated by neutrons, 2-8396
- avilov, V.S. and Plotnikov, A.F. Photoconductivity in p-type silicon,
 irradiated by neutrons, 2-651
- avilov, V.S. and Plotnikov, A.F. Photoconductivity in p-type silicon,
 irradiated by neutrons, 2-4068
- avilov, V.S., Smirnova, I.V. and Chapnin, V.A. On the interaction of
 lithium atoms, introduced into silicon, with radiation defects of
 the structure, 2-18567
- avilov, V.S., Smirnova, I.V. and Chapnin, V.A. On the interaction of
 lithium atoms, introduced into silicon, with radiation defects of
 the structure, 2-23149
- avilov, V.S. See Britsyn, K.I., 2-4139
- avilov, V.S. See Galkin, G.N., 2-637
- avilov, V.S. See Galkin, G.N., 2-4025
- avilov, V.S. See Keldys, L.V., 2-23554
- avilov, V.S. See Malovetskaya, V.M., 2-18689
- avilov, V.S. See Malovetskaya, V.M., 2-23363
- avilov, V.S. See Nollé, E.L., 2-18690
- avilov, V.S. See Nollé, E.L., 2-23364
- avilov, V.S. See Plotnikov, A.F., 2-8401
- avilov, V.S. See Plotnikov, A.F., 2-10536
- avilov, V.V. See Geraseva, L.A., 2-11955
- avfinec, E. See Berger, Z., 2-6604
- ayunen, H. See Kohonen, T., 2-11935
- edam, R. See Subramaniam, R., 2-17985
- edenov, A.A., Velikhov, E.P. and Sagdeev, R.Z. Stability of
 plasma, 2-11644
- edernikov, M.V. See Kolomoets, N.V., 2-6506
- edrenne, G. See Ambrosino, G., 2-7996
- edrenne, G. See Blanc, D., 2-12202
- edula, Yu.S. Electronic and adsorptive properties of a barium film on
 a thorium oxide surface, 2-17861
- edula, Yu.S. and Gavriluk, V.M. Adsorption of barium atoms on
 tungsten covered by an adsorbed film of oxygen, 2-15104
- een, K. Van der. See van der veen, K.
- egard, L. Auroral investigations during the winter seasons, 1957/58-
 1959/60, and their bearing on solar terrestrial
 relationships, 2-9019
- egard, L. Phenomena in planetary and space physics governed by the
 coronal effect of solar X-rays, 2-21665
- vegni, G. See Baldassarre, F., 2-22562
- veguilla, L.A. See Meeks, F.R., 2-2456
- veiga, L.M. d'Alte da. See d'Alte da Veiga, L.M.
- veigel, N.D. and Blocher, J.M., Jr. Preparation of small samples of
 ductile titanium and zirconium from the isotopic oxides by
 iodide refining, 2-21480
- veigle, W.J. See Brun, E., 2-22709
- veilex, R. See Libchaber, A., 2-20160
- veingerov, M.L., Sivkov, A.A. and Byan'Nan-khua [Pien Nang-hua].
 Incandescent lamp with a radiometric modulator, 2-13446
- veit, J.J. See Heymann, F.F., 2-277
- veith, W. See Pöschl, K., 2-11708
- vejs, M. See Brabec, V., 2-7951
- vekilov, Yu.Kh. and Piguzov, Yu.V. Internal friction in silver
 chloride at low temperatures, 2-18984
- vekilov, Yu.Kh. and Piguzov, Yu.V. Internal friction in silver
 chloride at low temperatures, 2-23737
- vekilov, Yu.Kh. See Tyapunina, N.A., 2-10738
- vekilov, Yu.Kh. See Tyapunina, N.A., 2-14871
- veksler, V.I. Investigation of non-stationary processes during
 cathode sputtering by means of valve electrometer with a
 large time constant, 2-1524
- veksler, V.I. The interaction of slow positive
 rubidium and caesium ions with a molybdenum surface, 2-9641
- veksler, V.I. Energy spectra of slow positive ions of rubidium and
 caesium scattered by the surface of molybdenum, 2-20050
- vekslis, Z. See Maričić, S., 2-14855
- velarde, G. Effective diffusion coefficient in void regions, 2-20350
- veleckis, E., Rosen, C.L. and Feder, H.M. A recording effusion
 balance for phase diagram investigations: U-Cd, U-Zn and
 Ce-Zn systems, 2-6822
- veleckis, E. See Edwards, R.K., 2-23808
- velge, W.A.J.J. See de Vos, K.J., 2-12724
- velibekov, E.R. On the elementary excitation spectrum in super-
 conductivity theory, 2-11555
- velibekov, E.R. On the elementary excitation spectrum in super-
 conductivity theory, 2-17722
- velibekov, E.R. On collective excitations in superconductivity
 theory, 2-19802
- velibekov, E.R. Collective excitations in the theory of super-
 conductivity, 2-19805
- velický, B. Dispersion relation for complex reflectivity, 2-681
- velický, B. The use of the Kramers-Kronig relations in
 determining optical constants, 2-6535
- velikhov, E.P. See Kuznetsov, E.I., 2-15908
- velikhov, E.P. See Vedenov, A.A., 2-11644
- velizhanina, K.A. Sound absorbers with perforated facings,
 2-5112
- veljković, S. and Harbottle, G. Recoil-atom reactions at low
 temperature, 2-859
- velyukhanova, G.A., Pasynkov, R.E., Pozern, V.I. and El'gard, A.M.
 Piezoelectric properties of polarized ceramics in strong
 alternating fields, 2-14627
- vember, T.M. and Cherkasov, A.S. Effect of -poluidene
 potassium iodide on the fluorescence and photo-oxidation of
 9, 10-di-n-propylanthracene, 2-721
- vember, T.M. and Cherkasov, A.S. Influence of some fluorescence
 quenchers on the quantum efficiency of photochemical
 conversion of 9-methylanthracene and 9-methyl-10 methoxy-
 methylanthracene, 2-14745
- vemets, O.F., Saltýkov, L.S., Sokolov, M.V. and Tsekhmistrenko, Yu.V.
 Determination of level spins and parities from inelastic
 scattering and the pick-up reaction on Be⁹, 2-16311
- venable, D. Single cavity high current electron accelerator,
 2-9659
- venables, J.A. The martensite transformation in stainless steel,
 2-6825
- venchiarutti, D. See Carrara, R., 2-22559
- venediktov, M.V. and Bibik, V.P. The determination of coefficient
 of heat conduction and ultra sound absorption for moist capillary-
 porous solids, 2-9429
- venetsev, Yu.N. See Fedulov, S.A., 2-8863
- venetsev, Yu.N. See Fedulov, S.A., 2-15071
- venetsev, Yu.N. See Lyubimov, V.N., 2-20904
- venetsev, Yu.N. See Lyubimov, V.N., 2-23031
- venetsev, Yu.N. See Solov'ev, S.P., 2-2341
- venetsev, Yu.N. See Solov'ev, S.P., 2-3813
- venetsev, Yu.N. See Solov'ev, S.P., 2-16774
- venezian, E. and Sage, B.H. Thermal transfer from a small wire
 in the boundary flow about a cylinder, 2-15773
- venikov, N.I. See Arzumanov, A.A., 2-7673
- venikov, N.I. See Babichev, A.P., 2-22286

- Venini, C., Perihelion shift in the orbit described by a material charged particle in the first approximation in Einstein's last unified theory, 2=9182
- Venini, C. Behaviour of a test particle in an Einsteinian gravitational field, 2=19411
- Venkataraman, B. See Das, M.R., 2=3776
- Venkataraman, R. The anisotropy of elastic wave propagation in crystals, 2=16595
- Venkataraman, S. Theory of optical activity of helical structures and its application to the α -helix, 2=8484
- Venkates, H.G. Hyperfine structure of rotational states of sodium chloride, 2=10245
- Venkatesan, K. See Ramakrishnan, A., 2=5725
- Venkatesan, K. See Srinivasan, S.K., 2=5714
- Venkateswara Rao, Y. and Venkateswarlu, P. Vacuum ultraviolet resonance spectrum of Cl_2 molecule, 2=22963
- Venkateswarlu, K. and Mariam, S. Raman spectra of alcohols: Intensity measurements, 2=11375
- Venkateswarlu, K. and Radhakrishnan, M. Anharmonicity factors and potential energy constants of B_2H_6 and B_2D_6 , 2=14247
- Venkateswarlu, K. and Rajalakshmi, K.Y. Orbital valence force constants of planar XY_3 molecules, 2=20825
- Venkateswarlu, K. and Sathianandan, K. Correction for anharmonicity, potential constants and thermodynamic properties of SiF_3F and SiF_4 , 2=10239
- Venkateswarlu, K. and Thanalakshmi, R. Urey-Bradley force field: C_3O_2 molecule, 2=20828
- Venkateswarlu, K. and Thiruganasambandam, P. Force constants of molecules of AXYZ type, 2=6133
- Venkateswarlu, K., Thiruganasambandam, P. and Balasubramanian, C. Potential constants of pyramidal XYZ_2 type molecules, 2=10236
- Venkateswarlu, K., Thiruganasambandam, P. and Balasubramanian, C. Force constants of planar XYZ_2 type molecules, 2=6134
- Venkateswarlu, P. See Ramachandra Rao, D., 2=6182
- Venkateswarlu, P. See Venkateswara Rao, Y., 2=22963
- Venkatraman, B. See Patel, S.A. 2=14889
- Venkiteshwaran, S.P. and Mani, A. Measurements of electrical potential gradient in the free atmosphere over Poona, 2=15200
- Venttsel', V.A. Likhter, A.I., 2=18640
- Venturini, G. See Bassi, P., 2=14111
- Venugoplan, M. and Madhavan, N. Energetics and thermodynamic characteristics of the adsorption process responsible for the time variation of the Joshi effect under, or, and in the absence of continuous electrical excitation, 2=19917
- Venus, W. See Baldassarre, G., 2=22562
- Venus, W. See Evans, D., 2=22492
- Venzke, G. and Dämmig, P. Measurement of diffuseness in reverberation chambers with absorbing material, 2=2851
- Venzke, G. See Dämmig, P., 2=2849
- Veprik, Ya.M., Kurnosova, L.V., Razorenov, L.A., Tolstov, K.D., Fradkin, M.I. and Chukin, V.S. Development of photographic emulsions on board the second spaceship, 2=19360
- Verbeke, O. See Van Itterbeek, A., 2=4982
- Verbeke, O. See Van Itterbeek, A., 2=7190
- Verber, C.M., Mahon, H.P. and Tantilla, W.H. Nuclear resonance of aluminium in synthetic ruby, 2=6701
- Verbitskaya, T.N., Aleksandrova, L.M. and Sinitsina, L.S. Preliminary report of a ferroelectric ceramic with a dielectric constant of 80 000-100 000, 2=14615
- Verboven, E. Ohm's law, 2=3977
- Verbraak, C.A. See Sleeswyk, A.W., 2=2080
- Verdaguer, F. See Cordero, F., 2=20065
- Verdieck, J.F. and Cornwell, C.D. Radio-frequency spectrometer with bidirectional square wave frequency modulation, 2=1609
- Verdeyen, J.T. See Narasinga Rao, K.V., 2=5340
- Verdier, P.H. and Stockmayer, W.H. Monte Carlo calculations on the dynamics of polymers in dilute solution, 2=1144
- Vereshchagin, I.K. Electroluminescence and surface properties of crystal phosphors, 2=16853
- Vereshchagin, I.K. and Drapak, I.T. Electroluminescence of single crystals of ZnO , 2=21282
- Vereshchagin, L.F. and Ivanov, V.E. A valve for extra-high pressures, 2=2690
- Vereshchagin, L.F., Semerchan, A.A., Kuzin, N.N. and Popova, S.V. Changes in the electrical resistance of several metals up to pressures of 250 000 kg/cm^2 , 2=618
- Vereshchagin, L.F., Semerchan, A.A. and Popova, S.V. Variation of the electrical resistance of praseodymium, dysprosium, erbium and ytterbium at pressures up to 250,000 kg/cm^2 , 2=619
- Vereshchagin, L.F., Semerchan, A.A. and Popova, S.V. Variation of the electrical resistance of praseodymium, dysprosium, erbium and ytterbium at pressures up to 250,000 kg/cm^2 , 2=10435
- Vereshchagin, L.F., Semerchan, A.A., Zubkov, V.M. and Kuzin, N.N. Apparatus for high pressures and high temperatures, with some electrical junction pairs, 2=24233
- Vereshchagin, L.F., Shapochkin, V.A. and Pirogova, L.B. Mechanical contact resistance of VK-type hard alloys, 2=23780
- Vereshchagin, L.F., Yuzefovich, N.A. and Chelovskii, A.V. Measurement of the speed of ultrasound in some gases in a state of high density, 2=21946
- Vereshchagin, L.F., Zubova, E.V. and Shapochkin, V.A. Contact electrical resistance for high normal pressures, 2=21092
- Vereshchagin, L.F. See Bilevich, A.V., 2=17490
- Vereshchagin, L.F. See Evdokimova, V.V., 2=23804
- Vereshchagin, L.F. See Frolov, A.P., 2=21459
- Vereshchagin, L.F. See Kabalkina, S.S., 2=12915
- Vereshchagin, L.F. See Kabalkina, S.S., 2=21522
- Vereshchagin, L.F. See Panova, G.Kh., 2=8845
- Vereshchagin, L.F. See Panova, G.Kh., 2=23872
- Vereshchagin, L.F. See Stepanov, V.A., 2=19759
- Vereshchagin, L.F. See Voronov, F.F., 2=8703
- Vereshchagin, L.F. See Voronov, F.F., 2=23733
- Vereshchagin, I.K. and Drapak, I.T. Electroluminescence of ZnO single crystals with rectifying contacts, 2=23622
- Veretennikov, A.I., Averchenkov, V.Ya., Savin, M.C. and Spekhov, Yu.A. Gamma-radiation from the interactions of 14 MeV neutrons with U^{238} , 2=12210
- Veretennikov, A.I., Averchenkov, V.Ya., Savin, M.V. and Spekhov, Yu.A. A gamma-ray spectrometer with an organic scintillator: time-selection of gamma rays, 2=18094
- Verganelakis, A. See De Tollis, B., 2=3376
- Vergnes, M. and Jastrzebski, J. Lifetimes of excited levels of Eu^{155} , 2=369
- Verhaar, B.J. Collective properties of the nuclear anisotropic harmonic oscillator model, 2=13959
- Verhaar, B.J. Description of collective nuclear vibrations using shell model wave functions, 2=16292
- Verhaegen, G. See Ackerman, M., 2=8127
- Verhaegen, G. See Ackerman, M., 2=8128
- Verhaeghe, J.L., Robbrecht, G.G. and Van Outryve, E. Construction of a high-precision dilatometer. The dilatation of copper, 2=19494
- Verkhorobin, L.F., Ivanov, V.E., Matyushenko, N.N., Nechiporenko, E.P., Pugachev, N.S. and Somov, A.I. Reaction diffusion in the systems Mo-Si , W-Si and Ta-Si , 2=23205
- Verma, A.R. See Krishna, P., 2=10865
- Verma, A.R. See Srivastava, V.K., 2=17069
- Verma, A.R. See Trigunayat, G.C., 2=10869
- Verma, G.R. and Keller, J.B. Three-dimensional standing surface waves of finite amplitude, 2=1122
- Verma, G.S. See Agrawal, B.K., 2=16616
- Verma, G.S. See Agrawal, B.K., 2=16943
- Verma, G.S. See Bal Krishna Agrawal, 2=10341
- Verma, G.S. See Kor, S.K., 2=53
- Verma, J.K.D. Fast neutron bombardment of voltage-variable capacitors, 2=8385
- Verma, J.K.D. Neutron irradiation of Zener diodes, 2=23430
- Verma, M.P. Some fundamental considerations about mass in general and about negative masses, 2=9153
- Verma, M.P. See Singh, K.P., 2=15476
- Verma, P.D. Singularities and their application to flow problems, 2=15552
- Verma, R.D. A $2^2\text{P} \rightarrow 2^2\text{D}$ transition of the SiF molecule, 2=12332
- Verma, S.D. See Miyake, S., 2=12074
- Verner, V.D., Finkel'shtein, B.N. and Shalimova, A.V. A study by the method of internal friction of the behaviour of nitrogen in f.c.c. iron alloys, 2=8711
- Verner, V.D., Finkel'shtein, B.N. and Shalimova, A.V. A study by the method of internal friction of the behaviour of nitrogen in f.c.c. iron alloys, 2=10737
- Vernier, P. See Pauty, M., 2=7647
- Vernon, R. Influence of ion motions on nonlinear plasma oscillations, 2=1471
- Vernon, R.C. Extinction coefficient of single-crystal hematite in the region 3600-7000 Å, 2=14661
- Vernon, S.N., Christiansen, G.B., Atrashkevich, V.I., Dmitriev, V.A., Fomin, Yu., Khrenov, B.A., Kulikov, G.V., Nechin, Yu.A. and Soloviyeva, V.I. Primary cosmic-ray component in super high-energy region, 2=20462
- Vernotte, P. Cooling of a gas, under compression, by a conducting wall, 2=7430

- Vernotte, P. Concerning the transfer of heat between rubbing bodies of unequal size, 2=7433
- Vernotte, P. Mathematical definition of coherence, 2=9145
- Vernov, S.N. Radiation belt, 2=24055
- Vernov, S.N., Chudakov, A.E., Vakulov, P.V., Logachev, Yu.I. and Nikolaev, A.G. Radiation measurements during the flight of the second space rocket, 2=9029
- Vernov, S.N., Gorchakov, E.V., Logachev, Yu.I., Nesterov, V.E., Pisarenko, N.F., Savenko, I.A., Chudakov, A.E. and Shavrin, P.I. Investigations of radiation during flights of satellites, space vehicles and rockets, 2=16256
- Vernov, S.N., Grigorov, N.L., Logachev, Yu.I. and Chudakov, A.E. Measurement of cosmic rays using artificial earth satellite, 2=12087
- Vernov, S.N., Savenko, I.A., P.I. Shavrin, Nesterov, V.E. and Pisarenko, N.F. The outer radiation of the Earth belt at 320 km altitude, 2=920
- Vernov, S.N., Savenko, I.A., Shavrin, P.I., Nesterov, V.E. and Pisarenko, N.F. The outer radiation belt of the earth at 320 km altitude, 2=9028
- Vernov, S.N., Savenko, I.A., Shavrin, P.I. and Pisarenko, N.F. Discovery of the inner radiation belt at 320 km altitude in the area of the south Atlantic magnetic anomaly, 2=11084
- Vernov, S.N., Savenko, I.A., Shavrin, P.I., Nesterov, V.E. and Pisarenko, N.F. Outer radiation belt of the earth at the height of 320 km, 2=19250
- Vernov, S.N., Savenko, I.A., Shavrin, P.I. and Pisarenko, N.F. Detection of the inner radiation belt at a height of 320 km in the region of the South Atlantic magnetic anomaly, 2=19252
- Vernov, S.N., Vakulov, P.V., Gorchakov, E.G., Logachev, Yu.I. and Chudakov, A.E., A study of the soft component of cosmic rays beyond the limits of the atmosphere, 2=12089
- Vernov, S.V., Li Don Khva, Khrenov, B.A. and Khristiansen, G.B. μ -meson beams in broad air showers, 2=13936
- Veronesi, P. See Forino, A., 2=20386
- Veronis, G. The magnitude of the dissipation terms in the Boussinesq approximation, 2=17678
- Verrière, F. See Perrin, A., 2=20640
- Verriest, G., Van de Velde, R. and Vanderdonck, R. Quantitative study of the effect on chromatic discrimination of selective absorption in the cold part of the visible spectrum, 2=24228
- Verrout, G. See Brun, J.C., 2=19844
- Vertebnii, V.P. See Vlasov, M.F., 2=5537
- Vértes, P. On the K-mesonic interaction of muons, 2=9918
- Vetsner, V.N. See Solov'ev, A.M., 2=17109
- Vervier, J. Interpretation of nuclei of spin $1/2$ as asymmetric rotors, 2=359
- Verweij, H. A fast transistorized discriminator, 2=2980
- Veselov, M.G., Antonova, I.M., Brattsev, V.F. and Kirillova, I.V. Tables of analytic wave function parameters of atoms and ions. I. 2=513
- Vescan, T.T. Observation on absolute negative temperatures, 2=11290
- Vessem, J.C. Van. See van Vessem, J.C.
- Vestal, M., Wahrhaftig, A.L. and Johnston, W.H. Improved rate expression in the quasi-equilibrium theory of mass spectra, 2=23951
- Vestine, E.H. Morphology of magnetic storms, 2=13071
- Vestine, E.H. and Kern, J.W. Cause of the preliminary reverse impulse of storms, 2=19267
- Vetchinkin, A.N. Stabilization of low temperatures in helium cryostats, 2=7485
- Vetshtein, V.E. and Demidenko, S.G., Ion receiver for double-beam mass spectrometers for the isotopic analysis of nitrogen and oxygen, 2=20061
- Vetshtein, V.E., Demidenko, S.G. and Lechekhle, V.R. A mass-spectrometer ion source for the isotope analysis of microscopic amounts of lead, 2=20058
- Vette, J.I. Low-energy gamma rays produced in air and in lead by cosmic rays, 2=16281
- Vetter, M.J. and Thompson, M.C., Jr. Absolute microwave refractometer, 2=17953
- Vetterlein, J.C., Micrometrical measures of double stars, 2=13141
- Veyssiere, H. See Plusquellec, J., 2=23204
- Veyssiere, A. See Bergere, R., 2=22285
- Viale, G. See Barloutaud, R., 2=22560
- Viallet, P. See Durivault, J., 2=11385
- Viano, G.A. See Regge, T., 2=21789
- Vick, F.A. See Mee, C.H.B., 2=3073
- Vick, G. Van. See Van Vick, G.
- Victor, A.C. Heat capacity of diamond at high temperatures, 2=12382
- Victor, A.C. Effect of particle size on low-temperature heat capacities, 2=15080
- Victor, A.C. See Douglas, T.B., 2=4445
- Victor, C. See Brun, J.C., 2=19844
- Victor, W.K. and Stevens, R. The 1961 JPL Venus radar experiment, 2=21703
- Vidal, C.R. and Ruge, I. Computation of the radiation-excited conductivity impulse of a crystal counter and consideration of the space-charge distorted field, 2=20195
- Vidal, R. See Friedmann, G., 2=17642
- Vidal, R.H. See Dosso, H.W., 2=13292
- Videira, A.L.L. See MacDowell, S.W., 2=9917
- Videira, A.L.L. See MacDowell, S.W., 2=11983
- Vidulich, G.A. and Kay, R.L. The dielectric constant of water between 0° and 40° , 2=11379
- Viehmann, W. Magnetometer based on the Hall effect, 2=13651
- Vieland, L.J. The effect of arsenic pressure on impurity diffusion in gallium arsenide, 2=10414
- Vieland, L.J. Behavior of manganese in GaAs, 2=14553
- Vieland, L.J. and Seidel, T. Behavior of germanium in gallium arsenide, 2=16721
- Viénot, J.C. Optical masers (study of the laser effect), 2=6563
- Viénot, J.C., Aebischer, N. and Bulabois, J. Determination of the width of the R_1 line (6943 Å) emitted by a ruby laser, 2=10587
- Vier, D.T. See Pretzel, F.E., 2=21000
- Vierosanu, Io. See Vierosanu, Io., 2=6898
- Vierosanu, Io. and Vierosanu, Io. Concentration determination of components of a mixture of optically active substances, 2=6898
- Vieweg, R. See Engelhard, E., 2=7108
- Vigier, J.P. Mass of the Yang-Mills vector field, 2=11851
- Vigier, J.P. See Hillion, P., 2=28
- Vigier, J.P. See Hillion, P., 2=3261
- Vigier, J.P. See Hillion, P., 2=9769
- Vigier, J.P. See Hillion, P., 2=11858
- Vigier, J.P. See Hillion, P., 2=11859
- Vigier, J.P. See Hillion, P., 2=11860
- Vigier, J.P. See Hillion, P., 2=15477
- Vigier, J.P. See Hillion, P., 2=19421
- Vigneron, L. See Alitti, J., 2=16229
- Vigneron, L. See Alitti, J., 2=18156
- Vigneron, M.C. Study of the Faraday rotation in ferrites in the neighbourhood of ferrimagnetic resonance, 2=14652
- Vignudelli, A.Q. See Pietschel, W., 2=22616
- Vigón, M.A. See Lozano, J., 2=3047
- Vigone, M. See Di Corato, M., 2=22627
- Vigone, M. See Garelli, C.M., 2=5737
- Vigoureux, P. The gyromagnetic ratio of the proton, 2=18109
- Vigoureux, P. A determination of the gyromagnetic ratio of the proton, 2=22502
- Vijayaraghavan, P.R. See Iyengar, P.K., 2=8660
- Vijayaraghavan, R. Study by nuclear magnetic resonance of the spin-lattice relaxation time of tellurium, 2=6694
- Vijayaraghavan, R. See Dharmatti, S.S., 2=6706
- Vijver, R.E. van de. See van de Vijver, R.E.,
- Vikhrov, V.I. See Pravdyuk, N.F., 2=18983
- Viktorov, I.A. A study of methods of excitation of Rayleigh waves, 2=2812
- Viktorov, I.A. A study of methods of excitation of Rayleigh waves, 2=7278
- Vilcov, N. See Macovei, M., 2=20078
- Vilcov, N. See Martalogu, N., 2=5808
- Vilcov, N. See Martalogu, N., 2=5809
- Vil'dgrube, G.S., Dalinenko, N.K. and Razumovskaya, A.I., A photoelectric multiplier with a flat front window, 2=20019
- Vilesov, F.I. Photoelectric emission from the surfaces of Cr_2O_3 , NiO, ZnO, 2=5370
- Vilesov, F.I. Photoelectric emission from the surfaces of Cr_2O_3 , NiO, ZnO, 2=11694
- Vilesov, F.I. A vacuum spectrophotometer, 2=1266
- Vilesov, F.I. Photoelectric emission from the surfaces of Cr_2O_3 , NiO, ZnO, 2=11694
- Vilesov, F.I. See Akopyan, M.E., 2=156
- Vilesov, F.I. See Akopyan, M.E., 2=9528
- Vilesov, F.I. See Kurbatov, B.L., 2=5371
- Vilesov, F.I. See Kurbatov, B.L., 2=9527
- Vilesov, F.I. See Kurbatov, B.L., 2=11695
- Vilkov, L.V. See Akishin, P.A., 2=22951
- Vilkov, L.V. See Akishin, P.A., 2=22952
- Villaire, A.E. See Wouters, L.F., 2=22253
- Villar, E. See Catala, J., 2=1642
- Villar, E. See Catala, J., 2=16102
- Villard, O.G., Jr. See Chan, K.L., 2=13029

- Villard, O.G., Jr. See Chan, K.L., 2=19262
 Villard, O.G., Jr. See Croft, T.A., 2=2495
 Villard, O.G., Jr. See Kanellakos, D.P., 2=17161
 Villard, O.G., Jr. See Kanellakos, D.P., 2=19219
 Villeneuve, A.T. Application of Fourier transforms to antenna pattern synthesis, 2=5477
 Villeneuve, J. See Huyghe, J., 2=1291
 Villiermaux, J. and Gibert, R. Production of molecular hydrogen in a state of enhanced vibration by homogenous recombination of atomic hydrogen, 2=22967
 Villers, D.De. See De Villers, D.,
 Villi, C. See Demanins, F., 2=3420
 Villiers, G. and Lories, J. Some properties of complex rare-earth garnets, 2=8650
 Villiers, J.A.M.De. See De Villiers, J.A.M.,
 Vilstrup, T. See Christiansen, J.A., 2=858
 Vilutis, E.S. See Pogodaev, K.N., 2=23253
 Vil'yams [Williams] A.P., Vyugov, P.N. and Leontovich, A.K. Single-channel amplitude analyser, 2=9512
 Vil'yams, A.P. See Afanas'ev, N.G., 2=5432
 Vil'yams, A.P. See Afanas'yev, N.H., 2=5434
 Vil'yams, A.P. See Hordiyenko, A.H., 2=9675
 Vincent, C.H. The rapid recognition of a significant increase in the rate of arrival of pulses occurring at random, 2=1348
 Vincent, C.H. and Kaine, D. Fast pulse multiplication by logarithmic attenuators, 2=17748
 Vincent, C.H., Kaine, D. and King, W.G. Precise automatic control by proton resonance of a continuously variable magnetic field, 2=20169
 Vincent, C.H. and Lamden, R.J. An experimental equipment for the rapid recognition of excursions in reactors at low flux levels, 2=10189
 Vincent, C.H. and Sapsford, G. A precision current integrator, 2=10185
 Vincent, J.S. See Fessler, T.E., 2=11739
 Vincent, P.I. See Sandiford, D.J.H., 2=21430
 Vincent-Geisse, J. Integration of dispersion equations, 2=20159
 Vincent-Geisse, J. and Lecomte, J. Some new results in the measurement of refractive indices (liquid and solid) in the infrared, 2=21999
 Vincenti, W.G. Linearized flow over a wedge in a nonequilibrium oncoming stream, 2=21929
 Vinciguerra, D. See Agodi, A., 2=12178
 Vindushka, M. and Zyryanova, L.N. Analysis of second forbidden β -spectra, 2=14029
 Vinduškova, O. See Bohun, A., 2=9623
 Vinetskii, R.M. See Baranskii, P.I., 2=14533
 Vinetskii, R.M. See Baranskii, P.I., 2=18674
 Vineyard, G.H. General introduction, 2=12473
 Vingiani, G.B. and Monaro, S. Experimental determination of summing distributions in scintillation detectors, 2=9737
 Vingiani, G.B., Monaro, S., Ricci, R.A. and van Lieshout, R. Gamma radiation from the decay of the ^{95}Tc ground state from the ^{95}Tc isomeric pair, 2=10079
 Vingiani, G.B. See Monaro, S., 2=1840
 Vingiani, G.B. See Monaro, S., 2=3485
 Vingiani, G.B. See Monaro, S., 2=5869
 Vingiani, G.B. See Ricci, R.A., 2=14000
 Vingiani, G.B. See van Nooijen, B., 2=18261
 Vinh, A.Lê Phat. See Lê Phat Vinh, A.,
 Vinh-Dinh Huynh. See Corge, C., 2=18334
 Vinh-Dinh Huynh. See Julien, J., 2=18332
 Vinh-Dinh Huynh. See Julien, J., 2=18333
 Vinh-Mau, N. and Brown, G.E. The $T = 1$ excited states of C^{12} , 2=3479
 Vinh-Mau, N. and Brown, G.E. The O^+ states in oxygen, 2=16328
 Vinh Mau, N. See Gillet, V., 2=13995
 Vinh Mau Nguyen. See Nguyen Vinh Mau
 Vinh Mau, R. Contributions to the theoretical study of the effect of the Coulomb field on internal bremsstrahlung associated with β -decay, 2=16343
 Vinh Mau, R. See Amati, D., 2=22497
 Vinh Tuong, N.P. and Sorin, P. Extension of the one dimensional theory of Hertz to the plastic-elastic deformation of a metal by the impact of a hard moving body with a spherical end, 2=14878
 Vink, A.T. and van Doorn, C.Z. Complex fine-structure of GaP photoluminescence at 4.2°K, 2=21265
 Vink, H. Investigations on solute permeation through osmotic membranes, 2=11363
 Vinnemann, C.D. See Giese, R.H., 2=22061
 Vinogradov, K.N. See Ulyanov, G.K., 2=1550
 Vinogradov, N.I. See Anisimov, A.I., 2=22228
 Vinogradov, V.P. See Filippov, T.I., 2=198
 Vinogradov, V.S. The shape of the infrared absorption bands and the dielectric losses in ionic crystals at ultrahigh frequencies, 2=2236
 Vinogradov, V.S. Application of the method of Green functions to the calculation of infrared absorption in ionic crystals, 2=18802
 Vinogradova, K.I., Galavanov, V.V. and Nasledov, D.N. Dependence of the carrier mobility on the concentration of impurities in InSb crystals, 2=21151
 Vinogradova, M.N., Golikova, O.A., Mitrenin, B.P. and Stil'bans, L.S. The mechanism of scattering of carriers in p-germanium, 2=23312
 Vinokurov, L.A. and Fok, M.V. Determination of electron trap depth in ZnS phosphors from a flash produced by infrared light, 2=717
 Vinokurov, V.M., Zaripov, M.M. and Stepanov, V.G. A study of some Mn-containing carbonates by the method of electron paramagnetic resonance, 2=4260
 Vinokurov, V.M., Zaripov, M.M., Stepanov, V.G., Polskii, Yu.E., Chirkin, G.K. and Shekun, L.Ya. Electron spin resonance in natural chrysoberyl Al_2BeO_4 , 2=4252
 Vinokurov, V.M., Zaripov, M.M., Stepanov, V.G., Polskii, Yu.E., Chirkin, G.K. and Shekun, L.Ya. Paramagnetic resonance of trivalent chromium in andalusite, 2=21360
 Vinti, J.P. Mean motions in conditionally periodic separable systems, 2=4866
 Vinti, J.P. Intermediary equatorial orbits of an artificial satellite, 2=15413
 Vintu, V. See Țițeica, R., 2=8107
 Viola, V.E., Jr. See Sikkeland, T., 2=5984
 Vir Su Lekh. See Lekh Vir Su.
 Virgiliev, Yu.S. See Ivanov, O.S., 2=21555
 Virot, A. Characteristics of the uranium-zirconium alloy of 6wt % Zr, 2=4433
 Vishky, T., Gramenitskii, I.M., Korbel, Z., Nomofilov, A.A., Podgoretskii, M.J., Rob, L., Strel'tsov, V.N., Tuvdendorzh, D. and Khvastunov, M.S. Inelastic interaction of protons and nucleons at an energy of 9 BeV, 2=1684
 Vishky, T., Gramenitskii, I.M., Korbel, Z., Nomofilov, A.A., Podgoretskii, M.J., Rob, L., Strel'tsov, V.N., Tuvdendorzh, D. and Khvastunov, M.S. Inelastic interaction of protons and nucleons at an energy of 9 BeV, 2=22512
 Vishnevskii, M.E. See Avakyan, R.O., 2=22764
 Vishnevskii, V.F. and Ekaterinin, V.V. Fast acting electrical hydraulic shock valve for Wilson cloud chambers, 2=18036
 Vishnevskii, V.N., Liskovich, O.B. and Pidzirailo, M.S. The stability of the reflective power of magnesium oxide over a wide temperature range, 2=6540
 Vishnevsky, V.N. and Pidzirailo, N.S. Absolute quantum yield of the photoluminescence of a synthetic ruby at room temperature, 2=8570
 Vishnoi, A.N. and Agarwal, B.K. A correction to X-ray wavelength determination by plane crystal spectrograph, 2=15976
 Viskanta, R. and Grosh, R.J. Effect of surface emissivity on heat transfer by simultaneous conduction and radiation, 2=19742
 Viskanta, R. and Grosh, R.J. Boundary layer in thermal radiation absorbing and emitting media, 2=22075
 Visscher, W. See Brout, R., 2=23044
 Visscher, W.M. See Frauenfelder, H., 2=12125
 Visser, M.P. See Nawijn, A., 2=13471
 Visvanathan, S. Electron temperature in partially ionized gases subject to intense a.c. fields, 2=17818
 Viswamitra, M.A. A low temperature Weissenberg camera, 2=17002
 Viswamitra, M.A. Crystal structure of copper ammonium oxalate dihydrate, $\text{Cu}(\text{NH}_4)_2(\text{C}_2\text{O}_4)_2 \cdot 2\text{H}_2\text{O}$, 2=23857
 Viswamitra, M.A. and Kannan, K.K. Simple gas-cooling device for low temperature investigations with Weissenberg cameras, 2=14975
 Viswamitra, M.A. and Ramasehan, S. The anomalous thermal expansion of KI at low temperatures $[-185 \text{ to } +200^\circ\text{C}]$, 2=10337
 Viswanadha Sarma, L.V.K. Shear flow of a conducting fluid in the presence of a magnetic field, 2=11759
 Viswanathan, K.S. The correlated Hartree-Fock equations and the generalised density matrices, 2=6077
 Viswanathan, R. and Rajagopal, E.S. Perturbation calculation of the elastic constants from the ultrasonic velocities — application to sodium thiosulphate, 2=4305
 Viswanathan, R. and Rajagopal, E.S. On the exact relation between C_D and C_V in crystalline media, 2=6268
 Vitale, B. See Amati, D., 2=1681
 Vitale, B. See Stajano, A., 2=13873
 Vitenberg, I.M. See Val'dner, O.A., 2=20066
 Vitkevich, V.V. Radio astronomical observations of moving plasma clouds in the solar supercorona, 2=1005

- Vitkevich, V.V., Kuz'min, A.D., Sorochenko, R.L. and Udaltsov, V.A. Results of radioastronomical tracking of Soviet space rockets, 2=9132
- Vitkov, A. See Kasabov, I., 2=18685
- Vitman, V.D., Dzhelepov, B.S., Pavlov, A.A., Semenov, S.V. and Shestopalova, S.A. Determination of the ratio of K and L X-ray photons in the radiation from some neutron-deficient isotopes, 2=14051
- Vitol, I.K. and Tale, I.A., Investigation of photoelectric polarization of zinc sulphide phosphors, 2=23477
- Vitol, I.K. See Valbis, Ya.A., 2=23624
- Vitovskii, B.V. See Belyaev, L.M., 2=4390
- Vitovskii, B.V. See Karpenko, A.G., 2=4389
- Vitovskii, N.A., Lukirskii, D.P., Mashovets, T.V. and Myakota, V.I. The energy spectrum of defects produced in silicon by irradiation with electrons, 2=18688
- Vitovskii, N.A., Lukirskii, D.P., Mashovets, T.V. and Myakota, V.I. The energy spectrum of defects produced in silicon by irradiation with electrons, 2=23362
- Vitovskii, N.A., Lukirskii, D.P., Mashovets, T.B. and Ryvkin, S.M. Energy spectrum of certain impurity atoms in germanium and silicon, 2=21145
- Vitovskii, N.A., Maleev, P.I., Matveev, O.A., Ryvkin, S.M. and Tarkhin, D.V. Operation of silicon n-p junctions as counters for heavy charge particles without external power supplies, 2=18028
- Vitrikhovskii, N.I. and Mizetskaya, I.B., Spectral characteristics of the mixed single crystals ZnS-CdS, 2=6502
- Vitrikhovskii, N.I. See Brodin, M.S., 2=6552
- Vitrikhovskii, N.I. See Brodin, M.S., 2=10596
- Vittitoe, C. See Brunhart, G., 2=5547
- Vittitoe, C. See Lea, R.M., 2=11841
- Vittoz, B. See Gavin, P., 2=6034
- Vittoz, B. See Gavin, P., 2=18388
- Vivargent, M. See von Dardel, G., 2=13853
- Vivargent, M. See Von Dardel, G., 2=22592
- Vivés, C. See Causse, R., 2=7722
- Vivés, C. See Causse, R., 2=11332
- Vizbaraitė, Ya.I. See Yutsis, A.P., 2=16466
- Vizhert, R.V., Mal'nev, A.F. and Mikhlin, I.M., Effect of the nature and position of the substitute on the infrared spectra of benzosulphochlorides and ethyl ethers, 2=22987
- Vizi, I. See Dzhelepov, B.S., 2=5865
- Vizi, I. See Dzhelepov, B.S., 2=5866
- Vlaardingerbroek, M.T. and Welmer, U., Interaction of a plasma and an electron beam, 2=3041
- Vladimirov, Yu.S. Annihilation of an electron-positron pair into two gravitons, 2=20320
- Vladimirskii, B.M. See Stepanyan, A.A., 2=970
- Vladimirskii, K.V. and Labzov, B.A. Observation of nuclear magnetic resonance in unstable fields, 2=20170
- Vladimirskii, V.V. and Andreev, V.N. Nonconservation of parity in strong interactions and nuclear fission, 2=5977
- Vladimirskii, V.V. and Andreev, V.N. Nonconservation of parity in strong interactions and nuclear fission, 2=22856
- Vladimirskii, V.V., Komar, E.G., Mints, A.L., Gol'din, L.L., Monoszon, M.A., Rubchinskii, S.M., Tarasov, E.K., Vasil'ev, A.A., Vodop'yanov, F.A., Koshkarev, L.G., Kuryshev, V.S., Malyshev, I.F., Stolonov, A.M. Strel'tsov, N.S. and Yakovlev, B.M. Development of 7 GeV proton cynchrotron, 2=20081
- Vladimirskii, V.V. and Koshkarev, D.G. The achromatic bending magnetic system, 2=1506
- Vladimirsky, B. Some features of chromospheric flares and its corresponding active regions responsible for Forbush-effect, 2=13137
- Vladimirsky, K.V. and Labzov, B.A. Single sample spin generator spectrometer, 2=5495
- Vlasenko, N.A., Miloslavskii, V.K. and Shklyarevskii, I.N. Interference of luminescent emission from an evaporated phosphor, 2=6618
- Vlasenko, V.H. See Vatset, P.I., 2=5536
- Vlasov, A.A. Theory of a new kind of plasmoid, 2=11651
- Vlasov, A.D. See Burshtein, E.L., 2=1531
- Vlasov, A.G. Effect of pressure in the vacuum chamber on the radiation intensity of an accelerator, 2=3111
- Vlasov, A.Ya. and Gus'kova, I.L. Temperature dependence of magnetostriction of iron-silicon alloys, 2=8643
- Vlasov, K.B. and Ishmukhametov, B.Kh. Equation of motion for magnetization in magnetic media, 2=8598
- Vlasov, K.B. and Ishmukhametov, B.Kh. Equation of motion for magnetization in magnetic media, 2=23642
- Vlasov, M.F., Fedorov, M.B. and Vertebnii, V.P. A methane diffusion cloud chamber for neutron spectrometry, 2=5537
- Vlasov, N.A., Kalinin, S.P., Ogloblin, A.A. and Chuev, V.I. The (d,t) reaction on O^{16} , O^{18} , Mg^{24} , Mg^{25} , and Mg^{26} , 2=14133
- Vleck, J.H. Van. See Van Vleck, J.H.,
- Vlieger, J., Mazur, P. and de Groot, S.R. On the quantum statistical basis of non-equilibrium thermodynamics. II, 2=4956
- Vlieger, J., Mazur, P. and de Groot, S.R. On the quantum statistical basis of non-equilibrium thermodynamics. III, 2=4957
- Vliet, K.M. Van. See Van Vliet, K.M.,
- Vočeký, M. See Brabec, V., 2=7951
- Vodakov, Yu.A. See Lomakina, G.A., 2=16764
- Vodakov, Yu.A. See Lomakina, G.A., 2=18758
- Vodar, B. and Romand, J. Spectroscopy of the far ultraviolet, 2=22030
- Vodar, B. See Damany-Astoin, N., 2=14286
- Vodar, B. See Fabre, D., 2=7277
- Vodenicharov, Kh.M. See Markov, P.K., 2=9432
- Vodička, V. Free oscillations of a four-part membrane, 2=11438
- Vodička, V. Free vibrations of a composite circular membrane, 2=17533
- Vodička, V. Three-dimensional steady temperature in a stratiform doubly infinite strip, 2=17675
- Vodop'yanov, F.A. See Vladimirovskii, V.V., 2=20081
- Vodop'yanov, L.K. The nature of dielectric losses in polycrystalline titanates of magnesium and zinc, irradiated in a large integrated beam of slow neutrons, 2=4096
- Vodop'yanov, L.K. Electrical conductivity of magnesium and zinc titanates subjected to neutron bombardment, 2=14507
- Vodop'yanov, L.K. Electrical conductivity of magnesium and zinc titanates subjected to neutron bombardment, 2=18646
- Vodop'yanov, L.K. Measurement of electrical properties of dielectrics irradiated by neutrons, 2=19878
- Vodop'yanov, L.K. and Krasnopevtsev, V.V. Method of irradiation of solid dielectrics in nuclear reactors, 2=10183
- Voelker, D.D. A compensating magnetometer with a thermostat-controlled Hall data transmitter, 2=1551
- Voeks, J.F. Concerning a so-called check on the initial deviation from Newtonian flow of polymer solutions, 2=9273
- Voelcker, H. See Fiebig, R., 2=6957
- Voelker, H. Dependence on latitude of period of terrestrial magnetic pulsations, 2=11094
- Voevodskii, V.V. See Bubnov, N.N., 2=6686
- Voevodsky, V.V. See Kazansky, V.B., 2=12482
- Vogan, E.L. See Hartz, T.R., 2=12025
- Voge, J. See du Castel, F., 2=16041
- Vogel, A. The recovery of electron microscope grids, 2=19130
- Vogel, A. See Anghelescu, D., 2=5557
- Vogel, F.L. See Pearson, G.L., 2=16951
- Vogel, K. See Hogberg, L., 2=3053
- Vogel, M. Oxide formation and reflectivity of evaporated aluminium films in the vacuum ultraviolet, 2=12944
- Vogel, P. Configuration mixing and deviations of magnetic moments from Schmidt lines, 2=3463
- Vogel, R.E. and Kempter, C.P. A mathematical technique for the precision determination of lattice parameters, 2=10847
- Vogl, T.P., Shifrin, G.A. and Leon, B.J. Generalized theory of metal-film bolometers, 2=19765
- Vogler, G. See Andrä, W., 2=10657
- Vogler, G. See Steinbeiss, E., 2=12792
- Vogt, E. The thickness of the nuclear surface, 2=13952
- Vogt, E. Metamagnetism, 2=16886
- Vogt, E.W. See Bromley, D.A., (Eds.), 2=1751
- Vogt, J. See Hofmann, W., 2=19009
- Vogt, K.J., Jensen, H.W., Maas, A. and Tzschachel, R. Aims and methods of the "umgebungsüberwachung", 2=12147
- Vogt, O.R. See Busch, G.A., 2=23636
- Vogt, R. Primary cosmic-ray and solar protons, 2=3430
- Vogt, R. Flux and energy spectra of primary cosmic ray protons from 70 to 400 MeV, 2=12043
- Vogt, R. See Meyer, P., 2=13925
- Vogt, R. See Meyer, P., 2=7912
- Vogt, R. See Meyer, P., 2=20447
- Voicheck, L. See Titts, T., 2=20734
- Voicu, V.G. Contributions to the electrochemical behaviour of thallium in extremely dilute solutions, 2=12977
- Voigt, A.F. See Foster, M.S., 2=7970
- Voigt, F. The influence of cobalt additions on the frequency dependence of the complex permeability of NiZn-ferrite, 2=8629
- Voigt, F. The influence of magnetic annealing on the temperature-dependence of the initial permeability of Ni-Zn ferrite which contains cobalt, 2=8651
- Voigt, F. Temperature dependence of the magnetic spectrum of Ni-Zn ferrite with CoO admixture, 2=12790

- Voigt, F. The temperature-dependence of the magnetic spectrum of Ni-Zn ferrite with CoO inclusions, 2=12793
- Voigt, J. See Boer, K.W., 2=6487
- Voinchet, J. See Jegaden, G., 2=21429
- Voinova, N.A., Dzhelepov, B.S. and Zhukovskii, N.N. Investigation of the gamma-radiation of $\text{Ag}^{110\text{m}}$ in the energy range from 0.2 to 2.0 MeV, 2=14062
- Voinova, N.A., Dzhelepov, B.S. and Zhukovskii, N.N. Gamma-radiation from $\text{Zr}^{95} + \text{Nb}^{95}$, 2=14068
- Voinova, N.A., Dzhelepov, B.S., Zhukovskii, N.N. and Khol'nov, Yu.V. Gamma-radiation from Tb^{160} , 2=14057
- Voishvillo, N.A. Coherent scattering of light in glass, 2=19730
- Voishvillo, N.A. Spectrophotometric and photometric characteristics of the opal glass MS14, 2=22025
- Voit, S.S. Diffraction from a half-surface of waves formed on the surface of a liquid by a periodically acting source, 2=19527
- Voitekhevskaya, E.A. An approximate calculation of three-dimensional slowly changing non-uniform motion of a fluid, 2=17412
- Voitsenya, V.S. See Safronov, B.G., 2=17927
- Voitsenya, V.S. See Sine'nikov, K.D., 2=9586
- Vojta, G. Statistical-thermodynamical calculation of the equilibrium constants of a few chemical isotope exchange reactions in Carbon-13 extraction, 2=851
- Vojta, G. New expansion in series for the reduced partition function ratios of molecules substituted with isotopes, 2=1082
- Vojta, G. Statistical thermodynamics of perfect gases with molecules containing different isotopes, 2=7250
- Vojta, G. Correlation operators in the quantum theory of stochastic systems, 2=13268
- Vojta, G. On the statistical thermodynamics of spin systems in non-equilibrium states, 2=14834
- Vojta, G. and Haberlandt, R. On the quantum statistics of nearly classical systems, 2=11293
- Volarovich, M.P. and Chutaev, N.V. Investigation of aqueous properties and structure of disperse bodies by means of radioactive isotopes, 2=15081
- Volarovich, M.P. and Gutkin, A.M. Calculation of the maximum shear in suspensions with particles endowed with a rigid dipole moment, 2=15164
- Volchok, B.A. The optimum procedure for the zone-levelling technique, 2=8212
- Volchok, B.A. The optimum procedure for the zone-levelling technique, 2=10383
- Volchok, B.A. Evaluation of the applicability of Pfann's distribution [function] in zone refining, 2=19054
- Volchok, B.A. and Frenkel', V.Ya. Some features of the zone equalization process, 2=10799
- Volf, Yu. and Domokosh, G. The reaction $\pi^- + p \rightarrow \Lambda^0 + K^0$, 2=13856
- Volf, Yu. and Tsellner, V. τ -decay and π - π -coupling, 2=22621
- Volger, J. Cooling with the aid of the Peltier effect, 2=5210
- Volger, J. and Admiraal, P.S. A dynamo for generating a persistent current in a superconducting circuit, 2=22126
- Volger, J. See Acket, G.A., 2=10496
- Volger, J. See Marchand, J.F., 2=22115
- Volinez, G. See Ailam, G., 2=11345
- Volinez, G. See Ailam, G., 2=11538
- Volkenshtein, M.V. See Milevskaya, I.S., 2=18494
- Volkenshtein, N.V., Fedorov, G.V. and Shirokovskii, V.P. Anisotropy of the Hall effect in ferromagnetics [Ni and Co], 2=8290
- Volkenshtein, N.V. and Turchinskaya, M.I. Miniature device for the production of magnetic fields of several tens of thousands of oersteds, 2=3131
- Volkman, F.C. Vision during voluntary eye movements, 2=11224
- Volkman, G. Methods for exact measurement of the a.c. quantities voltage, current strength and power, 2=7527
- Volkman, M. See Finkenrath, H., 2=16811
- Volkman, T. von. See von Volkman, T.
- Volkov, A.B. Velocity dependent nuclear forces and the repulsive relativistic effects, 2=18226
- Volkov, D.I. and Pshenichkin, P.A. Paramagnetic of manganese-antimony alloys at high temperatures, 2=8601
- Volkov, D.I. and Pshenichkin, P.A. Paramagnetism in manganese-antimony alloys at high temperatures, 2=23634
- Volkov, D.V. and Rekalov, M.P. On the possibility of determining the sign of the decay amplitude $\pi^0 \rightarrow 2\gamma$, 2=20382
- Volkov, E.D. See Rudnev, N.I., 2=17797
- Volkov, E.D. See Suprunenko, V.A., 2=9593
- Volkov, E.D. See Suprunenko, V.A., 2=15924
- Volkov, G.A. and Rik, G.R. On energy spectra of β -radiation in passing through matter, 2=274
- Volkov, G.A. and Rik, G.R. On energy spectra of β -radiation in passing through matter, 2=7848
- Volkov, I.V., Esipov, V.F. and Scheglov, P.V. Contact photography of faint objects, 2=19737
- Volkov, S.D. A boundary problem in the theory of elasticity of polycrystals, 2=23730
- Volkov, T.F. Effect of a fixed magnetic field on the stability of a uniform plasma in a traveling wave, 2=11674
- Volkov, T.F. Stability of a heavy conducting fluid contained by a rapidly varying magnetic field, 2=22321
- Volkov, V.V., Pomorskii, L., Tys, Ya. and Flerov, G.N. Observation of the reaction of pick-up of three neutrons and the reaction of stripping of three protons in interactions of N^{14} and Ne^{20} ions with C, Al, Cu, and Ta nuclei, 2=12226
- Volkov, V.V. See Flerov, G.N., 2=3629
- Volkov, V.V. See Flerov, G.N., 2=10146
- Volkov, Yu.M., Kulikov, A.V. and Chizhov, V.P. Excitation functions for (γ, d) and (γ, p) reactions B^{10} and Be^9 nuclei, 2=7968
- Volkov, Yu.M. and Kul'chitskii, L.A. Photoneuclear reactions involving the emission of deuterons and tritons with energies below 15 MeV, 2=7967
- Volkov, Yu.M. See Chizhov, V.P., 2=16389
- Volkova, L.M. Effective cross-sections for excitation of certain spectral lines of sodium, 2=14206
- Volkova, L.M., Devyatov, A.M. and Kuralova, A.V. Excitation cross-sections for some spectrum lines of krypton and xenon, 2=16479
- Vollrath, K. See Rossler, F., 2=24020
- Volmir, A.S. See Bozhinskii, A.N., 2=10742
- Volodichev, N.N., Grishin, V.K., Koval'skii, S., Lobanov, Yu.N. and Savenko, I.A. A study of the magnetic field characteristic of a sharply focused spiral-sectored accelerator, 2=17919
- Volodicheva, M. See Van I-Tsyu, 2=20903
- Volodin, V.P. Determining the dynamic mechanical properties of solid polymers, 2=18980
- Volodin, V.P., Kabin, S.P. and Kuvshinskii, E.V. Measurement of dynamic mechanical properties of rubbers of frequency range 0.01 to 4000 c/s, 2=21392
- Volod'ko, L.V., Sevchenko, A.N. and Umreiko, D.S. Correspondence between the absorption and luminescence spectra of uranyl salt solutions, 2=15603
- Voloshchuk, V.I. See Vatset, P.I., 2=5536
- Voloshchuk, V.I. See Vatset, P.I., 2=5546
- Voloshchuk, V.I. See Vatset, P.I., 2=5549
- Voloshenko-Klimovitskii, Yu.Ya. See Uzhik, G.V., 2=14880
- Voloshenko-Klimovitskii, Yu.Ya. See Uzhik, G.V., 2=21423
- Voloshina, L.A. and Rozenberg, V.M. Investigation of creep in bicrystals of aluminium, 2=21434
- Volovick, G. Influence of the pressure of a neutral gas on the resistance of gold wire, 2=10433
- Volpe, J.J. and Klein, D. Measurements of relative Pu fission rates in slightly enriched uranium-water lattices, 2=8018
- Volpi, G.G. See Schiavello, M., 2=23952
- Volterra, E. and Morell, J.D. Lowest natural frequencies of elastic hinged arcs, 2=2804
- Volyak, L.D. Dimerization phenomenon in the vapours of alkali metals and the calculation of their thermophysical properties up to the temperature of 1500°C, 2=19620
- Volynskii, V.Kh., Daion, M.I. and Ponomov, A.K. A controlled multilayer spark counter, 2=20215
- Volynskii, V.Kh. See Daion, M.I., 2=17989
- Volzhenskii, D.S. See Pashkovskii, M.V., 2=8359
- Vonach, H. See Cless-Bernert, T., 2=20295
- von Ardenne, M. Duoplasmatron as an ion or electron injector of extremely high emission current density, 2=9638
- von Ardenne, M., Lorenz, E. and Westmeyer, H. Getter-ion pump with titanium evaporation suitable for high starting pressure, 2=15656
- v. Behr, J. and Hagedorn, R. Reabsorption of fast secondaries in nuclei, 2=7962
- v. Békésy, G. Comments on the measurement of the relative size of d.c. potentials and microphonics in the cochlea, 2=7071
- von Békésy, G. Deviations from Ohm's law of frequency analysis in hearing, 2=7053
- von Békésy, G. Can we feel the nervous discharges of the end organs during vibratory stimulation of the skin?, 2=13208
- v. Busch, F. and Paul, W. Nonlinear resonance in the electric mass-filter as a result of field inaccuracies, 2=228
- v. Busch, F. and Paul, W. Isotope separation with an electric mass filter, 2=535
- v. Buttlar, H., Stahl, W. and Wilk, B. Tritium measurements, without isotope enrichment, on rain water, 2=10031
- von Dardel, G., Dekkers, D., Mermod, R., Vivargent, M., Wiber, G. and Winter, K. Total cross-sections for pions on protons in the momentum range 1) to 20 GeV/c, 2=13853

- Von Dardel, G., Mermod, R., Piroué, P.A., Vivargent, M., Weber, G. and Winter, K. Total cross-sections for pions on protons in the momentum range 4.5 to 10 GeV/c, 2=22592
- v.Egidy, T. Experiments upon the impact of steel spheres, 2=7157
- von Eller, G. Method for angular inequalities, 2=15000
- von Eller, G. Resolution of crystal structures: "forbidden domain" method, 2=15003
- von Engel, A. The nature and properties of a plasma, 2=17816
- von Engel, A. and Arnold, K.W. Fast neutral particles from arc cathode, 2=3019
- von Engel, A. and Arnold, K.W. Pressure-induced arc transition and optical quenching, 2=13555
- von Engel, A. See Cozens, J.R., 2=13531
- von Engel, A. See Goodyear, C.C., 2=10285
- v.Engelhardt, W. and Hinrichsen, H.P. Adhesion energy of pure liquids and solutions to alkali halide crystals of the NaCl type, 2=9250
- v.Faber du Faur, C. and Lindenberger, K.H. Half-life of the 1.49 MeV level of Co⁵⁷, 2=20512
- Von Foerster, H. See Holshouser, D.F., 2=87
- von Fragstein, C. Reversibility principles in optics. Remarks on a contribution of A.Vašiček, 2=7314
- Von Fragstein, C. The transparency of a layer which is insufficiently parallel, 2=7375
- v.Fragstein, C. Remark on the paper "The principles of reversibility and reciprocity" by A.Vašiček in *Optik*, Vol. 18, 267 (1961), 2=13454
- v.Fragstein, C. The absorption maximum of very thin metallic films, 2=18811
- von Hagenow, K.U. and Koppe, H. On the influence of free path on the Meissner effect, 2=7497
- Von Hippel, A., Kalnajs, J. and Westphal, W.B. Protons, dipoles, and charge carriers in rutile, 2=14359
- von Hoerner, S. The general limits of space travel, 2=24187
- v.Issendorff, H. and Fleischmann, R. Polarization of the field emission electrons from saturation-magnetized iron, 2=7639
- v.Jan, R. See Seeger, A., 2=16643
- Von Jaskowsky, W. See Freeman, M.P., 2=19990
- v.Krzywoblocki, M.Z. On some mathematical aspects of the boundary layer theory, 2=9238
- v.Krzywoblocki, M.Z. A two-dimensional compressible jet in magnetohydrodynamics, 2=13663
- v.Krzywoblocki, M.Z. Special relativity—a particular energy formulation in Newtonian mechanics, 2=17347
- v.Krzywoblocki, M.Z. Special relativity—a particular energy formulation in Newtonian mechanics. II, 2=17348
- v.Kujawa, R. Growth of single crystals of tellurium with the pulling direction at right angles to the c-axis, 2=4393
- v.Lindern, L. Microphotography of the tracks of elementary charged particles in nuclear emulsions, 2=5552
- Von Minnigerode, G. Applications of superconducting evaporated films in engineering and physics, 2=7525
- v.Minnigerode, G. See Hilsch, R., 2=13515
- von Molnar, S. See Mase, S., 2=18642
- Vonnegut, B. Wilson cloud chamber effect under natural conditions, 2=19200
- Vonnegut, B., Moore, C.B. and Harris, C.K. Agrimeter for measurement of atmospheric electric potential gradient, 2=8974
- Vonnegut, B., Moore, C.B., Stout, G.E., Staggs, D.W., Bullock, J.W. and Bradley, W.E. Artificial modification of atmospheric space charge, 2=11029
- Vonnegut, B. See Brook, M., 2=6914
- Vonnegut, B. See Moore, C.B., 2=4601
- von Planta, C. An absorption spectrometer with photoelectric recording for the near Schumann region, 2=9391
- von Roos, O. See Levine, P.H., 2=3683
- Vonsovskii, S.V. and Kobelev, L.Ya. Quantum theory of ferromagnetism of an electron assembly, 2=8614
- Vonsovskii, S.V. and Kobelev, L.Ya. The quantum theory of the ferromagnetism of collectivized electrons, 2=23645
- Vonsovskii, S.V. and Svirskii, M.S. The conduction electron interaction induced by spin waves in a ferromagnetic substance, 2=578
- Vonsovskii, S.V. and Svirskii, M.S. Phonon spin, 2=10314
- Vonsovskij, S.V. and Taluc, G.G. Collective excitations of electron systems in semiconductors in the presence of external fields, 2=23267
- von Steenwinkel, R. See Thomaes, G., 2=5055
- von Thuena, P. See Fischer, H., 2=15799
- von Vick, G. Friction effects in a satellite environment—the present state of the art, 2=13188
- von Volkmann, T. See Bärnighausen, H., 2=17018
- von Willisen, F.K. See Strutt, M.J.O., 2=636
- von Zahn, U. Precision mass determinations with the electric mass filter, 2=13611
- Vook, F.L. Low-temperature length change measurements of electron-irradiated germanium and silicon, 2=3967
- Vook, R.W. Kikuchi patterns from evaporated tin films, 2=17015
- Voorhis, G.Van. See Van Voorhis, G.
- Voorthuis, H. See De Boer, T.J., 2=12146
- Voříšek, M. See Babala, D., 2=20347
- Vorob'ev, A.A. and Didenko, A.N. On the use of the "pin" type slow wave structures in accelerator technique, 2=13622
- Vorob'ev, A.A., Komar, A.P. and Korolev, V.A. Investigation of alpha-decay of U²³⁵ by means of an ionization alpha-spectrometer, 2=14016
- Vorob'ev, A.A. and Korolev, V.A. Operation of an ionization alpha-spectrometer under heavy loads, 2=13895
- Vorob'ev, A.A. and Korolev, V.A. A method for measuring the transparency coefficient of the grid in a pulse ionization chamber, 2=17986
- Vorob'ev, A.A. and Korolev, V.A. Study of properties of argon-methane mixture as filler for ionization chamber, 2=20186
- Vorob'ev, A.A., Vorob'ev, G.A. and Kostrygin, V.A. Connection between the delay time and the length of the air gap, 2=9542
- Vorob'ev, A.A., Vorob'ev, G.A. and Murashko, L.T. Anisotropy of the electric strength of rocksalt, 2=23506
- Vorob'ev, A.A., Vorob'ev, G.A. and Torbin, N.M. The processes of forming a discharge in solid dielectrics, 2=21222
- Vorob'ev, G.A. On the problem of the physical nature of the discharge delay time in solid dielectrics, 2=18780
- Vorob'ev, G.A. On the problem of the physical nature of the discharge delay time in solid dielectrics, 2=23505
- Vorob'ev, G.A. and Kostrygin, V.A. Effect of irradiation on the electric strength of thin rocksalt layers, 2=16794
- Vorob'ev, G.A. and Kostrygin, V.A. Effect of irradiation on the electric strength of thin rocksalt layers, 2=18779
- Vorob'ev, G.A., Kostrygin, V.A. and Kostrygina, N.P. An investigation of the electrical conductivity of thin layers of single crystals of NaCl and NaCl, 2=6428
- Vorob'ev, G.A., Kostrygin, V.A. and Kostrygina, N.P. An investigation of the electrical conductivity of thin layers of single crystals of NaCl and KCl, 2=8304
- Vorob'ev, G.A., Kostrygin, V.A. and Murashko, L.T. Method for producing thin dielectric layers, 2=21774
- Vorob'ev, G.A. See Vorob'ev, A.A., 2=9542
- Vorob'ev, G.A. See Vorob'ev, A.A., 2=21222
- Vorob'ev, G.A. See Vorob'ev, A.A., 2=23506
- Vorob'ev, S.P. See Rodin, A.M., 2=1413
- Vorob'eva, G.A. See Kondilenko, I.I., 2=17634
- Voronel, A.V. and Strelkov, P.G. A method for measuring the heat capacity of condensed gases above their boiling point, 2=7448
- Voronin, A.N., Sher, E.M. and Shcherbina, A.G. A precision semiconductor zero-thermostat, 2=19757
- Voronin, N.I. See Bresker, R.L., 2=5172
- Voron'ko, Yu.K. See Mandel'shtam, S.L., 2=9069
- Voron'ko, Yu.K. See Mandel'shtam, S.L., 2=19300
- Voron'ko, Yu.K. See Mandel'shtam, S.L., 2=19301
- Voronkov, A.E., Galaktionov, A.I., Murin, I.D., Sukhov, L.V. and Shtranikh, I.V. An instrument for the automatic scanning of nuclear emulsions by the television raster method. I. Tracking system, 2=18044
- Voron'kov, Yu.K. See Vasil'ev, B.N., 2=4760
- Voronov, F.F. Effect of hydrostatic pressure on elastic properties of metals. II. General discussion and further calculations, 2=8704
- Voronov, F.F. Influence of hydrostatic pressure on the elastic properties of metals. II. General review and calculations, 2=23734
- Voronov, F.F. and Vereshchagin, L.F. Effect of hydrostatic pressure on elastic properties of metals. I. Experimental results, 2=8703
- Voronov, F.F. and Vereshchagin, L.F. The influence of hydrostatic pressure on the elastic properties of metals. I. Experimental data, 2=23733
- Vorontsov-Velyaminov, B. On the possibility of explosive formation of galaxy patterns, 2=9098
- Vorontsov-Vel'yaminov, B.A. Ring galaxies, 2=1002
- Vorsprach, F. See Schiebold, E., 2=21773
- Vos, A. and Smits, D.W. Structure-factor calculations with anisotropic thermal parameters, 2=4409
- Vos, A. See Hazekamp, R., 2=15031
- Vos, J.A.de See de Vos, J.A.
- Vos, K.J.de See de Vos, K.J.
- Vose, D.W. See Rudd, D.W., 2=10411
- Voshage, H. Iron meteorites as space probes for investigation of the development of cosmic-ray intensity during the last thousand million years, 2=18220
- Voshage, H. and Hintenberger, H. Mass-spectrometric measurements of the isotope abundance of potassium iron meteorites and the problem of determining the K⁴¹—K⁴⁰ radiation, 2=2532

- Voshall, R.E. See Pack, J.L., 2-19900
- Voss, R. See Bellini, G., 2-22573
- Voss, R. See Di Corato, M., 2-22627
- Voss, R.G.P. See Astbury, A., 2-1708
- Vostretsov, B.A. and Kreines, M.A. Plane waves approximated by superimposing other plane waves propagated in predetermined directions, 2-19377
- Vozzka, R. See Somló, A., 2-18752
- Votava, E. The phase transformation in thin cobalt films, 2-2425
- Votava, E. Electron microscopic investigation of the polygonization and recrystallization of high purity copper, 2-6835
- Votava, E. Polygonization and stacking faults in molybdenum-rhenium alloys, 2-23197
- Votava, E. See Hatwell, H., 2-2408
- Votinov, M.P. See Antuf'ev, V.V., 2-21375
- Votruba, F.M. See Evans, D., 2-22492
- Votruba, M., Pernegr, Ya., Suk, M. and Shimak, V. A note on the anisotropy in the angular distribution of particles from nuclear interactions at 10^{12} eV, 2-342
- Votruba, M.F. See Baldassarre, F., 2-22562
- Votruba, M.F. See Hossain, A., 2-5554
- Vovenko, A.S., Golovanov, L.B., Kulakov, B.A., Lyubimov, A.L., Matulenko, Yu.A., Savin, I.A. and Smirnov, E.V. Total cross-sections for π^- -meson -proton interaction at high energies, 2-13855
- Vovk, A.E. and Tyutekin, V.V. "Superviscous" longitudinal waves in an elastic medium, 2-7275
- Voznesenskii, Yu.A. See Bondarenko, A.V., 2-10181
- Vratny, F., Dilling, M., Gugliotta, F. and Rao, C.N.R. Infrared spectra of metallic oxides, phosphates and chromates, 2-6578
- Vrchovska, V. See Smirous, K., 2-21478
- Vries, C.de. See de Vries, C.
- Vries, G.de. See de Vries, G.
- Vries, L.J.De. See De Vries, L.J.
- Vrij, A. and Overbeek, J.T.G. Scattering of light by charged colloidal particles in salt solutions, 2-23978
- Vrkljan, V.S. Calculation of sound velocity in gas mixtures. II, 2-2774
- Vrkljan, V.S. The energy density of wave motion in a gas mixture, 2-11419
- Vroomen, A.R.de. See de Vroomen, A.R.
- Vsekhsviatkii, S.K. Comets, small bodies, and problems of the solar system, 2-21706
- Vsekhsvyat'kii, S.K. The possibility of the presence of a ring of comets and meteorites around Jupiter, 2-24102
- Vsekhsvyat'kii, S.K. and Ivanchuk, V.I. Overall structure of the solar corona of February 15, 1961, 2-24118
- Vujnović, V., Harrison, J.A. and Craggs, J.D. Balmer line profiles in a capillary arc discharge, 2-17805
- Vul, B.M. Effect of gamma-irradiation on the electrical conductivity of dielectrics, 2-3996
- Vul, B.M. Determination of the current in dielectrics being irradiated with gamma-rays, 2-21205
- Vul, B.M. and Zavarickaya, E.I. The electrical conductivity of germanium in high electric fields at low temperatures, 2-23313
- Vul, B.M. See Bogdanov, S.V., 2-4106
- Vul, B.M. See Bogdanov, S.V., 2-4107
- Vul'fon, K.S. and Charnaya, F.A. Measurement of the diameter of the high-pressure pulse discharge channel in various spectral regions, 2-11641
- Vulis, L.A. and Gusika, P.L. On the inversion effects in magneto-hydrodynamics, 2-5461
- Vulis, L.A. and Gusika, P.L. Hydrogas dynamics analogy in magnetic hydrodynamics, 2-5462
- Vulis, L.A. and Kashkarov, V.P. Local redistribution of the total energy in the boundary layer of a compressible gas at the surface of a burning body, 2-15647
- Vulis, L.A., Leont'eva, T.P., Sakipov, Z.B., Palatnik, I.B. and Ustimenko, B.P. Transfer processes in a free (jet) turbulent boundary layer, 2-15624
- Vulis, L.A. and Palatnik, I.B. The mechanism of turbulent mixing in gas flows, 2-9293
- Vuylsteke, A.A. See Donovan, R.E., 2-14832
- Vuyst, A.De. See De Vuyst, A.
- Vvedenskii, V.T. and Chvanov, N.A. Transistor amplitude discriminator with high input resistance, 2-22141
- Vvedenskii, V.T. and Ivanov, V.M. A simple circuit for a logarithmic intensity meter, 2-19839
- Vyalov, G.N. A method for calculating the form of a magnet with a specified field, 2-22298
- Vyal'tsev, V.V. and Khorguani, V.G. A powerful low-frequency acoustic siren, 2-7283
- Vyas, A. See Sharma, M.N., 2-22997
- Vyatskin, A.Ya. The problem of the angular dependence of inelastic scattering of electrons in metals, 2-2072
- Vyatskin, A.Ya. The cross-section for inelastic scattering of electrons in metals, 2-18558
- Vyatskin, A.Ya. and Pilyankevich, A.N. On some regularities of electron transmission through solids, 2-17891
- Vyatskin, A.Ya. and Pilyankevich, A.N. On some regularities of electron transmission through solids, 2-20035
- Vyazemskii, V.O. Counting losses in multichannel pulse-height analysers using periodic memory units, 2-1358
- Vyazemskii, V.O., Drapchinskii, L.V., Pisarevskii, A.N., Trifonov, V.V. and Firsov, E.I. A deatron scaler, 2-1353
- Vyazemskii, V.O., Drapchinskii, L.V., Pisarevskii, A.N., Trifonov, V.V. and Firsov, E.I. Nonoverloading amplifier with wide-channel discriminator, 2-1367
- Vyazemskii, V.O., Gridnev, K.A. and Pisarevskii, A.N. Discrimination of particles from relative intensity of slow luminescence components in stilbene, 2-22360
- Vyazemskii, V.O., Pisarevskii, A.N. and Selyaninov, Yu.E. Single-channel differential discriminator for coincidence circuits with scintillation counters, 2-19858
- Vyerkin, B.I. and Svyechkar'ov, I.V. Temperature dependence of magnetic susceptibility of single crystals of Tl, Mg and Ca., 2-1888
- Vymazal, M. Radiative corrections to the electron polarization in the beta-decay of a free neutron, 2-5644
- Vymazal, M. Radiative corrections to the electron polarization in the beta decay of a free neutron, 2-9851
- Vysín, V. Statistical mechanics of particles with negative energies, 2-21844
- Výsochanskii, M., Mukhin, S.V., Pin Tsun' -Tsin, Rikhvitskii, S.V. and Semenyushkin, I.N. A multichannel coincidence circuit having a small resolving time, 2-19860
- Výsotskii, G.L. Angular correlations in (d,p) and (p,d) reactions, 2-5957
- Vysotskii, Z.Z., Divnich, L.F. and Butsko, S.S. Method for recording absorption spectra of dyes in transmitted light on plates of silica and silica-alumina gels, 2-19705
- Výsots'kii, H.L. Tensor forces in direct inelastic scattering, 2-7976
- Výsots'kii, H.L. Spin-orbit interaction and polarization phenomena in direct nuclear reactions, 2-10134
- Výstavkin, A.N. See Lifshits, T.M., 2-14583
- Výtrykhov's'kii, M.I. Infrared transmission spectra of single crystals of the CdS type, 2-21253
- Vyugov, P.N. See Vil'yams, A.P., 2-9512
- V'yuhov, P.M. and Dementii, V.S. Temperature dependence of BF₃ [neutron] counters, 2-9732
- V'yuhov, P.M., Dementii, V.S. and Poryatui, V.S. A flat multi neutron counter, 2-22538
- V'yuhov, P.N., Honocharov, K.S. and Dementii, V.S. Preparation of α - and β -sources for calibration of dosimetric apparatus, 2-5823
- Waals, J.H.van der. See van der Waals, J.
- Waard, C.de. See de Waard, C.
- Wachman, H.Y., Linevsky, M.J. and McGinn, J.H. The effects of electrode contamination on the properties of air-arc plasmas, 2-3037
- Wachspress, E.L., Burgess, R.D. and Baron, S. Multichannel flux synthesis, 2-10170
- Wachtel, A. Thallium-activated ZnS phosphors, 2-10623
- Wachtel, A. The effect of Li and Ti on ZnS:Cu and ZnS:Ag phosphors, 2-10624
- Wackerle, J. Shock wave compression of quartz, 2-6727
- Wackman, P.H. and Austern, N. A three-body model of Li⁶, 2-9986
- Wacks, M.E. and Krauss, M. Franck-Condon factors and the shape of ionization efficiency curves, 2-3758
- Wackwitz, R.C. Analytic solution of the multiple-diffusion problem, 2-21052
- Wada, H. See Yamanaka, C., 2-9308
- Wada, I. and Matsuzaki, R. Heat gauge records on shock tube end-plate, 2-21934
- Wada, J.Y. and Kaprielian, Z.A. Theory of a plasma negative resistance amplifier, 2-11678
- Wada, J.Y. and Knechtli, R.C. Generation and application of highly ionized quiescent cesium plasma in steady state, 2-5354
- Wada, M. Atmospheric effects on the intensity of cosmic-ray mesons. II. The temperature effect, 2-3446
- Wada, M. Atmospheric effects on the cosmic-ray meson intensity, 2-12051
- Wada, M. See Konuma, M., 2-11888
- Wada, T. Thermodynamic studies on the $\alpha \rightarrow \gamma$ transformation of iron alloys, 2-6826

- ada, W.W. A note of the Lee model applied to the deuteron, 2=12015
- ada, Y., Ho, R. and Ochial, H. Comparison between mechanical relaxations associated with volume and shear deformations in styrene-butadiene rubber, 2=6732
- ada, Y. See Tsuge, K., 2=6514
- adas, R., Influence of ions of copper and cobalt on width of resonance curve of nickel ferrite, 2=760
- adas, R. Ferrimagnetic resonance in polycrystalline nickel-copper-zinc ferrites, 2=761
- addell, J., Center-to-limb observations of the sodium D lines, 2=19295
- addell, J., Analysis of the center-to-limb observations of the sodium D Lines, 2=19296
- addell, J. See Evans, J.W., 2=9046
- addell, J.H. Solar centre limb variations of the Na D lines from photoelectric observations, 2=4775
- addell, J.H. Centre-limb variation of moderate strength lines from photoelectric observations, 2=4777
- addingham, J.L. The low activity counting equipment in use at Woolwich outstation, U.K.A.E.A. (Research group), 1956-61, 2=22353
- addington, C.J. Increases of ionization in the F2 layer and solar corpuscular radiation, 2=15242
- addington, C.J. Hydrogen nuclei of the primary cosmic radiation, 2=20449
- addington, C.J. Present state of knowledge of the composition of the primary cosmic radiation, 2=20455
- ade, G., Briggs, R.J. and Lesensky, L. Low-noise beams from tunnel cathodes, 2=8376
- ade, J.P., Jr. See Beams, J.W., 2=7265
- ade, R.H. The determination of domain wall thickness in ferromagnetic films by electron microscopy, 2=13648
- ade, W.H. and Slutsky, L.J. Quartz crystal thermometer, 2=7447
- ade, W.H. See Slutsky, L.J., 2=15098
- adsworth, J. Cheap image converter camera, 2=11514
- adsworth, J. and Stokes, F.E. Multi-streak camera, 2=17666
- agenblast, H. and Damask, A.C. Kinetics of carbon precipitation in irradiated iron, 2=15070
- agenblast, H. and Damask, A.C. Discussion of the paper by Dr. Berry, 2=21395
- agenfeld, H. Comments on anomalous absorption of X-rays, 2=23579
- aghmare, Y.R. Charge distribution of the proton, 2=1683
- aghmare, Y.R. Energy levels of Zr^{92} and Zr^{93} , 2=20528
- agner, C. Theory of the ageing of precipitates by redissolution (Ostwald maturing), 2=8934
- agner, C.A. See Balser, M., 2=9715
- agner, C.D. See Lukens, H.R., Jr., 2=5889
- agner, C.D. See Otvos, J.W., 2=5891
- agner, C.F. and Hileman, A.R. The lightning stroke. II, 2=11033
- agner, C.N.J., Tetelman, S.A. and Otte, H.M. Diffraction from layer faults in b.c.c. and f.c.c. structures, 2=23840
- agner, C.N.J. See Cohen, J.B., 2=15108
- agner, C.U. See Lucke, O., 2=4687
- agner, D. See Sauter, F., 2=9999
- agner, E.L. Bond character in XY_M -type molecules: chlorine-oxygen compounds, 2=20826
- agner, F.E., Stanek, F.W., Kienle, P. and Eicher, H. Hyperfine structure analysis of recoilless γ -lines III. The 84 keV level of Yb^{170} , 2=5812
- agner, H.G. See Baumann, W., 2=12965
- agner, J.B., Jr. See Seltzer, M.S., 2=2099
- agner, M. See Lieberoth, J., 2=8033
- agner, P. See Ribon, P., 2=462
- agner, R. Investigation of the orientation superstructure in FeNi ferrite single crystals, 2=749
- agner, R., Huber, P. and Lewandowski, Z. Amplitude-corrected time-analyser in the η sec range, 2=19845
- agner, R., Huber, P., Plattner, R. and Poppelbaum, C. Production of ion pulses in the nsec-range by transit-time modulation, 2=7672
- agner, R. See Huber, P., 2=5925
- agner, R. See Huber, P., 2=9867
- agner, R. See Lewandowski, Z., 2=5645
- agner, R. See Niklaus, P., 2=3583
- agner, R.S. and Treuting, R.G. Morphology and growth mechanism of silicon ribbons, 2=807
- agner, R.S. See Patel, J.R., 2=21574
- agner, R.W. See Nelson, W.F., 2=21261
- agner, S. See Heitzmann, M., 2=7983
- agner, W. Application of thermistors in resection calorimetry, 2=11528
- agner, W.G. See Gell-Mann, M., 2=11997
- Wagner, W.J., Jr., Rosenfield, A.R. and Averbach, B.L. Early stages of plastic flow in Cu_3Au , 2=10761
- Wagnière, G. See Gouterman, M., 2=8121
- Wah, T. Vibration of circular plates, 2=7270
- Wahl, A.C., Ferguson, R.L., Nethaway, D.R., Troutner, D.E. and Wolfsberg, K. Nuclear-charge distribution in low-energy fission, 2=12236
- Wahlig, C.F. See Mill, T., 2=2452
- Wahlig, M.A., Buffington, A., Frisch, D.H., Hill, D.A. and Sodickson, L. Cylindrical spark chamber, 2=11849
- Wahlin, L. A particle identification system, 2=9506
- Wahlin, L. and Blignaut, E. An electrical delay circuit, 2=19851
- Wahlquist, H. Modulation broadening of unsaturated Lorentzian lines, 2=1613
- Wahlquist, H. See Hildebrandt, A.F., 2=11556
- Wahlquist, H.D. See Burt, P., 2=9569
- Wahrhaftig, A.L. See Vestal, M., 2=23951
- Waibel, E. Fluctuations of the primary cosmic radiation, 2=16265
- Waibel, E. Alpha particle and proton fluxes of the primary cosmic radiation and their time variations, 2=20477
- Waidelich, W. Study of the crystallographic grain surfaces of emulsion grains in photographic films, 2=17658
- Waidelich, W. See Peisl, H., 2=23218
- Waidelich, W. See Sulzer, J., 2=3999
- Waidelich, W. See Taglauer, E., 2=18839
- Wainstein, C., Boggia, L.M., Sorarrain, O. and Montes de Oca, C. Rotational levels in diatomic molecules, 2=18429
- Wainstein, C., Sorarrain, O., Boggia, L.M. and Montes de Oca, C. Selection rules and intensities of lines in the rotation spectra of diatomic molecules, 2=20790
- Wainwright, A.E. See Barnes, J.A., 2=20141
- Wainwright, T.E. See Alder, B.J., 2=17699
- Waissmann, D. See Graham, C.R., 2=19881
- Wait, J.R. Expected influence of a localized change of ionosphere height on v.l.f. propagation, 2=1607
- Wait, J.R. On the propagation of v.l.f. and e.l.f. radio waves when the ionosphere is not sharply bounded, 2=16071
- Wait, J.R. Some boundary value problems involving plasma media, 2=3038
- Wait, J.R. The propagation of electromagnetic waves along the earth's surface, 2=7761
- Wait, J.R. A new approach to the mode theory of v.l.f. propagation, 2=7769
- Wait, J.R. Comments on paper of W.D. Westfall, "prediction of v.l.f. diurnal phase changes and solar flare effect", 2=13032
- Wait, J.R. A note on the electromagnetic response of a stratified earth, 2=16027
- Wait, J.R. An analysis of v.l.f. mode propagation for a variable ionosphere height, 2=16077
- Wait, J.R. Wave propagation around a curved boundary which contains an obstacle, 2=17956
- Wait, J.R. On the propagation of e.l.f. pulses in the earth-ionosphere waveguide, 2=22346
- Wakabayashi, N. See Adachi, T., 2=16212
- Wakabayashi, H. The ionic conductivity of the single crystals of silver halides doped with silver sulphide, 2=10495
- Wakano, M. Foundations for a treatment of the scattering of light by the hydrodynamical and statistical atom model, 2=533
- Wakatsuki, M. See Omura, Y., 2=23431
- Wakatsuki, T., Hirao, Y., Okada, E. and Miura, I. Gamma rays from the proton bombardment of ^{31}P and the excited states of ^{31}P , 2=3567
- Wakefield, J. See Bullough, R., 2=23160
- Wakefield, J. See Freck, D.V., 2=10073
- Wakefield, J. See Newman, R.C., 2=3939
- Wakita, H. Measurement in quantum mechanics. II. Reduction of a wave packet, 2=9190
- Wakita, H. Measurement in quantum mechanics. III., 2=15487
- Wakita, H. Mathematical foundation of the quantum theory of interacting fields, 2=20253
- Waku, S. Etch pits corresponding to dislocations in barium titanate single crystals, 2=18589
- Waku, S. See Shibata, H., 2=10554
- Wald, M. See Brandon, D.G., 2=23947
- Waldburger, C. See Haymann, P., 2=6764
- Waldmann, L. On the motion of spherical particles in non-homogeneous gases, 2=2768
- Waldmann, L. and Schmitt, K.H. The pressure difference in gas diffusion, 2=11410
- Waldmann, L. and Trübenbacher, E. A formal kinetic theory of gas mixtures of excitable molecules, 2=17510
- Waldmann, L. See Heinzinger, K., 2=7254

- Waldmeier, M. Ionospheric observations at the solar eclipse of 15 February, 1961, 2=2503
- Waldmeier, M. Movements of a solar prominence, 2=2538
- Waldmeier, M. Breadth distribution and visibility function of polar faculae, 2=11133
- Waldmeier, M. Total eclipse of the sun on 15 February, 1961, 2=13121
- Waldmeier, M. Optical evidence for corpuscular radiation of the Sun, 2=15356
- Waldmeier, M. Brightness distribution in the corona in the solar eclipse of 15 February 1961, 2=19305
- Waldmeier, M. Intensity gradient of the coronal line 6374A, 2=19315
- Waldner, F. See Brun, E., 2=10297
- Waldner, F. See Chretien, M., 2=22610
- Waldner, F. See Di Corato, M., 2=22627
- Waldorf, D.L. See Alers, G.A., 2=7508
- Waldow, P. See Gravitt, J.C., 2=9162
- Waldron, M.B. A survey of research on the transuranic elements, 2=19085
- Waldstein, P. See Pretzel, F.E., 2=14473
- Walecka, J.D. Electromagnetic properties of the low-lying states of ^{12}C in the oscillation drop model, 2=9985
- Walecka, J.D. Electron scattering from a quantized liquid drop, 2=10088
- Walecka, J.D. See Dawson, J.F., 2=16324
- Walen, R., Nedovessov, V. and Bastin-Scoffier, G. Alpha-spectra study of the levels of Rn^{210} and its derivatives, 2=379
- Walen, R.J., Nedovessov, V. and Bastin-Scoffier, G. α -spectroscopy of $\text{Ra}^{223\text{m}}$ (AcX) and its daughters, 2=14040
- Wales, W. See Frankel, S., 2=13831
- Wali, K.C. Effect of high-energy limits on the nucleon form factors, 2=20324
- Wali, K.C. $3\pi^0$ to $\pi+\pi-\pi^0$ branching ratio of a $0^{-+}\eta$ meson, 2=20418
- Wali, K.C. See Feldmann, G., 2=11865
- Walker, C.B. and Keating, D.T. The effect of temperature on local order diffuse scattering from alloys. I., 2=10828
- Walker, D.C. See Ries, H.E., Jr., 2=2424
- Walker, G.A.H. The ratio of total to selective absorption, 2=19275
- Walker, I.K. The heat balance in spontaneous ignition. I. The critical state, 2=8914
- Walker, I.K. The heat balance in spontaneous ignition. II. The effects of superimposed Newtonian surface cooling, 2=8915
- Walker, J. See Hall, R.S., 2=5656
- Walker, J.C. Hyperfine structure and nuclear moments of thulium-166, 2=20526
- Walker, J.K. and Burq, J.P. Low energy charged meson photoproduction, 2=7882
- Walker, L.R. Ferromagnetic resonance in terbium-doped yttrium iron garnet, 2=12712
- Walker, L.R. See Dillon, J.F., Jr., 2=14820
- Walker, M.F. 2=15374
- Walker, P.A. The uses of liquid helium in industrial research laboratories, 2=19794
- Walker, P.A. The application of liquid helium in low-temperature research, 2=19795
- Walker, P.L., Jr. See Banerjee, B.C., 2=4490
- Walker, P.L., Jr. See Banerjee, B.C., 2=17063
- Walker, R.E., Monchick, L., Westenberg, A.A. and Favin, S. High temperature gaseous diffusion experiments and intermolecular potential energy functions, 2=2764
- Walker, R.F. See Hampson, R.F., Jr., 2=5216
- Walker, R.F. See Hampson, R.F., 2=15808
- Walker, R.L. See Diebold, R., 2=1709
- Walker, R.M. See Cusson, Y., 2=23169
- Walker, R.M. See Lucasson, A., 2=23168
- Walker, R.M. See Lucasson, P.G., 2=12476
- Walker, R.M. See Lucasson, P.G., 2=16678
- Walker, R.M. See Lucasson, P.G., 2=18624
- Walker, R.M. See Price, P.B., 2=16977
- Walker, R.M. See Price, P.B., 2=18051
- Walker, T.G. See Cocconi, G., 2=5639
- Walker, T.G. See Cocconi, G., 2=10095
- Walker, T.G. See Cocconi, G., 2=22503
- Walker, T.G. See Diddens, A.N., 2=20331
- Walker, T.G. See Diddens, A.N., 2=20335
- Walker, T.G. See Diddens, A.N., 2=20336
- Walker, T.G. See Morton, W.T., 2=22797
- Walker, W.C. Extreme ultraviolet reflection spectrum of LiF, 2=6573
- Walker, W.D. See Erwin, A.R., 2=20391
- Walker, W.D. See Erwin, A.R., 2=22569
- Walker, W.D. See Erwin, A.R., 2=22640
- Walker, W.D. See Shephard, W.D., 2=9899
- Walker, W.D. See Erwin, A.R., 2=11982
- Walkley, A. See Cathro, K.J., 2=13228
- Walkley, J. See Smith, E.B., 2=15578
- Wall, F.T. and Porter, R.N. General potential-energy function for exchange reactions, 2=17078
- Wall, F.T., Windwer, S. and Gans, P.J. Monte Carlo procedures for generation of nonintersecting chains, 2=23021
- Wall, N.S. See Bradley, L.C., III, 2=16517
- Wall, N.S. See Lemmer, R.H., 2=357
- Wall, N.S. See Sanderson, E.A., 2=22851
- Wallace, D.C. See Greiner, J.D., 2=4207
- Wallace, D.C. See Keller, J.M., 2=12380
- Wallace, D.C. See Narath, A., 2=18968
- Wallace, L. An attempt to observe the day airglow, 2=2507
- Wallace, M.E. See Rodrigue, G.P., 2=14804
- Wallace, O.S. See Malos, J., 2=12064
- Wallace, W.E. Neutron diffraction data for Ta_2D and the probable arrangements of the deuteriums in two of its polymorphic varieties, 2=4421
- Wallace, W.E. and Epstein, L.M. Fe^{57} Mössbauer effect on Laves phases containing Fe combined with Y, Ce, Ho, Ti, Zr and Hf, 2=3816
- Wallace, W.E. See Cherry, L.V., 2=10640
- Wallace, W.E. See Cherry, L.V., 2=12925
- Wallace, W.E. See Kubota, Y., 2=12736
- Wallace, W.E. See Zanolwick, R.L., 2=12922
- Wallace, W.E. See Pebler, A., 2=6812
- Wallace, W.E. See Saba, W.G., 2=2054
- Wallace, W.E. See Zanolwick, R.L., 2=10646
- Wallach, K.E. See Noldeke, G., 2=22910
- Walle, R.T. Van de. See Van de Walle, R.T.
- Wallenquist, A. The 53-inch spherical mirror of the Schmidt telescope at the Uppsala Observatory Kvistaberg station, 2=6970
- Waller, I. See Westin, A., 2=14989
- Wallerstein, G. Stellar content of the Galaxy's nuclear bulge, 2=19337
- Wallerstein, G. Some suggested experiments relevant to the peculiar star 3 Centauri and related objects, 2=21726
- Wallick, G.C., Savins, J.G. and Arterburn, D.R. Tomita solution for the motion of a sphere in a power-law fluid, 2=7176
- Wallin, L.-E. Self-diffusion measurements in molten salts. A modified diffusion couple technique, 2=11360
- Wallin, L.-E. Zinc ion self-diffusion in molten zinc bromide. A re-determination, 2=11361
- Wallis, G. The determination of the energy distribution of relativistic electrons by the frequency distribution of their "synchrotron radiation", 2=2556
- Wallis, M. See DeJuren, J.A., 2=18338
- Wallis, R.F. and Gazis, D.C. Surface effects in the second-order Doppler shift of the Mössbauer resonance, 2=23047
- Wallis, R.F. and Maradudin, A.A. Lattice anharmonicity and optical absorption in polar crystals. III. Quantum mechanical treatment in the linear approximation, 2=6556
- Wallis, R.F. See Gazis, D.C., 2=3824
- Wallis, R.F. See Jepsen, D.W., 2=8532
- Wallis, R.F. See Palik, E.D., 2=23129
- Wallner, R.A. See Day, R.P., 2=9448
- Walls, G.L. The evolutionary history of eye movements, 2=15437
- Wallwork, S.C. Hydrogen-bond radii, 2=19083
- Walmsley, R.H. Linear shift of the Fermi level in iron with applied magnetic field, 2=14408
- Walmsley, S.H. See Pople, J.A., 2=6241
- Walmsley, S.H. See Pople, J.A., 2=14344
- Walnut, T.H. Local approximation method in the treatment of anharmonic crystals, 2=2046
- Walnut, T.H. Vibrational wave functions for anharmonic crystals, 2=10318
- Waloschek, P. See Abbattista, N., 2=5951
- Waloschek, P. See Alitti, J., 2=16229
- Waloschek, P. See Alitti, J., 2=18156
- Waloschek, P. See Bidan, U., 2=11988
- Walrafen, G.E. Raman spectral studies of aqueous solutions of selenious acid, 2=2722
- Walrafen, G.E. Raman spectral studies of the effects of electrolytes on water, 2=5022
- Walrafen, G.E., Irish, D.E. and Young, T.F. Raman spectral studies of molten potassium bisulfate and vibrational frequencies of S_2O_7 groups, 2=19562
- Walraven, P.L. and Leebeck, H.J. Chromatic Stiles-Crawford effect of anomalous trichromats, 2=17330

- Walraven, P.L. See Bouman, M.A., 2-24227
- Walsh, A. See Ham, N.S., 2-7368
- Walsh, A.D. and Warsop, P.A. The ultra-violet absorption spectrum of ammonia, 2-3749
- Walsh, A.D. See Ritchie, R.K., 2-6147
- Walsh, A.D. See Ritchie, R.K., 2-12334
- Walsh, D. See Motz, H., 2-7732
- Walsh, D.J. See Kisliuk, P., 2-7393
- Walsh, P.N., Dever, D.F. and White, D. Rare earths. III. A mass-spectrometric investigation of the isomolecular oxygen-exchange reactions of lanthanum, cerium, praseodymium and neodymium with their monoxides, 2-1317
- Walsh, P.N. See Goldstein, H.W., 2-1315
- Walsh, P.N. See Weltner, W., Jr., 2-22977
- Walsh, P.N. See White, D., 2-1316
- Walsh, T.R. The differential equation for the profile of a normal beam with linear focussing, 2-9644
- Walsh, W.M., Jr. and Rupp, L.W., Jr. Paramagnetic resonance of trivalent Fe^{3+} in zinc oxide, 2-12820
- Walsh, W.M., Jr., Shulman, R.G. and Heidenreich, R.D. Ferromagnetic inclusions in nucleic acid samples, 2-8647
- Walsh, W.M., Jr. See Montgomery, H., 2-23689
- Walstedt, R.E., Dowley, M.W., Hahn, E.L. and Froidevaux, C. Nuclear magnetic resonance in platinum, 2-18967
- Walt, A.J. Van Der. See Van Der Walt, A.J.
- Walt, M. See Imhof, W.L., 2-5935
- Walter, A.K., Zalyubovskiy, I.I., Klyucharyev, V.O. and Lutsyk, V.P. Investigation of γ -transitions in the $\text{Co}^{56}(\text{p}, \text{n}) \text{Ni}^{56}$ reaction, 2-12167
- Walter, C.H. See Rudduck, R.C., 2-13695
- Walter, C.H. See Rudduck, R.C., 2-22343
- Walter, G. and Coche, A. Particle identification by means of scintillation counters, 2-5517
- Walter, H. See Asselmeyer, F., 2-8491
- Walter, H. See Langkau, R., 2-20193
- Walter, J.L. Magnetic properties of tape-wound cores of high-purity 3% silicon-iron with the (110) [001] texture, 2-12707
- Walter, J.L. and Koch, E.F. Electron microscope study of the structures of cold-rolled and annealed (100) [001] crystals of high-purity silicon-iron, 2-23887
- Walter, P.H.L. See Bither, T.A., 2-12735
- Walter, R.L., Benenson, W., Dubbeldam, P.S. and May, T.H. The polarization of $\text{T}(\text{p}, \text{n}) \text{He}^3$ neutrons for proton energies from 2.9 to 12 MeV, 2-7908
- Walter, R.L. See Benenson, W., 2-14090
- Walter, R.L. See Benenson, W., 2-18120
- Walter, R.L. See Dubbeldam, P.S., 2-1732
- Walters, G.K., Colegrove, F.D. and Schearer, L.D., Nuclear polarization of He^3 gas by metastability exchange with optically pumped metastable He^3 atoms, 2-22896
- Walters, G.P. See Rich, J.B., 2-4338
- Walters, L.C. and Jöhler, J.R. On the diffraction of spherical radio waves by a finitely conducting spherical earth, 2-16036
- Walters, W.L., Costello, D.G., Skofronick, J.G., Palmer, D.W., Kane, W.E. and Herb, R.G. Lewis effect in resonance yield curves, 2-449
- Walters, W.L., Costello, D.G., Skofronick, J.G., Palmer, D.W., Kane, W.E. and Herb, R.G. Anomalies in yield curves over the 992-keV $\text{Al}^{27}(\text{p}, \gamma) \text{Si}^{28}$ resonance, 2-10106
- Walther, H. See Goodman, L., 2-8061
- Walther, H. See Nöldeke, G., 2-22910
- Walther, K. Model experiments with acoustic van Atta reflectors, 2-13410
- Walther, K. Numerical investigation of thin, wide-band absorbers of electromagnetic waves, 2-22340
- Walther, V. and Hintenberger, H. Investigations of the reflection of inert gas ions from solid surfaces, 2-22280
- Walton, A.J. The properties and applications of a grid-controlled photomultiplier, 2-1488
- Walton, A.K. and Moss, T.S. The infrared Faraday effect in germanium, 2-6549
- Walton, A.K., Moss, T.S. and Ellis, B. Determination of the electron effective mass in the lead salts by the infrared Faraday effect, 2-10492
- Walton, A.K. See Moss, T.S., 2-23529
- Walton, D., Mechanism of friction, 2-6758
- Walton, G.N. The balance of energy in nuclear fission, 2-3633
- Walton, G.N. See Stubbs, F.J., 2-20692
- Walton, R.B. See Beyster, J.R., 2-5648
- Vampller, D.L. See Dahl, L.F., 2-21518
- Vampller, E.J. An investigation of the dependence of interstellar reddening on galactic longitude, 2-4723
- Vampller, E.J. Observed variations in the law of interstellar reddening, 2-19328
- Wandel, C.F. and Jensen, V.O. On a criticism of Landau absorption, 2-19992
- Wandel, C.F. and Kofoed-Hansen, O. On the Eulerian-Lagrangian transform in the statistical theory of turbulence, 2-24014
- Wanderlingh, F. See Sette, D., 2-2686
- Wanders, G. Analytic structure of the scattering matrix in the neutral pseudoscalar theory, 2-9797
- Wang, F.F.Y. Nonlinear viscoelastic behavior of glass at its transformation range, 2-15076
- Wang, G.S.C. See Ferziger, J.H., 2-5660
- Wang, H.E. See Kestin, J., 2-7425
- Wang-I-Ch'iu. See Van I-Tsyu, 2-20903
- Wang Jung. See Van Zhun, 2-7884
- Wang Kang-ch'ang. See Van Gan-chan.
- Wang, K.H., Baker, S.D. and McIntyre, J.A. Elastic and inelastic scattering of C^{12} by C^{12} at 127 MeV, 2-16438
- Wang, K.H. See McIntyre, J.A., 2-3621
- Wang, L. See West, H.I., Jr., 2-13775
- Wang, L. See Ziemba, F.P., 2-18016
- Wang, P. Application of linear response techniques to stress and fatigue analyses in acoustical loading problems, 2-21962
- Wang Pao-k'un. See Arsen'eva-Geil', A.N., 2-11696
- Wang Pao-k'un. See Arsen'eva-Geil', A.N., 2-13587
- Wang Pao-k'un. See Van Bao-kun', 2-11697
- Wang Pao-k'un. See Van Bao-kun', 2-13588
- Wang, S. See Muto, S.Y., 2-14569
- Wang, S.-C. See Pai, H.-L., 2-7870
- Wang, Shu-fên. See Barashenkov, V.S., 2-1869
- Wang, Shu-fen. See Van-Shu-Fen', 2-18043
- Wang, S.P., Shull, C.G. and Phillips, W.C. Photography of neutron diffraction patterns, 2-6868
- Wang, T.P. See Young, O.B., 2-5759
- Wang, Ts'u-tsiang. See Van Tsu-Tszen
- Wang Tung and Shu Shi-kê [Hu Shih-k'o]. A plausible model of Λ -particle production in high energy π -N collision, 2-3410
- Wang Yang-wên. See Van Yan'-wên.
- Wang Yung. See Hu Shih-Ko, 2-9925
- Wangeningen, R.van. See van Wageningen.
- Wangler, T.P. See Erwin, A.R., 2-20391
- Wanic, A. See Janik, J.A., 2-292
- Wânke, H. See Hayakawa, T., 2-951
- Wânke, H. See Hintenberger, H., 2-15326
- Wankling, J.L. See Cohen, A.V., 2-3342
- Wanmaker, W.L. and Spier, H.L. Luminescence of copper-activated orthophosphates of the type ABPO_4 (A = Ca, Sr, or Ba and B = Li, Na, or K), 2-8578
- Wannier, G.H. and Fredkin, D.R. Decoupling of Bloch bands in the presence of homogeneous fields, 2-10349
- Wandsdröck, C. On the mechanism of hearing, 2-15423
- Wantiez, N. See Joachain, C., 2-16577
- Wantosch, H. See Hess, H., 2-4195
- Wapstra, A.H., Jansen, J.F.W., Goudsmit, P.F.A. and Oberski, J. The decay of ^{196}Au , 2-12168
- Wapstra, A.H. See König, L.A., 2-9989
- Wapstra, A.H. See König, L.A., 2-9990
- Wapstra, A.H. See Lark, N.L., 2-16330
- Wapstra, A.H. See Lewin, W.H.G., 2-1847
- Wapstra, A.H. See Lingeman, E.W.A., 2-12166
- Wapstra, A.H. See Van Nooijen, B., 2-10054
- Warburton, A.E.A. and Gourdin, M. The isoscalar amplitudes for meson photo-production, 2-3375
- Warburton, E.K. See Sharp, R.D., 2-450
- Warburton, E.K. and Chase, L.F., Jr. Gamma rays from the B^{10} 5.16 MeV level near the (d, n) threshold, 2-16314
- Warburton, E.K. See Chase, L.F., Jr., 2-18349
- Warburton, E.K. See Schrank, G., 2-20609
- Ward, A. The galactic red shift, 2-2605
- Ward, A.L. Calculations of cathode-fall characteristics, 2-19915
- Ward, B.A. On the interpretation of neutron spectra to determine the centre-of-mass motion of fusing deuterons, 2-20694
- Ward, B.W. See Lewis, T.J., 2-19577
- Ward, C.E. See Littmann, M.F., 2-12706
- Ward, C.E.W. See Rothman, A.B., 2-7998
- Ward, C.S. See Ericson, M., 2-17842
- Ward, F. Author's comments on the previous discussion, 2-4767
- Ward, F. and Shapiro, R., Decomposition and comparison of time series of indices of solar activity, 2-9075
- Ward, F. See Silverman, S.M., 2-19230
- Ward, G.N. On the secular variations of the elements of satellite orbits, 2-4867
- Ward, J.B. See Symmers, C., 2-14902
- Ward, R.G. See Lewis, J.C., 2-24234
- Ward, R.L. Spin distribution in sodium-metadinitrobenzene 2-10280

- Ward, R.L. Spin distribution in tetramethyl-1,3 cyclobutanedione ketyl 2=18479
- Ward, S.H. and Ruddock, K.A. A field experiment with rubidium-vapor magnetometer, 2=15983
- Ward, W.D. Studies on the aural reflex. II. Reduction of temporary threshold shift from intermittent noise by reflex activity; implications for damage risk criteria, 2=7065
- Ward, W.D. On the perception of the frequency ratio 55:32, 2=13214
- Ward, W.D. Studies on the aural reflex. III. reflex latency as inferred from reduction of temporary threshold shift from impulses, 2=24202
- Ward, W.D. Effect of temporal spacing on temporary threshold shift from impulses, 2=24206
- Ward, W.D. See Selters, W., 2=4899
- Ward, W.T. See Cannon, M.C., 2=6856
- Wardaszk, T. See Szepe, R., 2=10029
- Warder, R., Brodwin, M. and Cambel, A.B. Sources of error in the microwave diagnostics of plasmas, 2=19957
- Ware, A.A., Forsen, H.K. and Schupp, A.A. Harmonics of the Kruskal limit and field diffusion in a toroidal pinch discharge, 2=3045
- Ware, W.R. Oxygen quenching of fluorescence in solution: an experimental study of the diffusion process, 2=9282
- Ware, W.R. Location of the lowest triplet level in azulene, 2=22984
- Warekios, E.P., Lavine, M.C., Mariano, A.N. and Gatos, H.C. Crystallographic polarity in the II-VI compounds, 2=6791
- Warekios, E.P. See Gatos, H.C., 2=23764
- Warfield, G. See Heilmeier, G.H., 2=16730
- Warhanek, H. A 53 min isomer of caesium 135, 2=18276
- Warhanek, H. See Huizenga, J.R., 2=1937
- Warhanek, H. See Vandenbosch, R., 2=510
- Waring, R.K., Jr. Classical microscopic model for magnetic resonance including relaxation effects, 2=6687
- Wark, D.Q. See Hanel, R.A., 2=1029
- Warlinton, H. See Swann, P.R., 2=23881
- Warn, J.R.W. See Weltner, W., Jr. 2=18501
- Warncke, J. See Bormann, M., 2=9739
- Warner, B. The lunar maria, 2=4738
- Warner, B. Accretion and erosion on the surface of the moon, 2=4741
- Warner, B. The form of the initial mass function, 2=7017
- Warner, B. Stresses in the surface of the moon, 2=9055
- Warner, B. The nature of the surfaces of the lunar maria, 2=11108
- Warner, B. The initial mass function and the occurrence of stars of small mass, 2=13147
- Warner, B. The initial mass function and the origin of binary stars, 2=15361
- Warner, B. Lunar crater profiles, 2=17241
- Warner, B. The measurement of stellar scintillation, 2=21685
- Warner, B. Some features of the lunar grid system, 2=21695
- Warner, B. Some problems of lunar orogeny, 2=24092
- Warner, B. and Fielder, G. Stresses around lunar craters, 2=17242
- Warner, B. See Fielder, G., 2=9058
- Warner, E. See Barnes, D.C., 2=14973
- Warner, G.T. and Oliver, R., A plastic phosphor well counter for sample volumes up to 400 ml, 2=11829
- Warner, L.B. Thin films of separated isotopes by cathodic sputtering, 2=9648
- Warner, L.B. and Sheline, R.K. Levels of Os¹⁸⁸, 2=18263
- Warner, R.E. and Tinlot, J.H. Depolarization in 212 MeV quasi-elastic p-n scattering, 2=3335
- Warner, R.E. See Tinlot, J.H., 2=289
- Warner, R.M. See Barnett, C.F., 2=15929
- Warner, R.M., Jr. See Onodera, G.C., 2=23440
- Warner, R.M., Jr. See Robertson, H.M., 2=21863
- Warren, B.E. The anomalous temperature behavior of the 200 reflection of fluorite, 2=10827
- Warren, E. See Bainbridge, J.G., 2=4886
- Warren, J.B. See Jones, G., 2=593
- Warren, J.E. and Messmer, J.H. Thermal conductivity of two-phase materials, 2=20945
- Warren, R.W. See Parker, J.H., Jr., 2=22131
- Warsop, P.A. See Ritchie, R.K., 2=6147
- Warsop, P.A. See Walsh, A.D. 2=3749
- Warwick, C.S. Propagation of solar particles and the interplanetary magnetic field, 2=13916
- Warwick, C.S. Propagation of solar particles and the interplanetary magnetic field, 2=16276
- Warwick, C.S. and Haurwitz, M.W. A study of solar activity associated with polar-cap absorption, 2=17277
- Warzée, J. The cumulative Wolf diagram and the problem of [interstellar] absorption, 2=2550
- Washburn, J. See Hoover, D.B., 2=2317
- Washburn, J. See Queisser, H.J., 2=10404
- Wasscher, J.D. See Albers, W., 2=14940
- Wassel, H. See Schneider, H., 2=7789
- Wasson, J.T. Radioactive cobalt and manganese in Discoverer 17 stainless steel, 2=24195
- Wasson, J.T. and Junge, C.E.; de Turville, C.M. Terrestrial accretion from the solar wind, 2=15181
- Wasson, J.T. See Junge, C.E., 2=13018
- Wataghin, A. See Baldassarre, F., 2=22562
- Wataghin, A. See Evans, D., 2=22492
- Wataghin, A. See Hossain, A., 2=5554
- Wataghin, G. On the two center model and the nonocal theory of high-energy interactions, 2=22410
- Watanabe, A. Unified performance calculations for thermoelectric cooling, 2=2996
- Watanabe, A. See Shoda, K., 2=20591
- Watanabe, D. See Ino, S., 2=16996
- Watanabe, D. See Yamaguchi, S., 2=17047
- Watanabe, H. Measurement of differential cross section of 30 kV electrons for plasmon excitation in Al, 2=23127
- Watanabe, H. and Brockhouse, B.N. Observation of optical and acoustical magnons in magnetite, 2=18897
- Watanabe, H. and Brockhouse, B.N. Exchange field splitting in yttrium iron garnet, 2=23679
- Watanabe, H. and Uyeda, R. Energy-selecting electron microscope, 2=15960
- Watanabe, K. Renormalization of the partition function in the relativistic statistical mechanics of electron gas, 2=1083
- Watanabe, K. and Hinteregger, H.E. Photoionization rates in the E and F regions, 2=13035
- Watanabe, K. See Golomb, D., 2=6179
- Watanabe, K. See Hinteregger, H.E., 2=24036
- Watanabe, K. See Samson, J.A.R., 2=6178
- Watanabe, M. and Kamachi, K. Brittle fracture and ductile fracture of alpha-iron, 2=10770
- Watanabe, M. See Kamachi, K., 2=23786
- Watanabe, M. See Muto, T., 2=23718
- Watanabe, T. Law of electric conduction for waves in the ionosphere, 2=7768
- Watanabe, T., Schnopper, H.W. and Cirillo, F.N. K X-ray fluorescence yield argon, 2=20758
- Watanabe, T. See Jacobs, J.A., 2=17197
- Watanabe, Y. Asymptotic behaviours of adiabatic invariants, 2=11300
- Watanabe, Y. See Koh, Y., 2=12171
- Watanabe, Z. See Akashi, M., 2=12083
- Watari, F. and Kinumaki, S. Infrared intensities in nitrois oxide, 2=3744
- Watari, F. and Kinumaki, S. Enhanced infrared intensity of benzene-iodine complex, 2=6165
- Watari, T. Some contribution to lattice model theory of polymer solutions, 2=17457
- Watari, W. See Hoshizaki, N., 2=16151
- Watari, W. See Otsuki, S., 2=11939
- Watase, Y. See Hasegawa, H., 2=13929
- Watase, Y. See Higashi, S., 2=3436
- Watase, Y. See Higashi, S., 2=20457
- Waterman, H.I. See Eversteijn, F.C., 2=10573
- Waterman, H.I. See Eversteijn, F.C., 2=10773
- Waters, D.G. See Rout, V.M., 2=16427
- Waters, E.L. and Maki, A.H. Ti⁴⁷ and Ti⁴⁸ hyperfine structure in the electron spin resonance of titanium (III) complexes, 2=3775
- Waters, J.R., Reynolds, G.T., Scarl, D.B. and Zdanis, R.A. Some measurements of the efficiency for observing photoelectrons in image intensifiers, 2=18012
- Waters, J.R. See Poultney, S.K., 2=18098
- Waters, J.R. See Reynolds, G.T., 2=9733
- Waters, P.M. See Carmichael, J.H., 2=9639
- Waters, R.T. and Dyson, J. Optical and photographic problems in the development and use of an f/1.0 streak camera transparent to the ultraviolet, 2=15762
- Watkins, C.D. See Barber, D., 2=24172
- Watkins, C.D. See Barber, D., 2=24173
- Watkins, C.D. See Greenhow, J.S., 2=13178
- Watkins, G.D. and Corbett, J.W. Electron paramagnetic resonance of defects in irradiated silicon, 2=12317
- Watkins, G.D. See Corbett, J.W., 2=3905
- Watkins, G.D. See Corbett, J.W., 2=3914
- Watkins, T.B. See Murphy, N.St.J., 2=23334
- Watkins, T.B. See Ridley, B.K., 2=628
- Watkins, T.B. See Ridley, B.K., 2=8332
- Watson, F.G. Preparation for teaching physics in secondary schools, 2=7103

- atson, G.M. See Cannon, M.C., 2=6856
atson, G.M. See Evans, R.B.III., 2=1193
atson, G.M. See Evans, R.B.III., 2=11409
atson, G.M. See Evans, R.B.III., 2=19610
atson, J.K.G. See Brand, J.C.D., 2=539
atson, K.M. See Frieman, E.A., 2=5358
atson, K.M. See Goldberger, M.L., 2=19436
atson, K.M. See Johnston, R.R., 2=1905
atson, K.M. See Kaufman, A.N., 2=2781
atson, M.B. See Bastien, P.L., 2=22608
atson, M.B. See Ferro-Luzzi, M., 2=5741
atson, M.B. See Tripp, R.D., 2=18192
atson, M.B. See Tripp, R.D., 2=20432
atson, P.K. See Sharbaugh, A.H., 2=19572
atson, R.E. and Freeman, A.J. Hartree-Fock wave functions for the 4p-shell atoms, 2=516
atson, R.E. and Freeman, A.J. Hyperfine fields, spin orbit coupling, and nuclear magnetic moments of rare-earth ions, 2=12646
atson, R.E. See Blume, M., 2=12711
atson, R.E. See Blume, M., 2=22884
atson, R.E. See Blume, M., 2=23675
atson, R.E. See Freeman, A.J., 2=10294
atson, R.E. See Freeman, A.J., 2=14984
atson, R.E. See Freeman, A.J., 2=21295
atson, W.K.R. High-energy nucleon-nucleon collisions, 2=256
atson, W.K.R. See Burt, P., 2=7896
atson, W.K.R. See Kaus, P.E., 2=5705
atson, W.W. See Kelley, J.G., 2=16489
att, D.A. See Dunn, P.D., 2=19886
att, D.E., Bannister, F.J., Laidler, J.B. and Brown, F. Spontaneous fission half-life of Pu^{240} , 2=10152
att, D.E., Ramsden, D. and Wilson, H.W. The half-life of carbon 14, 2=5832
att, D.E. and Glover, R.N. A search for radioactivity among the naturally occurring isobaric pairs, 2=5843
att, D.E. and Keith, R.L.G., The half-life of V^{50} , 2=5862
att-Carter, D.E. and Corke, R.L. Effect of external conditions on the phase of radio, 2=11798
attencamps, E.D. See Vanhuyse, V.J., 2=15950
attenberg, A. See Marshall, L., 2=3206
atters, B.G. See Cavanaugh, W.J., 2=9355
atterson, K.F. See Porter, R.F., 2=15127
atts, H. See Field, G.J., 2=9297
atts, J.M. See Davies, K., 2=9004
atts, T.L. and McIntyre, J.A. Energy level selection in neutron transfers to lead isotopes, 2=1935
atts, T.L. See McIntyre, J.A., 2=9748
atts-Tobin, R.J. See Mott, N.F., 2=8922
augh, J.S. and Castellano, S. Erratum and further comments: exact analysis of three spin N.M.R. spectra, 2=3186
augh, J.S. See Blinc, R., 2=21379
augh, J.S. See Gaven, J.V., 2=21924
augh, J.S. See Fessenden, R.W., 2=22999
augh, J.S. See Johnson, C.S.Jr., 2=1210
augh, J.S. See Johnson, C.S.Jr., 2=14332
augh, J.S. See Miller, S.R., 2=10711
auk, M.T. See El-Sayed, M.A., 2=12630
axler, R.M. and Adams, L.H. Effect of hydrostatic pressure upon the relaxation of birefringence in amorphous solids, 2=6547
eakliem, H.A. and McClure, D.S. Symmetry of transition metal impurity sites in crystals as inferred from optical spectra, 2=3908
eakliem, H.A. Optical spectra of Ni^{2+} , Co^{3+} , and Cu^{2+} in tetrahedral sites in crystals, 2=14673
eale, J.W., Goodfellow, H., McTaggart, M.H. and Mullender, M.L. Measurements of the reaction rate distribution produced by a source of 14 MeV neutrons at the centre of a uranium metal pile, 2=3671
eatherly, T.L. See Johnson, R.C., 2=3721
eatherly, T.L. See Johnson, R.C., 2=8089
eaver, C. Dielectric properties of evaporated films, 2=12553
eaver, C. and Brown, L.C. Diffusion in evaporated films of gold - aluminium, 2=6364
eaver, C.W. "Twinning" and fracture in chromium, 2=8771
eaver, C.W. Grain-boundary precipitation in nickel - chromium - base alloys, 2=15069
eaver, C.W. See Jacquet, P.A., 2=3922
eaver, D.L. See Foster, M.S., 2=7970
eaver, H. and Steinmetz, D. Linear diameters of galactic clusters, 2=21734
eaver, H.E. See Laves, P., 2=12468
eaver, J.M. See Dellis, A.N., 2=13565
eaver, R.S. and Barton, R. Mean lives of excited states in the analogue nuclei V^{51} and Ca^{48} , 2=14004
ebb, C.E. See Sanders, J.H., 2=20743
ebb, E.H. See Roy, R.R., 2=5893
ebb, E.H. See Sandhu, H.S., 2=3322
ebb, E.K. Thermal convection with wind shear, 2=12992
ebb, E.K. and Bacon, N.E. A mechanical harmonic analyser, 2=21788
ebb, E.L.R. Note on the product of random variables, 2=21794
ebb, F.J. Cold neutron beams from small low-temperature moderators in reactors, 2=6037
ebb, M.B. Knight shifts and quadrupole effects in Al alloys, 2=4282
ebb, M.B. See Harrison, W.A. [Eds], 2=2064
ebb, M.B. See Neugebauer, C.A., 2=2119
ebb, P.P. See Williams, R.L., 2=11836
ebb, P.P. See Williams, R.L., 2=18017
ebb, R.H. Use of traveling wave helices in E.S.R. and double resonance spectrometers, 2=17976
ebb, W.E. and Moulton, W.G. N.M.R. of a glycine single crystal, 2=10721
ebb, W.L. and Jenkins, K.R. Sonic structure of the mesosphere, 2=4627
ebb, W.W. Point defect trapping in crystal growth, 2=14944
ebber, W. Some features of the response of neutron monitors to low-energy particles incident on the top of the atmosphere, 2=16255
ebber, W.R. See Mathews, T., 2=3439
ebber, W.R. See McDonald, F.B., 2=12042
eber, A.H. See Esquivel, A.L., 2=17068
eber, A.H. See Rhoads, H.U., 2=10940
eber, C. See Hart, P.A.H., 2=9628
eber, E.H. and Wojtowicz, B. The effect of X-ray irradiation on the spectral distribution of photoconduction in single crystals of cadmium sulphide, 2=2191
eber, E.H. See Berger, H., 2=647
eber, E.H. See Böer, K.W., 2=12545
eber, G. See Hasler, H.G., 2=18115
eber, G. See von Dardel, G., 2=13853
eber, G. See Von Dardel, G., 2=22592
eber, K.E. and Todd, J.E. Single tube nuclear quadrupole spectrometer for chlorine and nitrogen, 2=9724
eber, L.A., Diller, D.E., Roder, H.M. and Goodwin, R.D. The vapour pressure of 20°K equilibrium hydrogen, 2=15805
eber, L.A. and Kilpatrick, J.E. Entropy and related thermodynamic properties of propionitrile, 2=5222
eber, L.A. See Goodwin, R.D., 2=7191
eber, M.J. Nuclear quadrupole spin-lattice relaxation in solids, 2=788
eber, M.J. Nuclear magnetic resonance in gallium phosphide, 2=6702
eber, R.L. Films for students of physics, Supplement I, 2=11238
eber, T. See Budini, P., 2=9763
eber, T.A. and Mullin, C.J. Angular distribution of relativistic atomic K-shell photoelectrons, 2=12297
eber, W.M. Anisotropy of the K absorption in gallium single crystals, 2=18852
e Webster, D.L. Relativity and parallel wires, 2=1560
e Webster, H.F. Thermionic emission from a tantalum crystal in cesium or rubidium vapor, 2=207
e Webster, J. See Donovan, B., 2=4121
e Webster, J. See Donovan, B., 2=12581
e Webster, J.C. and Klumpp, R.G. Effect of ambient noise and nearby talkers on a face-to-face communication task, 2=17320
e Webster, M.S. See Brown, H.N., 2=12013
e Weck, E.A. See Almer, H.E., 2=9228
e Weckermann, B. See Kienle, P., 2=21593
e Weckermann, B. See Kienle, P., 2=21594
e Wedler, G. See Suhrmann, R., 2=9612
e Wedlock, B.D. Purification of tellurium by distillation, 2=12931
e Weeks, W.F. Tensile strength of NaCl ice, 2=10768
e Weeks, W.L. See Deschamps, G.A., 2=16069
e Weeks, W.T., Hecht, K.T. and Dennison, D.M. Inversion-vibration and inversion-rotation interactions in the ammonia molecule, 2=6142
e Weenink, M.P.H. Some considerations on stability in plasma theory, 2=15911
e Weenink, M.P.H. See Hirshfield, J.L., 2=7607
e Weertman, J. Fast moving edge dislocations on the (111) plane in anisotropic face-centered-cubic crystals, 2=12432
e Weertman, J. Fast moving edge dislocations on the (110) plane in anisotropic body-centred-cubic crystals, 2=21036
e Weertman, J. See Cotner, J., 2=14437
e Weertman, J. See Swartz, J.C., 2=21019

- Weertman, J. See Van Hull, A., 2=12433
- Wefers, K. The structure of aluminium trihydroxide, 2=15033
- Wegener, P.P. and Ashkenas, H. A simple method of sphere drag measurement in rarefied supersonic gas flows, 2=2748
- Wegner, H.E. Semiconductor and gas-ion-chamber detector system for the mass identification of 10 to 30 MeV particles, 2=9746
- Wegner, H.E. See Blair, A.G., 2=18359
- Wegner, H.E. See Blair, A.G., 2=20678
- Wegner, H.E. See Britt, H.C., 2=14152
- Wegner, H.E. See McWilliams, P., 2=2592
- Wegner, H.E. See Miller, D.W., 2=10140
- Wegrowe, J. Measurement of the electron density distribution in cylindrical plasmas by microwave interferometry, 2=15925
- Wehmeyer, D.B. and Roach, K.E. Nuclear safety of UO_2 - ThO_2 - H_2O systems, 2=3658
- Wehn, R., Ronchi grating method in practice, 2=15722
- Wehner, G.K. See Rosenberg, D., 2=11726
- Wehner, G.K. See Stuart, R.V., 2=15966
- Wei, J. Axiomatic treatment of chemical reaction systems, 2=8908
- Wei Lal. Stability of a revolving fluid with variable density in the presence of a circular magnetic field, 2=11772
- Wei, W.F. and Love, W.F. Longitudinal magnetoresistance of n-type germanium in a string magnetic field, 2=23316
- Weibrecht, R. See Nathe, R., 2=9636
- Weidenmüller, H.A. First-forbidden beta decay, 2=3504
- Weidenmüller, H.A. Coulomb effects and the $0^+ \beta$ -decay matrix element, 2=16352
- Weidenmüller, H.A. Configuration mixing in the mass 14 system, 2=18233
- Weidenmüller, H.A. Re-alignment as a possible after-effect of K-hole formation, 2=22772
- Weidner, R.T. See Kissinger, P.B., 2=10697
- Weigang, O.E., Jr. Triplet states in optical activity: theoretical considerations, 2=20781
- Weigang, O.E., Jr. and Wild, D.D. Spectral solvent shift. II. Interactions of variously substituted hydrocarbons with polynuclear aromatic hydrocarbons, 2=21910
- Weigmann, H. Measurement of the K-conversion coefficient and the activation cross-sections of the isomeric nuclei Se^{75m} , Se^{76m} , Ge^{73m} and Ge^{74m} , 2=10066
- Weigold, E. and Glover, R.N. Some activation measurements and a comparison with theoretical ($n, 2n$) cross sections and isomeric cross section ratios, 2=12205
- Weigold, E. See Glover, R.N., 2=3358
- Weigold, E. See Glover, R.N., 2=5936
- Weiherr, R.L. Electrical properties of single crystals of indium oxide, 2=21153
- Weil, H. See Dolph, C.L., 2=4879
- Weil, L. Generalities of superfluid Helium. Problem of the critical velocity, 2=17716
- Weil, L. See Béthoux, O., 2=3859
- Weil, L. See Bonjour, E., 2=8262
- Weil, R. and Cook, H.C. Electron-microscopic observations of the structure of electroplated nickel, 2=10939
- Weiler, H. The accuracy of isotope dilution methods, 2=4576
- Weill, G. Systematic East-West movements of aurora polaris, 2=915
- Weill, G. Study of molecular anisotropy by scattering of light. Application to chain macromolecules, 2=6239
- Weill, G. Photo,etric observations of violet light in the twilight in summer, at the Haute Provence Observatory, 2=6949
- Weill, G. Apparatus for the measurement of thermal conductivity of semiconductors. I. Generalities; method of fluxmeters, 2=13472
- Weill, G. Polar aurora of a new type, 2=17182
- Weill, G. See Gatecel, J., 2=22074
- Weill, G. See Roach, F.E., 2=17181
- Weill, G. See Barbier, D., 2=2510
- Weill, R. and Malamud, E. Problems posed by the study of bubble chamber photographs with the chamber operating in an electron beam, 2=13711
- Weill, R., Malamud, E. and McEwen, G.J. Problems arising in the study of bubble chamber photographs due to a beam of electrons, 2=18037
- Weill, R. See Malamud, E., 2=5626
- Weimer, U. See Vlaardingerbroek, M.T., 2=3041
- Weimer, K.E. See Johnson, J.L., 2=15998
- Weinberg, A., Brenner, A.E. and Strauch, K. Neutral pion production by 960-MeV negative pions, 2=20405
- Weinberg, A. See Chretien, M., 2=22610
- Weinberg, A.M. Breeder reactors, 2=14160
- Weinberg, A.M. The development of fluid fuel reactors, 2=14173
- Weinberg, C.J. Nelson, D.R., Carter, J.G. and Augenstine, L.G. Thermoluminescence from gamma-irradiated biochemicals. Investigation of emission spectra, 2=14758
- Weinberg, D.L. Surface effects in small-angle X-ray scattering, 2=8899
- Weinberg, I. Chemical shift of the Pb^{209} N.M.R. in some polar semiconductors, 2=8686
- Weinberg, I. and Callaway, J. Knight shift of ^{209}Pb in p-type lead telluride, 2=12833
- Weinberg, I. and Larssen, P. Electron paramagnetic resonance and antiferromagnetism in La CrO_3 , 2=2298
- Weinberg, J.L. and Newkirk, G. Air glow of Venus: a re-examination, 2=4746
- Weinberg, S. Cross sections at high energies, 2=1657
- Weinberg, S. Eikonal method in magnetohydrodynamics, 2=15995
- Weinberg, S. The neutrino problem in cosmology, 2=17231
- Weinberg, S. See Frieman, E.A., 2=5358
- Weinberg, S. See Goldstone, J., 2=18053
- Weinberger, Z. See Avinor, M., 2=4170
- Weiner, D. De Haas-van Alphen effect in bismuth-tellurium alloys, 2=6654
- Weingartner, B. Investigation of a condenser microphone with cardioid characteristic, 2=19662
- Weing, S. See Gupta, D., 2=21002
- Weinman, J.A. and Smither, R.K. Thin dE/dx counter with large aperture, 2=18004
- Weinreb, A. Fluorescence energy transfer and oxygen quenching in solutions of diphenylloxazole in cyclohexane, 2=7223
- Weinreb, S. A new upper limit to the Galactic deuterium-to-hydrogen ratio, 2=21740
- Weinreich, G. Fine structure of the ground state of donors in germanium, 2=23327
- Weinreich, G. See Bass, M., 2=9388
- Weinstein, A. and Thorsen, R.S. Phenomena occurring in ice towers, 2=7431
- Weinstein, M.A. Effect of reflecting boundaries on the transport of resonance radiation, 2=7149
- Weinstein, M.A. Magnetic decay in a hollow circular cylinder, 2=770
- Weinstein, R. See Sodickson, L., 2=1679
- Weinstock, B. Rotation and molecular distortion in the condensed phases of hexafluoride molecules, 2=8077
- Weinstock, B. See Hutchison, C.A., 2=18890
- Weinstock, E.V. See Sher, R., 2=5937
- Weinstock, J. Binary collision expansion of the classical N-body Green's function, 2=9203
- Weinstock, R. An unusual method of solving the harmonic-oscillator equation, 2=6
- Weinstock, R. Kepler's third law for elliptical orbits, 2=24076
- Weintraub, D.J. and Hake, H.W. Visual discrimination, an interpretation in terms of detectability theory, 2=24216
- Weinzierl, P. Improved arrangement for lifetime measurements, 2=5596
- Weir, C.E. See Piermarini, G.J., 2=23834
- Weir, C.E. See Schroeder, R.A., 2=16835
- Weir, D.S. Quenching of the phosphorescence and primary dissociation of biacetyl vapor at 4358 Å and high temperature, 2=7260
- Weir, J.B. See King, H.M., 2=2667
- Weis, O. See Tamm, K., 2=70
- Weisberg, L.R. Anomalous mobility effects in some semiconductors and insulators, 2=12503
- Weisberg, L.R. and Blanc, J. Properties of a new scattering mechanism in GaAs, InAs and InP, 2=23385
- Weisberg, L.R., Blanc, J. and Stofko, E.J. On the crystallinity of GaAs grown horizontally in quartz boats, 2=19049
- Weisberg, L.R. See Blanc, J., 2=2163
- Weisberg, L.R. See Ekstrom, L., 2=10801
- Weiser, K. Theory of diffusion and equilibrium position of interstitial impurities in the diamond lattice, 2=12450
- Weiss, A.A. and Sheridan, K.V. The sizes of the sources of solar radio bursts at 40 and 60 Mc/s, 2=13162
- Weiss, A.A. See Nilsson, C.S., 2=11161
- Weiss, A.M. See Davidovici, S., 2=7412
- Weiss, A.M. See Davidovici, M., 2=17977
- Weiss, B.Z. The influence of the quenching temperature on the modulus of elasticity and plastic properties in iron-rich Fe-Al alloys, 2=6715
- Weiss, E.J. See Ramsey, T.H., Jr., 2=21339
- Weiss, G. See Abraham, P.B., 2=11245
- Weiss, G.H. and Maradudin, A.A. The Baker-Hausdorff formula and a problem in crystal physics, 2=19442
- Weiss, G.H. See Shuler, K.E., 2=15493
- Weiss, G.P. and Smith, D.O. Isotropic stress measurements in Permalloy films, 2=12679
- Weiss, H. Measurement of magnetic fields with Hall generators, 2=7704

- Weiss, H. and Grodzins, L. A search for a frequency shift of 14.4 keV photons on traversing radiation fields, 2=22467
- Weiss, H. See Hieronymus, H., 2=16727
- Weiss, K. See Groth, R., 2=23544
- Weiss, R. See Boistelle, R., 2=12887
- Weiss, R.J. See Paskin, A., 2=23115
- Weiss, S.H. See McCool, W.J. 2=3644
- Weiss, Z. The distribution of neutron spectrum temperatures in an infinite plate of a heavy gas moderator, 2=1951
- Weiss, Z. Neutron spectrum temperature distribution in heterogeneous systems with constant absorption, 2=5682
- Weiss, Z. Neutron spectrum temperature distribution in heterogeneous media with energy dependent absorption, 2=9856
- Weiss, Z. The transport theory of thermal neutrons in heavy gas moderator, 2=10171
- Weiss, Z. The $P_N L_J$ approximation of neutron thermalisation in heavy gas moderator, 2=10172
- Weiss, Z. The slowing down of neutrons as a stochastic process, 2=11957
- Weiss, Z. See Rzeszot, T., 2=1949
- Weiss, Z. See Suwalski, W., 2=3677
- Weissberg, H.L. End correction for slow viscous flow through long tubes, 2=19516
- Weissberg, A.O. See Rabin, N.B., 2=22579
- Weissglas, P. Theoretical calculation on the effect on lattice parameters of emptying the coolant channels in a D₂O-moderated and cooled natural uranium reactor, 2=8040
- Weissler, A. and Hine, E.J. Variations of cavitation intensity in an ultrasonic generator, 2=2817
- Weissman, E., Paşcalău, M., Tîntea, H., Ungureanu, C. and Fodor, T. The construction of a Fabry-Perot spectrometer for isotopic analysis, 2=9393
- Weissman, E. See Paşcalău, M., 2=9403
- Weissman, E.Y. See Gordon, K.F., 2=15203
- Weissman, S. and Mason, E.A. Estimation of the mutual diffusion coefficient of hydrogen atoms and molecules, 2=5053
- Weissman, S. and Mason, E.A. Determination of gaseous-diffusion coefficients from viscosity measurements, 2=21938
- Weissman, S. See Yun, Kwang-Sik., 2=13372
- Weissman, S.I. See Hirota, N., 2=23012
- Weissmann, E. See Tîntea, H., 2=23986
- Weissmann, E. See Tîntea, H., 2=23987
- Weissmann, M. See Cohan, N.V., 2=14597
- Weissmann, S., Gorman, L.A. and Zwell, L. A rapid X-ray method for the determination of substructure characteristics, 2=23930
- Weissmann, S. See Hirabayashi, M., 2=6829
- Weissmann, S. See Imura, T., 2=19094
- Weissmann, S. See Vanderslice, J.T., 2=5066
- Weisz, A.Z. See Kryter, K.D., 2=11215
- Weisz, M. See Adda, Y., 2=8210
- Weisz, S.Z. See Many, A., 2=8422
- Weisz, S.Z. See Many, A., 2=14525
- Weisz, S.Z. See Silver, M., 2=14578
- Weitman, J. See Hellstrand, E., 2=5944
- Weitsch, W. See Mahl, H., 2=15121
- Weitzner, H. Green's function for the linearized Vlasov equation, 2=19999
- Weizel, W. and Albrecht, G. Glow discharge columns without walls at high pressures, 2=5312
- Weizel, W. See Wichmann, H., 2=21074
- Weland, P. Theory of very long waves in a zonal atmospheric flow, 2=2464
- Welford, W.T. See Leifer, I., 2=99
- Velge, K.H. See Bayes, K.D., 2=11629
- Veller, W. Quantization of magnetic flux in a superconducting cylinder, 2=11559
- Veller, W. Electron pairs in the theory of super conductivity, 2=11560
- Veller, W. Quantization of the magnetic flux in superconductors, 2=19806
- Vellner, M. Mass quantization and lepton theory, 2=7810
- Vellner, M. An iteration method for connected graphs, 2=15453
- Vells, E.R. See Barnett, C.F., 2=15929
- Vells, M. and Megaw, H.D. The structure of NaNbO₃ and Na_{0.975}K_{0.025}NbO₃, 2=4427
- Vells, W.H. Length contraction paradox, 2=20
- Vells, W.H. Heterodyne properties of a three-level quantum system, 2=11781
- Velsh, D.J.A. See Frisch, H.L., 2=12447
- Velsh, H.L. See Bhatnagar, S.S., 2=2721
- Velsh, H.L. See May, A.D., 2=1204
- Velsh, R.E. See Eckhause, M., 2=13837
- Weltin, H. Light beats, 2=19670
- Weltner, W.Jr and Walsh, P.N. Spectroscopy of carbon vapor condensed in inert matrices at 4°K and 20°K, 2=22977
- Weltner, W., Jr and Warn, J.R.W. Matrix isolation of high-temperature vapours: boric oxide, 2=18501
- Wendel, G. Field enhancement in ZnS:CdS:Mn phosphors, 2=728
- Wendel, G. Indium as coactivator in ZnS:Cu phosphors, 2=6623
- Wendel, G. Indium as co-activator in ZnS-Cu phosphors, 2=12625
- Wendel, G. Field enhancement in ZnCdS:Mn phosphors under ultraviolet excitation, 2=12626
- Wendel, G. See Kloss, H.G., 2=2874
- Wendland, P.H. New large area CdS photoconductor, 2=8445
- Wendland, P.H. Evaporated films of CdS, 2=12586
- Wendnagel, T. New constants for an approximation to the neutron scattering cross-section for water, 2=18119
- Wendt, G. See Simons, L., 2=5804
- Wendt, G. See Simons, L., 2=10077
- Wendt, G. See Simons, L., 2=14059
- Wendt, G. See Simons, L., 2=18259
- Wendt, M.O. See Schreiber, G., 2=5174
- Wendt, M.O. See Schreiber, G., 2=22043
- Weneser, J. See Church, E.L., 2=1849
- Weniger, S. Study of the spectrum of the ionized oxygen molecule in the near infrared, 2=16518
- Weniger, S. See Kovacs, I., 2=18458
- Wenk, G.J. See Quenby, J.J., 2=16252
- Wenk, G.J. See Quenby, J.J., 2=22681
- Weniger, H. See Leutz, H., 2=20545
- Wentorf, R.H., Jr Preparation of semiconducting cubic boron nitride, 2=12895
- Wentorf, R.H., Jr and Bovenkerk, H.P. Preparation of semiconducting diamonds, 2=12894
- Wentorf, R.N., Jr and Bovenkerk, H.P. On the origin of natural diamonds, 2=4362
- Wentworth, R.C. and Tepley, L.R. Hydromagnetic emissions, X-ray bursts, and electron bunches. II. Theoretical interpretation, 2=24062
- Wentworth, R.C. See Lenchek, A.M., 2=4629
- Wentworth, R.C. See Tepley, L.R., 2=24061
- Wentzel, D.G. Hydromagnetic waves and the trapped radiation III. effects on protons above the proton belt, 2=9033
- Wentzel, D.G. Hydromagnetic oscillations of a self-gravitating fluid, 2=13662
- Wentzel, G. Hyperons with and without doublet symmetry, 2=3406
- Wenzel, H. See Boersch, H., 2=7378
- Wenzel, W. See Beall, E., 2=16245
- Wenzel, W. See Cook, V., 2=22630
- Wenzel, W.A. See Beall, E.F., 2=11992
- Wergeland, H. See ter Haar, D., 2=17361
- Werle, J. S matrix description of decays, 2=1830
- Werle, J. On a possibility of obtaining polarized beams of vector or pseudovector mesons, 2=18146
- Werner, E. Density modulated ground states in a gas of interacting fermions, 2=1080
- Werner, E. Velocity dependent interactions and high energy nucleon-nucleon scattering data, 2=13789
- Werner, H. See Neu, H., 2=3112
- Werner, L. See Steverding, B., 2=2756
- Werner, R.D. See Eastwood, T.A., 2=20644
- Werner, W.M. See Bell, J.F., 2=18988
- Wernick, J.H., Haszko, S.E. and Dorsi, D. Pseudo-binary systems involving rare earth laves phase, 2=17042
- Wernick, J.H., Haszko, S.E. and Romanow, W.J. New magnetic ternary compound with a high crystalline anisotropy, 2=735
- Wernick, J.H. See Morin, F.J., 2=11570
- Wernick, J.H. See Nesbitt, E.A., 2=12749
- Wernick, J.H. See Peter, M., 2=12821
- Wernick, J.H. See Peter, M., 2=21372
- Wernick, J.H. See Wertheim, G.K., 2=10300
- Wert, C. See Pirson, A., 2=21397
- Werthamer, N.R. and Suhl, H. Renormalization of many-fermion momentum-space distributions in higher random phase approximations, 2=4966
- Werthamer, N.R. See Balian, R., 2=17376
- Wertheim, G. Radiation effects in semiconductors, 2=21126
- Wertheim, G.K. and Herber, R.H. Resonant gamma-ray absorption in potassium ferrate, 2=14355
- Wertheim, G.K., Kingston, W.R. and Herber, R.H. Mössbauer effect in iron (III) acetylacetonate and chemical consequences of K capture in cobalt (III) acetylacetonate, 2=20909
- Wertheim, G.K. and Wernick, J.H. Mössbauer effect in some iron-rare earth intermetallic compounds, 2=10300
- Wertheim, G.K. See Norem, P.C., 2=20907

- Wertz, J.E., Orton, J.W. and Auzins, P. Spin resonance of point defects in magnesium oxide, 2-3907
- Wertz, J.E., Orton, J.W. and Auzins, P. Electron spin resonance studies of radiation effects in inorganic solids, 2-12479
- Wesołowski, Z. Some stability problems of tension in the light of the theory of finite strains, 2-15510
- Wesołowski, J., Gasior, S., Michalski, K. and Stepniewski, W. The measurement of alpha-radioactivity in the air of some places of Low Silesia District, 2-11042
- Wess, J. See Scarf, F.L., 2-22385
- Wessel, W. Electron theory VI: 4-velocity and self-acceleration, 2-20311
- Wesslink, A.F. U, B, V. photometry in and near the megallanic clouds, 2-24161
- Wessman, G.L. See Anderson, E.E., 2-6857
- Wesson, J.A. Field diffusion in cylindrical plasmas, 2-17825
- West, E. See Erwin, A.R., 2-22569
- West, H.I., Jr., Burns, F.P., Wang, L. and Ziemba, F.P. Lithium ion drift semiconductor detector as a beta-ray spectrometer, 2-13775
- West, W. See Saunders, V.I., 2-20961
- Westbrook, J.H. and Gilman, J.J. An electromechanical effect in semiconductors, 2-14884
- Westbrook, J.H. and Wood, D.L. Embrittlement of grain boundaries by equilibrium segregation, 2-12863
- Westdal, H.C. See Murcay, D.G., 2-8972
- Westenberg, A.A. and deHaas, N. Gas thermal-conductivity studies at high temperature. Line-source technique and results in N_2 , CO_2 , and N_2-CO_2 mixtures, 2-7253
- Westenberg, A.A. See Walker, R.E., 2-2764
- Westerlund, B. See Barrow, R.F., 2-6145
- Westermann, K. See Blume, H., 2-23598
- Westermarck, T. On the possibility of a radiation chemical nuclear track chamber, 2-1646
- Westermarck, T. Energy distribution and energy stability of the electron beam from a 5 MeV betatron, 2-3123
- Westermarck, T. A double-focusing magnetic spectrometer for studies of energy losses in matter of electrons from a 5 MeV betatron, 2-3314
- Westermarck, T. Measuring techniques for energy loss studies of 2.8 MeV betatron electrons in matter, 2-3315
- Westermarck, T., Sjöstrand, B. and Forsberg, H.G. Some experiments on moisture determination with beta-ray transmission, 2-7088
- Westgard, J. See Bertanza, L., 2-20424
- Westgard, J. See Bertanza, L., 2-22652
- Westcott, B.S. Ionospheric reflection processes for long radio-waves. I, 2-9720
- Westcott, B.S. Ionospheric reflection processes for long radio waves. II, 2-21648
- Westcott, C.H. See Zimmerman, R.L., 2-5692
- Westcott, E. Magnetic activity during periods of auroras at geomagnetically conjugate points, 2-17220
- Westland, A.D. See Bader, R.F.W., 2-2002
- Westmacott, K.H., Barnes, R.S. and Smallman, R.E. The observation of a dislocation "climb" source, 2-23179
- Westmacott, K.H. See Hudson, B., 2-8222
- Westmeyer, H. See von Ardenne, M., 2-15656
- Weston, G.F. The effect of current and pressure on the impedance of cold cathode glow discharge tubes, 2-15903
- Weston, L.W., Seth, K.K., Bilpuch, E.G. and Newson, H.W. Errata: Neutron capture cross sections in the KeV region. II. Spin orbit coupling and the optical model, 2-1901
- Weston, R.E., Jr. See Rapp, D., 2-19133
- Weston, V.H. Gravity and acoustical waves, 2-11008
- Weston, V.H. The pressure pulse produced by a large explosion in the atmosphere. II, 2-11017
- Weston, V.H. and van Hulsteyn, D.B. The effect of winds on the gravity wave, 2-17120
- Westpfahl, K. See Dehnen, H., 2-521
- Westphal, K.O. and Jacobs, J.A. Oscillations of the Earth's outer atmosphere and micropulsations, 2-15261
- Westphal, W.B. See Von Hippel, A., 2-14359
- Westrum, E.F., Jr. The thermophysical properties of three globular molecules, 2-8168
- Westrum, E.F., Jr. and Grønvald, F. Triuranium heptaoxides: heat capacities and thermodynamic properties of α - and β - U_3O_7 from 5 to 350°K, 2-10329
- Westrum, E.F., Jr. See Chang, S.S., 2-14303
- Westrum, E.F., Jr. See Chang, S.S., 2-14381
- Westheimer, G. and Campbell F.W. Light distribution in the image formed by the living human eye, 2-21764
- Westin, A., Waller, I. and Lundqvist, S.O. Remarks on the coherent X-ray scattering by the lithium hydride crystal, 2-14989
- Westwood, A.R.C. The Rebinder effect and the adsorption-locking of dislocations in lithium fluoride, 2-23182
- Westwood, A.R.C., Oppenhausser, H., Jr. and Goldheim, D.L. Etchants for revealing dislocations in lithium fluoride and other crystals, 2-8229
- Westwood, A.R.C., Oppenhausser, H. and Goldheim, D.L. Concerning "anomalous" solution and etching phenomena, 2-12886
- Westwood, A.R.C. and Rubin, H. Etch-tunnels in lithium fluoride crystals, 2-14936
- Wet, J.F. de. See de Wet, J.F.,
- Wetherell, A.M. High energy peripheral and diffraction scattering, 2-18111
- Wetherell, A.M. See Cocconi, G., 2-5639
- Wetherell, A.M. See Cocconi, G., 2-10095
- Wetherell, A.M. See Cocconi, G., 2-22503
- Wetherell, A.M. See Diddens, A.N., 2-20331
- Wetherell, A.M. See Diddens, A.N., 2-20335
- Wetherell, A.M. See Diddens, A.N., 2-20336
- Wetstone, D.M. Fast-acting gas valve, 2-1179
- Wetstone, D.M. Coaxial plasmoid source of small aspect ratio, 2-19973
- Wetterau, W. See Witzmann, H., 2-8557
- Wetton, R.E. See Lord, P., 2-4300
- Wetzel, L. Precursor effects and electron diffusion from a shock front, 2-15628
- Wexler, H. See Neuburger, M., 2-15416
- Wexler, S. Charge states of molecular fragments from CCl_3Br following nuclear decay of Br^{80m} and Br^{82*} , 2-12981
- Weyer, M. Mixing of two streams directly introduced into a pipeline, 2-19519
- Weyerer, H. Crystal adjustment with X-ray image amplifiers, 2-10816
- Weyl, R. The use of X-ray fluorescence in the non-destructive measurement of thin film composition and thickness over small areas, 2-7162
- Weymann, H.D. Comments on the theory of electron-driven shock waves, 2-5044
- Weymouth, J.W. and Epstein, J.H. Statistical tables for testing random orientations of cubic crystals, 2-16979
- Weymouth, J.W. and Soepono, R. Analysis of the preferred orientation of a small sample of crystals with applications to sodium single crystals, 2-10782
- Whale, H.A. Ionospheric irregularities and long-distance radio propagation, 2-16074
- Whale, H.A. See Delves, L.M., 2-9717
- Whale, H.A. See Jackson, J.E., 2-19217
- Whalen, J.F. See Meadows, J.W., 2-5683
- Whalen, J.F. See Meadows, J.W., 2-10162
- Whalen, J.F. See Meadows, J.W., 2-18129
- Whalen, J.W. Thermodynamic properties of water adsorbed on quartz, 2-2435
- Whaling, W. See Overley, J.C., 2-22729
- Whaling, W. See Powers D., 2-9645
- Whan, R.E. See Crosby, G.A., 2-6611
- Whang, Y.C. and Chang, C.C. Structure of weak shock wave in a plasma, 2-5344
- Whapham, A.D. See Makin, M.J., 2-6350
- Wharton, C.B. A survey of plasma instrumentation, 2-7624
- Wharton, L., Kaufman, M. and Klemperer, W. Electric resonance spectrum and dipole moment of BaO , 2-20796
- Wheatley, C.C.H. See Dunn, P.D., 2-19886
- Wheatley, J.C. See Abel, W.R., 2-7492
- Wheatley, J.C. See Anderson, A.C., 2-1322
- Wheatley, J.C. See Anderson, A.C., 2-17712
- Wheatley, J.C. See Anderson, A.C., 2-19800
- Wheeler, H.A. Microwave measurements, 2-16054
- Wheeler, J.A. See Baierlein, R.F., 2-13259
- Wheeler, L. Color-naming responses to red light of varying luminance and purity, 2-21770
- Wheeler, R.G. and Dimmock, J.O. Exciton structure and Zeeman effects in cadmium selenide, 2-10359
- Wheeler, R.G. See Dimmock, J.O., 2-16897
- Wheeler, R.G. See Dimmock, J.O., 2-18884
- Wheeler, V.E. See Wouters, L.F., 2-22253
- Wheelon, A.D. Amplitude distribution for radio signals reflected by meteor trails. I, 2-4847
- Wheelon, A.D. Amplitude distribution for radio signals reflected by meteor trails. II, 2-15405
- Whelan, J.M., Struthers, J.D. and Ditzemberger, J.A. Effects of silicon in gallium arsenide, 2-23386
- Whelan, M.J. See Hashimoto, H., 2-19126
- Whelan, M.J. See Howie, A., 2-14447

- Whetstone, A. and Kounosu, S. Nanosecond coincidence circuit using tunnel diodes, 2=11594
- Whetstone, A.L. Survey of nanosecond techniques, 2=17746
- Whetten, N.R. See Vanderslice, T.A., 2=19105
- Whiffen, D.H. See Chantry, G.W., 2=10603
- Whiffen, D.H. See Chantry, G.W., 2=16565
- Whiffen, D.H. See Freeman, R., 2=10284
- Whiffen, D.H. See Horsfield, A., 2=2017
- Whiffen, D.H. See Horsfield, A., 2=6219
- Whiffen, D.H. See Horsfield, A., 2=16566
- White, F.A., Sheffield, J.C. and Rourke, F.M. Isotopic abundance determination of copper by sputtering, 2=22925
- Whinfrey, C.G. See Tauber, A., 2=2369
- Whinfrey, C.G. See Tauber, A., 2=14938
- Whipple, E.C., Jr. See Bourdeau, R.E., 2=8993
- Whipple, F.L. On the distribution of semimajor axes among comet orbits, 2=6993
- Whipple, F.L. See Jacchia, L.G., 2=6996
- Whisman, M.L. and Eccleston, B.H. Gas-exposure labelling of organics with tritium, 2=21604
- Whitby, K.T. Generator for producing high concentrations of small ions, 2=1517
- White, B.G. See Morantz, D.J., 2=6195
- White, B.L. See Robertson, L.P., 2=3338
- White, C.T., Eason, R.G. and Bartlett, N.R. Latency and duration of eye movements in the horizontal plane, 2=7075
- White, D., Walsh, P.N., Goldstein, H.W. and Dever, D.F. Rare earths. II. A mass spectrometric determination of the heats of sublimation (or vaporization) of neodymium, praseodymium, gadolinium, terbium, dysprosium, holmium, erbium and lutetium, 2=1316
- White, D. See Goldstein, H.W., 2=1315
- White, D. See Walsh, P.N., 2=1317
- White, D. See Schoen, L.J., 2=22971
- White, D.H. See Dobbs, J.M., 2=11995
- White, D.H. See Lande, K., 2=20191
- White, D.L. Amplification of ultrasonic waves in piezoelectric semiconductors, 2=18784
- White, D.L. See Hutson, A.R., 2=1220
- White, D.L. See Hutson, A.R., 2=3833
- White, D.L. See King, J.C., 2=19650
- White, G.D. See Durbin, W.G., 2=2468
- White, G.E. See Allison, R.W., Jr., 2=1533
- White, G.K. Thermal expansion at low temperatures. III. Potassium chloride, 2=6285
- White, G.K. Thermal expansion at low temperatures. IV. Normal and superconducting lead, 2=6286
- White, G.K. Thermal expansion at low temperature. V. Dilute alloys of manganese in copper, 2=14388
- White, G.K. See Klemens, P.G., 2=23048
- White, G.K. See Tainsh, R.J., 2=3916
- White, G.K. See Tainsh, R.J., 2=23085
- White, H. See Ely, R.P., 2=18173
- White, H.S. See Camerini, U., 2=22624
- White, H.S. See Ely, R.P., 2=6747
- White, H.S. See Good, R.H., 2=317
- White, H.S. See Good, R.H., 2=22628
- White, J.E. Elastic waves along a cylindrical bore, 2=15674
- White, J.E. Ignition of a thermionic cathode arc, 2=19921
- White, J.F. See Goldbaum, G.C., 2=4875
- White, M.B. See Alpert, S.S., 2=3465
- White, P. See DaSilva, E.M., 2=10551
- White, P.H. The values of η for ^{238}U with neutrons of energy between 12 MeV and 19 MeV, 2=16342
- White, R.A. See Torok, E.J., 2=23664
- White, R.E. See Ferguson, A.T.G., 2=16199
- White, R.H. See Colgate, S.A., 2=13145
- White, R.L. See Wickersheim, K.A., 2=23566
- White, R.M. and Schlömann, E. Ferrimagnetic resonance with orthogonal and parallel pumping, 2=16930
- White, R.M. See Carlson, T.A., 2=15159
- White, R.T. See Claflin, A.B., 2=20569
- White, W. and Martin, W.M. Isomeric states of Ag^{103} , In^{116} , and Sb^{118} , 2=16331
- White, W.H., Jr. See Behr, B.C., 2=7537
- White, W.J. See Braunstein, M.L., 2=24215
- White, R.S. See Freden, S.C., 2=9031
- Whitehead, A.B. See Dearnaley, G., 2=5528
- Whitehead, A.B. See Pullen, D.J., 2=1918
- Whitehead, C. See Stafford, G.H., 2=5655
- Whitehead, J.D. The absorption of radio waves in the ionosphere with respect to geomagnetic current control and other proposed models — a critical survey, 2=7772
- Whitehead, J.D. Distribution of echo amplitudes from an undulating surface, 2=20166
- Whitehead, J.D. The reflection characteristics of a patchy sporadic-E layer, 2=21651
- Whitehead, J.D. See Heisler, L.H., 2=900
- Whitehead, J.D. See Heisler, L.H., 2=4647
- Whitehead, J.D. See Heisler, L.H., 2=24037
- Whitehead, M. See Alitti, J., 2=16229
- Whitehead, M. See Alitti, J., 2=18156
- Whitehead, M.A. d-orbital involvement in BrCl and ICl , 2=14312
- Whitehead, M.A. and Jaffé, H.H. Orbital energy matching as a factor in the interpretation of N.Q.R. frequencies in halides, 2=6226
- Whitehead, W.D. See Reinhardt, G.C., 2=7966
- Whitelam, C.J. See Bushby, F.H., 2=2461
- Whiteman, K.J. See Copley, D.M., 2=11774
- Whiteoak, J.B. See Gardner, F.F., 2=14178
- Whitfield, G.D. Theory of electron-phonon interactions, 2=23063
- Whitford, B.G. Frequency response of nanosecond radio-frequency pulse detectors, 2=13522
- Whitlock, R.T. Comments on "Variational principle for a perfect compressible plasma", 2=5331
- Whitlock, W.S. Research implication of negative ions and the new accelerators, 2=20062
- Whitlock, W.S. See Large, L.N., 2=3077
- Whitman, D.R. Computer assignment technique for analysis of high-resolution N.M.R. spectra, 2=14325
- Whitmarsh, D.C. See Pigott, M.T., 2=9350
- Whitmer, R.F. and Barrett, E.B. Nonlinear interaction of an electromagnetic wave with a plasma layer in the presence of a static magnetic field. II. Higher harmonics and a nonlinear propagation theory, 2=7615
- Whitmer, R.F. and Macdonald, A.D. R.F. antenna breakdown conditions in the presence of the plasma sheath, 2=4884
- Whitmore, F.C. See Hildebrandt, A.F., 2=15850
- Whitmore, R.L. and Boardman, G. Yield stress exerted on a body immersed in a Bingham fluid, 2=13307
- Whitmore, R.L. and Starkey, T.V. Principles governing the viscous flow of suspensions, 2=11331
- Whitney, C.A. Stellar thermopauses, 2=995
- Whitney, C.A. See Skalafuris, A., 2=4813
- Whitney, H. See Kidd, W., 2=13184
- Whitney, H. See Klobuchar, J., 2=6937
- Whitney, H.E. See Aarons, J., 2=4618
- Whittaker, D. See Allan, J.W.S., 2=174
- Whittaker, D. See Edels, H., 2=9552
- Whittaker, J.B. See Clayton, C.G., 2=2128
- Whittem, R.N. See Campbell, B.L., 2=1526
- Whitten, R.C. and Poppoff, I.G. Associate detachment in the D region, 2=15233
- Whittier, J.S. See Rodden, W.P., 2=9332
- Whittier, J.S. See Rodden, W.P., 2=17532
- Whittle, L.S. See Robinson, D.W., 2=7306
- Whitton, J.L. See Howe, L.M., 2=21039
- Whitton, J.L. See Thomas, W.R., 2=3974
- Whitton, J.L. See Piercy, G.R., 2=16660
- Whitworth, R.H. See Blodgett, H.C., 2=21756
- Whymark, R.R. and Witting, J.M. Resonant displacement of nickel and Permendur magnetostrictors under static compressive stress, 2=2847
- Whyte, G.N. and Taylor, H.W. A radioactivity experiment using activities filtered from the air, 2=3493
- Wiatr, Z.M. See Parsons, L.W., 2=13646
- Wibberenz, G. Identification of protons, muons and electrons in the soft component of the cosmic radiation and the measurement of their energy spectra, 2=13938
- Wiberg, K.B. See Spencer, G.H., Jr., 2=1987
- Wiberg, K.B. See Spencer, G.H., Jr., 2=1988
- Wichers, E. New scale nuclidic masses and atomic weights, 2=14184
- Wichmann, E.H. Note on the algebraic aspect of the integration of a system of ordinary linear differential equations, 2=5
- Wichmann, E.H. See Slaggie, E.L., 2=21824
- Wichmann, H. and Weizel, W. The influence of a glow discharge on the permeation of gases through metals, 2=21074
- Wick, G. See Czekalla, J., 2=20780
- Wick, G.C. Angular momentum states for three relativistic particles, 2=11914
- Wickenburg, G. See Sjogren, B., 2=3487
- Wickersheim, K.A. and Lefever, R.A. Absorption spectra of ferric iron-containing oxides, 2=6569
- Wickersheim, K.A. and White, R.L. Anisotropy of exchange in ytterbium iron garnet, 2=23566
- Wickersheim, K.A. See Lefever, R.A., 2=14800

- Wickham, D.G., Menyuk, N. and Dwight, K. Evidence for canted magnetic moments in manganous stannate (Mn_2SnO_4), 2=4234
- Widder, F. See Frosch, R., 2=22747
- Widing, K.G. See Morton, D.C., 2=4779
- Widmer, H. Effect of dislocations on self-diffusion in germanium, 2=3940
- Widmer, H. and Gunther-Mohr, G.R. Investigation of the self-diffusion of germanium, 2=2093
- Wiechec, W. and Kelley, C.M. Compositional requirements of square-loop memory core ferrites, 2=23678
- Wiekowska, Z. See Figielski, T., 2=16702
- Wied, O.J. See Sprague, J.L., 2=8458
- Wiedemann, W.H., Kienle, P. and Pobell, F. Mössbauer effect in Sn^{119} in normally and superconducting condition, 2=3817
- Wiedenbeck, M. Total X-ray attenuation coefficients from 40 keV to 412 keV, 2=12610
- Wiedenbeck, M.L. See Yin, L.L., 2=16351
- Wieder, H. and Czanderna, A.W. Optical evidence for the direct reduction of CuO to Cu in H_2 , 2=6878
- Wieder, H.H. Hall effect stroboscope and noise discriminator, 2=2967
- Wieder, H.H. Sampling magnetometer based on the Hall effect, 2=13642
- Wieder, H.H. Pulse delay for sampling instrumentation, 2=22137
- Wieder, H.H., Clawson, A.R. and Parkinson, C.R. Ferroelectric and pyroelectric properties of mineral and synthetic colemanite, 2=12564
- Wiederkehr, R.R.V. Matrix representation of thermodynamic properties of multicomponent systems, 2=22103
- Wiedersich, H. A quantitative theory for the dislocation multiplication during the early stages of the formation of glide bands, 2=8220
- Wiedersich, H.W. See Bolling, G.F., 2=8718
- Wiegand, C. See Baker, S.C., 2=2987
- Wiegand, C.E., Elioff, T., Johnson, W.B., Auerbach, L.B., Lach, J. and Ypsilantis, T. Detection efficiency of plastic scintillator for neutron energies 4 to 76 MeV, 2=11962
- Wiegand, C.E. See Auerbach, L.B., 2=20393
- Wiegand, D.A. Irradiation-induced expansion of alkali halide crystals at room temperature, 2=23226
- Wiegand, D.A. See Merriam, M.F., 2=3849
- Wiegand, D.A. See Merriam, M.F., 2=3850
- Wiegand, D.A. See Smoluchowski, R., 2=12418
- Wiegandt, D. See Richter, F.W., 2=20513
- Wien, K. See Kienle, P., 2=22732
- Wiendieck, K. See Biarez, J., 2=12840
- Wienecke, R. See Ahlborn, B., 2=19985
- Wiener, F.M. See Kryter, K.D., 2=11215
- Wierzbicki, A. Atomic theory of light propagation, refraction and reflection in isotropic media with consideration of electric quadrupole radiation, 2=9359
- Wierzbicki, A. Generalization of the Lorentz-Lorenz dispersion formula for electric quadrupole radiation, 2=19668
- Wierzbicki, A. Generalization of Fresnel's reflection and refraction formulae for electric quadrupole radiation, 2=19677
- Wieringen, J.S. Van See Van Wieringen, J.S., 2=10054
- Wiesehahn, W.J. See Van Noolen, B., 2=7056
- Wiesner, R. See Fillenbaum, S., 2=7056
- Wiesener, K. and Schwabe, K. Improved apparatus for determining the vapour pressure of binary liquid mixtures with differential manometers, 2=5215
- Wieser, P.H. and Stierstadt, K. Deposition and properties of naturally radioactive aerosols. Quantitative extension of the experiments of Elster and Geitel [1901], 2=21598
- Wiesner, S. See Boersch, H., 2=9559
- Wigen, P.E., Kooi, C.F., Shanabarger, M.R. and Rossing, T.D. Dynamic pinning in thin-film spin-wave resonance, 2=23695
- Wiggins, K.E. See Bainbridge, J.G., 2=4886
- Wiggins, T.A. See Rank, D.H., 2=3728
- Wiggins, T.A. See Rank, D.H., 2=17126
- Wiggins, T.A. See Rank, D.H., 2=20802
- Wiggins, T.A. See Rank, D.H., 2=20803
- Wight, H.M. The influence of periodic pressure variations on chain reactions, 2=4535
- Wigley, D.A. See Lee, J.A., 2=12456
- Wigley, D.A. See Lee, J.A., 2=23238
- Wiin-Nielsen, A. On the distribution of temperature relative to height in stationary planetary waves, 2=2463
- Wiin-Nielsen, A. A preliminary study of the dynamics of transient planetary waves in the atmosphere, 2=2474
- Wijk, A.M. van See van Wijk, A.M.
- Wijk, W.R. van See van Wijk, W.R.
- Wijn, H.W. de See de Wijn, H.W.
- Wijnen, M.H.J. Initial stages of the chlorine atom induced polymerization of acetylene, 2=8910
- Wikner, E.G. See van Lint, V.A.J., 2=23349
- Wikner, N.F. See Joanou, G.D., 2=16203
- Wikner, N.F. See Parks, D.E., 2=20355
- Wiktor, S. See Pellegrini, F., 2=22844
- Wilbur-Ham, J. Vibration isolator for galvanometers, 2=1343
- Wilburn, D.K. See Sarna, D.S., 2=5426
- Wilcox, C.H. The mathematical foundations of diffraction theory, 2=7740
- Wilcox, J.D. and June, R.K. Apparatus for study of the breakup of liquid drops by high velocity airstreams, 2=2693
- Wilcox, J.M., Cooper, W.S., III, DeSilva, A.W., Spillman, G.R. and Boley, F.I. Swirls produced in a "crowbarred" rotating plasma, 2=19948
- Wilcox, J.M., DeSilva, A.W. and Cooper W.S., III. Experiments of Alfvén-wave propagation, 2=1470
- Wilcox, J.M. See Boley, F.I., 2=20002
- Wilcox, R.M. See Miller, S.C., 2=3323
- Wild, D.D. See Weigang, O.E., 2=21910
- Wild, J.P. The radio emission from solar flares, 2=13165
- Wild, J.P. See Boorman, J.A., 2=2559
- Wild, J.P. See McLean, D.J., 2=4833
- Wild, J.P. See Smerd, S.F., 2=19347
- Wilde, R.E. A high-resolution infrared study of disilane in the region 2000-5000 cm^{-1} , 2=16529
- Wilde, R.E. The infrared spectrum of CH_3SiH_3 and CH_3SiD_3 , 2=16545
- Wildenthal, B.H. See Prosser, F.W., Jr., 2=3573
- Wildermuth, K. Influence of the indistinguishability of nucleons on nuclear structure, 2=9984
- Wildermuth, K. and Carovillano, R.L. Optical giant resonances in nuclear reactions, 2=3544
- Wildermuth, K., Schmid, E. and Carovillano, R. The distinguishability of nucleons and nuclear reactions, 2=1852
- Wildermuth, K., Tang, Y.C., Khanna, F.C. and Pearlstein, L.D. Cluster model calculations in light nuclei, 2=1763
- Wildermuth, K. See Tang, Y.C., 2=13957
- Wildermuth, K. See Tang, Y.C., 2=16290
- Willey, R.L., Burbidge, E.M., Sandage, A.R. and Burbidge, G.R. On the effect of Fraunhofer lines on U, B, V, measurements, 2=4816
- Wildsmith, G. See Evans, P.E., 2=2922
- Wilets, L. See Falk, D.S., 2=1772
- Wilets, L. See Greene, J.M., 2=20128
- Wilets, L. See Reiner, A.S., 2=20496
- Wiley, J.S. See Bradt, R.C., 2=20941
- Wiley, R.M. See Gillespie, T., 2=21596
- Wiley, W.C. and Hendee, C.F. Electron multipliers utilizing continuous strip surfaces, 2=18009
- Wiley, W.C. See Goodrich, G.W., 2=20197
- Wilfinger, R.J. and Zolotar, B.A. Technique for measuring tunnel diode series resistance, 2=19828
- Wilfinger, R.J. and Zolotar, B.A. Bridge for tracing the tunnel diode I-V and conductance curves, 2=19829
- Wilgain, S. See Zmysłowska, S., 2=10030
- Wilhelm, J. Contribution to the phenomenological description of a diffusion-controlled plasma column, 2=184
- Wilhelm, J. Phenomenology of a diffusion-controlled plasma column, 2=11638
- Wilhelm, J. See Kischel, K.H., 2=173
- Wilhelmi, B. See Schubert, M., 2=1977
- Wilhelmsen, K.H.B. Interaction between an obliquely incident plane electromagnetic wave and an electron beam in the presence of a static magnetic field of arbitrary strength, 2=16042
- Wilk, B. See v. Buttler, H., 2=10031
- Wilke, K.T. The luminescence of magnesium--lithium tungstate activated with manganese, 2=8576
- Wilke, K.T. The luminescence of copper and manganese-activated magnesium metaphosphate, 2=18862
- Wilke, K.T. Preparation of high melting-point crystalline compounds by growing methods, 2=1487
- Wilke, W. The g-factors of the alkali atoms Rb^{85} , Rb^{87} and Cs^{133} in the ground state, 2=6113
- Wilkins, M. Determination of the density of twin stacking faults in f.c.c. metals, 2=10402
- Wilkins, M. X-ray scattering in crystals with dislocations. I. Cylindrical crystal with an axial screw dislocation, 2=14445
- Wilkins, M. Scattering of X-rays from crystals with dislocations, 2=14998
- Wilkerson, T.D. See Lincke, R., 2=19696
- Wilkerson, R.E. Defocusing of radio rays by the troposphere, 2=16006
- Wilkes, M.V. The solar and luni-solar harmonic components of geomagnetic variation at San Fernando, 2=9037

- Wilkie, J.R. and McNicol, R.W.E. Correlation between sporadic E ionization and the strength of the horizontal component of the earth's magnetic field, 2=21678
- Wilkins, C.A. On the number of collisions to slow down neutrons from high speeds, 2=7865
- Wilkins, J.E., Jr. Nuclear reactors with maximum prompt neutron lifetime, 2=6021
- Wilkinson, C.A. See Chadwick, G.B., 2=22522
- Wilkinson, D.H. The structure of the nuclear surface, 2=3455
- Wilkinson, D.H. Self-consistent determination of the effective radii of heavy nuclei for alpha-particle emission, 2=10037
- Wilkinson, D.H. See Pullen, D.J., 2=1918
- Wilkinson, G.R. and Beaven, G.H. [Conf.rep.]. Fifth European Congress on Molecular Spectroscopy, Amsterdam, May-June, 1961, 2=6117
- Wilkinson, M.K., Wollan, E.O., Koehler, W.C. and Cable, J.W. Investigations of paramagnetic neutron scattering from chromium, 2=21349
- Wilkinson, M.K. See Cable, J.W., 2=12731
- Wilkinson, M.K. See Cable, J.W., 2=8661
- Wilkinson, M.K. See Cable, J.W., 2=18927
- Wilkinson, M.K. See Koehler, W.C., 2=12663
- Wilkinson, M.K. See Koehler, W.C., 2=14810
- Wilkinson, M.K. See Tracy, J.W., 2=15023
- Wilkinson, P.G. and Angel, D.W. Evaluation of a specially coated concave diffraction grating in the vacuum ultraviolet, 2=22057
- Wilkinson, P.T. See Peacock, T.E., 2=3756
- Wilks, J. See Baxter, W.J., 2=8712
- Wilks, J. See Baxter, W.J., 2=10736
- Wilks, J. See Harding, G.O., 2=17715
- Wilks, R.S. See Bowen, D.H., 2=18569
- Wilks, R.S. See Robins, R.G., 2=14941
- Will, E. See Jorgenson, G.V., 2=2785
- Willain, C. A remark on the nonradiative transitions in mesic atoms, 2=12303
- Willard, H.B. See Bair, J.K., 2=22735
- Willard, H.B. See Brosi, A.R., 2=16348
- Willard, W.A. See Jenkins, W.D., 2=10760
- Willenbrink, J. See Kimbel, K.H., 2=5511
- Willefs, F.W. See Pitts, E., 2=4503
- Willet, H.C. The relationship of total atmospheric ozone to the sunspot cycle, 2=8953
- Willet, J.E. Effects of electron random motion on microwave propagation through a plasma parallel to a magnetic field, 2=7614
- Willey, R.R., Jr. Machine aided selection of optical glasses for two-element, three-color achromats, 2=17585
- Willey, R.S., Nuclear rotational spectra, the Elliott model, and the P_2 force, 2=12110
- Willi, A.V. The Kinetic solvent-isotope effect in the acid catalytic addition of water to olifines. Application of a simple method of calculation of the vibration frequencies of molecules and transition states, 2=855
- William, D. See Burch, D.E., 2=20800
- Williams, A. and Sara, R.I. Parameters affecting the resolution of a proportional counter, 2=20182
- Williams, A.E. See Beynon, J.H., 2=5302
- Williams, A.O., Jr. and Eby, R.K. Acoustic attenuation in a liquid layer over a "slow" viscoelastic solid, 2=13409
- Williams, A.P. See Vil'yams, A.P., 2=5432
- Williams, A.P. See Vil'yams, A.P., 2=5434
- Williams, A.P. See Vil'yams, A.P., 2=9675
- Williams, C. See Kryter, K.D., 2=24204
- Williams, C.M. See Bailey, G.C., 2=5250
- Williams, D. See Burch, D.E., 2=14272
- Williams, D. See Burch, D.E., 2=19619
- Williams, D. See Patty, R.R., 2=104
- Williams, D. See Patty, R.R., 2=2777
- Williams, D. See Patty, R.R., 2=11429
- Williams, D. See Patty, R.R., 2=11430
- Williams, D.A. See Dalgarno, A., 2=22968
- Williams, D.C. The calculation of excess fractions from measurements on optical interference rings, 2=17644
- Williams, D.E. See Atoji, M., 2=4420
- Williams, D.E.G. See Taniguchi, S., 2=4209
- Williams, D.F. See Campbell, A.N., 2=15148
- Williams, D.J. and Steigert, F.E. Inelastic scattering of heavy ions, 2=8010
- Williams, D.L. The surface impedance of superconducting aluminium at 3 Gc/s, 2=9482
- Williams, D.L. Nuclear magnetic relaxation in gas mixtures, 2=17514
- Williams, D.L. See Jones, E.P., 2=14854
- Williams, D.L. See Kerr, V.N., 2=11214
- Williams, F.E. Theory of defect formation in alkali halides by ionizing radiation, 2=10373
- Williams, F.I.B. See Baker, J.M., 2=4256
- Williams, F.I.B. See Baker, J.M., 2=10715
- Williams, F.I.B. See Hall, T.P.P., 2=772
- Williams, G. Evaluation of dielectric loss data from direct current measurements, 2=16769
- Williams, G. See Read, B.E., 2=6511
- Williams, G.I. See Tangri, K., 2=4455
- Williams, G.P., Jr. See Turner, T.J., 2=21398
- Williams, G.W. See Smith, A.W., 2=11478
- Williams, H.B. See Miller, A., 2=11624
- Williams, H.J. See Clogston, A.M., 2=4197
- Williams, H.J. See Geller, S., 2=4424
- Williams, H.J. See Geller, S., 2=12690
- Williams, H.J. See Morin, F.J., 2=11570
- Williams, H.J. See Nesbitt, E.A., 2=12749
- Williams, H.J. See Peter, M., 2=12821
- Williams, H.J. See Peter, M., 2=21372
- Williams, H.J. See Wolff, P.A., 2=12683
- Williams, I. See Morris, D.P., 2=828
- Williams, J. See Christie, G., 2=4476
- Williams, J. and Jones, J.W.S. Thermal etching of beryllium, 2=6351
- Williams, J. See Clarke, F.J.P., 2=3971
- Williams, J.F.A. Filling of antibonding orbitals. I. Double bonding in saturated compounds, 2=6216
- Williams, J.H. See Hwang, C.F., 2=20337
- Williams, J.M. and Huffine, C.L. Solid state electrolysis in yttrium metal, 2=6379
- Williams, K.C. See Oxley, D.P., 2=14812
- Williams, L.P. Humphry Davy, 2=15442
- Williams, M.C. and Bird, R.B. Three-constant Oldroyd model for viscoelastic fluids, 2=21875
- Williams, M.J. See Daiber, J.W., 2=8108
- Williams, M.M.R. See Kemeny, L.G., 2=9858
- Williams, P.P. and Hall, D. The orientation of single crystals, 2=10817
- Williams, Q. See Johnson, R.C., 2=3721
- Williams, Q. See Johnson, R.C., 2=8089
- Williams, R. Dielectric breakdown in cadmium sulfide, 2=4098
- Williams, R. High electric fields in CdS, 2=8308
- Williams, R. Effect of a high electric field on the absorption of light by PbI_2 and HgI_2 , 2=10583
- Williams, R. Photoemission of holes from tin into gallium arsenide, 2=16723
- Williams, R. Surface photovoltage measurements on cadmium sulfide, 2=21190
- Williams, R.C. Quantum mechanical effects in stimulated optical emission, 2=11782
- Williams, R.C. and Herman, F. Cyclotron resonance of non-equilibrium carrier distributions, 2=23130
- Williams, R.C. See Dousmanis, G.C., 2=23131
- Williams, R.J.P. See Day, P., 2=18751
- Williams, R.L. Carrier lifetimes in n-type gold-doped germanium, 2=8420
- Williams, R.L. Fast high-sensitivity silicon photodiodes, 2=23429
- Williams, R.L. and Webb, P.P. Silicon junction nuclear particle detectors, 2=11836
- Williams, R.L. and Webb, P.P. The window thickness of diffused junction detectors, 2=18017
- Williams, R.M. and McGrath, J.W. Ratio of the electric quadrupole moments of Ba^{137} and Ba^{138} nuclei, 2=16302
- Williams, R.O. The stored energy in deformed copper: The effect of grain size and silver content, 2=2321
- Williams, R.W. Accuracy of bubble location in a bubble chamber, 2=1641
- Williams, R.W. See Chupp, E.L., 2=12024
- Williams, S.A. Magnetic octupole moments of axially symmetric deformed nuclei, 2=3466
- Williams, S.A. and Davidson, J.P. A generalized rotation-vibration model for deformed even nuclei, 2=22723
- Williams, W.E. A solution of the steady state thermoelastic equations, 2=7155
- Williams, W.E. Diffraction by a disk, 2=9343
- Williams, W.E. Electromagnetic diffraction by a circular disk, 2=22336
- Williams, W.F. See Heymann, F.F., 2=277
- Williams, W.J. See Murcray, D.G., 2=8957
- Williams, W.L. Magnetic, thermal, and optical properties of the F center in NaH, 2=3962
- Williams, W.S. and Schaal, R.D. Elastic deformation, plastic flow, and dislocations in single crystals of titanium carbide, 2=6731
- Williams, W.S.C., Caplan, H.S. and Stewart, D.T. The nuclear scattering of high-energy photons, 2=1860

- Williamson, C. and Picard, J. Cross-sections for the reactions $F^{19}(n,2n)F^{18}$ and $Na^{23}(n,2n)Na^{22}$, 2=470
- Williamson, G.K. Electron microscope studies of radiation damage in graphite, 2=23157
- Williges, A. See Böer, K.W., 2=21148
- Willis, B.T.M. The interpretation of total intensity measurements in X-ray and neutron diffraction, 2=23831
- Willis, C.R. Kinetic equation for a classical plasma, 2=5363
- Willis, C.R. Approach to equilibrium of quantum mechanical Gibbs ensembles, 2=19456
- Willis, D.M. See Ferraro, V.C.A., 2=19264
- Willis, D.R. The effect of the molecular model on solutions to linearized Couette flow with large Knudsen number, 2=2739
- Willis, D.R. Comparison of kinetic theory analyses of linearized Couette flow, 2=5041
- Willis, J.B. See Cohen, L., 2=12017
- Willis, J.B. See Bullough, R., 2=23160
- Willis, K.E. An explicit expression for the lattice parameters of cubic crystals for the ratio method, 2=10845
- Willis, W. See Luers, D., 2=22615
- Willis, W.J. See Hart, E.L., 2=9889
- Willis, W.J. See Luers, D., 2=1720
- Willis, W.J. See Luers, D., 2=22629
- Willisen, F.K. von See von Willisen, F.K.
- Willitts, T.R. von See Metheringham, A.J., 2=20184
- Willmann, R.B. See Camerini, U., 2=22624
- Willmore, A.P. Observations of the Lyman- α and X-ray emissions of the sun, 2=15334
- Willmott, J.C. See Baart, E.E., 2=5915
- Willmott, J.C. See Braben, D.W., 2=1820
- Willmott, J.C. See Braben, D.W., 2=14091
- Willmott, J.C. See Green, L.L., 2=10144
- Willner, E.R. See De Moura, L.A., 2=3441
- Wills, J.G. See Baker, G.A. Jr., 2=7832
- Wills, J.G. See Ford, K.W., 2=14229
- Wills, R.D. See Allan, H.R., 2=13927
- Wilman, H. See Avient, B.W.E., 2=23795
- Wilman, H. See Dobson, P.S., 2=14928
- Wilman, H. See Dobson, P.S., 2=19033
- Wilman, H. See Dobson, P.S., 2=19034
- Wilman, H. See Goddard, J., 2=21453
- Wilman, H. See King, J.N., 2=800
- Wilman, H. See King, J.N., 2=14927
- Wilman, H. See Ramos, F., 2=15091
- Wilman, H. See Matthews, H.I., 2=6765
- Wilman, H. See Stroud, M.F., 2=8758
- Wilminus, P. and Lindholm, E. Dissociation of methanol molecule ions formed in charge exchange collisions with positive ions. Ion-molecule reactions, of methanol with very slow positive ions, 2=6870
- Wilmore, D. The structure of mass 18 nuclei, 2=1817
- Wilms, E.V. and Stippes, M. Doppler effect in a string, 2=5093
- Wilmshurst, J.K. Vibrational spectra of inorganic molecules. III. Infrared reflection spectra of molten lithium, sodium, and potassium hydroxides, 2=1150
- Wilmshurst, J.K. Lattice-type vibrations in associated liquids and the origin of anomalous Rayleigh scattering, 2=7213
- Wilmshurst, J.K. Vibrational spectra of inorganic molecules. IV. Infrared reflection spectra of liquid lithium, sodium, potassium and silver chlorates, and liquid lithium perchlorate, 2=14275
- Wilmshurst, J.K. and Senderoff, S. Erratum: Vibrational spectra of inorganic molecules. II. Infrared reflection spectra of liquid lithium, sodium, potassium, and silver nitrates, 2=7214
- Wilsdorf, H.G.F. and Kuhlman-Wilsdorf, D. Dislocation behavior in quenched and in neutron irradiated stainless steel, 2=12488
- Wilsdorf, H.G.F. and Schmitz, J. Observation and interpretation of dislocation tangles in the easy glide range of aluminum, 2=12436
- Wilsdorf, H.G.F. See Kohlmann-Wilsdorf, D., 2=14428
- Wilshire, B. See Davies, P.W., 2=12857
- Wilshire, B. See Davies, P.W., 2=16962
- Wilsky, K. See Hansen, P.G., 2=5807
- Wilsky, K. See Hansen, P.G., 2=7957
- Wilson, A.J.C. Variance as a measure of line broadening, 2=9668
- Wilson, A.J.C. On variance as a measure of line broadening in diffractometry. General theory and small particle size, 2=17011
- Wilson, A.J.C. Refraction broadening in powder diffractometry, 2=23839
- Wilson, A.J.C. and Delf, B.W. Effect of variations in the quantum counting efficiency of detectors on the mean wavelength of X-ray emission lines, 2=5428
- Wilson, B.L.H. See Roberts, D.H., 2=8375
- Wilson, B.G. and Nehra, C.P. Cosmic ray increases associated with solar flares, 2=12023
- Wilson, B.G., Rose, D.C. and Wilson, M.D. Small cosmic-ray increases measured at ground level, September 3, 1960, July 18 and July 20, 1961, 2=12099
- Wilson, C.G. See Spooner, F.J., 2=15047
- Wilson, C.R. Sudden commencement hydromagnetic waves and the enhanced solar wind direction, 2=19266
- Wilson, C.R. and Sugiura, M. Hydromagnetic interpretation of sudden commencements of magnetic storms, 2=4697
- Wilson, D.J. Pressure dependence of fluorescence spectra. II. Transient effects, 2=6592
- Wilson, D.J. See Brauner, J.W., 2=20786
- Wilson, D.J. See Chow, N., 2=10963
- Wilson, D.J. See Davis, R.C., 2=20787
- Wilson, E.B., Jr. Four dimensional electron density function, 2=18399
- Wilson, E.B., Jr. See Beaudet, R.A., 2=20846
- Wilson, E.B., Jr. See Salem, L., 2=16463
- Wilson, E.M. See Rhoderick, E.H., 2=22117
- Wilson, F.C. See Eby, R.K., 2=23903
- Wilson, G.V.H. Phase changes near the cyclotron centre, 2=3115
- Wilson, H.H. See Grodzins, L., 2=1775
- Wilson, H.H. See Grodzins, L., 2=1776
- Wilson, H.W., Munro, R., Hardy, R.W.D. and Daly, N.R. A two stage mass spectrometer for nuclear physics applications, 2=5389
- Wilson, H.W. See Patterson, H., 2=3099
- Wilson, H.W. See Watt, D.E., 2=5832
- Wilson, J.A. See Bray, K.N.C., 2=19592
- Wilson, J.N. See Lukens, H.R., Jr., 2=9225
- Wilson, L.D. An electronically scanned panoramic ionospheric recorder, 2=17155
- Wilson, L.D. See Heisler, L.H., 2=2502
- Wilson, L.D. See Heisler, L.H., 2=6940
- Wilson, M. Court Rumford, 2=15766
- Wilson, M.D. and McDiarmid, I.B. Transition curves in lead for μ -meson induced showers, 2=1746
- Wilson, M.D. and McDiarmid, I.B. Electron shower curves in lead for energies of 3 to 40 BeV, 2=12092
- Wilson, M.D. See McDiarmid, I.B., 2=16217
- Wilson, M.D. See Wilson, B.G., 2=12099
- Wilson, M.G.F. See Bass, J.C., 2=9631
- Wilson, M.H. and Brocklebank, R.W. Colour and perception: the work of Edwin Land in the light of current concepts, 2=21771
- Wilson, M.R. See Wittliff, C.E., 2=2745
- Wilson, N. Rubber models of yarns and cords: the twisting of multi-filament models, 2=15085
- Wilson, O.C. A new scale of stellar distances, 2=15365
- Wilson, P.E. See Stein, R.S., 2=14658
- Wilson, P.R. The application of the equation of transfer to the interpretation of solar granulation, 2=9076
- Wilson, P.R. Spectral line profiles in emitting layers, 2=22036
- Wilson, P.R., Krimm, S. and Stein, S. An optical diffractometer analysis of light scattering patterns obtained from polyethylene films, 2=2222
- Wilson, R. Elastic scattering of nucleons by light nuclei (D, He, C) and a comparison with nucleon-nucleon scattering, 2=436
- Wilson, R. See Burton, W.M., 2=5349
- Wilson, R. See Fawcett, B.C., 2=1201
- Wilson, R. See Hand, L.N., 2=13782
- Wilson, R. See Lehmann, P., 2=11933
- Wilson, R. See Lehmann, P., 2=22486
- Wilson, R.B. and Heasell, E.L. The diffusion of zinc and cadmium in indium antimonide, 2=6381
- Wilson, R.H. See Narahari, Rao, K., 2=17619
- Wilson, R.N. See Dedrick, K.G., 2=5439
- Wilson, R.R., Bartlett, A.A., Kraushaar, J.J., McCullen, J.D. and Ristinen, R.A. Level structure of Cr^{62} , 2=7929
- Wilson, R.R. See Littauer, R.M., 2=1680
- Wilson, R.W. See Clark, B.G., 2=4851
- Wilson, W.B. Evidence for hopping transport in boron-doped diamond, 2=18638
- Wilson, W.D. Extrapolation of the equation for the speed of sound in sea water, 2=17554
- Wilt, J.R. See Garland, C.W., 2=10234
- Wiltshire, L.L. Pinhole camera locates sources of gamma radiation, 2=11927
- Wimmel, H.K. Statistical line broadening in plasmas, 2=1958
- Wimmel, H.K. See Sadjian, H., 2=1416
- Winckel, F.W. Optimum acoustic criteria of concert halls for the performance of classical music, 2=2855
- Winckler, J.R. Atmospheric phenomena, energetic electrons, and the geomagnetic field, 2=15263

- Vinckler, J.R. See Kellogg, P.J., 2=4696
 Vinckler, J.R. See Hoffman, R.A., 2=6958
 Vinckler, J.R. See Masley, A.J., 2=22691
 Vinder, R.P.H. See Brook, M., 2=6914
 Windsor, C.G., Thornley, J.H.M., Griffiths, J.H.E. and Owen, J. Bonding in octahedral cobalt complexes, 2=20832
 Windwer, S. See Wall, F.T., 2=23021
 Vinegard, W.C. See Holmes, E.L., 2=804
 Ving, J. and Huizenga, J.R. (p,n) cross sections of V^{51} , Cr^{52} , Cu^{63} , Cu^{65} , Ag^{107} , Ag^{109} , Cd^{111} , Cd^{114} , and La^{139} from 5 to 10.5 MeV, 2=22812
 Vinkler, G. See Penselin, S., 2=16478
 Winkler, H. and Zych, W. 180° deflection magnet for the absolute determination of particle energies, 2=9749
 Winkler, H. See Rytz, A., 2=5911
 Winkler, H. See Rytz, A., 2=5914
 Winkler, H. See Rytz, A., 2=22808
 Winkler, J.R. Geomagnetic and interplanetary effects on solar cosmic rays, 2=12033
 Winckler, J.R. Balloon X-rays and the radiation belts, 2=13055
 Winckler, J.R. See Kellogg, P.J., 2=12041
 Windsor, C. See Cipollini, E., 2=12337
 Ving, G.M. Mathematical aspects of the problem of acoustic waves in a plane stratified medium, 2=17563
 Winnewisser, M. See Zeil, W., 2=8093
 Winnewisser, M. See Zeil, W., 2=8096
 Winocur, J. See Marrus, R., 2=1778
 Winsel, A. Contribution to the study of the current distribution in porous electrodes, 2=19152
 Winslow, G.H. See Thorn, R.J., 2=1312
 Winslow, G.H. See Thorn, R.J., 2=19751
 Winslow, J.L. Equation for a coiled-coil filament, 2=9384
 Winstel, G., Tropper, H. and Colani, K. Capacitance anomaly with gallium arsenide tunnel diodes, 2=23438
 Winston, R. See Culligan, G., 2=5949
 Winston, R. See Cramer, W.A., 2=13840
 Winston, R. See Lathrop, J.L., 2=1975
 Winston, R. See Lundy, R.A., 2=20659
 Wittenberger, M. Electric and magnetic study of sulphur- and arsenic-compounds of the transition elements. I. Electrical measurements by the method of probes. II. Electrical properties of copper pyrites, 2=18888
 Winstel, D.F. A theory of radar reflections from a rough moon, 2=15402
 Winter, E.F. and Bies, D.A. Correlation properties of flexural waves in long thin bars, 2=9337
 Winter, E.R.F. See Eckert, E.R.G., 2=15904
 Winter, J. On the superfluid state, 2=15836
 Winter, J. See Pincus, P., 2=755
 Winter, J.M. See Abragam, A., 2=22521
 Winter, J.M. See Robert, C., 2=6705
 Winter, K. See von Dardel, G., 2=13853
 Winter, K. See Von Dardel, G., 2=22592
 Winter, M.J. Theory of the superfluid state, 2=17717
 Winter, R.G. Large-time exponential decay and "hidden variables", 2=12148
 Winter, R.G. See Kaufman, C., 2=5560
 Winterbottom, W.L. and Hirth, J.P. Diffusional contribution to the total flow from a Knudsen cell, 2=19607
 Winterhalter, D. Inelastic scattering of 2.7 MeV neutrons by Al^{27} , 2=7991
 Winterhalter, D. See Antolović, B., 2=7876
 Vinternitz, P. See Janouch, F., 2=16422
 Vinters, H.F., Denison, D.R. and Bills, D.G. Operation of a Bayard—Alpert ionization gauge, 2=13387
 Vinther, A. See Alder, K., 2=20675
 Vintle, H.J. Damping of sound waves by an ideally rough surface, 2=5111
 Vinzeler, H. See Cvijanovich, G.B., 2=5638
 Vinzeler, H. See Cvijanovich, G., 2=22515
 Vippler, C. See Gautron, R., 2=775
 Virt, T.M. See Zingery, W.L., 2=7713
 Vise, H. See Gatz, C., 2=151
 Vise, H. See Wood, B.J., 2=1969
 Vise, H. See Sancier, K.M., 2=18854
 Vise, H. See Sancier, K.M., 2=18855
 Vise, H. See Sancier, K.M., 2=18856
 Vise, H. See Wood, B.J., 2=4522
 Vise, H.S. See Richards, E.W.T., 2=3460
 Visehart, D.E. See Loomis, J.S., 2=20063
 Viskind, H.K. A uniform gradient turbulent transport experiment, 2=24010
 Visner, R.J. What's happening to calculus?, 2=13235
 Witalis, E.A. Electrical characteristics of a high pressure toroidal discharge, 2=17839
 Withnell, R. A 4π proportional counter suitable for $4\pi\beta-\gamma$ coincidence counting and routine use, 2=11928
 Witkowski, A. On transitions involving crossing of potential energy surfaces, 2=14240
 Witsenhausen, H. Analogue representation of thermal changes at the centre of heterogeneous nuclear reactors, 2=12243
 Witt, F. and Schoening, F.R.L. Influence of the $K\alpha_1\alpha_2$ doublet on the determination of the twin fault probability from X-ray diffraction profiles, 2=19071
 Witt, G. Height, structure and displacements of noctilucent clouds, 2=8969
 Witt, G. See Heeger, A.J., 2=2305
 Witte, R.S. See Penley, J.C., 2=19171
 Wittels, M.C., Stiegler, J.O. and Sherrill, F.A. $Au_{0.82}Hg_{0.18}$: a transmutation alloy, 2=4435
 Wittels, M.C., Stiegler, J.O. and Sherrill, F.A. Radiation effects in uranium-doped zirconia, 2=18623
 Wittman, W.G. See Leitner, J.M., 2=7471
 Wittman, W.J. Vibrational relaxation in carbon dioxide. II, 2=19622
 Witten, L. See Aranow, R.H., 2=1128
 Witten, L. See Mandelberg, H.I., 2=11254
 Witten, L. See Pomerantz, M.A., 2=12061
 Wittern, H. Correction formulae for ray tracing through optical systems by means of trigonometric tables, 2=21998
 Wittig, R. Isothermal magnetic field treatment of Alnico alloys not containing titanium, 2=12921
 Witting, J.M. See Whymark, R.R., 2=2847
 Wittke, J.P. Effects of elevated temperatures on the fluorescence and optical maser action of ruby, 2=14726
 Wittke, J.P. See Duncan, R.C., Jr., 2=19700
 Wittkower, A.B., Galejs, A., Rose, P.H. and Bastide, R.P. Space-charge expansion of a positive hydrogen ion beam leaving a duoplasmatron ion source, 2=11723
 Wittkower, A.B. See Rose, P.H., 2=5387
 Wittliff, C.E. and Wilson, M.R. Low density research in the hypersonic shock tunnel, 2=2745
 Wittmann, F. and Röhler, R. Comparative measurements of the contrast-transmission function with sinusoidal and rectangular gratings, 2=13440
 Wittmann, V. and Röhler, R. Influence on the contrast transmission function of photographic objectives with apodization filters, 2=17663
 Witunski, M. The system design of orbiting astrophysical laboratories, 2=13200
 Witzke, H.D. Growth of AlN single crystals from the vapour phase, 2=19050
 Witzmann, H. and Buhrow, J. New Results in luminescence research. I, 2=8548
 Witzmann, H. and Buhrow, J. Intensity function for inorganic crystalline phosphors for the whole temperature range, 2=8550
 Witzmann, H., Buhrow, J. and Kosch, J. A new black light phosphor, 2=12618
 Witzmann, H., Buhrow, J. and Kosch, J. Temperature dependence of the ultraviolet luminescence in $\beta-Ca_3(PO_4)_2$: Tl, 2=18860
 Witzmann, H., Buhrow, J. and Möller, W. New phosphors with u.v. emission, 2=12619
 Witzmann, H. and Müller-Buschbaum, H. Contribution to the fluorescence of rare earths, 2=12622
 Witzmann, H. and Schreiter, H. The luminescence of copper and copper—lead activated strontium borate phosphors, 2=12623
 Witzmann, H. and Füssel, J. New results in luminescence research. II. Luminescence of oxygen phosphors containing halogens, 2=8549
 Witzmann, H. and Köhler, H. Activation experiments with meta-antimonates of the second group of the periodic system, 2=8558
 Witzmann, H. and Stransky, E. Luminescence features of the system $xCaO_yTiO_2(Pb)$, 2=8564
 Witzmann, H. and Wetterau, W. The ultraviolet emission of lead-activated calcium and barium borates, 2=8557
 Witzmann, H. and Malur, J. Emission characteristics of thallium-activated borates of group II elements of the periodic system, 2=6596
 Witzmann, H. and Reupert, W. Emission behaviour of cerium activated alkali earth borates and fluoroborates in the near ultraviolet, 2=6595
 Witzmann, H. See Ortmann, H. (Eds.), 2=4163
 Wlotzka, F. See König, H., 2=6999
 Wlotzka, F. See König, H., 2=19293
 Wobig, K.H. Measurement of oscillator strengths of TiIII in wall stabilized arcs, 2=18422

- Wobst, M. The ternary system magnesium-bismuth-tin, 2-21539
- Woelk, H.U. See Schaaffs, W., 2-19648
- Woermann, D. See Debye, P., 2-5016
- Woermann, D. See Debye, P., 2-11373
- Woessner, D.E. Spin relaxation processes in a two-proton system undergoing anisotropic reorientation, 2-2302
- Woessner, D.E. Nuclear spin relaxation in ellipsoids undergoing rotational Brownian motion, 2-20871
- Wohl, K. See Ember, G., 2-19609
- Wohlfarth, E.P. See Cornwell, J.F., 2-23109
- Wolf, S.E. See Eisler, F., 2-22568
- Wohlleben, D. See Boersch, H., 2-1505
- Wohlleben, D. See Boersch, H., 2-15962
- Wojaczek, K. Acoustic phenomena in a low-pressure discharge, 2-5366
- Wojaczek, K. The positive column of the argon low-pressure discharge in the transit region, 2-9547
- Wojciechowski, K.F. Remarks on the order-disorder phenomena in multicomponent solid solutions, 2-10919
- Wojda, L. See Meclewski, R., 2-14460
- Wojtowicz, B. See Weber, E.H., 2-2191
- Wojtowicz, B. See Boer, K.W., 2-12545
- Wojtowicz, P.J. The nature of one-ion models of the ferrimagnetic anisotropy, 2-12661
- Wojtowicz, P.J. High temperature susceptibility of garnets: exchange interactions in YIG and LuIG, 2-12715
- Wold, A., Rogers, D., Arnott, R.J. and Menyuk, N. Vanadium iron oxides, 2-12697
- Wold, A. See Dwight, K., 2-12732
- Wold, A. See Kunmann, W., 2-12744
- Wold, A. See Menyuk, N., 2-12671
- Wold, L. See Killpatrick, J., 2-19701
- Wold, R.J. See Behrendt, J.C., 2-15172
- Wolf, C.J. and Johnston, W.H. Natural radioactivity of rhenium, 2-3511
- Wolf, E. and Morandi, A.J. Retinal sensitivity in the region of the blind spot, 2-15433
- Wolf, E. See Mandel, L., 2-1242
- Wolf, E. See Marchand, E.W., 2-15743
- Wolf, E. See Miyamoto, K., 2-13456
- Wolf, E. See Miyamoto, K., 2-13457
- Wolf, H.C. See Avakian, P., 2-4182
- Wolf, I.W. Composition and thickness effects on magnetic properties of electrodeposited nickel-iron thin films, 2-8639
- Wolf, I.W. Electrodeposition of magnetic materials, 2-12675
- Wolf, J.D. and Hanlon, J.E. Magnetic domain patterns in Cr-modified Mn₂Sb, 2-2285
- Wolf, K.A. Relaxation investigations for the study of the molecular processes in high polymers, 2-8141
- Wolf, K.L. and Neumann, A.W. Boundary surface activity, adsorption and mixed adsorption (at liquid boundary surfaces), 2-15142
- Wolf, P. The excitation of standing spin waves in thin permalloy films by means of inhomogeneous alternating fields, 2-21300
- Wolf, W.P. and Hirsch, P.B. International conference on magnetism and crystallography, Kyoto, September 1961, 2-12750
- Wolfe, B. A generalized equivalence theorem for resonance escape in heterogeneous systems, 2-8031
- Wolfe, B. Reactivity effects produced by fluid motion in a reactor core, 2-16451
- Wolfe, B. See Cohen, K., 2-22864
- Wolfe, R. See Smith, G.E., 2-8450
- Wolfe, R.N. Width of the human visual spread function as determined psychometrically, 2-9138
- Wolfe, W.L. See Ballard, S.S., 2-22001
- Wolfendale, A.W. See Brooke, G., 2-20466
- Wolfendale, A.W. See Brooke, G., 2-20469
- Wolfendale, A.W. See Coxell, H., 2-3189
- Wolfendale, A.W. See Gardener, M., 2-20480
- Wolfendale, A.W. See Hayman, P.J., 2-20481
- Wolfendale, A.W. See Hayman, P.J., 2-22695
- Wolfendale, A.W. See Hughes, E.B., 2-14100
- Wolfendale, A.W. See Jones, D.G., 2-20470
- Wolfendale, A.W. See Thompson, M.G., 2-11848
- Wolff, C. Linear representation of the measurements of non newtonian intrinsic viscosity, 2-19518
- Wolff, H. See Rompe, R., 2-1422
- Wolff, P.A. Pair correlation in a plasma, 2-7598
- Wolff, P.A. Theory of the band structure of very degenerate semiconductors, 2-10459
- Wolff, P.A., Anderson, P.W., Clogston, A.M., Matthias, B.T., Peter, M. and Williams, H.J. Magnetization of localized states in metals, 2-12683
- Wolfgang, R. Origin of high tritium content of atmospheric methane, hydrogen and stratospheric water, 2-11011
- Wolfgang, R. See Cross, R.J., Jr., 2-4561
- Wolfgang, R. See Read, J.B.J., 2-20679
- Wolfe, R. and Dorendorf, H. Determination of the diffusion coefficient of arsenic by means of p-n junctions in germanium, 2-21065
- Wölfl, W. See Bösch, R., 2-14074
- Wölfl, W. See Bösch, R., 2-20585
- Wölfl, W. See Bösch, R., 2-22782
- Wölfl, W. See Bösch, R., 2-22784
- Wölfl, W. See de Carvalho, H.G., 2-18367
- Wölfl, W. See Jarczyk, L., 2-5939
- Wölfl, W. See Jarczyk, L., 2-5612
- Wölfl, W. See Jarczyk, L., 2-7795
- Wölfl, W. See Jarczyk, L., 2-12212
- Wölfl, W. See Lang, J., 2-5888
- Wolfram, T. and Callaway, J. Exchange narrowing of d bands in ferromagnets, 2-21303
- Wolfsberg, K. See Wahl, A.C., 2-12236
- Wolfsberg, M. Rate constants for the unimolecular decomposition of excited molecular species near threshold, 2-6874
- Wolfstirn, K.B. See Fuller, C.S., 2-4016
- Wolfstirn, K.B. See Fuller, C.S., 2-18598
- Wolfstirn, K.B. See Fuller, C.S., 2-18599
- Wolga, G.J. Two-quantum transitions in the microwave magnetic resonance spectrum of atomic chlorine, 2-22903
- Wolicki, E.A., Holmgren, H.D. and Johnston, R.L. Angular correlations in the reaction $^{10}\text{B}(^3\text{He}, p)^{12}\text{C}$, 2-1928
- Wolke, R.L. and Sodd, V.J. Thin carbon layers for cyclotron targets, 2-3117
- Wolkenstein, T. Effect of ionizing radiation on the adsorptive and catalytic properties of semiconductors, 2-12948
- Wolkenstein, T. Electronic theory of catalysis on semiconductors, 2-15143
- Wolkenstein, T. and Karpenko, I.V. On the theory of photoadsorptive effect on semiconductors, 2-4496
- Woll, E.J., Jr. and Kohn, W. Images of the Fermi surface in phonon spectra of metals, 2-14372
- Wollan, E.O. See Cable, J.W., 2-8661
- Wollan, E.O. See Cable, J.W., 2-12731
- Wollan, E.O. See Cable, J.W., 2-18927
- Wollan, E.O. See Koehler, W.C., 2-12663
- Wollan, E.O. See Koehler, W.C., 2-14810
- Wollan, E.O. See Wilkinson, M.K., 2-21349
- Wollman, W. See Chernick, J., 2-6015
- Wollenberger, H. Energy distribution of the primary atom in copper on irradiation with fast monoenergetic and reactor neutrons, 2-14481
- Wolmarans, N.S. See Meyer, M.A., 2-8001
- Wolmarans, N.S. See Meyer, M.A., 2-12097
- Wolmarans, N.S. See Meyer, M.A., 2-13920
- Wolniewicz, H. See Jakubiszyn, S., 2-14645
- Wolniewicz, L. See Kolos, W., 2-22965
- Wolsk, D. See Lawrence, M., 2-4895
- Wolska, A. Surface recombination in germanium depending on the concentration of excess carriers and surface potential, 2-23332
- Wolsky, S.P. and Zdanuk, E.J. The interaction of semiconductor surfaces with neutral and ionized gases, 2-22279
- Wolstencroft, R.D. Polarization of the light from the Magellanic Clouds, 2-21723
- Wolters, H.B.M. See Schapink, F.W., 2-4339
- Woltjer, L. On the equilibrium and oscillations of magnetic fluid spheres, 2-4793
- Womack, C.M., Jr., Silverman, J.N. and Matsen, F.A. Atomic scattering factors of helium-like systems from analytic Hartree-Fock wave-functions, 2-10856
- Wondratschek, H. See Brunner, G.O., 2-6320
- Wong, C., Anderson, J.D. and McClure, J.W. Elastic and inelastic scattering of 14 MeV neutrons from the lithium isotopes, 2-18328
- Wong, C. See Anderson, J.D., 2-13615
- Wong, C. See Anderson, J.D., 2-13940
- Wong, C. See Anderson, J.D., 2-18249
- Wong, C. See Anderson, J.D., 2-18272
- Wong, C. See Stuart, T.P., 2-3580
- Wong, D.Y. Regge poles and resonances in strong interaction, 2-137
- Wong, D.Y. See Shaw, G.L., 2-13864
- Wong, D.Y. and Noyes, H.P. Electrostatic corrections to nucleon-nucleon dispersion relations, 2-13790
- Wong, D.Y. See Ball, J.S., 2-3285

- Wong, E.Y. and Richman, I. Absorption and fluorescence spectra of Pr^{3+} in LaBr_3 , 2=10595
- Wong, L. See McGuire, J.B., 2=17239
- Wong, S.C. See Bayes, K.D., 2=22947
- Wong, S.S.M. and Bleuler, E. Large-angle scattering of 18.7 MeV alpha particles by C^{12} , 2=3613
- Wood, A.J. and Fudge, A.J. A concrete cell for the analysis of multi-curie α , β , γ active materials, 2=21606
- Wood, B.J. and King, A.B. Substitution of a catalytic probe for a tube of infinite length in atom recombination experiments, 2=158
- Wood, B.J. and Wise, H. Kinetics of hydrogen atom recombination on surfaces, 2=1969
- Wood, B.J. and Wise, H. The interaction of atoms with solid surfaces, 2=4522
- Wood, C.G. See Cole, H., 2=10823
- Wood, D.L. and Kaiser, W. Absorption and fluorescence of Sm^{2+} in CaF_2 , SrF_2 , and BaF_2 , 2=14717
- Wood, D.L. See Ferguson, J., 2=3812
- Wood, D.L. See Ferguson, J., 2=16583
- Wood, D.L. See Geschwind, S., 2=14712
- Wood, D.L. See Pappalardo, R., 2=4142
- Wood, D.L. See Porto, S.P.S., 2=5171
- Wood, D.L. See Westbrook, J.H., 2=12863
- Wood, D.S. See Russell, T.L., 2=2325
- Wood, E.A. Moiré patterns—a demonstration, 2=9404
- Wood, E.A. See Dransfeld, K., 2=8891
- Wood, E.A. See Miller, R.C., 2=12571
- Wood, G.T. and Jastram, P.S. Direction and polarization angular correlations of gamma-ray cascades in Pb^{208} , 2=14030
- Wood, G.T. See Caspari, M.E., 2=12647
- Wood, G.T. See Caspari, M.E., 2=20908
- Wood, J.A. Chonrules and the origin of the terrestrial planets, 2=15317
- Wood, J.H. Energy bands in iron via the augmented plane wave method, 2=10353
- Wood, J.H. See Slater, J.C., 2=12396
- Wood, J.L. See Beyster, J.R., 2=5648
- Wood, R. Madelung constants for the calcium carbide and pyrite crystal structures, 2=20901
- Wood, R.H. Relationship between certain lattice sums and the Madelung constant, 2=23029
- Wood, R.M. The lattice constants of high purity alpha titanium, 2=21514
- Wood, S.E. The energy—temperature—volume surface for a single-component system, 2=15827
- Wood, V.E. and Milford, F.J. Lowest valence-electron energy and Knight shift in beryllium, 2=14404
- Wood, V.E. and Reitz, J.R. Electronic band structure of cesium gold, 2=14405
- Wood, W.W. The fall of a towed wire, 2=19487
- Wood, W.W. See Salsburg, Z.W., 2=19465
- Woodall, D.R. Spectrum analysis at Marlborough College, 2=22038
- Woodbury, H.A., Eyring, H. and Gabrysh, A.F. Thermoluminescence of golden sapphire and fused borax seeded with Ni, Mg and UO_3 , 2=10634
- Woodbury, H.H. and Ludwig, G.W. Spin resonance of Pd and Pt in silicon, 2=10705
- Woodbury, H.H. See Ludwig, G.W., 2=23360
- Woodbury, H.H. See Segall, B., 2=23700
- Woodbury, W.C. See Edwards, M.H., 2=1323
- Woodhead, T. See Astbury, A., 2=1701
- Woodhead, T. See Astbury, A., 2=1708
- Woodhead, T. See Astbury, A., 2=10129
- Woodhead, T. See Blair, I.M., 2=22926
- Woodhead, T. See Blair, I.M., 2=22927
- Wooding, R.A. The stability of an interface between miscible fluids in a porous medium, 2=21874
- Woodman, M.J. See Powell, R.W., 2=23088
- Woodmansee, W.E. and Decius, J.C. Vibrational relaxation in carbon monoxide by the spectrophone frequency-response method, 2=13376
- Woodruff, T.O. Sound absorption in liquid helium II, $T < 0.5^\circ\text{K}$, 2=17718
- Woods, A.D.B., Brockhouse, B.N., March, R.H. and Bowers, R. Normal vibrations of sodium, 2=10320
- Woods, J.F. See Ainslie, N.G., 2=19048
- Woods, L.C. The effects of a radial variation of resistivity on the attenuation of a hydromagnetic wave in a cylindrical plasma, 2=17855
- Woods, S.B. See Adler, J., 2=12551
- Woodside, D. See Eisenberg, H., 2=11367
- Woodward, T.W. See Back, R.A., 2=19164
- Woodyard, J.R. See Lichtenberg, A.J., 2=13685
- Woolcock, W.S. See Hamilton, J., 2=5723
- Woolcock, W.S. See Hamilton, J., 2=22596
- Wooley, J.K. Parallax and orbital motion of the multiple system ADS 48 A, B, F, from photographs taken with the Sproul 24-inch refractor, 2=24130
- Woolgar, A.J. See Slark, N.A., 2=18010
- Woollett, R.S. Hydrophone design for a receiving system in which amplifier noise is dominant, 2=9352
- Woolley, H.W. Realistic diatomic potential function, 2=22936
- Woolley, J.C. Properties of GaSb—InSb alloys, 2=23383
- Woolley, R.v.d.R. Globular clusters, 2=4827
- Woolley, R.v.d.R. The significance of groups of stars with nearly common motion, 2=4828
- Wootton, G.A. See Kipling, A.L., 2=4271
- Wooster, A.M. See Wooster, W.A., 2=6795
- Wooster, W.A. X-ray diffractometer for automatic operation, 2=232
- Wooster, W.A. and Wooster, A.M. Theory of automatic setting of crystals on X-ray diffractometers using punched tape, 2=6795
- Wooten, F. Enhanced photoemission and photovoltaic effects in semitransparent Cs,Sb photocathodes, 2=13585
- Wooten, N.W. A method for the measurement of true light absorption in aerosols, 2=17649
- Workman, E.J. See Brook, M., 2=8977
- Workman, E.J. See Kitagawa, N., 2=8976
- Worley, C.E. A visual survey of M-dwarf stars for duplicity, 2=17284
- Worley, C.E. Measures of 278 double stars, 2=19319
- Worlton, D.C. See Frederick, C.L., 2=13300
- Worm, J. See Saur, E., 2=13516
- Worrell, F.T. A review of recent British texts in electricity and magnetism, 2=19821
- Wort, D.J.H. Radio-emission from ZETA, 2=1579
- Worthington, W.C. See Davis, W.P., Jr., 2=1619
- Wortman, D. See Howe, D.A., 2=22746
- Wortman, D.E. See Karayianis, N., 2=12798
- Wösten, W.J. The vapor pressure of cadmium selenide, 2=1314
- Wösten, W.J. An etch for CdSe Crystals, 2=4372
- Woszczyk, A. and Arpigny, C. Emission mechanism of Swan bands in comets, 2=13115
- Woszczyk, A. See Arpigny, C., 2=13116
- Wouds, J.N. See Blair, I.M., 2=22926
- Wouters, L.F., Villaire, A.E., Wheeler, V.E. and Kalibjian, R. A fast, high-current photomultiplier, 2=22253
- Wray, K.L. Shock-tube study of the vibrational relaxation of nitric oxide, 2=15135
- Wray, K.L. Shock-tube study of the coupling of the O_2 —Ar rates of dissociation and vibrational relaxation, 2=23005
- Wray, K.L. and Teare, J.D. Shock-tube study of the kinetics of nitric oxide at high temperatures, 2=15134
- Wrede, W. Noise generators in radio telescopes, 2=17302
- Wriedt, H.A. See Garofalo, R., 2=23746
- Wright, A.J.C. See Morantz, D.J., 2=6195
- Wright, B.M. Switch with floating preset differential, 2=5260
- Wright, B.T. See Clark, D.J., 2=9662
- Wright, B.T. See Clark, D.J., 2=9677
- Wright, C.S. See Duffus, H.J., 2=6961
- Wright, C.S. See Duffus, H.J., 2=24057
- Wright, C.S. See Lokken, J.E., 2=4692
- Wright, C.S. See Lokken, J.E., 2=19257
- Wright, E.H.M. See Cornford, P.V., 2=8893
- Wright, F.W. and Hodge, P.W. Space density of dust in the stratosphere, 2=24002
- Wright, G.B., Strauss, A.J. and Harman, T.C. Nonparabolic conduction band in HgSe and $\text{HgSe}_{0.9}\text{Te}_{0.1}$, 2=8368
- Wright, G.B. See Harman, T.C., 2=4034
- Wright, G.T. The space-charge-limited dielectric triode, 2=21181
- Wright, G.T. See Shao, J., 2=10567
- Wright, J.A. and Quarrell, A.G. Effect of chemical composition on the occurrence of intergranular fracture in plain carbon steel castings containing aluminium and nitrogen, 2=10771
- Wright, J.K. The shock tube: simple, cheap and versatile, 2=19603
- Wright, J.K. The shock tube: aspects of design and operation, 2=19604
- Wright, J.K. and Swift-Hook, D.T. Magnetohydrodynamic generation with elevated electron temperature, 2=20130
- Wright, J.K., Medford, R.D., Hunt, A.G. and Herbert, J.D. Interferometric measurements of the electron density in a shock heated deuterium plasma, 2=5350
- Wright, J.K. See Savill, R.A., 2=15177
- Wright, J.W. Diurnal and seasonal changes in structure of the mid-latitude quiet ionosphere, 2=17157
- Wright, J.W. Dependence of the ionospheric F region on the solar cycle, 2=17170

- Wright, J.W. and McDuffie, R.E. The relation of $h_{\max} F_2$ to $M(3000) F_2$ and $h_p F_2$. Discussion of "World-wide daily variations in the height of the maximum electron density in the ionospheric F₂ layer". T. Shimazaki, 2=4652
- Wright, K.A. and Trump, J.G. Back-scattering of megavolt electrons from thick targets, 2=7670
- Wright, K.A. See Booth, E.C., 2=16305
- Wright, P. and Goodchild, J.C. Vacancy induced ordering in Cu_3Au , 2=4463
- Wright, P.G. and Gray, P. Collisional interference between unlike molecules transporting momentum or energy in gases, 2=7251
- Wright, P.G. See Gray, P., 2=11425
- Wright, R.W. See Clemesha, B.R., 2=4638
- Wright, W.D., Sayce, L.A. and Greenland, K.W. Optics in Great Britain, 2=13426
- Wrigley, C. See Lindmayer, J., 2=10516
- Wróblewski, A. See Filipkowski, A., 2=16247
- Wronski, A.S. and Johnson, A.A. The deformation and fracture properties of polycrystalline molybdenum, 2=6752
- Wrotenbery, P.T. and Nolle, A.W. A pulse measurement of the semiconductor-electrolyte space charge capacity, 2=18653
- Wrubel, M.H. See Schmalberger, D.C., 2=2876
- Wrzeczono, A. Ferromagnetic domains in Mn_3Ge_3 , 2=12769
- Wu Tai Tsun. See Tai Tsun Wu.
- Wu Yau. See Yau Wu.
- Wu, C.-S. Landau damping and resonant energy absorption, 2=19994
- Wu, C.S. See Blavati, M.H., 2=5860
- Wu, E.L., Zerbi, G., Califano, S. and Crawford, B., Jr. Normal vibrations and Urey-Bradley force constants of Methyl Amine, 2=1989
- Wu, F.-Y., Kuo, T.-S. and Sun, K.-H. Four slow-neutron converters, 2=20361
- Wu, Shi-Yu. See Thurston, G.B., 2=13399
- Wu, T.T. Transient response of a dipole antenna, 2=1598
- Wu, T.T. Perturbation theory of pion-pion interaction. II. Two-pion approximation, 2=13852
- Wu, T.-Y. and Rosenberg, R.L. Kinetic equation describing irreversible processes in ionized gases, 2=9313
- Wu, Ta-You. The theory of irreversible processes in neutral and ionized gases, 2=5056
- Wu, Ta-You and Rivier, D. On the time arrow and the theory of irreversible processes, 2=2641
- Wuensch, B.J. and Vasilos, T. Diffusion of transition metal ions in single-crystal MgO , 2=14466
- Wuerker, R.F. See Clark, G.L., 2=16813
- Wulff, J. See Rose, R.M., 2=17728
- Wunderlich, B. Motion in polyethylene. I. Temperature and crystallinity dependence of the specific heat, 2=23904
- Wunderlich, B. Motion in polyethylene. II. Vibrations in crystalline polyethylene, 2=23905
- Wunderlich, F. See Kienle, P., 2=22732
- Wurm, K. The u.v. solar spectrum and comets: introductory report, 2=15323
- Wurster, W.H. Measured transition probability for the first-positive band system of nitrogen, 2=13377
- Wurster, W.H. Spectroscopic measurement of the temperature of shock-heated oxygen, 2=2917
- Wurtele, M.G. and Finke, B. A note on the computation of the saturation and pseudo-adiabatic processes, 2=8948
- Wurtz, G. See Dannberg, W., 2=7327
- Wurtz, H.P. Complete liquefaction cryostat, 2=9468
- Wurz, W. See Gabler, F., 2=15055
- Wyard, S.J. See Searl, J.W., 2=2297
- Wyard, S.J. See Smith, R.C., 2=4258
- Wyatt, P.J. Scattering of electromagnetic plane waves from inhomogeneous spherically symmetric objects, 2=20153
- Wyatt, P.J., Stull, V.R. and Plass, G.N. Quasi-random model of band absorption, 2=22939
- Wyatt, P.J. See Stull, V.R., 2=22978
- Wybourne, B.G. Structure of f^n configurations. I. Calculation of the energy levels, 2=14295
- Wybourne, B.G. Structure of f^n configurations. II. f^8 and f^9 configurations, 2=14296
- Wycklendt, D.A. Low-frequency losses and domain boundary movements in silicon iron, 2=14777
- Wyder, P. See Cotti, P., 2=18513
- Wygal, R.J. See Naar, J., 2=17062
- Wyld, H.W., Jr and Pines, D. Kinetic equation for plasma, 2=19937
- Wylie, D.W., Shuskus, A.J., Young, C.G., Gilliam, O.R. and Levy, P.W. Electron spin resonance of radiation-induced defects in potassium azide, 2=4266
- Wyller, A.A. Rotational temperatures of C_2 , CH , AlH , MgH , and SiH in Beta Pegasi, 2=4815
- Wyller, A.A. Magneto-ionic theory for a fully ionized hydrogen plasma, 2=5483
- Wyluda, B.J. Nuclear spin-lattice relaxation time in germanium, 2=12826
- Wyluda, B.J. See Shulman, R.G., 2=12835
- Wyly, L.D., Patronis, E.T., Dulaney, H. and Braden, C.H. Beta-gamma directional correlation in the decay of Eu^{154} , 2=406
- Wyly, L.D. See Dulaney, H., 2=7945
- Wyman, L.L., Cuthill, J.R., Moore, G.A., Park, J.J. and Yakowitz, H. Intermediate phases in superconducting niobium-tin alloys, 2=21536
- Wyslocki, B. and Zietek, W. New powder patterns on the surface of a Se-Si single crystal, 2=18905
- Wyszecki, G. See Davies, W.E.R., 2=13433
- Wyszecki, G. See Stiles, W.S., 2=1246
- Wyszecki, G.W. See Stiles, W.S., 2=5135
- Xanthakis, J. The remarkably high maxima of solar activity, 2=2534
- Xuan Chuan Cao. See Cao Xuan Chuan.
- Xuan Yam Kham. See Kham Xuan Yem.
- Xuong Huu Nguyen. See Nguyen Huu Xuong.
- Yaakobi, D. See Rosen, N., 2=7119
- Yablokov, Yu.V. See Yafaev, N.R., 2=21376
- Yafaev, N.R. and Yablokov, Yu.V. Electron spin resonance of Ti^{3+} in some silicate and phosphate glasses, 2=21376
- Yabroff, I. Computation of whistler ray paths, 2=4632
- Yachenko, N.G.D'. See D'yachenko, N.G.
- Yada, K. See Hibi, T., 2=4512
- Yadaka, H., Harada, T. and Hirahara, E. Electrical resistivity of chromium modified manganese telluride, 2=18700
- Yadavalli, S.V. The penetration of an electron beam through a plasma. I. General considerations — amplification and overstability, 2=116
- Yadavalli, S.V. On a kinetic equation for and the dynamical friction of a particle in a plasma — a phenomenological approach, 2=116
- Yaek, I.V. Investigation of the efficiency of recombination luminescence of alkali halide phosphors, 2=23625
- Yáek, I.V. See Lushchik, Ch.B., 2=16848
- Yafet, Y. Hyperfine interaction due to orbital magnetic moment of electrons with large g factors, 2=2306
- Yafet, Y. See Bowers, R., 2=23637
- Yaffe, L. See Drouin, J.R.S., 2=16360
- Yaffe, L. See Friedlander, G., 2=22769
- Yagi, K., Katori, K., Ohnuma, H., Hashimoto, Y. and Nogami, Y. Experiment on elastic scattering of protons by O^{18} , 2=16397
- Yagi, K. Analysis of elastic scattering of protons by O^{18} and the energy levels of F^{19} , 2=16398
- Yagi, M. Variation of the derivative curve of symmetric multiplet line by modulation effect in magnetic resonance absorption, 2=421
- Yaggy, L.S. See Ertuhov, V., 2=1490
- Yaglom, A.M. Some mathematical models generalizing the model of homogeneous and isotropic turbulence, 2=24013
- Yagoda, H. and Filz, R. Emission of carbon group heavy nuclei from 3+ solar flare, 2=13901
- Yagudina, F.R. See Adamovich, M.I., 2=304
- Yagudina, F.R. See Adamovich, M.I., 2=5713
- Yahagi, E. and Yamashita, E. Millimeter wave determination of plasma electron density, 2=1443
- Yahola, H.K. and Bohatyr'ov, Ye.Ye. Determination of the paramagnetic resonance frequency ratio of lithium nuclei and protons, 2=17489
- Yai' U-Guan. See Alfimenkov, V.P., 2=14357
- Yai' U-Guan. See Alfimenkov, V.P., 2=14358
- Yajima, N. See Daiyasu, K., 2=11968
- Yakel, H.L. High-temperature X-ray diffraction study of the order-disorder transition in a Cu-32.2 atomic percent gold alloy, 2=170
- Yakel, H.L. See Harris, L.A., 2=17020
- Yakel, H.L., Jr. See Tracy, J.W., 2=15023
- Yakhkind, É.Z. See Lisavskii, Yu.V., 2=23403
- Yakhontova, V.E. Experimental determination of the cross-sections of excitation of the 2^1S-n^1P series lines of helium by electron impact, 2=16474
- Yakimenko, V.L. Oscillations in a cold plasma containing two ion species, 2=20008
- Yakobson, M.A. See Gross, E.F., 2=14716
- Yakov, G.P.D'. See D'yakov, G.P.
- Yakovenko, V.M. Transition radiation in a plasma with account of temperature, 2=22207
- Yakovenko, V.M. See Kaner, É.A., 2=9588

- akovlev, B.M. See Vladimirskii, V.V., 2=20081
 akovlev, E.N. On the application of retarded and advanced Green functions in the theory of ferromagnetism, 2=12758
 akovlev, E.N. On the application of retarded and advanced Green functions in the theory of ferromagnetism, 2=14767
 akovlev, E.N. The attenuation of spin-waves interacting with phonons, 2=21298
 akovlev, E.N. Resonance absorption of spatially inhomogeneous electromagnetic radiation in ferromagnetics, 2=21352
 akovlev, E.N. See Tyablikov, S.V., 2=21297
 akovlev, E.N. See Tyablikov, S.V., 2=23641
 akovlev, K.A., Pankrushina, D.K. and Basin, Yu.G. A device for measuring pulse power, 2=19871
 akovlev, K.I. See Gromov, K.Ya., 2=14049
 akovlev, L.A. See Merkulov, L.G., 2=23061
 akovlev, V.A. Light absorption by electrons of nonmetallic crystals in an electric field, 2=688
 akovlev, V.A. The theory governing the conductivity of electrons in the narrow bands of semiconductors in a strong electric field, 2=10452
 akovlev, V.A. Low-temperature absorption of light by current carriers in some semiconductors, 2=18803
 akovlev, V.A. See Kaliamin, A.V., 2=3520
 akovlev, V.F. See Perepechko, I.I., 2=7256
 akovlev, V.I. See Chernov, V.N., 2=11210
 akovlev, V.I. See Nikolsky, S.I., 2=22673
 akovlev, Yu.M. Excitation of spin waves by local magnetic surface inhomogeneities, 2=18934
 akovlev, Yu.M. See Lebed', B.M., 2=21354
 akovlev, Yu.P. See Gorichev, P.A., 2=22860
 akovleva, E.S. The mechanism of the initial stage of [plastic] deformation, 2=8723
 akovleva, R.S. The mechanism of the initial state of deformation, 2=23753
 akovleva, T.V., Petrov, A.V. and Zavgorodnii, V.S. Vibrational spectra and structure of ene-yne stannohydrocarbons, 2=16547
 akowitz, H. and Cuthill, J.R. Annotated bibliography on soft X-ray spectroscopy, 2=21256
 akowitz, H. See Wyman, L.L., 2=21536
 akunin, M.I. See Gorodyskii, V.A., 2=1829
 akunin, M.I. See Petrzhak, K.A., 2=3502
 allop, B.D. Coronal line widths and the "solar wind", 2=7009
 amabe, S., Takeda, M., Kondo, M., Kato, S., Yamazaki, Y., Takahashi, N., Kawai, N. and Chiba, R. Scattering and polarization of 57 MeV protons, 2=16399
 amada, N. See Kobayashi, J., 2=18795
 amada, O. Two effects of changes in tension, 2=12699
 amada, O. Increase of the initial susceptibility of Fe-Ni alloys due to changes of stress, 2=18911
 amada, O. The change in magnetization produced by a change of stress in FeNi alloys, 2=21330
 amada, S. The detection of low activity in aqueous solution using Cerenkov radiation, 2=16338
 amada, S. On the electrical and optical properties of n-type cadmium telluride crystals, 2=1720
 amada, T. and Soezima, Y. Accuracy of residual stress measurement by X-ray back-reflection technique, 2=4318
 amada, Y. See Mitsuishi, A., 2=2218
 amada, Y., Mitsuishi, A. and Yoshinaga, H. Transmission filters in the far-infrared region, 2=1259
 amagata, T. See Fidecaro, M., 2=9840
 amagata, T. See Fidecaro, M., 2=22506
 amagata, Y. See Itoh, J., 2=10720
 amaguchi, H. See Nonaka, I., 2=498
 amaguchi, J. See Akiyama, K., 2=14955
 amaguchi, S. Theory of the optical properties of very thin inhomogeneous films, 2=6550
 amaguchi, S. The magnetism of a thin film of nickel, 2=6662
 amaguchi, S. Observation of the magnetic anisotropy and the compensation point of magnetite, 2=8619
 amaguchi, S. Ferrimagnetic structure of a magnetite crystal as revealed by electron diffraction, 2=8659
 amaguchi, S. Study of the magnetic structure of magnetite by electron diffraction, 2=10676
 amaguchi, S. Electron diffraction study of the ferrimagnetic structure of Fe_3O_4 , 2=10876
 amaguchi, S. Determination of the magnetic axis of an iron crystal by an electron beam technique, 2=14796
 amaguchi, S. Magnetic orientation of spins in Fe_3O_4 crystals, 2=18895
 amaguchi, S. Wavelength perturbation in electron diffraction for magnetic analysis, 2=20091
 Yamaguchi, S. The optical absorption of heat treated very thin silver films and its dependence on the angle of incidence, 2=21246
 Yamaguchi, S., Watanabe, D. and Ogawa, S. Study on anti-phase domains in Cu_3Au by means of electron diffraction and electron microscopy, 2=17047
 Yamaguchi, T. and Hosoi, A. Grain growth of ferrite time- and temperature-sequences of microstructure of ZnFe_2O_4 , 2=4479
 Yamaka, E. and Barnes, R.G. Paramagnetic resonance of the cobalt ion in rutile single crystal, 2=8668
 Yamakawa, H. Concentration dependence of the frictional coefficient of polymers in solution, 2=13332
 Yamamoto, G. Numerical method for estimating the stratospheric temperature distribution from satellite measurements in the CO_2 band, 2=2471
 Yamamoto, G. Direct absorption of solar radiation by atmospheric water vapor, carbon dioxide and molecular oxygen, 2=17143
 Yamamoto, H. See Ohnuki, Y., 2=11912
 Yamamoto, K. Proof of partial-wave dispersion relations for pion-pion and nucleon-nucleon scatterings in perturbation theory, 2=7893
 Yamamoto, K. Some analytic properties of absorptive part of scattering amplitude, 2=9803
 Yamamoto, K. Physical meaning of redundant poles of S-matrix, 2=11879
 Yamamoto, K. and Tsuchiya, M. Electric characteristics of gamma-rays irradiated shielding window glass, 2=23255
 Yamamoto, K. See Miyajima, S., 2=22192
 Yamamoto, K. See Miyajima, S., 2=22193
 Yamamoto, K. See Tanaka, T., 2=19907
 Yamamoto, M. Temperature distribution around the rest or moving solid-liquid interface in a rod, 2=805
 Yamamoto, M. Temperature distribution around the resting or moving solid-liquid interface in a rod, 2=19052
 Yamamoto, M. and Miyasawa, R. Ferromagnetic behavior and its dependence on the crystal orientation and on the method of demagnetization in single crystals and a polycrystal of 0.5% aluminum iron, 2=10648
 Yamamoto, M. and Nakamichi, T. Composition, temperature and ordering dependence of the magnetostriction in nickel-rich nickel-manganese alloys, 2=14792
 Yamamoto, M. and Taniguchi, S. Weak field behaviour of the ΔE effect in ferromagnetic cubic solid solution alloys, 2=12786
 Yamamoto, M. See Iwata, M., 2=2280
 Yamamoto, M. See Maeda, H., 2=6962
 Yamamoto, M. See Maeda, H., 2=17218
 Yamamoto, M. See Sumino, K., 2=23763
 Yamamoto, R.K. See Chretien, M., 2=22610
 Yamamoto, S. Growth of KCl whiskers from solution, 2=4395
 Yamamoto, S. Growth of KCl whiskers on a moistened crystal, 2=4396
 Yamamoto, S. Growth rate of KCl whiskers from solution, 2=4397
 Yamamoto, S. An X-ray study of KCl whiskers, 2=10805
 Yamamoto, S.S. See Bertanza, L., 2=20424
 Yamamoto, S.S. See Bertanza, L., 2=22652
 Yamamoto, S.S. See Hart, E.L., 2=9889
 Yamamoto, S.S. See Luers, D., 2=1720
 Yamamoto, S.S. See Luers, D., 2=22615
 Yamamoto, S.S. See Luers, D., 2=22629
 Yamamoto, T. Muon pair creation by a high energy electron, 2=9882
 Yamamoto, Y. See Ishida, K., 2=7238
 Yamanouchi, T. See Mellisinos, A.C., 2=5710
 Yamamura, M. See Marumori, T., 2=20488
 Yamamura, Y. See Nishigake, M., 2=11680
 Yamamura, Y. See Yamanaka, C., 2=9308
 Yamamura, Y. See Yamanaka, C., 2=19601
 Yamanaka, C., Wada, H. and Yamamura, Y. The electron and ion temperatures in shock tubes measured by the pulse probe methods and the streak photography, 2=9308
 Yamanaka, C. and Yamamura, Y. Electro-magnetically driven shock wave in argon. II, 2=19601
 Yamanaka, C. See Nishigaki, M., 2=11680
 Yamanouchi, C. See Sasaki, W., 2=23395
 Yamanouchi, Y. See Maki, T., 2=20665
 Yamaoka, M. See Tao, K., 2=11805
 Yamasaki, K. The crystal structure and lattice energy of halogen molecules, 2=21512
 Yamashita, E. See Yahagi, E., 2=1443
 Yamashita, H., Ibuki, S., Yoshizawa, M. and Komiya, H. Electro-luminescence of CdS single crystal, 2=2262
 Yamashita, J. See Hasegawa, A., 2=16689
 Yamashita, S. Angular distributions of alpha-particles from F^{19} , Al^{27} and P^{31} bombarded with protons, 2=3572
 Yamashita, S. See Kimura, K., 2=15970
 Yamashita, S. See Nakamura, T., 2=5913

- Yamashita, S. See Yanabu, T., 2=8007
 Yamashita, S. See Yanabu, T., 2=16425
 Yamashita, T. Electrical properties of dielectric films and sensitivity of dielectric bolometer. I. The effects of temperature and moisture content, 2=2930
 Yamashita, T. and Taneda, Y. Transmission electron microscopic observations of dislocations resulting from allotropic transformation of pure iron, 2=10398
 Yamazaki, K. See Mitter, H., 2=9476
 Yamazaki, T., Ikegami, H. and Sakai, M. Decay of Y^{66} and excited states in Sr^{68} , 2=5855
 Yamazaki, T., Ohnuma, H., Hashimoto, Y., Fujioka, M., Takekoshi, E., Hashizume, A., Ikegami, H. and Sakai, M. New radioactivity 43 min yttrium-84, 2=20571
 Yamazaki, T. See Ikegami, H., 2=10022
 Yamazaki, T. See Sakai, M., 2=20567
 Yamazaki, T. See Yamake, S., 2=16399
 Yamdagni, N.K. See Bhowmik, B., 2=1726
 Yamdagni, N.K. See Bhowmik, B., 2=5742
 Yamdagni, N.K. See Bhowmik, B., 2=18188
 Yamnitskii, V.A. See Zeidlits, P.M., 2=13613
 Yamshchikov, M.A. See Kocharov, G.E., 2=16089
 Yamzin, I.I. and Nozik, Yu.Z. Adjustment of single-crystal specimens for neutron diffraction studies, 2=4519
 Yan' Bei Guan. See Guan Bei Yan'
 Yanabu, T. (d, α) reactions on O^{16} , N^{14} and C^{12} by 14.7 MeV deuterons, 2=3609
 Yanabu, T. See Kimura, K., 2=15970
 Yanabu, T., Yamashita, S., Nakamura, T., Takamatsu, K., Masaike, A., Kakigi, S., Dai Ca Nguyen and Takimoto, K. $O^{16}(d, \alpha)N^{14}$ reaction with deuterons near 15 MeV, 2=8007
 Yanabu, T., Yamashita, S., Nakamura, T., Takamatsu, K., Masaike, A., Kakigi, S., Dai Ca Nguyen and Takimoto, K. $Al^{27}(d, \alpha)Mg^{25}$ reaction at 14.7 MeV, 2=16425
 Yanabu, T. See Nakamura, T., 2=5913
 Yanada, T. See Kojima, M., 2=10604
 Yanagawa, S. Excitation spectrum of a fermion system, 2=13278
 Yanase, A. Mechanism of disaccommodation in ferrite, 2=16921
 Yanchevskaya, I.S. See Ioffe, V.A., 2=21207
 Yanchevskaya, I.S. See Ioffe, V.A., 2=21208
 Yang, C.N. See Lee, T.D., 2=16145
 Yang Yeh Hsin. See Hsin Yang Yeh.
 Yang, C.N. See Lee, T.D., 2=3312
 Yang, C.N. See Rose, M.E., 2=4912
 Yang, C.N. See Treiman, S.B., 2=13750
 Yang, C.-P. Thermodynamic functions of a Fermi system of dilute hard spheres at temperatures near absolute zero, 2=19466
 Yang, J.W. See Hsiao, C.C., 2=21438
 Yang Kuo-Shen. See Liu Han-Chou, 2=1780
 Yankevych, V.F. and Bezruchko, I.V. Spectral analysis, local in depth, 2=19179
 Yankov, V.V. Deformation of a conducting fluid sphere under the influence of a magnetic field, 2=9703
 Yankov, V.V. Behaviour of a high-pressure electric arc, 2=17809
 Yano, K. See Hikosaka, T., 2=13048
 Yano, S. See Komaki, A., 2=12837
 Yanovitskii, E.G. Diffuse reflection and transmission of light by a plane layer of an inhomogeneous medium with anisotropic scattering, 2=21991
 Yanovit'skiĭ, E.H. Approximate formulae for the intensity of diffuse radiation emitted by a plane layer of a turbid medium, 2=21855
 Yao Ch'ing-Hsieh. See Barashenkov, V.S., 2=1869
 Yao Tsu. See Tsu Yao.
 Yao, Y.L. A note on diffusion in metals, 2=14455
 Yaqub, M. and Hohenemser, C. Resonance absorption of gamma rays in normal and superconducting tin, 2=19819
 Yaramis, B. Differential cross sections for $O^{16}(d, n)F^{17}$, 2=491
 Yaramis, B. Investigation on the angular distribution of protons from the $Al^{27}(\alpha, p)Si^{30}$ -reaction, 2=16437
 Yarba, V.A. See Batusov, Yu.A., 2=310
 Yaris, R. and Sams, J.R., Jr. Quantum treatment of the physical adsorption of isotopic species, 2=19117
 Yariv, A. Continuous operation of a $CaF_2:Dy^{2+}$ optical maser, 2=23550
 Yariv, A. and Louisell, W.H. Transition probability due to random perturbations, 2=2638
 Yariv, A., Porto, S.P.S. and Nassau, K. Optical maser emission from trivalent praseodymium in calcium tungstate, 2=18815
 Yariv, A. See Boyd, G.D., 2=14667
 Yariv, A. See Louisell, W.H., 2=1046
 Yariv, A. See Porto, S.P.S., 2=16812
 Yaron, I. and Hasson, D. Heat transfer by forced convection between a free liquid sheet and air in crossflow, 2=15788
 Yaroshenko, Yu.N. See Dunaev, F.N., 2=23673
 Yaroshetskii, I.D. See Konovalenko, B.M., 2=18578
 Yaroshetskii, I.D. See Rývkin, S.M., 2=8436
 Yaroshetskii, I.D. See Rývkin, S.M., 2=23339
 Yaroshetskii, I.D. Concerning the temperature dependence of the yield-point in armco-iron, 2=8735
 Yaroshevich, V.D. See Davidenkov, N.N., 2=2324
 Yaroshevich, V.D. See Davidenkov, N.N., 2=12929
 Yaroshevich, V.D. See Davidenkov, N.N., 2=15068
 Yaroslavskii, N.G. See Stanevich, A.E., 2=1149
 Yaroslavskii, N.G. See Stanevich, A.E., 2=5023
 Yaroslavskii, M.I. See Khramov, L.V., 2=1222
 Yaravaya, R.G. See Shklyarevskii, I.N., 2=10569
 Yarov-Yarovoi, M.S. The application of Hansen's ideal coordinates, 2=933
 Yarwood, J. [Conf. rep.]. The second International Congress of the International Organization for Vacuum Science and Technology (I.O.V.S.T.), Washington, D.C., U.S.A., October 1961, 2=5076
 Yarwood, J. Symposium on some aspects of vacuum science and technology, London, January, 1962, 2=17515
 Yarygin, A.V. See Shafer, Yu.G., 2=9942
 Yashchin, E.G. See Fain, V.M., 2=1587
 Yashchin, E.G. See Fain, V.M., 2=22329
 Yashima, H., Ando, S. and Muranishi, Y. Automatic exposure control for the aurora spectrograph, 2=4673
 Yashin, D.A. See Komar, A.P., 2=1636
 Yashkov, B.Ya. See Barkhatov, A.N., 2=5119
 Yaskolko, V.Ya. See Nosenko, B.M., 2=23623
 Yastrebov, V.D. See El'yasberg, P.E., 2=8983
 Yasuda, H. The kinematics of high velocity stars and a galactic form Kz, at a larger distance from the galactic plane, 2=6978
 Yashura, M. Axi-symmetric viscous flow past very slender bodies of revolution, 2=21926
 Yasukochi, K. See Kanematsu, K., 2=16891
 Yasuno, M. See Ishihara, T., 2=1669
 Yasuno, M. See Marumori, T., 2=1768
 Yasuoka, H., Hirai, A., Matsuura, M. and Hashi, T. Hyperfine field at Fe^{57} in lithium ferrite measured by N.M.R., 2=18962
 Yasuoka, H. See Matsuura, M., 2=21387
 Yates, B. and Hoare, F.E. Small scale hydrogen liquefaction, 2=746
 Yates, B. and Panter, C.H. Thermal expansion of alkali halides at low temperatures, 2=18534
 Yates, D.J.C. See Plyler, E.K., 2=17685
 Yates, E.C. See Cline, J.E., 2=5846
 Yates, M.J.L., Eccleshall, D. and Adams, B.M. Oxygen ion Coulomb excitation in Ru^{102} , Ru^{104} , Pd^{106} , Cd^{112} and Cd^{114} , 2=1819
 Yates, M.J.L. See Adams, B.M., 2=1818
 Yates, M.J.L. See Eccleshall, D., 2=12140
 Yates, M.J.L. See Eccleshall, D., 2=22740
 Yatirajam, V. See Lele, C.G., 2=6096
 Yatsenko, A.F. Temperature dependence of the infrared absorption spectra of $BaTiO_3$, $PbTiO_3$ and $PbZrO_3$, 2=14682
 Yatsenko, A.F. and Popova, T.P. Some electric properties of barium titanate doped with rare-earth elements, 2=14619
 Yatsenko, A.F. and Rabkin, L.M. Probing the lattice field of $BaTiO_3$ with rare earth ions, 2=14353
 Yatsenko, A.F., Kulyupin, Yu.A. and Rabkin, L.M. Discrete structures: the fundamental absorption edge of sodium nitrite, 2=16824
 Yatsenko, A.F., Kulyupin, Yu.A. and Rabkin, L.M. Discrete structures: the fundamental absorption edge of sodium nitrite, 2=18828
 Yatsenko, A.F. See Myasnikova, T.P., 2=16833
 Yatsenko, A.F. See Myasnikova, T.P., 2=18841
 Yatsenko, N.D. See Strelets, P.L., 2=14616
 Yatsenko, S.P. The ionization of gases entrained by a satellite in the upper atmosphere layers, 2=9130
 Yatsiv, S. Spontaneous emission of phonons and spectral line widths of some rare earth ions in crystals, 2=12591
 Yatsuk, K.P. and Shestopalov, V.P. The resonator variant of the helvague method for measuring the permittivity of a substance at ultrahigh frequencies, 2=19880
 Yatsunskii, I.M. Determination of illumination conditions and period of an artificial satellite in shadow and in sunlight, 2=9122
 Yatsunskii, I.M. and Gurko, O.V. Variation in the albedo of Sputnik under the influence of external factors, 2=9126
 Yau Wu. Matrix probability theory of free-molecule flow, 2=5034
 Yavin, A.I. See Cheifetz, E., 2=18341
 Yavor, I.P. A rectangular Wilson chamber, 2=18035
 Yavor, I.P. See Komar, A.P., 2=16388
 Yavor, S.Ya. and Silad'i, M. Production of a uniform magnetic field: a rectangular solenoid of finite length, 2=7712
 Yavor, S.Ya. See Kel'man, V.M., 2=17889
 Yavorskii, B.M. Principles of molecular amplification and the generation of coherent light, 2=13677

- Yavorskii, B.M. See Rydnik, V.I., 2=11902
- Yazawa, K.M. Study of the surface structure of barium getter deposited film by an electron microscope, 2=840
- Yazvitsky, Yu. See Džhelepov, B.S., 2=5865
- Yazvitsky, Yu. See Džhelepov, B.S., 2=5866
- Ybarrondo, L.J. and Sunderland, J.E. Effects of surface heat transfer on the performance of a thermoelectric generator, 2=19890
- Yeager, E. Fuel cells, 2=1378
- Yearian, M. See Frankel, S., 2=13831
- Yeater, M.L., Hockenbury, R.W. and Fullwood, R.R. Eta of U^{233} from 1 to 800 eV, 2=6008
- Yee, K.S. See Logan, N.A., 2=7744
- Yeffseyev, W.S., Komarov, W.I., Kusch, W., Roganov, W.S., Tchernogorova, W.A. and Szymczak, M. Asymmetry in the angular distribution of the neutrons emitted in the μ^- -meson capture process in calcium, 2=14122
- Yefimov, O.I. See Gridnyev, V.B., 2=8233
- Yegorov, A.M. See Lifshits, Ye.V., 2=19984
- Yegorov, L.B. See Ignatenko, A.E., 2=14232
- Yeh, K.C. and Swenson, G.W., Jr. Observed field strength variations in the neighbourhood of the skip distance, 2=894
- Yeh, T.H. Thermal oxidation of silicon, 2=21584
- Yeh Yang Hsin. See Hsin, Yang Yeh.
- Yelon, A., Asik, J.R. and Hoffman, R.W. Fiber texture and magnetic anisotropy in evaporated iron films, 2=8624
- Yen, J.T. See Chang, C.C., 2=20129
- Yen Wu-kuang. See Yai' U-Guan, 2=14357
- Yen Wu-kuang. See Yai' U-Guan, 2=14358
- Yen, Y.C. Effective thermal conductivity of ventilated snow, 2=13003
- Yennie, D.R. See Feshbach, H., 2=20602
- Yerazunis, S., Bartlett, J.W. and Nissan, A.H. Packing of binary mixtures of spheres and irregular particles, 2=19388
- Yerko, V.F., Lifshits, Ye.V., Kononov, V.H., Dubinskii, I.H. and Bugalo, N.I. Spectral analysis of magnesium-beryllium alloys, 2=19175
- Yerko, V.F. See Lifshits, Ye.V., 2=19177
- Yermakov, O.N. See Abov, Y.G., 2=14031
- Yermolov, P.F. See Džhelepov, V.P., 2=14231
- Yesel'son, M.P. See Mal'nyev, A.F., 2=1269
- Yesel'son, M.P. See Mal'nyev, A.F., 2=17626
- Yeung, K.F. See Montgomery, D.J., 2=21241
- Yildiz, A. On the damping of a multilayer plate, 2=7271
- Yin, L.I., Sund, R.E., Arns, R.G. and Wiedenbeck, M.L. Decay of Nb^{94} and Nb^{95m} , 2=16351
- Yin shih-tuan. See In' shi-duan'.
- Yin Shih-tuan. See In' Shi-duan', 2=14500
- Yip, S. and Zweifel, P.F. Escape-probabilities in asymptotic reactor theory, 2=6024
- Yntema, J.L. The (α, t) reaction on nuclei, 2=1927
- Yntema, J.L. (d,t) reaction on the titanium isotopes, 2=20670
- Yntema, J.L., Braid, T.H., Zeidman, B. and Broek, H.W. The (d,He³) reaction near Z = 28, 2=1916
- Yntema, J.L. and Ostrander, H.W. The argonne 60-In. Scattering chamber, 2=20074
- Yntema, J.L. See Braid, T.H., 2=1876
- Yntema, J.L. See Broek, H.W., 2=1924
- Yntema, J.L. See Broek, H.W., 2=12218
- Yntema, J.L. See Macfarlane, M.H., 2=1914
- Yntema, J.L. See Zeidman, B., 2=1915
- Yntema, J.L. See Macfarlane, M.H., 2=16432
- Yoccoz, J. Report on the excited levels of O^+ , 2=375
- Yoccoz, J. See Gorodetzky, S., 2=376
- Yoccoz, J. See Radvanyi, P., 2=1892
- Yoccoz, J. See Suffert, M., 2=483
- Yockey, H.P. See Gilliland, J.W., Jr., 2=14759
- Yoda, E. Intensity increase of Kikuchi lines during electron bombardment, 2=8819
- Yoda, E. and Siegel, B.M. Reduction of contamination in reflection electron diffraction, 2=10831
- Yoder, N.R. and Signell, P. Evidence for quadratic spin-orbit interaction, 2=3453
- Yoder, P.R., Jr. See Scidmore, W.H., 2=90
- Yoder, P.R., Jr. See Shenker, M., 2=17596
- Yodh, G.B. See Deahl, J., 2=1712
- Yonezawa, M. See Hoshizaki, N., 2=16151
- Yoganarasimhan, S.R. Studies on the brookite-rutile transformation, 2=10779
- Yokoi, H. See Kanaya, S., 2=3174
- Yokoi, K. See Aizu, H., 2=22664
- Yokoi, K. See Akashi, M., 2=12083
- Yokomi, H. See Daiyasu, K., 2=11968
- Yoko-o, Y. See Sunakawa, S., 2=11305
- Yoko-o, Y. See Sunakawa, S., 2=11306
- Yoko-o, Y. See Sunakawa, S., 2=19468
- Yokosawa, A. See McKeever, R., 2=20047
- Yokota, I. On the theory of mixed conduction with special reference to the conduction in silver sulfide group semiconductors, 2=2171
- Yokota, I. On the coupling between optical lattice vibrations and carrier plasma oscillations in polar semiconductors, 2=10319
- Yokoyama, K. Another possible model of quantum field theory with indefinite metric, 2=1648
- Yokoyama, K. On a convergent model of quantum field theory with indefinite metric. II, 2=11855
- Yokoyama, M. Absorption studies of metastable mercury atoms in argon-mercury discharge afterglows, 2=3686
- Yokozawa, Y. Temperature dependence of magnetic resonance absorption in polycrystalline carbons and graphite, 2=18940
- Yoldi, M. Azpiroz. See Azpiroz Yoldi, M.
- Yoneda, Y. The boundary effect of reflected X-rays at ground quartz plate, 2=10953
- Yoneda, Y. New emission X-ray microscope, 2=13624
- Yonemitsu, H. See Hasiguti, R.R., 2=2175
- Yonemura, G.T. Luminance threshold as a function of angular distance from an inducing source, 2=21762
- Yonemure, M. See Kotera, Y., 2=8571
- Yonezawa, T. and Takahashi, H. On the electron and ion density distributions from the lower up to the uppermost part of the F region, 2=9006
- Yonezawa, T. See Takahanagi, K., 2=4671
- Yoo, S.J. and Kinsinger, J.B. Unperturbed dimensions of linear atactic polymers, 2=8139
- York, C.M. See Charpak, G., 2=1700
- York, C.M. See Clark, G.L., 2=16813
- Yoshida, H. See Komaki, A., 2=12837
- Yoshida, H. See Tamura, T., 2=10005
- Yoshida, I. and Sawada, S., Thermal conductivity of sodium nitrite, 2=3858
- Yoshida, I. See Asao, Y., 2=12498
- Yoshida, K. See Fukuda, Y., 2=16594
- Yoshida, M. See Hukuo, N., 2=11522
- Yoshida, S. Note on the two-nucleon stripping reaction, 2=1856
- Yoshida, S. Note on the two-nucleon stripping reaction, 2=18311
- Yoshida, S. and Hatanaka, T. The disturbance of exosphere as seen from the v.l.f. emission, 2=17159
- Yoshida, S., Matuura, N. and Nagata, T. Correlation between the outer radiation belt and solar-geophysical phenomena, 2=15267
- Yoshie, T. See Hagihara, S., 2=11963
- Yoshihara, K. Properties of pneumatic infra-red detector (II), 2=9450
- Yoshihara, K. See Kamiya, K., 2=2932
- Yoshikawa, M. Longitudinal oscillations in a neutralized electron beam with a boundary, 2=211
- Yoshikawa, S. and Rose, D.J. Anomalous diffusion of a plasma across a magnetic field, 2=7602
- Yoshikawa, S. See Lidsky, L.M., 2=17794
- Yoshimatsu, M. Observations of the polygonization of bent LiF crystals by the Berg-Barrett method, 2=3921
- Yoshimatsu, M., Suzuki, T., Kobayashi, T. and Kohra, K. Loop shaped images observed in X-ray diffraction micrographs of silicon single crystals, 2=15113
- Yoshimatsu, M. See Kohra, K., 2=16662
- Yoshimi, Y. See Kawai, T., 2=4290
- Yoshimine, M. See Clementi, E., 2=22888
- Yoshimura, A. See Katase, A., 2=20341
- Yoshinaga, H. See Ikegami, S., 2=23515
- Yoshinaga, H. See Mitsuishi, A., 2=2218
- Yoshinaga, H. See Mitsuishi, A., 2=21252
- Yoshinaga, H. See Yamada, Y., 2=1259
- Yoshino, T. and Tanzawa, H. Preferential adsorption by polymers dissolved in solvent mixture, 2=13330
- Yoshioka, T. The specific heat of liquid sulphur, 2=2711
- Yoshioka, T. Thermal properties of indium selenide, 2=3840
- Yoshizawa, M. See Yamashita, H., 2=2262
- Yoshizawa, Y. See Katoh, T., 2=12176
- Yoshizawa, Y. See Katoh, T., 2=12177
- Yoshizawa, Y. See Katoh, T., 2=18253
- Yoshizawa, Y. See Ruan, J., 2=5854
- Yoshizawa, Y. See Ruan, J., 2=18255
- Yoshizawa, Y. See Sugawara, A., 2=7435
- Yoshizawa, Y. See Sugawara, A., 2=23906
- Yosida, K. See Miwa, H., 2=4198
- Yosida, T. and Ikeda, K. Some remarks on the theory of condensation. Generalized ring and generalized netted chain approximations, 2=15810
- Yosihara, K. Properties of pneumatic infra-red detector. I, 2=2931
- Yosihara, K. Pneumatic cell with rectangular aperture, 2=2933
- Young, A.D. See Luxton, R.E., 2=9298
- Young, C.G. See Wylie, D.W., 2=4266

- Young, D.A. See Moore, A.W., 2=17683
 Young, D.A. See Ubbelohde, A.R., 2=10327
 Young, F.J. and Hughes, W.F. The magnetohydrodynamic problem of an oscillating plate of finite conductivity, 2=11761
 Young, F.J. See Elco, R.A., 2=16009
 Young, F.J. See Schenk, H.L., 2=13644
 Young, F.J. See Shohet, J.L., 2=11770
 Young, F.J. See Strattan, R.D., 2=14778
 Young, F.W., Jr. On the yield stress of copper crystals, 2=6747
 Young, F.W., Jr. Etching of irradiated copper, 2=8263
 Young, G.B.W. See Pinkel, B., 2=8023
 Young, J. See Eisner, L., 2=4590
 Young, J.A. See Bludman, S.A., 2=9877
 Young, J.E. The spectrum of two-particle excitations in nuclei, 2=1788
 Young, J.E. Renormalization of the optical potential due to pairing correlations, 2=13944
 Young, J.E. Multiple scattering corrections to the optical potential, 2=20483
 Young, J.M. See Chrzanowski, P., 2=4595
 Young, J.M. See Chrzanowski, P., 2=13078
 Young, K.K. See Dobbs, J.M., 2=11995
 Young, L. Spin matrix exponentials and transmission matrices, 2=1065
 Young, L. Prediction of absorption loss in multilayer interference filters, 2=15739
 Young, L. See Masing, L., 2=15151
 Young, L.H. See Alexander, E.J., 2=13640
 Young, O.B., Wang, T.P. and Hsieh, P.C. Constancy of heavy primary cosmic rays, 2=5759
 Young, P.A. See Ditchburn, R.W., 2=8106
 Young, R.A. Observations on the pink nitrogen afterglow, 2=14287
 Young, R.A. and Clark, K.C. Excitation of the auroral green line in nitrogen afterglow, 2=4659
 Young, R.A. and Post, B. Electron density and thermal effects in alpha quartz, 2=10310
 Young, R.C. See Simpson, O.D., 2=20648
 Young, R.D. and Müller, E.W. Progress in field-emission work-function measurements of atomically perfect crystal planes, 2=1473
 Young, R.W. Can accurate measurements be made with a sound-level meter held in hand? 2=13415
 Young, T.F. See Walrafen, G.E., 2=19562
 Youngdahl, C.K. See Rosenberg, G.S., 2=16460
 Younger, M.C. and Klein, A. On the validity of the static approximation for the evaluation of the two-nucleon potential, 2=3289
 Yount, D. and Pine, J. Production of positrons with the Stanford Mark III accelerator, 2=16187
 Yousef, Y.L., Zaher, S.A., Hanafy, Z. and Salam, T.M. Dielectric behaviour of mercuric acid oxide, 2=4086
 Yovanovitch, J. The viscosity of vitreous silica, 2=832
 Ypsilantis, T. See Auerbach, L.B., 2=20393
 Ypsilantis, T. See Wiegand, C.E., 2=11962
 Yüan Jung-fang. See Yuan' Zhun-fan, 2=10097
 Yüan Jung-fang. See Yuan' Zhun-fan, 2=16227
 Yuan, L.C.L. π -production in p-p collisions at 2.1 and 1.9 BeV, 2=22561
 Yuan, L.C.L. See Baker, W.F., 2=20627
 Yuan, L.C.L. See Lindenbaum, S.J., 2=1713
 Yuan, L.C.L. See Millisinos, A.C., 2=5710
 Yüan Liu. See Liu Yüan.
 Yuan' Lyu. See Lyu Yuan'.
 Yuan' Zhun-fan. See Blokhintseva, T.D., 2=16227
 Yuan' Zhun-fan. See Chzhou dé-lin.
 Yuasa, T., Dufournaud, J., Michalowicz, A. and Poulet, M. Possibility of using a propane bubble chamber for the study of nuclear reactions due to protons produced by the Orsay synchrocyclotron, 2=5540
 Yudin, N.P. Balashov, V.V., 2=3550
 Yudin, V.A. Klepikov, N.P., 2=22590
 Yudovich, L.A. See Benkova, N.P., 2=15229
 Yugov, V.A. and D'yakov, G.P. Use of thin films for measurement of magnetostrictive and other strains, 2=14865
 Yukhnovskiy, I.R. Statistical theory of systems of interacting ions and dipole particles, 2=11301
 Yukhnovskiy, I.R. Spatial distribution of particles in the method of collective variables, 2=19462
 Yukutake, T. See Rikitake, T., 2=9043
 Yuldashev, A.A. See Asimov, A.A., 2=9845
 Yuldashev, A.A. See Do In Seb, 2=5640
 Yun, K.S. and Mason, E.A. Collision integrals for the transport properties of dissociating air at high temperatures, 2=9314
 Yun, Kwang-Sik, Weissman, S. and Mason, E.A. High-temperature transport properties of dissociating nitrogen and dissociating oxygen, 2=13372
 Yun, S.S., Beyer, R.T. and Dill, M.W. Ultrasonic absorption in an electrolytic solution with a mixed solvent, 2=13337
 Yung Ming Chen and Keller, J.B. Current on and input impedance of a cylindrical antenna, 2=16033
 Yung Wang. See Wang Yung.
 Yurasov, V.D. See Tul'chinskii, B.S., 2=19182
 Yurasova, V.E. and Sirotenko, I.G. Cathode sputtering of single crystalline spheres, 2=3097
 Yurasova, V.E. See Spivak, G.V., 2=23910
 Yur'ev, B.A. See Shevchenko, V.G., 2=3552
 Yur'ev, B.A. See Shevchenko, V.G., 2=14079
 Yur'ev, V.G. See Kolenko, E.A., 2=2750
 Yur'ev, V.G. See Pikus, G.E., 2=9537
 Yurgenson, V.A. A minimum background 4π -counter, 2=18031
 Yurkov, B.Ya. The influence of annealing on the spatial distribution of radiation damage in silicon, 2=19096
 Yurkina, K.V. See Zhurkin, B.G., 2=8330
 Yurkina, K.V. See Zhurkin, B.G., 2=10468
 Yurkina, K.V. See Zhurkin, R.G., 2=12512
 Yurkov, B.Ya. On the theory of annealing of radiation damage, 2=8266
 Yurkov, B.Ya. On the theory of annealing of radiation damage, 2=1448
 Yur'eva, E.K. See Rozhdestvenskaya, M.V., 2=4381
 Yurin, V.A. Obtaining a stable single-domain state of ferro-electrics, 2=14621
 Yurin, V.A., Baberkin, A.S., Kornilenko, E.N. and Gavrilova, I.V. Effect of gamma-radiation on the ferroelectric properties of triglycine sulphate, 2=14622
 Yurin, V.A. See Konstantinova, V.P., 2=14620
 Yurin, V.A. See Konstantinova, V.P., 2=16775
 Yurova, L.N., Polyakov, A.A. and Ignatov, A.A. New measurements of the U^{235} fission neutron age in hydrogenous substances, 2=18127
 Yurova, L.N. See Kozlova, N.V., 2=20639
 Yuryev, B.A. See Shevchenko, V.G., 2=22789
 Yus'kaev, R.A. See Telesnin, R.V., 2=16920
 Yuta, H. See Kuroyanagi, T., 2=5844
 Yutkin, M.G. See Abramov, A.I., 2=472
 Yutkin, M.G. See Abramov, A.I., 2=22826
 Yutlandov, I. See Chojnacki, S., 2=1839
 Yutlandov, I.A. See Dalkhsuren, B., 2=14023
 Yutsis, A.P., Vizbaraitė, Ya.I., Strotskite, T.D. and Bandzaitis, A.A. Multiconfigurational approximation and its convergence, 2=16466
 Yuzefovich, N.A. See Vereshchagin, L.F., 2=21946
 Zabidarov, E.I. See Sakharov, V.N., 2=1675
 Zabolotny, E.R. and Gesser, H. Reaction of active nitrogen with nitrous oxide at -196°C , 2=10972
 Zaborov, V.I. Acoustic insulation of layered flooring against shock-type noise, 2=5128
 Zabriskie, F.R. Hydrogen content of Jupiter's atmosphere, 2=11110
 Zabusky, N.J. Solutions for a nonlinear singular magnetic flux diffusion equation, 2=9583
 Zaccagnini, C. See Ronchi, L., 2=3169
 Zacharisen, D.H. See Davies, K., 2=9004
 Zachariasen, F. See Frautschi, S.C., 2=16165
 Zacharov, B. Image intensifier with electron-optical demagnification using combined electric and magnetic fields, 2=1502
 Zacharov, B. See Caldwell, D.O., 2=22611
 Zadoiff, L.N. Axisymmetric shocks in the Newtonian limit for nonrigid boundaries, 2=15629
 Zadorozhnyi, B.A. and Naboikin, Yu.V. Luminescence of systems with hydrogen bonds, 2=14703
 Zadorozhnyi, G. See Kashukeev, N., 2=10563
 Zadorozhnyi, G. See Kashukeev, N., 2=10564
 Zadorozhnyi, G. See Nadzhakov, G., 2=10562
 Zadro, M. New type of gravimeter for the study of gravitational tides, 2=8941
 Zadumkin, S.N. A new variant of the statistical electron theory of the surface tension of [solid] metals, 2=8149
 Zadumkin, S.N. A new variant on the statistical electron theory of surface tension in metals, 2=20912
 Zadumkin, S.N. Statistical electron theory of the interphase surface energy of metals on a crystal-melt boundary, 2=23909
 Zadornyy, F. See Dreyfus, B., 2=16614
 Zăgănescu, M. A generalization of dispersion relations, 2=7821
 Zagar, F. Total eclipse of the sun of 15 February 1961, 2=7001
 Zagirova, E.K. See Sudako, N.I., 2=18909
 Zago, G. See Loria, A., 2=1714
 Zagorets, P.A. and Mikhailov, G.G. An adapter for automatic measurements of absorption spectra by means of the SF-4 nonrecording spectrophotometer, 2=17624
 Zagorodnov, O.G., Fainberg, Ya.B., Egorov, A.M. and Bolotin, L.I. Frequency multiplication with a plasma "piston", 2=237

- Zagorodnov, O.G., Fainberg, Ya.B., Ivanov, B.I., Us, V.S. and Bolotin, L.I. Nonlinear effects in the propagation of electromagnetic waves in a plasma waveguide, 2=5342
- Zagorotronov, O.G. See Lifshits', Ye.V., 2=19984
- Zagoruchenko, V.A. and Vasserman, A.A. The equation of state and thermodynamic properties of methane, 2=9311
- Zagotta, W.E. See Doerner, R.C., 2=5985
- Zagrafov, V.G. A method of estimating the critical parameters for arbitrarily shaped bodies of fissile material, 2=3659
- Zagulin, V.A. See Anufriev, G.S., 2=22149
- Zagury, N. See MacDowell, S.W., 2=9917
- Zagury, N. See MacDowell, S.W., 2=11983
- Zaher, S.A. See Yousef, Y.L., 2=4086
- Zahlan, A., Heineken, F.W., Bruin, M. and Bruin, F. E.S.R. spectrum of 2, 2' dipyridyl - Na complex, 2=20862
- Zahlan, A. See Bruin, F., 2=15619
- Zahn, U., Kienle, P. and Eicher, H. Quadrupole splitting and isomeric shift of the 14.4 keV γ -line of Fe^{57} in metal-organic iron complexes. I. Ferrocene and ferricinium cation, 2=3773
- Zahn, U. See Kalvius, M., 2=18245
- Zahn, U. See Kienle, P., 2=21593
- Zahn, U. See Kienle, P., 2=21594
- Zahn, U. von. See von Zahn, U.
- Zahn, W. Electrostriction in polar liquids, 2=7227
- Zahradnik, R. See Koutecký, J., 2=16538
- Zahradnik, R. See Koutecký, J., 2=23020
- Zahringer, J. Isotope effect and abundances of inert gases in stone meteorites and on the earth, 2=19292
- Zähringer, J. See Schaeffer, O.A., 2=15360
- Zaichik, R.I. See Korsunskii, M.I., 2=19633
- Zaidel', A.N. and Korennoi, E.P. Spectral determination of the isotopic composition and concentration of lithium in solutions, 2=866
- Zaidel', A.N. and Lazeeva, G.S. Photoluminescence of solutions and crystals of gadolinium salts, 2=10616
- Zaidel', A.N., Ostrovskaya, G.V. and Petrov, A.A. Aspectroscopic method for the determination of the isotopic composition of nitrogen, 2=1971.
- Zaidel', A.N. See Zhiglinskii, A.G., 2=171
- Zaidi, M.H. See Salpeter, E.E., 2=3707
- Zaika, N.I. See Dobrikov, V.N., 2=1534
- Zaika, N.I. and Nemets, O.F. Assignments for the levels of Ti^{47-50} and Sr^{89} , 2=16333
- Zaika, N.I., Nemets, O.F. and Prokopenko, V.S. Spins and parities of Ca^{41} levels, 2=16297
- Zaika, N.I., Nemets, O.F. and Tserineo, M.A. Spins and parities of C^{13} levels, 2=16317
- Zaikin, D.A. See Belyak, V.I., 2=7926
- Zaimidoroga, O.A., Kulyukin, M.M., Pontekorvo, B., Sulyaev, R.M., Filippov, A.I., Tsupko-Sitnikov, V.M. and Shcherbakov, Yu.A. Observation of the reaction $\mu^- + \text{He}^3 \rightarrow \text{H}^3 + \mu$, 2=3369
- Zaimidoroga, O.A. See Falomkin, I.V., 2=20381
- Zaitov, F.N. See Lukantsever, Yu.L., 2=16878
- Zaitsev, A.A. See Atlaskin, N.N., 2=20075
- Zaitsev, G.P. Unified equation for plastic extension of metals, 2=8726
- Zaitsev, G.P. A single equation for the plastic extension of metals, 2=21425
- Zaitsev, S.G. Measurement of rapidly varying pressures in a gas, 2=2672
- Zaitsev, V.M. Ferromagnetic and paramagnetic Curie points in solids, 2=8599
- Zaitsev, V.P. See Ablekov, V.K., 2=17633
- Zaitseva, A.D. and Panov, Yu.N. On the measurement of the light output of plastic scintillators, 2=8585
- Zaitseva, A.D. See Anufrieva, E.V., 2=15079
- Zaitseva, A.K. and Gliberman, A.Ya. Investigation of the impurity distribution in the surface layer of n-type silicon photoelectric converter of solar energy, 2=4076
- Zaitseva, N.G., Kuznetsova, M.Ya., Levenberg, I.Yu. Pokrovskii, V.N. and Khalkin, V.A. Existence of isomeric states of Te^{116} , 2=14001
- Zaitseva, V.I., Pasynkov, R.E., Pozern, V.I. and El'gard, A.M. Dielectric properties of polarized ceramics in strong alternating electric fields, 2=14626
- Zajac, A. Degree of perfection of ice crystals determined from primary and secondary X-ray extinctions, 2=15111
- Zajec, E. See Allison, R.W., Jr., 2=1533
- Zakarchenya, B.P. See Gross, E.F., 2=4120
- Zakarchenya, B.P. See Gross, E.F., 2=8487
- Zakegeim, L.N. See Belova, A.P., 2=2126
- Zakharchenya, B.P. and Sibilev, A.I. Magneto-optical studies of crystals in strong pulsed magnetic fields. I, 2=23526
- Zakharchenya, B.P., Sibilev, A.I., Kanskaya, L.M. and Ryskin, A.Ya. Zeeman effect on B_1 and B_2 lines in the absorption spectrum of ruby in strong pulsed magnetic fields, 2=10599
- Zakharchenya, B.P. See Gross, E.F., 2=684
- Zakharchenya, B.P. See Gross, E.F., 2=18556
- Zakharchenya, B.P. See Gross, E.F., 2=20971
- Zakhar'ev, B.N., Pyatov, N.I. and Furman, V.I. Matrix elements for β -transitions, 2=3521
- Zakhar'ev, B.N. See Balashov, V.V., 2=16308
- Zakharov, A.I. An X-ray diffraction meter, 2=21498
- Zakharov, G.F. See Krasovskii, V.I., 2=12088
- Zakharova, V.M. and Kagan, Yu.M. Spectroscopic determination of ion mobilities in mixtures of rare gases, 2=1395
- Zakharova, V.M., Kagan, Yu.M. and Perel', V.I. Spectroscopic observation of the rotation of a positive column of a discharge in a magnetic field, 2=15901
- Zakharova, V.P. See Apalin, V.F., 2=1941
- Zakian, V. See Brinkworth, B.J., 2=19832
- Zakiev, Yu.É. See Amirkhanov, Kh.I., 2=4038
- Zakin, J.L. See Simha, R., 2=13341
- Zakrevskii, V.A. See Zhurkov, S.N., 2=2031
- Zakrzewski, J. and St. Lorant, S.J. A note on the stimulated decay of the Λ -hyperon, 2=20429
- Zakrzewski, J. See Jones, B.D., 2=16241
- Zakrzewski, J. See Jones, B.D., 2=22634
- Zakrzewski, J. See Sacton, J., 2=10128
- Zallesskii, A.V. Anisotropy of the magnetoresistance effect in magnetite crystals, 2=2123
- Zaleski, C.P. See Beets, C., 2=14120
- Zalewski, K. A note on the Jahn-Teller effect in the CeH_6^+ ion, 2=6194
- Zalewski, K. See Coulson, C.A., 2=16504
- Zalewski, K. See Gołebiewski, A., 2=6198
- Zalivadnyi, S.Ya. See Garber, R.I., 2=21545
- Zalkin, A., Lee, K. and Templeton, D.H. Crystal structure of CsMnF_6 , 2=19078
- Zalkin, A. See Sands, D.E., 2=21517
- Zal'tsman, E.B. Measurement of parameters of magnetodielectrics with ID-1 instrument, 2=22157
- Zalyubovskii, I.I. See Bozhko, V.P., 2=13992
- Zalyubovskii, I.I. See Val'ter, A.K., 2=443
- Zalyubovskii, I.I. See Val'ter, A.K., 2=22805
- Zalyubovskii, I.I. See Wal'ter, A.K., 2=12167
- Zamboni, F. See Rytz, A., 2=5911
- Zamchalova, E.A. See Alekseeva, K.I., 2=20451
- Zamick, L. See Corngold, N., 2=5668
- Zamorzaev, A.M. and Palistrant, A.F. Mosaics for 167 two-dimensional Shubnikov groups (three lowest orders), 2=2374
- Zandberg, É.Ya. and Ionov, N.I. Emission of positive molecular ions from heated surfaces in a vacuum, 2=3086
- Zandberg, É.Ya., Paleev, V.I. and Tontogode, A.Ya. Threshold temperature for caesium surface ionization on tungsten as a function of the caesium vapour pressure, 2=19904
- Zander, K. Measurements of the radiation resistance of transistors, 2=8389
- Zandt, T.E. Van. See Van Zandt, T.E.V
- Zankel, K.L. See Hiedemann, E.A., 2=2822
- Zanker, V. and Körber, W. Fluorescence and phosphorescence yield and lifetime measurements for dichalogeno acridines and fluoresceins, 2=13348
- Zanker, V. See Dörr, F., 2=10277
- Zanowick, R.L. and Wallace, W.E. Ferromagnetism in EuH_2 , 2=10646
- Zannoni, G. See Fasoli, U., 2=12169
- Zannoni, G. See Manduchi, C., 2=12170
- Zannoni, G. See Manduchi, C., 2=20559
- Zanowick, R.L. and Wallace, W.E. Constitution and magnetic susceptibilities of vanadium-hydrogen alloys, 2=12922
- Zapata, R.N., Parker, H.M. and Bodine, J.H. Performance of a supersonic molecular beam, 2=3800
- Zapesochnyi, I.P. and Dashchenko, A.I. An oscillographic method of studying optical excitation functions, 2=18423
- Zapesochnyi, I.P. and Kishko, S.M. Excitation functions of nitrogen and carbon monoxide molecules in encounters with electrons, 2=16515
- Zapisochnyi, I.P., Kishko, S.M., Shevera, V.S., Fel'tsan, P.F. and Shimon, L.L. A spectroscopic study of the excitation functions of atoms and molecules, 2=18424
- Zapesochnyi, I.P. and Shevera, V.S. Fine structure of excitation functions of some Cd lines, 2=12289
- Zapesochnyi, I.P. and Shevera, V.S. Fine structure of excitation functions of some Cd lines, 2=14192
- Zapevalov, V.A. See Bogdankevich, O.V., 2=16387

- Zapishchnyi, I.P. and Shevera, V.S. The excitation functions of the visible triplet of cadmium $6^3P_{012} - 6^3S_1$, 2=8065
- Zappa, L. See Bisi, A., 2=18097
- Zareba, A. On β conductivity in germanium (conductivity of germanium induced by electron bombardment), 2=14531
- Zarechnyuk, O.S. See Gladyshevskii, E.I., 2=4466
- Zarembo, N.E. See Zhukovskii, V.I., 2=16990
- Zarembo, L.K. Nonlinear distortion of plane waves in a non-dissipative medium, 2=5090
- Zaretskii, D.F. and Novikov, V.M. Theory of nuclear excitations by muons in heavy mesic atoms, 2=1908
- Zaretskii, D.F. and Novikov, V.M. Excitation of nuclei in heavy μ -mesic atoms, 2=362
- Zaretskii, D.F. and Novikov, V.M. Fission induced by muons, 2=511
- Zaretskii, D.F. and Novikov, V.M. Excitation of collective nuclear levels in heavy μ -mesic atoms, 2=10232
- Zaretskii, D.F. and Novikov, V.M. Excitation of nuclei in heavy μ -mesic atoms, 2=22721
- Zaretskii, D.F. and Urin, M.G. Low-lying levels of negative parity in nonspherical nuclei, 2=10006
- Zaretskii, D.F. and Urin, M.G. The nature of collective levels in nonspherical nuclei, 2=22726
- Zaretsky, D.F. See Urin, M.G., 2=13977
- Zarić, Z. A criterion for optimizing the reactor fuel element geometry, 2=3645
- Zarichny, J. See Pfeffer, R.L., 2=15186
- Zaripov, M.M. See Valiev, K.A., 2=9289
- Zaripov, M.M. See Vinokurov, V.M., 2=4252
- Zaripov, M.M. See Vinokurov, V.M., 2=4260
- Zaripov, M.M. See Vinokurov, V.M., 2=21360
- Zarnowiecki, K. and Szulc, P. A photoneutron source for start-up of the WWR-S reactor, 2=1950
- Zarubin, I.A. See Andrejev, E.M., 2=3229
- Zarubin, I.A. See Andreev, E.M., 2=18041
- Zarudiansky, A. See Pech, M., 2=22259
- Zarzycki, J. High-temperature X-ray diffraction studies of fused salts. Structure of molten alkali carbonates and sulphates, 2=15565
- Zarzycki, J. and Mezard, R. Study of the fine structure of glass, 2=15075
- Zarzycki, J.M. See Collinson, A.J.L., 2=242
- Zaslavskaya, I.G. Calculation of energies of 2-p excited exciton states with intermediate coupling, 2=3877
- Zaslavskaya, I.G. Calculation of the first excited state of an F-centre with an allowance for degeneracy, 2=18615
- Zaslavskaya, I.G. Calculation of the first excited state of an F-centre with an allowance for degeneracy, 2=21079
- Zaslavskii, A.I. See Sheftel', I.T., 2=8370
- Zaslavskii, A.I. See Zuze, V.P., 23399
- Zaslavskii, G.M. and Moiseyev, S.S. Some peculiarities in the behaviour of a relativistic plasma with an anisotropic distribution of electron velocities, 2=13561
- Zasorin, E.Z. See Akishin, P.A., 2=22951
- Zastavenko, L.G. and Khrustalev, O.A. Determination of the lifetime of optical transitions by using the interference of quantum levels, 2=8067
- Zasymchuk, O.E. and Larikov, L.N. Linear rate of recrystallization centre growth in niobium, 2=19100
- Zasymchuk, Ye.E. and Larikov, L.N. Kinetics of the growth and coagulation of phases formed during aging of nickel-titanium alloy, 2=8855
- Zatopek, A. See Vanek, I., 2=19187
- Zatsepin, G.T. and Chudakov, A.E. On methods for the detection of localized sources of high-energy photons, 2=1743
- Zatsepin, G.T. and Chudakov, A.E. On methods for the detection of localized sources of high-energy photons, 2=22694
- Zatsepin, G.T. and Kuz'min, V.A. Neutrino production in the atmosphere, 2=5774
- Zatsepin, V.I. and Chudakov, A.E. Lateral distribution of the intensity of Cherenkov radiation from broad atmospheric showers, 2=16269
- Zatsepin, V.I. See Chudakov, A.E., 2=20460
- Zauderer, B. Confinement of a partially ionized gas by a periodic magnetic field, 2=13568
- Zaukelies, D.A. Observation of slip in nylon 66 and 610 and its interpretation in terms of a new model, 2=19002
- Zauli, C. See Craig, D.P., 2=20839
- Zauli, C. See Craig, D.P., 2=20840
- Zavadskii, E.A. and Fakidov, I.G. Changes of the electrical conductivity of n-type germanium in strong pulsed magnetic fields, 2=8323
- Zavadskii, E.A. and Fakidov, I.G. Measurement of the Hall effect in n-type germanium in strong pulsed magnetic fields, 2=8324
- Zavadskii, E.A. and Fakidov, I.G. Electrical conductivity of germanium in strong pulsed magnetic fields in the mixed conduction region, 2=21136
- Zavadskii, E.A. and Fakidov, I.G. Measurement of Hall effect on n-Ge in strong pulsed magnetic fields, 2=23335
- Zavadskii, E.A., Kovrizhnykh, Yu.T. and Fakidov, I.G. The dependence of the Hall constant of p-type germanium on the magnetic field strength, 2=635
- Zavarickaya, E.I. See Vul, B.M., 2=23313
- Zavaritskaya, E.I. Impact ionization of impurities in [p-type] germanium at low temperatures, 2=2142
- Zavaritskii, N.V. The tunnel effect between thin films of superconducting material, 2=22110
- Zavaritskii, N.V. and Shal'nikov, A.I. Preparation of miniature carbon resistance thermometers for low temperatures, 2=19753
- Zavattini, E. See Bleser, E., 2=16218
- Zavattini, E. See Bleser, E., 2=18504
- Závětová, M. See Štourač, L., 2=23415
- Zavgorodnii, V.S. See Yakovleva, T.V., 2=16547
- Zavenyagin, Yu.A., Meshcherov, R.A. and Mironov, E.S. Some aspects of the theory of a cyclotron with an azimuthally varying magnetic field, 2=17915
- Závody, A. See Allison, J., 2=7568
- Zavoitskii, E.K., Kovan, I.A., Patrusev, B.I., Rusanov, V.D., Frank-Kamenetskii, D.A. Magnetoacoustic method for ionizing plasma, 2=3063
- Zavoiskii, E.K. See Bartov, A.V., 2=22222
- Zavyalov, A.I. See Ibragimov, S.S., 2=12489
- Zawadzki, W. Thermomagnetic effects in semiconductors, 2=10460
- Zawadzki, W. See Niemi, T., 2=21149
- Zawidzki, T.W. See Papée, H.M., 2=17497
- Zazarinov, R.F. See Ipatova, I.P., 2=589
- Zdanis, R.A., Bruns, C.A., Owen, G.E., Madansky, L. and Edwards, S. Exchange stripping effects in the reaction $B^{11}(d,n)C^{12}_{43}$, 2=1920
- Zdanis, R.A. See Reynolds, G.T., 2=9733
- Zdanis, R.A. See Waters, J.R., 2=18012
- Zdanowicz, W. Electrical properties of Cd_3As_2 , 2=23374
- Zdanuk, E.J. See Wolsky, S.P., 2=22279
- Zeeldijk, H.B., Ottens, E. and Burgers, W.G. F-bands in mix-crystals of NaCl and KCl. II, 2=3965
- Zeh, H.D. and Mang, H.J. Calculation of α -decay constants in the neighbourhood of Pb^{208} , 2=5839
- Zeidlits, P.M. and Yamnitskii, V.A. Accelerating systems employing H-type waves, 2=13613
- Zeidman, B., Yntema, J.L. and Satchler, G.R. Energy dependence of the $B^{10}(d,p)B^{11}$ angular distribution, 2=1915
- Zeidman, B. See Braid, T.H., 2=1876
- Zeidman, B. See Broek, H.W., 2=1924
- Zeidman, B. See Broek, H.W., 2=12218
- Zeidman, B. See Macfarlane, M.H., 2=1914
- Zeidman, B. See Macfarlane, M.H., 2=16432
- Zeidman, B. See Yntema, J.L., 2=1916
- Zeiger, H.J. See Krag, W.E., 2=18846
- Zeiger, H.J. See Stickler, J.J., 2=23137
- Zeil, W., Winnewisser, M. and Müller, K. Microwave spectroscopic investigations of $(CH_3)_3CCl$ and $(CD_3)_3CCl$, 2=8093
- Zeil, W., Winnewisser, M. and Hüttner, W. The microwave spectrum of $(CH_3)_3CBr$ in the region of 20000 Mc/s, 2=8096
- Zeil, W. See Brune, H.A., 2=14320
- Zeitler, E. and Bahr, G.F. A photometric procedure for weight determination of submicroscopic particles. Quantitative electron microscopy, 2=7164
- Zeitler, E. See Keil, E., 2=3304
- Zeitz, L. Potentialities of an X-ray microprobe, 2=4583
- Zelazny, R. and Kuzell, A. Two-group approach in neutron transport theory in plane geometry, 2=3352
- Zelazny, R., Kuzell, A. and Mika, J. Solution of the one-velocity Boltzmann equation with the first-order anisotropic scattering in plane geometry, 2=3351
- Zelazny, R.S. The general solution of the initial value problem for longitudinal plasma oscillations, 2=20009
- Zelby, L.W. The theory of Čerenkov effect based on Lorentz transformations, 2=22479
- Zel'dovich, A.G. and Pilipenko, Yu.K. A hydrogen liquefier with an output of 50 l./hr of liquid hydrogen, 2=7467
- Zel'dovich, A.G. and Pilipenko, Yu.K. Liquid hydrogen plant with an output of 50 liter/hr, 2=17708
- Zel'dovich, A.G. See Buyanov, R.A., 2=9469
- Zel'dovich, A.G. See Buyanov, R.A., 2=17706
- Zel'dovich, Ya.B. Symmetry of molecules, melting of crystals and ordering of liquids, 2=2938

- Zel'dovich, Ya.B. Equation of state at ultra-high densities, and its relativistic limitation, 2=4721
- Zel'dovich, Ya.B. The collapse of small mass in the general theory of relativity, 2=13151
- Zel'dovich, Ya.B. Static solutions with energy excess in the general theory of relativity, 2=17233
- Ze'dovich, Ya.B. Electron and positron polarization correlation in relativistic pairs, 2=22493
- Zel'dovich, Ya.B., Barenblatt, G.I. and Salganik, R.L. Quasi-periodic precipitation in the interdiffusion of two substances (Liesegang rings), 2=15123
- Zelenkov, A.G. See Baranov, S.A., 2=3500
- Zelenkov, A.G. See Baranov, S.A., 2=3501
- Zelenkov, A.G. See Baranov, S.A., 2=5755
- Zelenkov, A.G. See Baranov, S.A., 2=14018
- Zelenskaya, N.S. and Shirokov, Yu.M. Relativistic corrections to the magnetic moments of H^+ and He^3 , 2=3464
- Zeleny, W.B. The gauge principle in nonleptonic weak interactions, 2=16138
- Zelevinskaya, N.G. See Dobrotin, N.A., 2=13786
- Zelevinskii, V.G. See Belyaev, S.T., 2=16309
- Zelikin, Ya.M. Influence of the synthesis conditions on the luminescence of zinc oxide, 2=16851
- Zelikin, Ya.M. and Zhukovskii, A.P. The yellow luminescence of zinc oxide, 2=6620
- Zelikman, A.N., Christyakov, Yu.D., Indenbaum, G.V. and Krein, O.E. Crystal structure analysis of MoS_3 synthesized by various methods, 2=4422
- Zelinskii, V.V. and Kolobkov, V.P. The possibility of using the dielectric constant for the description of interaction in a solution, 2=17440
- Zelinskii, V.V. and Kolobkov, V.P. The possibility of using the dielectric constant for the description of interaction in a solution, 2=19550
- Zelinskii, V.V. and Reznikova, I.I. Influence of structure on the luminescence characteristics of complex organic molecules, 2=14741
- Zelinskii, V.V. See Borgman, V.A., 2=14740
- Zelinskii, V.V. See Zhmyreva, I.A., 2=15595
- Zel'manov, I.L., Lompaneets, A.S. and Sayasov, Yu.S. Phase motion of particles in accelerators with fluctuating parameters, 2=13623
- Zel'manov, I.L., Lompaneets, A.S. and Sayasov, Yu.S. Phase motion of particles in accelerators with fluctuating parameters, 2=17914
- Zel'tser, G.I. Determination of the total momentum of a system of n particles for the configuration j^n , 2=18238
- Zemann, A. and Zemmann, J. The crystal structure of teneite. An example of a correction of a chemical formula on the basis of a structure determination, 2=15030
- Zemann, J. See Sahl, K., 2=8832
- Zemann, J. See Zemmann, A., 2=15030
- Zemansky, M.W. Introductory courses in physics major curricula, 2=7097
- Zemskov, V.S. See Zhurkin, B.G., 2=8330
- Zemskov, V.S. See Zhurkin, B.G., 2=10468
- Zemskov, V.S. See Zhurkin, R.G., 2=12512
- Zen, J. See Gorodetzky, S., 2=5283
- Zen, J. See Gorodetzky, S., 2=9502
- Zenkevich, V.B. The application of the corresponding states principle to the study of heat conduction in liquid fuels, 2=9261
- Zenkova, E.K. See Panin, V.E., 2=23882
- Zentek, A. See Klages, G., 2=7229
- Zerbi, G. See Wu, E.L., 2=1989
- Zerbst, M. Piezoresistance effect in gallium arsenide, 2=23394
- Zerby, C.D. Electromagnetic production of pion pairs, 2=1707
- Zerby, C.D., Meyer, A. and Murray, R.B. Intrinsic line broadening in NaI(Tl) gamma-ray spectrometers, 2=5521
- Zerby, C.D. and Moran, H.S. Calculation of the pulse-height response of NaI(Tl) scintillation counters, 2=973
- Zerby, C.D. See Penny, S.K., 2=5602
- Zernik, W. See Zickendraht, W., 2=324
- Zeth, U. A method for the determination of the exposure for aerial photographs, 2=15760
- Zertsalova, I.N. See Grechanik, L.A., 2=18648
- Zetzsche, A. and Buch, K. Apparatus for measuring internal friction of solids, 2=6716
- Zetzsche, A. and Hauser, O. Measurement of the elastic modulus after cold work on irradiated and un-irradiated copper, 2=6744
- Zettlemoyer, A.C. See Chessick, J.J., 2=2432
- Zevakina, R.A. Geographical distribution of ionospheric disturbances in high latitudes, 2=15217
- Zevin, V.Ya. Frequency spectra of double electron-nuclear spin resonance at paramagnetic defects in crystals, 2=21382
- Zharinov, A.A. See Bol'shov, V.G., 2=22160
- Zharinov, A.B. Rotating plasma jet in a discharge in a magnetic field, 2=9592
- Zharkov, G.F. The magnetic moment of thin superconducting films, 2=16884
- Zharkov, V.N. Natural oscillations of the earth: their attenuation, 2=19188
- Zhbanov, Iu.K. A horizontal gyrocompass on vibrating elastic foundation, 2=17399
- Zhdanov, A.P. and Fedotov, P.I. Inelastic interaction of 660 MeV protons with carbon nuclei, 2=5921
- Zhdanov, A.P. See Berkovich, I.B., 2=353
- Zhdanov, A.P. See Berkovich, I.B., 2=22719
- Zhdanov, G.B. See Alekseeva, K.I., 2=20451
- Zhdanov, G.S. See Solov'ev, S.P., 2=2341
- Zhdanov, G.S. See Solov'ev, S.P., 2=3813
- Zhdanov, G.S. See Solov'ev, S.P., 2=16774
- Zhdanov, V., Kagan, Yu. and Sazykin, A. Effect of viscous transfer of momentum on diffusion in a gas mixture, 2=15635
- Zhdanov, V.A. and Katal'nikov, V.V. Calculation of the mean square thermal displacement of atoms in a CsCl-type crystal lattice, using the Houston method, 2=18514
- Zhdanov, V.A. and Katal'nikov, V.V. Calculation of the mean square thermal displacement of atoms in a CsCl-type crystal lattice, using the Houston method, 2=23042
- Zhekulin, L.A. Distribution of electron density with altitude deduced from rocket and artificial satellite experiments and its effect on the propagation of radio waves, 2=13020
- Zhelev, Zh. See Džhelepov, B.S., 2=5865
- Zhelev, Zh. See Džhelepov, B.S., 2=5866
- Zhelev, Zh.T. See Džhelepov, B.S., 2=5867
- Zhelezniakov, V.V. See Ginzburg, V.L., 2=2558
- Zheleznyakov, V.V. The origin of the slowly varying component of solar radio emission, 2=21736
- Zheleznyakov, V.V. See Ginzburg, V.L., 2=1007
- Zheleznyakov, V.V. See Ginzburg, V.L., 2=7847
- Zheludev, I.S. Oscillations of dielectric pendulums and polarization of ferroelectrics, 2=14611
- Zheludev, I.S. Similar and dissimilar features of antisymmetry, magnetic symmetry and complete symmetry, 2=19030
- Zheludev, I.S. See Gurevich, V.M., 2=668
- Zheludev, I.S. See Gurevich, V.M., 2=6521
- Zheludev, I.S. See Gurevich, V.M., 2=14624
- Zheludev, I.S. See Mamonov, E.I., 2=16782
- Zheludev, I.S. See Sonin, A.S., 2=16776
- Zherebin, E.A., Andreev, L.G. and Timoshuk, D.V. A fast neutron spectrometer, 2=1697
- Zherebtsova, M.K.I., Litvin, V.F., Lyu Chzhao-yu'en' and Nemilov, Yu.A. Levels of the Si^{30} nucleus from the reaction $Si^{28}(d,p)Si^{30}$, 2=5962
- Zherebtsova, K.I., Litvin, V.F. and Nemilov, Yu.A. Investigation of stripping and elastic scattering of deuterons on the C^{12} nucleus, 2=22849
- Zhernovoi, A.I. The measurement of large nuclear magnetic relaxation times in a continuous liquid flow, 2=17485
- Zhernovoi, A.I., Egorov, Yu.S. and Latyšev, G.D. A new method uniform and nonuniform magnetic fields, based on the magnetic resonance of protons, 2=1548
- Zhernovoi, A.I., Egorov, Yu.S. and Latyšev, G.D. The measurement and stabilization of weak [uniform] magnetic fields on the basis of the magnetic resonance of protons, 2=1549
- Zhevakin, S.S. Phase and amplitude variations in radiation traversing a non-adiabatic envelope of a pulsating star, 2=985
- Zhevakin, S.A. One common error in the theory of stellar variability, 2=992
- Zhevandrov, N.D., Gribov, V.I. and Khan-Magometova, I.D. Influence of excited light birefringence on the luminescence polarization in molecular crystals, 2=10614
- Zhevandrov, N.D. See Gribov, V.I., 2=16868
- Zhevandrov, N.D. See Khan-Magometova, Sh.D., 2=16864
- Zhidomirov, G.M. See Aleksandrov, I.V., 2=60
- Zhidomirov, G.M. See Aleksandrov, I.V., 2=777
- Zhidomirov, G.M. See Aleksandrov, I.V., 2=23713
- Zhigalovskaya, T.N. See Balabanova, V.N., 2=23976
- Zhiglinskii, A.G., Zaidel', A.N. and Karklina, E.A. Study of a direct current arc at increased pressure, 2=171
- Zhileiko, G.I. Effect of space charge on electron bunching in a linear travelling-wave accelerator, 2=230
- Zhileiko, G.I. Load characteristics of a linear travelling wave electron accelerator, 2=1529

- Zhileiko, G.I. A linear electron accelerator, 2=13614
- Zhilich, A.G. The effect of deformations and magnetic field on the exciton absorption in cubic crystals, 2=10598
- Zhilich, A.G., Cherepanov, V.I. and Kargaplov, Yu.A. The possible existence of magnetic-dipole lines in the spectrum of exciton absorption, 2=3876
- Zhilich, A.G. See Gross, E.F., 2=684
- Zhilinskii, A.P. See Golant, V.E., 2=22220
- Zhirnov, V.A. Effective cross-section for photoionization of lithium ions, 2=13541
- Zhizhin, E.D. and Solov'ev, V.V. Some new opportunities for studying the electromagnetic properties of the electrons and μ -mesons, 2=20310
- Zhmakin, G.G. See Balashova, N.A., 2=12950
- Zhmudskii, A.Z. See Kucherov, I.Ya., 2=21189
- Zhmudskii, A.Z. See Kucherov, I.Ya., 2=23456
- Zhmudskii, O.Z., Kucherov, I.Ya. and Shivanovskii, V.I. Recording of X-rays by means of photoresistors, 2=5429
- Zhmudskii, O.Z., Prohrushchenko, A.V. and Chetv'orkina, H.Ye. Some peculiarities of the K-state in nickel-chromium alloys with titanium, 2=18634
- Zhmurko, I.S. See Shneider, A.D., 2=16753
- Zhmurko, I.S. See Shneider, A.D., 2=18733
- Zhmyreva, I.A., Zelinskii, V.V., Kolobkov, V.P., Kochemirovskii, A.S. and Reznikova, I.I. Present views regarding the influence of the solvent on the spectra of complex organic molecules (summary of report), 2=15595
- Zhmyreva, I.A. See Borgman, V.A., 2=14740
- Zhuk, V.K. See Lebedev, M.A., 2=19163
- Zhukhovitskii, A.A. and Andreev, L.A. The effect of dispersion on the work function of electrons, 2=15941
- Zhukov, V.A. See Blokhintseva, T.D., 2=16227
- Zhukova, N.V., Evdokimova, G.K. and Levshin, V.L. Rate of phosphorescence decay as a function of filling of electron traps and temperature, 2=16856
- Zhukhovitskii, A.A. See Bokstein, B.S., 2=21068
- Zhukhovitskii, E.M. See Gershuni, G.Z., 2=13670
- Zhukov, A.G. See Tul'chinskii, B.S., 2=21597
- Zhukovskii, A.P. See Zelikin, Ya.M., 2=6620
- Zhukovskii, N.N. See Voinova, N.A., 2=14057
- Zhukovskii, N.N. See Voinova, N.A., 2=14062
- Zhukovskii, N.N. See Voinova, N.A., 2=14068
- Zhukovskii, V.I., Dorokhova, M.P., Zarembo, N.E., Dykman, D.G. and Bois, G.V. Results of thermal analysis of doped barium titanate, 2=16990
- Zhukovskii, V.I. See Andreeva, N.A., 2=14614
- Zhun Van. See Van Zhun.
- Zhurakovskii, E.A. See Vainshtein, E.E., 2=707
- Zhurakovskii, E.A. See Vainshtein, E.E., 2=8541
- Zhuravlev, A.A. See Benda, F., 2=15971
- Zhuravlev, D.A. See Grigorov, N.L., 2=19276
- Zhuravlev, G.V. See Egorov, L.B., 2=22548
- Zhuravlev, G.V. See Ignatenko, A.E., 2=14232
- Zhuravlev, N.N. and Stepanova, A.A. Röntgenographic determination of the coefficients of thermal expansion of the monosilicides of manganese and cobalt, 2=20942
- Zhuravlev, N.N. See Kuz'min, R.N., 2=4448
- Zhuravlev, N.V. and Melik-Adamyan, V.P. Study of the crystal structure of the superconducting compounds SrBi_3 and BaBi_3 , 2=10905
- Zhuravleva, V.G. See Kukavdze, G.M., 2=8885
- Zhurin, V.V. See Filippov, T.I., 2=198
- Zhurkin, B.G., Zemskov, V.S. and Yurkina, K.V. The Hall mobility of electrons in heavily doped n-type germanium, 2=8330
- Zhurkin, B.G., Zemskov, V.S. and Yurkina, K.V. The Hall mobility of electrons in heavily doped n-type germanium, 2=10468
- Zhurkin, R.G., Zemskov, V.S. and Yarkina, K.V. Hall mobility of electrons in heavily doped n-type germanium, 2=12512
- Zhurkov, S.N., Tomashevskii, E.E. and Zakrevskii, V.A. Investigation of macroradicals produced on mechanical destruction of polymers, 2=2031
- Zhuzgov, L.N. See Dolginov, S.Sh., 2=9133
- Zhuzgov, L.N. See Dolginov, S.Sh., 2=11082
- Zhuzgov, L.N. See Dolginov, S.Sh., 2=13063
- Ziauddin, S. Polar-cap absorption following the solar flare of July 16, 1959, 2=4640
- Zichichi, A., Berman, S.M., Cabibbo, N. and Gatto, R. Proton-antiproton annihilation into electrons, muons and vector bosons, 2=9849
- Zichichi, A. See Charpak, G., 2=1700
- Zichichi, A. See Charpak, G., 2=3367
- Zichichi, A. See Charpak, G., 2=13832
- Zichichi, A. See Gorodetzky, S., 2=22552
- Zickendraht, W., Andrews, D.J. and Rustgi, M.L. Photodisintegration of polarized and aligned deuterons, 2=1730
- Zickendraht, W., Andrews, D.J., Rustgi, M.L., Zernik, W., Torruella, A.J. and Breit, G. Revised calculations on the photodisintegration of the deuteron, 2=324
- Zieband, H. The thermal conductivity of toluene. New determinations and an appraisal of recent experimental work, 2=2709
- Ziegler, C.A., Bird, L.L., Chleck, D. and Carnevale, E.H. Electroluminescent pressure gauge, 2=19507
- Ziegler, C.A. and McCue, J.C. Alloy composition analysis using radioisotope excited X-rays, 2=4575
- Ziegler, G. See Spielmann, W., 2=6776
- Ziegler, K. See Leutz, H., 2=7941
- Ziegler, K. See Leutz, H., 2=20545
- Zienkiewicz, H.K. Wave theory of the Mach-Zehnder interferometer, 2=9400
- Zielińska, M. and Sobieczewski, A. Calculation of the optical potential with the nucleon-nucleon phase shifts in the Thomas-Fermi approximation. II, 2=13941
- Zielińska, M. See Dabrowski, J., 2=1868
- Zielińska, M. See Dabrowski, J., 2=10093
- Zielińska-Rohozńska, E. See Lefeld-Sosnowska, M., 2=15015
- Ziemia, F.P., Pelt, G., Ryan, G., Wang, L. and Alexander, R. Properties of an $n^+ - i - p^+$ semiconductor detector, 2=18016
- Ziemia, F.P. See Fiedland, S.S., 2=18198
- Ziemia, F.P. See West, H.I., Jr., 2=13775
- Ziemia, S. See Skowroński, J., 2=15665
- Ziemer, R.F. and Lambert, R.F. Shock-wave transducer calibration, 2=17547
- Ziemer, R.W. See Demetriades, S.T., 2=3055
- Zier, R. See Kaplan, J.I., 2=16020
- Ziering, S. Plane Poiseuille flow, 2=2740
- Zietek, W. The magnetic structure of an anisotropic ferromagnetic single crystal as a ground state approximation, 2=14775
- Zietek, W. Process of magnetization in a uniaxial ferromagnetic single crystal with a vertical magnetic field. I, 2=21309
- Zietek, W. Magnetization curve of a uniaxial ferromagnetic single crystal in an axial magnetic field, 2=21310
- Ziętek, W. The magnetic structures in the hexagonal lattice, 2=21311
- Zietek, W. See Wyslocki, B., 2=18905
- Zijlstra, H. The effect of magnetic field during the isothermal heat treatment of precipitation alloys, 2=12934
- Zijlstra, H. See Compaan, K., 2=13645
- Zijlstra, H. See de Vos, K.J., 2=12724
- Zijlstra, R.J.J. Noise in currents through thin insulating layers, 2=22158
- Zil'berman, G.E. See Belozorov, D.P., 2=3911
- Zilinski, E. See Krebs, K.H., 2=11731
- Zil'berman, G.E. See Ratner, A.M., 2=14707
- Zimakov, I.E. and Spitsyn, V.I. Effect of the energy of radioactive emission on the rate of evaporation of a solid body, 2=7469
- Ziman, J.M. Temperature of the transition to the superconducting state, 2=11558
- Ziman, J.M. Electrons in metals: a short guide to the Fermi surface. I. The electron gas, 2=18550
- Ziman, J.M. Electrons in metals: a short guide to the Fermi surface. II. Bands and zones, 2=18551
- Ziman, J.M. See Nabarro, F.R.N., 2=6342
- Zimani, I. See Men'khard, N., 2=479
- Zimani, I. See Men'khard, N., 2=22848
- Zimányi, J., Erő, J., Pócs, L. and Szentpétery, I. Circular polarization of γ -quanta produced by the reaction $\text{B}^{10}(\text{d}, \text{p})\text{B}^{11}$, 2=16426
- Zimányi, J. See Menyhard, N., 2=5959
- Zimen, K.E. See Biersack, J., 2=3546
- Zimmerman, A.H. See Costa, G., 2=16236
- Zimmerman, A.H. See Itō, D., 2=9780
- Zimin, E.P. The flow of a viscous, electrically conducting gas in a transverse magnetic field in the presence of heat transfer, 2=20119
- Zimin, E.P. and Popov, V.A. A study of the electrical conductivity of flames by the microwave method, 2=17513
- Zimmerer, R.W. New wavemeter for millimeter wavelengths, 2=20148
- Zimmerman, D.L. See Holden, A.N., 2=18625
- Zimmerman, E.J. The macroscopic nature of space-time, 2=4908
- Zimmerman, J.E. and Crane, L.T. Anomalous lattice specific heat of gold and zinc at liquid helium temperatures, 2=10331
- Zimmerman, J.E., McNutt, J.D. and Bohm, H.V. A magnetic refrigerator employing superconducting solenoids, 2=9470
- Zimmerman, J.E. and Sato, H. Electronic specific heat of Mn-Cu alloys, 2=2055

- Zimmerman, J.E. See Crane, L.T., 2=8170
- Zimmerman, R.L., Palevsky, H., Chrien, R.E., Olsen, W.C., Singh, P.P. and Westcott, C.H. The U.S.-Canadian fast chopper installation at Chalk river, 2=5692
- Zimmerman, S.P. Upper atmospheric turbulence near the 100 km level, 2=19208
- Zimmermann, K. See Boer, K.W., 2=596
- Zimmermann, K.H. A new directional analysis and its application to acoustic measurements, 2=19663
- Zimmermann, W., See Höhle, R., 2=20205
- Zimmermann, Z.H. and Gruschka, H.D. Instantaneous logarithmic amplifier for audiofrequencies, 2=5258
- Zimkina, T.M. See Rumsh, M.A., 2=4491
- Zin, G. General theory of Cherenkov radiation, 2=3310
- Zin, G. A general theorem for the electromagnetic field generated by a moving charge, 2=9682
- Zin, G. On the foundations of electrodynamics. III, 2=13658
- Zingerman, Ya.P. and Morozovskii, V.A. Interaction of molecular oxygen with the surface of tungsten, 2=23919
- Zinn, J. Initiation of explosions by hot spots, 2=19146
- Zinchenko, N.S. and Sorokina, V.M. Distribution of potential in a tubular electron bundle of finite length, 2=11713
- Zingery, W.L., Wirt, T.M., Belland, A. and Reeves, T.V. Realization of long-term magnetic stability of 10^{-5} per month for a permanent magnet assembly, 2=7713
- Zingg, S. See Fatuzzo, E., 2=4093
- Zink, H. See Van Isterbeek, A., 2=15541
- Zink, J.W. and Rodeback, G.W. The determination of lattice parameters by means of measurements on a single fuel element, 2=3649
- Zinnow, K.P. See Engelhardt, W.V., 2=21469
- Zinsmeister, G. See Herglotz, H.K., 2=17005
- Ziock, K., Hughes, V.W., Prepost, R., Bailey, J. and Cleland, W. Hyperfine structure of muonium, 2=18169
- Ziomek, J.S., Ferraro, J.R. and Peppard, D.F. Raman and infrared spectra and normal coordinate treatments of the hypophosphite and the dideuteriohypophosphite ions, 2=12330
- Zipf, E.C., Jr. See Crosswhite, H.M., 2=15258
- Zipf, T. See Cook, V., 2=22630
- Zipf, T.F. See Chamberlain, O., 2=7902
- Zirap, V.E. See Valbis, Ya.A., 2=23624
- Zirin, G. Magnetic fields in solar prominences, 2=24117
- Zirker, J.B. Spectral observations of solar chromospheric spicules, 2=19312
- Zirker, J.B. See Athay, R.G., 2=19311
- Zirin, H. Physical conditions in limb flares and active prominences. V. Excitation and ionization of helium and metals, 2=15355
- Zirin, H. See Firor, J., 2=4782
- Zirker, J.B. On the brightness of chromospheric spicules, 2=15354
- Zirker, J.B. See Thomas, R.N., 2=4716
- Zirker, J.B. See Thomas, R.N., 2=4717
- Zisin, Y.A., Kovrizhnikh, A.A., Lbov, A.A. and Sel'chenkov, L.I. The cross-section of the reaction $\text{Th}^{232}(n, 2n)\text{Th}^{231}$ at 14.7 MeV, 2=12209
- Zisman, W.A. See Barnett, M.K., 2=1127
- Zissis, G.J. See LaRocca, A.J., 2=7458
- Zitter, R.N. Small-field galvanomagnetic tensor of bismuth at 4.2°K, 2=18637
- Živanović, M.D., Jović, D.M. and Konstantinović, J.M. Double-crystal neutron spectrometer, 2=3356
- Zivanovic, S. and Sodha, M.S. Transport phenomena in a nonuniform slightly ionized gas, 2=15688
- Zivojinov, J.M. Relation between temperature and evaporation pressure, 2=11539
- Zlatarov, V.K. A precision instrument for measuring pulse amplitudes, 2=19849
- Zlatev, M.P. Determination of electromagnetic relations by means of an electromagnetic coordination vector, 2=13654
- Zlateva, A.I., Markov, P.K., Peeva, A.T., Khristov, L.G. and Chernev, Kh.M. Proton-proton elastic scattering at small angles at 6.2 BeV energy, 2=9842
- Zlatin, N.A. The theory of metal bodies in high speed impact, 2=7158
- Zlobin, L.I. and Radyuk, G.A. Stabilizing the operation of photomultipliers with box- and Louver-type dynode system, 2=17874
- Zlomanov, V.P. See Cheremisinov, V.P., 2=16819
- Zmbov, K.F. Effect of freon-12 on the thermal ionization of uranium on tungsten, 2=22179
- Zmbov, K.F. and Knežević, Z.V. Mass spectrometric determination of the self diffusion coefficient of boron trifluoride, 2=2765
- Zmysłowska, S. and Wilgain, S. Researches for natural radioactivity of soils — distribution of alpha radioactivity in soil profiles, 2=10030
- Zmysłowski, A. See Frankowski, W., 2=3652
- Zneimer, J. See Nielsen, J.W., 2=14819
- Zneimer, J.E. See Nielsen, J.W., 2=14805
- Zoellner, W. Pion-pion amplitudes from low-energy pion-production, 2=20401
- Zoellner, W. See Kim Tse Peng, 2=16219
- Zoli, A.M. The uniqueness theorem for Maxwell equations in a ferromagnetic medium, 2=8613
- Zoli, M.T. Review, with bibliography, of some questions relating to fog, 2=11019
- Zollner, H. High-aperture [photographic] objectives and their limits of usefulness, 2=7418
- Zollner, H. See Häuser, W., 2=21995
- Zolotar, B.A. See Wilfinger, R.J., 2=19828
- Zolotar, B.A. See Wilfinger, R.J., 2=19829
- Zolotarev, V.F. and Nasledov, D.N. Noise in p-type indium antimonide in a magnetic field at room temperature, 2=4036
- Zolotarev, V.F. and Nasledov, D.N. Noise in p-type indium antimonide in a magnetic field at room temperature, 2=6466
- Zolotarev, V.F. and Nasledov, D.N. Photomagnetic effect in p-type InSb at room temperatures, 2=8488
- Zolotarev, V.F. and Nasledov, D.N. Photomagnetic effect in p-type InSb at room temperatures, 2=10577
- Zolotarev, V.F. and Nasledov, D.N. Dependence of the ambipolar diffusion length and the sum of the Hall mobilities of carriers in p-type InSb on the magnetic field intensity at room temperature, 2=16725
- Zolotarev, V.F. and Nasledov, D.N. Dependence of the ambipolar diffusion length and the sum of the Hall mobilities of carriers in p-type InSb on the magnetic field intensity at room temperature, 2=18708
- Zolotarev, V.F. and Nasledov, D.N. Photomagnetic e.m.f. of p-type InSb at room temperature in an alternating magnetic field, 2=23480
- Zolotarev, V.F. and Pan'kova, T.F. Device for measuring resistance noise, 2=22134
- Zolotavin, A.V. See Grigor'ev, E.P., 2=1558
- Zolototubov, I.M., Novikov, Yu.M., Ryzhov, N.M., Skoblik, I.P. and Tolok, V.T. Magnetic plasma compression, 2=3046
- Zolotukhin, V.G. Statistical errors in the parameters of the neutron resonance levels at low energies, 2=20636
- Zombkovskii, S.M. See Ainutdinov, M.S., 2=16234
- Zombkovskii, S.M. See Ainutdinov, M.S., 2=18167
- Zombkovskii, S.M. See Beketov, V.A., 2=22370
- Zonn, Z.N. See Ioffe, V.A., 2=4084
- Zonov, Yu.V. See Beletskii, V.V., 2=9129
- Zorn, B.S. Pion-pion resonances in a pure $T = 1$ state, 2=13796
- Zorn, G.T. See Fischer, J., 2=18050
- Zorn, J.C. Ray Lee Edwards ceremonial volume, 2=17332
- Zott, H. See Asselmeyer, F., 2=7171
- Żórawski, M. Screw-dislocation in a visco-elastic medium, 2=16655
- Zorzi, G.B. See Accinni, F., 2=16456
- Zotova, N.V. and Nasledov, D.N. Galvanomagnetic and thermomagnetic properties of p-type indium arsenide, 2=16724
- Zotova, N.V. and Nasledov, D.N. Galvanomagnetic and thermomagnetic properties of p-type indium arsenide, 2=18707
- Zschauer, K.H. See Böer, K.W., 2=4189
- Zsoldos, E. The unit cell and space group of $\text{Na}_2\text{HPO}_4 \cdot 2\text{H}_2\text{O}$, 2=15036
- Zubarev, D.N. The statistical operator appropriate to systems not in equilibrium, 2=40
- Zubarev, D.N. The statistical operator appropriate to systems not in equilibrium, 2=11307
- Zubarev, D.N. Transfer processes in systems which are connected by a capillary, 2=13280
- Zubarev, D.N. Transfer processes in systems which are connected by a capillary, 2=17380
- Zubarev, P.V. See Oding, I.A., 2=19005
- Zubarev, P.V. See Oding, I.A., 2=23775
- Zubarev, T.N. and Sokolov, A.K. Calculation of the heat release in a shut-down reactor, 2=1948
- Zubarev, V.N. and Telegin, G.S. The shock compressibility of liquid nitrogen and solid carbon dioxide, 2=7192
- Zubarev, V.N. and Telegin, G.S. The shock compressibility of liquid nitrogen and solid carbon dioxide, 2=13320
- Zuber, A. See Czubek, J., 2=3305
- Zuber, N. The dynamics of vapor bubbles in nonuniform temperature fields, 2=2698
- Zubieta, M. See Escobar, I., 2=5769
- Zubieta, M. See Escobar, I., 2=13907

- Zubkov, V.M. See Vereshchagin, L.F., 2=24233
 Zubov, V.A. On the differentiation of spectra, 2=7359
 Zubov, V.G. and Osipova, L.P. The intensity and width of the Raman lines for α -quartz, 2=2243
 Zubov, V.G. and Osipova, L.P. Raman scattering in α -quartz irradiated by fast neutrons, 2=23540
 Zubov, V.A., Petrash, G.G. and Sushchinskii, M.M. A double-beam [photoelectric grating] spectrometer for the investigation of Raman spectra, 2=1264
 Zubova, E.V. See Vereshchagin, L.F., 2=21092
 Zuca, S. See Murgulescu, I.G., 2=11329
 Zucker, A. See Linder, B., 2=18363
 Zucker, C. An inexpensive nuclear laboratory, 2=1616
 Zucker, H. and Cohn, G.I. Propagation of TE modes in nonuniform waveguides, 2=17960
 Zucker, J. and Conwell, E.M. The recombination of hot carriers in germanium—experimental, 2=8404
 Zucker, J., Fowler, V.J. and Conwell, E.M. High-field conductivity in germanium and silicon at microwave frequencies, 2=5024
 Zucker, J. See Conwell, E.M., 2=8405
 Zuckermann, M.J. See Kenworthy, D.J., 2=13511
 Zudov, A.I. See Vagner, S.S., 2=164
 Zuehlke, R.W. See Reyerson, L.H., 2=4208
 Zuev, V.S. See Basov, N.G., 2=9708
 Zueva, N.M. See Gel'fand, I.M., 2=20098
 Zueva, O.M. See Éstrin, É.I., 2=23873
 Zue Khien Fam. See Fam Zui Khien
 Zulauf, M. See Cvijanovich, G.B., 2=5638
 Zulliani, G. See Mirri, A.M., 2=18467
 Zul'karneev, R.Ya. See Golovin, B.M., 2=22518
 Zum Bruch, J. See Gobrecht, H., 2=23611
 Zumwalt, L.R. See Anderson, E.E., 2=6857
 Zumwalt, L.R. See Creutz, E.S., 2=19586
 Zumwalt, L.R. See Ragone, D.V., 2=23956
 Zung, J.T. and Duncan, A.B.F. Molecular orbital calculations of excited states of H_2 , 2=14313
 Župančić, M.T. See Marinkov, L.G., 2=22738
 Zuppa, M. See Saftić, B., 2=6452
 Zuprąński, P. See Maluszyńska, K., 2=12197
 zu Putlitz, G. See Bucka, H., 2=18243
 Zuy Hien Kham. See Kham Zuy Hien
 Zuze, A.P. and Regel, A.R. The electrical properties of fused chalcogenides of antimony and bismuth, 2=21917
 Žuze, V.P., Zaslavskii, A.I., Petrusevič, V.A., Sergeieva, V.M., Smirnov, I.A. and Šelykh, A.I. Electrical and thermal properties of In_2Te_3 semiconductor with defect structure, 2=23399
 Zvegintsev, A.G. See Kirenskii, L.V., 2=16912
 Zvenglinskii, B. See Bryukhanov, V.A., 2=554
 Zverev, G.M. The nature of spin-lattice interaction in chromium corundum, I, 2=776
 Zverev, G.M. Spectroscopy for investigating the spin-lattice relaxation of paramagnetic materials in the temperature interval from 2 to 60° K, 2=20172
 Zverev, G.M., Kornienko, A.S., Prokhorov, A.M. and Smirnov, A.I. Electron paramagnetic resonance and spin lattice relaxation of the Er^{3+} ion in CdF_2 monocrystals, 2=18944
 Zverev, G.M. and Petelina, N.G. Electron paramagnetic resonance of Co^{2+} ions in corundum, 2=14824
 Zverev, L.P., Noskov, M.M. and Shur, M.Ya. Photoelectromagnetic effect and band structure in cuprous oxide, 2=10541
 Zverev, V.A. and Spiridonova, I.K. Statistical analysis of an acoustic field in the atmosphere to determine the characteristics of atmospheric turbulence, 2=17140
 Zverev, V.A. See Andreev, G.A., 2=23996
 Zvirblis, P. See Schieser, D.W., 2=15618
 Zvonarev, A.V. See Gus'kov, Yu.K., 2=3364
 Zvonarev, A.V. See Gus'kov, Yu.K., 2=6051
 Zvonarev, A.V. See Gus'kov, Yu.K., 2=6485
 Zvonov, N.V., Mis'kevich, A.I., Rogozhkin, I.V., Tereshchenko, V.I., Turkov, Zh.I. and Utkin, V.P. The fast neutron spectrum and thermal flux distribution in the V.V.R. reactor beam hole, 2=18384
 Zwann, C. Note on partition functions, 2=2998
 Zwanzig, R. See Nettleton, R.E., 2=17441
 Zwanzig, R. See Rubin, R.J., 2=560
 Zwanzig, W. On the 27-day variation of the cosmic radiation, 2=9969
 Zwanzig, W. See Bethge, H., 2=5385
 Zwanziger, D.E. See Barut, A.O., 2=18081
 Zweifel, P.F. and Ball, G.L. Group averaging of diffusion coefficients, 2=13809
 Zweifel, P.F. See Aamodt, R., 2=11947
 Zweifel, P.F. See Ferziger, J.H., 2=5660
 Zweifel, P.F. See Case, K.M., 2=6022
 Zweifel, P.F. See Yip, S., 2=6024
 Zweig, H.J. See Stultz, K.F., 2=1285
 Zwell, L. See Weissmann, S., 2=23930
 Zwick, M.M. and Kuhn, H. Radiationless passage of electron excitation energy through thin layers, 2=18872
 Zwiłker, E. The present position of the art of objective loudness measurement. I, 2=5120
 Zwickler, E. Simple functional model of hearing, 2=13209
 Zwickler, E.F. See Normal, S.L., 2=2347
 Zwickler, H. Determination of line form from the line contour of self-reversing lines. II. Application to lines of a very high pressure mercury arc, 2=7365
 Zwickler, H. See Bartels, H., 2=7364
 Zwicky, F. Cosmic and terrestrial tests for the rest mass of gravitons, 2=6966
 Zwicky, F. Supernovae and chains of supernovae as launchers of stars and galaxies, 2=17232
 Zyabkin, V.A. See Gorshkov, G.V., 2=20677
 Zych, W. See Rytz, A., 2=5911
 Zych, W. See Rytz, A., 2=22808
 Zych, W. See Winkler, H., 2=9749
 Zyczkowski, M. Limiting surfaces on the yield theory, 2=10758
 Zýkov, V.G. See Il'enko, B.P., 2=19972
 Zýkov, V.S. See Sumbaev, O.I., 2=8155
 Zyl, L.L.van. See van Zyl, L.L.
 Zylbersztejn, A. Theory of the conductivity of very pure germanium at very low temperatures, in the pre-avalanche region, 2=10472
 Zylbersztejn, A. Impact ionization in zinc-doped germanium at low temperatures, 2=14535
 Zylbersztejn, A. Theory of low-temperature impact ionization in high-purity germanium, 2=18679
 Zyllicz, J. See Chojnacki, S., 2=1839
 Zýong Chong Bai. See Baranov, V.I., 2=14053
 Zyranova, L.N. and Mikhailov, V.M. Systematics of reduced lifetimes for β -transitions of different degrees of forbiddenness, 2=18294
 Zýrina, L.V. See Andreev, I.S., 2=16873
 Zýryanov, P.S. and Kalashnikov, V.P. Quantum theory of the dielectric permeability tensor for an electron plasma in a magnetic field, 2=187
 Zýryanov, P.S. See Eleonskii, V.M., 2=8199
 Zýryanov, P.S. See Eleonskii, V.M., 2=13660
 Zýryanova, L.N. See Vindushka, M., 2=14029
 Zýsin, Yu.A. See Antropov, G.P., 2=20367
 Zýsin, Yu.A. See Bilibin, L.P., 2=20366
 Zýsin, Yu.A. See Sklizkov, G.V., 2=22146

